



# Open Source Used In AppDynamics\_Cloud\_Common\_Inge stion\_Service 23.11.0

**Cisco Systems, Inc.**

[www.cisco.com](http://www.cisco.com)

Cisco has more than 200 offices worldwide.  
Addresses, phone numbers, and fax numbers  
are listed on the Cisco website at  
[www.cisco.com/go/offices](http://www.cisco.com/go/offices).

Text Part Number: 78EE117C99-1843218681

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).

In your requests please include the following reference number 78EE117C99-1843218681

## Contents

### **1.1 junit 4.8.2**

1.1.1 Available under license

### **1.2 commons-configuration 1.8**

1.2.1 Available under license

### **1.3 json-simple 1.1**

1.3.1 Available under license

### **1.4 animal-sniffer-annotation 1.0**

1.4.1 Available under license

### **1.5 annotations 13.0**

1.5.1 Available under license

### **1.6 hdrhistogram 2.1.9**

1.6.1 Available under license

### **1.7 jboss-logging 3.3.2.Final**

1.7.1 Available under license

### **1.8 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava**

### **1.9 failureaccess 1.0.1**

### **1.10 javax-ws-rs-api 2.1.1**

### **1.11 commons-collections 4.4**

1.11.1 Available under license

### **1.12 jsr311-api 1.1.1**

1.12.1 Available under license

### **1.13 commons-logging 1.1.1**

1.13.1 Available under license

### **1.14 cglib 3.2.0**

1.14.1 Available under license

### **1.15 bean-validation-api 2.0.1.Final**

- 1.15.1 Available under license
- 1.16 hibernate-validator 6.1.7.Final**
  - 1.16.1 Available under license
- 1.17 javassist 3.27.0-GA**
  - 1.17.1 Available under license
- 1.18 classmate 1.5.1**
  - 1.18.1 Available under license
- 1.19 jakarta-validation-api 2.0.2**
  - 1.19.1 Available under license
- 1.20 commons-codec 1.15**
  - 1.20.1 Available under license
- 1.21 hamcrest 2.2**
  - 1.21.1 Available under license
- 1.22 asm 3.2**
  - 1.22.1 Available under license
- 1.23 jersey-media-jaxb 2.32**
  - 1.23.1 Available under license
- 1.24 jersey-server 2.32**
  - 1.24.1 Available under license
- 1.25 jersey-container-servlet 2.32**
  - 1.25.1 Available under license
- 1.26 jersey-container-servlet-core 2.32**
  - 1.26.1 Available under license
- 1.27 jersey-hk2 2.32**
  - 1.27.1 Available under license
- 1.28 jersey-bean-validation 2.32**
  - 1.28.1 Available under license
- 1.29 jersey-entity-filtering 2.31**
  - 1.29.1 Available under license
- 1.30 jersey-media-json-jackson 2.31**
  - 1.30.1 Available under license
- 1.31 httpcore5-h 5.0.2**
  - 1.31.1 Available under license
- 1.32 httpcomponents-core 5.0.2**
  - 1.32.1 Available under license
- 1.33 joda-time 2.10.9**
  - 1.33.1 Available under license
- 1.34 commons-lang3 3.12.0**
  - 1.34.1 Available under license

- 1.35 jersey-client 3.0.2**
  - 1.35.1 Available under license
- 1.36 jakarta-ws-rs-api 3.0.0**
  - 1.36.1 Available under license
- 1.37 jakarta xml bind api 2.3.3**
  - 1.37.1 Available under license
- 1.38 jersey-metainf-services 2.32**
  - 1.38.1 Available under license
- 1.39 commons-io 2.11.0**
  - 1.39.1 Available under license
- 1.40 commons-compress 1.21**
  - 1.40.1 Available under license
- 1.41 lz4-java 1.7.1**
  - 1.41.1 Available under license
- 1.42 zstd-jni 1.5.0-2**
  - 1.42.1 Available under license
- 1.43 opentracing-api 0.33.0**
  - 1.43.1 Available under license
- 1.44 opentracing-util 0.33.0**
  - 1.44.1 Available under license
- 1.45 opentracing-noop 0.33.0**
  - 1.45.1 Available under license
- 1.46 hikaricp 4.0.3**
  - 1.46.1 Available under license
- 1.47 common-utils 5.5.1**
  - 1.47.1 Available under license
- 1.48 kafka-schema-registry-client 5.5.1**
  - 1.48.1 Available under license
- 1.49 common-config 5.5.1**
  - 1.49.1 Available under license
- 1.50 kafka-schema-serializer 5.5.1**
  - 1.50.1 Available under license
- 1.51 kafka-avro-serializer 5.5.1**
  - 1.51.1 Available under license
- 1.52 argparse 0.8.1**
  - 1.52.1 Available under license
- 1.53 jetty-setuid-java 1.0.4**
  - 1.53.1 Available under license
- 1.54 zjsonpatch 0.3.0**

- 1.54.1 Available under license
- 1.55 profiler 1.1.1**
  - 1.55.1 Available under license
- 1.56 jcip-annotation 1.0-1**
  - 1.56.1 Available under license
- 1.57 jakarta-el 4.0.2**
  - 1.57.1 Available under license
- 1.58 reflections 0.9.10**
  - 1.58.1 Available under license
- 1.59 protobuf-java-format 1.2**
  - 1.59.1 Available under license
- 1.60 jakarta-inject-api 2.0.1**
  - 1.60.1 Available under license
- 1.61 logback-throttling-appender 1.1.0**
  - 1.61.1 Available under license
- 1.62 javax-annotation-api 1.3.2**
  - 1.62.1 Available under license
- 1.63 slf4j 1.7.36**
  - 1.63.1 Available under license
- 1.64 jul-to-slf4j 1.7.36**
  - 1.64.1 Available under license
- 1.65 log4j-over-slf4j 1.7.36**
  - 1.65.1 Available under license
- 1.66 jcl-over-slf4j 1.7.36**
  - 1.66.1 Available under license
- 1.67 logback-core 1.2.11**
  - 1.67.1 Available under license
- 1.68 simpleclient-common 0.15.0**
  - 1.68.1 Available under license
- 1.69 animal-sniffer-annotation 1.21**
  - 1.69.1 Available under license
- 1.70 gson 2.9.0**
  - 1.70.1 Available under license
- 1.71 perfmark-api 0.25.0**
  - 1.71.1 Available under license
- 1.72 activation-api 1.2.2**
  - 1.72.1 Available under license
- 1.73 metrics-health-checks 4.1.17**
  - 1.73.1 Available under license

## **1.74 simpleclient\_tracer\_otel\_agent 0.15.0**

1.74.1 Available under license

## **1.75 simpleclient 0.15.0**

1.75.1 Available under license

## **1.76 simpleclient\_tracer\_otel 0.15.0**

1.76.1 Available under license

## **1.77 simpleclient\_tracer\_common 0.15.0**

1.77.1 Available under license

## **1.78 kafka-protobuf-serializer 5.5.1**

1.78.1 Available under license

## **1.79 kafka-protobuf-provider 5.5.1**

1.79.1 Available under license

## **1.80 simpleclient-httpserver 0.15.0**

1.80.1 Available under license

## **1.81 gson-fire 1.8.5**

1.81.1 Available under license

## **1.82 awaitility 4.2.0**

1.82.1 Available under license

## **1.83 apache-commons-text 1.10.0**

1.83.1 Available under license

## **1.84 okhttp 5.0.0**

1.84.1 Available under license

## **1.85 kotlin 1.6.21**

1.85.1 Available under license

## **1.86 bouncy-castle 1.72**

1.86.1 Available under license

## **1.87 jctools-core 4.0.1**

1.87.1 Available under license

## **1.88 metrics-annotation 4.1.17**

1.88.1 Available under license

## **1.89 dropwizard-configuration 2.0.18**

1.89.1 Available under license

## **1.90 metrics-servlets 4.1.17**

1.90.1 Available under license

## **1.91 dropwizard-jetty 2.0.18**

1.91.1 Available under license

## **1.92 dropwizard-servlets 2.0.18**

1.92.1 Available under license

## **1.93 dropwizard-jersey 2.0.18**

- 1.93.1 Available under license
- 1.94 dropwizard-logging 2.0.18**
  - 1.94.1 Available under license
- 1.95 dropwizard-lifecycle 2.0.18**
  - 1.95.1 Available under license
- 1.96 drop-wizard-metrics 2.0.18**
  - 1.96.1 Available under license
- 1.97 metrics-jetty 4.1.17**
  - 1.97.1 Available under license
- 1.98 metrics-jersey2 4.1.17**
  - 1.98.1 Available under license
- 1.99 metrics-jmx 4.1.17**
  - 1.99.1 Available under license
- 1.100 metrics-json 4.1.17**
  - 1.100.1 Available under license
- 1.101 dropwizard-util 2.0.18**
  - 1.101.1 Available under license
- 1.102 metrics-jvm 4.1.17**
  - 1.102.1 Available under license
- 1.103 dropwizard-validation 2.0.18**
  - 1.103.1 Available under license
- 1.104 dropwizard-request-logging 2.0.18**
  - 1.104.1 Available under license
- 1.105 dropwizard-jackson 2.0.18**
  - 1.105.1 Available under license
- 1.106 metrics-logback 4.1.17**
  - 1.106.1 Available under license
- 1.107 dropwizard-core 2.0.18**
  - 1.107.1 Available under license
- 1.108 protobuf-java 3.21.12**
  - 1.108.1 Available under license
- 1.109 protobuf-java-util 3.21.12**
  - 1.109.1 Available under license
- 1.110 objenesis 3.3**
  - 1.110.1 Available under license
- 1.111 jackson-datatype-jdk8 2.14.2**
  - 1.111.1 Available under license
- 1.112 jackson-jaxrs 2.14.2**
  - 1.112.1 Available under license



- 1.113 jackson 2.14.2**
  - 1.113.1 Available under license
- 1.114 jackson-dataformat-yaml 2.14.2**
  - 1.114.1 Available under license
- 1.115 jackson-jaxrs-base 2.14.2**
  - 1.115.1 Available under license
- 1.116 jackson-datatype-guava 2.14.2**
  - 1.116.1 Available under license
- 1.117 jackson-annotations 2.14.2**
  - 1.117.1 Available under license
- 1.118 jackson-databind 2.14.2**
  - 1.118.1 Available under license
- 1.119 jackson-module-parameter-names 2.14.2**
  - 1.119.1 Available under license
- 1.120 jackson-xc 2.14.2**
  - 1.120.1 Available under license
- 1.121 jackson-datatype-jsr310 2.14.2**
  - 1.121.1 Available under license
- 1.122 jackson-datatype-joda 2.14.2**
  - 1.122.1 Available under license
- 1.123 proto-google-common-protos 2.9.0**
  - 1.123.1 Available under license
- 1.124 jackson-module-afterburner 2.14.2**
  - 1.124.1 Available under license
- 1.125 snake-yaml 2.0**
  - 1.125.1 Available under license
- 1.126 byte-buddy 1.14.1**
  - 1.126.1 Available under license
- 1.127 jose4j 0.9.3**
  - 1.127.1 Available under license
- 1.128 json-java 20230227**
  - 1.128.1 Available under license
- 1.129 error\_prone\_annotations 2.18.0**
  - 1.129.1 Available under license
- 1.130 swagger-annotations 1.6.9**
  - 1.130.1 Available under license
- 1.131 metrics 4.2.18**
  - 1.131.1 Available under license
- 1.132 client-java-proto 18.0.0**

- 1.132.1 Available under license
- 1.133 client-java-api 18.0.0**
  - 1.133.1 Available under license
- 1.134 client-java 18.0.0**
  - 1.134.1 Available under license
- 1.135 bucket4j-core 7.6.0**
  - 1.135.1 Available under license
- 1.136 client-java-api-fluent 18.0.0**
  - 1.136.1 Available under license
- 1.137 client-java-extended 18.0.0**
  - 1.137.1 Available under license
- 1.138 jackson-module-guice 2.14.2**
  - 1.138.1 Available under license
- 1.139 zstd 1.4.9**
  - 1.139.1 Available under license
- 1.140 cloudevents-core 2.4.2**
  - 1.140.1 Available under license
- 1.141 cloudevents-json-jackson 2.4.2**
  - 1.141.1 Available under license
- 1.142 cloudevents-api 2.4.2**
  - 1.142.1 Available under license
- 1.143 cloudevents-kafka 2.4.2**
  - 1.143.1 Available under license
- 1.144 jsr305 3.0.2**
  - 1.144.1 Available under license
- 1.145 micronaut-jackson-core 3.9.0**
  - 1.145.1 Available under license
- 1.146 micronaut-http-server-netty 3.9.0**
  - 1.146.1 Available under license
- 1.147 micronaut-context 3.9.0**
  - 1.147.1 Available under license
- 1.148 micronaut-jackson-databind 3.9.0**
  - 1.148.1 Available under license
- 1.149 micronaut-core-reactive 3.9.0**
  - 1.149.1 Available under license
- 1.150 micronaut-http-client-core 3.9.0**
  - 1.150.1 Available under license
- 1.151 micronaut-buffer-netty 3.9.0**
  - 1.151.1 Available under license

- 1.152 micronaut-http-server 3.9.0**
  - 1.152.1 Available under license
- 1.153 micronaut-inject 3.9.0**
  - 1.153.1 Available under license
- 1.154 micronaut-json-core 3.9.0**
  - 1.154.1 Available under license
- 1.155 micronaut-core 3.9.0**
  - 1.155.1 Available under license
- 1.156 micronaut-websocket 3.9.0**
  - 1.156.1 Available under license
- 1.157 micronaut-security-annotations 3.11.0**
  - 1.157.1 Available under license
- 1.158 micronaut-http 3.9.0**
  - 1.158.1 Available under license
- 1.159 micronaut-validation 3.9.0**
  - 1.159.1 Available under license
- 1.160 micronaut-router 3.9.0**
  - 1.160.1 Available under license
- 1.161 micronaut-http-client 3.9.0**
  - 1.161.1 Available under license
- 1.162 micronaut-http-netty 3.9.0**
  - 1.162.1 Available under license
- 1.163 micronaut-management 3.9.0**
  - 1.163.1 Available under license
- 1.164 micronaut-aop 3.9.0**
  - 1.164.1 Available under license
- 1.165 micronaut-runtime 3.9.0**
  - 1.165.1 Available under license
- 1.166 servlet-api 3.1.0**
  - 1.166.1 Available under license
- 1.167 micronaut-reactor 2.6.0**
  - 1.167.1 Available under license
- 1.168 micronaut-grpc-client-runtime 3.6.0**
  - 1.168.1 Available under license
- 1.169 micronaut-grpc-opentracing 3.6.0**
  - 1.169.1 Available under license
- 1.170 micronaut-grpc-annotation 3.6.0**
  - 1.170.1 Available under license
- 1.171 micronaut-grpc-server-runtime 3.6.0**

- 1.171.1 Available under license
- 1.172 micronaut-grpc-runtime 3.6.0**
  - 1.172.1 Available under license
- 1.173 micronaut-security 3.11.0**
  - 1.173.1 Available under license
- 1.174 micronaut-grpc-health 3.6.0**
  - 1.174.1 Available under license
- 1.175 micronaut-security-jwt 3.11.0**
  - 1.175.1 Available under license
- 1.176 micronaut-protobuf-support 3.6.0**
  - 1.176.1 Available under license
- 1.177 micronaut-discovery-client 3.3.1**
  - 1.177.1 Available under license
- 1.178 j2objc-annotations 2.8**
  - 1.178.1 Available under license
- 1.179 slf4j-impl 1.7.36**
  - 1.179.1 Available under license
- 1.180 jackson-jr-annotation-support 2.15.2**
  - 1.180.1 Available under license
- 1.181 everit-json-schema 1.14.2**
  - 1.181.1 Available under license
- 1.182 jackson-jr-objects 2.15.2**
  - 1.182.1 Available under license
- 1.183 classgraph 4.8.158**
  - 1.183.1 Available under license
- 1.184 guava 32.1.2-jre**
  - 1.184.1 Available under license
- 1.185 kubernetes-model-common 6.7.2**
  - 1.185.1 Available under license
- 1.186 kubernetes-client 6.7.2**
  - 1.186.1 Available under license
- 1.187 kubernetes-httpclient-okhttp 6.7.2**
  - 1.187.1 Available under license
- 1.188 kubernetes-model-flowcontrol 6.7.2**
  - 1.188.1 Available under license
- 1.189 kubernetes-model 6.7.2**
  - 1.189.1 Available under license
- 1.190 kubernetes-model-node 6.7.2**
  - 1.190.1 Available under license

- 1.191 kubernetes-model-gatewayapi 6.7.2**
  - 1.191.1 Available under license
- 1.192 kubernetes-client-api 6.7.2**
  - 1.192.1 Available under license
- 1.193 kubernetes-model-resource 6.7.2**
  - 1.193.1 Available under license
- 1.194 micronaut-serde-jackson 1.5.2**
  - 1.194.1 Available under license
- 1.195 micronaut-serde-api 1.5.2**
  - 1.195.1 Available under license
- 1.196 micronaut-serde-support 1.5.2**
  - 1.196.1 Available under license
- 1.197 okio 3.2.0**
  - 1.197.1 Available under license
- 1.198 mockito 4.5.0**
  - 1.198.1 Available under license
- 1.199 hazelcast 5.3.2**
  - 1.199.1 Available under license
- 1.200 hazelcast-tpc-engine 5.3.2**
  - 1.200.1 Available under license
- 1.201 byte-buddy-agent 1.14.1**
  - 1.201.1 Available under license
- 1.202 mockwebserver 0.2.2**
  - 1.202.1 Available under license
- 1.203 avro 1.11.3**
  - 1.203.1 Available under license
- 1.204 nimbus-jose-jwt 9.31**
  - 1.204.1 Available under license
- 1.205 netty-codec 4.1.100.Final**
  - 1.205.1 Available under license
- 1.206 netty-resolver 4.1.100.Final**
  - 1.206.1 Available under license
- 1.207 netty 4.1.100.Final**
  - 1.207.1 Available under license
- 1.208 netty-transport 4.1.100.Final**
  - 1.208.1 Available under license
- 1.209 netty-handler 4.1.100.Final**
  - 1.209.1 Available under license
- 1.210 netty-transport-native-unix-common 4.1.100.Final**

- 1.210.1 Available under license
- 1.211 netty-codec-http 4.1.100.Final**
  - 1.211.1 Available under license
- 1.212 netty-handler-proxy 4.1.100.Final**
  - 1.212.1 Available under license
- 1.213 netty-codec-socks 4.1.100.Final**
  - 1.213.1 Available under license
- 1.214 lz4 1.9.2**
  - 1.214.1 Available under license
- 1.215 httpcomponents-client 5.0.3**
  - 1.215.1 Available under license
- 1.216 lz4 1.9.1**
  - 1.216.1 Available under license
- 1.217 guice 2.14.2**
  - 1.217.1 Available under license
- 1.218 jetty 11.0.18**
  - 1.218.1 Available under license
- 1.219 micronaut-kubernetes-discovery-client 4.0.0**
  - 1.219.1 Available under license
- 1.220 micronaut-kubernetes-client-reactor 4.0.0**
  - 1.220.1 Available under license
- 1.221 hazelcast-jet-kafka 5.2.2**
  - 1.221.1 Available under license
- 1.222 kubernetes-server-mock 6.5.0**
  - 1.222.1 Available under license
- 1.223 micronaut-kubernetes-client 4.0.0**
  - 1.223.1 Available under license
- 1.224 micronaut-kubernetes-informer 4.0.0**
  - 1.224.1 Available under license
- 1.225 servicecatalog-model 6.5.0**
  - 1.225.1 Available under license
- 1.226 servicecatalog-client 6.5.0**
  - 1.226.1 Available under license
- 1.227 jetty-security 11.0.18**
  - 1.227.1 Available under license
- 1.228 jetty 11.0.18**
  - 1.228.1 Available under license
- 1.229 jetty-servlets 11.0.18**
  - 1.229.1 Available under license

## 1.230 jetty-util 11.0.18

### 1.230.1 Available under license

# 1.1 junit 4.8.2

## 1.1.1 Available under license :

BSD License

Copyright (c) 2000-2006, www.hamcrest.org  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JUnit

Common Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

- i) changes to the Program, and

- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any



other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as

reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number.

The Program

(including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

## 1.2 commons-configuration 1.8

### 1.2.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
  
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,

or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted

against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,



WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Apache Commons Configuration

Copyright 2001-2012 The Apache Software Foundation

This product includes software developed by

The Apache Software Foundation (<http://www.apache.org/>).

## 1.3 json-simple 1.1

### 1.3.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own

copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.4 animal-sniffer-annotation 1.0

## 1.4.1 Available under license :

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head profile="http://www.w3.org/1999/xhtml/vocab">
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1" />
  <link rel="shortcut icon" href="https://opensource.org/files/osi_favicon.png" type="image/png" />
  <meta name="HandheldFriendly" content="true" />
  <link rel="shortlink" href="/node/47" />
```

```

<meta name="Generator" content="Drupal 7 (http://drupal.org)" />
<link rel="canonical" href="/licenses/CDDL-1.0" />
<meta name="MobileOptimized" content="width" />
<title>Common Development and Distribution License (CDDL-1.0) | Open Source Initiative</title>
<link type="text/css" rel="stylesheet" href="https://opensource.org/files/css/css_xE-rWrJf-
fncB6ztZfd2huxqgxu4WO-qwma6Xer30m4.css" media="all" />
<link type="text/css" rel="stylesheet"
href="https://opensource.org/files/css/css_4p37TiWeuzRfdymI_IPgCuu6wEwSDhUquxUkHLI7QnU.css"
media="all" />
<link type="text/css"
rel="stylesheet"
href="https://opensource.org/files/css/css_MnXiyJtb186Ydycnpwpw34cuUsHaKc80ey5LiQXhSY.css"
media="all" />
<link type="text/css" rel="stylesheet" href="//maxcdn.bootstrapcdn.com/bootstrap/3.2.0/css/bootstrap.min.css"
media="all" />
<link type="text/css" rel="stylesheet" href="https://opensource.org/files/css/css_KGZcOm3i1wmtbgZsjo-
3V9FM4wZ-5UDcpJ7Vfzmt45E.css" media="all" />
<link type="text/css" rel="stylesheet"
href="https://opensource.org/files/css/css_G9cu63kkDQ56GYuF3QrqJxma5HT-bUVZckUWKUzFCF4.css"
media="all" />

<!--[if (lt IE 9)]>
<link type="text/css" rel="stylesheet" href="https://opensource.org/sites/all/themes/bootstrap-
business/css/ie8.css?ooglib" media="all" />
<![endif]-->

<!-- HTML5 element support for IE6-8 -->
<!--[if lt IE 9]>
<script src="//html5shiv.googlecode.com/svn/trunk/html5.js"></script>
<![endif]-->
<script type="text/javascript" src="//code.jquery.com/jquery-1.10.2.min.js"></script>
<script type="text/javascript">
<!--/--><![CDATA[/><!--
window.jQuery
|| document.write("<script src='/sites/all/modules/jquery_update/replace/jquery/1.10/jquery.min.js'>\x3C/script>")
/--><![>
</script>
<script type="text/javascript"
src="https://opensource.org/files/js/js_aczm2rRgH_slWBPnvD3KMrK7rwa1i99HOq8IUAb99Co.js"></script>
<script type="text/javascript" src="//maxcdn.bootstrapcdn.com/bootstrap/3.2.0/js/bootstrap.min.js"></script>
<script type="text/javascript">
<!--/--><![CDATA[/><!--
jQuery(document).ready(function($) {
$(window).scroll(function() {
if($(this).scrollTop() != 0) {
$("#toTop").fadeIn();
} else {

```

```

    $("#toTop").fadeOut();
  }
});

$("#toTop").click(function() {
  $("body,html").animate({scrollTop:0},800);
});

});
//--><![]]>
</script>
<script type="text/javascript"
src="https://opensource.org/files/js/js_ruOYJN6FkJU2O5L1dAKVnDloSn5R6LjnLW88zFxS1Uw.js"></script>
<script type="text/javascript" src="https://opensource.org/files/js/js_JQHTvV_SkyFIN3f2BnQwnusF-
eI6tkX8wrKAK2siiZU.js"></script>
<script
type="text/javascript">
<!--//--><![CDATA[//><!--
jQuery.extend(Drupal.settings,
{"basePath":"","pathPrefix":"","ajaxPageState":{"theme":"bootstrap_business","theme_token":"D5bF-
vfxh3x4rhnCcr3T2k7ur5CHjnreBuWtI5Py_f8"},"js":{"\\code.jquery.com\\jquery-
1.10.2.min.js":1,"0":1,"misc\\jquery.once.js":1,"misc\\drupal.js":1,"\\maxcdn.bootstrapcdn.com\\bootstrap\\3.2.0\\js
\\bootstrap.min.js":1,"1":1,"sites\\all\\libraries\\superfish\\jquery.hoverIntent.minified.js":1,"sites\\all\\libraries\\supe
rfish\\sftouchscreen.js":1,"sites\\all\\libraries\\superfish\\sfsmallscreen.js":1,"sites\\all\\libraries\\superfish\\suppositi
on.js":1,"sites\\all\\libraries\\superfish\\superfish.js":1,"sites\\all\\libraries\\superfish\\supersubs.js":1,"sites\\all\\mod
ules\\superfish\\superfish.js":1,"sites\\all\\themes\\bootstrap-
business\\js\\jquery.browser.min.js":1},"css":{"modules\\system\\system.base.css":1,"modules\\system\\system.men
us.css":1,"modules\\system\\system.messages.css":1,"modules\\system\\system.theme.css":1,"modules\\aggregator\\
aggregator.css":1,"modules\\comment\\comment.css":1,"modules\\field\\theme\\field.css":1,"sites\\all\\modules\\mol
lom\\mollom.css":1,"modules\\node\\node.css":1,"modules\\search\\search.css":1,"modules\\user\\user.css":1,"sites\\
all\\modules\\views\\css\\views.css":1,"sites\\all\\modules\\ctools\\css\\ctools.css":1,"\\maxcdn.bootstrapcdn.com\\
bootstrap\\3.2.0\\css\\bootstrap.min.css":1,"sites\\all\\libraries\\superfish\\css\\superfish.css":1,"sites\\all\\themes\\bo
otstrap-business\\css\\style.css":1,"sites\\all\\themes\\bootstrap-
business\\color\\colors.css":1,"sites\\all\\themes\\bootstrap-business\\css\\local.css":1,"sites\\all\\themes\\bootstrap-
business\\css\\ie8.css":1}},{"urlIsAjaxTrusted":{"\\licenses\\cddl1.php":true},"superfish":{"1":{"id":"1","sf":{"anima
tion":{"opacity":"show","height":"show"},"speed":"\u0027fast\u0027","autoArrows":false,"dropShadows":true,"dis
ableHI":false},"plugins":{"touchscreen":{"mode":"window_width"},"smallscreen":{"mode":"window_width"},"add
Selected":false,"menuClasses":false,"hyperlinkClasses":false,"title":"Navigation"},"supposition":true,"bgiframe":fal
se,"supersubs":{"minWidth":"12","maxWidth":"27","extraWidth":1}}}}});
//--><![]]>
</script>
</head>
<body
class="html not-front not-logged-in no-sidebars page-node page-node- page-node-47 node-type-page" >
<div id="skip-link">
  <a href="#main-content" class="element-invisible element-focusable">Skip to main content</a>
</div>
  <div id="toTop"><span class="glyphicon glyphicon-chevron-up"></span></div>

```

```

<!-- #header-top -->
<div id="header-top" class="clearfix">
  <div class="container">

    <!-- #header-top-inside -->
    <div id="header-top-inside" class="clearfix">
      <div class="row">

        <div class="col-md-8">
          <!-- #header-top-left -->
          <div id="header-top-left" class="clearfix">
            <div class="region
region-header-top-left">
              <div id="block-menu-secondary-menu" class="block block-menu clearfix">

                <div class="content">
                  <ul class="menu"><li class="first leaf"><a href="/" title="">Home</a></li>
<li class="leaf"><a href="/blog" title="">From the Board</a></li>
<li class="leaf"><a href="/contact" title="">Contact</a></li>
<li class="last leaf"><a href="/civicrm/contribute/transact?reset=1&id=2" title="">Donate</a></li>
</ul> </div>
                </div>
              <!-- EOF:#header-top-left -->
            </div>
          </div>

          <div class="col-md-4">
            <!-- #header-top-right -->
            <div id="header-top-right" class="clearfix">
              <div class="region region-header-top-right">
                <div id="block-search-form" class="block block-search clearfix">

                  <div class="content">
                    <form action="/licenses/cddl1.php" method="post" id="search-block-form" accept-charset="UTF-8"><div><div
class="container-inline">
                      <h2 class="element-invisible">Search form</h2>
                      <div class="form-item form-type-textfield form-item-search-block-form">
<input onblur="if (this.value == &#039;&#039;) {this.value = &#039;Search this website...&#039;;}" onfocus="if
(this.value == &#039;Search this website...&#039;) {this.value = &#039;&#039;;}" type="text" id="edit-search-
block-form--2" name="search_block_form" value="Search this website..." size="15" maxlength="128"
class="form-text" />
                    </div>
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>

```



```

<div class="form-actions form-wrapper" id="edit-actions"><input value="" type="submit" id="edit-submit"
name="op" class="form-submit" /></div><input type="hidden" name="form_build_id" value="form-
KxXCPRthSHIavIFsWuRt0aA5XfPKSjxX6XBfkcMCQPQ" />
<input type="hidden" name="form_id" value="search_block_form" />
</div>
</div></form> </div>
</div>
</div>
    </div>
    <!-- EOF:#header-top-right -->
    </div>

    </div>
    </div>
    <!-- EOF: #header-top-inside -->

</div>
</div>
<!-- EOF: #header-top -->

<!-- header -->
<header id="header" role="banner" class="clearfix">
  <div class="container">

    <!-- #header-inside -->
    <div id="header-inside" class="clearfix">
      <div class="row">
        <div class="col-md-8">

          <div id="logo">
            <a href="/" title="Home" rel="home">  </a>
          </div>

          <div id="site-name">
            <a href="/" title="Home">Open Source Initiative</a>
          </div>

        </div>

        <div class="col-md-4">

          </div>
        </div>
      </div>
    </div>
  </div>
<!-- EOF: #header-inside

```

```

-->

</div>
</header>
<!-- EOF: #header -->

<!-- #main-navigation -->
<div id="main-navigation" class="clearfix">
  <div class="container">

    <!-- #main-navigation-inside -->
    <div id="main-navigation-inside" class="clearfix">
      <div class="row">
        <div class="col-md-12">
          <nav role="navigation">
            <div class="region region-navigation">
<div id="block-superfish-1" class="block block-superfish clearfix">

<div class="content">
  <ul id="superfish-1" class="menu sf-menu sf-navigation sf-horizontal sf-style-none sf-total-items-6 sf-parent-
items-6 sf-single-items-0"><li id="menu-37-1" class="first odd sf-item-1 sf-depth-1 sf-total-children-4 sf-parent-
children-2 sf-single-children-2 menuparent"><a href="/about" title="About the Open Source Initiative" class="sf-
depth-1 menuparent">About</a><ul><li id="menu-75-1" class="first odd sf-item-1 sf-depth-2 sf-no-children"><a
href="/history" title="History of the OSI" class="sf-depth-2">History</a></li><li id="menu-82-1" class="middle
even sf-item-2 sf-depth-2 sf-total-children-7 sf-parent-children-0 sf-single-children-7 menuparent"><a
href="/board" title="Board of Directors" class="sf-depth-2 menuparent">Board</a><ul><li id="menu-83-1"
class="first odd sf-item-1 sf-depth-3 sf-no-children"><a href="/docs/board-annotated" title="OSI Board -- With
Annotations" class="sf-depth-3">Board - Annotated</a></li><li id="menu-96-1" class="middle even sf-item-2 sf-
depth-3 sf-no-children"><a href="/minutes" title="Public Minutes of Board Meetings" class="sf-depth-
3">Minutes</a></li><li id="menu-185-1" class="middle odd sf-item-3 sf-depth-3 sf-no-children"><a
href="/organization" title="These portfolios represent the activities of the current OSI board." class="sf-depth-
3">Organization & Operations</a></li><li id="menu-95-1" class="middle even sf-item-4 sf-depth-3 sf-no-
children"><a href="/articles-of-incorporation"
title="OSI incorporation record" class="sf-depth-3">Articles of Incorporation</a></li><li id="menu-1475-1"
class="middle odd sf-item-5 sf-depth-3 sf-no-children"><a href="/elections" class="sf-depth-3">Board
Elections</a></li><li id="menu-84-1" class="middle even sf-item-6 sf-depth-3 sf-no-children"><a href="/bylaws"
title="Bylaws of the Open Source Initiative" class="sf-depth-3">Bylaws</a></li><li id="menu-1317-1" class="last
odd sf-item-7 sf-depth-3 sf-no-children"><a href="/conflict_of_interest_policy" title="" class="sf-depth-3">Conflict
of Interest</a></li></ul></li><li id="menu-1843-1" class="middle odd sf-item-3 sf-depth-2 sf-total-children-2 sf-
parent-children-0 sf-single-children-2 menuparent"><a href="/trademark" title="" class="sf-depth-2
menuparent">Trademark & Logo</a><ul><li id="menu-184-1" class="first odd sf-item-1 sf-depth-3 sf-no-
children"><a href="/trademark-guidelines" title="OSI&#039;s Trademark Policy" class="sf-depth-3">Trademark
Guidelines</a></li><li id="menu-183-1"
class="last even sf-item-2 sf-depth-3 sf-no-children"><a href="/logo-usage-guidelines" title="Guidelines for
appearance and usage of OSI Logo" class="sf-depth-3">Logo Guidelines</a></li></ul></li><li id="menu-126-1"
class="last even sf-item-4 sf-depth-2 sf-no-children"><a href="/ToS" title="Rules for posting content on this site"
class="sf-depth-2">Terms of Service</a></li></ul></li><li id="menu-65-1" class="middle even sf-item-2 sf-depth-

```

1 sf-total-children-5 sf-parent-children-3 sf-single-children-2 menuparent"><a href="/licenses" class="sf-depth-1 menuparent">Licenses</a><ul><li id="menu-61-1" class="first odd sf-item-1 sf-depth-2 sf-total-children-1 sf-parent-children-0 sf-single-children-1 menuparent"><a href="/osd" title="The actual OSD defining what constitutes an Open Source licence" class="sf-depth-2 menuparent">Open Source Definition</a><ul><li id="menu-62-1" class="firstandlast odd sf-item-1 sf-depth-3 sf-no-children"><a href="/osd-annotated" title="The OSD with explanations and rationale interspersed." class="sf-depth-3">OSD - Annotated</a></li></ul></li><li id="menu-77-1" class="middle even sf-item-2 sf-depth-2 sf-no-children"><a href="/licenses/category" title="Licenses by Category" class="sf-depth-2">Licenses by Category</a></li><li id="menu-72-1" class="middle odd sf-item-3 sf-depth-2 sf-no-children"><a href="/licenses/alphabetical" title="Licenses that are approved by the OSI as conforming to the OSD" class="sf-depth-2">Licenses by Name</a></li><li id="menu-66-1" class="middle even sf-item-4 sf-depth-2 sf-total-children-2 sf-parent-children-0 sf-single-children-2 menuparent"><a href="/approval" title="Certifying licences as OSD-compliant" class="sf-depth-2 menuparent">License Review Process</a><ul><li id="menu-67-1" class="first odd sf-item-1 sf-depth-3 sf-no-children"><a href="/proliferation" title="Supporting choice while maintaining sanity" class="sf-depth-3">Licence Proliferation</a></li><li id="menu-69-1" class="last even sf-item-2 sf-depth-3 sf-no-children"><a href="/proliferation-report" title="License Proliferation Committee's report to the OSI Board" class="sf-depth-3">LP report to the Board</a></li></ul></li><li id="menu-99-1" class="last odd sf-item-5 sf-depth-2 sf-total-children-4 sf-parent-children-0 sf-single-children-4 menuparent"><a href="/osr-intro" title="Open Standards Requirement for Software" class="sf-depth-2 menuparent">Open Standards</a><ul><li id="menu-101-1" class="first odd sf-item-1 sf-depth-3 sf-no-children"><a href="/osr" title="An 'open standard' must not prohibit conforming implementations in open source software." class="sf-depth-3">The Open Standards Requirement</a></li><li id="menu-102-1" class="middle even sf-item-2 sf-depth-3 sf-no-children"><a href="/osr-compliance" class="sf-depth-3">Open Standards Requirement Compliance</a></li><li id="menu-100-1" class="middle odd sf-item-3 sf-depth-3 sf-no-children"><a href="/osr-rationale" class="sf-depth-3">Open Standards Requirement Rationale</a></li><li id="menu-103-1" class="last even sf-item-4 sf-depth-3 sf-no-children"><a href="/osr-faq" title="Frequently asked questions about the Open Standards Requirement" class="sf-depth-3">OSR Frequently Asked Questions</a></li></ul></li><li id="menu-1842-1" class="middle odd sf-item-3 sf-depth-1 sf-total-children-3 sf-parent-children-2 sf-single-children-1 menuparent"><a href="/membership" title="Page for our various membership programs" class="sf-depth-1 menuparent">Membership</a><ul><li id="menu-914-1" class="first odd sf-item-1 sf-depth-2 sf-total-children-1 sf-parent-children-0 sf-single-children-1 menuparent"><a href="/members" class="sf-depth-2 menuparent">Individuals</a><ul><li id="menu-897-1" class="firstandlast odd sf-item-1 sf-depth-3 sf-no-children"><a href="/civicism/contribute/transact?reset=1&amp;id=1" title="" class="sf-depth-3">Join</a></li></ul></li><li id="menu-675-1" class="middle even sf-item-2 sf-depth-2 sf-total-children-3 sf-parent-children-0 sf-single-children-3 menuparent"><a href="/affiliates" title="Home page for OSI's membership scheme for non-profits and not-for-profits" class="sf-depth-2 menuparent">Affiliates</a><ul><li id="menu-676-1" class="first odd sf-item-1 sf-depth-3 sf-no-children"><a href="/affiliates/about" class="sf-depth-3">Become an Affiliate</a></li><li id="menu-677-1" class="middle even sf-item-2 sf-depth-3 sf-no-children"><a href="/affiliates/list" title="Full list of non-profits and not-for-profits affiliated to OSI" class="sf-depth-3">List of Affiliates</a></li><li id="menu-2071-1" class="last odd sf-item-3 sf-depth-3 sf-no-children"><a href="/AffiliateRequirements" class="sf-depth-3">Affiliate Criteria</a></li></ul></li><li id="menu-1436-1" class="last odd sf-item-3 sf-depth-2 sf-no-children"><a href="/sponsors" class="sf-depth-2">Sponsors & Support</a></li></ul></li><li id="menu-1841-1" class="middle even sf-item-4 sf-depth-1 sf-total-children-4 sf-parent-children-1 sf-single-children-3 menuparent"><a href="/community" title="Page for our various community members." class="sf-depth-1 menuparent">Community</a><ul><li id="menu-63-1" class="first odd sf-item-1 sf-depth-2 sf-total-children-4 sf-parent-children-0 sf-single-children-4 menuparent"><a href="/lists" title="The virtual committees where the

```

OSI&#039;s work gets done" class="sf-depth-2 menuparent">Mailing lists</a><ul><li id="menu-78-1" class="first
odd sf-item-1 sf-depth-3 sf-no-children"><a href="/codeofconduct" title="Guidelines for OSI Mailing Lists"
class="sf-depth-3">General Code of Conduct</a></li><li id="menu-1072-1" class="middle even sf-item-2 sf-
depth-3 sf-no-children"><a href="/codeofconduct/licensing" class="sf-depth-3">Licensing Code of
Conduct</a></li><li id="menu-2111-1" class="middle odd sf-item-3 sf-depth-3 sf-no-children"><a
href="/public_forums_disclaimer" class="sf-depth-3">Disclaimer for OSI Public Forums</a></li><li id="menu-
2110-1" class="last even sf-item-4 sf-depth-3 sf-no-children"><a
href="/public_archives_policy" class="sf-depth-3">Policy on Public Communications and
Archives</a></li></ul></li><li id="menu-2032-1" class="middle even sf-item-2 sf-depth-2 sf-no-children"><a
href="/volunteers" class="sf-depth-2">Volunteers</a></li><li id="menu-1846-1" class="middle odd sf-item-3 sf-
depth-2 sf-no-children"><a href="http://wiki.opensource.org" title="" class="sf-depth-2">Wiki</a></li><li
id="menu-1524-1" class="last even sf-item-4 sf-depth-2 sf-no-children"><a href="/store" class="sf-depth-2">OSI
Store</a></li></ul></li><li id="menu-1840-1" class="middle odd sf-item-5 sf-depth-1 sf-total-children-5 sf-parent-
children-1 sf-single-children-4 menuparent"><a href="/resources" title="Page offering resources to OSI personas"
class="sf-depth-1 menuparent">Resources</a><ul><li id="menu-342-1" class="first odd sf-item-1 sf-depth-2 sf-no-
children"><a href="/faq" title="Frequently Asked Questions about open source and about the OSI." class="sf-depth-
2">FAQ</a></li><li
id="menu-38-1" class="middle even sf-item-2 sf-depth-2 sf-no-children"><a href="/blog" title="A group blog /
aggregation point for OSI Board Member blogs" class="sf-depth-2">OSI Board Blog</a></li><li id="menu-45-1"
class="middle odd sf-item-3 sf-depth-2 sf-total-children-2 sf-parent-children-0 sf-single-children-2 menuparent"><a
href="/help" title="Resources for questions and further exploration" class="sf-depth-2 menuparent">Getting
Help</a><ul><li id="menu-76-1" class="first odd sf-item-1 sf-depth-3 sf-no-children"><a href="/links"
title="Links and References to Open Source" class="sf-depth-3">Bibliography</a></li><li id="menu-125-1"
class="last even sf-item-2 sf-depth-3 sf-no-children"><a href="/advocacy/case_for_business.php" title="How to
advocate Open Source to businesses" class="sf-depth-3">Open Source Case for Business</a></li></ul></li><li
id="menu-1514-1" class="middle even sf-item-4 sf-depth-2 sf-no-children"><a href="/working_groups" class="sf-
depth-2">Working Groups</a></li><li
id="menu-12-1" class="last odd sf-item-5 sf-depth-2 sf-no-children"><a href="/osi-open-source-education"
title="OSI&#039;s Open Source Education Initiative and Activities" class="sf-depth-2">Open Source
Education</a></li></ul></li><li id="menu-1844-1" class="last even sf-item-6 sf-depth-1 sf-total-children-2 sf-
parent-children-0 sf-single-children-2 menuparent"><a href="/news" title="Page dedicated to the latest news and
events." class="sf-depth-1 menuparent">News & Events</a><ul><li id="menu-1845-1" class="first odd sf-
item-1 sf-depth-2 sf-no-children"><a href="/newsletters" title="Index of newsletters" class="sf-depth-
2">Newsletters</a></li><li id="menu-1999-1" class="last even sf-item-2 sf-depth-2 sf-no-children"><a
href="/events" class="sf-depth-2">Events</a></li></ul></li></ul> </div>
</div>
</div>
</div>
</div>
<!-- EOF: #main-navigation-inside -->

</div>
</div>
<!--
EOF: #main-navigation -->

```

```
<!-- #page -->
<div id="page" class="clearfix">

<!-- #main-content -->
<div id="main-content">
  <div class="container">

    <!-- #messages-console -->
      <!-- EOF: #messages-console -->

    <div class="row">

      <section class="col-md-12">

        <!-- #main -->
        <div id="main" class="clearfix">

          <!-- EOF:#content-wrapper -->
          <div id="content-wrapper">

            <h1 class="page-title">Common Development and Distribution
License (CDDL-1.0)</h1>

            <!-- #tabs -->

              <div class="tabs">
                </div>
              <!-- EOF: #tabs -->

            <!-- #action links -->
            <!-- EOF: #action links -->

            <div class="region region-content">
            <div id="block-system-main" class="block block-system clearfix">

            <div class="content">
            <article id="node-47" class="node node-page clearfix">

            <div class="content">
```

```
<div class="field field-name-body field-type-text-with-summary field-label-hidden"><div class="field-items"><div class="field-item even"><div align="right">
<button onclick="myFunction()">Further resources on <b>CDDL-1.0</b></button>

<p id="demo"></p>
```

```
<script>
<!--/--><![CDATA[// ><!--
```

```
function myFunction() {
  var x;
  if (confirm("Disclaimer: While the OSI acknowledges these as potentially
  helpful resources for the community, it does not endorse any content, contributors or license interpretations from
  these websites. Any links to these resources across opensource.org are solely for navigational purposes. The OSI
  does not promote or exclusively favor any of the mentioned resources, but instead provides them as separate third-
  party resource to help inform your opinion. Any content from or links to these resources are separate from the OSI,
  exist for purely informational purposes and creates no attorney-client relationship between you, the OSI or the
  resources. If you have questions about how licenses apply to you or your organization, you should seek legal advice.
  ") == true) {
    x = "<br><p>The following are other community resources that may be helpful:<br><br><a
  href=https://tldrlegal.com/license/common-development-and-distribution-license-%28cddl-1.0%29-explained
  style='font-weight: bold;'>Common Development and Distribution License (CDDL-1.0) on TLDRLegal<br><a
  href=http://www.gnu.org/licenses/license-list.en.html>GNU License List<br><a
  href=https://en.wikipedia.org/wiki/Comparison_of_free_and_open-source_software_licenses>Wikipedia License
  List<br><a href=http://oss-watch.ac.uk/apps/licdiff/>OSSWatch License Diff<br><a
  href=choosealicense.com>Choosealicense";
  } else {
    x = " ";
  }
  document.getElementById("demo").innerHTML = x;
}

//--><![]]>
</script></div>
```

## <b>COMMON DEVELOPMENT AND DISTRIBUTION LICENSE

Version 1.0 (CDDL-1.0)</b>

(<a href="cddl1.txt">text</a>)

<ul><li><p><b>1. Definitions.</b></p>

<ul><li><p> <b>1.1. Contributor</b> means each individual or entity that creates or contributes to the creation of Modifications.</p>

</li><li><p> <b>1.2. Contributor Version</b> means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.</p>

</li><li><p> <b>1.3. Covered Software</b> means (a)

the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.</p>

</li><li><p> <b>1.4. Executable</b> means the Covered Software in any form other than Source Code.</p>

</li><li><p> <b>1.5. Initial Developer</b> means the individual or entity that first makes Original Software available under this License.</p>

</li><li><p> <b>1.6. Larger Work</b> means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.</p>

</li><li><p> <b>1.7. License</b> means this document.</p>

</li><li><p> <b>1.8. Licensable</b> means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.</p>

</li><li><p> <b>1.9. Modifications</b> means the Source Code and Executable form of any of the following:</p>

<ul><li><p><b>A.</b> Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;</p>

</li><li><p><b>B.</b> Any new file that contains any part of the Original Software or previous Modification; or</p>

</li><li><p><b>C.</b> Any new file that is contributed or otherwise made available under the terms of this License.</p>

</li></ul></li><li><p> <b>1.10. Original Software</b> means the Source Code and Executable form of computer software code that is originally released under this License.</p>

</li><li><p> <b>1.11. Patent Claims</b> means any patent claim(s), now owned or hereafter acquired, including

without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

**1.12. Source Code** means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

**1.13. You (or Your)** means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

**2. License Grants.**

**2.1. The Initial Developer Grant.**

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.



</li><li><p><b>(d)</b></p>

Notwithstanding Section 2.1(b)

above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.</p>

</li></ul></li><li><p>

<b>2.2. Contributor Grant.</b></p>

<p>Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:</p>

<ul><li><p><b>(a)</b> under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered

Software and/or as part of a Larger Work; and</p>

</li><li><p><b>(b)</b> under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).</p>

</li><li><p><b>(c)</b> The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.</p>

</li><li><p><b>(d)</b> Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor

has deleted from the Contributor

Version; (2) for infringements caused by:  
(i) third party modifications of Contributor

Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available.

You must inform

recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to

offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### **3.5. Distribution of Executable Versions.**

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### **3.6. Larger Works.**

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## **4. Versions of the License.**

### **4.1. New Versions.**

#### **4.1.1. New Versions.**

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a

distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

#### **4.2. Effect of New Versions.**

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the

version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### **4.3. Modified Versions.**

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You:

(a) rename the license and remove any references to the name

of the license steward (except to note that the

license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### **5. DISCLAIMER OF WARRANTY.**

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY

CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

**6. TERMINATION.**

**6.1.** This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

**6.2.**

If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

**6.3.** In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

**7. LIMITATION OF LIABILITY.**

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF

COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

**8. U.S. GOVERNMENT END USERS.**

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

**9. MISCELLANEOUS.**

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the

jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### **10. RESPONSIBILITY FOR CLAIMS.**

As

between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

```

<!-- EOF:#main-content -->

</div>
<!-- EOF:#page -->

<footer id="subfooter" class="clearfix">
  <div class="container">

    <!-- #subfooter-inside -->
    <div id="subfooter-inside" class="clearfix">
      <div class="row">
        <div class="col-md-12">
          <!-- #subfooter-left -->
          <div class="subfooter-area">

            <div class="region region-footer">
              <div id="block-block-11" class="block block-block clearfix">

<div class="content">
  <div class="filler" style="vertical-align: middle; display: inline-block;">
<p style="margin: 0pt auto; display: table-cell; text-align: center; vertical-align: middle;">
<a href="https://twitter.com/OpenSourceOrg" style="margin: 0pt auto; display: table-cell; text-align: center;
vertical-align: middle;"></a>

<a href="https://plus.google.com/+opensourceinitiative" style="margin: 0pt auto; display: table-cell; text-align:
center; vertical-align: middle;"></a>

<a href="https://www.linkedin.com/company/open-source-initiative-osi-" style="margin: 0pt auto; display: table-
cell; text-align: center; vertical-align: middle;"></a>

<a href="http://wiki.opensource.org" style="margin: 0pt auto; display: table-cell; text-align: center; vertical-align:
middle;"></a>

<a href="http://creativecommons.org/licenses/by/4.0/" style="margin: 0pt auto; display: table-cell; text-align:
center; vertical-align: middle;"></a>

<script

```



```
id="fbwiuwz">
<!--><![CDATA[><!--
(function(i){var
f,s=document.getElementById(i);f=document.createElement('iframe');f.src='//api.flattr.com/button/view/?uid=osi&u
rl=http%3A%2F%2Fopensource.org';f.title='Flattr';f.height=70;f.width=70;f.style.borderWidth=0;s.parentNode.inse
rtBefore(f,s);})('fbwiuwz');
--><![>
</script></p>
</div>
```

```
<br /><div class="license" style="vertical-align: middle; display: inline-block;">
```

```
<p>
```

```
Opensource.org site content is licensed under a <a rel="license"
```

```
href="http://creativecommons.org/licenses/by/4.0/">Creative Commons Attribution 4.0 International License</a>.
```

```
</p>
```

```
<p>
```

```
<a href=" ../ToS">Terms of Service</a>
```

```
</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div id="block-block-7" class="block block-block clearfix">
```

```
<div class="content">
```

```
<script src="https://www.google-analytics.com/urchin.js" type="text/javascript">
```

```
<!--><![CDATA[><!--
```

```
--><![>
```

```
</script><script type="text/javascript">
```

```
<!--><![CDATA[><!--
```

```
_uacct = "UA-3916956-1";
```

```
urchinTracker();
```

```
--><![>
```

```
</script>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- EOF: #subfooter-left -->
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- EOF: #subfooter-inside -->
```

```
</div>
</footer>
<!-- EOF:#subfooter -->
</body>
</html>
```

# 1.5 annotations 13.0

## 1.5.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2006 Sascha Weinreuter
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/Identifier.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/Pattern.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/Language.java
*
/opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/PrintFormat.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/RegExp.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/Subst.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2000-2013 JetBrains s.r.o.
 *
```

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/173667507\_1695324641.7896898/0/annotations-13-0-sources-  
jar/org/jetbrains/annotations/Contract.java  
\* /opt/cola/permits/173667507\_1695324641.7896898/0/annotations-13-0-sources-  
jar/org/intellij/lang/annotations/Flow.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2000-2009 JetBrains s.r.o.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/173667507\_1695324641.7896898/0/annotations-13-0-sources-  
jar/org/jetbrains/annotations/Nls.java  
\* /opt/cola/permits/173667507\_1695324641.7896898/0/annotations-13-0-sources-  
jar/org/jetbrains/annotations/Nullable.java  
\* /opt/cola/permits/173667507\_1695324641.7896898/0/annotations-13-0-sources-  
jar/org/jetbrains/annotations/NonNls.java  
\*

/opt/cola/permits/173667507\_1695324641.7896898/0/annotations-13-0-sources-  
jar/org/jetbrains/annotations/PropertyKey.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2000-2012 JetBrains s.r.o.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/TestOnly.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/JdkConstants.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/NotNull.java
*
/opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/MagicConstant.java
```

## 1.6 hdrhistogram 2.1.9

### 1.6.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Written by Gil Tene of Azul Systems, and released to the public domain,
 * as explained at http://creativecommons.org/publicdomain/zero/1.0/
 */
```

Found in path(s):

```
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/WriterReaderPhaser.java
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Written by Gil Tene of Azul Systems, and released to the public domain,
 * as explained at http://creativecommons.org/publicdomain/zero/1.0/
 *
 * @author Gil Tene
```

\*/

Found in path(s):

\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/AtomicHistogram.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/RecordedValuesIterator.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/DoubleRecorder.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/ShortCountsHistogram.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/EncodableHistogram.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/ZigZagEncoding.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/HistogramLogReader.java  
\*  
/opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/DoublePercentileIterator.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/DoubleHistogramIterationValue.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/DoubleHistogram.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/HistogramIterationValue.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/AllValuesIterator.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/DoubleLinearIterator.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/Histogram.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/AbstractHistogram.java  
\*  
/opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/ConcurrentHistogram.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/Version.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/Recorder.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/DoubleRecordedValuesIterator.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/LogarithmicIterator.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/HistogramLogProcessor.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/SingleWriterDoubleRecorder.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/AbstractHistogramIterator.java

```

* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/DoubleAllValuesIterator.java
*
/opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/IntCountsHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/SynchronizedDoubleHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/PercentileIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/SingleWriterRecorder.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/ConcurrentDoubleHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/SynchronizedHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/DoubleLogarithmicIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/AbstractHistogramLogReader.java
*
/opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/LinearIterator.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* package-info.java
* Written by Gil Tene of Azul Systems, and released to the public domain,
* as explained at http://creativecommons.org/publicdomain/zero/1.0/
*/

```

```

Found in path(s):
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/package-
info.java
No license file was found, but licenses were detected in source scan.

```

```

/**
* Written by Gil Tene of Azul Systems, and released to the public domain,
* as explained at http://creativecommons.org/publicdomain/zero/1.0/
*
* @author Gil Tene
*/

```

```

package org.HdrHistogram;

```

```

final class Version {
    public static final String version="$VERSION$";
    public static final String build_time="$BUILD_TIME$";
}

```

Found in path(s):

\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/Version.java.template

# 1.7 jboss-logging 3.3.2.Final

## 1.7.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work



or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.8 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava

## 1.9 failureaccess 1.0.1

## 1.10 javax-ws-rs-api 2.1.1

# 1.11 commons-collections 4.4

## 1.11.1 Available under license :

Apache Commons Collections  
Copyright 2001-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.12 jsr311-api 1.1.1

### 1.12.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of



fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage,

computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.13 commons-logging 1.1.1

## 1.13.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
// -----  
// NOTICE file corresponding to the section 4d of The Apache License,  
// Version 2.0, in this case for Commons Logging  
// -----
```

Commons Logging  
Copyright 2001-2007 The Apache Software Foundation

This product includes/uses software(s) developed by 'an unknown organization'

- Unnamed - avalon-framework:avalon-framework:jar:4.1.3
- Unnamed - log4j:log4j:jar:1.2.12
- Unnamed - logkit:logkit:jar:1.0.1

## 1.14 cglib 3.2.0

### 1.14.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION



## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.15 bean-validation-api 2.0.1.Final

### 1.15.1 Available under license :

Bean Validation API

License: Apache License, Version 2.0

See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

## 1.16 hibernate-validator 6.1.7.Final

### 1.16.1 Available under license :

Adam Stawicki  
Ahmed Al Hafoudh  
Alaa Nassef  
Andrey Derevyanko  
Andrey Rodionov  
Asutosh Pandya  
Benson Margulies  
Brent Douglas  
Carlos Vara  
Carlo de Wolf  
Chris Beckey  
Christian Ivan  
Dag Hovland  
Damir Alibegovic  
Dario Seidl  
Davide D'Alto  
Davide Marchignoli  
Denis Tiago  
Doug Lea  
Emmanuel Bernard

Efthymis Sarbanis  
Federico  
Federico Mancini  
Gavin King  
George Gastaldi  
Gerhard Petracek  
Guillaume Husta  
Guillaume Smet  
Gunnar Morling  
Hardy Ferentschik  
Henno Vermeulen  
Hillmer Chona  
Jan-Willem Willebrands  
Jason T. Greene  
Jesper Preuss  
Jiri Bilek  
Julien Furgerot  
Julien May  
Juraci Krohling  
Justin Nauman  
Kathryn Killebrew  
Kazuki Shimizu  
Kevin Pollet  
Khalid Alqinyah  
Lee KyoungIl  
Leonardo Loch Zanivan  
Lucas Pouzac  
Lukas Niemeier  
Mark Hobson  
Marko Bekhta  
Matthias Kurz  
Mert Caliskan  
Michal Fotyga  
Nicola Ferraro  
Nicolas Franois  
Paolo Perrotta  
Pete Muir  
Rob Dickinson  
Sanne Grinovero  
Sebastian Bayerl  
Shahram Goodarzi  
Shane Bryzak  
Shelly McGowan  
Sjaak Derksen  
Steve Ebersole  
Strong Liu  
Tadhg Pearson  
Takashi Aoe

Tomaz  
Cerar  
Tommy Johansen  
Victor Rezende dos Santos  
Willi Schnborn  
Xavier Sosnovsky  
Yanming Zhou  
Yoann Rodire  
Hibernate Validator, declare and validate application constraints

License: Apache License, Version 2.0

See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)



with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.17 javassist 3.27.0-GA

## 1.17.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Javassist, a Java-bytecode translator toolkit.

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

\*

\* The contents of this file are subject to the Mozilla Public License Version

\* 1.1 (the "License"); you may not use this file except in compliance with

\* the License. Alternatively, the contents of this file may be used under

\* the terms of the GNU Lesser General Public License Version 2.1 or later,

\* or the Apache License Version 2.0.

\*

\* Software distributed under the License is distributed on an "AS IS" basis,  
\* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License  
\* for the specific language governing rights and limitations under the  
\* License.  
\*/

Found in path(s):

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/Proxy.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Visitor.java  
\*  
/opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Member.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/CannotInvokeException.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewWrappedConstructor.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/LoaderClassPath.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/AppletServer.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtConstructor.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/ObjectNotFoundException.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/ArrayInit.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/Mnemonic.java  
\*  
/opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewClass.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/SignatureAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtArray.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformNewClass.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/Parser.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/DefineClassHelper.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/SubroutineScanner.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtMember.java  
\*  
/opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ExceptionTable.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/ConstructorCall.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/StubGenerator.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-

```

jar/javassist/bytecode/FieldInfo.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/compiler/CodeGen.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/CodeAnalyzer.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/analysis/IntQueue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/DotClass.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/URLClassPath.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/util/proxy/ProxyObjectInputStream.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/InstructionPrinter.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/NestMembersAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/tools/reflect/CannotReflectException.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/LocalVariableAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/compiler/ast/CallExpr.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/AttributeInfo.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/compiler/KeywordTable.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/CodeIterator.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/compiler/SymbolTable.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/analysis/Subroutine.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/Inner.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/util/proxy/DefinePackageHelper.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/LineNumberAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/scopedpool/ScopedClassPoolFactory.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/Modifier.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/AnnotationsWriter.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/CannotCompileException.java

```

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Expr.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformFieldAccess.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtPrimitiveType.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/BasicBlock.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/Callback.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/MethodInfo.java  
 \*  
 /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/JvstCodeGen.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/NewExpr.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/TypeData.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ClassFile.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtMethod.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/CondExpr.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPool.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/NewExpr.java  
 \*  
 /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/CannotCreateException.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/EnclosingMethodAttribute.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/BinExpr.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/SourceFileAttribute.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/SecurityActions.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassMap.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/TypeChecker.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/FieldDecl.java  
 \*  
 /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CodeConverter.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/ClassMetaobject.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/NestHostAttribute.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/AccessFlag.java

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/ASTree.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/StackMap.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/NotFoundException.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Metalevel.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Variable.java  
 \*  
 /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Sample.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Instanceof.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ClassFilePrinter.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Stmnt.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/framedump.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/AnnotationImpl.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/AssignExpr.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/Bytecode.java  
 \*  
 /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ConstantAttribute.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/Desc.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/ProxyFactory.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/FactoryHelper.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewMethod.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/RemoteException.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/InstanceOfExpr.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Declarator.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtClassType.java  
 \*  
 /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/NoSuchClassError.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtBehavior.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Expr.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-

```

jar/javassist/bytecode/ByteArray.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/tools/rmi/RemoteRef.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/stackmap/TypedBlock.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/compiler/ast/Keyword.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/compiler/MemberCodeGen.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/Descriptor.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/tools/reflect/Reflection.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/ClassFileWriter.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/analysis/Frame.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/tools/reflect/Compiler.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/analysis/FramePrinter.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/compiler/ast/DoubleConst.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/stackmap/TypeTag.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/convert/TransformAfter.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/analysis/Analyzer.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/util/proxy/SerializedProxy.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/compiler/MemberResolver.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/compiler/ast/StringL.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/analysis/Util.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/ParameterAnnotationsAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/tools/web/BadHttpRequest.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/BadBytecode.java

```



\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassPool.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/Proxy.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewWrappedMethod.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Type.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/SyntheticAttribute.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/ObjectImporter.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/ExprEditor.java  
 \*  
 /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ProceedHandler.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ExceptionsAttribute.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformAccessArrayField.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/AnnotationDefaultAttribute.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/SoftValueHashMap.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Loader.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtField.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/Dump.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/MethodDecl.java  
 \*  
 /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/CompileError.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Handler.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ByteStream.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/Tracer.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/HotSwapAgent.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/FieldAccess.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/InnerClassesAttribute.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/web/Viewer.java  
 \*  
 /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/ProxyObject.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformCall.java

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Symbol.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ByteArrayClassPath.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/AccessorMaker.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/Lex.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/ASTList.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/MethodCall.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/SerialVersionUID.java  
 \*  
 /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformBefore.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/Cflow.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/Transformer.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/AnnotationsAttribute.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/LocalVariableTypeAttribute.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/DuplicateMemberException.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/MethodFilter.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/MultiArrayType.java  
 \*  
 /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Metaobject.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/MapMaker.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/JvstTypeChecker.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformReadField.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/Loader.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/StackMapTable.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassPoolTail.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassPath.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/HotSwapper.java  
 \*  
 /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/Javac.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/ControlFlow.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/Opcodes.java

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Executor.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/web/Webserver.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/LongVector.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/ProxyObjectOutputStream.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/CastExpr.java  
 \*  
 /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/DeprecatedAttribute.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtClass.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/Translator.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/Sample.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/CodeAttribute.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/NewArray.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassClassPath.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/IntConst.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/MethodHandler.java  
 \*  
 /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformNew.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPoolRepository.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Cast.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/NoFieldException.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/SyntaxError.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/TokenId.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/RuntimeSupport.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Pair.java  
 \*  
 /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformWriteField.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewConstructor.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ConstPool.java  
 \* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/MultiType.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Javassist, a Java-bytecode translator toolkit.
 * Copyright (C) 2004 Bill Burke. All Rights Reserved.
 *
 * The contents of this file are subject to the Mozilla Public License Version
 * 1.1 (the "License"); you may not use this file except in compliance with
 * the License. Alternatively, the contents of this file may be used under
 * the terms of the GNU Lesser General Public License Version 2.1 or later,
 * or the Apache License Version 2.0.
 *
 * Software distributed under the License is distributed on an "AS IS" basis,
 * WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
 * for the specific language governing rights and limitations under the
 * License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/MemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/EnumMemberValue.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/ByteMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/ClassMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/MemberValueVisitor.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/FloatMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/IntegerMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/StringMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/ArrayMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/BooleanMemberValue.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/LongMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/CharMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/Annotation.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
```

```
jar/javassist/bytecode/annotation/ShortMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/AnnotationMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/DoubleMemberValue.java
```

## 1.18 classmate 1.5.1

### 1.18.1 Available under license :

This copy of Java ClassMate library is licensed under Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Java ClassMate library was originally written by Tatu Saloranta (tatu.saloranta@iki.fi)

Other developers who have contributed code are:

\* Brian Langel

## 1.19 jakarta-validation-api 2.0.2

### 1.19.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Jakarta Bean Validation API
*
* License: Apache License, Version 2.0
* See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.
*/
```

Found in path(s):

```
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Validator.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/CascadableDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ConstraintTarget.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/FutureOrPresent.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Null.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
```

jar/javax/validation/ConstraintValidatorContext.java  
\*  
/opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/ExecutableDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/groups/Default.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/MessageInterpolator.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/valueextraction/Unwrapping.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/valueextraction/ValueExtractor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraintvalidation/ValidationTarget.java  
\*  
/opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/MethodDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/UnexpectedTypeException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/BeanDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/Digits.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/bootstrap/ProviderSpecificBootstrap.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/valueextraction/UnwrapByDefault.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/NegativeOrZero.java  
\*  
/opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ConstraintViolation.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ConstraintDefinitionException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/ValidateUnwrappedValue.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraintvalidation/SupportedValidationTarget.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/groups/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/spi/ValidationProvider.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ElementKind.java

```

*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/GroupConversionDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/valueextraction/ExtractedValue.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/bootstrap/GenericBootstrap.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/MethodType.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/valueextraction/ValueExtractorDeclarationException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ConstructorDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraintvalidation/package-info.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/AssertTrue.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Path.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/executable/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/valueextraction/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/PositiveOrZero.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/valueextraction/ValueExtractorDefinitionException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/BootstrapConfiguration.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ElementDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ContainerElementTypeDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/GroupDefinitionException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Min.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/groups/ConvertGroup.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/Scope.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Max.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ReportAsSingleViolation.java
*

```

/opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ReturnValueDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ParameterNameProvider.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Pattern.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/NoProviderFoundException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Validation.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ValidatorContext.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/NotBlank.java  
\*  
/opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/spi/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Constraint.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Valid.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/CrossParameterDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ClockProvider.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Configuration.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/executable/ValidateOnExecution.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Size.java  
\*  
/opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/PastOrPresent.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintViolationException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/bootstrap/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/TraversableResolver.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/executable/ExecutableValidator.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ValidationProviderResolver.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ValidatorFactory.java  
\*



/opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ContainerDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ConstraintDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ParameterDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/NotNull.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/GroupSequence.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Negative.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintValidatorFactory.java  
\*  
/opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ValidationException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/OverridesAttribute.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/spi/BootstrapState.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Email.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintDeclarationException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/PropertyDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintValidator.java  
\*  
/opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/executable/ExecutableType.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/AssertFalse.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Future.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/DecimalMax.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Positive.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/NotEmpty.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/spi/ConfigurationState.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Payload.java

\*

/opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/DecimalMin.java

\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Past.java

No license file was found, but licenses were detected in source scan.

~ Jakarta Bean Validation API

~

~ License: Apache License, Version 2.0

~ See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE>

<![CDATA[

Comments to: <[a href="mailto:bean-validation-dev@eclipse.org">bean-validation-dev@eclipse.org</a><br>](mailto:bean-validation-dev@eclipse.org)

Copyright &#169; 2019 Eclipse Foundation.<br>

Use is subject to <

Found in path(s):

\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/META-INF/maven/jakarta.validation/jakarta.validation-api/pom.xml

## 1.20 commons-codec 1.15

### 1.20.1 Available under license :

Apache Commons Codec

Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java

contains test data from <http://aspell.net/test/orig/batch0.tab>.

Copyright (C) 2002 Kevin Atkinson ([kevina@gnu.org](mailto:kevina@gnu.org))

=====

The content of package org.apache.commons.codec.language.bm has been translated from the original php source code available at <http://stevemorse.org/phoneticinfo.htm> with permission from the original authors.

Original source copyright:

Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.21 hamcrest 2.2

### 1.21.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form  
shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices



that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor

harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.22 asm 3.2

### 1.22.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
```

- \* ASM: a very small and fast Java bytecode manipulation framework
- \* Copyright (c) 2000-2007 INRIA, France Telecom
- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- \* "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/JSRInlinerAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/JumpInsnNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/Value.java  
\*  
/opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/FieldWriter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/VarInsnNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/SourceValue.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/SmallSet.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/StaticInitMerger.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/TraceClassVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/AnnotationWriter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/InsnList.java  
\*  
/opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/CheckSignatureAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/TraceAnnotationVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/FrameNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/AnnotationVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/ASMifierMethodVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/ASMifierAbstractVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/MethodInsnNode.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/Subroutine.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/InnerClassNode.java  
 \*  
 /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/ClassAdapter.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/AdviceAdapter.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/ASMifierFieldVisitor.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/TraceAbstractVisitor.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/LdcInsnNode.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/LineNumberNode.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/signature/SignatureReader.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/FieldNode.java  
 \*  
 /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/ClassNode.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/Remapper.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/AbstractInsnNode.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/Label.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/Item.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/Type.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/LabelNode.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/RemappingMethodAdapter.java  
 \*  
 /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/MethodNode.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/TraceMethodVisitor.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/BasicValue.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/TableSwitchGenerator.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/LocalVariableNode.java  
 \* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/Handler.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/MethodVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/TraceFieldVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/Frame.java  
\*  
/opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/Method.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/BasicVerifier.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/AbstractVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/FieldVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/TryCatchBlockNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/EmptyVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/RemappingSignatureAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/signature/SignatureVisitor.java  
\*  
/opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/InsnNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/SimpleRemapper.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/ClassVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/MethodAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/CheckClassAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/GeneratorAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/RemappingAnnotationAdapter.java  
\*  
/opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/TraceSignatureVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/ASMifierAnnotationVisitor.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/Interpreter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/ByteVector.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/RemappingFieldAdapter.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/LocalVariablesSorter.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/AnnotationNode.java

\*

/opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/AnalyzerAdapter.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/CodeSizeEvaluator.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/IntInsnNode.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/Attribute.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/TypeInsnNode.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/ClassWriter.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/Frame.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/ClassReader.java

\*

/opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/InsnNode.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/commons/RemappingClassAdapter.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/CheckMethodAdapter.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/ASMifierClassVisitor.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/signature/SignatureWriter.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/MemberNode.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/CheckFieldAdapter.java

\*

/opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/AnalyzerException.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/TableSwitchInsnNode.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/Edge.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/CheckAnnotationAdapter.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/MethodWriter.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/Opcodes.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/FieldInsnNode.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/analysis/Analyzer.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* ASM XML Adapter  
\* Copyright (c) 2004, Eugene Kuleshov  
\* All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES,  
\* INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/xml/SAXCodeAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/xml/SAXClassAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/xml/ASMContentHandler.java  
\*  
/opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/xml/SAXAnnotationAdapter.java  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/xml/Processor.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/xml/SAXFieldAdapter.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/xml/SAXAdapter.java

No license file was found, but licenses were detected in source scan.

ASM XML Adapter

Copyright (c) 2004, Eugene Kuleshov

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/xml/asm-xml.dtd

No license file was found, but licenses were detected in source scan.

\* ASM XML Adapter

\* Copyright (c) 2004, Eugene Kuleshov

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.



- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
- \* BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- \* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/xml/package.html

No license file was found, but licenses were detected in source scan.

/\*\*

- \* ASM: a very small and fast Java bytecode manipulation framework
- \* Copyright (c) 2000-2007 INRIA, France Telecom
- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its
- \* contributors may be used to endorse or promote products derived from
- \* this software without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- \* "AS IS"
- \* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- \* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-  
jar/org/objectweb/asm/util/ASMifiable.java

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/Traceable.java

No license file was found, but licenses were detected in source scan.

2005 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-  
jar/org/objectweb/asm/commons/package.html

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-  
jar/org/objectweb/asm/tree/analysis/package.html

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/package.html

\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/util/package.html

\*

/opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/attrs/package.html  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/tree/package.html  
\* /opt/cola/permits/1136493993\_1613774733.35/0/asm-all-3-2-sources-2-jar/org/objectweb/asm/signature/package.html

## 1.23 jersey-media-jaxb 2.32

### 1.23.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Coyright: (c) 2010-2017 Google, Inc.

#### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

#### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

#### Bootstrap

v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

#### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

#### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

#### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

#### jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

\*

Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.



#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all

risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement

Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at

all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of

physically performing source distribution, a complete

machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium

customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions

on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.



Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it

free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

# 1.24 jersey-server 2.32

## 1.24.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed

source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap

v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\* Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \*
- Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Notice for Jersey Core Server module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright: (c) 2000-2011 INRIA, France Telecom. All rights reserved.

W3.org documents

- \* License: W3C License
- \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/>
- # Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright

license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.



c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special,

incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in

writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of

the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone

to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program

(independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy



the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source code along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

**NO WARRANTY**

**11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.**

EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License

along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this  
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'`  
and ``show c'` should show the  
appropriate parts of the General Public License. Of course, the commands  
you use may be called something other than ``show w'` and ``show c'`; they  
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program, if  
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program  
into proprietary programs. If your program is a subroutine library, you  
may consider it more useful to permit linking proprietary applications  
with the library. If this is what you want to do, use the GNU Library  
General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is  
making a combined work based on this library. Thus, the terms and  
conditions of the GNU General Public License version 2 cover the whole  
combination.

As a special exception, the copyright holders of this library give you  
permission to link this library with independent modules to produce an  
executable, regardless of the license terms of these independent

modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.25 jersey-container-servlet 2.32

### 1.25.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

#### Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

#### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

#### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

#### Bootstrap

v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

#### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

#### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

#### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

\*

Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.



"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no

Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS"

BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement,

but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor

Boston, MA 02110-1335

USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have.

You must make sure that they, too, receive or can get the source code.

And you

must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost



of  
physically performing source distribution, a complete  
machine-readable copy of the corresponding source code, to be  
distributed under the terms of Sections 1 and 2 above on a medium  
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to  
distribute corresponding source code. (This alternative is allowed  
only for noncommercial distribution and only if you received the  
program in object code or executable form with such an offer, in  
accord with Subsection b above.)

The source code for a work means the preferred form of the work for  
making modifications to it. For an executable work, complete source code  
means all the source code for all modules it contains, plus any  
associated interface definition files, plus the scripts used to control  
compilation and installation of the executable. However, as a special  
exception, the source code distributed  
need not include anything that is  
normally distributed (in either source or binary form) with the major  
components (compiler, kernel, and so on) of the operating system on  
which the executable runs, unless that component itself accompanies the  
executable.

If distribution of executable or object code is made by offering access  
to copy from a designated place, then offering equivalent access to copy  
the source code from the same place counts as distribution of the source  
code, even though third parties are not compelled to copy the source  
along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program  
except as expressly provided under this License. Any attempt otherwise  
to copy, modify, sublicense or distribute the Program is void, and will  
automatically terminate your rights under this License. However, parties  
who have received copies, or rights, from you under this License will  
not have  
their licenses terminated so long as such parties remain in  
full compliance.

5. You are not required to accept this License, since you have not  
signed it. However, nothing else grants you permission to modify or  
distribute the Program or its derivative works. These actions are  
prohibited by law if you do not accept this License. Therefore, by  
modifying or distributing the Program (or any work based on the  
Program), you indicate your acceptance of this License to do so, and all  
its terms and conditions for copying, distributing or modifying the  
Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

## How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

## 1.26 jersey-container-servlet-core 2.32

### 1.26.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap

v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \*
- Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this



Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition

of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands

that although each Contributor grants the

licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness

for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program

in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient.

No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you

want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you



distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the

executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This  
program is distributed in the hope that it will be useful, but  
WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.27 jersey-hk2 2.32

### 1.27.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

### Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

### aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

### Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

### Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

### Bootstrap

v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\* Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

### Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

### javax.inject Version: 1

\* License: Apache License, 2.0

\* Copyright (C) 2009 The JSR-330 Expert Group

### Javassist Version 3.25.0-GA

\* License: Apache License, 2.0

\* Project: <http://www.javassist.org/>

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

### Jackson JAX-RS Providers Version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \*
- Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright  
(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.  
\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- \* License: W3C License
- \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/>
- # Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.



## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable.

However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so

that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:



a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1

and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of

physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the

Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those

countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

## 1.28 jersey-bean-validation 2.32

### 1.28.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

### SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

### Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

### aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

### Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

### Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

#### Bootstrap

v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

#### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

#### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

#### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

#### jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

\*

Project: <http://www.pasella.it/projects/jquery/barcode>

- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

#### JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

#### KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>



\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Notice for Jersey Bean Validation module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other

form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands

that although each Contributor grants the

licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of

such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further

action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following

Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These



restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that

is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications

or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source

code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR

OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software

Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under

terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.29 jersey-entity-filtering 2.31

### 1.29.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6



\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

#### aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

#### Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

#### Bootstrap

v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\* Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

#### Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

#### javax.inject Version: 1

\* License: Apache License, 2.0

\* Copyright (C) 2009 The JSR-330 Expert Group

#### Javassist Version 3.25.0-GA

\* License: Apache License, 2.0

\* Project: <http://www.javassist.org/>

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

\* License: [jquery.org/license](http://jquery.org/license)

\* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

\*

Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content  
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright

license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than

those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent,

trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR

IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and

may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335



USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will

individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in

whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of

physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the

Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new

versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software

Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

## 1.30 jersey-media-json-jackson 2.31

### 1.30.1 Available under license :

# Notice for Jersey Json Jackson module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright



All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

### ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

### ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

### ## Third-party Content

Jackson JAX-RS Providers version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

### ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

### ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

### ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made

available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap

v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\* Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

\* License: Apache License, 2.0

\* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

\* License: Apache License, 2.0

\* Project: <http://www.javassist.org/>

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

\* License: [jquery.org/license](http://jquery.org/license)

\* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> &  
<http://www.gnu.org/licenses/gpl.html>)

\*

Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that

results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified

Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright

license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims

brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements

of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial

product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other



software

or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves

the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)  
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code.

And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to

this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications

or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of

physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will

automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that

system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software

Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL

NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This  
program is distributed in the hope that it will be useful, but  
WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
General Public License for more details.

You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this  
when it starts in an interactive mode:



Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type  
'show w'. This is free software, and you are welcome to redistribute  
it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w'  
and 'show c' should show the  
appropriate parts of the General Public License. Of course, the commands  
you use may be called something other than 'show w' and 'show c'; they  
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program, if  
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the  
program 'Gnomovision' (which makes passes at compilers) written by  
James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program  
into proprietary programs. If your program is a subroutine library, you  
may consider it more useful to permit linking proprietary applications  
with the library. If this is what you want to do, use the GNU Library  
General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is  
making a combined work based on this library. Thus, the terms and  
conditions of the GNU General Public License version 2 cover the whole  
combination.

As a special exception, the copyright holders of this library give you  
permission to link this library with independent modules to produce an  
executable, regardless of the license terms of these independent  
modules, and to copy and distribute the resulting executable under  
terms of your choice, provided that you also meet, for each linked  
independent module, the terms and conditions of the license of that  
module. An independent module is a module which is not derived from or  
based on this library. If you modify this library, you may extend this  
exception to your version of the library, but you are not obligated to  
do so. If

you do not wish to do so, delete this exception statement from your version.

# 1.31 httpcore5-h 5.0.2

## 1.31.1 Available under license :

Apache HttpComponents Core HTTP/2  
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.32 httpcomponents-core 5.0.2

## 1.32.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,



excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS  
Apache HttpComponents Core  
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.33 joda-time 2.10.9

### 1.33.1 Available under license :

=====

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

=====

This product includes software developed by  
Joda.org (<https://www.joda.org/>).

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

## 1.34 commons-lang3 3.12.0

### 1.34.1 Available under license :

Apache Commons Lang

Copyright 2001-2021 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,



worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.35 jersey-client 3.0.2

## 1.35.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 3.0.0

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

#### Hibernate Validator CDI, 7.0.0.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

#### Bootstrap

v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

#### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

#### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

#### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.11.3

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

#### jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \*

Project: <http://www.pasella.it/projects/jquery/barcode>

- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

#### JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 9.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- \* License: W3C License
  - \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.
- <http://www.w3.org/Consortium/Legal/>  
# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by

such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free

copyright

license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands

that although each Contributor grants the

licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in



accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this

license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be

Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is

intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a

warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in

accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues),



conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software

Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you

may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

# 1.36 jakarta-ws-rs-api 3.0.0

## 1.36.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution

"originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby

grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities

with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.



## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate

entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an

announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed

only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any

later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to



attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

# Notices for Jakarta RESTful Web Services

This content is produced and maintained by the **\*\*Jakarta RESTful Web Services\*\*** project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaxrs>

## ## Trademarks

**\*\*Jakarta RESTful Web Services\*\*** is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jaxrs-api>

## Third-party Content

This project leverages the following third party content.

javaee-api (7.0)

\* License: Apache-2.0 AND W3C

JUnit (4.11)

\* License: Common Public License 1.0

Mockito (2.16.0)

\* Project: <http://site.mockito.org>

\* Source: <https://github.com/mockito/mockito/releases/tag/v2.16.0>

## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

## 1.37 jakarta xml bind api 2.3.3

## 1.37.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or

otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application

of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of

Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.



#### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF

WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR

CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R.

2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable

law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the

United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial

Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

/\*

\* Copyright (c) 2005, 2019 Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Distribution License v. 1.0, which is available at

\* <http://www.eclipse.org/org/documents/edl-v10.php>.

\*

\* SPDX-License-Identifier: BSD-3-Clause

\*/

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

**THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.**

Copyright (c) 2017, 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

[/]: # " Copyright (c) 2018, 2019 Oracle and/or its affiliates. All rights reserved. "

[/]: # " "

[/]: # " This program and the accompanying materials are made available under the "

[/]: # " terms of the Eclipse Distribution License v. 1.0, which is available at "

[/]: # " <http://www.eclipse.org/org/documents/edl-v10.php>. "

[/]: # " "

[/]: # " SPDX-License-Identifier: BSD-3-Clause "

# Notices for Jakarta XML Binding

This content is produced and maintained by the Jakarta XML Binding project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaxb>

## Trademarks

Jakarta XML Binding is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jaxb-api>
- \* <https://github.com/eclipse-ee4j/jaxb-tck>

## ## Third-party Content

This project leverages the following third party content.

Apache River (3.0.0)

- \* License: Apache-2.0 AND BSD-3-Clause

ASM 7 (n/a)

- \* License: BSD-3-Clause
- \* Project: <https://asm.ow2.io/>
- \* Source: <https://repository.ow2.org/nexus/#nexus-search;gav~org.ow2.asm~asm-commons~~~~kw,versionexpand>

JTHarness (5.0)

- \* License: (GPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0)
- \* Project: <https://wiki.openjdk.java.net/display/CodeTools/JT+Harness>
- \* Source: <http://hg.openjdk.java.net/code-tools/jtharness/>

normalize.css (3.0.2)

- \* License: MIT

SigTest (n/a)

\* License: GPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.38 jersey-metainf-services 2.32

## 1.38.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

### Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

### aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

### Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

### Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

### Bootstrap

v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\* Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

### Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

### javax.inject Version: 1

\* License: Apache License, 2.0

\* Copyright (C) 2009 The JSR-330 Expert Group

### Javassist Version 3.25.0-GA

\* License: Apache License, 2.0

\* Project: <http://www.javassist.org/>

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

### Jackson JAX-RS Providers Version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.



jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \*
- Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright  
(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- \* License: W3C License
  - \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.
- <http://www.w3.org/Consortium/Legal/>  
# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable.

However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so



that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1

and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of

physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the

Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those

countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

## 1.39 commons-io 2.11.0

### 1.39.1 Available under license :

Apache Commons IO  
Copyright 2002-2021 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain



separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.40 commons-compress 1.21

## 1.40.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Compress

Copyright 2002-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

---



The files in the package `org.apache.commons.compress.archivers.sevenz` were derived from the LZMA SDK, version 9.20 (C/ and CPP/7zip/), which has been placed in the public domain:

"LZMA SDK is placed in the public domain." (<http://www.7-zip.org/sdk.html>)

---

The test file `lbzip2_32767.bz2` has been copied from `libbzip2`'s source repository:

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2019 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.41 Iz4-java 1.7.1

## 1.41.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.42 zstd-jni 1.5.0-2

### 1.42.1 Available under license :

BSD-2-Clause

## 1.43 opentracing-api 0.33.0

### 1.43.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016-2019 The OpenTracing Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/tag/IntOrStringTag.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/log/Fields.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/Tracer.java

\*

/opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/SpanContext.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/tag/Tags.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/BinaryInject.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/BinaryExtract.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/TextMapExtract.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/tag/StringTag.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/BinaryAdapters.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/TextMap.java

\*

/opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/Format.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/TextMapExtractAdapter.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/Span.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/References.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/tag/AbstractTag.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/Scope.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/tag/BooleanTag.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/TextMapInject.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/TextMapInjectAdapter.java

\*

/opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/tag/Tag.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/TextMapAdapter.java

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/tag/IntTag.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/ScopeManager.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/Binary.java

No license file was found, but licenses were detected in source scan.

2019 The OpenTracing Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/META-INF/maven/io.opentracing/opentracing-api/pom.xml

## 1.44 opentracing-util 0.33.0

### 1.44.1 Available under license :

No license file was found, but licenses were detected in source scan.

2019 The OpenTracing Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1257211068\_1642789583.52/0/opentracing-util-0-33-0-sources-jar/META-



INF/maven/io.opentracing/opentracing-util/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016-2019 The OpenTracing Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1257211068\_1642789583.52/0/opentracing-util-0-33-0-sources-  
jar/io/opentracing/util/ThreadLocalScope.java

\* /opt/cola/permits/1257211068\_1642789583.52/0/opentracing-util-0-33-0-sources-  
jar/io/opentracing/util/ThreadLocalScopeManager.java

\* /opt/cola/permits/1257211068\_1642789583.52/0/opentracing-util-0-33-0-sources-  
jar/io/opentracing/util/GlobalTracer.java

## 1.45 opentracing-noop 0.33.0

### 1.45.1 Available under license :

No license file was found, but licenses were detected in source scan.

2019 The OpenTracing Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License

is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

or implied. See the License for the specific language governing permissions and limitations under

the License.

Found in path(s):

\* /opt/cola/permits/1257210881\_1642789614.43/0/opentracing-noop-0-33-0-sources-jar/META-

INF/maven/io.opentracing/opentracing-noop/pom.xml

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016-2019 The OpenTracing Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257210881_1642789614.43/0/opentracing-noop-0-33-0-sources-
jar/io/opentracing/noop/NoopScopeManager.java
* /opt/cola/permits/1257210881_1642789614.43/0/opentracing-noop-0-33-0-sources-
jar/io/opentracing/noop/NoopSpanContext.java
* /opt/cola/permits/1257210881_1642789614.43/0/opentracing-noop-0-33-0-sources-
jar/io/opentracing/noop/NoopTracerFactory.java
*
/opt/cola/permits/1257210881_1642789614.43/0/opentracing-noop-0-33-0-sources-
jar/io/opentracing/noop/NoopTracer.java
* /opt/cola/permits/1257210881_1642789614.43/0/opentracing-noop-0-33-0-sources-
jar/io/opentracing/noop/NoopSpan.java
* /opt/cola/permits/1257210881_1642789614.43/0/opentracing-noop-0-33-0-sources-
jar/io/opentracing/noop/NoopSpanBuilder.java
```

## 1.46 hikaricp 4.0.3

### 1.46.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2013, 2014 Brett Wooldridge
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 */
```

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/PoolBase.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2014 Brett Wooldridge

\*

- \* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.

- \* You may obtain a copy of the License at

\*

- \* <http://www.apache.org/licenses/LICENSE-2.0>

\*

- \* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- \* See the License for the specific language governing permissions and

- \* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/PoolEntry.java

- \* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/metrics/dropwizard/CodahaleHealthChecker.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2013,2014 Brett Wooldridge

\*

- \* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.

- \* You may obtain a copy of the License at

\*

- \* <http://www.apache.org/licenses/LICENSE-2.0>

\*

- \* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- \* See the License for the specific language governing permissions and

- \* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/metrics/MetricsTrackerFactory.java

\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/HikariJNDIFactory.java

\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/HikariPool.java

\*

/opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/metrics/dropwizard/CodaHaleMetricsTracker.java

\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/metrics/MetricsTracker.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 Brett Wooldridge

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/metrics/IMetricsTracker.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 Brett Wooldridge

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-  
jar/com/zaxxer/hikari/metrics/prometheus/PrometheusHistogramMetricsTrackerFactory.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 Brett Wooldridge  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-  
jar/com/zaxxer/hikari/util/IsolationLevel.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013, 2014 Brett Wooldridge  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/util/SuspendResumeLock.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/ProxyResultSet.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/util/JavassistProxyFactory.java  
\*  
/opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/HikariConfig.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/metrics/prometheus/HikariCPCollector.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/util/FastList.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/util/ConcurrentBag.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/util/DriverDataSource.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/ProxyFactory.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/ProxyConnection.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/ProxyLeakTaskFactory.java  
\*  
/opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/ProxyLeakTask.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 Brett Wooldridge

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/metrics/prometheus/PrometheusMetricsTrackerFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 Brett Wooldridge  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/ProxyCallableStatement.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/metrics/prometheus/PrometheusMetricsTracker.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/hibernate/HikariConfigurationUtil.java  
\*  
/opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/HikariDataSource.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/util/UtilityElf.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/HikariConfigMXBean.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/metrics/dropwizard/CodahaleMetricsTrackerFactory.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/ProxyPreparedStatement.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/HikariPoolMXBean.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/metrics/prometheus/PrometheusHistogramMetricsTracker.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/util/PropertyElf.java  
\*  
/opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/hibernate/HikariConnectionProvider.java  
\* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/pool/ProxyStatement.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2015 Brett Wooldridge  
\*

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/metrics/PoolStats.java
- \* /opt/cola/permits/1257217757\_1642790274.61/0/hikaricp-4-0-3-sources-jar/com/zaxxer/hikari/util/ClockSource.java

## 1.47 common-utils 5.5.1

### 1.47.1 Available under license :

The following libraries are included in packaged versions of this project:

- \* Apache ZooKeeper
- \* COPYRIGHT: Copyright 2009-2014 The Apache Software Foundation
- \* LICENSE: licenses/LICENSE.apache2.txt
- \* NOTICE: licenses/NOTICE.zookeeper.txt
- \* HOMEPAGE: <http://zookeeper.apache.org/>
  
- \* jline
- \* COPYRIGHT: Copyright (c) 2002-2006, Marc Prud'hommeaux <mwp1@cornell.edu>
- \* LICENSE: licenses/LICENSE.bsd.txt
- \* HOMEPAGE: <http://jline.sourceforge.net/>
  
- \* SLF4J
- \* COPYRIGHT: Copyright (c) 2004-2013 QOS.ch
- \* LICENSE: licenses/LICENSE.mit.txt
- \* HOMEPAGE: <http://www.slf4j.org/>
  
- \* ZkClient
- \* LICENSE: licenses/LICENSE.apache2.txt
- \* HOMEPAGE: <https://github.com/sgroschupf/zkclient>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright



- notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache ZooKeeper

Copyright 2009-2014 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so,

subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"  
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution



of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,

or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.48 kafka-schema-registry-client 5.5.1

## 1.48.1 Available under license :

Apache Kafka  
Copyright 2016 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This distribution has a binary dependency on jersey, which is available under the CDDL License. The source code of jersey can be found at <https://github.com/jersey/jersey/>.  
# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## ## Licensing

Jackson core and extension components may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

### Confluent Community License Agreement Version 1.0

This Confluent Community License Agreement Version 1.0 (the Agreement) sets forth the terms on which Confluent, Inc. (Confluent) makes available certain software made available by Confluent under this Agreement (the Software). BY INSTALLING, DOWNLOADING, ACCESSING, USING OR DISTRIBUTING ANY OF THE SOFTWARE, YOU AGREE TO THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE TO SUCH TERMS AND CONDITIONS, YOU MUST NOT USE THE SOFTWARE. IF YOU ARE RECEIVING THE SOFTWARE ON BEHALF OF A LEGAL ENTITY, YOU REPRESENT AND WARRANT THAT YOU HAVE THE ACTUAL AUTHORITY TO AGREE TO THE TERMS AND CONDITIONS OF THIS AGREEMENT ON BEHALF OF SUCH ENTITY. Licensee means you, an individual, or the entity on whose behalf you are receiving the Software.

#### 1. LICENSE GRANT AND CONDITIONS.

1.1 License. Subject to the terms and conditions of this Agreement, Confluent hereby grants to Licensee a non-exclusive, royalty-free, worldwide, non-transferable, non-sublicenseable license during the term of this Agreement to: (a) use the Software; (b) prepare modifications and derivative works of the Software; (c) distribute the Software (including without limitation in source code or object code form); and (d) reproduce copies of the Software (the License). Licensee is not granted the right to, and Licensee shall not, exercise the License for an Excluded Purpose. For purposes of this Agreement, Excluded Purpose means making available any software-as-a-service, platform-as-a-service, infrastructure-as-a-service or other similar online service that competes with Confluent products or services that provide the Software.

1.2 Conditions. In consideration of the License, Licensees distribution

of the Software is subject to the following conditions:

(a) Licensee must cause any Software modified by Licensee to carry prominent notices stating that Licensee modified the Software.

(b) On each Software copy, Licensee shall reproduce and not remove or alter all Confluent or third party copyright or other proprietary notices contained in the Software, and Licensee must provide the notice below with each copy.

This software is made available by Confluent, Inc., under the terms of the Confluent Community License Agreement, Version 1.0 located at <http://www.confluent.io/confluent-community-license>. BY INSTALLING, DOWNLOADING, ACCESSING, USING OR DISTRIBUTING ANY OF THE SOFTWARE, YOU AGREE TO THE TERMS OF SUCH LICENSE AGREEMENT.

1.3 Licensee Modifications. Licensee may add its own copyright notices to modifications made by Licensee and may provide additional or different license terms and conditions for use, reproduction, or distribution of Licensees modifications.

While redistributing the Software or modifications thereof, Licensee may choose to offer, for a fee or free of charge, support, warranty, indemnity, or other obligations. Licensee, and not Confluent, will be responsible for any such obligations.

1.4 No Sublicensing. The License does not include the right to sublicense the Software, however, each recipient to which Licensee provides the Software may exercise the Licenses so long as such recipient agrees to the terms and conditions of this Agreement.

2. TERM AND TERMINATION. This Agreement will continue unless and until earlier terminated as set forth herein. If Licensee breaches any of its conditions or obligations under this Agreement, this Agreement will terminate automatically and the License will terminate automatically and permanently.

3. INTELLECTUAL PROPERTY. As between the parties, Confluent will retain all right, title, and interest in the Software, and all intellectual property rights therein. Confluent hereby reserves all rights not expressly granted to Licensee in this Agreement. Confluent hereby reserves all rights in its trademarks and service marks, and no licenses therein are granted in this Agreement.

4. DISCLAIMER. CONFLUENT HEREBY DISCLAIMS ANY AND ALL WARRANTIES AND CONDITIONS, EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE, AND SPECIFICALLY DISCLAIMS ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR

PURPOSE, WITH RESPECT TO THE SOFTWARE.

5. LIMITATION OF LIABILITY. CONFLUENT WILL NOT BE LIABLE FOR ANY DAMAGES OF ANY KIND, INCLUDING BUT NOT LIMITED TO, LOST PROFITS OR ANY CONSEQUENTIAL, SPECIAL, INCIDENTAL, INDIRECT, OR DIRECT DAMAGES, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, ARISING OUT OF THIS AGREEMENT. THE FOREGOING SHALL APPLY TO THE EXTENT PERMITTED BY APPLICABLE LAW.

6. GENERAL.

6.1 Governing Law. This Agreement will be governed by and interpreted in accordance with the laws of the state of California, without reference to its conflict of laws principles. If Licensee is located within the United States, all disputes arising out of this Agreement are subject to the exclusive jurisdiction of courts located in Santa Clara County, California, USA. If Licensee is located outside of the United States, any dispute, controversy or claim arising out of or relating to this Agreement will be referred to and finally determined by arbitration in accordance with the JAMS International Arbitration Rules. The tribunal will consist of one arbitrator. The place of arbitration will be Palo Alto, California. The language to be used in the arbitral proceedings will be English. Judgment upon the award rendered by the arbitrator may be entered in any court having jurisdiction thereof.

6.2 Assignment. Licensee is not authorized to assign its rights under this Agreement to any third party. Confluent may freely assign its rights under this Agreement to any third party.

6.3 Other. This Agreement is the entire agreement between the parties regarding the subject matter hereof. No amendment or modification of this Agreement will be valid or binding upon the parties unless made in writing and signed by the duly authorized representatives of both parties. In the event that any provision, including without limitation any condition, of this Agreement is held to be unenforceable, this Agreement and all licenses and rights granted hereunder will immediately terminate. Waiver by Confluent of a breach of any provision of this Agreement or the failure by Confluent to exercise any right hereunder will not be construed as a waiver of any subsequent breach of that right or as a waiver of any other right.

This copy of Jackson JSON processor annotations is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Java ClassMate library was originally written by Tatu Saloranta (tatu.saloranta@iki.fi)

Other developers who have contributed code are:

\* Brian Langel

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions



for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="description" content="Home page of The Apache Software Foundation">

<link rel="apple-touch-icon" sizes="57x57" href="/favicons/apple-touch-icon-57x57.png">
<link rel="apple-touch-icon" sizes="60x60" href="/favicons/apple-touch-icon-60x60.png">
<link rel="apple-touch-icon" sizes="72x72" href="/favicons/apple-touch-icon-72x72.png">
<link rel="apple-touch-icon" sizes="76x76" href="/favicons/apple-touch-icon-76x76.png">
<link rel="apple-touch-icon" sizes="114x114" href="/favicons/apple-touch-icon-114x114.png">
<link rel="apple-touch-icon" sizes="120x120" href="/favicons/apple-touch-icon-120x120.png">
<link rel="apple-touch-icon" sizes="144x144" href="/favicons/apple-touch-icon-144x144.png">
<link rel="apple-touch-icon" sizes="152x152" href="/favicons/apple-touch-icon-152x152.png">
```

```

<link rel="apple-touch-icon" sizes="180x180" href="/favicons/apple-touch-icon-180x180.png">
<link rel="icon" type="image/png" href="/favicons/favicon-32x32.png" sizes="32x32">
<link rel="icon" type="image/png" href="/favicons/favicon-194x194.png" sizes="194x194">
<link rel="icon" type="image/png" href="/favicons/favicon-96x96.png" sizes="96x96">
<link rel="icon" type="image/png" href="/favicons/android-chrome-192x192.png" sizes="192x192">
<link rel="icon" type="image/png" href="/favicons/favicon-16x16.png" sizes="16x16">
<link rel="manifest" href="/favicons/manifest.json">
<link rel="shortcut icon" href="/favicons/favicon.ico">
<meta name="msapplication-TileColor" content="#603cba">
<meta name="msapplication-TileImage" content="/favicons/mstile-144x144.png">
<meta name="msapplication-config" content="/favicons/browserconfig.xml">
<meta name="theme-color" content="#303284">

<title>Apache License, Version 2.0</title>
<link href='https://fonts.googleapis.com/css?family=Source+Sans+Pro:400,700%7cDroid+Serif:400,700'
rel='stylesheet' type='text/css'>
<link href="/css/min.bootstrap.css" rel="stylesheet">
<link href="/css/styles.css" rel="stylesheet">

```

<!-- Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at .  
<http://www.apache.org/licenses/LICENSE-2.0> . Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
-->
```

```
</head>
```

```
<body>
```

```
<!-- Navigation -->
```

```
<header>
```

```
<nav class="navbar navbar-default navbar-fixed-top">
```

```
<div class="container">
```

```
<div class="navbar-header">
```

```
<button class="navbar-toggle" type="button" data-toggle="collapse" data-target="#mainnav-collapse">
```

```
<span class="sr-only">Toggle navigation</span>
```

```
<span class="icon-bar"></span>
```

```
<span class="icon-bar"></span>
```

```
<span class="icon-bar"></span>
```

```
</button>
```

```
<a href="#" class="navbar-brand"><span class="glyphicon glyphicon-home"></span></a>
```

```
</div>
```

```
<div class="collapse navbar-collapse" id="mainnav-collapse">
```

```
<div style="line-height:20px; padding-top:5px; float:left"><a href="/">Home</a>&nbsp;&raquo;&nbsp;&a
```

```

href="/licenses/">Licenses</a></div>
  <ul class="nav navbar-nav navbar-right">
    <li class="dropdown">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown">About <span class="caret"></span></a>
      <ul class="dropdown-menu"
role="menu">
        <li><a href="/foundation">Overview</a></li>
        <li><a href="/foundation/members.html">Members</a></li>
        <li><a href="/foundation/how-it-works.html">Process</a></li>
        <li><a href="/foundation/sponsorship.html">Sponsorship</a></li>
        <li><a href="/foundation/glossary.html">Glossary</a></li>
        <li><a href="/foundation/preFAQ.html">FAQ</a></li>
        <li><a href="/foundation/contact.html ">Contact</a></li>
      </ul>
    </li>
    <li><a href="/index.html#projects-list">Projects</a></li>
    <li class="dropdown">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown">People <span class="caret"></span></a>
      <ul class="dropdown-menu" role="menu">
        <li><a href="http://people.apache.org/">Overview</a></li>
        <li><a href="http://people.apache.org/committer-index.html">Committers</a></li>
        <li><a href="/foundation/how-it-works.html#meritocracy">Meritocracy</a></li>
        <li><a href="/foundation/how-it-works.html#roles">Roles</a></li>
        <li><a href="http://planet.apache.org/">Planet Apache</a></li>
      </ul>
    </li>
    <li class="dropdown">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown">Get Involved <span
class="caret"></span></a>
      <ul class="dropdown-menu" role="menu">
        <li><a href="/foundation/getinvolved.html">Overview</a></li>
        <li><a href="http://community.apache.org/">Community Development</a></li>
          <li><a href="http://helpwanted.apache.org/">Help Wanted</a></li>
        <li><a href="http://www.apachecon.com/">ApacheCon</a></li>
      </ul>
    </li>
    <li><a href="/dyn/closer.cgi">Download</a></li>
    <li class="dropdown">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown">Support Apache <span
class="caret"></span></a>
      <ul class="dropdown-menu" role="menu">
        <li><a href="/foundation/sponsorship.html">Sponsorship</a></li>
        <li><a href="/foundation/contributing.html">Donations</a></li>
        <li><a href="/foundation/buy_stuff.html">Buy Stuff</a></li>
        <li><a href="/foundation/thanks.html">Thanks</a></li>
      </ul>
    </li>

```

```

    </ul>
  </div>
</div>
</nav>
</header>
<!-- / Navigation -->
<div class="container">
  <div class="row">
    <div class="col-md-9 col-sm-8 col-xs-12">
      
    </div>
    <div class="col-md-3 col-sm-4 col-xs-12">
      <div class="input-group" style="margin-bottom: 5px;">
        <script>
(function() {
  var cx = '005703438322411770421:5mgshgrgx2u';
  var gcse = document.createElement('script');
  gcse.type = 'text/javascript';
  gcse.async = true;
  gcse.src = (document.location.protocol == 'https:' ? 'https:' : 'http:') +
    '//cse.google.com/cse.js?cx=' + cx;
  var s = document.getElementsByTagName('script')[0];
  s.parentNode.insertBefore(gcse, s);
})();
</script>
  <gcse:searchbox-only></gcse:searchbox-only>
</div>
  <a role="button" class="btn btn-block btn-default btn-xs" href="/foundation/governance/">The Apache Way</a>
  <a role="button" class="btn btn-block btn-default btn-xs"
href="https://community.apache.org/contributors/">Contribute</a>
  <a role="button" class="btn btn-block btn-default btn-xs" href="/foundation/thanks.html">ASF Sponsors</a>
</div>
</div>
<div class="container"><style type="text/css">
/* The following code is added by mdx_elementid.py
It was originally lifted from http://subversion.apache.org/style/site.css */
/*
* Hide class="elementid-permalink", except when an enclosing heading
* has the :hover property.
*/
.headerlink, .elementid-permalink {
  visibility: hidden;
}
h2:hover > .headerlink, h3:hover > .headerlink, h1:hover > .headerlink, h6:hover > .headerlink, h4:hover >
.headerlink, h5:hover >
.headerlink, dt:hover > .elementid-permalink { visibility: visible }</style>
<p>Apache License<br><br>Version 2.0, January 2004<br></p>

```

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

**1. Definitions**

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%)

or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a

Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

**2. Grant of Copyright License**. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

**3. Grant of Patent License**. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide,

non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

**4. Redistribution**. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications,

and in Source or Object form, provided that

You meet the following conditions:

-

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the

Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

<br/>

<br/>

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

</li>

</ol>

<p><strong><a name="contributions">5. Submission of Contributions</a></strong>. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.</p>

<p><strong><a name="trademarks">6. Trademarks</a></strong>. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.</p>

<p><strong><a name="no-warranty">7. Disclaimer of Warranty</a></strong>. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.</p>

<p><strong><a name="no-liability">8. Limitation of Liability</a></strong>. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,



incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure

or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.</p>

<p><strong><a name="additional">9. Accepting Warranty or Additional Liability</a></strong>.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License.

However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.</p>

<p>END OF TERMS AND CONDITIONS</p>

<h1 id="apply">APPENDIX: How to apply the Apache License to your work<a class="headerlink" href="#apply" title="Permanent link">&para;</a></h1>

<p>To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.</p>

<div class="codehilite"><pre>Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

</pre></div></div>

<!-- Footer -->

<footer class="bg-primary">

<div class="container">

```

<div class="row">
  <br />
  <div class="col-sm-1">

</div>
<div class="col-sm-2">
  <h5 class="white">Community</h5>
  <ul class="list-unstyled white" role="menu">
    <li><a href="http://community.apache.org/">Overview</a></li>
    <li><a href="/foundation/conferences.html">Conferences</a></li>
    <li><a href="http://community.apache.org/gsoc.html">Summer of Code</a></li>
    <li><a href="http://community.apache.org/newcomers/">Getting Started</a></li>
    <li><a href="/foundation/how-it-works.html">The Apache Way</a></li>
    <li><a href="/travel/">Travel Assistance</a></li>
    <li><a href="/foundation/getinvolved.html">Get Involved</a></li>
    <li><a href="http://community.apache.org/newbiefaq.html">Community
FAQ</a></li>
  </ul>
</div>

<div class="col-sm-2">
  <h5 class="white">Innovation</h5>
  <ul class="list-unstyled white" role="menu">
    <li><a href="http://incubator.apache.org/">Incubator</a></li>
    <li><a href="http://labs.apache.org/">Labs</a></li>
    <li><a href="/licenses/">Licensing</a></li>
    <li><a href="/foundation/license-faq.html">Licensing FAQ</a></li>
    <li><a href="/foundation/marks/">Trademark Policy</a></li>
    <li><a href="/foundation/contact.html">Contacts</a></li>
  </ul>
</div>

<div class="col-sm-2">
  <h5 class="white">Tech Operations</h5>
  <ul class="list-unstyled white" role="menu">
    <li><a href="/dev/">Developer Information</a></li>
    <li><a href="/dev/infrastructure.html">Infrastructure</a></li>
    <li><a href="/security/">Security</a></li>
    <li><a href="http://status.apache.org">Status</a></li>
    <li><a href="/foundation/contact.html">Contacts</a></li>

  </ul>
</div>

<div class="col-sm-2">
  <h5 class="white">Press</h5>
  <ul class="list-unstyled white" role="menu">
    <li><a href="/press/">Overview</a></li>

```

```
<li><a href="https://blogs.apache.org/">ASF News</a></li>
<li><a href="https://blogs.apache.org/foundation/">Announcements</a></li>
<li><a href="https://twitter.com/TheASF">Twitter Feed</a></li>
<li><a href="/press/#contact">Contacts</a></li>
</ul>
</div>
```

```
<div class="col-sm-2">
<h5 class="white">Legal</h5>
<ul class="list-unstyled white" role="menu">
<li><a href="/legal/">Legal Affairs</a></li>
<li><a href="/licenses/">Licenses</a></li>
<li><a href="/foundation/marks/">Trademark Policy</a></li>
<li><a href="/foundation/records/">Public Records</a></li>
<li><a href="/foundation/policies/privacy.html">Privacy Policy</a></li>
<li><a href="/licenses/exports/">Export Information</a></li>
<li><a
href="/foundation/license-faq.html">License/Distribution FAQ</a></li>
<li><a href="/foundation/contact.html">Contacts</a></li>
</ul>
</div>
```

```
<div class="col-sm-1">
</div>
```

```
</div>
<hr class="col-lg-12 hr-white" />
<div class="row">
<div class="col-lg-12">
<p class="text-center">Copyright © 2016 The Apache Software Foundation, Licensed under the <a
class="white" href="http://www.apache.org/licenses/LICENSE-2.0">Apache License, Version 2.0</a>.</p>
<p class="text-center">Apache and the Apache feather logo are trademarks of The Apache Software
Foundation.</p>
</div>
</div>
</div>
```

```
</footer>
```

```
<!-- / Footer -->
```

```
<script src="/js/jquery-2.1.1.min.js"></script>
<script src="/js/bootstrap.js"></script>
</body>
</html>
```

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the

specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Apache Avro

Copyright 2009-2014 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
```

```
<html><head>
```

```
<title>301 Moved Permanently</title>
```

```
</head><body>
```

```
<h1>Moved Permanently</h1>
```

```
<p>The document has moved <a href="https://opensource.org/licenses/mit-license.php">here</a>.</p>
```

```
</body></html>
```

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: schema-registry

Source: <https://github.com/confluentinc/schema-registry>

Files: \*

Copyright: 2018 Confluent, Inc.

License: Apache-2

Files: core/\*

Copyright: 2015 Confluent, Inc.

License: Confluent Community License

License: Confluent Community License

Licensed under the Confluent Community License; you may not use this file except in compliance with the License. You may obtain a copy of the License at

.

<http://www.confluent.io/confluent-community-license>

.

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

License: Apache-2

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

.

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

On Debian systems, the Apache 2.0 license can be found in `/usr/share/common-licenses/Apache-2.0`.

The following commands were used to generate license and notice files. Replace `<VERSION>` with the Schema Registry version, `<SRC_PATH>` with the path to the Schema Registry source directory, and `<LICENSE_TOOL_PATH>` with the path of the license tool.

```
cd <SRC_PATH>
mvn package -DskipTests
mkdir /tmp/jars
mkdir /tmp/overrides
cp package-schema-registry/target/kafka-schema-registry-package-<VERSION>-package/share/java/schema-registry/*.jar /tmp/jars/
cp package-kafka-serde-tools/target/kafka-serde-tools-package-<VERSION>-package/share/java/kafka-serde-tools/*.jar /tmp/jars/
cd <LICENSE_TOOL_PATH>
./bin/run_license_job.bash -i /tmp/jars -l <SRC_PATH>/licenses -n <SRC_PATH>/notices -h <SRC_PATH>/licenses-and-notices.html -o /tmp/overrides
```

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the



Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This distribution has a binary dependency on jersey, which is available under the CDDL License as described below.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL - Version 1.1)

1. Definitions.

- 1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.
  - 1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
  - 1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
  - 1.4. Executable means the Covered Software in any form other than Source Code.
  - 1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.
  - 1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
  - 1.7. License means this document.
  - 1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
  - 1.9. Modifications means the Source Code and Executable form of any of the following:
    - A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;
    - B. Any new file that contains any part of the Original Software or previous Modification; or
    - C. Any new file that is contributed or otherwise made available under the terms of this License.
  - 1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.
  - 1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.
  - 1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.
  - 1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.
2. License Grants.
    - 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

#### 4. Versions of the License.

##### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

##### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received

the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

##### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice

from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR

OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall

be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a

contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under

this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
```

```
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
```

```
<title>Untitled Document</title>
```

```
</head>
```

```
<body>
```

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
```

```
<HTML>
```

```
<!-- @page { margin: 0.79in } P { margin-bottom: 0.08in } H1 { margin-top: 0in; margin-bottom: 0.17in; widows: 0; orphans: 0 } H1.western { font-family: "Times New Roman", serif; font-size: 12pt; font-weight: normal } H1.cjk { font-family: "Andale Sans UI"; font-size: 12pt; font-weight: normal } H1.clt { font-family: "Tahoma"; font-size: 12pt; font-weight: normal } -->
```

```
<BODY DIR="LTR">
```

```
<p><strong>COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1</strong></p>
```

```
<p>1. Definitions.</p>
```

```
<blockquote>1.1. &ldquo;Contributor&rdquo; means each individual or entity that creates or contributes to the creation
```

```
of Modifications.</blockquote>
```

```
<blockquote>1.2. &ldquo;Contributor Version&rdquo; means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.</blockquote>
```

```
<blockquote>1.3. &ldquo;Covered Software&rdquo; means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.</blockquote>
```

```
<blockquote>1.4. &ldquo;Executable&rdquo; means the Covered Software in any form other than Source Code.</blockquote>
```

```
<blockquote>1.5. &ldquo;Initial Developer&rdquo; means the individual or entity that first makes Original Software available under this License.</blockquote>
```

<blockquote>1.6. &ldquo;Larger Work&rdquo; means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.</blockquote>

<blockquote>1.7. &ldquo;License&rdquo; means this document.</blockquote>

<blockquote>1.8. &ldquo;Licensable&rdquo; means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.</blockquote>

<blockquote>1.9. &ldquo;Modifications&rdquo; means the Source Code and Executable form of any of the following:</blockquote>

<blockquote>A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;</blockquote>

<blockquote>B. Any new file that contains any part of the Original Software or previous Modification; or</blockquote>

<blockquote>C. Any new file that is contributed or otherwise made available under the terms of this License.</blockquote>

<blockquote>1.10. &ldquo;Original Software&rdquo; means the Source Code and Executable form of computer software code that is originally released under this License.</blockquote>

<blockquote>1.11. &ldquo;Patent Claims&rdquo; means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.</blockquote>

<blockquote>1.12. &ldquo;Source Code&rdquo; means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.</blockquote>

<blockquote>1.13. &ldquo;You&rdquo; (or &ldquo;Your&rdquo;) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, &ldquo;You&rdquo; includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, &ldquo;control&rdquo; means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.</blockquote>

<p>2. License Grants.</p>

<blockquote>2.1. The Initial Developer Grant.</blockquote>

<blockquote>Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:</blockquote>

<blockquote>(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and</blockquote>

<blockquote>(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).</blockquote>

<blockquote>(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.</blockquote>

<blockquote>(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.</blockquote>

<blockquote>2.2. Contributor Grant.</blockquote>

<blockquote>Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual



property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted:

(1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable

form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You

may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of

this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger

Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You

must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT

WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which,

by their nature, must remain in effect beyond the termination of this License shall survive.</blockquote>  
<blockquote>6.2.

If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as &ldquo;Participant&rdquo;) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant

either unilaterally or pursuant to a written agreement with Participant.</blockquote>

<blockquote>6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.</blockquote>

<blockquote>6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.</blockquote>

<p>7. LIMITATION OF LIABILITY.</p>

<blockquote>

<p>UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.</p>

</blockquote>

<p>8. U.S. GOVERNMENT END USERS.</p>

<blockquote>

<p>The Covered Software is a &ldquo;commercial item,&rdquo;

as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of &ldquo;commercial computer software&rdquo; (as that term is defined at 48 C.F.R. &sect; 252.227-7014(a)(1)) and &ldquo;commercial computer software documentation&rdquo; as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.</p>

</blockquote>

<p>9. MISCELLANEOUS.</p>

<blockquote>

<p>This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be

governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries)

when You use, distribute or otherwise make available any Covered Software.</p>

</blockquote>

<p>10. RESPONSIBILITY FOR CLAIMS.</p>

<blockquote>

<p>As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.</p>

</blockquote>

<hr />

<p>NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)</p>

<p>The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California. </p>

<p><br />

<br />

</p>

<h1><strong>The GNU General Public License (GPL) Version 2, June 1991</strong></h1>

<p>Copyright (C) 1989, 1991 Free Software Foundation, Inc.<br />

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA</p>

<p>Everyone is permitted to copy and distribute verbatim copies<br />

of this license document, but changing it is not allowed.</p>

<p><strong>Preamble</strong></p>

<p>The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.</p>

<p>When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.</p>

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## **TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION**

**0**. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

**1**. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

**2**. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy

of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to

control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

**3**. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary

form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

**4**. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

**5**.

You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO

WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a

new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) &lt;year> &lt;name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.



<blockquote>signature of Ty Coon, 1 April 1989<br />

Ty Coon, President of Vice</blockquote>

<p>This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.</p>

<li>

<p><strong>&quot;CLASSPATH&quot; EXCEPTION TO THE GPL VERSION 2</strong><br />

<br />

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words &quot;Oracle designates this particular file as subject to the &quot;Classpath&quot; exception as provided by Oracle in the License file that accompanied this code.&quot; <br />

<br />

Linking this library statically or dynamically with other modules is making a combined work based on this library.&nbsp; Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination. <br />

<br />

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.&nbsp; An independent module is a module which is not derived from or based on this library.&nbsp; If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.&nbsp; If you do not wish to do so, delete this exception statement from your version.</p>

</li>

<p><br />

<br />

</p>

<p><br />

</p>

</body>

</html>

The project is licensed under the Confluent Community License, except for client libs, which is under the Apache 2.0 license.

See LICENSE file in each subfolder for detailed license agreement.

Apache log4j

Copyright 2007 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"  
"http://www.w3.org/TR/html4/loose.dtd">
```

```
<html lang="en-US">
```

```
<head>
```

```
<title>GlassFish Dual License Header and License Notice GPL v2 and CDDL</title>
```

```
<meta http-equiv="content-type" content="text/html; charset=UTF-8">
```

```
<style type="text/css">
```

```
li {display: block;}
```

```
</style>
```

```
</head>
```

```
<body leftmargin="0" topmargin="0" marginheight="0" marginwidth="0" bgcolor="#ffffff">
```

```
<h3>COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0</h3>
```

```
<ul>
```

```
<li><p><b>1. Definitions.</b></p>
```

```
<ul>
```

```
<li>
```

```
<p>
```

```
<b>1.1. &ldquo;Contributor&rdquo;</b> means each individual or  
entity that creates or contributes to the creation of  
Modifications.
```

```
</p>
```

```
</li>
```

```
<li>
```

```
<p>
```

```
<b>1.2. &ldquo;Contributor Version&rdquo;</b> means  
the combination of the Original Software, prior  
Modifications used by a Contributor (if any), and the  
Modifications made by that particular
```

```
Contributor.
```

```
</p>
```

```
</li>
```

<li>  
<p>  
<b>1.3. &ldquo;Covered Software&rdquo;</b> means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.  
</p>  
</li>

<li>  
<p>  
<b>1.4. &ldquo;Executable&rdquo;</b> means the Covered Software in any form other than Source Code.  
</p>  
</li>

<li>  
<p>  
<b>1.5. &ldquo;Initial Developer&rdquo;</b> means the individual or entity that first makes Original Software available under this License.  
</p>  
</li>

<li>  
<p>  
<b>1.6. &ldquo;Larger Work&rdquo;</b> means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.  
</p>  
</li>

<li>  
<p>  
<b>1.7. &ldquo;License&rdquo;</b>  
means this document.  
</p>  
</li>

<li>  
<p>  
<b>1.8. &ldquo;Licensable&rdquo;</b> means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.  
</p>

</li>

<li>

<p>

**1.9. "Modifications"** means the Source Code and Executable form of any of the following:

</p>

<ul>

<li>

<p>

**A.** Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

</p>

</li>

<li>

<p>

**B.** Any new file that contains any part of the Original Software or previous Modification; or

</p>

</li>

<li>

<p>

**C.** Any new file that is contributed or otherwise

made available under the terms of this

License.

</p>

</li>

</ul>

</li>

<li>

<p>

**1.10. "Original Software"** means the Source Code and Executable form of computer software code that is originally released under this License.

</p>

</li>

<li>

<p>

**1.11. "Patent Claims"** means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

</p>



</li>

<li>

<p>

<b>1.12. &ldquo;Source Code&rdquo;</b> means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

</p>

</li>

<li>

<p>

<b>1.13. &ldquo;You&rdquo; (or &ldquo;Your&rdquo;)</b> means an individual or a legal

entity exercising rights under, and complying with all of the terms of, this License. For legal entities, &ldquo;You&rdquo; includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, &ldquo;control&rdquo; means (a) &nbsp;the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) &nbsp;ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

</p>

</li>

</ul>

</li>

<li>

<p><b>2. License Grants.</b></p>

<ul>

<li>

<p><b>2.1. The Initial Developer Grant.</b></p>

<p>

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

</p>

<ul>

<li>

<p>

<b>(a)</b> under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform,

sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

</p>

</li>

<li>

<p>

<b>(b)</b> under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

</p>

</li>

<li>

<p>

<b>(c)</b> The licenses granted in Sections&nbsp;2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the

terms of this License.

</p>

</li>

<li>

<p>

<b>(d)</b> Notwithstanding Section&nbsp;2.1(b) above, no patent license is granted: (1)&nbsp;for code that You delete from the Original Software, or (2)&nbsp;for infringements caused by: (i)&nbsp;the modification of the Original Software, or (ii)&nbsp;the combination of the Original Software with other software or devices.

</p>

</li>

</ul>

</li>

<li>

<p><b>2.2. Contributor Grant.</b></p>

<p>

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

</p>

<ul>

<li>

<p>

<b>(a)</b> under intellectual property rights

(other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

</p>

</li>

<li>

<p>

<b>(b)</b> under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

</p>

</li>

<li>

<p>

<b>(c)</b> The licenses granted in Sections 2.2(a)

and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

</p>

</li>

<li>

<p>

<b>(d)</b> Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

</p>

</li>

</ul>

</li>

</ul>

</li>

<li>

<p><b>3. Distribution Obligations.</b></p>

<ul>

<li>

<p><b>3.1. Availability of Source Code.</b></p>

<p>

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

</p>

</li>

<li>

<p><b>3.2. Modifications.</b></p>

<p>

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications

are Your

original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

</p>

</li>

<li>

<p><b>3.3. Required Notices.</b></p>

<p>

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

</p>

</li>

<li>

<p><b>3.4. Application of Additional Terms.</b></p>

<p>

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support,

indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

</p>

</li>

<li>

<p><b>3.5. Distribution of Executable Versions.</b></p>

<p>

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this

License and that the

license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

</p>

</li>

<li>

<p><b>3.6. Larger Works.</b></p>

<p>

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure

the

requirements of this License are fulfilled for the Covered Software.

</p>

</li>

</ul>

</li>

<li>

<p><b>4. Versions of the License.</b></p>

<ul>

<li>

<p><b>4.1. New Versions.</b></p>

<p>

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

</p>

</li>

<li>

<p><b>4.2. Effect of New Versions.</b></p>

<p>

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting

it from being

distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

</p>

</li>

<li>

<p><b>4.3. Modified Versions.</b></p>

<p>

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You:

- (a) rename the license and remove any references to

the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear

that the license contains terms which differ from this License.

</p>

</li>

</ul>

</li>

<li>

<p><b>5. DISCLAIMER OF WARRANTY.</b></p>

<p>

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

</p>

</li>

<li>

<p><b>6.

TERMINATION.</b></p>

<ul>

<li>

<p>

<b>6.1.</b> This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

</p>

</li>

<li>

<p>

<b>6.2.</b> If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom

You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

</p>

</li>

<li>

<p>

**6.3.** In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

</p>

</li>

</ul>

</li>

<li>

**7. LIMITATION OF LIABILITY.**

<p>

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.



</p>

</li>

<li>

<p><b>8. U.S. GOVERNMENT END USERS.</b></p>

<p>

The Covered Software is a &ldquo;commercial item,&rdquo; as that term is defined in 48&nbsp;C.F.R.&nbsp;2.101 (Oct. 1995), consisting of &ldquo;commercial computer software&rdquo; (as that term is defined at 48

C.F.R. &sect;&nbsp;252.227-7014(a)(1)) and &ldquo;commercial computer software documentation&rdquo; as such terms are used in 48&nbsp;C.F.R.&nbsp;12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

</p>

</li>

<li>

<p><b>9. MISCELLANEOUS.</b></p>

<p>

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction&rsquo;s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys&rsquo; fees and expenses. The application of the United Nations

Convention on Contracts for

the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and

regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

</p>

</li>

<li>

<p><b>10. RESPONSIBILITY FOR CLAIMS.</b></p>

<p>

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute

any admission of liability.

</p>

</li>

<li>

<p>

<b>

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

</b>

</p>

<p>

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions).

Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

</p>

</li>

</ul>

<h3>The GNU General Public License (GPL) Version 2, June 1991</h3>

<p>

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

</p>

<p>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

</p>

<p><b>Preamble</b></p>

<p>

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

</p>

<p>

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

</p>

<p>

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

</p>

<p>

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

</p>

<p>

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

</p>

<p>

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the

original authors' reputations.

</p>

<p>

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

</p>

<p>

The precise terms and conditions for copying, distribution and modification follow.

</p>

<p><b>TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION</b></p>

<ul style="margin-left:0; padding-left:0; border-left:0">

<li>

<p>

<b>0.</b> This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be

distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

</p>

<p>

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

</p>

</li>

<li>

<p>

<b>1.</b> You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

</p>

<p>

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

</p>

</li>

<li>

<p>

**2.** You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

</p>

<ul>

<li>

<p>

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

</p>

</li>

<li>

<p>

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

</p>

</li>

<li>

<p>

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception:

if the Program itself is interactive

but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

</p>

</li>

</ul>

<p>

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as

separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

</p>

<p>

Thus, it is not the intent of this section to claim rights or contest your rights to work written

entirely by you; rather, the intent is to

exercise the right to control the distribution of derivative or collective works based on the Program.

</p>

<p>

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

</p>

</li>

<li>

<p>

**3.** You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

</p>

<ul>

<li>

<p>

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

</p>

</li>

<li>

<p>

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

</p>

</li>

<li>

<p>

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

</p>

</li>

</ul>

<p>

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the

source code for all modules it contains, plus any

associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

</p>

<p>

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

</p>

</li>

<li>

<p>

**4.** You may not copy, modify, sublicense, or distribute the Program except

as expressly provided under this License. Any attempt

otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

</p>

</li>

<li>

<p>

**5.** You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited

by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

</p>

</li>

<li>

<p>

**6.** Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

</p>

</li>

<li>

<p>

**7.** If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then

as a consequence you may not distribute the Program at all.

For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

</p>

<p>

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

</p>

<p>

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions

to the wide range of software

distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that



choice.

</p>

<p>

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

</p>

</li>

<li>

<p>

**8.** If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

</p>

</li>

<li>

<p>

**9.** The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

</p>

<p>

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

</p>

</li>

<li>

<p>

**10.** If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for

permission. For software which is copyrighted by the Free Software

Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

</p>

</li>

<li>

<p>NO WARRANTY</p>

</li>

<li>

<p>

<b>11.</b> BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

</p>

</li>

<li>

<p>

<b>12.</b> IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

</p>

</li>

<li>

<p>END OF TERMS AND CONDITIONS</p>

</li>

<li>

<p><b>How to Apply These Terms to Your New Programs</b></p>

<p>

If you develop a new program, and you want it to be of the greatest possible

use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

</p>

<p>

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

</p>

<ul>

<li>

<p>

One line to give the program's name and a brief idea of what it does.

</p>

</li>

<li>

<p>

Copyright (C) <year> <name of author>

</p>

</li>

<li>

<p>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

</p>

</li>

<li>

<p>

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

</p>

</li>

<li>

<p>

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

</p>

</li>

</ul>

<p>

Also add information on how to contact you by electronic and paper mail.

</p>

<p>

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

</p>

<ul>

<li>

<p>

Gnomovision version 69, Copyright (C) year name of author<br />

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type  
`show w'.

This is free software, and you are welcome to redistribute  
it under certain conditions; type `show c' for details.

</p>

</li>

</ul>

<p>

The hypothetical commands `show w' and `show c' should show the appropriate  
parts of the General Public License. Of course, the commands you use may  
be called something other than `show w' and `show c'; they could even be  
mouse-clicks or menu items--whatever suits your program.

</p>

<p>

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program, if  
necessary. Here is a sample; alter the names:

</p>

<ul>

<li>

<p>

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.

</p>

<p>

signature of Ty Coon, 1 April 1989<br />

Ty Coon, President of Vice

</p>

</li>

</ul>

<p>

This General Public License does not permit incorporating your program into  
proprietary programs. If your program is a subroutine library, you may  
consider it more useful to permit linking proprietary applications with  
the library. If this is what you want to do, use the GNU Library General  
Public License instead of this License.

</p>

</li>

<li style="background-color:yellow;">

<p><b>"CLASSPATH" EXCEPTION TO THE GPL VERSION 2</b></p>

<p>

Certain source files distributed by Sun Microsystems, Inc. are subject to  
the following clarification and special exception to the GPL Version 2, but

only where Sun has expressly included in the particular source file's header the words  
"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available

from the source code management (SCM) system project uses.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="description" content="Home page of The Apache Software Foundation">

  <link rel="apple-touch-icon" sizes="57x57" href="/favicons/apple-touch-icon-57x57.png">
  <link rel="apple-touch-icon" sizes="60x60" href="/favicons/apple-touch-icon-60x60.png">
  <link rel="apple-touch-icon" sizes="72x72" href="/favicons/apple-touch-icon-72x72.png">
  <link rel="apple-touch-icon" sizes="76x76" href="/favicons/apple-touch-icon-76x76.png">
  <link rel="apple-touch-icon" sizes="114x114" href="/favicons/apple-touch-icon-114x114.png">
  <link rel="apple-touch-icon" sizes="120x120" href="/favicons/apple-touch-icon-120x120.png">
  <link rel="apple-touch-icon" sizes="144x144" href="/favicons/apple-touch-icon-144x144.png">
  <link rel="apple-touch-icon" sizes="152x152" href="/favicons/apple-touch-icon-152x152.png">
  <link rel="apple-touch-icon" sizes="180x180" href="/favicons/apple-touch-icon-180x180.png">
  <link rel="icon" type="image/png" href="/favicons/favicon-32x32.png" sizes="32x32">
  <link rel="icon" type="image/png" href="/favicons/favicon-194x194.png" sizes="194x194">
  <link rel="icon" type="image/png" href="/favicons/favicon-96x96.png" sizes="96x96">
  <link rel="icon" type="image/png" href="/favicons/android-chrome-192x192.png" sizes="192x192">
  <link rel="icon" type="image/png" href="/favicons/favicon-16x16.png" sizes="16x16">
  <link rel="manifest" href="/favicons/manifest.json">
  <link rel="shortcut icon" href="/favicons/favicon.ico">
  <meta name="msapplication-TileColor" content="#603cba">
  <meta name="msapplication-TileImage" content="/favicons/mstile-144x144.png">
  <meta name="msapplication-config" content="/favicons/browserconfig.xml">
  <meta name="theme-color" content="#303284">

  <title>Licenses</title>
  <link href='https://fonts.googleapis.com/css?family=Source+Sans+Pro:400,700%7cDroid+Serif:400,700'
rel='stylesheet' type='text/css'>
  <link href="/css/min.bootstrap.css" rel="stylesheet">
  <link href="/css/styles.css" rel="stylesheet">

  <!-- Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See
the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF
licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file
except in compliance with the License. You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0 . Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing
permissions and limitations under the License. -->

</head>
```

```

<body>
<!--
Navigation -->
<header>
<nav class="navbar navbar-default navbar-fixed-top">
  <div class="container">
    <div class="navbar-header">
      <button class="navbar-toggle" type="button" data-toggle="collapse" data-target="#mainnav-collapse">
        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <a href="#" class="navbar-brand"><span class="glyphicon glyphicon-home"></span></a>
    </div>
    <div class="collapse navbar-collapse" id="mainnav-collapse">
      <div style="line-height:20px; padding-top:5px; float:left"><a href="/">Home</a>&nbsp;&raquo;&nbsp;&nbsp;<a
href="/licenses/">Licenses</a></div>
      <ul class="nav navbar-nav navbar-right">
        <li class="dropdown">
          <a href="#" class="dropdown-toggle" data-toggle="dropdown">About <span class="caret"></span></a>
          <ul class="dropdown-menu" role="menu">
            <li><a href="/foundation">Overview</a></li>
            <li><a href="/foundation/members.html">Members</a></li>
            <li><a href="/foundation/how-it-works.html">Process</a></li>
            <li><a href="/foundation/sponsorship.html">Sponsorship</a></li>
            <li><a href="/foundation/glossary.html">Glossary</a></li>
            <li><a href="/foundation/preFAQ.html">FAQ</a></li>
            <li><a href="/foundation/contact.html">Contact</a></li>
          </ul>
        </li>
        <li><a href="/index.html#projects-list">Projects</a></li>
        <li class="dropdown">
          <a href="#" class="dropdown-toggle" data-toggle="dropdown">People <span class="caret"></span></a>
          <ul class="dropdown-menu" role="menu">
            <li><a href="http://people.apache.org/">Overview</a></li>
            <li><a href="http://people.apache.org/committer-index.html">Committers</a></li>
            <li><a href="/foundation/how-it-works.html#meritocracy">Meritocracy</a></li>
            <li><a href="/foundation/how-it-works.html#roles">Roles</a></li>
            <li><a href="http://planet.apache.org/">Planet Apache</a></li>
          </ul>
        </li>
        <li class="dropdown">
          <a href="#" class="dropdown-toggle" data-toggle="dropdown">Get Involved <span
class="caret"></span></a>
          <ul class="dropdown-menu" role="menu">
            <li><a href="/foundation/getinvolved.html">Overview</a></li>
            <li><a href="http://community.apache.org/">Community Development</a></li>

```

```

        <li><a href="http://helpwanted.apache.org/">Help Wanted</a></li>
    <li><a href="http://www.apachecon.com/">ApacheCon</a></li>
    </ul>
</li>
    <li><a href="/dyn/closer.cgi">Download</a></li>
    <li class="dropdown">
        <a href="#" class="dropdown-toggle" data-toggle="dropdown">Support Apache <span
class="caret"></span></a>
        <ul class="dropdown-menu" role="menu">
            <li><a href="/foundation/sponsorship.html">Sponsorship</a></li>
            <li><a href="/foundation/contributing.html">Donations</a></li>
            <li><a href="/foundation/buy_stuff.html">Buy Stuff</a></li>
            <li><a href="/foundation/thanks.html">Thanks</a></li>
        </ul>
    </li>
</ul>
</div>
</div>
</nav>
</header>
<!-- / Navigation -->
<div class="container">
    <div class="row">
        <div class="col-md-9 col-sm-8 col-xs-12">
            
        </div>
        <div class="col-md-3 col-sm-4 col-xs-12">
            <div class="input-group" style="margin-bottom: 5px;">
                <script>
(function() {
    var cx = '005703438322411770421:5mgshgrgx2u';
    var gcse = document.createElement('script');
    gcse.type = 'text/javascript';
    gcse.async = true;
    gcse.src = (document.location.protocol == 'https:' ? 'https:' : 'http:') +
        '//cse.google.com/cse.js?cx=' + cx;
    var s = document.getElementsByTagName('script')[0];
    s.parentNode.insertBefore(gcse, s);
})();
</script>
            <gcse:searchbox-only></gcse:searchbox-only>
        </div>
        <a role="button" class="btn btn-block btn-default btn-xs" href="/foundation/governance/">The Apache Way</a>
        <a role="button" class="btn btn-block btn-default btn-xs"
href="https://community.apache.org/contributors/">Contribute</a>
        <a role="button" class="btn btn-block btn-default btn-xs" href="/foundation/thanks.html">ASF Sponsors</a>
    </div>
</div>

```



```

</div>
<div class="container"><style type="text/css">
/* The following code is added by mdx_elementid.py
  It was originally lifted from http://subversion.apache.org/style/site.css */
/*
* Hide class="elementid-permalink", except when an enclosing heading
* has the :hover property.
*/
.headerlink, .elementid-permalink {
  visibility: hidden;
}
h2:hover > .headerlink, h3:hover > .headerlink, h1:hover > .headerlink, h6:hover > .headerlink, h4:hover >
.headerlink, h5:hover > .headerlink, dt:hover
> .elementid-permalink { visibility: visible }</style>
<p>The Apache Software Foundation uses various licenses to <a href="#distributions">distributed
software and documentation</a>, to accept regular
<a href="#clas">contributions from individuals and corporations</a>, and to accept
larger <a href="#grants">grants of existing software products</a>.</p>
<p>These licenses help us achieve our goal of providing reliable and
long-lived software products through collaborative open source software
development. In all cases, contributors retain full rights to use their
original contributions for any other purpose outside of Apache while
providing the ASF and its projects the right to distribute and build upon
their work within Apache.</p>
<h1 id="distributions">Licensing of Distributions<a class="headerlink" href="#distributions" title="Permanent
link">&para;</a></h1>
<p>All software produced by The Apache Software Foundation or any of its
projects or subjects is licensed according to the terms
of the documents
listed below.</p>
<h3 id="2.0">Apache License, Version 2.0 (current)<a class="headerlink" href="#2.0" title="Permanent
link">&para;</a></h3>
<p><a href="LICENSE-2.0">http://www.apache.org/licenses/LICENSE-2.0</a> (
<a href="LICENSE-2.0.txt">TXT</a> or <a href="LICENSE-2.0.html">HTML</a> )</p>
<p>The 2.0 version of the Apache License was approved by the ASF in 2004. The
goals of this license revision have been to reduce the number of frequently
asked questions, to allow the license to be reusable without modification
by any project (including non-ASF projects), to allow the license to be
included by reference instead of listed in every file, to clarify the
license on submission of contributions, to require a patent license on
contributions that necessarily infringe the contributor's own patents, and
to move comments regarding Apache and other inherited attribution notices
to a location outside the license terms (the <a href="example-NOTICE.txt">NOTICE
file</a> ).</p>
<p>The
result is a license that is supposed to be compatible with other open
source licenses, while remaining true to the original goals of the Apache
Group and supportive of collaborative development across both nonprofit and

```

commercial organizations. The Apache Software Foundation is still trying to determine if this version of the Apache License is [compatible with the GPL](GPL-compatibility.html).

All packages produced by the ASF are implicitly licensed under the Apache License, Version 2.0, unless otherwise explicitly stated. More developer documentation on how to apply the Apache License to your work can be found in \* [Applying the Apache License, Version 2.0](./dev/apply-license.html) \*.

### Apache License, Version 1.1 (historic)[&para;](#1.1 "Permanent link")

[http://www.apache.org/licenses/LICENSE-1.1](LICENSE-1.1)

The 1.1 version of the Apache License was approved by the ASF in 2000. The

primary change from the 1.0 license is in the 'advertising clause' (section 3 of the 1.0 license); derived products are no longer required to include attribution in their advertising materials, only in their documentation.

Individual packages licensed under the 1.1 version may have used different wording due to varying requirements for attribution or mark identification, but the binding terms were all the same.

### Apache License, Version 1.0 (historic)[&para;](#1.0 "Permanent link")

[http://www.apache.org/licenses/LICENSE-1.0](LICENSE-1.0)

This is the original Apache License which applies only to older versions of Apache packages (such as version 1.2 of the Web server).

## Contributor License Agreements[&para;](#clas "Permanent link")

The ASF desires that all contributors of ideas, code, or documentation to any Apache projects

complete, sign, and submit (via fax or email) an [Individual Contributor License Agreement](icla.pdf) (ICLA).

The purpose of this agreement is to clearly define the terms under which intellectual property has been contributed to the ASF and thereby allow us to defend the project should there be a legal dispute regarding the software at some future time. A signed ICLA is required to be on file before an individual is given commit rights to an ASF project.

For a corporation that has assigned employees to work on an Apache project, a [Corporate CLA](cla-corporate.txt) (CCLA) is available for contributing intellectual property via the corporation, that may have been assigned as part of an employment agreement. Note that a Corporate CLA does not remove the need for every developer to sign their own ICLA as an individual, to cover any of their contributions which are not owned by the corporation signing the CCLA.

The ICLA is not tied to any employer you may have, so it is recommended to use one's personal email address in the contact details, rather than an @work address.

Your Full name will be published unless you provide an alternative Public name.

For example if your full name is Andrew Bernard Charles Dickens, but you wish

to be known as Andrew Dickens, please enter the latter as your Public name.</p>

<p>The email address and other contact details are not published.</p>

<h1 id="grants">Software Grants<a class="headerlink" href="#grants" title="Permanent link">&para;</a></h1>

<p>When an individual or corporation decides to donate a body of existing software or documentation to one of the Apache projects, they need to execute a formal <a href="software-grant-template.pdf">Software Grant Agreement</a> (SGA) with the ASF. Typically, this is done after negotiating approval with the ASF <a href="http://incubator.apache.org/">Incubator</a> or one of the PMCs, since the ASF will not accept software unless there is a viable community available to support a collaborative project.</p>

<h1 id="submitting">Submitting License Agreements and Grants<a class="headerlink" href="#submitting" title="Permanent link">&para;</a></h1>

<p>Documents may be submitted by fax or email.</p>

<p>If submitting by fax, please print, sign, and fax all pages of the document to +1-919-573-9199. Please send documents right-side-up, first page first, and send only one document per fax.</p>

<p>If submitting by email, please fill the form with a pdf viewer, print, sign, scan all pages into a single pdf file, and email the pdf file as an attachment to secretary@apache.org. If possible, send the attachment from the email address in the document.

Please send only one document per email.</p>

<p>If you prefer to sign electronically, please fill the form, save it locally (e.g. icla.pdf), and sign the file by preparing a detached PGP signature. For example,</p>

<blockquote>

<p>gpg --armor --detach-sign icla.pdf</p>

</blockquote>

<p>The above will create a file icla.pdf.asc. Send both the file and signature as attachments in the same email to secretary@apache.org. Please send only one document (file plus signature) per email. Please do not submit your public key to Apache. Instead, please upload your public key to pgpkeys.mit.edu. </p>

<p>The files typically are named icla.pdf and icla.pdf.asc for individual agreements; ccla.pdf and ccla.pdf.asc for corporate agreements; software-grant.pdf and software-grant.pdf.asc for grants. </p>

<h1 id="crypto">Export restrictions<a class="headerlink" href="#crypto" title="Permanent link">&para;</a></h1>

<p>For export restriction information, please consult our <a href="/licenses/exports/">ASF Export Classifications</a> page.</p>

<h1 id="trademarks">Trademark and Logo Usage<a class="headerlink" href="#trademarks" title="Permanent link">&para;</a></h1>

<p>For ASF trademark and logo usage information, please consult our <a href="/foundation/marks/">ASF Trademark Use Policy</a> page.</p>

<h1 id="questions">Questions?<a class="headerlink" href="#questions" title="Permanent link">&para;</a></h1>

<p>For answers to frequently asked licensing questions, please consult our <a href="/foundation/license-faq.html">Licensing Frequently Asked Questions</a> page.</p></div>

<!-- Footer -->

<footer class="bg-primary">

<div class="container">

<div class="row">

<br />

<div class="col-sm-1">

</div>

<div class="col-sm-2">

<h5 class="white">Community</h5>

<ul class="list-unstyled white" role="menu">

<li><a href="http://community.apache.org/">Overview</a></li>

<li><a href="/foundation/conferences.html">Conferences</a></li>

<li><a href="http://community.apache.org/gsoc.html">Summer of Code</a></li>

<li><a href="http://community.apache.org/newcomers/">Getting Started</a></li>

<li><a href="/foundation/how-it-works.html">The Apache Way</a></li>

<li><a href="/travel/">Travel Assistance</a></li>

<li><a href="/foundation/getinvolved.html">Get

Involved</a></li>

<li><a href="http://community.apache.org/newbiefaq.html">Community FAQ</a></li>

</ul>

</div>

<div class="col-sm-2">

<h5 class="white">Innovation</h5>

<ul class="list-unstyled white" role="menu">

<li><a href="http://incubator.apache.org/">Incubator</a></li>

<li><a href="http://labs.apache.org/">Labs</a></li>

<li><a href="/licenses/">Licensing</a></li>

<li><a href="/foundation/license-faq.html">Licensing FAQ</a></li>

<li><a href="/foundation/marks/">Trademark Policy</a></li>

<li><a href="/foundation/contact.html">Contacts</a></li>

</ul>

</div>

<div class="col-sm-2">

<h5 class="white">Tech Operations</h5>

<ul class="list-unstyled white" role="menu">

<li><a href="/dev/">Developer Information</a></li>

<li><a href="/dev/infrastructure.html">Infrastructure</a></li>

<li><a href="/security/">Security</a></li>

<li><a href="http://status.apache.org">Status</a></li>

<li><a href="/foundation/contact.html">Contacts</a></li>

</ul>

</div>

<div class="col-sm-2">

```
<h5 class="white">Press</h5>
  <ul class="list-unstyled white" role="menu">
    <li><a href="/press/">Overview</a></li>
    <li><a href="https://blogs.apache.org/">ASF News</a></li>
    <li><a href="https://blogs.apache.org/foundation/">Announcements</a></li>
    <li><a href="https://twitter.com/TheASF">Twitter Feed</a></li>
    <li><a href="/press/#contact">Contacts</a></li>
  </ul>
</div>
```

```
<div class="col-sm-2">
  <h5 class="white">Legal</h5>
  <ul class="list-unstyled white" role="menu">
    <li><a href="/legal/">Legal Affairs</a></li>
    <li><a href="/licenses/">Licenses</a></li>
    <li><a href="/foundation/marks/">Trademark Policy</a></li>
    <li><a href="/foundation/records/">Public Records</a></li>
    <li><a href="/foundation/policies/privacy.html">Privacy
Policy</a></li>
    <li><a href="/licenses/exports/">Export Information</a></li>
    <li><a href="/foundation/license-faq.html">License/Distribution FAQ</a></li>
    <li><a href="/foundation/contact.html">Contacts</a></li>
  </ul>
</div>
```

```
<div class="col-sm-1">
</div>
```

```
</div>
<hr class="col-lg-12 hr-white" />
<div class="row">
  <div class="col-lg-12">
    <p class="text-center">Copyright &#169; 2016 The Apache Software Foundation, Licensed under the <a
class="white" href="http://www.apache.org/licenses/LICENSE-2.0">Apache License, Version 2.0</a>.</p>
    <p class="text-center">Apache and the Apache feather logo are trademarks of The Apache Software
Foundation.</p>
  </div>
</div>
</div>
```

```
</footer>
```

```
<!-- / Footer -->
```

```
<script src="/js/jquery-2.1.1.min.js"></script>
<script src="/js/bootstrap.js"></script>
</body>
</html>
```

This product currently only contains code developed by authors of specific components, as identified by the source code files; if such notes are missing files have been created by Tatu Saloranta.

For additional credits (generally to people who reported problems) see CREDITS file.

This copy of Jackson JSON processor is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/>

A copy is also included with both the the downloadable source code package and jar that contains class bytecodes, as file "ASL 2.0". In both cases, that file should be located next to this file: in source distribution the location should be "release-notes/asl"; and in jar "META-INF/" Apache License

Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"  
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work

or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside



or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,

or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.49 common-config 5.5.1

### 1.49.1 Available under license :

The following libraries are included in packaged versions of this project:

- \* Apache ZooKeeper
- \* COPYRIGHT: Copyright 2009-2014 The Apache Software Foundation

\* LICENSE: licenses/LICENSE.apache2.txt  
\* NOTICE: licenses/NOTICE.zookeeper.txt  
\* HOMEPAGE: <http://zookeeper.apache.org/>

\* jline  
\* COPYRIGHT: Copyright (c) 2002-2006, Marc Prud'hommeaux <mwp1@cornell.edu>  
\* LICENSE: licenses/LICENSE.bsd.txt  
\* HOMEPAGE: <http://jline.sourceforge.net/>

\* SLF4J  
\* COPYRIGHT: Copyright (c) 2004-2013 QOS.ch  
\* LICENSE: licenses/LICENSE.mit.txt  
\* HOMEPAGE: <http://www.slf4j.org/>

\* ZkClient  
\* LICENSE: licenses/LICENSE.apache2.txt  
\* HOMEPAGE: <https://github.com/sgroschupf/zkclient>  
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache ZooKeeper

Copyright 2009-2014 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Permission is hereby granted, free of charge, to any person obtaining a copy of  
this software and associated documentation files (the "Software"), to deal in  
the Software without restriction, including without limitation the rights to  
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of  
the Software, and to permit persons to whom the Software is furnished to do so,  
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all  
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS  
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR  
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER  
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS  
IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all



other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"  
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,  
or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,

or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted

against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.50 kafka-schema-serializer 5.5.1

### 1.50.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<project xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns="http://maven.apache.org/POM/4.0.0"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
```

```
<modelVersion>4.0.0</modelVersion>
```

```
<parent>
```

```
<groupId>io.confluent</groupId>
```

```
<artifactId>kafka-schema-registry-parent</artifactId>
```

```
<version>5.5.1</version>
```

```
</parent>
```

```
<licenses>
```

```
<license>
```

```
<name>Apache License 2.0</name>
```

```
<url>http://www.apache.org/licenses/LICENSE-2.0.html</url>
```

```
<distribution>repo</distribution>
```

```
</license>
```

```
</licenses>
```

```
<artifactId>kafka-schema-serializer</artifactId>
```

```
<packaging>jar</packaging>
```

```
<name>kafka-schema-serializer</name>
```

```
<dependencies>
```

```
<dependency>
```

```
<groupId>org.apache.kafka</groupId>
```

```
<artifactId>kafka_${kafka.scala.version}</artifactId>
```

```
<scope>provided</scope>
```

```
</dependency>
```

```
<dependency>
```

```
<groupId>io.confluent</groupId>
```

```
<artifactId>kafka-schema-registry-client</artifactId>
```

```
</dependency>
```

```
<dependency>
```

```
<groupId>io.confluent</groupId>
```

```
<artifactId>common-config</artifactId>
</dependency>

<dependency>
  <groupId>junit</groupId>
  <artifactId>junit</artifactId>
  <scope>test</scope>
</dependency>
</dependencies>
</project>
```

Found in path(s):

```
* /opt/cola/permits/1257321157_1642800614.05/0/kafka-schema-serializer-5-5-1-jar/META-INF/maven/io.confluent/kafka-schema-serializer/pom.xml
```

## 1.51 kafka-avro-serializer 5.5.1

### 1.51.1 Available under license :

Apache Kafka  
Copyright 2016 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This distribution has a binary dependency on jersey, which is available under the CDDL License. The source code of jersey can be found at <https://github.com/jersey/jersey/>.  
# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi)), and has been in development since 2007. It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

#### ## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

#### ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

## Confluent Community License Agreement

### Version 1.0

This Confluent Community License Agreement Version 1.0 (the Agreement) sets forth the terms on which Confluent, Inc. (Confluent) makes available certain software made available by Confluent under this Agreement (the Software). BY INSTALLING, DOWNLOADING, ACCESSING, USING OR DISTRIBUTING ANY OF THE SOFTWARE, YOU AGREE TO THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE TO SUCH TERMS AND CONDITIONS, YOU MUST NOT USE THE SOFTWARE. IF YOU ARE RECEIVING THE SOFTWARE ON BEHALF OF A LEGAL ENTITY, YOU REPRESENT AND WARRANT THAT YOU HAVE THE ACTUAL AUTHORITY TO AGREE TO THE TERMS AND CONDITIONS OF THIS AGREEMENT ON BEHALF OF SUCH ENTITY. Licensee means you, an individual, or the entity on whose behalf you are receiving the Software.

#### 1. LICENSE GRANT AND CONDITIONS.

1.1 License. Subject to the terms and conditions of this Agreement, Confluent hereby grants to Licensee a non-exclusive, royalty-free, worldwide, non-transferable, non-sublicenseable license during the term of this Agreement to: (a) use the Software; (b) prepare modifications and derivative works of the Software; (c) distribute the Software (including without limitation in source code or object code form); and (d) reproduce copies of the Software (the License). Licensee is not granted the right to, and Licensee shall not, exercise the License for an Excluded Purpose. For purposes of this Agreement, Excluded Purpose means making available any software-as-a-service, platform-as-a-service, infrastructure-as-a-service or other similar online service that competes with Confluent products or services that provide the Software.

1.2 Conditions. In consideration of the License, Licensees distribution of the Software is subject to the following conditions:

(a) Licensee must cause any Software modified by Licensee to carry prominent notices stating that Licensee modified the Software.

(b) On each Software copy, Licensee shall reproduce and not remove or alter all Confluent or third party copyright or other proprietary notices contained in the Software, and Licensee must provide the notice below with each copy.

This software is made available by Confluent, Inc., under the terms of the Confluent Community License Agreement, Version 1.0 located at <http://www.confluent.io/confluent-community-license>. BY INSTALLING, DOWNLOADING, ACCESSING, USING OR DISTRIBUTING ANY OF THE SOFTWARE, YOU AGREE TO THE TERMS OF SUCH LICENSE AGREEMENT.

1.3 Licensee Modifications. Licensee may add its own copyright notices to modifications made by Licensee and may provide additional or different license terms and conditions for use, reproduction, or distribution of Licensees modifications.

While redistributing the Software or modifications thereof, Licensee may choose to offer, for a fee or free of charge, support, warranty, indemnity, or other obligations. Licensee, and not Confluent, will be responsible for any such obligations.

1.4 No Sublicensing. The License does not include the right to sublicense the Software, however, each recipient to which Licensee provides the Software may exercise the Licenses so long as such recipient agrees to the terms and conditions of this Agreement.

2. TERM AND TERMINATION. This Agreement will continue unless and until earlier terminated as set forth herein. If Licensee breaches any of its conditions or obligations under this Agreement, this Agreement will terminate automatically and the License will terminate automatically and permanently.

3. INTELLECTUAL PROPERTY. As between the parties, Confluent will retain all right, title, and interest in the Software, and all intellectual property rights therein. Confluent hereby reserves all rights not expressly granted to Licensee in this Agreement. Confluent hereby reserves all rights in its trademarks and service marks, and no licenses therein are granted in this Agreement.

4. DISCLAIMER. CONFLUENT HEREBY DISCLAIMS ANY AND ALL WARRANTIES AND CONDITIONS, EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE, AND SPECIFICALLY DISCLAIMS ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE SOFTWARE.

5. LIMITATION OF LIABILITY. CONFLUENT WILL NOT BE LIABLE FOR ANY DAMAGES OF ANY KIND, INCLUDING BUT NOT LIMITED TO, LOST PROFITS OR ANY CONSEQUENTIAL, SPECIAL, INCIDENTAL, INDIRECT, OR DIRECT DAMAGES, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, ARISING OUT OF THIS AGREEMENT. THE FOREGOING SHALL APPLY TO THE EXTENT PERMITTED BY APPLICABLE LAW.

6. GENERAL.

6.1 Governing Law. This Agreement will be governed by and interpreted in accordance with the laws of the state of California, without reference to its conflict of laws principles. If Licensee is located within the United States, all disputes arising out of this Agreement are subject to the exclusive jurisdiction of courts located in Santa Clara County, California. USA. If Licensee is located outside of the United States,



any dispute, controversy or claim arising out of or relating to this Agreement will be referred to and finally determined by arbitration in accordance with the JAMS International Arbitration Rules. The tribunal will consist of one arbitrator. The place of arbitration will be Palo Alto, California. The language to be used in the arbitral proceedings will be English. Judgment upon the award rendered by the arbitrator may be entered in any court having jurisdiction thereof.

6.2 Assignment. Licensee is not authorized to assign its rights under this Agreement to any third party. Confluent may freely assign its rights under this Agreement to any third party.

6.3 Other. This Agreement is the entire agreement between the parties regarding the subject matter hereof. No amendment or modification of this Agreement will be valid or binding upon the parties unless made in writing and signed by the duly authorized representatives of both parties. In the event that any provision, including without limitation any condition, of this Agreement is held to be unenforceable, this Agreement and all licenses and rights granted hereunder will immediately terminate. Waiver by Confluent of a breach of any provision of this Agreement or the failure by Confluent to exercise any right hereunder will not be construed as a waiver of any subsequent breach of that right or as a waiver of any other right.

This copy of Jackson JSON processor annotations is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Java ClassMate library was originally written by Tatu Saloranta (tatu.saloranta@iki.fi)

Other developers who have contributed code are:

\* Brian Langel

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="description" content="Home page of The Apache Software Foundation">

  <link rel="apple-touch-icon" sizes="57x57" href="/favicons/apple-touch-icon-57x57.png">
  <link rel="apple-touch-icon" sizes="60x60" href="/favicons/apple-touch-icon-60x60.png">
  <link rel="apple-touch-icon" sizes="72x72" href="/favicons/apple-touch-icon-72x72.png">
  <link rel="apple-touch-icon" sizes="76x76" href="/favicons/apple-touch-icon-76x76.png">
  <link rel="apple-touch-icon" sizes="114x114" href="/favicons/apple-touch-icon-114x114.png">
  <link rel="apple-touch-icon" sizes="120x120" href="/favicons/apple-touch-icon-120x120.png">
  <link rel="apple-touch-icon" sizes="144x144" href="/favicons/apple-touch-icon-144x144.png">
  <link rel="apple-touch-icon" sizes="152x152" href="/favicons/apple-touch-icon-152x152.png">
  <link rel="apple-touch-icon" sizes="180x180" href="/favicons/apple-touch-icon-180x180.png">
  <link rel="icon" type="image/png" href="/favicons/favicon-32x32.png" sizes="32x32">
  <link rel="icon" type="image/png" href="/favicons/favicon-194x194.png" sizes="194x194">
  <link rel="icon" type="image/png" href="/favicons/favicon-96x96.png" sizes="96x96">
  <link rel="icon" type="image/png" href="/favicons/android-chrome-192x192.png" sizes="192x192">
  <link rel="icon" type="image/png" href="/favicons/favicon-16x16.png" sizes="16x16">
  <link rel="manifest" href="/favicons/manifest.json">
  <link rel="shortcut icon" href="/favicons/favicon.ico">
  <meta name="msapplication-TileColor" content="#603cba">
  <meta name="msapplication-TileImage" content="/favicons/mstile-144x144.png">
  <meta name="msapplication-config" content="/favicons/browserconfig.xml">
  <meta name="theme-color" content="#303284">

  <title>Apache License, Version 2.0</title>
  <link href='https://fonts.googleapis.com/css?family=Source+Sans+Pro:400,700%7cDroid+Serif:400,700'
  rel='stylesheet' type='text/css'>
  <link href="/css/min.bootstrap.css" rel="stylesheet">
  <link href="/css/styles.css" rel="stylesheet">
```

<!-- Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at .  
http://www.apache.org/licenses/LICENSE-2.0 . Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.  
-->

</head>

<body>

<!-- Navigation -->

<header>

<nav class="navbar navbar-default navbar-fixed-top">

<div class="container">

<div class="navbar-header">

<button class="navbar-toggle" type="button" data-toggle="collapse" data-target="#mainnav-collapse">

<span class="sr-only">Toggle navigation</span>

<span class="icon-bar"></span>

<span class="icon-bar"></span>

<span class="icon-bar"></span>

</button>

<a href="#" class="navbar-brand"><span class="glyphicon glyphicon-home"></span></a>

</div>

<div class="collapse navbar-collapse" id="mainnav-collapse">

<div style="line-height:20px; padding-top:5px; float:left"><a href="/">Home</a>&nbsp;&raquo;&nbsp;<a href="/licenses/">Licenses</a></div>

<ul class="nav navbar-nav navbar-right">

<li class="dropdown">

<a href="#" class="dropdown-toggle" data-toggle="dropdown">About <span class="caret"></span></a>

<ul class="dropdown-menu"

role="menu">

<li><a href="/foundation">Overview</a></li>

<li><a href="/foundation/members.html">Members</a></li>

<li><a href="/foundation/how-it-works.html">Process</a></li>

<li><a href="/foundation/sponsorship.html">Sponsorship</a></li>

<li><a href="/foundation/glossary.html">Glossary</a></li>

<li><a href="/foundation/preFAQ.html">FAQ</a></li>

<li><a href="/foundation/contact.html ">Contact</a></li>

</ul>

</li>

<li><a href="/index.html#projects-list">Projects</a></li>

<li class="dropdown">

<a href="#" class="dropdown-toggle" data-toggle="dropdown">People <span class="caret"></span></a>

```

    <ul class="dropdown-menu" role="menu">
    <li><a href="http://people.apache.org/">Overview</a></li>
    <li><a href="http://people.apache.org/committer-index.html">Committers</a></li>
    <li><a href="/foundation/how-it-works.html#meritocracy">Meritocracy</a></li>
    <li><a href="/foundation/how-it-works.html#roles">Roles</a></li>
    <li><a href="http://planet.apache.org/">Planet Apache</a></li>
    </ul>
    </li>
    <li class="dropdown">
    <a href="#" class="dropdown-toggle" data-toggle="dropdown">Get Involved <span
class="caret"></span></a>
    <ul class="dropdown-menu" role="menu">
    <li><a href="/foundation/getinvolved.html">Overview</a></li>
    <li><a href="http://community.apache.org/">Community Development</a></li>
    <li><a href="http://helpwanted.apache.org/">Help Wanted</a></li>
    <li><a href="http://www.apachecon.com/">ApacheCon</a></li>
    </ul>
    </li>
    <li><a href="/dyn/closer.cgi">Download</a></li>
    <li class="dropdown">
    <a href="#" class="dropdown-toggle" data-toggle="dropdown">Support Apache <span
class="caret"></span></a>
    <ul class="dropdown-menu" role="menu">
    <li><a href="/foundation/sponsorship.html">Sponsorship</a></li>
    <li><a href="/foundation/contributing.html">Donations</a></li>
    <li><a href="/foundation/buy_stuff.html">Buy Stuff</a></li>
    <li><a href="/foundation/thanks.html">Thanks</a></li>
    </ul>
    </li>
    </ul>
</div>
</nav>
</header>
<!-- / Navigation -->
<div class="container">
<div class="row">
<div class="col-md-9 col-sm-8 col-xs-12">

</div>
<div class="col-md-3 col-sm-4 col-xs-12">
<div class="input-group" style="margin-bottom: 5px;">
<script>
(function() {
var cx = '005703438322411770421:5mgshgrgx2u';
var gcse = document.createElement('script');
gcse.type = 'text/javascript';

```



```

gcse.async = true;
gcse.src = (document.location.protocol === 'https:' ? 'https:' : 'http:') +
  '//cse.google.com/cse.js?cx=' + cx;
var s = document.getElementsByTagName('script')[0];
s.parentNode.insertBefore(gcse, s);
})();
</script>
<gcse:searchbox-only></gcse:searchbox-only>
</div>
<a role="button" class="btn btn-block btn-default btn-xs" href="/foundation/governance/">The Apache Way</a>
<a role="button" class="btn btn-block btn-default btn-xs"
href="https://community.apache.org/contributors/">Contribute</a>
<a role="button" class="btn btn-block btn-default btn-xs" href="/foundation/thanks.html">ASF Sponsors</a>
</div>
</div>
</div>
<div class="container"><style type="text/css">
/* The following code is added by mdx_elementid.py
It was originally lifted from http://subversion.apache.org/style/site.css */
/*
* Hide class="elementid-permalink", except when an enclosing heading
* has the :hover property.
*/
.headerlink, .elementid-permalink {
visibility: hidden;
}
h2:hover > .headerlink, h3:hover > .headerlink, h1:hover > .headerlink, h6:hover > .headerlink, h4:hover >
.headerlink, h5:hover >
.headerlink, dt:hover > .elementid-permalink { visibility: visible }</style>
<p>Apache License<br></br>Version 2.0, January 2004<br></br>
<a href="http://www.apache.org/licenses/">http://www.apache.org/licenses/</a> </p>
<p>TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION</p>
<p><strong><a name="definitions">1. Definitions</a></strong>.</p>
<p>"License" shall mean the terms and conditions for use, reproduction, and
distribution as defined by Sections 1 through 9 of this document.</p>
<p>"Licensor" shall mean the copyright owner or entity authorized by the
copyright owner that is granting the License.</p>
<p>"Legal Entity" shall mean the union of the acting entity and all other
entities that control, are controlled by, or are under common control with
that entity. For the purposes of this definition, "control" means (i) the
power, direct or indirect, to cause the direction or management of such
entity, whether by contract or otherwise, or (ii) ownership of fifty
percent (50%)
or more of the outstanding shares, or (iii) beneficial
ownership of such entity.</p>
<p>"You" (or "Your") shall mean an individual or Legal Entity exercising
permissions granted by this License.</p>
<p>"Source" form shall mean the preferred form for making modifications,

```

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions,

annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

**2. Grant of Copyright License**. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

**3. Grant of Patent License**. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide,

non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by

combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

**4. Redistribution**. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

-

- You must give any other recipients of the Work or Derivative Works a copy of this License; and

- You must cause any modified files to carry prominent notices stating that You changed the files; and

- You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the

Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

</ol>

<p><strong><a name="contributions">5. Submission of Contributions</a></strong>. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.</p>

<p><strong><a name="trademarks">6. Trademarks</a></strong>. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.</p>

<p><strong><a name="no-warranty">7. Disclaimer of Warranty</a></strong>. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.</p>

<p><strong><a name="no-liability">8. Limitation of Liability</a></strong>. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.</p>

<p><strong><a name="additional">9. Accepting Warranty or Additional Liability</a></strong>. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.</p>

<p>END OF TERMS AND CONDITIONS</p>

<h1 id="apply">APPENDIX: How to apply the Apache License to your work<a class="headerlink" href="#apply" title="Permanent link">&para;</a></h1>

<p>To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.</p>

<div class="codehilite"><pre>Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

</pre></div></div>

<!-- Footer -->

<footer class="bg-primary">

<div class="container">

<div class="row">

<br />

<div class="col-sm-1">

</div>

<div class="col-sm-2">

<h5 class="white">Community</h5>

<ul class="list-unstyled white" role="menu">

<li><a href="http://community.apache.org/">Overview</a></li>

<li><a href="/foundation/conferences.html">Conferences</a></li>

<li><a href="http://community.apache.org/gsoc.html">Summer of Code</a></li>

<li><a href="http://community.apache.org/newcomers/">Getting Started</a></li>

<li><a href="/foundation/how-it-works.html">The Apache Way</a></li>

<li><a href="/travel/">Travel Assistance</a></li>

<li><a href="/foundation/getinvolved.html">Get Involved</a></li>

<li><a href="http://community.apache.org/newbiefaq.html">Community

FAQ</a></li>

</ul>

</div>

<div class="col-sm-2">

<h5 class="white">Innovation</h5>

<ul class="list-unstyled white" role="menu">

<li><a href="http://incubator.apache.org/">Incubator</a></li>

<li><a href="http://labs.apache.org/">Labs</a></li>

<li><a href="/licenses/">Licensing</a></li>

<li><a href="/foundation/license-faq.html">Licensing FAQ</a></li>

<li><a href="/foundation/marks/">Trademark Policy</a></li>

<li><a href="/foundation/contact.html">Contacts</a></li>

</ul>

</div>

<div class="col-sm-2">

<h5 class="white">Tech Operations</h5>

<ul class="list-unstyled white" role="menu">

<li><a href="/dev/">Developer Information</a></li>

<li><a href="/dev/infrastructure.html">Infrastructure</a></li>

<li><a href="/security/">Security</a></li>

<li><a href="http://status.apache.org">Status</a></li>

<li><a href="/foundation/contact.html">Contacts</a></li>

</ul>

</div>

<div class="col-sm-2">

<h5 class="white">Press</h5>

<ul class="list-unstyled white" role="menu">

<li><a href="/press/">Overview</a></li>

<li><a href="https://blogs.apache.org/">ASF News</a></li>

<li><a href="https://blogs.apache.org/foundation/">Announcements</a></li>

<li><a href="https://twitter.com/TheASF">Twitter Feed</a></li>

<li><a href="/press/#contact">Contacts</a></li>

</ul>

</div>

<div class="col-sm-2">

<h5 class="white">Legal</h5>

<ul class="list-unstyled white" role="menu">

<li><a href="/legal/">Legal Affairs</a></li>

<li><a href="/licenses/">Licenses</a></li>

<li><a href="/foundation/marks/">Trademark Policy</a></li>

<li><a href="/foundation/records/">Public Records</a></li>

<li><a href="/foundation/policies/privacy.html">Privacy Policy</a></li>

<li><a href="/licenses/exports/">Export Information</a></li>

<li><a

[License/Distribution FAQ](/foundation/license-faq.html)

[Contacts](/foundation/contact.html)

Copyright © 2016 The Apache Software Foundation, Licensed under the [Apache License, Version 2.0](http://www.apache.org/licenses/LICENSE-2.0).

Apache and the Apache feather logo are trademarks of The Apache Software Foundation.

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Apache Avro

Copyright 2009-2014 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

The document has moved [here](https://opensource.org/licenses/mit-license.php).

</body></html>

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: schema-registry

Source: <https://github.com/confluentinc/schema-registry>

Files: \*

Copyright: 2018 Confluent, Inc.

License: Apache-2

Files: core/\*

Copyright: 2015 Confluent, Inc.

License: Confluent Community License

License: Confluent Community License

Licensed under the Confluent Community License; you may not use this file except in compliance with the License. You may obtain a copy of the License at

.

<http://www.confluent.io/confluent-community-license>

.

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

License: Apache-2

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

.

<http://www.apache.org/licenses/LICENSE-2.0>

.

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

.

On Debian systems, the Apache 2.0 license can be found in </usr/share/common-licenses/Apache-2.0>.

The following commands were used to generate license and notice files. Replace <VERSION> with the Schema Registry version, <SRC\_PATH> with the path to the Schema Registry source directory, and <LICENSE\_TOOL\_PATH> with the path of the license tool.

```
cd <SRC_PATH>
```

```
mvn package -DskipTests
```

```
mkdir /tmp/jars
```

```
mkdir /tmp/overrides
```



```
cp package-schema-registry/target/kafka-schema-registry-package-<VERSION>-package/share/java/schema-registry/*.jar /tmp/jars/
cp package-kafka-serde-tools/target/kafka-serde-tools-package-<VERSION>-package/share/java/kafka-serde-tools/*.jar /tmp/jars/
cd <LICENSE_TOOL_PATH>
./bin/run_license_job.bash -i /tmp/jars -l <SRC_PATH>/licenses -n <SRC_PATH>/notices -h <SRC_PATH>/licenses-and-notices.html -o /tmp/overrides
```

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This distribution has a binary dependency on jersey, which is available under the CDDL License as described below.

### COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL - Version 1.1)

#### 1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the

combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by

the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices;

or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or

any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.



#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER

CONTRIBUTOR, OR ANY DISTRIBUTOR

OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall

be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<title>Untitled Document</title>
</head>

<body>
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML>
<!-- @page { margin: 0.79in } P { margin-bottom: 0.08in } H1 { margin-top: 0in; margin-bottom: 0.17in; widows:
0; orphans: 0 } H1.western { font-family: "Times New Roman", serif; font-size: 12pt; font-weight: normal } H1.cjk
{ font-family: "Andale Sans UI"; font-size: 12pt; font-weight: normal } H1.cnl { font-family: "Tahoma"; font-size:
12pt; font-weight: normal } -->
<BODY DIR="LTR">
<p><strong>COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1</strong></p>
<p>1. Definitions.</p>
<blockquote>1.1. &ldquo;Contributor&rdquo; means each individual or entity that creates or contributes to the
creation
of Modifications.</blockquote>
<blockquote>1.2. &ldquo;Contributor Version&rdquo; means the combination of the Original Software, prior
Modifications used by a Contributor (if any), and the Modifications made by that particular
Contributor.</blockquote>
<blockquote>1.3. &ldquo;Covered Software&rdquo; means (a) the Original Software, or (b) Modifications, or (c)
the combination of files containing Original Software with files containing Modifications, in each case including
portions thereof.</blockquote>
<blockquote>1.4. &ldquo;Executable&rdquo; means the Covered Software in any form other than Source
Code.</blockquote>
<blockquote>1.5. &ldquo;Initial Developer&rdquo; means the individual or entity that first makes Original
Software available under this License.</blockquote>
<blockquote>1.6. &ldquo;Larger Work&rdquo; means a work which combines Covered Software or portions
thereof with code not governed by the terms of this License.</blockquote>
<blockquote>1.7. &ldquo;License&rdquo;
means this document.</blockquote>
<blockquote>1.8. &ldquo;Licensable&rdquo; means having the right to grant, to the maximum extent possible,
whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed
herein.</blockquote>
<blockquote>1.9. &ldquo;Modifications&rdquo; means the Source Code and Executable form of any of the
following:</blockquote>
<blockquote>A. Any file that results from an addition to, deletion from or modification of the contents of a file
containing Original Software or previous Modifications;</blockquote>
<blockquote>B. Any new file that contains any part of the Original Software or previous Modification;
or</blockquote>
<blockquote>C. Any new file that is contributed or otherwise made available under the terms of this
License.</blockquote>
<blockquote>1.10. &ldquo;Original Software&rdquo; means the Source Code and Executable form of computer
software code that is originally released under this

```

License.</blockquote>

<blockquote>1.11. &ldquo;Patent Claims&rdquo; means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.</blockquote>

<blockquote>1.12. &ldquo;Source Code&rdquo; means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.</blockquote>

<blockquote>1.13. &ldquo;You&rdquo; (or &ldquo;Your&rdquo;) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, &ldquo;You&rdquo; includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, &ldquo;control&rdquo; means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.</blockquote>

<p>2. License Grants.</p>

<blockquote>2.1. The Initial Developer Grant.</blockquote>

<blockquote>Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:</blockquote>

<blockquote>(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and</blockquote>

<blockquote>(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).</blockquote>

<blockquote>(c) The licenses

granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.</blockquote>

<blockquote>(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.</blockquote>

<blockquote>2.2. Contributor Grant.</blockquote>

<blockquote>Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:</blockquote>

<blockquote>(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute

the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and</blockquote>

<blockquote>(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).</blockquote>

<blockquote>(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.</blockquote>

<blockquote>(d) Notwithstanding Section 2.2(b) above, no patent license is granted:

(1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims

infringed by Covered Software in the absence of Modifications made by that Contributor.</blockquote>

<p>3. Distribution Obligations.</p>

<blockquote>3.1. Availability of Source Code.</blockquote>

<blockquote>Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable

form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.</blockquote>

<blockquote>3.2. Modifications.</blockquote>

<blockquote>The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.</blockquote>

<blockquote>3.3. Required Notices.</blockquote>

<blockquote>You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.</blockquote>

<blockquote>3.4. Application of Additional Terms.</blockquote>

<blockquote>You

may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.</blockquote>

<blockquote>3.5. Distribution of Executable Versions.</blockquote>

<blockquote>You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.</blockquote>

<blockquote>3.6. Larger Works.</blockquote>

<blockquote>You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger

Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.</blockquote>

<p>4. Versions of the License.</p>

<blockquote>4.1. New Versions.</blockquote>

<blockquote>Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.</blockquote>

<blockquote>4.2. Effect of New Versions.</blockquote>

<blockquote>You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You

must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.</blockquote>

<blockquote>4.3. Modified Versions.</blockquote>

<blockquote>When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.</blockquote>

<p>5. DISCLAIMER OF WARRANTY.</p>

<blockquote>

<p>COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT

WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.</p>

</blockquote>

<p>6. TERMINATION.</p>

<blockquote>6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.</blockquote>

<blockquote>6.2.

If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant

either unilaterally or pursuant to a written agreement with Participant.</blockquote>

<blockquote>6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.</blockquote>

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

<p>As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.</p>

</blockquote>

<hr />

<p>NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)</p>

<p>The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California. </p>

<p><br />

<br />

</p>

<h1><strong>The GNU General Public License (GPL) Version 2, June 1991</strong></h1>

<p>Copyright (C) 1989, 1991 Free Software Foundation, Inc.<br />

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA</p>

<p>Everyone is permitted to copy and distribute verbatim copies<br />

of this license document, but changing it is not allowed.</p>

<p><strong>Preamble</strong></p>

<p>The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.</p>

<p>When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.</p>

<p>To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.</p>

<p>For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.</p>

<p>We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.</p>

<p>Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.</p>

<p>Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.</p>



The precise terms and conditions for copying, distribution and modification follow.

## **TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION**

**0**. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

**1**. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

**2**. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work

based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

**3**. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary

form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

**4**. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

**5**.

You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

**6**. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

**7**. If, as a

consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

**8**. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

**9**. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

**10**. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

**NO WARRANTY**

**11**. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

**12**. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

<p>END OF TERMS AND CONDITIONS</p>

<p><strong>How to Apply These Terms to Your New Programs</strong></p>

<p>If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.</p>

<p>To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the &quot;copyright&quot; line and a pointer to where the full notice is found.</p>

<blockquote>One line to give the program's name and a brief idea of what it does.<br /> Copyright (C) &lt;year&gt; &lt;name of author&gt;</blockquote>

<blockquote>This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.</blockquote>

<blockquote>This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.</blockquote>

<blockquote>You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA</blockquote>

<p>Also add information on how to contact you by electronic and paper mail.</p>

<p>If the program is interactive, make it output a short notice like this when it starts in an interactive mode:</p>

<blockquote>Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.</blockquote>

<p>The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.</p>

<p>You should also get your employer (if you work as a programmer) or your school, if any, to sign a &quot;copyright disclaimer&quot; for the program, if necessary. Here is a sample; alter the names:</p>

<blockquote>Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.</blockquote>

<blockquote>signature of Ty Coon, 1 April 1989<br /> Ty Coon, President of Vice</blockquote>

<p>This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.</p>

<li style="background-color:yellow;">

<p><strong>&quot;CLASSPATH&quot; EXCEPTION TO THE GPL VERSION 2</strong><br /><br />

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words &quot;Oracle designates this particular file as subject to the &quot;Classpath&quot; exception as provided by Oracle in the License file that accompanied this code.&quot; <br />

<br />

Linking this library statically or dynamically with other modules is making a combined work based on this library.&nbsp; Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination. <br />

<br />

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.&nbsp; An independent module is a module which is not derived from or based on this library.&nbsp; If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.&nbsp; If you do not wish to do so, delete this exception statement from your version.</p>

</li>

<p><br />

<br />

</p>

<p><br />

</p>

</body>

</html>

The project is licensed under the Confluent Community License, except for client libs, which is under the Apache 2.0 license.

See LICENSE file in each subfolder for detailed license agreement.

Apache log4j

Copyright 2007 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,



indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"  
"http://www.w3.org/TR/html4/loose.dtd">
```

```
<html lang="en-US">
<head>
<title>GlassFish Dual License Header and License Notice GPL v2 and CDDL</title>
<meta http-equiv="content-type" content="text/html; charset=UTF-8">
<style type="text/css">
  li {display: block;}
</style>
</head>

<body leftmargin="0" topmargin="0" marginheight="0" marginwidth="0" bgcolor="#ffffff">

<h3>COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0</h3>

<ul>
<li><p><b>1. Definitions.</b></p>
<ul>
<li>
<p>
<b>1.1. &ldquo;Contributor&rdquo;</b> means each individual or
entity that creates or contributes to the creation of
Modifications.
</p>
</li>

<li>
<p>
<b>1.2. &ldquo;Contributor Version&rdquo;</b> means
the combination of the Original Software, prior
Modifications used by a Contributor (if any), and the
Modifications made by that particular
Contributor.
</p>
</li>

<li>
<p>
<b>1.3. &ldquo;Covered Software&rdquo;</b> means (a)
the Original Software, or (b) Modifications, or (c) the
combination of files containing Original Software with files
containing Modifications, in each case including portions
thereof.
</p>
</li>

<li>
<p>
<b>1.4. &ldquo;Executable&rdquo;</b> means the
Covered Software in any form other than Source Code.
```

</p>

</li>

<li>

<p>

<b>1.5. &ldquo;Initial Developer&rdquo;</b> means the individual or entity that first makes Original Software available under this License.

</p>

</li>

<li>

<p>

<b>1.6. &ldquo;Larger Work&rdquo;</b> means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

</p>

</li>

<li>

<p>

<b>1.7. &ldquo;License&rdquo;</b>

means this document.

</p>

</li>

<li>

<p>

<b>1.8. &ldquo;Licensable&rdquo;</b> means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

</p>

</li>

<li>

<p>

<b>1.9. &ldquo;Modifications&rdquo;</b> means the Source Code and Executable form of any of the following:

</p>

<ul>

<li>

<p>

<b>A.</b> Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

</p>

</li>

<li>

<p>

<b>B.</b> Any new file that contains any part of the Original Software or previous Modification; or

</p>

</li>

<li>

<p>

<b>C.</b> Any new file that is contributed or otherwise

made available under the terms of this

License.

</p>

</li>

</ul>

</li>

<li>

<p>

<b>1.10. &ldquo;Original Software&rdquo;</b> means the Source Code and Executable form of computer software code that is originally released under this License.

</p>

</li>

<li>

<p>

<b>1.11. &ldquo;Patent Claims&rdquo;</b> means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

</p>

</li>

<li>

<p>

<b>1.12. &ldquo;Source Code&rdquo;</b> means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

</p>

</li>

<li>

<p>

<b>1.13. &ldquo;You&rdquo; (or &ldquo;Your&rdquo;)</b> means an individual or a legal

entity exercising rights under, and complying with all of the terms of, this License. For legal entities, &ldquo;You&rdquo; includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, &ldquo;control&rdquo; means (a)&nbsp;the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b)&nbsp;ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

</p>

</li>

</ul>

</li>

<li>

<p><b>2. License Grants.</b></p>

<ul>

<li>

<p><b>2.1. The Initial Developer Grant.</b></p>

<p>

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

</p>

<ul>

<li>

<p>

<b>(a)</b> under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

</p>

</li>

<li>

<p>

<b>(b)</b> under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

</p>

</li>

<li>

**(c)** The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

**(d)** Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

**2.2. Contributor Grant.**

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

**(a)** under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce,

modify, display, perform,

sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

**(b)** under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination),

to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

</p>

</li>

<li>

<p>

<b>(c)</b> The licenses granted

in Sections 2.2(a)

and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

</p>

</li>

<li>

<p>

<b>(d)</b> Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

</p>

</li>

</ul>

</li>

</ul>

</li>

<li>

<p><b>3. Distribution Obligations.</b></p>

<ul>

<li>

<p><b>3.1. Availability of Source Code.</b></p>

<p>

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of

the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

</p>

</li>

<li>

<p><b>3.2. Modifications.</b></p>

<p>

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications

are Your

original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

</p>

</li>

<li>

<p><b>3.3. Required Notices.</b></p>

<p>

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

</p>

</li>

<li>

<p><b>3.4. Application of Additional Terms.</b></p>

<p>

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support,

indemnity or liability obligations to one or more

recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty,



support, indemnity or liability terms You offer.

</p>

</li>

<li>

<p><b>3.5. Distribution of Executable Versions.</b></p>

<p>

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this

License and that the

license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

</p>

</li>

<li>

<p><b>3.6. Larger Works.</b></p>

<p>

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure

the

requirements of this License are fulfilled for the Covered Software.

</p>

</li>

</ul>

</li>

<li>

<p><b>4. Versions of the License.</b></p>

<ul>

<li>

<p><b>4.1. New Versions.</b></p>

<p>

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this

License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

</p>

</li>

<li>

<p><b>4.2. Effect of New Versions.</b></p>

<p>

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting

it from being

distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

</p>

</li>

<li>

<p><b>4.3. Modified Versions.</b></p>

<p>

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear

that the license contains terms which differ

from this License.

</p>

</li>

</ul>

</li>

<li>

<p><b>5. DISCLAIMER OF WARRANTY.</b></p>

<p>

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN &ldquo;AS IS&rdquo; BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION,

WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

</p>

</li>

<li>

<p><b>6.

TERMINATION.</b></p>

<ul>

<li>

<p>

<b>6.1.</b> This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

</p>

</li>

<li>

<p>

<b>6.2.</b> If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

</p>

</li>

<li>

<p>

<b>6.3.</b> In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

</p>

</li>

</ul>

</li>

<li>

<p><b>7. LIMITATION OF LIABILITY.</b></p>

<p>

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

</p>

</li>

<li>

<p><b>8. U.S. GOVERNMENT END USERS.</b></p>

<p>

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This

U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

</p>

</li>

<li>

<p><b>9. MISCELLANEOUS.</b></p>

<p>

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations

Convention on Contracts for

the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

</p>

</li>

<li>

<p><b>10. RESPONSIBILITY FOR CLAIMS.</b></p>

<p>

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute

any admission of liability.

</p>

</li>

<li>

<p>

<b>

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT  
AND DISTRIBUTION LICENSE (CDDL)

</b>

</p>

<p>

The code released under the CDDL shall be governed by the laws  
of the State of California (excluding conflict-of-law provisions).

Any litigation relating to this License shall be subject to the  
jurisdiction of the Federal Courts of the Northern District of  
California and the state courts of the State of California, with  
venue lying in Santa Clara County, California.

</p>

</li>

</ul>

<h3>The GNU General Public License (GPL) Version 2, June 1991</h3>

<p>

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

</p>

<p>

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

</p>

<p><b>Preamble</b></p>

<p>

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
License is intended to guarantee your freedom to share and change  
free software--to make sure the software is free for all its users.

This General Public License applies to most of the Free Software  
Foundation's software and to any other program whose authors commit  
to using it. (Some other Free Software Foundation software is covered  
by the GNU Library General Public License instead.) You can apply it  
to your programs, too.

</p>

<p>

When we speak of free software, we are referring to freedom, not

price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you

know you can  
do these things.

</p>

<p>

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

</p>

<p>

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

</p>

<p>

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

</p>

<p>

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If

the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

</p>

<p>

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

</p>

<p>

The precise terms and conditions for copying, distribution and modification follow.

</p>

<p><b>TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION</b></p>

<ul style="margin-left:0; padding-left:0; border-left:0">

<li>

<p>

<b>0.</b> This License applies to any program or other work which contains a notice placed by the copyright holder saying

it may be

distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

</p>

<p>

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

</p>

</li>

<li>

<p>

<b>1.</b> You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

</p>

<p>

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

</p>

</li>

<li>

<p>

<b>2.</b> You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

</p>

<ul>

<li>



<p>

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

</p>

</li>

<li>

<p>

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

</p>

</li>

<li>

<p>

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception:

if the Program itself is interactive

but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

</p>

</li>

</ul>

<p>

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

</p>

<p>

Thus, it is not the intent of this section to claim rights or contest your rights to work written

entirely by you; rather, the intent is to

exercise the right to control the distribution of derivative or collective works based on the Program.

</p>

<p>

In addition, mere aggregation of another work not based on the Program

with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

</p>

</li>

<li>

<p>

**3.** You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

</p>

<ul>

<li>

<p>

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

</p>

</li>

<li>

<p>

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

</p>

</li>

<li>

<p>

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

</p>

</li>

</ul>

<p>

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the

source code for all modules it contains, plus any

associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special

exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

</p>

<p>

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

</p>

</li>

<li>

<p>

**4.** You may not copy, modify, sublicense, or distribute the Program except

as expressly provided under this License. Any attempt

otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

</p>

</li>

<li>

<p>

**5.** You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

</p>

</li>

<li>

<p>

**6.** Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

</p>

</li>

<li>

<p>

**7.** If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then

as a consequence you may not distribute the Program at all.

For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

</p>

<p>

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

</p>

<p>

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices.

Many people have made generous contributions to the wide range of software

distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

</p>

<p>

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

</p>

</li>

<li>

<p>

**8.** If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries

not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

</p>

</li>

<li>

<p>

**9.** The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

</p>

<p>

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

</p>

</li>

<li>

<p>

**10.** If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for

permission. For software which is copyrighted by the Free Software

Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

</p>

</li>

<li>

<p>NO WARRANTY</p>

</li>

<li>

<p>

**11.** BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU.

SHOULD THE PROGRAM PROVE DEFECTIVE,  
YOU ASSUME THE COST OF ALL NECESSARY  
SERVICING, REPAIR OR CORRECTION.

</p>

</li>

<li>

<p>

<b>12.</b> IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

</p>

</li>

<li>

<p>END OF TERMS AND CONDITIONS</p>

</li>

<li>

<p><b>How to Apply These Terms to Your New Programs</b></p>

<p>

If you develop a new program, and you want it to be of the greatest possible

use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

</p>

<p>

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

</p>

<ul>

<li>

<p>

One line to give the program's name and a brief idea of what it does.

</p>

</li>

<li>

<p>

Copyright (C) <year> <name of author>

</p>

</li>

<li>

<p>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

</p>

</li>

<li>

<p>

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

</p>

</li>

<li>

<p>

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

</p>

</li>

</ul>

<p>

Also add information on how to contact you by electronic and paper mail.

</p>

<p>

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

</p>

<ul>

<li>

<p>

Gnomovision version 69, Copyright (C) year name of author<br />

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

</p>

</li>

</ul>

<p>

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be

mouse-clicks or menu items--whatever suits your program.

</p>

<p>

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

</p>

<ul>

<li>

<p>

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.

</p>

<p>

signature of Ty Coon, 1 April 1989<br />

Ty Coon, President of Vice

</p>

</li>

</ul>

<p>

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

</p>

</li>

<li style="background-color:yellow;">

<p><b>"CLASSPATH" EXCEPTION TO THE GPL VERSION 2</b></p>

<p>

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words<br />

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

</p>

<p>

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

</p>

<p>

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules,



and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

</p>

</li>

</ul>

</body>

</html>

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## ## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="utf-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta name="description" content="Home page of The Apache Software Foundation">

<link rel="apple-touch-icon" sizes="57x57" href="/favicons/apple-touch-icon-57x57.png">

<link rel="apple-touch-icon" sizes="60x60" href="/favicons/apple-touch-icon-60x60.png">

<link rel="apple-touch-icon" sizes="72x72" href="/favicons/apple-touch-icon-72x72.png">

<link rel="apple-touch-icon" sizes="76x76" href="/favicons/apple-touch-icon-76x76.png">

<link rel="apple-touch-icon" sizes="114x114" href="/favicons/apple-touch-icon-114x114.png">

<link rel="apple-touch-icon" sizes="120x120" href="/favicons/apple-touch-icon-120x120.png">

```

<link rel="apple-touch-icon" sizes="144x144" href="/favicons/apple-touch-icon-144x144.png">
<link rel="apple-touch-icon" sizes="152x152" href="/favicons/apple-touch-icon-152x152.png">
<link rel="apple-touch-icon" sizes="180x180" href="/favicons/apple-touch-icon-180x180.png">
<link rel="icon" type="image/png" href="/favicons/favicon-32x32.png" sizes="32x32">
<link rel="icon" type="image/png" href="/favicons/favicon-194x194.png" sizes="194x194">
<link rel="icon" type="image/png" href="/favicons/favicon-96x96.png" sizes="96x96">
<link rel="icon" type="image/png" href="/favicons/android-chrome-192x192.png" sizes="192x192">
<link rel="icon" type="image/png" href="/favicons/favicon-16x16.png" sizes="16x16">
<link rel="manifest" href="/favicons/manifest.json">
<link rel="shortcut icon" href="/favicons/favicon.ico">
<meta name="msapplication-TileColor" content="#603cba">
<meta name="msapplication-TileImage" content="/favicons/mstile-144x144.png">
<meta name="msapplication-config" content="/favicons/browserconfig.xml">
<meta name="theme-color" content="#303284">

<title>Licenses</title>
<link href='https://fonts.googleapis.com/css?family=Source+Sans+Pro:400,700%7cDroid+Serif:400,700'
rel='stylesheet' type='text/css'>
<link href="/css/min.bootstrap.css" rel="stylesheet">
<link href="/css/styles.css" rel="stylesheet">

```

<!-- Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0> . Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License. -->

```
</head>
```

```
<body>
```

```
<!--
```

```
Navigation -->
```

```
<header>
```

```
<nav class="navbar navbar-default navbar-fixed-top">
```

```
<div class="container">
```

```
<div class="navbar-header">
```

```
<button class="navbar-toggle" type="button" data-toggle="collapse" data-target="#mainnav-collapse">
```

```
<span class="sr-only">Toggle navigation</span>
```

```
<span class="icon-bar"></span>
```

```
<span class="icon-bar"></span>
```

```
<span class="icon-bar"></span>
```

```
</button>
```

```
<a href="#" class="navbar-brand"><span class="glyphicon glyphicon-home"></span></a>
```

```
</div>
```

```

<div class="collapse navbar-collapse" id="mainnav-collapse">
  <div style="line-height:20px; padding-top:5px; float:left"><a href="/">Home</a>&nbsp;&raquo;&nbsp;&nbsp;<a
href="/licenses/">Licenses</a></div>
  <ul class="nav navbar-nav navbar-right">
    <li class="dropdown">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown">About <span class="caret"></span></a>
      <ul class="dropdown-menu" role="menu">
        <li><a href="/foundation">Overview</a></li>
        <li><a href="/foundation/members.html">Members</a></li>
        <li><a href="/foundation/how-it-works.html">Process</a></li>
        <li><a href="/foundation/sponsorship.html">Sponsorship</a></li>
        <li><a href="/foundation/glossary.html">Glossary</a></li>
        <li><a href="/foundation/preFAQ.html">FAQ</a></li>
        <li><a href="/foundation/contact.html ">Contact</a></li>
      </ul>
    </li>
    <li><a href="/index.html#projects-list">Projects</a></li>
    <li class="dropdown">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown">People <span class="caret"></span></a>
      <ul class="dropdown-menu" role="menu">
        <li><a href="http://people.apache.org/">Overview</a></li>
        <li><a href="http://people.apache.org/committer-index.html">Committers</a></li>
        <li><a href="/foundation/how-it-works.html#meritocracy">Meritocracy</a></li>
        <li><a href="/foundation/how-it-works.html#roles">Roles</a></li>
        <li><a href="http://planet.apache.org/">Planet Apache</a></li>
      </ul>
    </li>
    <li class="dropdown">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown">Get Involved <span
class="caret"></span></a>
      <ul class="dropdown-menu" role="menu">
        <li><a href="/foundation/getinvolved.html">Overview</a></li>
        <li><a href="http://community.apache.org/">Community Development</a></li>
        <li><a href="http://helpwanted.apache.org/">Help Wanted</a></li>
        <li><a href="http://www.apachecon.com/">ApacheCon</a></li>
      </ul>
    </li>
    <li><a href="/dyn/closer.cgi">Download</a></li>
    <li class="dropdown">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown">Support Apache <span
class="caret"></span></a>
      <ul class="dropdown-menu" role="menu">
        <li><a href="/foundation/sponsorship.html">Sponsorship</a></li>
        <li><a href="/foundation/contributing.html">Donations</a></li>
        <li><a href="/foundation/buy_stuff.html">Buy Stuff</a></li>
        <li><a href="/foundation/thanks.html">Thanks</a></li>
      </ul>
    </li>
  </ul>

```

```

        </ul>
    </div>
</div>
</nav>
</header>
<!-- / Navigation -->
<div class="container">
    <div class="row">
        <div class="col-md-9 col-sm-8 col-xs-12">
            
        </div>
        <div class="col-md-3 col-sm-4 col-xs-12">
            <div class="input-group" style="margin-bottom: 5px;">
                <script>
(function() {
    var cx = '005703438322411770421:5mgshgrgx2u';
    var gcse = document.createElement('script');
    gcse.type = 'text/javascript';
    gcse.async = true;
    gcse.src = (document.location.protocol == 'https:' ? 'https:' : 'http:') +
        '//cse.google.com/cse.js?cx=' + cx;
    var s = document.getElementsByTagName('script')[0];
    s.parentNode.insertBefore(gcse, s);
})();
</script>
        <gcse:searchbox-only></gcse:searchbox-only>
    </div>
    <a role="button" class="btn btn-block btn-default btn-xs" href="/foundation/governance/">The Apache Way</a>
    <a role="button" class="btn btn-block btn-default btn-xs"
href="https://community.apache.org/contributors/">Contribute</a>
    <a role="button" class="btn btn-block btn-default btn-xs" href="/foundation/thanks.html">ASF Sponsors</a>
    </div>
</div>
</div>
<div class="container"><style type="text/css">
/* The following code is added by mdx_elementid.py
It was originally lifted from http://subversion.apache.org/style/site.css */
/*
* Hide class="elementid-permalink", except when an enclosing heading
* has the :hover property.
*/
.headerlink, .elementid-permalink {
    visibility: hidden;
}
h2:hover > .headerlink, h3:hover > .headerlink, h1:hover > .headerlink, h6:hover > .headerlink, h4:hover >
.headerlink, h5:hover > .headerlink, dt:hover
> .elementid-permalink { visibility: visible }</style>
<p>The Apache Software Foundation uses various licenses to <a href="#distributions">distribute

```

software and documentation

[contributions from individuals and corporations](#), and to accept larger [grants of existing software products](#).

These licenses help us achieve our goal of providing reliable and long-lived software products through collaborative open source software development. In all cases, contributors retain full rights to use their original contributions for any other purpose outside of Apache while providing the ASF and its projects the right to distribute and build upon their work within Apache.

## Licensing of Distributions

All software produced by The Apache Software Foundation or any of its projects or subjects is licensed according to the terms of the documents listed below.

### Apache License, Version 2.0 (current)

<http://www.apache.org/licenses/LICENSE-2.0> ( [TXT](LICENSE-2.0.txt) or [HTML](LICENSE-2.0.html) )

The 2.0 version of the Apache License was approved by the ASF in 2004. The goals of this license revision have been to reduce the number of frequently asked questions, to allow the license to be reusable without modification by any project (including non-ASF projects), to allow the license to be included by reference instead of listed in every file, to clarify the license on submission of contributions, to require a patent license on contributions that necessarily infringe the contributor's own patents, and to move comments regarding Apache and other inherited attribution notices to a location outside the license terms (the [NOTICE file](example-NOTICE.txt) ).

The result is a license that is supposed to be compatible with other open source licenses, while remaining true to the original goals of the Apache Group and supportive of collaborative development across both nonprofit and commercial organizations. The Apache Software Foundation is still trying to determine if this version of the Apache License is [compatible with the GPL](GPL-compatibility.html).

All packages produced by the ASF are implicitly licensed under the Apache License, Version 2.0, unless otherwise explicitly stated. More developer documentation on how to apply the Apache License to your work can be found in \* [Applying the Apache License, Version 2.0](http://dev.apache.org/licenses/LICENSE-2.0) \*.

### Apache License, Version 1.1 (historic)

<http://www.apache.org/licenses/LICENSE-1.1>

The 1.1 version of the Apache License was approved by the ASF in 2000. The primary change from the 1.0 license is in the 'advertising clause' (section 3 of the 1.0 license); derived products are no longer required to include

attribution in their advertising materials, only in their documentation.</p>

<p>Individual packages licensed under the 1.1 version may have used different wording due to varying requirements for attribution or mark identification, but the binding terms were all the same.</p>

<h3 id="1.0">Apache License, Version 1.0 (historic)<a class="headerlink" href="#1.0" title="Permanent link">&para;</a></h3>

<p><a href="LICENSE-1.0">http://www.apache.org/licenses/LICENSE-1.0</a> </p>

<p>This is the original Apache License which applies only to older versions of Apache packages (such as version 1.2 of the Web server).</p>

<h1 id="clas">Contributor License Agreements<a class="headerlink" href="#clas" title="Permanent link">&para;</a></h1>

<p>The ASF desires that all contributors of ideas, code, or documentation to any Apache projects

complete, sign, and submit (via fax or

email) an <a href="icla.pdf">Individual Contributor License Agreement</a> (ICLA).

The purpose of this agreement is to clearly define the

terms under which intellectual property has been contributed to the ASF and

thereby allow us to defend the project should there be a legal dispute

regarding the software at some future time. A signed ICLA is required to be

on file before an individual is given commit rights to an ASF project.</p>

<p>For a corporation that has assigned employees to work on an Apache project,

a <a href="cla-corporate.txt">Corporate CLA</a> (CCLA) is available for contributing

intellectual property via the corporation, that may have been assigned as

part of an employment agreement. Note that a Corporate CLA does not remove

the need for every developer to sign their own ICLA as an individual, to

cover any of their contributions which are not owned by the corporation

signing the CCLA.</p>

<p>The ICLA is not tied to any employer you

may have, so it is recommended to

use one's personal email address in the contact details, rather than an @work

address.</p>

<p>Your Full name will be published unless you provide an alternative Public name.

For example if your full name is Andrew Bernard Charles Dickens, but you wish

to be known as Andrew Dickens, please enter the latter as your Public name.</p>

<p>The email address and other contact details are not published.</p>

<h1 id="grants">Software Grants<a class="headerlink" href="#grants" title="Permanent link">&para;</a></h1>

<p>When an individual or corporation decides to donate a body of existing

software or documentation to one of the Apache projects, they need to

execute a formal <a href="software-grant-template.pdf">Software Grant Agreement</a> (SGA) with

the ASF. Typically, this is done after negotiating approval with the ASF

<a href="http://incubator.apache.org/">Incubator</a> or one of the PMCs, since the ASF

will not accept software unless there is a viable community

available to

support a collaborative project.</p>

<h1 id="submitting">Submitting License Agreements and Grants<a class="headerlink" href="#submitting"

title="Permanent link">&para;</a></h1>

<p>Documents may be submitted by fax or email.</p>

<p>If submitting by fax, please print, sign, and fax all pages of the document

to +1-919-573-9199. Please send documents right-side-up, first page first;

and send only one document per fax.</p>

<p>If submitting by email, please fill the form with a pdf viewer, print, sign, scan all pages into a single pdf file, and email the pdf file as an attachment to secretary@apache.org. If possible, send the attachment from the email address in the document.

Please send only one document per email.</p>

<p>If you prefer to sign electronically, please fill the form, save it locally (e.g. icla.pdf), and sign the file by preparing a detached PGP signature. For example,</p>

<blockquote>

<p>gpg --armor --detach-sign icla.pdf</p>

</blockquote>

<p>The above will create

a file icla.pdf.asc. Send both the file and signature

as attachments in the same email to secretary@apache.org. Please send only one

document (file plus signature) per email. Please do not submit your public key to Apache.

Instead, please upload your public key to pgpkeys.mit.edu. </p>

<p>The files typically are named

icla.pdf and icla.pdf.asc for individual agreements;

ccla.pdf and ccla.pdf.asc for corporate agreements;

software-grant.pdf and software-grant.pdf.asc for grants. </p>

<h1 id="crypto">Export restrictions<a class="headerlink" href="#crypto" title="Permanent link">&para;</a></h1>

<p>For export restriction information, please consult our <a href="/licenses/exports/">ASF Export Classifications</a> page.</p>

<h1 id="trademarks">Trademark and Logo Usage<a class="headerlink" href="#trademarks" title="Permanent link">&para;</a></h1>

<p>For ASF trademark and logo usage information, please consult our <a href="/foundation/marks/">ASF Trademark Use Policy</a> page.</p>

<h1 id="questions">Questions?<a

class="headerlink" href="#questions" title="Permanent link">&para;</a></h1>

<p>For answers to frequently asked licensing questions, please consult our

<a href="/foundation/license-faq.html">Licensing Frequently Asked Questions</a> page.</p></div>

<!-- Footer -->

<footer class="bg-primary">

<div class="container">

<div class="row">

<br />

<div class="col-sm-1">

</div>

<div class="col-sm-2">

<h5 class="white">Community</h5>

<ul class="list-unstyled white" role="menu">

<li><a href="http://community.apache.org/">Overview</a></li>

<li><a href="/foundation/conferences.html">Conferences</a></li>

<li><a href="http://community.apache.org/gsoc.html">Summer of Code</a></li>

```
<li><a href="http://community.apache.org/newcomers/">Getting Started</a></li>
<li><a href="/foundation/how-it-works.html">The Apache Way</a></li>
<li><a href="/travel/">Travel Assistance</a></li>
<li><a href="/foundation/getinvolved.html">Get
Involved</a></li>
<li><a href="http://community.apache.org/newbiefaq.html">Community FAQ</a></li>
</ul>
</div>
```

```
<div class="col-sm-2">
<h5 class="white">Innovation</h5>
<ul class="list-unstyled white" role="menu">
<li><a href="http://incubator.apache.org/">Incubator</a></li>
<li><a href="http://labs.apache.org/">Labs</a></li>
<li><a href="/licenses/">Licensing</a></li>
<li><a href="/foundation/license-faq.html">Licensing FAQ</a></li>
<li><a href="/foundation/marks/">Trademark Policy</a></li>
<li><a href="/foundation/contact.html">Contacts</a></li>
</ul>
</div>
```

```
<div class="col-sm-2">
<h5 class="white">Tech Operations</h5>
<ul class="list-unstyled white" role="menu">
<li><a href="/dev/">Developer Information</a></li>
<li><a href="/dev/infrastructure.html">Infrastructure</a></li>
<li><a href="/security/">Security</a></li>
<li><a href="http://status.apache.org">Status</a></li>
<li><a href="/foundation/contact.html">Contacts</a></li>
</ul>
</div>
```

```
<div class="col-sm-2">
<h5 class="white">Press</h5>
<ul class="list-unstyled white" role="menu">
<li><a href="/press/">Overview</a></li>
<li><a href="https://blogs.apache.org/">ASF News</a></li>
<li><a href="https://blogs.apache.org/foundation/">Announcements</a></li>
<li><a href="https://twitter.com/TheASF">Twitter Feed</a></li>
<li><a href="/press/#contact">Contacts</a></li>
</ul>
</div>
```

```
<div class="col-sm-2">
<h5 class="white">Legal</h5>
<ul class="list-unstyled white" role="menu">
<li><a href="/legal/">Legal Affairs</a></li>
<li><a href="/licenses/">Licenses</a></li>
```



```
<li><a href="/foundation/marks/">Trademark Policy</a></li>
<li><a href="/foundation/records/">Public Records</a></li>
<li><a href="/foundation/policies/privacy.html">Privacy
Policy</a></li>
<li><a href="/licenses/exports/">Export Information</a></li>
<li><a href="/foundation/license-faq.html">License/Distribution FAQ</a></li>
<li><a href="/foundation/contact.html">Contacts</a></li>
</ul>
</div>
```

```
<div class="col-sm-1">
</div>
```

```
</div>
<hr class="col-lg-12 hr-white" />
<div class="row">
<div class="col-lg-12">
<p class="text-center">Copyright &#169; 2016 The Apache Software Foundation, Licensed under the <a
class="white" href="http://www.apache.org/licenses/LICENSE-2.0">Apache License, Version 2.0</a>.</p>
<p class="text-center">Apache and the Apache feather logo are trademarks of The Apache Software
Foundation.</p>
</div>
</div>
</div>
```

```
</footer>
```

```
<!-- / Footer -->
```

```
<script src="/js/jquery-2.1.1.min.js"></script>
<script src="/js/bootstrap.js"></script>
</body>
</html>
```

This product currently only contains code developed by authors of specific components, as identified by the source code files; if such notes are missing files have been created by Tatu Saloranta.

For additional credits (generally to people who reported problems) see CREDITS file.

This copy of Jackson JSON processor is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/>

A copy is also included with both the the downloadable source code package and jar that contains class bytecodes, as file "ASL 2.0". In both cases, that file should be located next to this file: in source distribution the location should be "release-notes/asl"; and in jar "META-INF/" Apache License

Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"  
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,

or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems

that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
  
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.52 argparse 0.8.1

### 1.52.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 Tatsuhiro Tsujikawa

\*

\* Permission is hereby granted, free of charge, to any person

\* obtaining a copy of this software and associated documentation

\* files (the "Software"), to deal in the Software without

\* restriction, including without limitation the rights to use, copy,

\* modify, merge, publish, distribute, sublicense, and/or sell copies

\* of the Software, and to permit persons to whom the Software is

\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be

\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS  
\* BE LIABLE FOR ANY CLAIM,  
DAMAGES OR OTHER LIABILITY, WHETHER IN AN  
\* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/ReflectArgumentType.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/action/CountArgumentAction.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 Andrew January

\*

\* Permission is hereby granted, free of charge, to any person  
\* obtaining a copy of this software and associated documentation  
\* files (the "Software"), to deal in the Software without  
\* restriction, including without limitation the rights to use, copy,  
\* modify, merge, publish, distribute, sublicense, and/or sell copies  
\* of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS  
\* BE LIABLE FOR ANY CLAIM, DAMAGES  
OR OTHER LIABILITY, WHETHER IN AN  
\* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/CaseInsensitiveEnumNameArgumentType.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/EnumStringArgumentType.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/CaseInsensitiveEnumStringArgumentType.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/internal/TerminalWidth.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 Adam Parkin  
\*  
\* Permission is hereby granted, free of charge, to any person  
\* obtaining a copy of this software and associated documentation  
\* files (the "Software"), to deal in the Software without  
\* restriction, including without limitation the rights to use, copy,  
\* modify, merge, publish, distribute, sublicense, and/or sell copies  
\* of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS  
\* BE LIABLE FOR ANY CLAIM, DAMAGES  
OR OTHER LIABILITY, WHETHER IN AN  
\* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/



Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/helper/HelpScreenException.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 Tatsuhiro Tsujikawa

\*

\* Permission is hereby granted, free of charge, to any person

\* obtaining a copy of this software and associated documentation

\* files (the "Software"), to deal in the Software without

\* restriction, including without limitation the rights to use, copy,

\* modify, merge, publish, distribute, sublicense, and/or sell copies

\* of the Software, and to permit persons to whom the Software is

\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be

\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS

\* BE LIABLE FOR ANY CLAIM,

DAMAGES OR OTHER LIABILITY, WHETHER IN AN

\* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

\* SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/BooleanArgumentType.java

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/MetavarInference.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 Tatsuhiro Tsujikawa

\*

\* Permission is hereby granted, free of charge, to any person

\* obtaining a copy of this software and associated documentation

\* files (the "Software"), to deal in the Software without

\* restriction, including without limitation the rights to use, copy,

\* modify, merge, publish, distribute, sublicense, and/or sell copies

\* of the Software, and to permit persons to whom the Software is

\* furnished to do so, subject to the following conditions:

\*  
\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS  
\* BE LIABLE FOR ANY CLAIM,  
\* DAMAGES OR OTHER LIABILITY, WHETHER IN AN  
\* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/ArgumentAction.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/helper/PrefixPattern.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/internal/SubparserImpl.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/ConstructorArgumentType.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/ArgumentGroup.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/action/VersionArgumentAction.java  
\*  
/opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/internal/UnrecognizedArgumentException.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/Subparsers.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/action/AppendConstArgumentAction.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/annotation/Arg.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/internal/UnrecognizedCommandException.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/ArgumentType.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/helper/CJKTextWidthCounter.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/helper/TextWidthCounter.java  
\*  
/opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/action/StoreArgumentAction.java

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/Namespace.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/StoreFalseArgumentAction.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/FeatureControl.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/choice/CollectionArgumentChoice.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/ArgumentChoice.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/ArgumentGroupImpl.java  
\*  
/opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/FileVerification.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/EnumArgumentType.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/ArgumentParserException.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/Subparser.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/helper/ASCIITextWidthCounter.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/helper/ReflectHelper.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/ParseState.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/helper/TextHelper.java  
\*  
/opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/StoreTrueArgumentAction.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/ArgumentParsers.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/SubparsersImpl.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/Argument.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/ArgumentParserImpl.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/choice/RangeArgumentChoice.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/Arguments.java  
\*  
/opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/AppendArgumentAction.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-

jar/net/sourceforge/argparse4j/impl/type/StringArgumentType.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/ArgumentParser.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/action/HelpArgumentAction.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/action/StoreConstArgumentAction.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/internal/ArgumentImpl.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Licensed to the Apache Software Foundation (ASF) under one  
* or more contributor license agreements. See the NOTICE file  
* distributed with this work for additional information  
* regarding copyright ownership. The ASF licenses this file  
* to you under the Apache License, Version 2.0 (the  
* "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing,  
* software distributed under the License is distributed on an  
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY  
* KIND, either express or implied. See the License for the  
* specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/FileArgumentType.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2012 Tatsuhiro Tsujikawa  
*  
* Permission is hereby granted, free of charge, to any person  
* obtaining a copy of this software and associated documentation  
* files (the "Software"), to deal in the Software without  
* restriction, including without limitation the rights to use, copy,  
* modify, merge, publish, distribute, sublicense, and/or sell copies  
* of the Software, and to permit persons to whom the Software is  
* furnished to do so, subject to the following conditions:  
*  
* The above copyright notice and this permission notice shall be  
* included in all copies or substantial portions of the Software.
```

\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS  
\* BE LIABLE FOR ANY CLAIM,  
DAMAGES OR OTHER LIABILITY, WHETHER IN AN  
\* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/MutuallyExclusiveGroup.java

## 1.53 jetty-setuid-java 1.0.4

### 1.53.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved. This program and the accompanying materials
// are made available under the terms of the Eclipse Public License v1.0
// and Apache License v2.0 which accompanies this distribution.
// The Eclipse Public License is available at
// The Apache License v2.0 is available at
// You may elect to redistribute this code under either of these licenses.
```

Found in path(s):

\* /opt/cola/permits/1257333122\_1642801905.86/0/jetty-setuid-java-1-0-4-sources-  
jar/org/eclipse/jetty/setuid/SetUIDListener.java  
\* /opt/cola/permits/1257333122\_1642801905.86/0/jetty-setuid-java-1-0-4-sources-  
jar/org/eclipse/jetty/setuid/SetUIDServer.java  
\* /opt/cola/permits/1257333122\_1642801905.86/0/jetty-setuid-java-1-0-4-sources-  
jar/org/eclipse/jetty/setuid/SetUID.java  
\* /opt/cola/permits/1257333122\_1642801905.86/0/jetty-setuid-java-1-0-4-sources-  
jar/org/eclipse/jetty/setuid/Group.java  
\* /opt/cola/permits/1257333122\_1642801905.86/0/jetty-setuid-java-1-0-4-sources-  
jar/org/eclipse/jetty/setuid/RLimit.java  
\*  
/opt/cola/permits/1257333122\_1642801905.86/0/jetty-setuid-java-1-0-4-sources-  
jar/org/eclipse/jetty/setuid/Passwd.java

## 1.54 zjsonpatch 0.3.0

## 1.54.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 flipkart.com zjsonpatch.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257333041_1642801938.9/0/zjsonpatch-0-3-0-sources-
jar/com/flipkart/zjsonpatch/NodeType.java
* /opt/cola/permits/1257333041_1642801938.9/0/zjsonpatch-0-3-0-sources-
jar/com/flipkart/zjsonpatch/JsonDiff.java
* /opt/cola/permits/1257333041_1642801938.9/0/zjsonpatch-0-3-0-sources-
jar/com/flipkart/zjsonpatch/NoopProcessor.java
*
/opt/cola/permits/1257333041_1642801938.9/0/zjsonpatch-0-3-0-sources-
jar/com/flipkart/zjsonpatch/ApplyProcessor.java
* /opt/cola/permits/1257333041_1642801938.9/0/zjsonpatch-0-3-0-sources-
jar/com/flipkart/zjsonpatch/Constants.java
* /opt/cola/permits/1257333041_1642801938.9/0/zjsonpatch-0-3-0-sources-
jar/com/flipkart/zjsonpatch/CompatibilityFlags.java
* /opt/cola/permits/1257333041_1642801938.9/0/zjsonpatch-0-3-0-sources-
jar/com/flipkart/zjsonpatch/JsonPatchApplicationException.java
* /opt/cola/permits/1257333041_1642801938.9/0/zjsonpatch-0-3-0-sources-
jar/com/flipkart/zjsonpatch/JsonPatchProcessor.java
* /opt/cola/permits/1257333041_1642801938.9/0/zjsonpatch-0-3-0-sources-
jar/com/flipkart/zjsonpatch/InvalidJsonPatchException.java
* /opt/cola/permits/1257333041_1642801938.9/0/zjsonpatch-0-3-0-sources-
jar/com/flipkart/zjsonpatch/Operation.java
* /opt/cola/permits/1257333041_1642801938.9/0/zjsonpatch-0-3-0-sources-
jar/com/flipkart/zjsonpatch/JsonPatch.java
*
/opt/cola/permits/1257333041_1642801938.9/0/zjsonpatch-0-3-0-sources-jar/com/flipkart/zjsonpatch/Diff.java
```

# 1.55 profiler 1.1.1

## 1.55.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*!  
* jQuery JavaScript Library v1.6.2  
* http://jquery.com/  
*  
* Copyright 2011, John Resig  
* Dual licensed under the MIT or GPL Version 2 licenses.  
* http://jquery.org/license  
*  
* Includes Sizzle.js  
* http://sizzlejs.com/  
* Copyright 2011, The Dojo Foundation  
* Released under the MIT, BSD, and GPL Licenses.  
*  
* Date: Thu Jun 30 14:16:56 2011 -0400  
*/
```

Found in path(s):

```
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/resources/jquery-1.6.2.min.js
```

No license file was found, but licenses were detected in source scan.

```
/*  
* jQuery Templates Plugin 1.0.0pre  
* http://github.com/jquery/jquery-tmpl  
* Requires jQuery 1.4.2  
*  
* Copyright Software Freedom Conservancy, Inc.  
* Dual licensed under the MIT or GPL Version 2 licenses.  
* http://jquery.org/license  
*/
```

Found in path(s):

```
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/resources/jquery.templ.min.js
```

No license file was found, but licenses were detected in source scan.

```
/**  
* Copyright (C) 2011 by Jim Riecken  
*  
* Permission is hereby granted, free of charge, to any person obtaining a copy  
* of this software and associated documentation files (the "Software"), to deal  
* in the Software without restriction, including without limitation the rights
```

- \* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
- \* copies of the Software, and to permit persons to whom the Software is
- \* furnished to do so, subject to the following conditions:
- \*
- \* The above copyright notice and this permission notice shall be included in
- \* all copies or substantial portions of the Software.
- \*
- \* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
- \* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
- \* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
- \* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES
- OR OTHER
- \* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
- \* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
- \* THE SOFTWARE.
- \*/

Found in path(s):

- \* /opt/cola/permits/1257333100\_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/com/google/appengine/tools/appstats/MiniProfilerAppstats.java
- \* /opt/cola/permits/1257333100\_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/MiniProfiler.java
- \* /opt/cola/permits/1257333100\_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/MiniProfilerFilter.java
- \* /opt/cola/permits/1257333100\_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/resources/MiniProfilerResourceLoader.java
- \* /opt/cola/permits/1257333100\_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/MiniProfilerServlet.java

## 1.56 jcip-annotation 1.0-1

### 1.56.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2013 Stephen Connolly.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
```



\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1257847088\_1643019261.83/0/jcip-annotations-1-0-1-sources-jar/net/jcip/annotations/Immutable.java

\* /opt/cola/permits/1257847088\_1643019261.83/0/jcip-annotations-1-0-1-sources-jar/net/jcip/annotations/NotThreadSafe.java

\* /opt/cola/permits/1257847088\_1643019261.83/0/jcip-annotations-1-0-1-sources-jar/net/jcip/annotations/ThreadSafe.java

\*

/opt/cola/permits/1257847088\_1643019261.83/0/jcip-annotations-1-0-1-sources-jar/net/jcip/annotations/GuardedBy.java

## 1.57 jakarta-el 4.0.2

### 1.57.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at

the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands

that although each Contributor grants the

licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and

implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such

Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE

## POSSIBILITY OF SUCH DAMAGES.

### 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel

or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)  
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term



"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and

can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed

need not include anything that is

normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you

could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the

Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or

(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

## # Notices for Jakarta Expression Language

This content is produced and maintained by the Jakarta Expression Language project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.el>

## ## Trademarks

Jakarta Expression Language is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/el-ri>

## ## Third-party Content

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.58 reflections 0.9.10

## 1.58.1 Available under license :

WTFPL OR BSD-3-Clause

# 1.59 protobuf-java-format 1.2

## 1.59.1 Available under license :

Copyright (c) 2009, Orbitz LLC

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Orbitz LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR



A PARTICULAR PURPOSE ARE  
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT  
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2009, Orbitz World Wide  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,  
this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice,  
this list of conditions and the following disclaimer in the documentation  
and/or other materials provided with the distribution.
- \* Neither the name of the Orbitz World Wide nor the names of its contributors  
may be used to endorse or promote products derived from this software  
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT  
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR  
A PARTICULAR  
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT  
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.60 jakarta-inject-api 2.0.1

### 1.60.1 Available under license :

# Notices for Eclipse Jakarta Dependency Injection

This content is produced and maintained by the Eclipse Jakarta Dependency Injection project.

\* Project home: <https://projects.eclipse.org/projects/cdi.batch>

## ## Trademarks

Jakarta Dependency Injection is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Apache License, Version 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

SPDX-License-Identifier: Apache-2.0

## ## Source Code

The project maintains the following source code repositories:

<https://github.com/eclipse-ee4j/injection-api>  
<https://github.com/eclipse-ee4j/injection-spec>  
<https://github.com/eclipse-ee4j/injection-tck>

## ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

None

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.61 logback-throttling-appender 1.1.0

### 1.61.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<name>Apache License 2.0</name>  
<url>http://www.apache.org/licenses/LICENSE-2.0.html</url>
```

Found in path(s):

```
* /opt/cola/permits/1265859119_1643960119.64/0/logback-throttling-appender-1-1-0-jar/META-INF/maven/io.dropwizard.logback/logback-throttling-appender/pom.xml
```

## 1.62 javax-annotation-api 1.3.2

### 1.62.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the



combination of the Original Software  
with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices

contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

#### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

### 4. Versions of the License.

#### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the

name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH

#### LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work

based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on

the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited

to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY



OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These  
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but

you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2005-2018 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

- \* and Distribution License("CDDL") (collectively, the "License"). You
- \* may not use this file except in compliance with the License. You can
- \* obtain a copy of the License at
- \* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>
- \* or LICENSE.txt. See the License for the specific
- \* language governing permissions and limitations under the License.
- \*
- \* When distributing the software, include this License Header Notice in each
- \* file and include the License file at LICENSE.txt.
- \*
- \* GPL Classpath Exception:
- \* Oracle designates this particular file as subject to the "Classpath"
- \* exception as provided by Oracle in the GPL Version 2 section of the License
- \* file that accompanied this code.
- \*
- \*
- Modifications:
- \* If applicable, add the following below the License Header, with the fields
- \* enclosed by brackets [] replaced by your own identifying information:
- \* "Portions Copyright [year] [name of copyright owner]"
- \*
- \* Contributor(s):
- \* If you wish your version of this file to be governed by only the CDDL or
- \* only the GPL Version 2, indicate your decision by adding "[Contributor]
- \* elects to include this software in this distribution under the [CDDL or GPL
- \* Version 2] license." If you don't indicate a single choice of license, a
- \* recipient has the option to distribute your version of this file under
- \* either the CDDL, the GPL Version 2 or to extend the choice of license to
- \* its licensees as provided above. However, if you add GPL Version 2 code
- \* and therefore, elected the GPL Version 2 license, then the option applies
- \* only if the new code is made subject to such option by the copyright
- \* holder.
- \*/

## 1.63 slf4j 1.7.36

### 1.63.1 Available under license :

Copyright (c) 2004-2007 QOS.ch  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2004-2022 QOS.ch Sarl

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF

CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>



Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2004-2013 QOS.ch

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2004-2022 QOS.ch

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

Copyright (c) 2004-2022 QOS.ch Sarl (Switzerland)

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.64 jul-to-slf4j 1.7.36

### 1.64.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2004-2011 QOS.ch

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining

\* a copy of this software and associated documentation files (the

\* "Software"), to deal in the Software without restriction, including

\* without limitation the rights to use, copy, modify, merge, publish,

\* distribute, sublicense, and/or sell copies of the Software, and to

\* permit persons to whom the Software is furnished to do so, subject to

\* the following conditions:

\*

\* The above copyright notice and this permission notice shall be

\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

\* NONINFRINGEMENT. IN

NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*  
\*/

Found in path(s):

\* /opt/cola/permits/1281455938\_1646319090.87/0/jul-to-slf4j-1-7-36-sources-jar/org/slf4j/bridge/SLF4JBridgeHandler.java

## 1.65 log4j-over-slf4j 1.7.36

### 1.65.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1282430134\_1646467465.09/0/log4j-over-slf4j-1-7-36-jar/META-INF/maven/org.slf4j/log4j-over-slf4j/pom.xml

## 1.66 jcl-over-slf4j 1.7.36

### 1.66.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):

\* /opt/cola/permits/1288583223\_1647358914.34/0/jcl-over-slf4j-1-7-36-jar/META-INF/maven/org.slf4j/jcl-over-slf4j/pom.xml

## 1.67 logback-core 1.2.11

### 1.67.1 Available under license :

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"

means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS



A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively

excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such

Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the

Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward

has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Found license 'Eclipse Public License 1.0' in '\* Copyright (C) 1999-2015, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

Found license 'GNU Lesser General Public License' in '\* Copyright (C) 1999-2015, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

## 1.68 simpleclient-common 0.15.0

### 1.68.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1301334093\_1649241777.51/0/simpleclient-common-0-15-0-sources-jar/META-INF/maven/io.prometheus/simpleclient\_common/pom.xml

## 1.69 animal-sniffer-annotation 1.21

### 1.69.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* The MIT License

\*

\* Copyright (c) 2008 Kohsuke Kawaguchi and codehaus.org.

\*  
\* Permission is hereby granted, free of charge, to any person obtaining a copy  
\* of this software and associated documentation files (the "Software"), to deal  
\* in the Software without restriction, including without limitation the rights  
\* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
\* copies of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be included in  
\* all copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
\* AUTHORS OR COPYRIGHT  
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
\* THE SOFTWARE.  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1319211632\_1651231549.68/0/animal-sniffer-annotations-1-21-sources-jar/org/codehaus/mojo/animal\_sniffer/IgnoreJRERequirement.java

No license file was found, but licenses were detected in source scan.

The MIT License

Copyright (c) 2009 codehaus.org.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

Found in path(s):

\* /opt/cola/permits/1319211632\_1651231549.68/0/animal-sniffer-annotations-1-21-sources-jar/META-INF/maven/org.codehaus.mojo/animal-sniffer-annotations/pom.xml

## 1.70 gson 2.9.0

### 1.70.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2021 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/ToNumberStrategy.java

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/ToNumberPolicy.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Gson authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/GsonBuildConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/CollectionTypeAdapterFactory.java

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/TypeAdapterRuntimeTypeWrapper.java

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/TypeAdapters.java

\*

/opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/ArrayTypeAdapter.java

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/ReflectiveTypeAdapterFactory.java

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/JsonReaderInternalAccess.java

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/TypeAdapterFactory.java

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/TypeAdapter.java

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/JsonTreeReader.java

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/ObjectTypeAdapter.java

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/JsonTreeWriter.java

\*  
/opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-  
jar/com/google/gson/internal/bind/MapTypeAdapterFactory.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2014 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-  
jar/com/google/gson/internal/bind/JsonAdapterAnnotationTypeAdapterFactory.java  
\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-  
jar/com/google/gson/annotations/JsonAdapter.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2020 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-  
jar/com/google/gson/internal/bind/NumberTypeAdapter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2009 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-
jar/com/google/gson/JsonStreamParser.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-
jar/com/google/gson/FieldAttributes.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonParser.java
*
/opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-
jar/com/google/gson/LongSerializationPolicy.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2017 The Gson authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-
jar/com/google/gson/internal/JavaVersion.java
```



\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/PreJava9DateFormatProvider.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Android Open Source Project

\* Copyright (C) 2012 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/LinkedTreeMap.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (C) 2008 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/\$Gson\$Types.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/stream/JsonReader.java  
\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/stream/JsonToken.java  
\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/stream/JsonScope.java  
\*  
/opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/stream/MalformedJsonException.java  
\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/stream/JsonWriter.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2008 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonSerializationContext.java

\* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/ExclusionStrategy.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/Gson.java  
 \*  
 /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonPrimitive.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonIOException.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/reflect/TypeToken.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/annotations/Expose.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/ObjectConstructor.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/annotations/Since.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/\$Gson\$Preconditions.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/Excluder.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/FieldNamingStrategy.java  
 \*  
 /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonElement.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonDeserializer.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/InstanceCreator.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonArray.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonObject.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonDeserializationContext.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/annotations/SerializedName.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/FieldNamingPolicy.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonParseException.java  
 \*  
 /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/GsonBuilder.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonSerializer.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/Primitives.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonNull.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/annotations/Until.java  
 \* /opt/cola/permits/1331093984\_1653033295.598981/0/gson-2-9-0-sources-1-

jar/com/google/gson/internal/bind/DefaultDateTypeAdapter.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2010 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-
jar/com/google/gson/internal/Streams.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-
jar/com/google/gson/JsonSyntaxException.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-
jar/com/google/gson/internal/LazilyParsedNumber.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-
jar/com/google/gson/internal/sql/SqlTimeTypeAdapter.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-
```

```
jar/com/google/gson/internal/sql/SqlDateTypeAdapter.java
*
/opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-
jar/com/google/gson/internal/ConstructorConstructor.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-
jar/com/google/gson/internal/bind/DateTypeAdapter.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-
jar/com/google/gson/internal/UnsafeAllocator.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-
jar/com/google/gson/internal/bind/TreeTypeAdapter.java
```

## 1.71 perfmark-api 0.25.0

### 1.71.1 Available under license :

Apache-2.0

## 1.72 activation-api 1.2.2

### 1.72.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# Notices for Jakarta Activation

This content is produced and maintained by Jakarta Activation project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaf>

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0, which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jaf>

## Third-party Content

This project leverages the following third party content.

JUnit (4.12)

\* License: Eclipse Public License

## 1.73 metrics-health-checks 4.1.17

### 1.73.1 Available under license :

Apache-2.0

## 1.74 simpleclient\_tracer\_otel\_agent 0.15.0

### 1.74.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1362667461\_1657728042.0528543/0/simpleclient-tracer-otel-agent-0-15-0-2-jar/META-INF/maven/io.prometheus/simpleclient\_tracer\_otel\_agent/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1644098835491

Build-Jdk: 11.0.13

Built-By: fabian

Bundle-Description: The Prometheus Java Suite: Client Metrics, Exposition, and Examples

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>

Bundle-ManifestVersion: 2

Bundle-Name: Prometheus Java Span Context Supplier - OpenTelemetry Agent

Bundle-SymbolicName: io.prometheus.simpleclient\_tracer\_otel\_agent

Bundle-Version: 0.15.0

Created-By: Apache Maven Bundle Plugin

Export-Package: io.prometheus.client.exemplars.tracer.otel\_agent;uses:="

io.prometheus.client.exemplars.tracer.common";version="0.15.0"

Import-Package: io.opentelemetry.api.trace,io.prometheus.client.exemplars.tracer.common;version="[0.15,1)"

Tool: Bnd-2.1.0.20130426-122213

Found in path(s):

\* /opt/cola/permits/1362667461\_1657728042.0528543/0/simpleclient-tracer-otel-agent-0-15-0-2-jar/META-INF/MANIFEST.MF

# 1.75 simpleclient 0.15.0

## 1.75.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/publicdomain/zero/1.0/>

\*

\* Source: <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/jsr166e/DoubleAdder.java?revision=1.12>

\*/

Found in path(s):

\* /opt/cola/permits/1362667164\_1657728031.6917062/0/simpleclient-0-15-0-sources-1-jar/io/prometheus/client/DoubleAdder.java

No license file was found, but licenses were detected in source scan.

/\*

Copyright 2012 Andrew Wang ([andrew@umbrant.com](mailto:andrew@umbrant.com))

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1362667164\_1657728031.6917062/0/simpleclient-0-15-0-sources-1-jar/io/prometheus/client/CKMSQuantiles.java

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>



Found in path(s):

\* /opt/cola/permits/1362667164\_1657728031.6917062/0/simpleclient-0-15-0-sources-1-jar/META-INF/maven/io.prometheus/simpleclient/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/publicdomain/zero/1.0/>

\*

\* Source: <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/jsr166e/Striped64.java?revision=1.10>

\*/

Found in path(s):

\* /opt/cola/permits/1362667164\_1657728031.6917062/0/simpleclient-0-15-0-sources-1-jar/io/prometheus/client/Striped64.java

## 1.76 simpleclient\_tracer\_otel 0.15.0

### 1.76.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1362667798\_1657728128.698827/0/simpleclient-tracer-otel-0-15-0-sources-1-jar/META-INF/maven/io.prometheus/simpleclient\_tracer\_otel/pom.xml

## 1.77 simpleclient\_tracer\_common 0.15.0

### 1.77.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1644098817942

Build-Jdk: 11.0.13

Built-By: fabian

Bundle-Description: The Prometheus Java Suite: Client Metrics, Exposition, and Examples

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>

Bundle-ManifestVersion: 2

Bundle-Name: Prometheus Java Span Context Supplier - Common

Bundle-SymbolicName: io.prometheus.simpleclient\_tracer\_common

Bundle-Version: 0.15.0

Created-By: Apache Maven Bundle Plugin

Export-Package: io.prometheus.client.exemplars.tracer.common;version="0.

15.0"

Tool: Bnd-2.1.0.20130426-122213

Found in path(s):

\* /opt/cola/permits/1362667286\_1657728055.6656199/0/simpleclient-tracer-common-0-15-0-2-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1362667286\_1657728055.6656199/0/simpleclient-tracer-common-0-15-0-2-jar/META-INF/maven/io.prometheus/simpleclient\_tracer\_common/pom.xml

## 1.78 kafka-protobuf-serializer 5.5.1

### 1.78.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">
```

```
<modelVersion>4.0.0</modelVersion>
```

```
<parent>
```

```
<groupId>io.confluent</groupId>
```

```
<artifactId>kafka-schema-registry-parent</artifactId>
```

```
<version>5.5.1</version>
```

```
</parent>
```

```
<licenses>
```

```
<license>
```

```
<name>Confluent Community License</name>
```

```
<url>http://www.confluent.io/confluent-community-license</url>
```

```
<distribution>repo</distribution>
```

```
</license>
```

```
<license>
```

```
<name>Apache License 2.0</name>
```

```
<url>http://www.apache.org/licenses/LICENSE-2.0.html</url>
```

```
<distribution>repo</distribution>
```

```
</license>
```

```
</licenses>
```

```
<artifactId>kafka-protobuf-serializer</artifactId>
```

```
<packaging>jar</packaging>
```

```
<name>kafka-protobuf-serializer</name>
```

```

<dependencies>
  <dependency>
    <groupId>org.apache.kafka</groupId>
    <artifactId>kafka_${kafka.scala.version}</artifactId>
    <scope>provided</scope>
  </dependency>
  <dependency>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-protobuf-provider</artifactId>
  </dependency>
  <dependency>
    <groupId>com.google.protobuf</groupId>
    <artifactId>protobuf-java-util</artifactId>
  </dependency>
  <dependency>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-serializer</artifactId>
  </dependency>
  <dependency>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-registry-client</artifactId>
  </dependency>
  <dependency>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-registry</artifactId>

    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-registry</artifactId>
    <type>test-jar</type>
    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>org.apache.kafka</groupId>
    <artifactId>connect-api</artifactId>
    <scope>provided</scope>
  </dependency>
  <dependency>
    <groupId>org.apache.kafka</groupId>
    <artifactId>kafka-clients</artifactId>
    <classifier>test</classifier>
    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>org.apache.kafka</groupId>
    <artifactId>kafka_${kafka.scala.version}</artifactId>

```

```

    <classifier>test</classifier>
    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>org.mockito</groupId>
    <artifactId>mockito-core</artifactId>

    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>junit</groupId>
    <artifactId>junit</artifactId>
    <scope>test</scope>
  </dependency>
</dependencies>

<build>
  <plugins>
    <plugin>
      <groupId>com.github.os72</groupId>
      <artifactId>protoc-jar-maven-plugin</artifactId>
    </plugin>
    <plugin>
      <groupId>org.apache.maven.plugins</groupId>
      <artifactId>maven-jar-plugin</artifactId>
      <version>2.6</version>
      <executions>
        <execution>
          <goals>
            <goal>test-jar</goal>
          </goals>
          <phase>test-compile</phase>
        </execution>
      </executions>
    </plugin>
  </plugins>
</build>
</project>

```

Found in path(s):

\* /opt/cola/permits/1366801624\_1658170313.27049/0/kafka-protobuf-serializer-5-5-1-jar/META-INF/maven/io.confluent/kafka-protobuf-serializer/pom.xml

## 1.79 kafka-protobuf-provider 5.5.1

## 1.79.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">

  <modelVersion>4.0.0</modelVersion>

  <parent>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-registry-parent</artifactId>
    <version>5.5.1</version>
  </parent>

  <licenses>
    <license>
      <name>Confluent Community License</name>
      <url>http://www.confluent.io/confluent-community-license</url>
      <distribution>repo</distribution>
    </license>
    <license>
      <name>Apache License 2.0</name>
      <url>http://www.apache.org/licenses/LICENSE-2.0.html</url>
      <distribution>repo</distribution>
    </license>
  </licenses>

  <artifactId>kafka-protobuf-provider</artifactId>
  <packaging>jar</packaging>
  <name>kafka-protobuf-provider</name>

  <dependencies>
    <dependency>
      <groupId>com.squareup.wire</groupId>
      <artifactId>wire-schema</artifactId>
    </dependency>
    <dependency>
      <groupId>com.google.protobuf</groupId>
      <artifactId>protobuf-java</artifactId>
    </dependency>
    <dependency>
      <groupId>com.google.protobuf</groupId>
      <artifactId>protobuf-java-util</artifactId>
    </dependency>
    <dependency>
      <groupId>io.confluent</groupId>
      <artifactId>kafka-schema-registry-client</artifactId>
    </dependency>
  </dependencies>
</project>
```

```

<dependency>
  <groupId>org.mockito</groupId>
  <artifactId>mockito-core</artifactId>
  <scope>test</scope>
</dependency>
<dependency>
  <groupId>junit</groupId>
  <artifactId>junit</artifactId>
  <scope>test</scope>
</dependency>
</dependencies>

<build>
  <plugins>
    <plugin>
      <groupId>com.github.os72</groupId>
      <artifactId>protoc-jar-maven-plugin</artifactId>
    </plugin>
  </plugins>
</build>
</project>

```

Found in path(s):

\* /opt/cola/permits/1366801572\_1658170533.3425114/0/kafka-protobuf-provider-5-5-1-jar/META-INF/maven/io.confluent/kafka-protobuf-provider/pom.xml

## 1.80 simpleclient-httpserver 0.15.0

### 1.80.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1367695492\_1658239393.425837/0/simpleclient-httpserver-0-15-0-sources-1-jar/META-INF/maven/io.prometheus/simpleclient\_httpserver/pom.xml

## 1.81 gson-fire 1.8.5

### 1.81.1 Available under license :

Apache-2.0

## 1.82 awaitility 4.2.0

## 1.82.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2010 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/reflect/FieldNameMatcherStrategy.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/reflect/exception/TooManyFieldsFoundException.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/ConditionEvaluationListener.java
*
/opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/ConditionAwaiter.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/CallableCondition.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/reflect/FieldAnnotationMatcherStrategy.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/FieldSupplierBuilder.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/reflect/FieldMatcherStrategy.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/reflect/FieldTypeMatcherStrategy.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/ConditionEvaluationLogger.java
*
/opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/HamcrestToStringFilter.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/ConditionFactory.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/Condition.java
```

\* /opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-jar/org/awaitility/core/ConditionSettings.java  
\* /opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-jar/org/awaitility/core/AbstractHamcrestCondition.java  
\* /opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-jar/org/awaitility/reflect/exception/FieldNotFoundException.java  
\* /opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-jar/org/awaitility/core/CallableHamcrestCondition.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-jar/org/awaitility/core/ConditionEvaluationResult.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-



jar/org/awaitility/core/Uninterruptibles.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-

jar/org/awaitility/core/StartEvaluationEvent.java

\* /opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-

jar/org/awaitility/core/DurationFactory.java

\* /opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-

jar/org/awaitility/core/ForeverDuration.java

\*

/opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-

jar/org/awaitility/core/TimeoutEvent.java

\* /opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-jar/org/awaitility/Durations.java

\* /opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-

jar/org/awaitility/core/TemporalDuration.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2009 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-jar/org/awaitility/reflect/AssignableToFieldTypeMatcherStrategy.java

\* /opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-jar/org/awaitility/reflect/FieldNameAndTypeMatcherStrategy.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-jar/org/awaitility/core/SameThreadExecutorService.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-jar/org/awaitility/Awaitility.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/pollinterval/FixedPollInterval.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/pollinterval/PollInterval.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/ExceptionIgnorer.java
*
/opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/ConditionTimeoutException.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/pollinterval/IterativePollInterval.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/ConditionEvaluator.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/classpath/ClassPathResolver.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/EvaluatedCondition.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/pollinterval/FibonacciPollInterval.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/ThrowingRunnable.java
*
/opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/HamcrestExceptionIgnorer.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/PredicateExceptionIgnorer.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/DeadlockException.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/ConditionEvaluationHandler.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/AssertionCondition.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/LambdaErrorMessageGenerator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2022 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/FailFastCondition.java
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/core/TerminalFailureException.java
```

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2010 PowerMock original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-jar/org/awaitility/core/CheckedExceptionRethrower.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-jar/org/awaitility/core/ExecutorLifecycle.java

\* /opt/cola/permits/1369642622\_1658427576.413985/0/awaitility-4-2-0-sources-1-jar/org/awaitility/core/EvaluationCleanup.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008 the original author or authors.

```
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/reflect/WhiteboxImpl.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2010 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1369642622_1658427576.413985/0/awaitility-4-2-0-sources-1-
jar/org/awaitility/spi/Timeout.java
```

## 1.83 apache-commons-text 1.10.0

### 1.83.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and



- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache Commons Text

Copyright 2014-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

# 1.84 okhttp 5.0.0

## 1.84.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2017 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmMain/okhttp3/EventListener.kt
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmTest/okhttp3/EventListenerTest.java
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
```

jar/jvmTest/okhttp3/ConnectionCoalescingTest.java

\*

/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-

jar/jvmMain/okhttp3/internal/publicsuffix/PublicSuffixDatabase.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-

jar/jvmTest/okhttp3/internal/publicsuffix/PublicSuffixListGenerator.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

// Any copyright is dedicated to the Public Domain.

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-

jar/jvmTest/okhttp3/internal/publicsuffix/PublicSuffixDatabaseTest.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more

\* contributor license agreements. See the NOTICE file distributed with

\* this work for additional information regarding copyright ownership.

\* The ASF licenses this file to You under the Apache License, Version 2.0

\* (the "License"); you may not use this file except in compliance with

\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/connection/RealConnection.kt

\*

/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/connection/RealConnectionPool.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/Headers.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/nonJvmMain/okhttp3/Headers.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/http/BridgeInterceptor.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/ConnectionPool.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/Connection.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/tls/OkHostnameVerifier.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/Headers.kt

\*

/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/internal/-HeadersCommon.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/connection/ConnectInterceptor.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/cache/CacheInterceptor.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/tls/CertificateChainCleaner.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2022 Block, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-

jar/commonMain/okhttp3/internal/-InternalVersion.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/connection/ConnectPlan.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/connection/tlsHandshake.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2020 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/authenticator/JavaNetAuthenticatorTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/ws/MessageInflater.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/ws/MessageDeflater.kt  
\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/CacheCorruptionTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/HttpGetTest.java  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/ws/MessageDeflaterInflaterTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/InsecureForHostTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/KotlinDeprecationErrorTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/ServerTruncatesRequestTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/graal/svm.kt  
\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/osgi/OsgiTest.java

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/CallHandshakeTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/ws/WebSocketExtensions.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/MultipartReader.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/MultipartReaderTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/OkHttpTest.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/http2/Settings.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonTest/okhttp3/HeadersTest.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/http/StatusLineTest.java

\*

/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/HeadersRequestTest.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/OkHttpClient.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/Dns.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/connection/RouteSelector.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/connection/RouteSelectorTest.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/http2/SettingsTest.java

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/HeadersJvmTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/HeadersChallengesTest.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* =====  
\* Licensed to the Apache Software Foundation (ASF) under one  
\* or more contributor license agreements. See the NOTICE file  
\* distributed with this work for additional information  
\* regarding copyright ownership. The ASF licenses this file  
\* to you under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing,  
\* software distributed under the License is distributed on an  
\* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY  
\* KIND, either express or implied. See the License for the  
\* specific language governing permissions and limitations  
\* under the License.  
\* =====  
\*  
\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <<http://www.apache.org/>>.  
\*/

Found in path(s):  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/internal/http/HttpStatusCodes.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2013 The Android Open Source Project  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,



\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/RecordingAuthenticator.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2021 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/SocketChannelTest.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/TlsVersion.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/nonJvmMain/okhttp3/TlsVersion.kt

\*

/\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/ChannelSocketFactory.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/internal/-UtilCommon.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/internal/-HostnamesCommon.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/internal/-CacheControlCommon.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/internal/-ChallengeCommon.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 Twitter, Inc.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/http2/HuffmanTest.java  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/http2/Huffman.kt

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2016 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/platform/Jdk9Platform.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonTest/okhttp3/ResponseCommonTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/tls/BasicCertificateChainCleaner.kt  
\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/http/RealInterceptorChain.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-

jar/jvmTest/okhttp3/internal/cache2/RelayTest.java  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/platform/Android10Platform.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/WebSocketListener.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/http2/StreamResetException.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/internal/platform/Jdk8WithJettyBootPlatformTest.java  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/internal/tls/ClientAuthTest.java  
\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/WebSocket.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/cache2/Relay.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/internal/SocketRecorder.java  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/http/CallServerInterceptor.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/platform/AndroidPlatform.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/tls/TrustRootIndex.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/nonJvmTest/okhttp3/ResponseNonJvmTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/ws/RealWebSocket.kt  
\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/cache2/FileOperator.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/CertificateChainCleanerTest.java  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/http2/ConnectionShutdownException.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/ResponseBodyJvmTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/internal/cache2/FileOperatorTest.java  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/nonJvmTest/okhttp3/ResponseBodyNonJvmTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/internal/tls/CertificatePinnerChainValidationTest.java  
\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/internal/platform/PlatformTest.java  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/http/RetryAndFollowUpInterceptor.kt

```
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmTest/okhttp3/ResponseJvmTest.kt
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmTest/okhttp3/internal/platform/Jdk9PlatformTest.java
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmMain/okhttp3/internal/tls/BasicTrustRootIndex.kt
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/commonTest/okhttp3/ResponseBodyTest.kt
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmMain/okhttp3/internal/platform/Jdk8WithJettyBootPlatform.kt
*
/opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmTest/okhttp3/internal/ws/WebSocketRecorder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2011 The Android Open Source Project
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmMain/okhttp3/internal/http/dates.kt
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmTest/okhttp3/internal/http2/Http2ConnectionTest.kt
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmTest/okhttp3/internal/io/FaultyFileSystem.kt
*
/opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmMain/okhttp3/internal/http2/Http2Reader.kt
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmMain/okhttp3/internal/http2/Http2Writer.kt
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmMain/okhttp3/internal/http2/Http2Stream.kt
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmMain/okhttp3/internal/http2/Http2Connection.kt
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
```

jar/jvmMain/okhttp3/internal/cache/DiskLruCache.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/internal/http2/MockHttp2Peer.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/CacheTest.java

\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/internal/cache/DiskLruCacheTest.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/ConscryptTest.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/ProtocolTest.java

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/proxy/NullProxySelector.kt

\*

/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/CorrettoTest.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/DuplexTest.java

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/WholeOperationTimeoutTest.java

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/RecordingWebsocketListener.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more

\* contributor license agreements. See the NOTICE file distributed with this

\* work for additional information regarding copyright ownership. The ASF

\* licenses this file to You under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/internal/tls/HostnameVerifierTest.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (c) 2022 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jsTest/okhttp3/TestCall.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jsMain/okhttp3/internal/-JsAsync.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/nonJvmMain/okhttp3/Call.kt  
\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/AsyncDns.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jsTest/okhttp3/SuspendCallTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-

jar/commonMain/okhttp3/internal/http/StatusLine.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jsTest/okhttp3/TestCallFactory.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/Call.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/Response.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/CommonPlatform.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/nonJvmMain/okhttp3/NonJvmPlatform.kt  
\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/Challenge.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/JvmPlatform.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2012 Square, Inc.  
\* Copyright (C) 2012 The Android Open Source Project  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/platform/Platform.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2019 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/platform/android/AndroidCertificateChainCleaner.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/concurrent/TaskRunnerRealBackendTest.kt

\*

/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/KotlinSourceModernTest.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/platform/android/Android10SocketAdapter.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/CacheControl.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/platform/android/DeferredSocketAdapter.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/concurrent/TaskRunnerTest.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/platform/android/ConscryptSocketAdapter.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/platform/android/StandardAndroidSocketAdapter.kt

\*

/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/concurrent/TaskQueue.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/concurrent/TaskLoggerTest.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/HeadersKotlinTest.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/NativeImageTestsAccessors.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/platform/OpenJSSEPlatform.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/OpenJSSETest.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/concurrent/TaskRunner.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/RequestBodyTest.kt

\*

/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/ws/WebSocketExtensionsTest.kt



\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/platform/android/AndroidLog.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/RecordingExecutor.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/SessionReuseTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/nonJvmMain/okhttp3/CacheControl.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/connection/Exchange.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/internal.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/concurrent/TaskLogger.kt

\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/platform/android/BouncyCastleSocketAdapter.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/HandshakeTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/concurrent/Task.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/JSSSTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/platform/android/AndroidSocketAdapterTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/platform/android/AndroidSocketAdapter.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/platform/android/SocketAdapter.kt

\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/BouncyCastleTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/CacheControl.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/PublicInternalApiTest.java  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/platform/BouncyCastlePlatform.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/InterceptorTest.java
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/CacheControlJvmTest.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/CertificatePinnerTest.java
- \*
- /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/TlsVersion.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/http/CancelTest.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/cache/CacheRequest.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/Interceptor.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/http/ThreadInterruptTest.java
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/internal/http/HttpMethod.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/http2/PushObserver.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/nonJvmMain/okhttp3/Challenge.kt
- \*
- /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/ResponseBody.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/Callback.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/ConnectionSpec.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/Call.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/MultipartBodyTest.java
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/ws/WebSocketWriterTest.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/AddressTest.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-

jar/jvmMain/okhttp3/internal/http/RealResponseBody.kt  
\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/internal/DoubleInetAddressDns.java  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/nonJvmMain/okhttp3/RequestBody.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/commonTest/okhttp3/CacheControlTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/OkHttpClientTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/RequestBody.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/SocksProxy.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/internal/http2/FrameLogTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/ws/WebSocketProtocol.kt  
\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/CipherSuite.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/internal/ws/RealWebSocketTest.java  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/commonMain/okhttp3/RequestBody.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/platform/ConscryptPlatform.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/ws/WebSocketReader.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/commonMain/okhttp3/Protocol.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/connection/RealCall.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/TestLogHandler.java  
\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/internal/ws/WebSocketHttpTest.java  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/internal/ws/WebSocketReaderTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/http2/Header.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/CertificatePinner.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/FormBodyTest.java  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/FormBody.kt

```
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmTest/okhttp3/SocksProxyTest.java
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmMain/okhttp3/MultipartBody.kt
*
/opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmMain/okhttp3/Challenge.kt
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmMain/okhttp3/internal/ws/WebSocketWriter.kt
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/nonJvmMain/okhttp3/ResponseBody.kt
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmTest/okhttp3/internal/http/HttpDateTest.kt
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmTest/okhttp3/CertificatePinnerKotlinTest.kt
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmMain/okhttp3/Credentials.kt
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/commonMain/okhttp3/OkHttp.kt
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2014 Square Inc.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1446726099_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-
jar/jvmTest/okhttp3/FallbackTestClientSocketFactory.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2013 Square, Inc.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/CallKotlinTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/http2/HttpOverHttp2Test.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/RequestTest.kt  
\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/Handshake.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/MediaType.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/authenticator/JavaNetAuthenticator.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/cache/CacheStrategy.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/http2/BaseTestHandler.java  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/Dispatcher.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/MediaType.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/http/RequestLine.kt  
\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/http2/HpackTest.java  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/Request.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/http2/Http2Test.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/CallTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/Route.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/connection/RouteDatabase.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-

jar/jvmMain/okhttp3/internal/http2/Hpack.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/RecordingCallback.java  
\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/commonMain/okhttp3/Request.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/Response.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/nonJvmMain/okhttp3/Response.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/nonJvmMain/okhttp3/Request.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/http2/ErrorCode.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/nonJvmMain/okhttp3/MediaType.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/RecordedResponse.java  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/http2/Http2.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2015 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/CookieJar.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/internal/connection/ConnectionPoolTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmMain/okhttp3/internal/connection/SequentialExchangeFinder.kt  
\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-  
jar/jvmTest/okhttp3/WebPlatformUrlTestData.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/cache/FaultHidingSink.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/connection/RealRoutePlanner.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/connection/ConnectionSpecSelector.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/CookieTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/HttpUrl.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/AutobahnTester.kt  
\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/Cookie.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/HttpUrlTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/ConnectionSpecTest.java  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/connection/RoutePlanner.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/connection/RetryConnectionTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/Authenticator.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/ConnectionReuseTest.kt  
\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/WebPlatformUrlTest.kt  
\*  
/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/UrlComponentEncodingTester.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Android Open Source Project

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/CookiesTest.java

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/Cache.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Android Open Source Project

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/-HostnamesJvm.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/http2/Http2ExchangeCodec.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/http/ExchangeCodec.kt

\*

/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/UtilTest.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/http1/Http1ExchangeCodec.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/-UtilJvm.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/Address.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/http1/HeadersReader.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/http/HttpHeaders.kt

No license file was found, but licenses were detected in source scan.

/\*



\* Copyright (C) 2016 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/CipherSuiteTest.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2009 The Android Open Source Project  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/URLConnectionTest.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/http/ExternalHttp2Example.kt

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2022 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/connection/FailedPlan.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/idn/PunycodeTest.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/ResponseBody.kt
- \*
- /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/nonJvmMain/okhttp3/internal/-UtilNonJvm.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/internal/-ResponseCommon.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/FastFallbackTest.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/internal/-RequestCommon.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/MediaTypeJvmTest.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/internal/-ResponseBodyCommon.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/connection/FastFallbackExchangeFinder.kt
- \*
- /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonTest/okhttp3/MediaTypeGetTest.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/idn/stringprepTablesReader.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/internal/-RequestBodyCommon.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonMain/okhttp3/internal/-MediaTypeCommon.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/connection/ExchangeFinder.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/connection/ReusePlan.kt
- \* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonTest/okhttp3/CommonRequestBodyTest.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jsTest/okhttp3/MediaTypeJsTest.kt

\*

/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/idn/Punycode.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/connection/InetAddressOrder.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmMain/okhttp3/internal/graal/OkHttpFeature.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/idn/stringprep.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jsTest/okhttp3/HeadersJsTest.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/idn/StringprepTest.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/connection/InetAddressOrderTest.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/idn/StringprepTablesReaderTest.kt

\*

/opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/internal/connection/FastFallbackExchangeFinderTest.kt

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/jvmTest/okhttp3/FakeRoutePlanner.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 Square, Inc.

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1446726099\_1699494106.1640453/0/okhttp-5-0-0-alpha-10-sources-jar/commonTest/okhttp3/MediaTypeTest.kt

# 1.85 kotlin 1.6.21

## 1.85.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{ "version":3,"file":"kotlin.js","sources":["wrapper.js","js/arrayUtils.js","js/callableReferenceUtils.js","js/conversions.js","js/core.js","js/long.js","js/markerFunctions.js","js/misc.js","js/polyfills.js","js/rtti.js","runtime/arrayUtils.kt","runtime/Enum.kt","primitiveCompanionObjects.kt","common/src/generated/_Arrays.kt","common/src/generated/_Ranges.kt","unsigned/src/kotlin/UByte.kt","unsigned/src/kotlin/UInt.kt","unsigned/src/kotlin/UShort.kt","builtin-sources/Ranges.kt","src/kotlin/collections/Collections.kt","src/kotlin/collections/Maps.kt","src/kotlin/collections/Sets.kt","src/kotlin/text/StringNumberConversions.kt","src/kotlin/time/Duration.kt","unsigned/src/kotlin/UnsignedUtils.kt","src/kotlin/collections/Iterables.kt","src/kotlin/collections/Sequences.kt","src/kotlin/util/Preconditions.kt","js/src/generated/_ArraysJs.kt","src/kotlin/comparisons/Comparisons.kt","src/kotlin/util/Standard.kt","js/src/generated/_ComparisonsJs.kt","unsigned/src/kotlin/ULong.kt","common/src/generated/_Collections.kt","js/src/kotlin/collections.kt","src/kotlin/collections/Iterators.kt","common/src/generated/_Comparisons.kt","common/src/generated/_Maps.kt","common/src/generated/_OneToManyTitlecaseMappings.kt","js/src/kotlin/text/char.kt","js/src/kotlin/text/string.kt","src/kotlin/text/Char.kt","src/kotlin/CharCode.kt","common/src/generated/_Sequences.kt","common/src/generated/_Sets.kt","common/src/generated/_Strings.kt","src/kotlin/text/Strings.kt","unsigned/src/kotlin/UByteArray.kt","unsigned/src/kotlin/UIntArray.kt","unsigned/src/kotlin/ULongArray.kt","unsigned/src/kotlin/UShortArray.kt","common/src/generated/_UArrays.kt","common/src/generated/_UCollections.kt","common/src/generated/_UComparisons.kt","common/src/generated/_URanges.kt","common/src/generated/_USequences.kt","common/src/kotlin/ExceptionsH.kt","common/src/kotlin/JsAnnotationsH.kt","common/src/kotlin/ioH.kt","builtin-sources/Collections.kt","builtin-sources/Iterators.kt","builtin-sources/ProgressionIterators.kt","builtin-sources/Progressions.kt","builtin-sources/Range.kt","builtin-sources/Unit.kt","builtin-sources/annotation/Annotations.kt","builtin-sources/internal/InternalAnnotations.kt","builtin-sources/internal/progressionUtil.kt","src/kotlin/builtins.kt","src/kotlin/jsTypeOf.kt","src/kotlin/kotlin.kt","src/kotlin/CharCode_js-v1.kt","src/kotlin/coroutines/CoroutineImpl.kt","src/kotlin/util/Result.kt","src/kotlin/coroutines/Continuation.kt","src/kotlin/coroutines/intrinsics/IntrinsicsJs.kt","src/kotlin/currentBeMisc.kt","src/kotlin/exceptions.kt","src/kotlin/jsOperators.kt","src/kotlin/math_js-v1.kt","src/kotlin/numbers_js-v1.kt","src/kotlin/reflection_js-v1.kt","src/kotlin/text/numberConversions_js-v1.kt","js/src/generated/_CharCategories.kt","js/src/generated/_CollectionsJs.kt","js/src/generated/_DigitChars.kt","js/src/generated/_LetterChars.kt","js/src/generated/_OtherLowercaseChars.kt","js/src/generated/_OtherUppercaseChars.kt","js/src/generated/_StringsJs.kt","js/src/generated/_TitlecaseMappings.kt","js/src/generated/_UArraysJs.kt","js/src/generated/_WhitespaceChars.kt","js/src/kotlin/Comparator.kt","js/src/kotlin/annotations.kt","js/src/kotlin/annotationsJVM.kt","js/src/kotlin/collections/AbstractMutableCollection.kt","js/src/kotlin/collections/AbstractMutableList.kt","js/src/kotlin/collections/AbstractMutableMap.kt","js/src/kotlin/collections/AbstractMutableSet.kt","js/src/kotlin/collections/ArrayList.kt","js/src/kotlin/collections/ArraySorting.kt","js/src/kotlin/collections/ArraysJs.kt","js/src/kotlin/collections/EqualityComparator.kt","js/src/kotlin/collections/HashMap.kt","js/src/kotlin/collections/HashSet.kt","js/src/kotlin/collections/InternalHashCodeMap.kt","js/src/kotlin/collections/InternalMap.kt","js/src/kotlin/collections/InternalStringMap.kt","js/src/kotlin/collections/LinkedHashMap.kt","js/src/kotlin/collections/LinkedHashSet.kt","js/src/kotlin/concurrent.kt","js/src/kotlin/console.kt","js/src/kotlin/coroutines/SafeContinuationJs.kt","js/src/kotlin/coroutines/cancellation/CancellationException.kt","js/src/kotlin/coroutines/js/internal/EmptyContinuation.kt","js/src/kotlin/date.kt","js/src/kotlin/dom/Builders.kt","js/src/kotlin/dom/Classes.kt","js/src/kotlin/dom/Dom.kt","js/src/kotlin/dom/EventListener.kt","js/src/kotlin/dom/ItemArrayLike.kt","js/src/kotlin/dom/Mutations.kt","js/src/kotlin/dynamic.kt","js/src/kotlin/exceptionUtils.kt","js/src/kotlin/grouping.kt","src/kotlin/collections/Grouping.kt","js/src/kotlin/internalAnnotations.kt","js/src/kotlin/json.kt","js/src/kotlin/math.kt","js/src/kotlin/numbers.kt","js/src/kotlin/promise.
```

kt", "js/src/kotlin/random/PlatformRandom.kt", "js/src/kotlin/reflect/AssociatedObjects.kt", "js/src/kotlin/reflect/JsClass.kt", "js/src/kotlin/reflect/KClassImpl.kt", "js/src/kotlin/reflect/KClassesImpl.kt", "js/src/kotlin/reflect/KTypeHelpers.kt", "js/src/kotlin/reflect/KTypeImpl.kt", "js/src/kotlin/reflect/KTypeParameterImpl.kt", "js/src/kotlin/reflect/primitives.kt", "js/src/kotlin/reflect/reflection.kt", "js/src/kotlin/regexp.kt", "js/src/kotlin/sequence.kt", "js/src/kotlin/text/CharCategoryJS.kt", "js/src/kotlin/text/CharacterCodingExceptionJs.kt", "js/src/kotlin/text/StringBuilderJs.kt", "js/src/kotlin/text/numberConversions.kt", "js/src/kotlin/text/regex.kt", "src/kotlin/text/StringBuilder.kt", "js/src/kotlin/text/stringsCode.kt", "js/src/kotlin/text/utf8Encoding.kt", "js/src/kotlin/throwableExtensions.kt", "js/src/kotlin/time/DurationJs.kt", "js/src/kotlin/time/DurationUnit.kt", "js/src/kotlin/time/MonoTimeSource.kt", "js/src/kotlinx/dom/Builders.kt", "js/src/kotlinx/dom/Classes.kt", "src/kotlin/text/regex/RegexExtensions.kt", "js/src/kotlinx/dom/Dom.kt", "js/src/kotlinx/dom/Mutations.kt", "js/src/org.w3c/deprecated.kt", "js/src/org.w3c/org.khronos.webgl.kt", "js/src/org.w3c/org.w3c.dom.clipboard.kt", "js/src/org.w3c/org.w3c.dom.css.kt", "js/src/org.w3c/org.w3c.dom.encryptedmedia.kt", "js/src/org.w3c/org.w3c.dom.events.kt", "js/src/org.w3c/org.w3c.dom.kt", "js/src/org.w3c/org.w3c.fetch.kt", "js/src/org.w3c/org.w3c.dom.mediacapture.kt", "js/src/org.w3c/org.w3c.dom.mediasource.kt", "js/src/org.w3c/org.w3c.dom.pointerevents.kt", "js/src/org.w3c/org.w3c.dom.svg.kt", "js/src/org.w3c/org.w3c.files.kt", "js/src/org.w3c/org.w3c.notifications.kt", "js/src/org.w3c/org.w3c.workers.kt", "js/src/org.w3c/org.w3c.xhr.kt", "src/kotlin/annotations/Experimental.kt", "src/kotlin/annotations/ExperimentalStdlibApi.kt", "src/kotlin/annotations/Inference.kt", "src/kotlin/annotations/Multiplatform.kt", "src/kotlin/annotations/OptIn.kt", "src/kotlin/collections/AbstractCollection.kt", "src/kotlin/collections/AbstractIterator.kt", "src/kotlin/collections/AbstractList.kt", "src/kotlin/collections/AbstractMap.kt", "src/kotlin/collections/AbstractSet.kt", "src/kotlin/collections/ArrayDeque.kt", "src/kotlin/collections/Arrays.kt", "src/kotlin/collections/BrittleContainsOptimization.kt", "src/kotlin/collections/IndexedValue.kt", "src/kotlin/collections/MapAccessors.kt", "src/kotlin/collections/MapWithDefault.kt", "src/kotlin/collections/MutableCollections.kt", "src/kotlin/collections/ReversedViews.kt", "src/kotlin/collections/SequenceBuilder.kt", "src/kotlin/collections/SlidingWindow.kt", "src/kotlin/collections/UArraySorting.kt", "src/kotlin/comparisons/compareTo.kt", "src/kotlin/contracts/ContractBuilder.kt", "src/kotlin/coroutines/ContinuationInterceptor.kt", "src/kotlin/coroutines/CoroutineContext.kt", "src/kotlin/coroutines/CoroutineContextImpl.kt", "src/kotlin/coroutines/intrinsics/Intrinsics.kt", "src/kotlin/experimental/bitwiseOperations.kt", "src/kotlin/experimental/inferenceMarker.kt", "src/kotlin/internal/Annotations.kt", "src/kotlin/properties/Delegates.kt", "src/kotlin/properties/Interfaces.kt", "src/kotlin/properties/ObservableProperty.kt", "src/kotlin/properties/PropertyReferenceDelegates.kt", "src/kotlin/random/Random.kt", "src/kotlin/random/URandom.kt", "src/kotlin/random/XorWowRandom.kt", "src/kotlin/ranges/Ranges.kt", "src/kotlin/reflect/KClasses.kt", "src/kotlin/reflect/KTypeProjection.kt", "src/kotlin/reflect/KVariance.kt", "src/kotlin/reflect/typeOf.kt", "src/kotlin/text/Appendable.kt", "src/kotlin/text/Indent.kt", "src/kotlin/text/Typography.kt", "src/kotlin/text/regex/MatchResult.kt", "src/kotlin/time/DurationUnit.kt", "src/kotlin/time/ExperimentalTime.kt", "src/kotlin/time/TimeSource.kt", "src/kotlin/time/TimeSources.kt", "src/kotlin/time/measureTime.kt", "src/kotlin/util/DeepRecursive.kt", "src/kotlin/util/FloorDivMod.kt", "src/kotlin/util/HashCode.kt", "src/kotlin/util/KotlinVersion.kt", "src/kotlin/util/Lateinit.kt", "src/kotlin/util/Lazy.kt", "src/kotlin/util/Numbers.kt", "src/kotlin/util/Suspend.kt", "src/kotlin/util/Tuples.kt", "unsigned/src/kotlin/UIntRange.kt", "unsigned/src/kotlin/UIterators.kt", "unsigned/src/kotlin/ULongRange.kt", "unsigned/src/kotlin/UMath.kt", "unsigned/src/kotlin/UNumbers.kt", "unsigned/src/kotlin/UPrgressionUtil.kt", "unsigned/src/kotlin/UStrings.kt", "unsigned/src/kotlin/annotations/Unsigned.kt", "common/src/kotlin/MathH.kt"], "sourcesContent": ["(function (root, factory) {\n if (typeof define === 'function' && define.amd) {\n define('kotlin', ['exports'], factory);\n }\n else if (typeof exports === 'object') {\n factory(module.exports);\n }\n else {\n root.kotlin = {};\n factory(root.kotlin);\n }\n})(this, function (Kotlin) {\n var \_ = Kotlin;\n\n insertContent();\n});\n", "/\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n\n \*\n\n Kotlin.isArray = function (a) {\n return (Array.isArray(a) || a instanceof Int8Array) && a.\$type\$ === 'BooleanArray'\n};\n\n Kotlin.isByteArray = function (a) {\n return a instanceof Int8Array && a.\$type\$ !== 'BooleanArray'\n};\n\n Kotlin.isShortArray = function (a) {\n return a instanceof Int16Array\n};\n\n Kotlin.isCharArray = function (a) {\n return a instanceof Uint16Array\n

```

&& a.$type$ === \'CharArray\');\n\nKotlin.isIntArray = function (a) {\n  return a instanceof
IntArray\n};\n\nKotlin.isFloatArray = function (a) {\n  return a instanceof
Float32Array\n};\n\nKotlin.isDoubleArray = function (a) {\n  return a instanceof
Float64Array\n};\n\nKotlin.isLongArray = function (a) {\n  return Array.isArray(a) && a.$type$ ===
\'LongArray\');\n\nKotlin.isArray = function (a) {\n  return Array.isArray(a) &&
!a.$type$;\n};\n\nKotlin.isArrayish = function (a) {\n  return Array.isArray(a) ||
ArrayBuffer.isView(a)\n};\n\nKotlin.arrayToString = function (a) {\n  if (a === null) return \'null\'\n  var
toString = Kotlin.isCharArray(a) ? String.fromCharCode : Kotlin.toString;\n  return \'[" +
Array.prototype.map.call(a, function(e) { return toString(e); }).join(\', \') + \"]\';\n};\n\nKotlin.arrayDeepToString
= function (arr) {\n  return Kotlin.kotlin.collections.contentDeepToStringImpl(arr);\n};\n\nKotlin.arrayEquals =
function (a, b) {\n
  if (a === b) {\n    return true;\n  }\n  if (a === null || b === null || !Kotlin.isArrayish(b) || a.length !==
b.length) {\n    return false;\n  }\n  for (var i = 0, n = a.length; i < n; i++) {\n    if (!Kotlin.equals(a[i], b[i]))
{\n      return false;\n    }\n  }\n  return true;\n};\n\nKotlin.arrayDeepEquals = function (a, b) {\n  return
Kotlin.kotlin.collections.contentDeepEqualsImpl(a, b);\n};\n\nKotlin.arrayHashCode = function (arr) {\n  if (arr
=== null) return 0\n  var result = 1;\n  for (var i = 0, n = arr.length; i < n; i++) {\n    result = ((31 * result | 0) +
Kotlin.hashCode(arr[i])) | 0;\n  }\n  return result;\n};\n\nKotlin.arrayDeepHashCode = function (arr) {\n  return
Kotlin.kotlin.collections.contentDeepHashCodeImpl(arr);\n};\n\nKotlin.primitiveArraySort = function (array) {\n
array.sort(Kotlin.doubleCompareTo)\n};\n";\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors. \n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\nKotlin.getCallableRef = function(name, f) {\n  f.callableName = name;\n  return
f;\n};\n\nKotlin.getPropertyCallableRef = function(name, paramCount, getter, setter) {\n  getter.get = getter;\n
getter.set = setter;\n  getter.callableName = name;\n  return getPropertyRefClass(getter, setter,
propertyRefClassMetadataCache[paramCount]);\n};\n\nfunction getPropertyRefClass(obj, setter, cache) {\n
obj.$metadata$ = getPropertyRefMetadata(typeof setter === \'function\' ? cache.mutable : cache.immutable);\n
obj.constructor = obj;\n  return obj;\n}\n\nvar propertyRefClassMetadataCache = [\n  {\n    mutable: { value:
null, implementedInterface: function () {\n      return Kotlin.kotlin.reflect.KMutableProperty0 }\n    },\n
immutable: { value: null, implementedInterface: function () {\n      return Kotlin.kotlin.reflect.KProperty0
}\n    }\n  },\n  {\n    mutable: { value: null, implementedInterface: function () {\n      return
Kotlin.kotlin.reflect.KMutableProperty1 }\n    },\n    immutable: { value: null, implementedInterface: function
() {\n      return Kotlin.kotlin.reflect.KProperty1 }\n    }\n  }\n];\n\nfunction getPropertyRefMetadata(cache)
{\n  if (cache.value === null) {\n    cache.value = {\n      interfaces: [cache.implementedInterface()],\n
baseClass: null,\n      functions: {},\n      properties: {},\n      types: {},\n      staticMembers: {}\n
};\n  }\n  return cache.value;\n}\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors. \n
* Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\nKotlin.toShort = function (a) {\n  return (a & 0xFFFF) << 16 >>
16;\n};\n\nKotlin.toByte = function (a) {\n
  return (a & 0xFF) << 24 >> 24;\n};\n\nKotlin.toChar = function (a) {\n  return a &
0xFFFF;\n};\n\nKotlin.numberToLong = function (a) {\n  return a instanceof Kotlin.Long ? a :
Kotlin.Long.fromNumber(a);\n};\n\nKotlin.numberToInt = function (a) {\n  return a instanceof Kotlin.Long ?
a.toInt() : Kotlin.doubleToInt(a);\n};\n\nKotlin.numberToShort = function (a) {\n  return
Kotlin.toShort(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToByte = function (a) {\n  return
Kotlin.toByte(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToDouble = function (a) {\n  return
+a;\n};\n\nKotlin.numberToChar = function (a) {\n  return
Kotlin.toChar(Kotlin.numberToInt(a));\n};\n\nKotlin.doubleToInt = function(a) {\n  if (a > 2147483647) return
2147483647;\n  if (a < -2147483648) return -2147483648;\n  return a | 0;\n};\n\nKotlin.toBoxedChar = function
(a) {\n  if (a == null) return a;\n  if (a instanceof Kotlin.BoxedChar) return a;\n  return new

```

Kotlin.BoxedChar(a);\n};\n\nKotlin.unboxChar

```
= function(a) {\n  if (a == null) return a;\n  return Kotlin.toChar(a);\n};\n", /*\n * Copyright 2010-2018 JetBrains  
s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0  
license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.equals = function (obj1, obj2) {\n  if (obj1  
== null) {\n    return obj2 == null;\n  }\n  if (obj2 == null) {\n    return false;\n  }\n  if (obj1 !== obj2)  
{\n    return obj2 !== obj2;\n  }\n  if (typeof obj1 === "object" && typeof obj1.equals === "function") {\n    return obj1.equals(obj2);\n  }\n  if (typeof obj1 === "number" && typeof obj2 === "number") {\n    return obj1 === obj2 && (obj1 !== 0 || 1 / obj1 === 1 / obj2)\n  }\n  return obj1 ===  
obj2;\n};\n\nKotlin.hashCode = function (obj) {\n  if (obj == null) {\n    return 0;\n  }\n  var objType = typeof  
obj;\n  if ("object" === objType) {\n    return "function" === typeof obj.hashCode ? obj.hashCode() : getObjectHashCode(obj);\n  }\n  if  
("function" === objType) {\n    return getObjectHashCode(obj);\n  }\n  if ("number" === objType) {\n    return Kotlin.numberHashCode(obj);\n  }\n  if ("boolean" === objType) {\n    return Number(obj)\n  }\n  var str = String(obj);\n  return getStringHashCode(str);\n};\n\nKotlin.toString = function (o) {\n  if (o == null)  
{\n    return "null";\n  }\n  else if (Kotlin.isArrayish(o)) {\n    return "[...]";\n  }\n  else {\n    return  
o.toString();\n  }\n};\n\n/** @const *\n * @nvar POW_2_32 = 4294967296;\n * // TODO: consider switching to Symbol  
type once we are on ES6.\n */\n * @const *\n * @nvar OBJECT_HASH_CODE_PROPERTY_NAME =  
"kotlinHashCodeValue";\n * \n * function getObjectHashCode(obj) {\n  if  
(! (OBJECT_HASH_CODE_PROPERTY_NAME in obj)) {\n    var hash = (Math.random() * POW_2_32) | 0; //  
Make 32-bit signed integer.\n    Object.defineProperty(obj,  
    OBJECT_HASH_CODE_PROPERTY_NAME, { value: hash, enumerable: false });\n  }\n  return  
obj[OBJECT_HASH_CODE_PROPERTY_NAME];\n * \n * function getStringHashCode(str) {\n  var hash = 0;\n  for (var i = 0; i < str.length; i++) {\n    var code = str.charCodeAt(i);\n    hash = (hash * 31 + code) | 0; // Keep  
it 32-bit.\n  }\n  return hash;\n * \n * Kotlin.identityHashCode = getObjectHashCode;\n * \n * Copyright 2010-  
2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by  
the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n * // Copyright 2009 The Closure  
Library Authors. All Rights Reserved.\n * \n * Licensed under the Apache License, Version 2.0 (the "License");\n * \n * you may not use this file except in compliance with the License.\n * \n * You may obtain a copy of the License at\n * \n * \n * http://www.apache.org/licenses/LICENSE-2.0\n * \n * Unless required by applicable law  
or agreed to in writing, software\n * \n * distributed under the License is distributed on an "AS-IS" BASIS,\n * \n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * \n * \n * Constructs a  
64-bit two's-complement integer, given its low and high 32-bit\n * values as *signed* integers. See the from*  
functions below for more\n * convenient ways of constructing Longs.\n * \n * The internal representation of a long is  
the two given signed, 32-bit values.\n * We use 32-bit pieces because these are the size of integers on which\n * Javascript performs bit-operations. For operations like addition and\n * multiplication, we split each number into  
16-bit pieces, which can easily be\n * multiplied within Javascript's floating-point representation without overflow\n * or change in sign.\n * \n * In the algorithms below, we frequently reduce the negative case to the\n * positive case  
by negating the input(s) and then post-processing the result.\n * Note that we must ALWAYS check  
specially whether those values are MIN_VALUE\n * (-2^63) because -MIN_VALUE == MIN_VALUE (since  
2^63 cannot be represented as\n * a positive number, it overflows back into a negative). Not handling this\n * case  
would often result in infinite recursion.\n * \n * @param {number} low The low (signed) 32 bits of the long.\n * \n * @param {number} high The high (signed) 32 bits of the long.\n * \n * @constructor\n * \n * @final\n * \n * Kotlin.Long =  
function(low, high) {\n  /**\n   * @type {number}\n   * @private\n   * \n   * this.low_ = low | 0; // force into 32  
signed bits.\n   * \n   * \n   * @type {number}\n   * @private\n   * \n   * this.high_ = high | 0; // force into 32 signed  
bits.\n   * \n   * \n   * Kotlin.Long.$metadata$ = {\n  kind: "class",\n  simpleName: "Long",\n  interfaces: []\n};\n * \n * \n * NOTE: Common constant values ZERO, ONE, NEG_ONE, etc. are defined below the\n * \n * from* methods on which  
they depend.\n * \n * \n * \n * A cache of the Long representations of small integer values.\n * \n * @type {!Object}\n * \n * @private\n
```

```

*^/nKotlin.Long.IntCache_ = {};^/n/n/**^/n * Returns a Long representing the given (32-bit) integer value.^/n *
@param {number} value The 32-bit integer in question.^/n * @return {!Kotlin.Long} The corresponding Long
value.^/n *^/nKotlin.Long.fromInt = function(value) {^/n if (-128 <= value && value < 128) {^/n var cachedObj =
Kotlin.Long.IntCache_[value];^/n if (cachedObj) {^/n return cachedObj;^/n }^/n }^/n var obj = new
Kotlin.Long(value | 0, value < 0 ? -1 : 0);^/n if (-128 <= value && value < 128) {^/n Kotlin.Long.IntCache_[value]
= obj;^/n }^/n return obj;^/n};^/n/n/n/**^/n * Converts this number value to `Long`.^/n * The fractional part, if any, is
rounded down towards zero.^/n * Returns zero if this `Double` value is `NaN`, `Long.MIN_VALUE` if it's less than
`Long.MIN_VALUE`,^/n * `Long.MAX_VALUE` if it's bigger than `Long.MAX_VALUE`.^/n * @param {number}
value The number in question.^/n * @return {!Kotlin.Long} The corresponding Long value.^/n
*^/nKotlin.Long.fromNumber
= function(value) {^/n if (isNaN(value)) {^/n return Kotlin.Long.ZERO;^/n } else if (value <= -
Kotlin.Long.TWO_PWR_63_DBL_) {^/n return Kotlin.Long.MIN_VALUE;^/n } else if (value + 1 >=
Kotlin.Long.TWO_PWR_63_DBL_) {^/n return Kotlin.Long.MAX_VALUE;^/n } else if (value < 0) {^/n return
Kotlin.Long.fromNumber(-value).negate();^/n } else {^/n return new Kotlin.Long(^/n (value %
Kotlin.Long.TWO_PWR_32_DBL_) | 0, (value / Kotlin.Long.TWO_PWR_32_DBL_) | 0);^/n
}^/n};^/n/n/n/**^/n * Returns a Long representing the 64-bit integer that comes by concatenating^/n * the given high and
low bits. Each is assumed to use 32 bits.^/n * @param {number} lowBits The low 32-bits.^/n * @param {number}
highBits The high 32-bits.^/n * @return {!Kotlin.Long} The corresponding Long value.^/n^/nKotlin.Long.fromBits
= function(lowBits, highBits) {^/n return new Kotlin.Long(lowBits, highBits);^/n};^/n/n/n/**^/n * Returns a Long
representation of the given string, written using the given^/n *
radix.^/n * @param {string} str The textual representation of the Long.^/n * @param {number=} opt_radix The radix
in which the text is written.^/n * @return {!Kotlin.Long} The corresponding Long value.^/n
*^/nKotlin.Long.fromString = function(str, opt_radix) {^/n if (str.length == 0) {^/n throw Error('number format
error: empty string');^/n }^/n var radix = opt_radix || 10;^/n if (radix < 2 || 36 < radix) {^/n throw Error('radix out of
range: ' + radix);^/n }^/n if (str.charAt(0) == '-') {^/n return Kotlin.Long.fromString(str.substring(1),
radix).negate();^/n } else if (str.indexOf('-') >= 0) {^/n throw Error('number format error: interior "-" character: ' +
str);^/n }^/n // Do several (8) digits each time through the loop, so as to^/n // minimize the calls to the very
expensive emulated div.^/n var radixToPower = Kotlin.Long.fromNumber(Math.pow(radix, 8));^/n var result =
Kotlin.Long.ZERO;^/n for (var i = 0; i < str.length; i += 8) {^/n var size = Math.min(8, str.length
- i);^/n var value = parseInt(str.substring(i, i + size), radix);^/n if (size < 8) {^/n var power =
Kotlin.Long.fromNumber(Math.pow(radix, size));^/n result =
result.multiply(power).add(Kotlin.Long.fromNumber(value));^/n } else {^/n result =
result.multiply(radixToPower);^/n result = result.add(Kotlin.Long.fromNumber(value));^/n }^/n }^/n return
result;^/n};^/n/n/n// NOTE: the compiler should inline these constant values below and then remove^/n// these
variables, so there should be no runtime penalty for these.^/n/n/n/**^/n * Number used repeated below in calculations.
This must appear before the^/n * first call to any from* function below.^/n * @type {number}^/n * @private^/n
*^/nKotlin.Long.TWO_PWR_16_DBL_ = 1 << 16;^/n/n/n/**^/n * @type {number}^/n * @private^/n
*^/nKotlin.Long.TWO_PWR_24_DBL_ = 1 << 24;^/n/n/n/**^/n * @type {number}^/n * @private^/n
*^/nKotlin.Long.TWO_PWR_32_DBL_ =^/n Kotlin.Long.TWO_PWR_16_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_;^/n/n/n/**^/n * @type {number}^/n
* @private^/n *^/nKotlin.Long.TWO_PWR_31_DBL_ =^/n Kotlin.Long.TWO_PWR_32_DBL_ / 2;^/n/n/n/**^/n *
@type {number}^/n * @private^/n *^/nKotlin.Long.TWO_PWR_48_DBL_ =^/n Kotlin.Long.TWO_PWR_32_DBL_
* Kotlin.Long.TWO_PWR_16_DBL_;^/n/n/n/**^/n * @type {number}^/n * @private^/n
*^/nKotlin.Long.TWO_PWR_64_DBL_ =^/n Kotlin.Long.TWO_PWR_32_DBL_ *
Kotlin.Long.TWO_PWR_32_DBL_;^/n/n/n/**^/n * @type {number}^/n * @private^/n
*^/nKotlin.Long.TWO_PWR_63_DBL_ =^/n Kotlin.Long.TWO_PWR_64_DBL_ / 2;^/n/n/n/** @type
{!Kotlin.Long} *^/nKotlin.Long.ZERO = Kotlin.Long.fromInt(0);^/n/n/n/** @type {!Kotlin.Long}
*^/nKotlin.Long.ONE = Kotlin.Long.fromInt(1);^/n/n/n/** @type {!Kotlin.Long} *^/nKotlin.Long.NEG_ONE =

```



```

Kotlin.Long.fromInt(-1);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.MAX_VALUE =\nKotlin.Long.fromBits(0xFFFFFFFF | 0, 0x7FFFFFFF | 0);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.MIN_VALUE = Kotlin.Long.fromBits(0, 0x80000000 | 0);\n\n\n/**\n * @type {!Kotlin.Long}\n * @private\n */\nKotlin.Long.TWO_PWR_24_ = Kotlin.Long.fromInt(1 << 24);\n\n\n/** @return {number} The value, assuming it is a 32-bit integer.\n */\nKotlin.Long.prototype.toInt = function() {\n  return this.low_;\n};\n\n\n/** @return {number} The closest floating-point representation to this value.\n */\nKotlin.Long.prototype.toNumber = function() {\n  return this.high_ * Kotlin.Long.TWO_PWR_32_DBL_ +\n    this.getLowBitsUnsigned();\n};\n\n\n/** @return {number} The 32-bit hashCode of this value.\n */\nKotlin.Long.prototype.hashCode = function() {\n  return this.high_ ^ this.low_;\n};\n\n\n/**\n * @param {number=} opt_radix The radix in which the text should be written.\n * @return {string} The textual representation of this value.\n * @override\n */\nKotlin.Long.prototype.toString = function(opt_radix) {\n  var radix = opt_radix || 10;\n  if (radix < 2 || 36 < radix) {\n    throw Error('radix out of range: ' + radix);\n  }\n  if (this.isZero()) {\n    return '0';\n  }\n  if (this.isNegative()) {\n    if (this.equalsLong(Kotlin.Long.MIN_VALUE))\n      {\n        // We need to change the Long value before it can be negated, so we remove\n        // the bottom-most digit in this base and then recurse to do the rest.\n        var radixLong = Kotlin.Long.fromNumber(radix);\n        var div = this.div(radixLong);\n        var rem = div.multiply(radixLong).subtract(this);\n        return div.toString(radix) + rem.toInt().toString(radix);\n      } else {\n        return '-' + this.negate().toString(radix);\n      }\n  }\n  // Do several (6) digits each time through the loop, so as to\n  // minimize the calls to the very expensive emulated div.\n  var radixToPower = Kotlin.Long.fromNumber(Math.pow(radix, 6));\n  var rem = this;\n  var result = '';\n  while (true) {\n    var remDiv = rem.div(radixToPower);\n    var intval = rem.subtract(remDiv.multiply(radixToPower)).toInt();\n    var digits = intval.toString(radix);\n    rem = remDiv;\n    if (rem.isZero()) {\n      return digits + result;\n    } else {\n      while (digits.length < 6) {\n        digits = '0' + digits;\n      }\n      result = ' ' + digits + result;\n    }\n  }\n};\n\n\n/** @return {number} The high 32-bits as a signed value.\n */\nKotlin.Long.prototype.getHighBits = function() {\n  return this.high_;\n};\n\n\n/** @return {number} The low 32-bits as a signed value.\n */\nKotlin.Long.prototype.getLowBits = function() {\n  return this.low_;\n};\n\n\n/** @return {number} The low 32-bits as an unsigned value.\n */\nKotlin.Long.prototype.getLowBitsUnsigned = function() {\n  return (this.low_ >= 0) ?\n    this.low_ : Kotlin.Long.TWO_PWR_32_DBL_ + this.low_;\n};\n\n\n/** @return {number} Returns the number of bits needed to represent the absolute\n * value of this Long.\n */\nKotlin.Long.prototype.getNumBitsAbs = function() {\n  if (this.isNegative()) {\n    if (this.equalsLong(Kotlin.Long.MIN_VALUE))\n      {\n        return 64;\n      } else {\n        return this.negate().getNumBitsAbs();\n      }\n    } else {\n    var val = this.high_ != 0 ? this.high_ : this.low_;\n    for (var bit = 31; bit > 0; bit--) {\n      if ((val & (1 << bit)) != 0) {\n        break;\n      }\n    }\n    return this.high_ != 0 ? bit + 33 : bit + 1;\n  }\n};\n\n\n/** @return {boolean} Whether this value is zero.\n */\nKotlin.Long.prototype.isZero = function() {\n  return this.high_ == 0 && this.low_ == 0;\n};\n\n\n/** @return {boolean} Whether this value is negative.\n */\nKotlin.Long.prototype.isNegative = function() {\n  return this.high_ < 0;\n};\n\n\n/** @return {boolean} Whether this value is odd.\n */\nKotlin.Long.prototype.isOdd = function() {\n  return (this.low_ & 1) == 1;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long equals the other.\n */\nKotlin.Long.prototype.equalsLong = function(other) {\n  return (this.high_ == other.high_) && (this.low_ == other.low_);\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long equals the other.\n */\nKotlin.Long.prototype.equalsLong = function(other) {\n  return (this.high_ == other.high_) && (this.low_ == other.low_);\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long does not equal the other.\n */\nKotlin.Long.prototype.notEqualsLong = function(other) {\n  return (this.high_ != other.high_) || (this.low_ != other.low_);\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is less than the other.\n */\nKotlin.Long.prototype.lessThan = function(other) {\n  return this.compare(other) < 0;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is less than or equal to the other.\n */\nKotlin.Long.prototype.lessThanOrEqual = function(other) {\n  return this.compare(other) <= 0;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to

```

```

compare against.\n * @return {boolean} Whether this Long is greater than the other.\n
*\nKotlin.Long.prototype.greaterThan = function(other) {\n return this.compare(other) > 0;\n};\n\n/>\n *
@param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is greater than or
equal to the other.\n *\nKotlin.Long.prototype.greaterThanOrEqual
= function(other) {\n return this.compare(other) >= 0;\n};\n\n/>\n * Compares this Long with the given one.\n *
@param {Kotlin.Long} other Long to compare against.\n * @return {number} 0 if they are the same, 1 if the this is
greater, and -1\n * if the given one is greater.\n *\nKotlin.Long.prototype.compare = function(other) {\n if
(this.equalsLong(other)) {\n return 0;\n }\n\n var thisNeg = this.isNegative();\n var otherNeg =
other.isNegative();\n if (thisNeg && !otherNeg) {\n return -1;\n }\n if (!thisNeg && otherNeg) {\n return 1;\n
}\n\n // at this point, the signs are the same, so subtraction will not overflow\n if (this.subtract(other).isNegative())
{\n return -1;\n } else {\n return 1;\n }\n};\n\n/>\n * @return {!Kotlin.Long} The negation of this value.
*\nKotlin.Long.prototype.negate = function() {\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return
Kotlin.Long.MIN_VALUE;\n } else {\n return this.not().add(Kotlin.Long.ONE);\n
}\n};\n\n/>\n * Returns the sum of this and the given Long.\n * @param {Kotlin.Long} other Long to add to
this one.\n * @return {!Kotlin.Long} The sum of this and the given Long.\n *\nKotlin.Long.prototype.add =
function(other) {\n // Divide each number into 4 chunks of 16 bits, and then sum the chunks.\n\n var a48 =
this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 = this.low_ >>> 16;\n var a00 = this.low_ &
0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ & 0xFFFF;\n var b16 = other.low_ >>> 16;\n
var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n c00 += a00 + b00;\n c16 += c00
>>> 16;\n c00 &= 0xFFFF;\n c16 += a16 + b16;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c32 += a32 + b32;\n
c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 + b48;\n c48 &= 0xFFFF;\n return
Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n/>\n * Returns the difference of this and the
given Long.\n * @param {Kotlin.Long} other Long to subtract from this.\n * @return {!Kotlin.Long} The
difference of this and the given Long.\n *\nKotlin.Long.prototype.subtract = function(other) {\n return
this.add(other.negate());\n};\n\n/>\n * Returns the product of this and the given long.\n * @param {Kotlin.Long}
other Long to multiply with this.\n * @return {!Kotlin.Long} The product of this and the other.\n
*\nKotlin.Long.prototype.multiply = function(other) {\n if (this.isZero()) {\n return Kotlin.Long.ZERO;\n } else
if (other.isZero()) {\n return Kotlin.Long.ZERO;\n }\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n
return other.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n } else if
(other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return this.isOdd() ? Kotlin.Long.MIN_VALUE :
Kotlin.Long.ZERO;\n }\n\n if (this.isNegative()) {\n if (other.isNegative()) {\n return
this.negate().multiply(other.negate());\n } else {\n return this.negate().multiply(other).negate();\n
}\n } else if (other.isNegative()) {\n return this.multiply(other.negate()).negate();\n }\n\n // If both longs are
small, use float multiplication\n if (this.lessThan(Kotlin.Long.TWO_PWR_24_) &&\n
other.lessThan(Kotlin.Long.TWO_PWR_24_)) {\n return Kotlin.Long.fromNumber(this.toNumber() *
other.toNumber());\n }\n\n // Divide each long into 4 chunks of 16 bits, and then add up 4x4 products.\n // We can
skip products that would overflow.\n\n var a48 = this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 =
this.low_ >>> 16;\n var a00 = this.low_ & 0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ &
0xFFFF;\n var b16 = other.low_ >>> 16;\n var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00
= 0;\n c00 += a00 * b00;\n c16 += c00 >>> 16;\n c00 &= 0xFFFF;\n c16 += a16 * b00;\n c32 += c16 >>> 16;\n
c16 &= 0xFFFF;\n c16 += a00 * b16;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c32 +=
a32 * b00;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c32 += a16 * b16;\n c48 += c32 >>> 16;\n c32 &=
0xFFFF;\n c32 += a00 * b32;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 * b00 + a32 * b16 + a16 *
b32 + a00 * b48;\n c48 &= 0xFFFF;\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) |
c32);\n};\n\n/>\n * Returns this Long divided by the given one.\n * @param {Kotlin.Long} other Long by which
to divide.\n * @return {!Kotlin.Long} This Long divided by the given one.\n *\nKotlin.Long.prototype.div =
function(other) {\n if (other.isZero()) {\n throw Error('division by zero');\n } else if (this.isZero()) {\n return
Kotlin.Long.ZERO;\n }\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n if

```

```

(other.equalsLong(Kotlin.Long.ONE) || other.equalsLong(Kotlin.Long.NEG_ONE)) {\n    return
Kotlin.Long.MIN_VALUE; // recall that -MIN_VALUE == MIN_VALUE\n    } else if
(other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    return Kotlin.Long.ONE;\n
    } else {\n    // At this point, we have |other| >= 2, so |this/other| < |MIN_VALUE|.\n    var halfThis =
this.shiftRight(1);\n    var approx = halfThis.div(other).shiftLeft(1);\n    if
(approx.equalsLong(Kotlin.Long.ZERO)) {\n    return other.isNegative() ? Kotlin.Long.ONE :
Kotlin.Long.NEG_ONE;\n    } else {\n    var rem = this.subtract(other.multiply(approx));\n    var result =
approx.add(rem.div(other));\n    return result;\n    }\n    } else if
(other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    return Kotlin.Long.ZERO;\n    }\n    if (this.isNegative()) {\n
if (other.isNegative()) {\n    return this.negate().div(other.negate());\n    } else {\n    return
this.negate().div(other.negate());\n    }\n    } else if (other.isNegative()) {\n    return
this.div(other.negate()).negate();\n    }\n    // Repeat the following until the remainder is less than other: find a\n //
floating-point that approximates remainder / other *from below*, add this\n // into
the result, and subtract it from the remainder. It is critical that\n // the approximate value is less than or equal to the
real value so that the\n // remainder never becomes negative.\n    var res = Kotlin.Long.ZERO;\n    var rem = this;\n
while (rem.greaterThanOrEqual(other)) {\n    // Approximate the result of division. This may be a little greater or\n
// smaller than the actual value.\n    var approx = Math.max(1, Math.floor(rem.toNumber() / other.toNumber()));\n
// We will tweak the approximate result by changing it in the 48-th digit or\n // the smallest non-fractional digit,
whichever is larger.\n    var log2 = Math.ceil(Math.log(approx) / Math.LN2);\n    var delta = (log2 <= 48) ? 1 :
Math.pow(2, log2 - 48);\n    // Decrease the approximation until it is smaller than the remainder. Note\n // that if
it is too large, the product overflows and is negative.\n    var approxRes = Kotlin.Long.fromNumber(approx);\n
var approxRem = approxRes.multiply(other);\n
    while (approxRem.isNegative() || approxRem.greaterThan(rem)) {\n    approx -= delta;\n    approxRes =
Kotlin.Long.fromNumber(approx);\n    approxRem = approxRes.multiply(other);\n    }\n    // We know the
answer can't be zero... and actually, zero would cause\n // infinite recursion since we would make no progress.\n
if (approxRes.isZero()) {\n    approxRes = Kotlin.Long.ONE;\n    }\n    res = res.add(approxRes);\n    rem =
rem.subtract(approxRem);\n    }\n    return res;\n    };\n\n\n**\n * Returns this Long modulo the given one.\n * @param
{Kotlin.Long} other Long by which to mod.\n * @return {!Kotlin.Long} This Long modulo the given one.\n
*\nKotlin.Long.prototype.modulo = function(other) {\n    return
this.subtract(this.div(other).multiply(other));\n    };\n\n\n** @return {!Kotlin.Long} The bitwise-NOT of this value.
*\nKotlin.Long.prototype.not = function() {\n    return Kotlin.Long.fromBits(~this.low_, ~this.high_);\n    };\n\n\n**\n * Returns the bitwise-AND of this Long and
the given one.\n * @param {Kotlin.Long} other The Long with which to AND.\n * @return {!Kotlin.Long} The
bitwise-AND of this and the other.\n\nKotlin.Long.prototype.and = function(other) {\n    return
Kotlin.Long.fromBits(this.low_ & other.low_,\n                    this.high_ & other.high_);\n    };\n\n\n**\n * Returns the bitwise-OR of this Long and the given one.\n * @param {Kotlin.Long} other The Long with which to
OR.\n * @return {!Kotlin.Long} The bitwise-OR of this and the other.\n\nKotlin.Long.prototype.or =
function(other) {\n    return Kotlin.Long.fromBits(this.low_ | other.low_,\n                    this.high_ |
other.high_);\n    };\n\n\n**\n * Returns the bitwise-XOR of this Long and the given one.\n * @param {Kotlin.Long}
other The Long with which to XOR.\n * @return {!Kotlin.Long} The bitwise-XOR of this and the other.\n
*\nKotlin.Long.prototype.xor = function(other) {\n    return Kotlin.Long.fromBits(this.low_ ^ other.low_,\n
                    this.high_ ^ other.high_);\n    };\n\n\n**\n * Returns this Long with bits shifted to the left by the given
amount.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This
shifted to the left by the given amount.\n\nKotlin.Long.prototype.shiftLeft = function(numBits) {\n    numBits &=
63;\n    if (numBits == 0) {\n    return this;\n    } else {\n    var low = this.low_;\n    if (numBits < 32) {\n    var high =
this.high_;\n    return Kotlin.Long.fromBits((low << numBits, (high << numBits) | (low >>> (32 -
numBits)));\n    } else {\n    return Kotlin.Long.fromBits(0, low << (numBits - 32));\n    }\n    }\n    };\n\n\n**\n *

```

```

Returns this Long with bits shifted to the right by the given amount.
 * @param {number} numBits The number of bits by which to shift.
 * @return {!Kotlin.Long} This shifted to the right by the given amount.
*/
Kotlin.Long.prototype.shiftRight = function(numBits) {
    numBits &= 63;
    if (numBits == 0) {
        return this;
    } else {
        var high = this.high_;
        if (numBits < 32) {
            var low = this.low_;
            return Kotlin.Long.fromBits(
                (low >>> numBits) | (high << (32 - numBits)),
                high >> numBits);
        } else {
            return Kotlin.Long.fromBits(
                high >> (numBits - 32),
                high >= 0 ? 0 : -1);
        }
    }
};

Returns this Long with bits shifted to the right by the given amount, with
 * zeros placed into the new leading bits.
 * @param {number} numBits The number of bits by which to shift.
 * @return {!Kotlin.Long} This shifted to the right by the given amount, with
 * zeros placed into the new leading bits.
*/
Kotlin.Long.prototype.shiftRightUnsigned = function(numBits) {
    numBits &= 63;
    if (numBits == 0) {
        return this;
    } else {
        var high = this.high_;
        if (numBits < 32) {
            var low = this.low_;
            return Kotlin.Long.fromBits(
                (low >>> numBits) | (high <<
                    (32 - numBits)),
                high >>> numBits);
        } else if (numBits == 32) {
            return Kotlin.Long.fromBits(high, 0);
        } else {
            return Kotlin.Long.fromBits(high >>> (numBits - 32), 0);
        }
    }
};

// Support for Kotlin
Kotlin.Long.prototype.equals = function (other) {
    return other instanceof Kotlin.Long &&
        this.equalsLong(other);
};

Kotlin.Long.prototype.compareTo_11rb$ =
    Kotlin.Long.prototype.compareTo;

Kotlin.Long.prototype.inc = function() {
    return this.add(Kotlin.Long.ONE);
};

Kotlin.Long.prototype.dec = function() {
    return this.add(Kotlin.Long.NEG_ONE);
};

Kotlin.Long.prototype.valueOf = function() {
    return this.toNumber();
};

Kotlin.Long.prototype.unaryPlus = function() {
    return this;
};

Kotlin.Long.prototype.unaryMinus = Kotlin.Long.prototype.negate;
Kotlin.Long.prototype.inv = Kotlin.Long.prototype.not;
Kotlin.Long.prototype.rangeTo = function (other) {
    return new Kotlin.kotlin.ranges.LongRange(this,
        other);
};

/*
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
Kotlin.defineModule = function (id, declaration) {
};

Kotlin.defineInlineFunction = function(tag, fun) {
    return fun;
};

Kotlin.wrapFunction = function(fun) {
    var f = function() {
        f = fun();
        return f.apply(this, arguments);
    };
    return function() {
        return f.apply(this, arguments);
    };
};

Kotlin.isTypeOf = function(type) {
    return function (object) {
        return typeof object === type;
    };
};

Kotlin.isInstanceOf = function (klass) {
    return function (object) {
        return Kotlin.isType(object, klass);
    };
};

Kotlin.orNull = function (fn) {
    return function (object) {
        return object == null || fn(object);
    };
};

Kotlin.andPredicate = function (a, b) {
    return function (object) {
        return a(object) && b(object);
    };
};

Kotlin.kotlinModuleMetadata = function (abiVersion, moduleName, data) {
};

Kotlin.suspendCall = function(value) {
    return value;
};

Kotlin.coroutineResult = function(qualifier) {
    throw new MarkerError();
};

Kotlin.coroutineController = function(qualifier) {
    throw new MarkerError();
};

Kotlin.coroutineReceiver = function(qualifier) {
    throw new MarkerError();
};

Kotlin.setCoroutineResult = function(value, qualifier) {
    throw new MarkerError();
};

Kotlin.getReifiedTypeParameterKType = function(typeParameter) {
    throw new MarkerError();
};

function throwMarkerError() {
    throw new Error(
        "\"This marker function should never be called. \" +
        "\"Looks like compiler did not eliminate it properly. \" +
        "\"Please, report an issue if you caught this exception.\"");
};

Kotlin.getFunctionById = function(id, defaultValue) {
    return function() {
        return defaultValue;
    };
};

/*
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
Kotlin.compareTo = function (a, b) {
    var typeA = typeof a;
    if (typeA === "number") {
        if (typeof b === "number") {
            return Kotlin.doubleCompareTo(a, b);
        }
        return Kotlin.primitiveCompareTo(a, b);
    }
    if (typeA === "string" || typeA === "boolean") {
        return Kotlin.primitiveCompareTo(a, b);
    }
    return

```

```

a.compareTo_11rb$(b);};\n\nKotlin.primitiveCompareTo = function (a, b) {\n  return a < b ? -1 : a > b ? 1 :
0;};\n\nKotlin.doubleCompareTo = function (a, b) {\n  if (a < b) return -1;\n  if (a > b) return 1;\n  if (a ===
b) {\n    if (a !== 0) return 0;\n    var ia = 1 / a;\n    return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n  };\n\n  return a !== a ? (b !== b ? 0 : 1) : -1;\n};\n\nKotlin.charInc =
function (value) {\n  return Kotlin.toChar(value+1);};\n\nKotlin.charDec = function (value) {\n  return
Kotlin.toChar(value-1);};\n\nKotlin.imul = Math.imul || imul;\n\nKotlin.imulEmulated = imul;\n\nfunction imul(a,
b) {\n  return ((a & 0xffff0000) * (b & 0xffff) + (a & 0xffff) * (b | 0)) | 0;\n}\n\n(function() {\n  var buf = new
ArrayBuffer(8);\n  var bufFloat64 = new Float64Array(buf);\n  var bufFloat32 = new Float32Array(buf);\n  var
bufInt32 = new Int32Array(buf);\n  var lowIndex = 0;\n  var highIndex = 1;\n\n  bufFloat64[0] = -1; //
bff00000_00000000\n  if (bufInt32[lowIndex] !== 0) {\n    lowIndex = 1;\n    highIndex = 0;\n  };\n\n  Kotlin.doubleToBits = function(value) {\n    return Kotlin.doubleToRawBits(isNaN(value) ? NaN : value);\n
};\n\n  Kotlin.doubleToRawBits = function(value) {\n    bufFloat64[0]
= value;\n    return Kotlin.Long.fromBits(bufInt32[lowIndex], bufInt32[highIndex]);\n  };\n\n  Kotlin.doubleFromBits = function(value) {\n    bufInt32[lowIndex] = value.low_;\n    bufInt32[highIndex] =
value.high_;\n    return bufFloat64[0];\n  };\n\n  Kotlin.floatToBits = function(value) {\n  return
Kotlin.floatToRawBits(isNaN(value) ? NaN : value);\n  };\n\n  Kotlin.floatToRawBits = function(value) {\n
bufFloat32[0] = value;\n  return bufInt32[0];\n  };\n\n  Kotlin.floatFromBits = function(value) {\n
bufInt32[0] = value;\n  return bufFloat32[0];\n  };\n\n  // returns zero value for number with positive sign bit
and non-zero value for number with negative sign bit.\n  Kotlin.doubleSignBit = function(value) {\n
bufFloat64[0] = value;\n  return bufInt32[highIndex] & 0x80000000;\n  };\n\n  Kotlin.numberHashCode =
function(obj) {\n    if ((obj | 0) === obj) {\n      return obj | 0;\n    }
\n    else {\n      bufFloat64[0] = obj;\n      return (bufInt32[highIndex] * 31 | 0) + bufInt32[lowIndex] |
0;\n    };\n  };\n\n  Kotlin.ensureNotNull = function(x) {\n  return x != null ? x :
Kotlin.throwNPE();};};\n\n"/**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\nif (typeof String.prototype.startsWith === "undefined") {\n
Object.defineProperty(String.prototype, "startsWith", {\n  value: function (searchString, position) {\n
position = position || 0;\n  return this.lastIndexOf(searchString, position) === position;\n  };\n});\n\nif
(typeof String.prototype.endsWith === "undefined") {\n  Object.defineProperty(String.prototype, "endsWith",
{\n  value: function (searchString, position) {\n    var subjectString = this.toString();\n    if (position ===
undefined || position > subjectString.length) {\n      position = subjectString.length;\n    };\n    position -=
searchString.length;\n    var lastIndex = subjectString.indexOf(searchString,
position);\n    return lastIndex !== -1 && lastIndex === position;\n  };\n});\n\n// ES6 Math polyfills\nif
(typeof Math.sign === "undefined") {\n  Math.sign = function(x) {\n    x = +x; // convert to a number\n    if
(x === 0 || isNaN(x)) {\n      return Number(x);\n    };\n    return x > 0 ? 1 : -1;\n  };\n}\n\nif (typeof
Math.trunc === "undefined") {\n  Math.trunc = function(x) {\n    if (isNaN(x)) {\n      return NaN;\n    };\n    if
(x > 0) {\n      return Math.floor(x);\n    };\n    return Math.ceil(x);\n  };\n}\n\n(function() {\n
var epsilon = 2.220446049250313E-16;\n  var taylor_2_bound = Math.sqrt(epsilon);\n  var taylor_n_bound =
Math.sqrt(taylor_2_bound);\n  var upper_taylor_2_bound = 1/taylor_2_bound;\n  var upper_taylor_n_bound =
1/taylor_n_bound;\n\n  if (typeof Math.sinh === "undefined") {\n    Math.sinh = function(x) {\n      if
(Math.abs(x) < taylor_n_bound) {\n        var result = x;\n        if (Math.abs(x) > taylor_2_bound) {\n
result += (x * x * x) / 6;\n        }\n        return result;\n      } else {\n        var y = Math.exp(x);\n        var
y1 = 1 / y;\n        if (!isFinite(y)) return Math.exp(x - Math.LN2);\n        if (!isFinite(y1)) return
-Math.exp(-x - Math.LN2);\n        return (y - y1) / 2;\n      };\n    };\n  }\n\n  if (typeof Math.cosh ===
"undefined") {\n    Math.cosh
= function(x) {\n      var y = Math.exp(x);\n      var y1 = 1 / y;\n      if (!isFinite(y) || !isFinite(y1))
return Math.exp(Math.abs(x) - Math.LN2);\n      return (y + y1) / 2;\n    };\n  }\n}

```

```

};\n }\n\n if (typeof Math.tanh === \"undefined\") {\n    Math.tanh = function(x){\n        if
(Math.abs(x) < taylor_n_bound) {\n            var result = x;\n            if (Math.abs(x) > taylor_2_bound) {\n
result -= (x * x * x) / 3;\n            }\n            return result;\n        }\n        else {\n            var a =
Math.exp(+x), b = Math.exp(-x);\n            return a === Infinity ? 1 : b === Infinity ? -1 : (a - b) / (a + b);\n
}\n    };\n }\n\n // Inverse hyperbolic function implementations derived from boost special math functions,\n
// Copyright Eric Ford & Hubert Holin 2001.\n\n if (typeof Math.asinh === \"undefined\") {\n    var asinh =
function(x) {\n        if (x >= +taylor_n_bound)\n            {\n                if (x > upper_taylor_n_bound)\n                    {\n                        //
approximation by laurent series in 1/x at 0+ order from -1 to 0\n                            return Math.log(x) + Math.LN2;\n
                    }\n                else\n                    {\n                        // approximation by laurent series in 1/x at 0+ order
from -1 to 1\n                            return Math.log(x * 2 + (1 / (x * 2)));\n                    }\n            }\n            else\n                {\n                    return Math.log(x + Math.sqrt(x * x + 1));\n                }\n        }\n        else if (x <= -
taylor_n_bound)\n            {\n                return -asinh(-x);\n            }\n        else\n            {\n                //
approximation by taylor series in x at 0 up to order 2\n                    var result = x;\n                    if (Math.abs(x) >=
taylor_2_bound)\n                        {\n                            var x3 = x * x * x;\n                            // approximation by taylor series in x at
0 up to order 4\n                                result
                                -= x3 / 6;\n                            }\n                            return result;\n                        }\n                    }\n    };\n    Math.asinh = asinh;\n }\n\n if (typeof
Math.acosh === \"undefined\") {\n    Math.acosh = function(x) {\n        if (x < 1)\n            {\n                return
NaN;\n            }\n        else if (x - 1 >= taylor_n_bound)\n            {\n                if (x > upper_taylor_2_bound)\n                    {\n                        // approximation by laurent series in 1/x at 0+ order from -1 to 0\n                            return
Math.log(x) + Math.LN2;\n                    }\n                else\n                    {\n                            return Math.log(x + Math.sqrt(x *
x - 1));\n                    }\n            }\n        }\n        else\n            {\n                var y = Math.sqrt(x - 1);\n                //
approximation by taylor series in y at 0 up to order 2\n                    var result = y;\n                    if (y >=
taylor_2_bound)\n                        {\n                            var y3 = y * y *
y;\n                            // approximation by taylor series in y at 0 up to order 4\n                                result -= y3 / 12;\n
                            }\n                            return Math.sqrt(2) * result;\n                        }\n                    }\n    };\n }\n\n if (typeof Math.atanh === \"undefined\")
{\n    Math.atanh = function(x) {\n        if (Math.abs(x) < taylor_n_bound) {\n            var result = x;\n
            if (Math.abs(x) > taylor_2_bound) {\n                result += (x * x * x) / 3;\n            }\n            return result;\n
        }\n        return Math.log((1 + x) / (1 - x)) / 2;\n    };\n }\n\n if (typeof Math.log1p === \"undefined\") {\n
    Math.log1p = function(x) {\n        if (Math.abs(x) < taylor_n_bound) {\n            var x2 = x * x;\n
            var x3 = x2 * x;\n            var x4 = x3 * x;\n            // approximation by taylor series in x at 0 up to order 4\n
            return (-x4 / 4 + x3 / 3 - x2 / 2 + x);\n        }\n        return Math.log(x + 1);\n    };\n }\n\n if (typeof Math.expm1 === \"undefined\") {\n
    Math.expm1 = function(x) {\n        if (Math.abs(x) < taylor_n_bound) {\n            var x2 = x * x;\n            var
x3 = x2 * x;\n            var x4 = x3 * x;\n            // approximation by taylor series in x at 0 up to order 4\n
            return (x4 / 24 + x3 / 6 + x2 / 2 + x);\n        }\n        return Math.exp(x) - 1;\n    };\n }\n\n if (typeof
Math.hypot === \"undefined\") {\n    Math.hypot = function() {\n        var y = 0;\n        var length =
arguments.length;\n        for (var i = 0; i < length; i++) {\n            if (arguments[i] === Infinity || arguments[i] ===
-Infinity) {\n                return Infinity;\n            }\n            y += arguments[i] * arguments[i];\n        }\n        return
Math.sqrt(y);\n    };\n }\n\n if (typeof Math.log10 === \"undefined\") {\n    Math.log10 = function(x) {\n
        return Math.log(x) * Math.LOG10E;\n    };\n }\n\n if (typeof Math.log2 === \"undefined\") {\n    Math.log2 =
function(x) {\n        return Math.log(x) * Math.LOG2E;\n    };\n }\n\n if (typeof Math.clz32 === \"undefined\") {\n
    Math.clz32 = (function(log, LN2) {\n        return function(x) {\n            var asUInt = x >>> 0;\n            if (asUInt
=== 0) {\n                return 32;\n            }\n            return 31 - (log(asUInt) / LN2 | 0) | 0; // the \"| 0\" acts like
math.floor\n        };\n    })(Math.log, Math.LN2);\n }\n\n // For HtmlUnit and PhantomJs\n\n if (typeof
ArrayBuffer.isView === \"undefined\") {\n    ArrayBuffer.isView = function(a) {\n        return a != null &&
a.__proto__ != null && a.__proto__.__proto__ === Int8Array.prototype.__proto__;\n    };\n }\n\n if (typeof
Array.prototype.fill === \"undefined\") {\n    // Polyfill from https://developer.mozilla.org/en-

```

```

US/docs/Web/JavaScript/Reference/Global_Objects/Array/fill#Polyfill\n Object.defineProperty(Array.prototype,
'fill', {\n    value: function (value) {\n        // Steps 1-2.\n        if (this == null) {\n            throw new
TypeError('this is null or not defined');\n        }\n        var O = Object(this);\n        // Steps 3-5.\n        var len = O.length >>> 0;\n        // Steps 6-7.\n        var start = arguments[1];\n        var relativeStart = start >>> 0;\n        // Step 8.\n        var k = relativeStart < 0 ?\n            Math.max(len + relativeStart, 0) :\n            Math.min(relativeStart, len);\n        // Steps 9-10.\n        var end = arguments[2];\n        var\n        relativeEnd = end === undefined ?\n            len : end >>> 0;\n        // Step 11.\n        var finalValue\n        = relativeEnd < 0 ?\n            Math.max(len + relativeEnd, 0) :\n            Math.min(relativeEnd,\n            len);\n        // Step 12.\n        while (k < finalValue)\n        {\n            O[k] = value;\n            k++;\n        }\n        // Step 13.\n        return O;\n    }\n});\n\n(function() {\n    function normalizeOffset(offset, length) {\n        if (offset < 0) return Math.max(0, offset\n+ length);\n        return Math.min(offset, length);\n    }\n    function typedArraySlice(begin, end) {\n        if (typeof\nend === \"undefined\") {\n            end = this.length;\n        }\n        begin = normalizeOffset(begin || 0, this.length);\n        end = Math.max(begin, normalizeOffset(end, this.length));\n        return new\nthis.constructor(this.subarray(begin, end));\n    }\n    var arrays = [Int8Array, Int16Array, Uint16Array,\n    Int32Array, Float32Array, Float64Array];\n    for (var i = 0; i < arrays.length; ++i) {\n        var TypedArray =\narrays[i];\n        if (typeof TypedArray.prototype.fill === \"undefined\") {\n            Object.defineProperty(TypedArray.prototype, 'fill', {\n                value: Array.prototype.fill\n            });\n        }\n        if (typeof TypedArray.prototype.slice === \"undefined\") {\n            Object.defineProperty(TypedArray.prototype, 'slice', {\n                value: typedArraySlice\n            });\n        }\n    }\n    // Patch apply to work with TypedArrays if needed.\n    try {\n        (function() {}).apply(null, new\n        Int32Array(0))\n    } catch (e) {\n        var apply = Function.prototype.apply;\n        Object.defineProperty(Function.prototype, 'apply', {\n            value: function(self, array) {\n                return\n                apply.call(this, self, [].slice.call(array));\n            }\n        });\n    }\n    // Patch map to work with TypedArrays if\n    needed.\n    for (var i = 0; i < arrays.length; ++i) {\n        var TypedArray = arrays[i];\n        if (typeof\n        TypedArray.prototype.map === \"undefined\") {\n            Object.defineProperty(TypedArray.prototype, 'map', {\n                value: function(callback, self) {\n                    return\n                    [].slice.call(this).map(callback, self);\n                }\n            });\n        }\n    }\n    // Patch sort to work\n    with TypedArrays if needed.\n    // TODO: consider to remove following function and replace it with\n    `Kotlin.doubleCompareTo` (see misc.js)\n    var totalOrderComparator = function (a, b) {\n        if (a < b) return -\n        1;\n        if (a > b) return 1;\n        if (a === b) {\n            if (a !== 0) return 0;\n            var ia = 1 / a;\n            return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n        }\n        return a !== 0 ? (b !== 0 ? 0 : 1) : -1\n    };\n    for (var i =\n    0; i < arrays.length; ++i) {\n        var TypedArray = arrays[i];\n        if (typeof TypedArray.prototype.sort ===\n        \"undefined\") {\n            Object.defineProperty(TypedArray.prototype, 'sort', {\n                value:\n                function(compareFunction) {\n                    return\n                    Array.prototype.sort.call(this, compareFunction ||\n                    totalOrderComparator);\n                }\n            });\n        }\n    }
})();\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language\n    contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n    license/LICENSE.txt file.\n */\n\nKotlin.Kind = {\n    CLASS: \"class\",\n    INTERFACE: \"interface\",\n    OBJECT: \"object\";\n};\n\nKotlin.callGetter = function (thisObject, klass, propertyName) {\n    var\n        propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\n    if (propertyDescriptor != null\n        && propertyDescriptor.get != null) {\n        return propertyDescriptor.get.call(thisObject);\n    }\n    propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject, propertyName);\n    if (propertyDescriptor !=\n        null && \"value\" in propertyDescriptor) {\n        return thisObject[propertyName];\n    }\n    return\n        Kotlin.callGetter(thisObject, Object.getPrototypeOf(klass), propertyName);\n};\n\nKotlin.callSetter = function\n    (thisObject, klass,\n        propertyName, value) {\n    var propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\n    if (propertyDescriptor != null && propertyDescriptor.set != null) {\n        propertyDescriptor.set.call(thisObject,\n
```

```

value);\n    return;\n } \n\n propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject,
propertyName);\n if (propertyDescriptor != null && \"value\" in propertyDescriptor) {\n
thisObject[propertyName] = value;\n    return\n } \n\n Kotlin.callSetter(thisObject,
Object.getPrototypeOf(klass), propertyName, value);\n};\n\nfunction isInheritanceFromInterface(ctor, iface) {\n if
(ctor === iface) return true;\n\n var metadata = ctor.$metadata$;\n if (metadata != null) {\n    var interfaces =
metadata.interfaces;\n    for (var i = 0; i < interfaces.length; i++) {\n        if
(isInheritanceFromInterface(interfaces[i], iface)) {\n            return true;\n        }\n    }\n\n var
superPrototype
= ctor.prototype != null ? Object.getPrototypeOf(ctor.prototype) : null;\n    var superConstructor = superPrototype
!= null ? superPrototype.constructor : null;\n    return superConstructor != null &&
isInheritanceFromInterface(superConstructor, iface);\n}\n\n/**\n * \n * @param {*} object\n * @param
{Function|Object} klass\n * @returns {Boolean}\n */\nKotlin.isType = function (object, klass) {\n if (klass ===
Object) {\n    switch (typeof object) {\n        case \"string\":\n            case \"number\":\n            case
\"boolean\":\n            case \"function\":\n                return true;\n            default:\n                return object instanceof
Object;\n    }\n\n if (object == null || klass == null || (typeof object !== 'object' && typeof object !==
'function')) {\n    return false;\n }\n\n if (typeof klass === \"function\" && object instanceof klass) {\n
return true;\n }\n\n var proto = Object.getPrototypeOf(klass);\n
var constructor = proto != null ? proto.constructor : null;\n if (constructor != null && \"$metadata$\" in
constructor) {\n    var metadata = constructor.$metadata$;\n    if (metadata.kind === Kotlin.Kind.OBJECT) {\n
return object === klass;\n    }\n\n var klassMetadata = klass.$metadata$;\n\n // In WebKit
(JavaScriptCore) for some interfaces from DOM typeof returns \"object\", nevertheless they can be used in RHS of
instanceof\n if (klassMetadata == null) {\n    return object instanceof klass;\n }\n\n if (klassMetadata.kind
=== Kotlin.Kind.INTERFACE && object.constructor != null) {\n    return
isInheritanceFromInterface(object.constructor, klass);\n }\n\n return false;\n};\n\nKotlin.isNumber = function (a)
{\n return typeof a === \"number\" || a instanceof Kotlin.Long;\n};\n\nKotlin.isChar = function (value) {\n return
value instanceof Kotlin.BoxedChar;\n};\n\nKotlin.isComparable = function (value) {\n var type = typeof
value;\n\n return type === \"string\" ||\n    type === \"boolean\" ||\n    Kotlin.isNumber(value) ||\n    Kotlin.isType(value, Kotlin.kotlin.Comparable);\n};\n\nKotlin.isCharSequence = function (value) {\n return
typeof value === \"string\" || Kotlin.isType(value, Kotlin.kotlin.CharSequence);\n};\n\n/*\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get
declarations directly under the module\n\n@PublishedApi\ninternal fun <T> Array(size: Int):
Array<T>\n\n@JsName(\"newArray\")\nfun <T> newArray(size: Int, initialValue: T) = fillArrayVal(Array<T>(size),
initialValue)\n\n@JsName(\"newArrayF\")\ninline fun <T> arrayWithFun(size: Int, init: (Int) -> T) =
fillArrayFun(Array<T>(size), init)\n\n@JsName(\"fillArray\")\ninline fun <T> fillArrayFun(array: Array<T>, init:
(Int)
-> T): Array<T> {\n    for (i in 0..array.size - 1) {\n        array[i] = init(i)\n    }\n    return
array\n}\n\n@JsName(\"booleanArray\")\nfun booleanArray(size: Int, init: dynamic): Array<Boolean> {\n    val
result: dynamic = Array<Boolean>(size)\n    result.`$type$` = \"BooleanArray\"\n    return when (init) {\n        null,
true -> fillArrayVal(result, false)\n        false -> result\n        else -> fillArrayFun<Boolean>(result, init)\n
}\n}\n\n@JsName(\"booleanArrayF\")\ninline fun booleanArrayWithFun(size: Int, init: (Int) -> Boolean):
Array<Boolean> = fillArrayFun(booleanArray(size, false),
init)\n\n@JsName(\"charArray\")\n@Suppress(\"UNUSED_PARAMETER\")\nfun charArray(size: Int, init:
dynamic): Array<Char> {\n    val result = js(\"new Uint16Array(size)\")\n    result.`$type$` = \"CharArray\"\n    return when (init) {\n        null, true, false -> result // For consistency\n        else -> fillArrayFun<Char>(result,
init)\n    }\n}\n\n@JsName(\"charArrayF\")\ninline fun charArrayWithFun(size:
Int, init: (Int) -> Char): Array<Char> {\n    val array = charArray(size, null)\n    for (i in 0..array.size - 1) {\n
@Suppress(\"UNUSED_VARIABLE\") // used in js block\n        val value = init(i)\n        js(\"array[i] = value;\")\n    }\n}

```



```

}n return array\n}\n\n@jsName("\untypedCharArrayF")\ninline fun untypedCharArrayWithFun(size: Int, init:
(Int) -> Char): Array<Char> {\n val array = Array<Char>(size)\n for (i in 0..array.size - 1) {\n
@Suppress("\UNUSED_VARIABLE") // used in js block\n val value = init(i)\n js("\array[i] = value;")\n
}\n return array\n}\n\n@jsName("\longArrayF")\nfun longArray(size: Int, init: dynamic): Array<Long> {\n val
result: dynamic = Array<Long>(size)\n result.`$type$` = "\LongArray"\n return when (init) {\n null, true ->
fillArrayVal(result, 0L)\n false -> result\n else -> fillArrayFun<Long>(result, init)\n
}\n}\n\n@jsName("\longArrayF")\ninline fun longArrayWithFun(size:
Int, init: (Int) -> Long): Array<Long> = fillArrayFun(longArray(size, false), init)\n\nprivate fun <T>
fillArrayVal(array: Array<T>, initialValue: T): Array<T> {\n for (i in 0..array.size - 1) {\n array[i] = initialValue\n
}\n return array\n}"}\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\npublic class Enum<T : Enum<T>> : Comparable<Enum<T>>
{\n @JsName("\name$") private var _name: String = ""\n @JsName("\ordinal$") private var _ordinal: Int =
0\n\n val name: String\n get() = _name\n\n val ordinal: Int\n get() = _ordinal\n\n override fun
compareTo(other: Enum<T>) = ordinal.compareTo(other.ordinal)\n\n override fun equals(other: Any?) = this ===
other\n\n override fun hashCode(): Int = js("\Kotlin.identityHashCode")(this)\n\n override fun
toString() = name\n\n companion object\n}"}\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.js.internal\n\n@jsName("\DoubleCompanionObject")\ninternal object DoubleCompanionObject {\n
@jsName("\MIN_VALUE")\n const val MIN_VALUE: Double = 4.9E-324\n\n
@jsName("\MAX_VALUE")\n const val MAX_VALUE: Double = 1.7976931348623157E308\n\n
@jsName("\POSITIVE_INFINITY")\n @Suppress("\DIVISION_BY_ZERO")\n const val
POSITIVE_INFINITY: Double = 1.0 / 0.0\n\n
@jsName("\NEGATIVE_INFINITY")\n
@Suppress("\DIVISION_BY_ZERO")\n const val NEGATIVE_INFINITY: Double = -1.0 / 0.0\n\n
@jsName("\NaN")\n @Suppress("\DIVISION_BY_ZERO")\n const val NaN: Double = -(0.0 / 0.0)\n\n
@jsName("\SIZE_BYTES")\n const val SIZE_BYTES = 8\n\n
@jsName("\SIZE_BITS")\n const val
SIZE_BITS
= 64\n}\n\n@jsName("\FloatCompanionObject")\ninternal object FloatCompanionObject {\n
@jsName("\MIN_VALUE")\n const val MIN_VALUE: Float = 1.4E-45F\n\n
@jsName("\MAX_VALUE")\n
const val MAX_VALUE: Float = 3.4028235E38F\n\n
@jsName("\POSITIVE_INFINITY")\n
@Suppress("\DIVISION_BY_ZERO")\n const val POSITIVE_INFINITY: Float = 1.0F / 0.0F\n\n
@jsName("\NEGATIVE_INFINITY")\n
@Suppress("\DIVISION_BY_ZERO")\n const val
NEGATIVE_INFINITY: Float = -1.0F / 0.0F\n\n
@jsName("\NaN")\n
@Suppress("\DIVISION_BY_ZERO")\n const val NaN: Float = -(0.0F / 0.0F)\n\n
@jsName("\SIZE_BYTES")\n const val SIZE_BYTES = 4\n\n
@jsName("\SIZE_BITS")\n const val
SIZE_BITS = 32\n}\n\n@jsName("\IntCompanionObject")\ninternal object IntCompanionObject {\n
@jsName("\MIN_VALUE")\n val MIN_VALUE: Int = -2147483647 - 1\n\n
@jsName("\MAX_VALUE")\n
val MAX_VALUE: Int = 2147483647\n\n
@jsName("\SIZE_BYTES")\n const val SIZE_BYTES = 4\n\n
@jsName("\SIZE_BITS")\n const val SIZE_BITS = 32\n}\n\n@jsName("\LongCompanionObject")\ninternal
object LongCompanionObject {\n @JsName("\MIN_VALUE")\n val MIN_VALUE: Long =
js("\Kotlin.Long.MIN_VALUE")\n\n
@jsName("\MAX_VALUE")\n val MAX_VALUE: Long =
js("\Kotlin.Long.MAX_VALUE")\n\n
@jsName("\SIZE_BYTES")\n const val SIZE_BYTES = 8\n\n
@jsName("\SIZE_BITS")\n const val SIZE_BITS = 64\n}\n\n@jsName("\ShortCompanionObject")\ninternal
object ShortCompanionObject {\n @JsName("\MIN_VALUE")\n val MIN_VALUE: Short = -32768\n\n
@jsName("\MAX_VALUE")\n val MAX_VALUE: Short = 32767\n\n
@jsName("\SIZE_BYTES")\n const
val SIZE_BYTES = 2\n\n
@jsName("\SIZE_BITS")\n const val SIZE_BITS =
16\n}\n\n@jsName("\ByteCompanionObject")\ninternal object ByteCompanionObject {\n

```

```

@jsName("MIN_VALUE")\n val MIN_VALUE: Byte = -128\n\n @JsName("MAX_VALUE")\n val
MAX_VALUE: Byte = 127\n\n @JsName("SIZE_BYTES")\n const
val SIZE_BYTES = 1\n\n @JsName("SIZE_BITS")\n const val SIZE_BITS =
8\n}\n\n@jsName("CharCompanionObject")\ninternal object CharCompanionObject {\n
@jsName("MIN_VALUE")\n public const val MIN_VALUE: Char = '\u0000'\n\n
@jsName("MAX_VALUE")\n public const val MAX_VALUE: Char = '\uFFFF'\n\n
@jsName("MIN_HIGH_SURROGATE")\n public const val MIN_HIGH_SURROGATE: Char = '\uD800'\n\n
@jsName("MAX_HIGH_SURROGATE")\n public const val MAX_HIGH_SURROGATE: Char =
'\uDBFF'\n\n @JsName("MIN_LOW_SURROGATE")\n public const val MIN_LOW_SURROGATE: Char =
'\uDC00'\n\n @JsName("MAX_LOW_SURROGATE")\n public const val MAX_LOW_SURROGATE: Char
= '\uDFFF'\n\n @JsName("MIN_SURROGATE")\n public const val MIN_SURROGATE: Char =
MIN_HIGH_SURROGATE\n\n @JsName("MAX_SURROGATE")\n public const val MAX_SURROGATE:
Char = MAX_LOW_SURROGATE\n\n @JsName("SIZE_BYTES")\n const val SIZE_BYTES = 2\n\n
@jsName("SIZE_BITS")\n const
val SIZE_BITS = 16\n}\n\ninternal object StringCompanionObject {} \n\ninternal object
BooleanCompanionObject {} \n\n", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n\n@file:kotlin.jvm.JvmName("ArraysKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the
size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior
is unspecified.\n * \n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component1(): T
{\n return get(0)\n}\n\n/**\n
* Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component1(): Byte {\n return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component1(): Short {\n return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component1(): Int {\n return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size
of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is
unspecified.\n * \n\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component1(): Long {\n
return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1,
throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component1(): Float {\n return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component1(): Double {\n return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException]
except in Kotlin/JS\n * where the behavior is unspecified.\n * \n\n@kotlin.internal.InlineOnly\npublic inline operator
fun BooleanArray.component1(): Boolean {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n *
\n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where

```

the behavior is unspecified.

```

*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component1():
Char {\n  return get(0)\n}\n\n**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less
than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component2(): T {\n  return
get(1)\n}\n\n**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior
is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component2(): Byte {\n  return
get(1)\n}\n\n**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2,
throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component2(): Short {\n  return
get(1)\n}\n\n**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component2(): Int {\n  return
get(1)\n}\n\n**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline
operator fun LongArray.component2(): Long {\n  return get(1)\n}\n\n**\n * Returns 2nd *element* from the
array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n
* where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun
FloatArray.component2(): Float {\n  return get(1)\n}\n\n**\n * Returns 2nd *element* from the array.\n * \n * If
the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component2():
Double {\n  return get(1)\n}\n\n**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is
less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component2(): Boolean {\n
return get(1)\n}\n\n**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2,
throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component2(): Char {\n  return
get(1)\n}\n\n**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component3(): T {\n  return
get(2)\n}\n\n**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component3(): Byte {\n  return
get(2)\n}\n\n**\n * Returns 3rd *element* from the array.\n
\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where
the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component3():
Short {\n  return get(2)\n}\n\n**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less
than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component3(): Int {\n  return
get(2)\n}\n\n**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component3(): Long {\n  return
get(2)\n}\n\n**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws
an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component3(): Float {\n  return
get(2)\n}\n\n**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

```

```

*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component3(): Double {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component3(): Boolean {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n
 * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun
CharArray.component3(): Char {\n    return get(2)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If
the size of this array is less than 4, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out
T>.component4(): T {\n    return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of
this array is less than 4, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is
unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component4(): Byte {\n    return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4,
throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic
inline operator fun ShortArray.component4(): Short {\n    return get(3)\n}\n\n/**\n * Returns 4th *element* from
the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsExcep] except in
Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun
IntArray.component4(): Int {\n    return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If
the size of this array is less than 4, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component4(): Long {\n    return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4,
throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component4():
Float {\n    return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this
array is less than 4, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is
unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component4(): Double {\n    return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4,
throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component4(): Boolean {\n    return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4,
throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component4(): Char {\n    return
get(3)\n}\n\n/**\n * Returns 5th
*element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsExcep]
except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator
fun <T> Array<out T>.component5(): T {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n *
\n * If the size of this array is less than 5, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where
the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component5():
Byte {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this
array is less than 5, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is
unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component5(): Short {\n    return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array
is less than 5, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is
unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component5(): Int {\n    return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5,
throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n

```

```

*  

@kotlin.internal.InlineOnly  

public inline operator fun LongArray.component5(): Long {  

    return  

    get(4)  

}  

**  

* Returns 5th *element* from the array.  

*  

* If the size of this array is less than 5, throws an  

[IndexOutOfBoundsException] except in Kotlin/JS  

* where the behavior is unspecified.  

*  

@kotlin.internal.InlineOnly  

public inline operator fun FloatArray.component5(): Float {  

    return  

    get(4)  

}  

**  

* Returns 5th *element* from the array.  

*  

* If the size of this array is less than 5, throws an  

[IndexOutOfBoundsException] except  

in Kotlin/JS  

* where the behavior is unspecified.  

*  

@kotlin.internal.InlineOnly  

public inline operator fun  

DoubleArray.component5(): Double {  

    return  

    get(4)  

}  

**  

* Returns 5th *element* from the array.  

*  

* If the size of this array is less than 5, throws an  

[IndexOutOfBoundsException] except in Kotlin/JS  

* where the  

behavior is unspecified.  

*  

@kotlin.internal.InlineOnly  

public inline operator fun BooleanArray.component5():  

Boolean {  

    return  

    get(4)  

}  

**  

* Returns 5th *element* from the array.  

*  

* If the size of this array is  

less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS  

* where the behavior is unspecified.  

*  

@kotlin.internal.InlineOnly  

public inline operator fun CharArray.component5(): Char {  

    return  

    get(4)  

}  

**  

* Returns `true` if [element] is found in the array.  

*  

public operator fun  

<@kotlin.internal.OnlyInputTypes T> Array<out T>.contains(element: T): Boolean {  

    return  

    indexOf(element)  

    >=  

    0  

}  

**  

* Returns `true` if [element] is found in the array.  

*  

public operator fun  

ByteArray.contains(element: Byte): Boolean {  

    return  

    indexOf(element) >= 0  

}  

**  

* Returns `true` if  

[element] is found in the array.  

*  

public operator fun  

ShortArray.contains(element: Short): Boolean {  

    return  

    indexOf(element) >= 0  

}  

**  

* Returns `true` if [element] is found in the array.  

*  

public operator fun  

IntArray.contains(element: Int): Boolean {  

    return  

    indexOf(element) >= 0  

}  

**  

* Returns `true` if  

[element] is found in the array.  

*  

@Deprecated("The  

function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'any { it ==  

element }' instead to continue using this behavior, or '.asList().contains(element: T)' to get the same search behavior  

as in a list.", ReplaceWith("any { it == element }"))  

@DeprecatedSinceKotlin(warningSince = "1.4",  

errorSince = "1.6")  

@Suppress("DEPRECATION_ERROR")  

public operator fun FloatArray.contains(element:  

Float): Boolean {  

    return  

    indexOf(element) >= 0  

}  

**  

* Returns `true` if [element] is found in the array.  

*  

@Deprecated("The function has unclear behavior when searching for NaN or zero values and will be removed  

soon. Use 'any { it == element }' instead to continue using this behavior, or '.asList().contains(element: T)' to get the  

same search behavior as in a list.", ReplaceWith("any { it == element  

}"))  

@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =  

"1.6")  

@Suppress("DEPRECATION_ERROR")  

public operator fun DoubleArray.contains(element: Double):  

Boolean {  

    return  

    indexOf(element) >= 0  

}  

**  

* Returns `true` if [element] is found in the array.  

*  

public operator fun BooleanArray.contains(element: Boolean): Boolean {  

    return  

    indexOf(element) >= 0  

}  

**  

* Returns `true` if [element] is found in the array.  

*  

public operator fun  

CharArray.contains(element: Char): Boolean {  

    return  

    indexOf(element) >= 0  

}  

**  

* Returns an element  

at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.  

*  

@sample samples.collections.Collections.Elements.elementAt  

*  

public expect fun <T> Array<out  

T>.elementAt(index: Int): T  

**  

* Returns an element at the given [index] or throws an  

[IndexOutOfBoundsException] if the [index] is out of bounds of this array.  

*  

@sample  

samples.collections.Collections.Elements.elementAt  

*  

public expect fun ByteArray.elementAt(index: Int):  

Byte  

**  

* Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is  

out of bounds of this array.  

*  

@sample samples.collections.Collections.Elements.elementAt  

*  

public  

expect fun ShortArray.elementAt(index:  

Int): Short  

**  

* Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the  

[index] is out of bounds of this array.  

*  

@sample samples.collections.Collections.Elements.elementAt  

*  

public  

expect fun IntArray.elementAt(index: Int): Int  

**  

* Returns an element at the given [index] or

```

throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.

```

    @sample
    samples.collections.Collections.Elements.elementAt<T>() public expect fun LongArray.elementAt(index: Int):
    Long<T> Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index]
    is out of bounds of this array.
    @sample
    samples.collections.Collections.Elements.elementAt<T>() public
    expect fun FloatArray.elementAt(index: Int): Float Returns an element at the given [index] or throws an
    [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
    @sample
    samples.collections.Collections.Elements.elementAt<T>()
    public expect fun DoubleArray.elementAt(index: Int): Double Returns an element at the given
    [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
    @sample
    samples.collections.Collections.Elements.elementAt<T>() public expect fun BooleanArray.elementAt(index: Int):
    Boolean Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the
    [index] is out of bounds of this array.
    @sample
    samples.collections.Collections.Elements.elementAt<T>()
    public expect fun CharArray.elementAt(index: Int): Char Returns an element at the given [index] or
    the result of calling the [defaultValue] function if the [index] is out of bounds of this array.
    @sample
    samples.collections.Collections.Elements.elementAtOrElse<T>() public inline fun
    <T> Array<out T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {
    return
    if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)}
    Returns an element at the
    given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.
    @sample
    samples.collections.Collections.Elements.elementAtOrElse<T>() public
    inline fun ByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {
    return if (index >= 0 &&
    index <= lastIndex) get(index) else defaultValue(index)}
    Returns an element at the given [index] or the
    result of calling the [defaultValue] function if the [index] is out of bounds of this array.
    @sample
    samples.collections.Collections.Elements.elementAtOrElse<T>() public inline fun
    ShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Short): Short {
    return if (index >= 0 && index <=
    lastIndex) get(index) else defaultValue(index)}
    Returns an element at
    the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.
    @sample
    samples.collections.Collections.Elements.elementAtOrElse<T>() public
    inline fun IntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Int): Int {
    return if (index >= 0 && index
    <= lastIndex) get(index) else defaultValue(index)}
    Returns an element at the given [index] or the result
    of calling the [defaultValue] function if the [index] is out of bounds of this array.
    @sample
    samples.collections.Collections.Elements.elementAtOrElse<T>() public inline fun
    LongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Long): Long {
    return if (index >= 0 && index <=
    lastIndex) get(index) else defaultValue(index)}
    Returns an element at the given [index] or the result of
    calling the [defaultValue] function if the [index] is out of bounds of this array.
    @sample
    samples.collections.Collections.Elements.elementAtOrElse<T>()
    public inline fun FloatArray.elementAtOrElse(index: Int, defaultValue: (Int) ->
    Float): Float {
    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)}
    Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
    bounds of this array.
    @sample
    samples.collections.Collections.Elements.elementAtOrElse<T>()
    public inline fun DoubleArray.elementAtOrElse(index: Int, defaultValue: (Int) ->
    Double): Double {
    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)}
    Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
    bounds of this array.
    @sample
    samples.collections.Collections.Elements.elementAtOrElse<T>()
    public
    inline fun BooleanArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {
    return if
    (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)}
    Returns an element at the
    given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.
    @sample
    samples.collections.Collections.Elements.elementAtOrElse<T>() public
    
```

```

inline fun CharArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n    return if (index >= 0 &&
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or
`null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n * \n *@kotlin.internal.InlineOnly\npublic inline fun
<T> Array<out T>.elementAtOrNull(index: Int): T? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given
[index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n * \n *@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.elementAtOrNull(index: Int): Byte? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n * \n *@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.elementAtOrNull(index: Int): Short? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n * \n *@kotlin.internal.InlineOnly\npublic inline fun
IntArray.elementAtOrNull(index: Int): Int? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of
bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
* \n *@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAtOrNull(index: Int): Long? {\n    return
this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds
of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
* \n *@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrNull(index: Int): Float? {\n    return
this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds
of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
* \n *@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrNull(index: Int): Double? {\n    return
this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds
of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n * \n *@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.elementAtOrNull(index: Int): Boolean? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n * \n *@kotlin.internal.InlineOnly\npublic inline fun
CharArray.elementAtOrNull(index: Int): Char? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns the first
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n * \n *@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out
T>.find(predicate: (T) -> Boolean): T? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
* \n *@kotlin.internal.InlineOnly\npublic inline fun ByteArray.find(predicate: (Byte) -> Boolean): Byte? {\n    return
firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such
element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
* \n *@kotlin.internal.InlineOnly\npublic inline fun ShortArray.find(predicate: (Short) -> Boolean): Short? {\n
return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no
such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
* \n *@kotlin.internal.InlineOnly\npublic inline fun IntArray.find(predicate: (Int) -> Boolean): Int? {\n    return
firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such
element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
* \n *@kotlin.internal.InlineOnly\npublic
inline fun LongArray.find(predicate: (Long) -> Boolean): Long? {\n    return firstOrNull(predicate)\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample

```

```

samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.find(predicate: (Float) -> Boolean): Float? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.find(predicate: (Double) -> Boolean): Double? {\n  return firstOrNull(predicate)\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.find(predicate:
(Boolean) -> Boolean): Boolean? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.find(predicate: (Char) -> Boolean): Char? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out
T>.findLast(predicate: (T) -> Boolean): T? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element
matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.findLast(predicate: (Byte) -> Boolean): Byte? {\n
  return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no
such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.findLast(predicate: (Short) -> Boolean): Short? {\n
  return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no
such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.findLast(predicate: (Int) -> Boolean): Int? {\n  return
lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such
element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.findLast(predicate: (Long) -> Boolean): Long? {\n
  return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.findLast(predicate: (Float) -> Boolean): Float? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.findLast(predicate: (Double) -> Boolean): Double? {\n  return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.findLast(predicate: (Boolean) -> Boolean): Boolean? {\n  return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element
matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.findLast(predicate: (Char) -> Boolean): Char? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns
first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T> Array<out
T>.first(): T {\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return
this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n
*/\npublic fun ByteArray.first(): Byte {\n  if (isEmpty())\n    throw NoSuchElementException("Array is
empty.")\n  return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the
array is empty.\n */\npublic fun ShortArray.first(): Short {\n  if (isEmpty())\n    throw
NoSuchElementException("Array is empty.")\n  return this[0]\n}\n\n/**\n

```



```

* Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun
IntArray.first(): Int {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.first(): Long {\n    if (isEmpty())\n        throw NoSuchElementException("Array is
empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the
array is empty.\n */\npublic fun FloatArray.first(): Float {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n */\npublic fun DoubleArray.first(): Double {\n    if
(isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first
element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun BooleanArray.first(): Boolean {\n
if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns
first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun CharArray.first():
Char {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n */\npublic inline fun <T> Array<out T>.first(predicate: (T) -> Boolean): T {\n    for (element in
this) if (predicate(element)) return element\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.first(predicate:
(Byte) -> Boolean): Byte {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.first(predicate: (Short) -> Boolean): Short {\n    for (element in this) if
(predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun IntArray.first(predicate: (Int) ->
Boolean): Int {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun
LongArray.first(predicate: (Long) -> Boolean): Long {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n */\npublic inline fun FloatArray.first(predicate: (Float) -> Boolean): Float {\n    for (element in
this) if (predicate(element)) return element\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.first(predicate:
(Double) -> Boolean): Double {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array
contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given
[predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun
BooleanArray.first(predicate: (Boolean) -> Boolean): Boolean {\n    for (element in this) if (predicate(element))
return element\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.first(predicate: (Char) ->
Boolean): Char {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
non-null value produced by [transform] function being applied to elements of this array in iteration order.\n * or

```

throws [NoSuchElementException] if no non-null value was produced.

```

@sample samples.collections.Collections.Transformations.firstNotNullOf
*/
@SinceKotlin("1.5")
@kotlin.internal.InlineOnly
public inline fun <T, R : Any> Array<out T>.firstNotNullOf(transform: (T) -> R?): R {
    return firstNotNullOfOrNull(transform) ?: throw
    NoSuchElementException("No element of the array was transformed to a non-null value.")
}
*/
Returns the first non-null value produced by [transform] function being applied to elements of this array in iteration order, or `null` if no non-null value was produced.
@sample
samples.collections.Collections.Transformations.firstNotNullOf
*/
@SinceKotlin("1.5")
@kotlin.internal.InlineOnly
public inline fun <T, R : Any> Array<out T>.firstNotNullOfOrNull(transform: (T) -> R?): R? {
    for (element in this) {
        val result = transform(element)
        if (result != null) {
            return result
        }
    }
    return null
}
*/
Returns the first element, or `null` if the array is empty.
*/
public fun <T> Array<out T>.firstOrNull(): T? {
    return if (isEmpty()) null else this[0]
}
*/
Returns the first element, or `null` if the array is empty.
*/
public fun ByteArray.firstOrNull(): Byte? {
    return if (isEmpty()) null else this[0]
}
*/
Returns the first element, or `null` if the array is empty.
*/
public fun ShortArray.firstOrNull(): Short? {
    return if (isEmpty()) null else this[0]
}
*/
Returns the first element, or `null` if the array is empty.
*/
public fun IntArray.firstOrNull(): Int? {
    return if (isEmpty()) null else this[0]
}
*/
Returns the first element, or `null` if the array is empty.
*/
public fun LongArray.firstOrNull(): Long? {
    return if (isEmpty()) null else this[0]
}
*/
Returns the first element, or `null` if the array is empty.
*/
public fun FloatArray.firstOrNull(): Float? {
    return if (isEmpty()) null else this[0]
}
*/
Returns the first element, or `null` if the array is empty.
*/
public fun DoubleArray.firstOrNull(): Double? {
    return if (isEmpty()) null else this[0]
}
*/
Returns the first element, or `null` if the array is empty.
*/
public fun BooleanArray.firstOrNull(): Boolean? {
    return if (isEmpty()) null else this[0]
}
*/
Returns the first element, or `null` if the array is empty.
*/
public fun CharArray.firstOrNull(): Char? {
    return if (isEmpty()) null else this[0]
}
*/
Returns the first element matching the given [predicate], or `null` if element was not found.
*/
public inline fun <T> Array<out T>.firstOrNull(predicate: (T) -> Boolean): T? {
    for (element in this) if (predicate(element)) return element
    return null
}
*/
Returns the first element matching the given [predicate], or `null` if element was not found.
*/
public inline fun ByteArray.firstOrNull(predicate: (Byte) -> Boolean): Byte? {
    for (element in this) if (predicate(element)) return element
    return null
}
*/
Returns the first element matching the given [predicate], or `null` if element was not found.
*/
public inline fun ShortArray.firstOrNull(predicate: (Short) -> Boolean): Short? {
    for (element in this) if (predicate(element)) return element
    return null
}
*/
Returns the first element matching the given [predicate], or `null` if element was not found.
*/
public inline fun IntArray.firstOrNull(predicate: (Int) -> Boolean): Int? {
    for (element in this) if (predicate(element)) return element
    return null
}
*/
Returns the first element matching the given [predicate], or `null` if element was not found.
*/
public inline fun LongArray.firstOrNull(predicate: (Long) -> Boolean): Long? {
    for (element in this) if (predicate(element)) return element
    return null
}
*/
Returns the first element matching the given [predicate], or `null` if element was not found.
*/
public inline fun FloatArray.firstOrNull(predicate: (Float) -> Boolean): Float? {
    for (element in this) if (predicate(element)) return element
    return null
}
*/
Returns the first element matching the given [predicate], or `null` if element was not found.
*/
public inline fun DoubleArray.firstOrNull(predicate: (Double) -> Boolean): Double? {
    for (element in this) if (predicate(element)) return element
    return null
}
*/
Returns the first element matching the given [predicate], or `null` if element was not found.
*/
public inline fun BooleanArray.firstOrNull(predicate: (Boolean) -> Boolean): Boolean? {
    for (element in this) if (predicate(element)) return element
    return null
}
*/
Returns the first element matching the given [predicate], or `null` if element was not found.
*/
public inline fun CharArray.firstOrNull(predicate: (Char) -> Boolean): Char? {
    for (element in this) if (predicate(element)) return element
    return

```

`null` Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```


    @kotlin.internal.InlineOnly
    public inline fun <T> Array<out T>.getOrNull(index: Int, default: T): T? {
        return if (index >= 0 && index <= lastIndex) get(index) else default
    }


```

Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```


    @kotlin.internal.InlineOnly
    public inline fun ByteArray.getOrNull(index: Int, default: Byte): Byte? {
        return if (index >= 0 && index <= lastIndex) get(index) else default
    }


```

Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```


    @kotlin.internal.InlineOnly
    public inline fun ShortArray.getOrNull(index: Int, default: Short): Short? {
        return if (index >= 0 && index <= lastIndex) get(index) else default
    }


```

Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```


    @kotlin.internal.InlineOnly
    public inline fun IntArray.getOrNull(index: Int, default: Int): Int? {
        return if (index >= 0 && index <= lastIndex) get(index) else default
    }


```

Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```


    @kotlin.internal.InlineOnly
    public inline fun LongArray.getOrNull(index: Int, default: Long): Long? {
        return if (index >= 0 && index <= lastIndex) get(index) else default
    }


```

Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```


    @kotlin.internal.InlineOnly
    public inline fun FloatArray.getOrNull(index: Int, default: Float): Float? {
        return if (index >= 0 && index <= lastIndex) get(index) else default
    }


```

Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```


    @kotlin.internal.InlineOnly
    public inline fun DoubleArray.getOrNull(index: Int, default: Double): Double? {
        return if (index >= 0 && index <= lastIndex) get(index) else default
    }


```

Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```


    @kotlin.internal.InlineOnly
    public inline fun BooleanArray.getOrNull(index: Int, default: Boolean): Boolean? {
        return if (index >= 0 && index <= lastIndex) get(index) else default
    }


```

Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```


    @kotlin.internal.InlineOnly
    public inline fun CharArray.getOrNull(index: Int, default: Char): Char? {
        return if (index >= 0 && index <= lastIndex) get(index) else default
    }


```

Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.

```


    @sample samples.collections.Collections.Elements.getOrNull
    public fun <T> Array<out T>.getOrNull(index: Int): T? {
        return if (index >= 0 && index <= lastIndex) get(index) else null
    }


```

Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.

```


    @sample samples.collections.Collections.Elements.getOrNull
    public fun ByteArray.getOrNull(index: Int): Byte? {
        return if (index >= 0 && index <= lastIndex) get(index) else null
    }


```

Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.

```


    @sample samples.collections.Collections.Elements.getOrNull
    public fun ShortArray.getOrNull(index: Int): Short? {
        return if (index >= 0 && index <= lastIndex) get(index) else null
    }


```

Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.

```


    @sample samples.collections.Collections.Elements.getOrNull
    public fun IntArray.getOrNull(index: Int): Int? {
        return if (index >= 0 && index <= lastIndex) get(index) else null
    }


```

Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.

```


    @sample samples.collections.Collections.Elements.getOrNull
    public fun LongArray.getOrNull(index: Int): Long? {
        return if (index >= 0 && index <= lastIndex) get(index) else null
    }


```

Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.

```


    @sample samples.collections.Collections.Elements.getOrNull
    public fun FloatArray.getOrNull(index: Int): Float? {
        return if (index >= 0 && index <= lastIndex) get(index) else null
    }


```

Returns an element at the given [index] or `null` if the [index] is out of bounds of

```

this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n *^npublic fun
DoubleArray.getOrNull(index: Int): Double? {\n    return if (index >= 0 && index <= lastIndex) get(index) else
null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n
* @sample samples.collections.Collections.Elements.getOrNull\n *^npublic fun BooleanArray.getOrNull(index:
Int): Boolean? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n *^npublic fun CharArray.getOrNull(index: Int): Char?
{\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of
[element], or -1 if the array does not contain element.\n *^npublic fun <@kotlin.internal.OnlyInputTypes T>
Array<out T>.indexOf(element: T): Int {\n    if (element == null) {\n        for (index in indices) {\n            if
(this[index] == null) {\n                return index\n            }\n        }\n    } else {\n        for (index in indices) {\n
if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n *^npublic fun ByteArray.indexOf(element:
Byte): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n            return index\n        }\n
}\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n *^npublic fun
ShortArray.indexOf(element:
Short): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n            return index\n        }\n
}\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n *^npublic fun
IntArray.indexOf(element: Int): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n            return
index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain
element.\n *^npublic fun LongArray.indexOf(element: Long): Int {\n    for (index in indices) {\n        if (element ==
this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if
the array does not contain element.\n *^n@Deprecated("The function has unclear behavior when searching for NaN
or zero values and will be removed soon. Use 'indexOfFirst { it == element }' instead to continue using this
behavior, or '.asList().indexOf(element:
T)' to get the same search behavior as in a list.", ReplaceWith("indexOfFirst { it == element
}")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\npublic fun
FloatArray.indexOf(element: Float): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n
return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not
contain element.\n *^n@Deprecated("The function has unclear behavior when searching for NaN or zero values
and will be removed soon. Use 'indexOfFirst { it == element }' instead to continue using this behavior, or
'.asList().indexOf(element: T)' to get the same search behavior as in a list.", ReplaceWith("indexOfFirst { it ==
element }")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\npublic fun
DoubleArray.indexOf(element: Double): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n
return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not
contain element.\n *^npublic fun BooleanArray.indexOf(element: Boolean): Int {\n    for (index in indices) {\n
if (element == this[index]) {\n        return index\n    }\n    return -1\n}\n\n/**\n * Returns first index of
[element], or -1 if the array does not contain element.\n *^npublic fun CharArray.indexOf(element: Char): Int {\n
for (index in indices) {\n    if (element == this[index]) {\n        return index\n    }\n    return -
1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain
such element.\n *^npublic inline fun <T> Array<out T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    for
(index in indices) {\n        if (predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n *
Returns index of the first element
matching the given [predicate], or -1 if the array does not contain such element.\n *^npublic inline fun
ByteArray.indexOfFirst(predicate: (Byte) -> Boolean): Int {\n    for (index in indices) {\n        if
(predicate(this[index])) {\n        return index\n    }\n    return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n *^npublic inline fun
ShortArray.indexOfFirst(predicate: (Short) -> Boolean): Int {\n    for (index in indices) {\n        if

```

```

(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
IntArray.indexOfFirst(predicate: (Int) -> Boolean): Int {\n  for (index in indices) {\n    if (predicate(this[index]))
{\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n *
Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\npublic inline fun LongArray.indexOfFirst(predicate: (Long) -> Boolean): Int {\n  for (index in indices) {\n
if (predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
FloatArray.indexOfFirst(predicate: (Float) -> Boolean): Int {\n  for (index in indices) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
DoubleArray.indexOfFirst(predicate: (Double) -> Boolean): Int {\n  for (index in indices) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
BooleanArray.indexOfFirst(predicate: (Boolean) -> Boolean): Int {\n  for (index in indices) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
CharArray.indexOfFirst(predicate: (Char) -> Boolean): Int {\n  for (index in indices) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
<T> Array<out T>.indexOfLast(predicate: (T) -> Boolean): Int {\n  for (index in
indices.reversed()) {\n    if (predicate(this[index]))
{\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last element matching the
given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ByteArray.indexOfLast(predicate: (Byte) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ShortArray.indexOfLast(predicate: (Short) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
IntArray.indexOfLast(predicate: (Int) -> Boolean): Int {\n  for (index
in indices.reversed()) {\n    if (predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain
such element.\n */\npublic inline fun LongArray.indexOfLast(predicate: (Long) -> Boolean): Int {\n  for (index in
indices.reversed()) {\n    if (predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such
element.\n */\npublic inline fun FloatArray.indexOfLast(predicate: (Float) -> Boolean): Int {\n  for (index in
indices.reversed()) {\n    if (predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such
element.\n */\npublic inline fun DoubleArray.indexOfLast(predicate:
(Double) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if (predicate(this[index])) {\n      return
index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1
if the array does not contain such element.\n */\npublic inline fun BooleanArray.indexOfLast(predicate: (Boolean)
-> Boolean): Int {\n  for (index in indices.reversed()) {\n    if (predicate(this[index])) {\n      return index\n
}\n  }\n  return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n */\npublic inline fun CharArray.indexOfLast(predicate: (Char) -> Boolean):
Int {\n  for (index in indices.reversed()) {\n    if (predicate(this[index])) {\n      return index\n    }\n  }\n
return -1\n}\n\n/**\n * Returns the last element.\n */\n * @throws NoSuchElementException if the array is empty.\n

```

```

 * \n * @sample samples.collections.Collections.Elements.last\n * \npublic fun <T> Array<out T>.last(): T {\n  if
(isEmpty())\n    throw NoSuchElementException("\nArray is empty.\n")\n  return this[lastIndex]\n}\n\n/**\n *
Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \npublic fun ByteArray.last(): Byte {\n  if (isEmpty())\n
throw NoSuchElementException("\nArray is empty.\n")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \npublic fun ShortArray.last(): Short {\n  if (isEmpty())\n
throw NoSuchElementException("\nArray is empty.\n")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \npublic fun IntArray.last(): Int {\n  if (isEmpty())\n
throw NoSuchElementException("\nArray is empty.\n")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \npublic fun LongArray.last():
Long {\n  if (isEmpty())\n    throw NoSuchElementException("\nArray is empty.\n")\n  return
this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is
empty.\n * \n * @sample samples.collections.Collections.Elements.last\n * \npublic fun FloatArray.last(): Float {\n
if (isEmpty())\n  throw NoSuchElementException("\nArray is empty.\n")\n  return this[lastIndex]\n}\n\n/**\n *
Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \npublic fun DoubleArray.last(): Double
{\n  if (isEmpty())\n    throw NoSuchElementException("\nArray is empty.\n")\n  return
this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is
empty.\n * \n * @sample samples.collections.Collections.Elements.last\n * \npublic fun BooleanArray.last():
Boolean {\n  if (isEmpty())\n    throw NoSuchElementException("\nArray is empty.\n")\n  return
this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is
empty.\n * \n * @sample samples.collections.Collections.Elements.last\n * \npublic fun CharArray.last(): Char {\n
if (isEmpty())\n  throw NoSuchElementException("\nArray is empty.\n")\n  return this[lastIndex]\n}\n\n/**\n *
Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such
element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n * \npublic inline fun <T>
Array<out T>.last(predicate:
(T) -> Boolean): T {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
(predicate(element)) return element\n  }\n  throw NoSuchElementException("\nArray contains no element
matching the predicate.\n")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \npublic inline fun ByteArray.last(predicate: (Byte) -> Boolean):
Byte {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if (predicate(element)) return
element\n  }\n  throw NoSuchElementException("\nArray contains no element matching the
predicate.\n")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \npublic inline fun ShortArray.last(predicate:
(Short) -> Boolean): Short {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
(predicate(element)) return element\n  }\n  throw NoSuchElementException("\nArray contains no element
matching the predicate.\n")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \npublic inline fun IntArray.last(predicate: (Int) -> Boolean): Int
{\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if (predicate(element)) return
element\n  }\n  throw NoSuchElementException("\nArray contains no element matching the
predicate.\n")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample

```

```

samples.collections.Collections.Elements.last\n *\npublic inline fun LongArray.last(predicate:
(Long) -> Boolean): Long {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
(predicate(element)) return element\n  }\n  throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *\npublic inline fun FloatArray.last(predicate: (Float) -> Boolean):
Float {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if (predicate(element))
return element\n  }\n  throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *\npublic inline
fun DoubleArray.last(predicate: (Double) -> Boolean): Double {\n  for (index in this.indices.reversed()) {\n
val element = this[index]\n    if (predicate(element)) return element\n  }\n  throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n
* \n * @sample
samples.collections.Collections.Elements.last\n *\npublic inline fun BooleanArray.last(predicate:
(Boolean) -> Boolean): Boolean {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
(predicate(element)) return element\n  }\n  throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\npublic inline fun CharArray.last(predicate: (Char) -> Boolean): Char {\n  for (index in this.indices.reversed())
{\n    val element = this[index]\n    if (predicate(element)) return element\n  }\n  throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns last index
of [element], or -1 if the array does not contain element.\n *\npublic fun <@kotlin.internal.OnlyInputTypes T>
Array<out T>.lastIndexOf(element: T): Int {\n  if (element == null) {\n    for (index in indices.reversed()) {\n
if (this[index] == null) {\n      return index\n    }\n  }\n } else {\n  for (index in
indices.reversed()) {\n    if (element == this[index]) {\n      return index\n    }\n  }\n }\n }\n
return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n *\npublic fun
ByteArray.lastIndexOf(element: Byte): Int
{\n  for (index in indices.reversed()) {\n    if (element == this[index]) {\n      return index\n    }\n  }\n
return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n *\npublic fun
ShortArray.lastIndexOf(element: Short): Int {\n  for (index in indices.reversed()) {\n    if (element ==
this[index]) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns last index of [element], or -1 if
the array does not contain element.\n *\npublic fun IntArray.lastIndexOf(element: Int): Int {\n  for (index in
indices.reversed()) {\n    if (element == this[index]) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n
* Returns last index of [element], or -1 if the array does not contain element.\n *\npublic fun
LongArray.lastIndexOf(element: Long): Int {\n  for (index in indices.reversed()) {\n    if (element ==
this[index]) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns last index of [element], or -1 if
the array does not contain element.\n *\n@Deprecated("The function has unclear behavior when searching for NaN or zero values and will be removed
soon. Use 'indexOfLast { it == element }' instead to continue using this behavior, or '.asList().lastIndexOf(element:
T)' to get the same search behavior as in a list.", ReplaceWith("indexOfLast { it == element
}"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\npublic fun
FloatArray.lastIndexOf(element: Float): Int {\n  for (index in indices.reversed()) {\n    if (element ==
this[index]) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns last index of [element], or -1 if
the array does not contain element.\n *\n@Deprecated("The function has unclear behavior when searching for NaN
or zero values and will be removed soon. Use 'indexOfLast { it == element }' instead to continue using this

```

behavior, or `asList().lastIndexOf(element:`

```
T') to get the same search behavior as in a list.", ReplaceWith("""indexOfLast { it == element
})""")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic fun
DoubleArray.lastIndexOf(element: Double): Int {\n    for (index in indices.reversed()) {\n        if (element ==
this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if
the array does not contain element.\n */\npublic fun BooleanArray.lastIndexOf(element: Boolean): Int {\n    for
(index in indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -
1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
CharArray.lastIndexOf(element: Char): Int {\n    for (index in indices.reversed()) {\n        if (element == this[index])
{\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun <T> Array<out T>.lastOrNull(): T? {\n    return if
(isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun ByteArray.lastOrNull(): Byte? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun ShortArray.lastOrNull(): Short? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun IntArray.lastOrNull(): Int? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the
array is empty.\n */\n * @sample samples.collections.Collections.Elements.last\n */\npublic fun
LongArray.lastOrNull(): Long? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last
element, or `null` if the array is empty.\n */\n * @sample samples.collections.Collections.Elements.last\n */\npublic
fun FloatArray.lastOrNull(): Float? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last
element, or `null` if the array is empty.\n */\n * @sample samples.collections.Collections.Elements.last\n */\npublic
fun DoubleArray.lastOrNull(): Double? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the
last element, or `null` if the array is empty.\n */\n * @sample samples.collections.Collections.Elements.last\n
*/\npublic fun BooleanArray.lastOrNull(): Boolean? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n *
Returns the last element, or `null` if the array is empty.\n */\n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Array<out T>.lastOrNull(predicate: (T) ->
Boolean): T? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n */\n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun ByteArray.lastOrNull(predicate: (Byte) ->
Boolean): Byte? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element
matching the given [predicate], or `null` if no such element was found.\n */\n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun ShortArray.lastOrNull(predicate: (Short) ->
Boolean): Short? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n */\n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun IntArray.lastOrNull(predicate: (Int) ->
Boolean): Int? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n */\n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun LongArray.lastOrNull(predicate:
```



```

(Long) -> Boolean): Long? {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
(predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun FloatArray.lastOrNull(predicate: (Float) ->
Boolean): Float? {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
(predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun DoubleArray.lastOrNull(predicate: (Double) ->
Boolean): Double? {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
(predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun BooleanArray.lastOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if (predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun CharArray.lastOrNull(predicate: (Char) ->
Boolean): Char? {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
(predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.random(): T {\n  return random(Random)\n}\n\n/**\n * Returns a random element
from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.random(): Byte {\n  return
random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n */\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.random(): Short {\n  return random(Random)\n}\n\n/**\n * Returns a random element from
this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.random(): Int {\n  return
random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n */\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.random(): Long {\n  return random(Random)\n}\n\n/**\n * Returns a random element from
this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.random(): Float {\n  return
random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n */\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.random(): Double {\n  return random(Random)\n}\n\n/**\n * Returns a random element
from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.random(): Boolean {\n  return
random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n */\n\n/**\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.random(): Char {\n  return random(Random)\n}\n\n/**\n * Returns a random element from
this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is
empty.\n */\n\n/**\n * @SinceKotlin("1.3")\n */\npublic fun <T> Array<out T>.random(random: Random): T {\n  if
(isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n\n/**\n * @SinceKotlin("1.3")\n */\npublic fun ByteArray.random(random: Random): Byte {\n  if (isEmpty())\n    throw NoSuchElementException("Array
is empty.")\n  return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the

```

```

specified source of randomness.\n * \n * @throws NoSuchElementException if this array is
empty.\n */\n@SinceKotlin("1.3")\npublic fun ShortArray.random(random: Random): Short {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws\n NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun IntArray.random(random: Random): Int {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return\n        get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of\n randomness.\n * \n * @throws\n NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun LongArray.random(random: Random): Long {\n    if (isEmpty())\n        throw\n        NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source\n of randomness.\n * \n * @throws\n NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun FloatArray.random(random: Random): Float {\n    if (isEmpty())\n        throw\n        NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of\n randomness.\n * \n * @throws\n NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun DoubleArray.random(random: Random): Double {\n    if (isEmpty())\n        throw\n        NoSuchElementException("Array is empty.")\n    return\n        get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of\n randomness.\n * \n * @throws\n NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun BooleanArray.random(random: Random): Boolean {\n    if (isEmpty())\n        throw\n        NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of\n randomness.\n * \n * @throws\n NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun CharArray.random(random: Random): Char {\n    if (isEmpty())\n        throw\n        NoSuchElementException("Array is\n        empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if\n this array is empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.randomOrNull(): T? {\n    return\n        randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.randomOrNull(): Byte? {\n    return\n        randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null`\n if this array is empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.randomOrNull(): Short? {\n    return\n        randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.randomOrNull(): Int? {\n    return\n        randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.randomOrNull(): Long? {\n    return\n        randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.randomOrNull():\n    Float? {\n    return\n        randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this\n array is empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.randomOrNull(): Double? {\n    return\n        randomOrNull(Random)\n}\n\n/**\n * Returns a

```

random element from this array, or `null` if this array is empty.

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.randomOrNull(): Boolean? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T> Array<out T>.randomOrNull(random: Random): T? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun ByteArray.randomOrNull(random: Random): Byte? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun ShortArray.randomOrNull(random: Random): Short? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun IntArray.randomOrNull(random: Random): Int? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun LongArray.randomOrNull(random: Random): Long? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun FloatArray.randomOrNull(random: Random): Float? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun DoubleArray.randomOrNull(random: Random): Double? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun BooleanArray.randomOrNull(random: Random): Boolean? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun CharArray.randomOrNull(random: Random): Char? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n
*\npublic fun <T> Array<out T>.single(): T {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -> throw IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n
*\npublic fun ByteArray.single(): Byte {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 -> this[0]\n

```

```

else -> throw IllegalArgumentException("Array has more than one element.")\n } \n } \n\n/**\n * Returns the
single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun
ShortArray.single(): Short {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array
is empty.")\n        1 -> this[0]\n        else -> throw IllegalArgumentException("Array has more than one
element.")\n    } \n } \n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more
than one element.\n */\npublic fun IntArray.single(): Int {\n    return when (size) {\n        0 -> throw
NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Array has more than one element.")\n    } \n } \n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n */\npublic fun LongArray.single(): Long
{\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 -> this[0]\n
else -> throw IllegalArgumentException("Array has more than one element.")\n    } \n } \n\n/**\n * Returns the
single element, or throws an exception if the array is empty or has more than one element.\n */\npublic
fun FloatArray.single(): Float {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is
empty.")\n        1 -> this[0]\n        else -> throw IllegalArgumentException("Array has more than one
element.")\n    } \n } \n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one
element.\n */\npublic fun DoubleArray.single(): Double {\n    return when (size) {\n        0 -> throw
NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Array has more than one element.")\n    } \n } \n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n */\npublic fun BooleanArray.single():
Boolean {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 ->
this[0]\n        else -> throw IllegalArgumentException("Array has more than one element.")\n    } \n } \n\n/**\n
* Returns the single element, or throws an exception if the array is empty or has more than one element.\n
*/\npublic fun CharArray.single(): Char {\n    return when (size) {\n        0 -> throw
NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Array has more than one element.")\n    } \n } \n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic
inline fun <T> Array<out T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n    var found = false\n
for (element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n            single = element\n            found = true\n        } \n } \n
if (!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n
@Suppress("UNCHECKED_CAST")\n    return single as T\n} \n\n/**\n * Returns the single element matching the given [predicate], or throws exception if
there is no or more than one matching element.\n */\npublic inline fun ByteArray.single(predicate: (Byte) ->
Boolean): Byte {\n    var single: Byte? = null\n    var found = false\n    for (element in this) {\n        if
(predicate(element)) {\n            if (found) throw IllegalArgumentException("Array contains more than one
matching element.")\n            single = element\n            found = true\n        } \n } \n if (!found) throw
NoSuchElementException("Array contains no element matching the predicate.")\n
@Suppress("UNCHECKED_CAST")\n    return single as Byte\n} \n\n/**\n * Returns the single element matching
the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun
ShortArray.single(predicate: (Short) -> Boolean): Short {\n    var single: Short? = null\n    var found = false\n
for (element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n            single = element\n            found = true\n        } \n } \n
if (!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n
@Suppress("UNCHECKED_CAST")\n    return single as Short\n} \n\n/**\n * Returns the single element matching
the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun
IntArray.single(predicate: (Int) -> Boolean): Int {\n    var single: Int? = null\n    var found = false\n    for (element in
this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Array contains more
than one matching element.")\n            single = element\n            found = true\n        } \n } \n if (!found) throw

```

```

NoSuchElementException("Array contains no element matching
the predicate.")\n @Suppress("UNCHECKED_CAST")\n return single as Int\n}\n\n/**\n * Returns the single
element matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*/\npublic inline fun LongArray.single(predicate: (Long) -> Boolean): Long {\n    var single: Long? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentExceptio\n\nsingle = element\n\nfound = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Long\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun FloatArray.single(predicate: (Float) -> Boolean): Float {\n    var
single: Float? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if
(found) throw IllegalArgumentExceptio\n\nsingle =
element\n\nfound = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Float\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.\n */\npublic inline fun DoubleArray.single(predicate: (Double) -> Boolean): Double {\n    var
single: Double? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if
(found) throw IllegalArgumentExceptio\n\nsingle =
element\n\nfound = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Double\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic
inline fun BooleanArray.single(predicate: (Boolean) -> Boolean): Boolean {\n    var single: Boolean? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentExceptio\n\nsingle = element\n\nfound = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Boolean\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun CharArray.single(predicate: (Char) -> Boolean): Char {\n    var single: Char? = null\n    var found =
false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentExceptio\n\nsingle = element\n\nfound = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Char\n}\n\n/**\n * Returns single
element, or `null` if the array is empty or has more than one element.\n */\npublic fun <T> Array<out
T>.singleOrNull(): T? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if
the array is empty or has more than one element.\n */\npublic fun ByteArray.singleOrNull(): Byte? {\n    return if
(size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has
more than one element.\n */\npublic fun ShortArray.singleOrNull(): Short? {\n    return if (size == 1) this[0] else
null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic
fun IntArray.singleOrNull(): Int? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun LongArray.singleOrNull(): Long? {\n    return
if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more
than one element.\n */\npublic fun FloatArray.singleOrNull(): Float? {\n    return if (size == 1) this[0] else
null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic
fun DoubleArray.singleOrNull(): Double? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single
element, or `null` if the array is empty or has more than one

```

```

element.\n */\npublic fun BooleanArray.singleOrNull(): Boolean? {\n    return if (size == 1) this[0] else
null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic
fun CharArray.singleOrNull(): Char? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single
element matching the given [predicate], or `null` if element was not found or more than one element was found.\n
*/\npublic inline fun <T> Array<out T>.singleOrNull(predicate: (T) -> Boolean): T? {\n    var single: T? = null\n
var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n
single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n *
Returns the single element matching the given [predicate], or `null` if element was not found or more than one
element was found.\n */\npublic inline fun ByteArray.singleOrNull(predicate:
(Byte) -> Boolean): Byte? {\n    var single: Byte? = null\n    var found = false\n    for (element in this) {\n        if
(predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n
if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or
`null` if element was not found or more than one element was found.\n */\npublic inline fun
ShortArray.singleOrNull(predicate: (Short) -> Boolean): Short? {\n    var single: Short? = null\n    var found =
false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single =
element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n */\npublic inline fun IntArray.singleOrNull(predicate:
(Int) -> Boolean): Int? {\n    var single: Int? = null\n    var found = false\n    for (element in this) {\n        if
(predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n
if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or
`null` if element was not found or more than one element was found.\n */\npublic inline fun
LongArray.singleOrNull(predicate: (Long) -> Boolean): Long? {\n    var single: Long? = null\n    var found =
false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single =
element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n */\npublic inline fun FloatArray.singleOrNull(predicate:
(Float) -> Boolean): Float? {\n    var single: Float? = null\n    var found = false\n    for (element in this) {\n        if
(predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n
if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or
`null` if element was not found or more than one element was found.\n */\npublic inline fun
DoubleArray.singleOrNull(predicate: (Double) -> Boolean): Double? {\n    var single: Double? = null\n    var found
= false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single =
element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n */\npublic
inline fun BooleanArray.singleOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n    var single: Boolean? =
null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n
single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n *
Returns the single element matching the given [predicate], or `null` if element was not found or more than one
element was found.\n */\npublic inline fun CharArray.singleOrNull(predicate: (Char) -> Boolean): Char? {\n    var
single: Char? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if
(found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return
single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n */\n * @throws
IllegalArgumentException if
[n] is negative.\n */\n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T>
Array<out T>.drop(n: Int): List<T> {\n    require(n >= 0) {\n        "Requested element count $n is less than zero."
}\n    return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n]

```

```

elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ByteArray.drop(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ShortArray.drop(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\"
}\n  return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n]
elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun IntArray.drop(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun LongArray.drop(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\npublic fun FloatArray.drop(n: Int): List<Float> {\n  require(n >= 0) { \"Requested element count $n is less
than zero.\" }\n  return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements
except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun DoubleArray.drop(n: Int): List<Double> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun BooleanArray.drop(n: Int): List<Boolean>
{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\npublic fun CharArray.drop(n: Int): List<Char> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n
return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n]
elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun <T> Array<out T>.dropLast(n: Int): List<T>
{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\npublic fun ByteArray.dropLast(n: Int): List<Byte> {\n  require(n >= 0) { \"Requested element count $n is less
than zero.\" }\n  return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except
last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ShortArray.dropLast(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun IntArray.dropLast(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list

```

containing all elements except last [n] elements.\n \* \n \* @throws IllegalArgumentException if [n] is negative.\n \* \n \* @sample samples.collections.Collections.Transformations.drop\n \* \n\npublic fun LongArray.dropLast(n: Int): List<Long> {\n require(n >= 0) { \"Requested element count \$n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/\*\*\n \* Returns a list containing all elements except last [n] elements.\n \* \n \* @throws IllegalArgumentException if [n] is negative.\n \* \n \* @sample samples.collections.Collections.Transformations.drop\n \* \n\npublic fun FloatArray.dropLast(n: Int): List<Float> {\n require(n >= 0) { \"Requested element count \$n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/\*\*\n \* Returns a list containing all elements except last [n] elements.\n \* \n \* @throws IllegalArgumentException if [n] is negative.\n \* \n \* @sample samples.collections.Collections.Transformations.drop\n \* \n\npublic fun DoubleArray.dropLast(n: Int): List<Double> {\n require(n >= 0) { \"Requested element count \$n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/\*\*\n \* Returns a list containing all elements except last [n] elements.\n \* \n \* @throws IllegalArgumentException if [n] is negative.\n \* \n \* @sample samples.collections.Collections.Transformations.drop\n \* \n\npublic fun BooleanArray.dropLast(n: Int): List<Boolean> {\n require(n >= 0) { \"Requested element count \$n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/\*\*\n \* Returns a list containing all elements except last [n] elements.\n \* \n \* @throws IllegalArgumentException if [n] is negative.\n \* \n \* @sample samples.collections.Collections.Transformations.drop\n \* \n\npublic fun CharArray.dropLast(n: Int): List<Char> {\n require(n >= 0) { \"Requested element count \$n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/\*\*\n \* Returns a list containing all elements except last elements that satisfy the given [predicate].\n \* \n \* @sample samples.collections.Collections.Transformations.drop\n \* \n\npublic inline fun <T> Array<out T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/\*\*\n \* Returns a list containing all elements except last elements that satisfy the given [predicate].\n \* \n \* @sample samples.collections.Collections.Transformations.drop\n \* \n\npublic inline fun ByteArray.dropLastWhile(predicate: (Byte) -> Boolean): List<Byte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/\*\*\n \* Returns a list containing all elements except last elements that satisfy the given [predicate].\n \* \n \* @sample samples.collections.Collections.Transformations.drop\n \* \n\npublic inline fun ShortArray.dropLastWhile(predicate: (Short) -> Boolean): List<Short> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/\*\*\n \* Returns a list containing all elements except last elements that satisfy the given [predicate].\n \* \n \* @sample samples.collections.Collections.Transformations.drop\n \* \n\npublic inline fun IntArray.dropLastWhile(predicate: (Int) -> Boolean): List<Int> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/\*\*\n \* Returns a list containing all elements except last elements that satisfy the given [predicate].\n \* \n \* @sample samples.collections.Collections.Transformations.drop\n \* \n\npublic inline fun LongArray.dropLastWhile(predicate: (Long) -> Boolean): List<Long> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/\*\*\n \* Returns a list containing all elements except last elements that satisfy the given [predicate].\n \* \n \* @sample samples.collections.Collections.Transformations.drop\n \* \n\npublic inline fun FloatArray.dropLastWhile(predicate: (Float) -> Boolean): List<Float> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/\*\*\n \* Returns a list containing all elements except last elements that satisfy the given [predicate].\n \* \n \* @sample samples.collections.Collections.Transformations.drop\n \* \n\npublic inline fun DoubleArray.dropLastWhile(predicate: (Double) -> Boolean): List<Double> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/\*\*\n \* Returns a list containing



```

all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun
BooleanArray.dropLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic inline fun
CharArray.dropLastWhile(predicate: (Char) -> Boolean): List<Char> {\n  for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n    return take(index + 1)\n  }\n}\n  return emptyList()\n}\n\n/**\n *
Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun <T> Array<out T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n  var yielding = false\n
val list = ArrayList<T>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if
(!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list
containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun ByteArray.dropWhile(predicate:
(Byte) -> Boolean): List<Byte> {\n  var yielding = false\n  val list = ArrayList<Byte>()\n  for (item in this)\n
if (yielding)\n    list.add(item)\n  else if (!predicate(item)) {\n    list.add(item)\n    yielding =
true\n  }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic inline fun
ShortArray.dropWhile(predicate: (Short) -> Boolean): List<Short> {\n  var yielding = false\n  val list =
ArrayList<Short>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))
{\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun IntArray.dropWhile(predicate: (Int) ->
Boolean): List<Int> {\n  var yielding = false\n  val list = ArrayList<Int>()\n  for (item in this)\n    if
(yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding = true\n
}\n  return list\n}\n\n/**\n * Returns a list containing all elements except
first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun LongArray.dropWhile(predicate:
(Long) -> Boolean): List<Long> {\n  var yielding = false\n  val list = ArrayList<Long>()\n  for (item in this)\n
if (yielding)\n    list.add(item)\n  else if (!predicate(item)) {\n    list.add(item)\n    yielding =
true\n  }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic inline fun
FloatArray.dropWhile(predicate: (Float) -> Boolean): List<Float> {\n  var yielding = false\n  val list =
ArrayList<Float>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))
{\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun DoubleArray.dropWhile(predicate:
(Double) -> Boolean): List<Double> {\n  var yielding = false\n  val list = ArrayList<Double>()\n  for (item in
this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n
yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that
satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic
inline fun BooleanArray.dropWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  var yielding = false\n
val list = ArrayList<Boolean>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if
(!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements
except first elements that satisfy the given [predicate].\n * \n * @sample

```

```

samples.collections.Collections.Transformations.drop\n *^\\npublic inline fun CharArray.dropWhile(predicate:
(Char) -> Boolean): List<Char> {\n  var yielding = false\n  val list = ArrayList<Char>()\n  for (item in this)\n  if (yielding)\n    list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding =
true\n    }\n  return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n *
\n * @sample samples.collections.Collections.Filtering.filter\n *^\\npublic inline fun <T> Array<out
T>.filter(predicate: (T) -> Boolean): List<T> {\n  return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns
a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*^\\npublic inline fun ByteArray.filter(predicate: (Byte) -> Boolean): List<Byte> {\n  return
filterTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n *^\\npublic inline fun
ShortArray.filter(predicate: (Short) -> Boolean): List<Short> {\n  return filterTo(ArrayList<Short>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *^\\npublic inline fun IntArray.filter(predicate: (Int) -> Boolean):
List<Int> {\n  return filterTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements
matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n *^\\npublic inline
fun LongArray.filter(predicate: (Long) -> Boolean): List<Long> {\n  return filterTo(ArrayList<Long>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *^\\npublic inline fun FloatArray.filter(predicate: (Float) ->
Boolean): List<Float> {\n  return filterTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing
only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n
*^\\npublic inline fun DoubleArray.filter(predicate: (Double) -> Boolean): List<Double> {\n  return
filterTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n *^\\npublic inline fun
BooleanArray.filter(predicate: (Boolean) -> Boolean): List<Boolean> {\n  return filterTo(ArrayList<Boolean>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n
* \n * @sample samples.collections.Collections.Filtering.filter\n *^\\npublic inline fun CharArray.filter(predicate:
(Char) -> Boolean): List<Char> {\n  return filterTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list
containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an
element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n *^\\npublic inline fun <T> Array<out
T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n  return filterIndexedTo(ArrayList<T>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n
*^\\npublic inline fun ByteArray.filterIndexed(predicate: (index: Int, Byte) -> Boolean): List<Byte> {\n  return
filterIndexedTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n *^\\npublic inline fun ShortArray.filterIndexed(predicate:
(index: Int, Short) -> Boolean): List<Short> {\n  return filterIndexedTo(ArrayList<Short>(), predicate)\n}\n\n/**\n
* Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes
the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n *
\n * @sample samples.collections.Collections.Filtering.filterIndexed\n *^\\npublic inline fun
IntArray.filterIndexed(predicate:
(index: Int, Int) -> Boolean): List<Int> {\n  return filterIndexedTo(ArrayList<Int>(), predicate)\n}\n\n/**\n
* Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes
the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n *
\n *

```

```

* @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun
LongArray.filterIndexed(predicate: (index: Int, Long) -> Boolean): List<Long> {\n  return
filterIndexedTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun FloatArray.filterIndexed(predicate:
(index: Int, Float) ->
Boolean): List<Float> {\n  return filterIndexedTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list
containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an
element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun DoubleArray.filterIndexed(predicate:
(index: Int, Double) -> Boolean): List<Double> {\n  return filterIndexedTo(ArrayList<Double>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic
inline fun BooleanArray.filterIndexed(predicate: (index: Int, Boolean) -> Boolean): List<Boolean> {\n
  return filterIndexedTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only elements
matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element
itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun CharArray.filterIndexed(predicate:
(index: Int, Char) -> Boolean): List<Char> {\n  return filterIndexedTo(ArrayList<Char>(), predicate)\n}\n\n/**\n *
Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that
takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the
element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <T, C :
MutableCollection<in T>> Array<out T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean):
C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterIndexedTo(destination: C, predicate:
(index: Int, Byte) -> Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element))
destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterIndexedTo(destination: C, predicate: (index: Int, Short) ->
Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element))
destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Int>>
IntArray.filterIndexedTo(destination: C, predicate: (index: Int, Int) -> Boolean): C {\n  forEachIndexed { index,
element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return destination\n}\n\n/**\n *
Appends all elements
matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an
element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Long>>
LongArray.filterIndexedTo(destination: C, predicate: (index: Int, Long) -> Boolean): C {\n  forEachIndexed {

```

```

index, element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n
*/\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterIndexedTo(destination:
C, predicate: (index: Int, Float) -> Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index,
element)) destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and
the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n
*/\npublic inline fun <C : MutableCollection<in
Double>> DoubleArray.filterIndexedTo(destination: C, predicate: (index: Int, Double) -> Boolean): C {\n
  forEachIndexed { index, element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns
the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n
*/\npublic inline fun <C : MutableCollection<in
Boolean>> BooleanArray.filterIndexedTo(destination: C, predicate: (index: Int, Boolean) -> Boolean): C {\n
  forEachIndexed { index, element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n
*/\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterIndexedTo(destination: C, predicate:
(index: Int, Char) -> Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element))
destination.add(element)\n
  }\n  return destination\n}\n\n/**\n * Returns a list containing all elements that are instances of specified type
parameter R.\n * \n * @sample samples.collections.Collections.Filtering.filterIsInstance\n
*/\npublic inline fun
<reified R> Array<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n  return
filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type
parameter R to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterIsInstanceTo\n
*/\npublic inline fun <reified R, C :
MutableCollection<in R>> Array<*>.filterIsInstanceTo(destination: C): C {\n  for (element in this) if (element is
R) destination.add(element)\n  return destination\n}\n\n/**\n * Returns a list containing all elements not matching
the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n
*/\npublic inline fun <T>
Array<out T>.filterNot(predicate: (T) -> Boolean): List<T> {\n
  return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n
*/\npublic inline fun
ByteArray.filterNot(predicate: (Byte) -> Boolean): List<Byte> {\n  return filterNotTo(ArrayList<Byte>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*/\npublic inline fun ShortArray.filterNot(predicate: (Short) ->
Boolean): List<Short> {\n  return filterNotTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list
containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*/\npublic inline fun IntArray.filterNot(predicate: (Int) -> Boolean):
List<Int> {\n  return filterNotTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing all elements
not matching
the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n
*/\npublic inline fun
LongArray.filterNot(predicate: (Long) -> Boolean): List<Long> {\n  return filterNotTo(ArrayList<Long>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*/\npublic inline fun FloatArray.filterNot(predicate: (Float) ->

```

```

Boolean): List<Float> {\n  return filterNotTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list
containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun DoubleArray.filterNot(predicate: (Double) ->
Boolean): List<Double> {\n  return filterNotTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list
containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic
inline fun BooleanArray.filterNot(predicate: (Boolean) -> Boolean): List<Boolean> {\n  return
filterNotTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun
CharArray.filterNot(predicate: (Char) -> Boolean): List<Char> {\n  return filterNotTo(ArrayList<Char>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n * \n * @sample
samples.collections.Collections.Filtering.filterNotNull\n */\npublic fun <T : Any> Array<out T?>.filterNotNull():
List<T> {\n  return filterNotNullTo(ArrayList<T?>())\n}\n\n/**\n * Appends all elements that are not `null` to the
given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterNotNullTo\n */\npublic fun <C
: MutableCollection<in T>, T : Any> Array<out T?>.filterNotNullTo(destination: C): C {\n  for (element in this) if
(element != null) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*/\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterNotTo(destination: C, predicate: (T) ->
Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in
Byte>> ByteArray.filterNotTo(destination: C, predicate: (Byte) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*/\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterNotTo(destination: C, predicate: (Short) -
> Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Int>>
IntArray.filterNotTo(destination: C, predicate: (Int) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Long>>
LongArray.filterNotTo(destination: C, predicate: (Long) -> Boolean): C {\n  for (element in this) if
(!predicate(element))
destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not matching the given
[predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*/\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterNotTo(destination: C, predicate: (Float) ->
Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in
Double>> DoubleArray.filterNotTo(destination: C, predicate: (Double) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*/\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterNotTo(destination: C, predicate:
(Boolean) -> Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n *
@sample

```

```

@sample samples.collections.Collections.Filtering.filterTo\n *^\npublic inline fun <C : MutableCollection<in
Char>> CharArray.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*^\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterTo(destination: C, predicate: (T) ->
Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n
return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n
\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n *^\npublic inline fun <C : MutableCollection<in
Byte>> ByteArray.filterTo(destination: C, predicate: (Byte) -> Boolean): C {\n  for (element in this) if
(predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*^\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterTo(destination: C, predicate: (Short) ->
Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n *
\n * @sample samples.collections.Collections.Filtering.filterTo\n *^\npublic
inline fun <C : MutableCollection<in Int>> IntArray.filterTo(destination: C, predicate: (Int) -> Boolean): C {\n
for (element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends
all elements matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *^\npublic inline fun <C : MutableCollection<in Long>>
LongArray.filterTo(destination: C, predicate: (Long) -> Boolean): C {\n  for (element in this) if
(predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*^\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterTo(destination: C, predicate: (Float) ->
Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n *
\n * @sample samples.collections.Collections.Filtering.filterTo\n *^\npublic inline fun <C : MutableCollection<in
Double>> DoubleArray.filterTo(destination: C, predicate: (Double) -> Boolean): C {\n  for (element in this) if
(predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*^\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterTo(destination: C, predicate:
(Boolean) -> Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n *
\n * @sample samples.collections.Collections.Filtering.filterTo\n *^\npublic inline fun <C : MutableCollection<in
Char>> CharArray.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (element in this) if
(predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Returns a list containing elements
at indices in the specified [indices] range.\n *^\npublic fun <T> Array<out T>.slice(indices: IntRange): List<T> {\n
if (indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n *^\npublic
fun ByteArray.slice(indices: IntRange): List<Byte> {\n  if (indices.isEmpty()) return listOf()\n  return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n *^\npublic fun ShortArray.slice(indices: IntRange): List<Short> {\n  if
(indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n *^\npublic
fun IntArray.slice(indices: IntRange): List<Int> {\n  if (indices.isEmpty()) return listOf()\n  return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n *^\npublic fun LongArray.slice(indices: IntRange): List<Long> {\n  if
(indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive +

```

```

1).asList()\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n *\npublic
fun FloatArray.slice(indices: IntRange): List<Float> {\n if (indices.isEmpty()) return listOf()\n return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n *\npublic fun DoubleArray.slice(indices: IntRange):
List<Double> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n *\npublic
fun BooleanArray.slice(indices: IntRange): List<Boolean> {\n if (indices.isEmpty()) return listOf()\n return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n *\npublic fun CharArray.slice(indices: IntRange): List<Char> {\n if
(indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n\n/**\n * Returns a list containing elements at specified [indices].\n *\npublic fun <T> Array<out
T>.slice(indices: Iterable<Int>): List<T> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0)
return emptyList()\n val list = ArrayList<T>(size)\n for (index in indices) {\n
list.add(get(index))\n }\n return list\n\n/**\n * Returns a list containing elements at specified [indices].\n *\npublic fun
ByteArray.slice(indices: Iterable<Int>): List<Byte> {\n val size =
indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<Byte>(size)\n for
(index in indices) {\n list.add(get(index))\n }\n return list\n\n/**\n * Returns a list containing elements at
specified [indices].\n *\npublic fun ShortArray.slice(indices: Iterable<Int>): List<Short> {\n val size =
indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<Short>(size)\n
for (index in indices) {\n list.add(get(index))\n }\n return list\n\n/**\n * Returns a list containing
elements at specified [indices].\n *\npublic fun IntArray.slice(indices: Iterable<Int>): List<Int> {\n val size =
indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n
val list = ArrayList<Int>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return
list\n\n/**\n * Returns a list containing elements at specified [indices].\n *\npublic fun LongArray.slice(indices:
Iterable<Int>): List<Long> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return
emptyList()\n val list = ArrayList<Long>(size)\n for (index in indices) {\n list.add(get(index))\n }\n
return list\n\n/**\n * Returns a list containing elements at specified [indices].\n *\npublic fun
FloatArray.slice(indices: Iterable<Int>): List<Float> {\n val size = indices.collectionSizeOrDefault(10)\n if (size
== 0) return emptyList()\n val list = ArrayList<Float>(size)\n for (index in indices) {\n
list.add(get(index))\n }\n return list\n\n/**\n * Returns a list containing elements at specified [indices].\n *\npublic
fun DoubleArray.slice(indices: Iterable<Int>): List<Double> {\n val size
= indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<Double>(size)\n
for (index in indices) {\n list.add(get(index))\n }\n return list\n\n/**\n * Returns a list containing
elements at specified [indices].\n *\npublic fun BooleanArray.slice(indices: Iterable<Int>): List<Boolean> {\n val
size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<Boolean>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n\n/**\n *
Returns a list containing elements at specified [indices].\n *\npublic fun CharArray.slice(indices: Iterable<Int>):
List<Char> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<Char>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n\n/**\n *
Returns an array containing elements of this array at specified
[indices].\n *\npublic fun <T> Array<T>.sliceArray(indices: Collection<Int>): Array<T> {\n val result =
arrayOfNulls(this, indices.size)\n var targetIndex = 0\n for (sourceIndex in indices) {\n
result[targetIndex++] = this[sourceIndex]\n }\n return result\n\n/**\n * Returns an array containing elements
of this array at specified [indices].\n *\npublic fun ByteArray.sliceArray(indices: Collection<Int>): ByteArray {\n
val result = ByteArray(indices.size)\n var targetIndex = 0\n for (sourceIndex in indices) {\n
result[targetIndex++] = this[sourceIndex]\n }\n return result\n\n/**\n * Returns an array containing elements
of this array at specified [indices].\n *\npublic fun ShortArray.sliceArray(indices: Collection<Int>): ShortArray {\n
val result = ShortArray(indices.size)\n var targetIndex = 0\n for (sourceIndex in indices) {\n

```

```

result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns
an array containing elements of this array at specified [indices].\n */\npublic fun IntArray.sliceArray(indices:
Collection<Int>): IntArray {\n    val result = IntArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in
indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n */\npublic fun LongArray.sliceArray(indices:
Collection<Int>): LongArray {\n    val result = LongArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex
in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n */\npublic fun FloatArray.sliceArray(indices:
Collection<Int>): FloatArray {\n    val result = FloatArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex
in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n */\npublic
fun DoubleArray.sliceArray(indices: Collection<Int>): DoubleArray {\n    val result = DoubleArray(indices.size)\n
var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n
return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
BooleanArray.sliceArray(indices: Collection<Int>): BooleanArray {\n    val result = BooleanArray(indices.size)\n
var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n
return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
CharArray.sliceArray(indices: Collection<Int>): CharArray {\n    val result = CharArray(indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n
result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing
elements at indices in the specified [indices] range.\n */\npublic fun <T> Array<T>.sliceArray(indices: IntRange):
Array<T> {\n    if (indices.isEmpty()) return copyOfRange(0, 0)\n    return copyOfRange(indices.start,
indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices]
range.\n */\npublic fun ByteArray.sliceArray(indices: IntRange): ByteArray {\n    if (indices.isEmpty()) return
ByteArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array
containing elements at indices in the specified [indices] range.\n */\npublic fun ShortArray.sliceArray(indices:
IntRange): ShortArray {\n    if (indices.isEmpty()) return ShortArray(0)\n    return copyOfRange(indices.start,
indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices]
range.\n */\npublic fun IntArray.sliceArray(indices: IntRange): IntArray {\n    if (indices.isEmpty()) return
IntArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array
containing elements at indices in the specified [indices] range.\n */\npublic fun LongArray.sliceArray(indices:
IntRange): LongArray {\n    if (indices.isEmpty()) return LongArray(0)\n    return copyOfRange(indices.start,
indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices]
range.\n */\npublic fun FloatArray.sliceArray(indices: IntRange): FloatArray {\n    if (indices.isEmpty()) return
FloatArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array
containing elements at indices in the specified [indices] range.\n */\npublic fun DoubleArray.sliceArray(indices:
IntRange): DoubleArray {\n    if (indices.isEmpty()) return DoubleArray(0)\n    return copyOfRange(indices.start,
indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices]
range.\n */\npublic fun BooleanArray.sliceArray(indices: IntRange): BooleanArray {\n    if (indices.isEmpty())
return BooleanArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an
array containing elements at indices in the specified [indices] range.\n */\npublic fun CharArray.sliceArray(indices:
IntRange): CharArray {\n    if (indices.isEmpty()) return CharArray(0)\n    return copyOfRange(indices.start,
indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing first [n] elements.\n * @throws
IllegalArgumentException if [n] is negative.\n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out T>.take(n: Int): List<T> {\n
require(n >= 0) {"Requested element count $n is less than zero." }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n}

```



```

    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<T>(n)\n    for (item in this) {\n
list.add(item)\n    if (++count == n)\n        break\n    }\n    return list\n}\n\n/**\n * Returns a list containing first
[n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n\npublic fun ByteArray.take(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<Byte>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n\npublic fun ShortArray.take(n: Int): List<Short> {\n    require(n >= 0) { \"Requested element count $n is less
than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return
listOf(this[0])\n    var count = 0\n    val list = ArrayList<Short>(n)\n    for (item in this) {\n        list.add(item)\n
if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n
* @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n\npublic fun IntArray.take(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<Int>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n
* @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n\npublic fun LongArray.take(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<Long>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n\npublic fun FloatArray.take(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n
if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list =
ArrayList<Float>(n)\n    for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n
return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if
[n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n
*/\n\npublic fun DoubleArray.take(n: Int): List<Double> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\"
}\n    if (n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var
count = 0\n    val list = ArrayList<Double>(n)\n    for (item in this) {\n        list.add(item)\n        if (++count == n)\n
            break\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n\npublic fun BooleanArray.take(n: Int): List<Boolean>
{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n
>= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<Boolean>(n)\n
for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n
* Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n
*/\n\npublic fun CharArray.take(n: Int): List<Char>
{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n
>= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<Char>(n)\n
for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n
* Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n\npublic fun <T> Array<out T>.takeLast(n: Int): List<T>

```

```

{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list = ArrayList<T>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ByteArray.takeLast(n: Int): List<Byte> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list = ArrayList<Byte>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ShortArray.takeLast(n: Int): List<Short> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list = ArrayList<Short>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.takeLast(n: Int): List<Int> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list = ArrayList<Int>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun LongArray.takeLast(n: Int): List<Long> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list = ArrayList<Long>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun FloatArray.takeLast(n: Int): List<Float> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list = ArrayList<Float>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun DoubleArray.takeLast(n: Int): List<Double> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list = ArrayList<Double>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.takeLast(n: Int): List<Boolean> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list = ArrayList<Boolean>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun CharArray.takeLast(n: Int): List<Char> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list = ArrayList<Char>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given

```

```

[predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic inline fun <T>
Array<out T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n for (index in lastIndex downTo 0) {\n if
(!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a
list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun ByteArray.takeLastWhile(predicate:
(Byte) -> Boolean): List<Byte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic
inline fun ShortArray.takeLastWhile(predicate: (Short) -> Boolean): List<Short> {\n for (index in lastIndex
downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun IntArray.takeLastWhile(predicate: (Int)
-> Boolean): List<Int> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return
drop(index + 1)\n }\n }\n return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun LongArray.takeLastWhile(predicate:
(Long) -> Boolean): List<Long> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic
inline fun FloatArray.takeLastWhile(predicate: (Float) -> Boolean): List<Float> {\n for (index in lastIndex
downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic
inline fun DoubleArray.takeLastWhile(predicate: (Double) -> Boolean): List<Double> {\n for (index in lastIndex
downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun
BooleanArray.takeLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n for (index in lastIndex
downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun CharArray.takeLastWhile(predicate:
(Char) -> Boolean): List<Char> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing first elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic
inline fun <T> Array<out T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n val list = ArrayList<T>()\n for
(item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun ByteArray.takeWhile(predicate: (Byte)
-> Boolean): List<Byte> {\n val list = ArrayList<Byte>()\n for (item in this) {\n if (!predicate(item))\n
break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\npublic inline fun ShortArray.takeWhile(predicate: (Short) -> Boolean): List<Short> {\n val list =
ArrayList<Short>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n
return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun IntArray.takeWhile(predicate: (Int) ->
Boolean): List<Int> {\n val list = ArrayList<Int>()\n for (item in this) {\n if (!predicate(item))\n
break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic inline fun

```

```

LongArray.takeWhile(predicate: (Long) -> Boolean): List<Long> {\n  val list = ArrayList<Long>()\n  for (item\n  in this) {\n    if\n    (!predicate(item))\n      break\n      list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing\n first elements satisfying the given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.take\n */\n\npublic inline fun FloatArray.takeWhile(predicate:\n (Float) -> Boolean): List<Float> {\n  val list = ArrayList<Float>()\n  for (item in this) {\n    if\n    (!predicate(item))\n      break\n      list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first\n elements satisfying the given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.take\n */\n\npublic inline fun DoubleArray.takeWhile(predicate: (Double) -> Boolean): List<Double> {\n  val list =\n  ArrayList<Double>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n      list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first elements\n satisfying the given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.take\n */\n\npublic inline fun\n BooleanArray.takeWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  val list = ArrayList<Boolean>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n      list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first elements\n satisfying the given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.take\n */\n\npublic inline fun CharArray.takeWhile(predicate: (Char)\n -> Boolean): List<Char> {\n  val list = ArrayList<Char>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n      list.add(item)\n  }\n  return list\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n\npublic fun <T> Array<T>.reverse(): Unit {\n  val midPoint = (size / 2) - 1\n  if (midPoint < 0) return\n  var\n  reverseIndex = lastIndex\n  for (index in 0..midPoint) {\n    val tmp = this[index]\n    this[index] = this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n\npublic fun ByteArray.reverse(): Unit {\n  val midPoint = (size / 2) -\n  1\n  if (midPoint < 0) return\n  var reverseIndex = lastIndex\n  for (index in 0..midPoint) {\n    val tmp =\n    this[index]\n    this[index] = this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n\npublic fun ShortArray.reverse(): Unit {\n  val\n  midPoint = (size / 2) - 1\n  if (midPoint < 0) return\n  var reverseIndex = lastIndex\n  for (index in 0..midPoint)\n  {\n    val tmp = this[index]\n    this[index] = this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n\npublic fun IntArray.reverse(): Unit\n {\n  val midPoint = (size / 2) - 1\n  if (midPoint <\n  0) return\n  var reverseIndex = lastIndex\n  for (index in 0..midPoint) {\n    val tmp = this[index]\n    this[index] = this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses\n elements in the array in-place.\n */\n\npublic fun LongArray.reverse(): Unit {\n  val midPoint = (size / 2) - 1\n  if\n  (midPoint < 0) return\n  var reverseIndex = lastIndex\n  for (index in 0..midPoint) {\n    val tmp = this[index]\n    this[index] = this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n\npublic fun FloatArray.reverse(): Unit {\n  val midPoint = (size / 2) -\n  1\n  if (midPoint < 0) return\n  var reverseIndex = lastIndex\n  for (index in 0..midPoint) {\n    val tmp =\n    this[index]\n    this[index] = this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses elements in the array\n in-place.\n */\n\npublic fun DoubleArray.reverse(): Unit {\n  val midPoint = (size / 2) - 1\n  if (midPoint < 0)\n  return\n  var reverseIndex = lastIndex\n  for (index in 0..midPoint) {\n    val tmp = this[index]\n    this[index]\n    = this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses elements in\n the array in-place.\n */\n\npublic fun BooleanArray.reverse(): Unit {\n  val midPoint = (size / 2) - 1\n  if (midPoint\n  < 0) return\n  var reverseIndex = lastIndex\n  for (index in 0..midPoint) {\n    val tmp = this[index]\n    this[index] = this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses\n elements in the array in-place.\n */\n\npublic fun CharArray.reverse(): Unit {\n  val midPoint = (size / 2) - 1\n  if\n  (midPoint < 0) return\n  var reverseIndex = lastIndex\n  for (index in 0..midPoint) {\n    val tmp = this[index]\n    this[index] = this[reverseIndex]\n  }\n}

```

```

    this[reverseIndex] = tmp\n    reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the array in the
specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param
toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is
less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].\n *\n@SinceKotlin("1.4")\npublic fun <T> Array<T>.reverse(fromIndex:
Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val midPoint =
(fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex = toIndex - 1\n    for (index in
fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n
this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements
of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to
reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *\n@SinceKotlin("1.4")\npublic fun
ByteArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var
reverseIndex = toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n
this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses
elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to
reverse.\n * \n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *\n@SinceKotlin("1.4")\npublic fun
ShortArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =
toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *\n@SinceKotlin("1.4")\npublic fun
IntArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =
toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *\n@SinceKotlin("1.4")\npublic fun
LongArray.reverse(fromIndex:
Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val midPoint =
(fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex = toIndex - 1\n    for (index in
fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n
this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the array in the specified
range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end
of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n *\n@SinceKotlin("1.4")\npublic fun FloatArray.reverse(fromIndex:

```

```

Int, toIndex: Int): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    val midPoint = (fromIndex + toIndex) / 2
    if (fromIndex == midPoint) return
    var reverseIndex = toIndex - 1
    for (index in fromIndex until midPoint) {
        val tmp = this[index]
        this[index] = this[reverseIndex]
        this[reverseIndex] = tmp
        reverseIndex--
    }
}

/**
 * Reverses elements of the array in the specified range in-place.
 * @param fromIndex the start of the range (inclusive) to reverse.
 * @param toIndex the end of the range (exclusive) to reverse.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
 */
@SinceKotlin("1.4")
public fun DoubleArray.reverse(fromIndex: Int, toIndex: Int): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    val midPoint = (fromIndex + toIndex) / 2
    if (fromIndex == midPoint) return
    var reverseIndex = toIndex - 1
    for (index in fromIndex until midPoint) {
        val tmp = this[index]
        this[index] = this[reverseIndex]
        this[reverseIndex] = tmp
        reverseIndex--
    }
}

/**
 * Reverses elements of the array in the specified range in-place.
 * @param fromIndex the start of the range (inclusive) to reverse.
 * @param toIndex the end of the range (exclusive) to reverse.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
 */
@SinceKotlin("1.4")
public fun BooleanArray.reverse(fromIndex: Int, toIndex: Int): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    val midPoint = (fromIndex + toIndex) / 2
    if (fromIndex == midPoint) return
    var reverseIndex = toIndex - 1
    for (index in fromIndex until midPoint) {
        val tmp = this[index]
        this[index] = this[reverseIndex]
        this[reverseIndex] = tmp
        reverseIndex--
    }
}

/**
 * Returns a list with elements in reversed order.
 */
public fun <T> Array<out T>.reversed(): List<T> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Returns a list with elements in reversed order.
 */
public fun ByteArray.reversed(): List<Byte> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Returns a list with elements in reversed order.
 */
public fun ShortArray.reversed(): List<Short> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Returns a list with elements in reversed order.
 */
public fun IntArray.reversed(): List<Int> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Returns a list with elements in reversed order.
 */
public fun LongArray.reversed(): List<Long> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Returns a list with elements in reversed order.
 */
public fun FloatArray.reversed(): List<Float> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Returns a list with elements in reversed order.
 */
public fun DoubleArray.reversed(): List<Double> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Returns a list with elements in reversed order.
 */
public fun BooleanArray.reversed(): List<Boolean> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Returns a list with elements in reversed order.
 */
public fun CharArray.reversed(): List<Char> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Returns an array with elements of this array in reversed order.
 */
public fun <T> Array<T>.reversedArray(): Array<T> {
    if (isEmpty()) return this
    val result = arrayOfNulls(this, size)
    val lastIndex = lastIndexOf
    for (i in

```

```

0..lastIndex)\n    result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this
array in reversed order.\n */\npublic fun ByteArray.reversedArray(): ByteArray {\n    if (isEmpty()) return this\n    val result = ByteArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] =
this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun
ShortArray.reversedArray(): ShortArray {\n    if (isEmpty()) return this\n    val result = ShortArray(size)\n    val
lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in
reversed order.\n */\npublic fun IntArray.reversedArray(): IntArray {\n    if (isEmpty()) return this\n    val result =
IntArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return
result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun
LongArray.reversedArray(): LongArray {\n    if (isEmpty()) return this\n    val result = LongArray(size)\n    val
lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun
FloatArray.reversedArray():
FloatArray {\n    if (isEmpty()) return this\n    val result = FloatArray(size)\n    val lastIndex = lastIndex\n    for (i
in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun
DoubleArray.reversedArray(): DoubleArray {\n    if (isEmpty()) return this\n    val result = DoubleArray(size)\n    val
lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun
BooleanArray.reversedArray():
BooleanArray {\n    if (isEmpty()) return this\n    val result = BooleanArray(size)\n    val lastIndex = lastIndex\n    for
(i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with
elements of this array in reversed order.\n */\npublic fun CharArray.reversedArray(): CharArray {\n    if (isEmpty())
return this\n    val result = CharArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[
lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun <T>
Array<T>.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun ByteArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly
shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun ShortArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun IntArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly
shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun LongArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun FloatArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly
shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic
fun DoubleArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-
place.\n */\n@SinceKotlin("1.4")\npublic fun BooleanArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly
shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun CharArray.shuffle():
Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified
[random] instance as the source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n */\n@SinceKotlin("1.4")\npublic fun <T> Array<T>.shuffle(random: Random): Unit {\n    for (i in lastIndex
downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n */\n@SinceKotlin("1.4")\npublic fun ByteArray.shuffle(random: Random): Unit {\n    for (i in lastIndex
downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the

```

source of randomness.\n \* \n \* See:

[https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates\\_shuffle#The\\_modern\\_algorithm](https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm)\n

```
*\n@SinceKotlin("1.4")\npublic fun ShortArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See:
```

[https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates\\_shuffle#The\\_modern\\_algorithm](https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm)\n

```
*\n@SinceKotlin("1.4")\npublic fun IntArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See:
```

[https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates\\_shuffle#The\\_modern\\_algorithm](https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm)\n

```
*\n@SinceKotlin("1.4")\npublic fun LongArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See:
```

[https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates\\_shuffle#The\\_modern\\_algorithm](https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm)\n

```
*\n@SinceKotlin("1.4")\npublic fun\nFloatArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See:
```

[https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates\\_shuffle#The\\_modern\\_algorithm](https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm)\n

```
*\n@SinceKotlin("1.4")\npublic fun DoubleArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See:
```

[https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates\\_shuffle#The\\_modern\\_algorithm](https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm)\n

```
*\n@SinceKotlin("1.4")\npublic fun BooleanArray.shuffle(random: Random): Unit {\n    for (i in\nlastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See:
```

[https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates\\_shuffle#The\\_modern\\_algorithm](https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm)\n

```
*\n@SinceKotlin("1.4")\npublic fun CharArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Sorts elements in the array in-place according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * public inline fun <T, R : Comparable<R>> Array<out T>.sortBy(crossinline selector: (T) -> R?): Unit {\n    if (size >
```

```
1) sortWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * public inline fun <T, R :
```

```
Comparable<R>> Array<out T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n    if (size > 1)
```

```
sortWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * public fun <T : Comparable<T>> Array<out T>.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n    }
```

```
}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n * \n * public fun ByteArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n    }
```



```

reverse()\n } }\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort
order.\n */\npublic fun ShortArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n
}\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun
IntArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n } }\n}\n\n/**\n * Sorts elements
in the array in-place descending according to their natural sort order.\n */\npublic fun LongArray.sortDescending():
Unit {\n if (size > 1) {\n sort()\n reverse()\n } }\n}\n\n/**\n * Sorts elements in the array in-place
descending according to their natural sort order.\n */\npublic fun FloatArray.sortDescending(): Unit {\n if (size >
1) {\n sort()\n reverse()\n } }\n}\n\n/**\n * Sorts elements in the array in-place descending according to
their natural sort order.\n */\npublic fun
DoubleArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n } }\n}\n\n/**\n * Sorts
elements in the array in-place descending according to their natural sort order.\n */\npublic fun
CharArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n } }\n}\n\n/**\n * Returns a list
of all elements sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements
preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out
T>.sorted(): List<T> {\n return sortedArray().asList()\n}\n\n/**\n * Returns a list of all elements sorted according
to their natural sort order.\n */\npublic fun ByteArray.sorted(): List<Byte> {\n return toTypedArray().apply {
sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic
fun ShortArray.sorted(): List<Short> {\n return toTypedArray().apply
{ sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n
*/\npublic fun IntArray.sorted(): List<Int> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n *
Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun LongArray.sorted():
List<Long> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted
according to their natural sort order.\n */\npublic fun FloatArray.sorted(): List<Float> {\n return
toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural
sort order.\n */\npublic fun DoubleArray.sorted(): List<Double> {\n return toTypedArray().apply { sort()
}.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun
CharArray.sorted(): List<Char> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n * \n * The sort is
_stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T :
Comparable<T>> Array<T>.sortedArray(): Array<T> {\n if (isEmpty()) return this\n return this.copyOf().apply
{ sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n
*/\npublic fun ByteArray.sortedArray(): ByteArray {\n if (isEmpty()) return this\n return this.copyOf().apply {
sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n
*/\npublic fun ShortArray.sortedArray(): ShortArray {\n if (isEmpty()) return this\n return this.copyOf().apply {
sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n
*/\npublic fun IntArray.sortedArray():
IntArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with
all elements of this array sorted according to their natural sort order.\n */\npublic fun LongArray.sortedArray():
LongArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array
with all elements of this array sorted according to their natural sort order.\n */\npublic fun FloatArray.sortedArray():
FloatArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array
with all elements of this array sorted according to their natural sort order.\n */\npublic fun
DoubleArray.sortedArray(): DoubleArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort()
}\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n
*/\npublic fun CharArray.sortedArray(): CharArray {\n if (isEmpty()) return this\n
return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted
descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve
their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>>

```

```

Array<T>.sortedArrayDescending(): Array<T> {\n  if (isEmpty()) return this\n  return this.copyOf().apply {
  sortWith(reverseOrder()) }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending
  according to their natural sort order.\n */\npublic fun ByteArray.sortedArrayDescending(): ByteArray {\n  if
  (isEmpty()) return this\n  return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all
  elements of this array sorted descending according to their natural sort order.\n */\npublic fun
  ShortArray.sortedArrayDescending(): ShortArray {\n  if (isEmpty()) return this\n  return this.copyOf().apply {
  sortDescending() }\n}\n\n/**\n
  * Returns an array with all elements of this array sorted descending according to their natural sort order.\n
  */\npublic fun IntArray.sortedArrayDescending(): IntArray {\n  if (isEmpty()) return this\n  return
  this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted
  descending according to their natural sort order.\n */\npublic fun LongArray.sortedArrayDescending(): LongArray
  {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array
  with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun
  FloatArray.sortedArrayDescending(): FloatArray {\n  if (isEmpty()) return this\n  return this.copyOf().apply {
  sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to
  their natural sort order.\n */\npublic fun DoubleArray.sortedArrayDescending(): DoubleArray {\n  if
  (isEmpty()) return this\n  return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all
  elements of this array sorted descending according to their natural sort order.\n */\npublic fun
  CharArray.sortedArrayDescending(): CharArray {\n  if (isEmpty()) return this\n  return this.copyOf().apply {
  sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according the specified
  [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
  after sorting.\n */\npublic fun <T> Array<out T>.sortedArrayWith(comparator: Comparator<in T>): Array<out T>
  {\n  if (isEmpty()) return this\n  return this.copyOf().apply { sortWith(comparator) }\n}\n\n/**\n * Returns a list
  of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n *
  The sort is _stable_. It means that equal elements preserve their order relative to each other
  after sorting.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <T, R :
  Comparable<R>> Array<out T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n  return
  sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
  of the value returned by specified [selector] function.\n * \n * @sample
  samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>
  ByteArray.sortedBy(crossinline selector: (Byte) -> R?): List<Byte> {\n  return
  sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
  of the value returned by specified [selector] function.\n * \n * @sample
  samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>
  ShortArray.sortedBy(crossinline selector: (Short) -> R?): List<Short> {\n  return
  sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list
  of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n *
  @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>
  IntArray.sortedBy(crossinline selector: (Int) -> R?): List<Int> {\n  return
  sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
  of the value returned by specified [selector] function.\n * \n * @sample
  samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>
  LongArray.sortedBy(crossinline selector: (Long) -> R?): List<Long> {\n  return
  sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
  of the value returned by specified [selector] function.\n * \n * @sample
  samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>
  FloatArray.sortedBy(crossinline selector: (Float) -> R?):

```

```

List<Float> {\n  return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted
according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>
DoubleArray.sortedBy(crossinline selector: (Double) -> R?): List<Double> {\n  return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function.\n * \n * @sample
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>
BooleanArray.sortedBy(crossinline selector: (Boolean) -> R?): List<Boolean> {\n  return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function.\n * \n * @sample
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>> CharArray.sortedBy(crossinline selector: (Char) -> R?): List<Char>
{\n  return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It
means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R :
Comparable<R>> Array<out T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n  return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
Comparable<R>> ByteArray.sortedByDescending(crossinline selector: (Byte) -> R?): List<Byte> {\n  return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
Comparable<R>> ShortArray.sortedByDescending(crossinline selector: (Short) -> R?): List<Short> {\n  return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
Comparable<R>> IntArray.sortedByDescending(crossinline selector: (Int) -> R?): List<Int> {\n  return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
Comparable<R>> LongArray.sortedByDescending(crossinline selector: (Long) -> R?): List<Long> {\n  return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to natural
sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>>
FloatArray.sortedByDescending(crossinline selector: (Float) -> R?): List<Float> {\n  return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
Comparable<R>> DoubleArray.sortedByDescending(crossinline selector: (Double) -> R?): List<Double> {\n  return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
Comparable<R>> BooleanArray.sortedByDescending(crossinline selector: (Boolean) -> R?): List<Boolean> {\n  return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to
natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
Comparable<R>> CharArray.sortedByDescending(crossinline selector: (Char) -> R?): List<Char> {\n  return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortedDescending():
List<T> {\n  return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted descending
according to their natural sort order.\n */\npublic fun ByteArray.sortedDescending(): List<Byte> {\n  return
copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their

```

natural sort order.\n \*/\npublic fun ShortArray.sortedDescending(): List<Short> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\n\npublic fun IntArray.sortedDescending(): List<Int> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\n\npublic fun LongArray.sortedDescending(): List<Long> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\n\npublic fun FloatArray.sortedDescending(): List<Float> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\n\npublic fun DoubleArray.sortedDescending(): List<Double> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\n\npublic fun CharArray.sortedDescending(): List<Char> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \* \n \* The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n \*/\n\npublic fun <T> Array<out T>.sortedWith(comparator: Comparator<in T>): List<T> {\n return sortedArrayWith(comparator).asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\n\npublic fun ByteArray.sortedWith(comparator: Comparator<in Byte>): List<Byte> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\n\npublic fun ShortArray.sortedWith(comparator: Comparator<in Short>): List<Short> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\n\npublic fun IntArray.sortedWith(comparator: Comparator<in Int>): List<Int> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\n\npublic fun LongArray.sortedWith(comparator: Comparator<in Long>): List<Long> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\n\npublic fun FloatArray.sortedWith(comparator: Comparator<in Float>): List<Float> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\n\npublic fun DoubleArray.sortedWith(comparator: Comparator<in Double>): List<Double> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\n\npublic fun BooleanArray.sortedWith(comparator: Comparator<in Boolean>): List<Boolean> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\n\npublic fun CharArray.sortedWith(comparator: Comparator<in Char>): List<Char> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\n\npublic expect fun <T> Array<out T>.asList(): List<T>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\n\npublic expect fun ByteArray.asList(): List<Byte>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\n\npublic expect fun ShortArray.asList(): List<Short>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\n\npublic expect fun IntArray.asList(): List<Int>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\n\npublic expect fun LongArray.asList(): List<Long>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\n\npublic expect fun FloatArray.asList(): List<Float>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\n\npublic expect fun DoubleArray.asList(): List<Double>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\n\npublic expect fun BooleanArray.asList(): List<Boolean>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\n\npublic expect fun CharArray.asList(): List<Char>\n\n/\*\*\n \* Returns `true` if the two specified arrays are *\*deeply\** equal to one another, \n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* If two corresponding elements are nested arrays, they are also compared deeply.\n \* \n \* If any of arrays contains itself on any nesting level the behavior is undefined.\n \* \n \* The elements of other types are compared for equality with the [equals][Any.equals] function.\n \* \n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`. \n \*/

`*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic`  
`expect infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean\n\n/**\n * Returns `true` if`  
the two specified arrays are *deeply* equal to one another,\n \* i.e. contain the same number of the same elements in  
the same order.\n \* \n \* The specified arrays are also considered deeply equal if both are `null`.\n \* \n \* If two  
corresponding elements are nested arrays, they are also compared deeply.\n \* If any of arrays contains itself on any  
nesting level the behavior is undefined.\n \* \n \* The elements of other types are compared for equality with the  
[equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not  
equal to `0.0`.\n \* \n \*\n@SinceKotlin("1.4")\npublic expect infix fun <T> Array<out T>?.contentDeepEquals(other:  
Array<out T>?): Boolean\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*  
Nested  
arrays are treated as lists too.\n \* \n \* If any of arrays contains itself on any nesting level the behavior is  
undefined.\n \* \n \*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic expect fun  
<T> Array<out T>.contentDeepHashCode(): Int\n\n/\*\*\n \* Returns a hash code based on the contents of this array  
as if it is [List].\n \* Nested arrays are treated as lists too.\n \* \n \* If any of arrays contains itself on any nesting level  
the behavior is undefined.\n \* \n \*\n@SinceKotlin("1.4")\npublic expect fun <T> Array<out  
T>?.contentDeepHashCode(): Int\n\n/\*\*\n \* Returns a string representation of the contents of this array as if it is a  
[List].\n \* Nested arrays are treated as lists too.\n \* \n \* If any of arrays contains itself on any nesting level that  
reference\n \* is rendered as `[...]` to prevent recursion.\n \* \n \* @sample  
samples.collections.Arrays.ContentOperations.contentDeepToString\n

`*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic`  
`expect fun <T> Array<out T>.contentDeepToString(): String\n\n/**\n * Returns a string representation of the`  
contents of this array as if it is a [List].\n \* Nested arrays are treated as lists too.\n \* \n \* If any of arrays contains  
itself on any nesting level that reference\n \* is rendered as `[...]` to prevent recursion.\n \* \n \* @sample  
samples.collections.Arrays.ContentOperations.contentDeepToString\n \* \n \*\n@SinceKotlin("1.4")\npublic expect fun  
<T> Array<out T>?.contentDeepToString(): String\n\n/\*\*\n \* Returns `true` if the two specified arrays are  
\*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n  
\* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it  
means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \* \n \*\n@Deprecated("Use Kotlin compiler 1.4 to  
avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince  
= "1.4")\npublic expect infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean\n\n/\*\*\n \*  
Returns `true` if the two specified arrays are *structurally* equal to one another,\n \* i.e. contain the same number of  
the same elements in the same order.\n \* \n \* The elements are compared for equality with the [equals][Any.equals]  
function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*  
\*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation  
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect infix fun  
ByteArray.contentEquals(other: ByteArray): Boolean\n\n/\*\*\n \* Returns `true` if the two specified arrays are  
\*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n  
\* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it  
means that `NaN`  
is equal to itself and `-0.0` is not equal to `0.0`.\n \* \n \*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation  
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect infix fun  
ShortArray.contentEquals(other: ShortArray): Boolean\n\n/\*\*\n \* Returns `true` if the two specified arrays are  
\*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n  
\* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it  
means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \* \n \*\n@Deprecated("Use Kotlin compiler 1.4 to  
avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic  
expect infix fun IntArray.contentEquals(other: IntArray): Boolean\n\n/\*\*\n \* Returns `true` if the two specified  
arrays are *structurally* equal to one another,\n \* i.e. contain the same number of the same

elements in the same order.

`fun LongArray.contentEquals(other: LongArray): Boolean`

\* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.

\* The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`fun FloatArray.contentEquals(other: FloatArray): Boolean`

\* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.

\* The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`fun DoubleArray.contentEquals(other: DoubleArray): Boolean`

\* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.

\* The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`fun BooleanArray.contentEquals(other: BooleanArray): Boolean`

\* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.

\* The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`fun CharArray.contentEquals(other: CharArray): Boolean`

\* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.

\* The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`fun <T> Array<out T>?.contentEquals(other: Array<out T>?): Boolean`

\* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.

\* The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`fun ByteArray?.contentEquals(other: ByteArray?): Boolean`

\* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.

\* The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`fun ShortArray?.contentEquals(other: ShortArray?): Boolean`

\* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.

\* The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`fun IntArray?.contentEquals(other: IntArray?): Boolean`

\* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.

\* The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

is not equal to `0.0`.\n \*^n@SinceKotlin("1.4")\npublic expect infix fun LongArray?.contentEquals(other: LongArray?): Boolean\n\n/\*\*\n \* Returns `true` if the two specified arrays are *structurally* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*^n@SinceKotlin("1.4")\npublic expect infix fun FloatArray?.contentEquals(other: FloatArray?): Boolean\n\n/\*\*\n \* Returns `true` if the two specified arrays are *structurally* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*^n@SinceKotlin("1.4")\npublic expect infix fun DoubleArray?.contentEquals(other: DoubleArray?): Boolean\n\n/\*\*\n \* Returns `true` if the two specified arrays are *structurally* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*^n@SinceKotlin("1.4")\npublic expect infix fun CharArray?.contentEquals(other: CharArray?): Boolean\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun <T> Array<out T>.contentHashCode(): Int\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun ByteArray.contentHashCode(): Int\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun ShortArray.contentHashCode(): Int\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun IntArray.contentHashCode(): Int\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun LongArray.contentHashCode(): Int\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun FloatArray.contentHashCode(): Int\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun DoubleArray.contentHashCode(): Int\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun BooleanArray.contentHashCode(): Int\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun CharArray.contentHashCode(): Int\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@SinceKotlin("1.4")\npublic expect fun <T> Array<out T>?.contentHashCode(): Int\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@SinceKotlin("1.4")\npublic expect

```

fun ByteArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array
as if it is [List].\n *\n@SinceKotlin("1.4")\n\npublic expect fun ShortArray?.contentHashCode(): Int\n\n/**\n *
Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.4")\n\npublic expect
fun IntArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@SinceKotlin("1.4")\n\npublic expect fun LongArray?.contentHashCode(): Int\n\n/**\n * Returns a
hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.4")\n\npublic expect fun
FloatArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@SinceKotlin("1.4")\n\npublic expect fun DoubleArray?.contentHashCode(): Int\n\n/**\n * Returns a
hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.4")\n\npublic expect fun
BooleanArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents
of this array as if it is [List].\n *\n@SinceKotlin("1.4")\n\npublic expect fun CharArray?.contentHashCode():
Int\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *\n *
@sample
samples.collections.Arrays.ContentOperations.contentToString\n *\n@Deprecated("Use Kotlin compiler 1.4
to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\n\npublic
expect fun <T> Array<out T>.contentToString(): String\n\n/**\n * Returns a string representation of the contents of
the specified array as if it is [List].\n *\n *
@sample
samples.collections.Arrays.ContentOperations.contentToString\n *\n@Deprecated("Use Kotlin compiler 1.4
to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\n\npublic
expect fun ByteArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the
specified array as if it is [List].\n *\n *
@sample
@sample samples.collections.Arrays.ContentOperations.contentToString\n *\n@Deprecated("Use Kotlin
compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n\npublic expect fun ShortArray.contentToString(): String\n\n/**\n * Returns a string representation of the
contents of the specified array as if it is [List].\n *\n *
@sample
samples.collections.Arrays.ContentOperations.contentToString\n *\n@Deprecated("Use Kotlin compiler 1.4
to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\n\npublic
expect fun IntArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the
specified array as if it is [List].\n *\n *
@sample
@sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\n\npublic expect fun
LongArray.contentToString():
String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n *\n *
@sample
@sample samples.collections.Arrays.ContentOperations.contentToString\n *\n@Deprecated("Use Kotlin compiler
1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n\npublic expect fun FloatArray.contentToString(): String\n\n/**\n * Returns a string representation of the
contents of the specified array as if it is [List].\n *\n *
@sample
@sample samples.collections.Arrays.ContentOperations.contentToString\n *\n@Deprecated("Use Kotlin compiler 1.4
to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\n\npublic
expect fun DoubleArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the
specified array as if it is [List].\n *\n *
@sample
@sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\n\npublic expect fun
BooleanArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified
array as if it is [List].\n *\n *
@sample
@sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\n\npublic expect fun
CharArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array

```



as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n

```

*\n@SinceKotlin("1.4")\npublic expect fun <T> Array<out T>?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\npublic expect fun ByteArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\npublic expect fun ShortArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\npublic expect fun IntArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\npublic expect fun LongArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n
\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\npublic expect fun FloatArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\npublic expect fun DoubleArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\npublic expect fun BooleanArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\npublic expect fun CharArray?.contentToString(): String\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\npublic expect fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T>\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\npublic expect fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by

```

default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n

```

*\n@SinceKotlin("1.3")\npublic expect fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin("1.3")\npublic expect fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin("1.3")\npublic expect fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin("1.3")\npublic expect fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is

```

out of the [destination] array indices range.\n \* \n \* @return  
the [destination] array.\n \* ^\n@SinceKotlin(`1.3`)\npublic expect fun DoubleArray.copyInto(destination:  
DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray\n\n\*\*\n \* Copies  
this array or its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same  
array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \*  
@param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to  
copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \*  
@param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws  
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this  
array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange  
doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of  
the [destination] array indices range.\n \* \n \* @return the [destination] array.\n \* ^\n@SinceKotlin(`1.3`)\npublic  
expect fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0,  
endIndex: Int = size): BooleanArray\n\n\*\*\n \* Copies this array or its subrange into the [destination] array and  
returns that array.\n \* \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so  
that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param  
destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the  
beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the  
subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException  
or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when  
`startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the  
[destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination]  
array indices range.\n \* \n \* @return the [destination] array.\n \* ^\n@SinceKotlin(`1.3`)\npublic expect fun  
CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):  
CharArray\n\n\*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.copyOfOf\n  
\*\n@Suppress(`NO\_ACTUAL\_FOR\_EXPECT`)\npublic expect fun <T> Array<T>.copyOf():  
Array<T>\n\n\*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* ^\npublic expect fun ByteArray.copyOf():  
ByteArray\n\n\*\*\n \* Returns  
new array which is a copy of the original array.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* ^\npublic expect fun ShortArray.copyOf():  
ShortArray\n\n\*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* ^\npublic expect fun IntArray.copyOf(): IntArray\n\n\*\*\n  
\* Returns new array which is a copy of the original array.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* ^\npublic expect fun LongArray.copyOf():  
LongArray\n\n\*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* ^\npublic expect fun FloatArray.copyOf():  
FloatArray\n\n\*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* ^\npublic expect fun DoubleArray.copyOf():  
DoubleArray\n\n\*\*\n \* Returns new array which is a copy of the original  
array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* ^\npublic expect fun  
BooleanArray.copyOf(): BooleanArray\n\n\*\*\n \* Returns new array which is a copy of the original array.\n \* \n \*  
@sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* ^\npublic expect fun CharArray.copyOf():  
CharArray\n\n\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \*  
The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the  
size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of  
the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample

samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \* \npublic expect fun  
 ByteArray.copyOf(newSize: Int): ByteArray\n\n/\*\*\n \* Returns new array which is a copy of the original array,  
 resized to the given [newSize].\n  
 \* The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than  
 the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size  
 of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample  
 samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \* \npublic expect fun  
 ShortArray.copyOf(newSize: Int): ShortArray\n\n/\*\*\n \* Returns new array which is a copy of the original array,  
 resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n  
 \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If  
 [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero  
 values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n  
 \* \npublic expect fun IntArray.copyOf(newSize: Int): IntArray\n\n/\*\*\n \* Returns new array which is a copy of the  
 original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values  
 if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the  
 [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are  
 filled with zero values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n  
 \* \npublic expect fun LongArray.copyOf(newSize: Int): LongArray\n\n/\*\*\n \* Returns new array which is a copy of  
 the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero  
 values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the  
 [newSize].\n \* - If [newSize] is greater than the size  
 of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample  
 samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \* \npublic expect fun  
 FloatArray.copyOf(newSize: Int): FloatArray\n\n/\*\*\n \* Returns new array which is a copy of the original array,  
 resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n  
 \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If  
 [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero  
 values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \* \npublic  
 expect fun DoubleArray.copyOf(newSize: Int): DoubleArray\n\n/\*\*\n \* Returns new array which is a copy of the  
 original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with `false`  
 values  
 if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the  
 [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are  
 filled with `false` values.\n \* \n \* @sample  
 samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \* \npublic expect fun  
 BooleanArray.copyOf(newSize: Int): BooleanArray\n\n/\*\*\n \* Returns new array which is a copy of the original  
 array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with null char (`\u0000`)  
 values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the  
 [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are  
 filled with null char (`\u0000`) values.\n \* \n \* @sample  
 samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \* \npublic expect fun  
 CharArray.copyOf(newSize: Int): CharArray\n\n/\*\*\n \* Returns new array which is a copy of the original array,  
 resized to the given [newSize].\n \* The copy is either truncated or padded at the end with `null` values if  
 necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the  
 [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are  
 filled with `null` values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n  
 \* \n@Suppress(\"NO\_ACTUAL\_FOR\_EXPECT\")\npublic expect fun <T> Array<T>.copyOf(newSize: Int):  
 Array<T?>\n\n/\*\*\n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \*

@param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of

this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

\*\n \* @SuppressWarnings("NO\_ACTUAL\_FOR\_EXPECT")\n \* public expect fun <T> Array<T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T>\n \* \n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \* \n \* public expect fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray\n \* \n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException

if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws

IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \* \n \* public expect fun

ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray\n \* \n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws

IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \* \n \* public expect fun

IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray\n \* \n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \*

\* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \* \n \* public expect fun

LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray\n \* \n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws

IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \* \n \* public expect fun

FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray\n \* \n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the

end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \* \n \* public expect fun

DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray\n \* \n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \* \n \* public

expect fun

BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray\n \* \n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws

IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws

IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \* \n \* public expect fun

CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray\n \* \n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \* @throws

IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \*  
 @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\n@SinceKotlin("1.3")\npublic  
 expect fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/\*\*\n \* Fills this array or  
 its subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill,  
 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \*  
 @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this  
 array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n  
 \*/\n@SinceKotlin("1.3")\npublic expect fun ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size):  
 Unit\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex the  
 start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of  
 this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is  
 greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater  
 than [toIndex].\n \*/\n@SinceKotlin("1.3")\npublic expect fun ShortArray.fill(element: Short, fromIndex: Int = 0,  
 toIndex: Int = size): Unit\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \*  
 @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range  
 (exclusive) to fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less  
 than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is  
 greater than [toIndex].\n \*/\n@SinceKotlin("1.3")\npublic expect fun IntArray.fill(element: Int, fromIndex: Int = 0,  
 toIndex: Int = size): Unit\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \*  
 @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range  
 (exclusive) to fill, size of this array by default.\n \* \n \*  
 @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this  
 array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n  
 \*/\n@SinceKotlin("1.3")\npublic expect fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int =  
 size): Unit\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex  
 the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size  
 of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]  
 is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than  
 [toIndex].\n \*/\n@SinceKotlin("1.3")\npublic expect fun FloatArray.fill(element: Float, fromIndex: Int = 0,  
 toIndex: Int = size): Unit\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* \n  
 \* @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range  
 (exclusive) to fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less  
 than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is  
 greater than [toIndex].\n \*/\n@SinceKotlin("1.3")\npublic expect fun DoubleArray.fill(element: Double,  
 fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/\*\*\n \* Fills this array or its subrange with the specified [element]  
 value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end  
 of the range (exclusive) to fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if  
 [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws  
 IllegalArgumentException if [fromIndex] is greater than [toIndex].\n  
 \*/\n@SinceKotlin("1.3")\npublic  
 expect fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/\*\*\n \* Fills this  
 array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive)  
 to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \*  
 @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this  
 array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n  
 \*/\n@SinceKotlin("1.3")\npublic expect fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size):  
 Unit\n\n/\*\*\n \* Returns the range of valid indices for the array.\n \*/\n@SinceKotlin("1.3")\npublic  
 val <T> Array<out T>.indices:  
 IntRange\n  
 get() = IntRange(0, lastIndex)\n\n/\*\*\n \* Returns the range of valid indices for the array.\n \*/\n@SinceKotlin("1.3")\npublic  
 val ByteArray.indices: IntRange\n  
 get() = IntRange(0, lastIndex)\n\n/\*\*\n \* Returns the

```

range of valid indices for the array.\n */\npublic val ShortArray.indices: IntRange\n  get() = IntRange(0,
lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val IntArray.indices: IntRange\n  get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val
LongArray.indices: IntRange\n  get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the
array.\n */\npublic val FloatArray.indices: IntRange\n  get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range
of valid indices for the array.\n */\npublic val DoubleArray.indices: IntRange\n  get() = IntRange(0,
lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val BooleanArray.indices:
IntRange\n  get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic
val CharArray.indices: IntRange\n  get() = IntRange(0, lastIndex)\n\n/**\n * Returns `true`
if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isEmpty(): Boolean
{\n  return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic
inline fun ByteArray.isEmpty(): Boolean {\n  return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isEmpty(): Boolean {\n  return size == 0\n}\n\n/**\n
* Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isEmpty():
Boolean {\n  return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isEmpty(): Boolean {\n  return size == 0\n}\n\n/**\n
* Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isEmpty():
Boolean {\n  return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isEmpty(): Boolean {\n  return size == 0\n}\n\n/**\n
* Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isEmpty():
Boolean {\n  return size == 0\n}\n\n/**\n * Returns `true` if the array is not empty.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isNotEmpty(): Boolean {\n  return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline
fun ByteArray.isNotEmpty(): Boolean {\n  return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not
empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isNotEmpty(): Boolean {\n  return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.isNotEmpty(): Boolean {\n  return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not
empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isNotEmpty(): Boolean {\n  return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline
fun FloatArray.isNotEmpty(): Boolean {\n  return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not
empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isNotEmpty(): Boolean {\n  return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline
fun BooleanArray.isNotEmpty(): Boolean {\n  return !isEmpty()\n}\n\n/**\n * Returns the last valid index for the
array.\n */\npublic val <T> Array<out
T>.lastIndex: Int\n  get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val
ByteArray.lastIndex: Int\n  get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val
ShortArray.lastIndex: Int\n  get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val
IntArray.lastIndex: Int\n  get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val
LongArray.lastIndex: Int\n  get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val
FloatArray.lastIndex: Int\n  get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val
DoubleArray.lastIndex: Int\n  get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val
BooleanArray.lastIndex: Int\n  get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val
CharArray.lastIndex: Int\n  get() = size
- 1\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n
*/\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect operator fun <T> Array<T>.plus(element: T):

```

Array<T>\n\n/\*\*\n \* Returns an array containing all elements of the original array and then the given [element].\n
 \*\n\npublic expect operator fun ByteArray.plus(element: Byte): ByteArray\n\n/\*\*\n \* Returns an array containing all
 elements of the original array and then the given [element].\n \*\n\npublic expect operator fun
 ShortArray.plus(element: Short): ShortArray\n\n/\*\*\n \* Returns an array containing all elements of the original
 array and then the given [element].\n \*\n\npublic expect operator fun IntArray.plus(element: Int): IntArray\n\n/\*\*\n \*
 Returns an array containing all elements of the original array and then the given [element].\n \*\n\npublic expect
 operator fun LongArray.plus(element: Long): LongArray\n\n/\*\*\n \* Returns an array containing all elements of the
 original array
 and then the given [element].\n \*\n\npublic expect operator fun FloatArray.plus(element: Float): FloatArray\n\n/\*\*\n
 \* Returns an array containing all elements of the original array and then the given [element].\n \*\n\npublic expect
 operator fun DoubleArray.plus(element: Double): DoubleArray\n\n/\*\*\n \* Returns an array containing all elements
 of the original array and then the given [element].\n \*\n\npublic expect operator fun BooleanArray.plus(element:
 Boolean): BooleanArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then the given
 [element].\n \*\n\npublic expect operator fun CharArray.plus(element: Char): CharArray\n\n/\*\*\n \* Returns an array
 containing all elements of the original array and then all elements of the given [elements] collection.\n
 \*\n\n@Suppress("NO\_ACTUAL\_FOR\_EXPECT")\n\npublic expect operator fun <T> Array<T>.plus(elements:
 Collection<T>): Array<T>\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all
 elements of the given [elements] collection.\n \*\n\npublic expect operator fun ByteArray.plus(elements:
 Collection<Byte>): ByteArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all
 elements of the given [elements] collection.\n \*\n\npublic expect operator fun ShortArray.plus(elements:
 Collection<Short>): ShortArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all
 elements of the given [elements] collection.\n \*\n\npublic expect operator fun IntArray.plus(elements:
 Collection<Int>): IntArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all
 elements of the given [elements] collection.\n \*\n\npublic expect operator fun LongArray.plus(elements:
 Collection<Long>): LongArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all
 elements of the given [elements] collection.\n \*\n\npublic expect operator fun FloatArray.plus(elements:
 Collection<Float>):
 FloatArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the
 given [elements] collection.\n \*\n\npublic expect operator fun DoubleArray.plus(elements: Collection<Double>):
 DoubleArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the
 given [elements] collection.\n \*\n\npublic expect operator fun BooleanArray.plus(elements: Collection<Boolean>):
 BooleanArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the
 given [elements] collection.\n \*\n\npublic expect operator fun CharArray.plus(elements: Collection<Char>):
 CharArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the
 given [elements] array.\n \*\n\n@Suppress("NO\_ACTUAL\_FOR\_EXPECT")\n\npublic expect operator fun <T>
 Array<T>.plus(elements: Array<out T>): Array<T>\n\n/\*\*\n \* Returns an array containing all elements of the
 original
 array and then all elements of the given [elements] array.\n \*\n\npublic expect operator fun ByteArray.plus(elements:
 ByteArray): ByteArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all
 elements of the given [elements] array.\n \*\n\npublic expect operator fun ShortArray.plus(elements: ShortArray):
 ShortArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the
 given [elements] array.\n \*\n\npublic expect operator fun IntArray.plus(elements: IntArray): IntArray\n\n/\*\*\n \*
 Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n
 \*\n\npublic expect operator fun LongArray.plus(elements: LongArray): LongArray\n\n/\*\*\n \* Returns an array
 containing all elements of the original array and then all elements of the given [elements] array.\n \*\n\npublic expect
 operator fun FloatArray.plus(elements: FloatArray): FloatArray\n\n/\*\*\n \* Returns an array
 containing all elements of the original array and then all elements of the given [elements] array.\n \*\n\npublic expect
 operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray\n\n/\*\*\n \* Returns an array containing all



elements of the original array and then all elements of the given [elements] array.

`BooleanArray.plus(elements: BooleanArray): BooleanArray` Returns an array containing all elements of the original array and then all elements of the given [elements] array.

`CharArray.plus(elements: CharArray): CharArray` Returns an array containing all elements of the original array and then the given [element].

`Array<T>.plusElement(element: T): Array<T>` Sorts the array in-place.

`samples.collections.Arrays.Sorting.sortArray` Sorts the array in-place.

`IntArray.sort(): Unit` Sorts the array in-place.

`LongArray.sort(): Unit` Sorts the array in-place.

`ByteArray.sort(): Unit` Sorts the array in-place.

`ShortArray.sort(): Unit` Sorts the array in-place.

`DoubleArray.sort(): Unit` Sorts the array in-place.

`FloatArray.sort(): Unit` Sorts the array in-place.

`CharArray.sort(): Unit` Sorts the array in-place according to the natural order of its elements. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

`samples.collections.Arrays.Sorting.sortArrayOfComparable<T> Array<out T>.sort(): Unit` Sorts a range in the array in-place. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

`fromIndex` the start of the range (inclusive) to sort, 0 by default.

`toIndex` the end of the range (exclusive) to sort, size of this array by default.

throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.

throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].

`samples.collections.Arrays.Sorting.sortRangeOfArrayOfComparable<T> Array<out T>.sort(fromIndex: Int = 0, toIndex: Int = size): Unit` Sorts a range in the array in-place.

`fromIndex` the start of the range (inclusive) to sort, 0 by default.

`toIndex` the end of the range (exclusive) to sort, size of this array by default.

throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.

throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].

`samples.collections.Arrays.Sorting.sortRangeOfArray<T> Array<out T>.sort(fromIndex: Int = 0, toIndex: Int = size): Unit` Sorts a range in the array in-place.

`fromIndex` the start of the range (inclusive) to sort, 0 by default.

`toIndex` the end of the range (exclusive) to sort, size of this array by default.

throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.

throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].

`samples.collections.Arrays.Sorting.sortRangeOfArray<T> Array<out T>.sort(fromIndex: Int = 0, toIndex: Int = size): Unit` Sorts a range in the array in-place.

`fromIndex` the start of the range (inclusive) to sort, 0 by default.

`toIndex` the end of the range (exclusive) to sort, size of this array by default.

throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.

throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].

```

@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin("1.4")\npublic expect fun
LongArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n *
@param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range
(exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is
less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*/\n@SinceKotlin("1.4")\npublic expect fun FloatArray.sort(fromIndex: Int = 0, toIndex: Int = size):
Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to
sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n *
@throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this
array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin("1.4")\npublic expect fun
DoubleArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n
* @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range
(exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is
less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException
if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*/\n@SinceKotlin("1.4")\npublic expect fun CharArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n *
Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to
their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param
toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less
than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is
greater than [toIndex].\n * \n */\n@SinceKotlin("1.4")\npublic fun <T : Comparable<T>> Array<out
T>.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n    sortWith(reverseOrder(), fromIndex,
toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted
descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to
sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n */\n@SinceKotlin("1.4")\npublic fun
ByteArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex,
toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted
descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to
sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n */\n@SinceKotlin("1.4")\npublic fun
ShortArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex,
toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted
descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to
sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n */\n@SinceKotlin("1.4")\npublic
fun IntArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex,
toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted
descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to
sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater

```

```

than [toIndex].\n *\n@SinceKotlin("1.4")\npublic fun LongArray.sortDescending(fromIndex: Int, toIndex: Int):
Unit {\n  sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the
specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n *
@param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to
sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than
zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is
greater than [toIndex].\n *\n@SinceKotlin("1.4")\npublic fun FloatArray.sortDescending(fromIndex: Int, toIndex:
Int): Unit {\n  sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array
in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n *
@param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to
sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the
size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\npublic fun DoubleArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n
sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the
array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n
* \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range
(exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is
greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\npublic fun CharArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n
sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts the array in-place according to the
order specified by the given [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their
order relative to each other after sorting.\n *\npublic expect fun <T> Array<out T>.sortWith(comparator:
Comparator<in T>): Unit\n\n/**\n * Sorts a range in the array in-place with the given [comparator].\n
* \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n
*\n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the
range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex]
is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].\n *\npublic expect fun <T> Array<out T>.sortWith(comparator:
Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Returns an array of Boolean containing
all of the elements of this generic array.\n *\npublic fun Array<out Boolean>.toBooleanArray(): BooleanArray {\n
return BooleanArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Byte containing all of the
elements of this generic array.\n *\npublic fun Array<out Byte>.toByteArray(): ByteArray
{\n  return ByteArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Char containing all of the
elements of this generic array.\n *\npublic fun Array<out Char>.toCharArray(): CharArray {\n  return
CharArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Double containing all of the elements of
this generic array.\n *\npublic fun Array<out Double>.toDoubleArray(): DoubleArray {\n  return
DoubleArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Float containing all of the elements of
this generic array.\n *\npublic fun Array<out Float>.toFloatArray(): FloatArray {\n  return FloatArray(size) {
index -> this[index] }\n}\n\n/**\n * Returns an array of Int containing all of the elements of this generic array.\n
*\npublic fun Array<out Int>.toIntArray(): IntArray {\n  return IntArray(size) { index -> this[index] }\n}\n\n/**\n
* Returns an array of Long containing all of the elements of this generic array.\n *\npublic fun
Array<out Long>.toLongArray(): LongArray {\n  return LongArray(size) { index -> this[index] }\n}\n\n/**\n *
Returns an array of Short containing all of the elements of this generic array.\n *\npublic fun Array<out
Short>.toShortArray(): ShortArray {\n  return ShortArray(size) { index -> this[index] }\n}\n\n/**\n * Returns a
*typed* object array containing all of the elements of this primitive array.\n *\npublic expect fun
ByteArray.toTypedArray(): Array<Byte>\n\n/**\n * Returns a *typed* object array containing all of the elements of
this primitive array.\n *\npublic expect fun ShortArray.toTypedArray(): Array<Short>\n\n/**\n * Returns a
*typed* object array containing all of the elements of this primitive array.\n *\npublic expect fun

```

IntArray.toArray(): Array<Int>\n\n\*\*\n \* Returns a \*typed\* object array containing all of the elements of this primitive array.\n \*/\npublic expect fun LongArray.toArray(): Array<Long>\n\n\*\*\n \* Returns a \*typed\* object array containing all of the elements of this primitive array.\n \*/\npublic expect fun FloatArray.toArray(): Array<Float>\n\n\*\*\n \* Returns a \*typed\* object array containing all of the elements of this primitive array.\n \*/\npublic expect fun DoubleArray.toArray(): Array<Double>\n\n\*\*\n \* Returns a \*typed\* object array containing all of the elements of this primitive array.\n \*/\npublic expect fun BooleanArray.toArray(): Array<Boolean>\n\n\*\*\n \* Returns a [Map] containing key-value pairs provided by [transform] function\n \* applied to elements of the given array.\n \* \n \* If any of two pairs would have the same key the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \* \n \* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n \*/\npublic inline fun <T, K, V> Array<out T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n\*\*\n \* Returns a [Map] containing key-value pairs provided by [transform] function\n \* applied to elements of the given array.\n \* \n \* If any of two pairs would have the same key the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \* \n \* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n \*/\npublic inline fun <K, V> ByteArray.associate(transform: (Byte) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n\*\*\n \* Returns a [Map] containing key-value pairs provided by [transform] function\n \* applied to elements of the given array.\n \* \n \* If any of two pairs would have the same key the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \* \n \* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n \*/\npublic inline fun <K, V> ShortArray.associate(transform: (Short) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n\*\*\n \* Returns a [Map] containing key-value pairs provided by [transform] function\n \* applied to elements of the given array.\n \* \n \* If any of two pairs would have the same key the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \* \n \* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n \*/\npublic inline fun <K, V> IntArray.associate(transform: (Int) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n\*\*\n \* Returns a [Map] containing key-value pairs provided by [transform] function\n \* applied to elements of the given array.\n \* \n \* If any of two pairs would have the same key the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \* \n \* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n \*/\npublic inline fun <K, V> LongArray.associate(transform: (Long) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n\*\*\n \* Returns a [Map] containing key-value pairs provided by [transform] function\n \* applied to elements of the given array.\n \* \n \* If any of two pairs would have the same key the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \* \n \* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n \*/\npublic inline fun <K, V> FloatArray.associate(transform: (Float) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n\*\*\n \* Returns a [Map] containing key-value pairs provided by [transform] function\n \* applied to elements of the given array.\n \* \n \* If any of two pairs would have the same key the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \* \n \* @sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n *\npublic inline fun <K, V>
DoubleArray.associate(transform: (Double) -> Pair<K, V>): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n *
applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added
to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n *\npublic inline fun <K, V>
BooleanArray.associate(transform: (Boolean) -> Pair<K, V>): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n *\npublic inline fun <K, V>
CharArray.associate(transform: (Char) -> Pair<K,
V>): Map<K, V> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return
associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements
from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If
any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n *
The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n *\npublic inline fun <T, K>
Array<out T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, T>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n *\npublic inline fun <K>
ByteArray.associateBy(keySelector: (Byte) -> K): Map<K, Byte> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Byte>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n *\npublic inline fun <K>
ShortArray.associateBy(keySelector: (Short) ->
K): Map<K, Short> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return
associateByTo(LinkedHashMap<K, Short>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the
elements from the given array indexed by the key\n * returned from [keySelector] function applied to each
element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to
the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n *\npublic inline fun <K>
IntArray.associateBy(keySelector: (Int) -> K): Map<K, Int> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Int>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements
would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map
preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n *\npublic inline fun <K>

```

```

LongArray.associateBy(keySelector: (Long) -> K): Map<K, Long> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Long>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
FloatArray.associateBy(keySelector:
(Float) -> K): Map<K, Float> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return
associateByTo(LinkedHashMap<K, Float>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the
elements from the given array indexed by the key\n * returned from [keySelector] function applied to each
element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to
the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
DoubleArray.associateBy(keySelector: (Double) -> K): Map<K, Double> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Double>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
BooleanArray.associateBy(keySelector: (Boolean) -> K): Map<K, Boolean> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Boolean>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
CharArray.associateBy(keySelector:
(Char) -> K): Map<K, Char> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return
associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the
values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given
array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline
fun <T, K, V> Array<out T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline
fun <K, V> ByteArray.associateBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original

```

```

array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> ShortArray.associateBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, V> {\n
val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> IntArray.associateBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, V> {\n val
capacity = mapCapacity(size).coerceAtLeast(16)\n
return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a
[Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to
elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last
one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n
* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n
*\npublic inline fun <K, V> LongArray.associateBy(keySelector: (Long) -> K, valueTransform: (Long) -> V):
Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return
associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map]
containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of
the given array.\n
* \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n
* \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> FloatArray.associateBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, V> {\n val
capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n
*\npublic inline fun <K, V> DoubleArray.associateBy(keySelector: (Double) -> K, valueTransform: (Double) ->
V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return
associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map]
containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of
the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets
added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n
*\npublic inline fun <K, V> BooleanArray.associateBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) ->
V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return
associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by
[valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> CharArray.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n val
capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity),

```

keySelector, valueTransform)\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function applied to each element of the given array\n \* and value is the element itself.\n

\* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n

\* \n \* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n \*/\npublic inline fun <T, K, M : MutableMap<in K, in T>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination}\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function applied to each element of the given array\n \* and value is the element itself.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \* \n \* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n \*/\npublic inline fun <K, M : MutableMap<in K, in Byte>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination}\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function applied to each element of the given array\n \* and value is the element itself.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \* \n \* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n \*/\npublic inline fun <K, M : MutableMap<in K, in Short>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination}\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function applied to each element of the given array\n \* and value is the element itself.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \* \n \* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n \*/\npublic inline fun <K, M : MutableMap<in K, in Int>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination}\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function applied to each element of the given array\n \* and value is the element itself.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \* \n \* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n \*/\npublic inline fun <K, M : MutableMap<in K, in Long>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination}\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function applied to each element of the given array\n \* and value is the element itself.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \* \n \* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n \*/\npublic inline fun <K, M : MutableMap<in K, in Float>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination}\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function applied to each element of the given array\n \* and value is the element itself.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \* \n \* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n \*/\npublic inline fun <K, M : MutableMap<in K, in Double>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination}\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function applied to each element of the given array\n \* and value is the element itself.\n \* \n \* If any



two elements would have the same key returned by [keySelector] the last one gets added to the map.

```

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo
*/\npublic inline fun <K,
M : MutableMap<in K, in
Boolean>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K): M {
    for (element in this) {
        destination.put(keySelector(element), element)
    }
    return destination
}
*/\n
*/\n * Populates and returns the [destination] mutable map with key-value pairs,
*/\n * where key is provided by the [keySelector] function applied to each element of the given array
*/\n * and value is the element itself.
*/\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
*/\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo
*/\npublic inline fun <K, M :
MutableMap<in K, in Char>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K): M {
    for (element in this) {
        destination.put(keySelector(element), element)
    }
    return destination
}
*/\n
*/\n * Populates and returns the [destination] mutable map with key-value pairs,
*/\n * where key is provided by the [keySelector] function and
*/\n * and value is provided by the [valueTransform] function applied to elements of the given array.
*/\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
*/\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
*/\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}
*/\n
*/\n * Populates and returns the [destination] mutable map with key-value pairs,
*/\n * where key is provided by the [keySelector] function and
*/\n * and value is provided by the [valueTransform] function applied to elements of the given array.
*/\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
*/\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
*/\npublic inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}
*/\n
*/\n * Populates and returns the [destination] mutable map with key-value pairs,
*/\n * where key is provided by the [keySelector] function and
*/\n * and value is provided by the [valueTransform] function applied to elements of the given array.
*/\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
*/\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
*/\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K, valueTransform: (Short) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}
*/\n
*/\n * Populates and returns the [destination] mutable map with key-value pairs,
*/\n * where key is provided by the [keySelector] function and
*/\n * and value is provided by the [valueTransform] function applied to elements of the given array.
*/\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
*/\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
*/\npublic inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K, valueTransform: (Int) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}
*/\n
*/\n * Populates and returns the [destination] mutable map with
key-value pairs,
*/\n * where key is provided by the [keySelector] function and
*/\n * and value is provided by the [valueTransform] function applied to elements of the given array.
*/\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
*/\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
*/\npublic inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K, valueTransform: (Long) -> V): M {
    for (element in this) {
        destination.put(keySelector(element),

```

valueTransform(element))\n } return destination\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function and\n \* and value is provided by the [valueTransform] function applied to elements of the given array.\n \* \n \* If any two elements would have the same key returned

by [keySelector] the last one gets added to the map.\n \* \n \* @sample

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateTo(destination: M, transform: (Byte) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform: (Short) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform: (Short) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform: (Short) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform: (Short) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value
```

returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

```

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo
public inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateTo(destination: M, transform: (Int) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

```

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo
public inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateTo(destination: M, transform: (Long) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

```

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo
public inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateTo(destination: M, transform: (Float) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

```

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo
public inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateTo(destination: M, transform: (Double) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

```

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo
public inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateTo(destination: M, transform: (Boolean) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

```

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo
public inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Returns a [Map] where keys are elements from the given array and values are produced by the [valueSelector] function applied to each element. If any two elements are equal, the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

```

@sample samples.collections.Collections.Transformations.associateWith
@SinceKotlin("1.4")
public inline fun <K, V> Array<out K>.associateWith(valueSelector: (K) -> V): Map<K, V> {
    val result = LinkedHashMap<K, V>(mapCapacity(size).coerceAtLeast(16))
    return associateWithTo(result, valueSelector)
}

```

Returns a [Map] where keys are elements from the given array and values are produced by the [valueSelector] function applied to each element. If any two elements are equal, the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

```

@sample samples.collections.Collections.Transformations.associateWith
@kotlin.internal.InlineOnly
public inline fun <V> ByteArray.associateWith(valueSelector: (Byte) -> V): Map<Byte, V> {
    val result = LinkedHashMap<Byte, V>(mapCapacity(size).coerceAtLeast(16))
    return associateWithTo(result, valueSelector)
}

```

Returns a [Map] where keys are elements from the given array and values are produced by the [valueSelector] function

applied to each element.\n \* \n \* If any two elements are equal, the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \* \n \* @sample

```
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
```

ShortArray.associateWith(valueSelector: (Short) -> V): Map<Short, V> {\n val result = LinkedHashMap<Short, V>(mapCapacity(size).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/\*\*\n \* Returns a [Map] where keys are elements from the given array and values are\n \* produced by the [valueSelector] function applied to each element.\n \* \n \* If any two elements are equal, the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \* \n \* @sample

```
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
```

IntArray.associateWith(valueSelector: (Int) -> V): Map<Int, V> {\n val result = LinkedHashMap<Int, V>(mapCapacity(size).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/\*\*\n \* Returns a [Map] where keys are elements from the given array and values are\n \* produced by the [valueSelector] function applied to each element.\n \* \n \* If any two elements are equal, the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \* \n \* @sample

```
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
```

LongArray.associateWith(valueSelector: (Long) -> V): Map<Long, V> {\n val result = LinkedHashMap<Long, V>(mapCapacity(size).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/\*\*\n \* Returns a [Map] where keys are elements from the given array and values are\n \* produced by the [valueSelector] function applied to each element.\n \* \n \* If any two elements are equal, the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \* \n \* @sample

```
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
```

FloatArray.associateWith(valueSelector: (Float) -> V): Map<Float, V> {\n val result = LinkedHashMap<Float, V>(mapCapacity(size).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/\*\*\n \* Returns a [Map] where keys are elements from the given array and values are\n \* produced by the [valueSelector] function applied to each element.\n \* \n \* If any two elements are equal, the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \* \n \* @sample

```
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
```

DoubleArray.associateWith(valueSelector: (Double) -> V): Map<Double, V> {\n val result = LinkedHashMap<Double, V>(mapCapacity(size).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/\*\*\n \* Returns a [Map] where keys are elements from the given array and values are\n \* produced by the [valueSelector] function applied to each element.\n \* \n \* If any two elements are equal, the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \* \n \* @sample

```
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
```

BooleanArray.associateWith(valueSelector: (Boolean) -> V): Map<Boolean, V> {\n val result = LinkedHashMap<Boolean, V>(mapCapacity(size).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/\*\*\n \* Returns a [Map] where keys are elements from the given array and values are\n \* produced by the [valueSelector] function applied to each element.\n \* \n \* If any two elements are equal, the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \* \n \* @sample

```
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
```

CharArray.associateWith(valueSelector: (Char) -> V): Map<Char, V> {\n val result

```

= LinkedHashMap<Char, V>(mapCapacity(size.coerceAtMost(128)).coerceAtLeast(16))\n return
associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-
value pairs for each element of the given array,\n * where key is the element itself and value is provided by the
[valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the
former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
*\n*\n@SinceKotlin("1.4")\npublic inline fun <K, V, M : MutableMap<in K, in V>> Array<out
K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n for (element in this) {\n
destination.put(element, valueSelector(element))\n } \n return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by
the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the
former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
*\n*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Byte, in V>>
ByteArray.associateWithTo(destination: M, valueSelector: (Byte) -> V): M {\n for (element in this) {\n
destination.put(element, valueSelector(element))\n } \n return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are
equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo\n
*\n*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic
inline fun <V, M : MutableMap<in Short, in V>> ShortArray.associateWithTo(destination: M, valueSelector:
(Short) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n } \n return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element
of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied
to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n *
@sample samples.collections.Collections.Transformations.associateWithTo\n
*\n*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Int, in V>>
IntArray.associateWithTo(destination: M, valueSelector: (Int) -> V): M {\n for (element in this) {\n
destination.put(element, valueSelector(element))\n } \n return destination\n}\n\n/**\n * Populates and returns the
[destination]
mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value
is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one
overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo\n
*\n*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Long, in V>>
LongArray.associateWithTo(destination: M, valueSelector: (Long) -> V): M {\n for (element in this) {\n
destination.put(element, valueSelector(element))\n } \n return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are
equal, the last one overwrites the former value in the map.\n * \n *
*\n * @sample samples.collections.Collections.Transformations.associateWithTo\n
*\n*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Float, in V>>
FloatArray.associateWithTo(destination: M, valueSelector: (Float) -> V): M {\n for (element in this) {\n
destination.put(element, valueSelector(element))\n } \n return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are
equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo\n

```

```

*@\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Double, in V>>
DoubleArray.associateWithTo(destination: M, valueSelector: (Double) -> V): M {\n for (element
in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n *
Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n *
where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If
any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo\n
*@\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Boolean, in
V>> BooleanArray.associateWithTo(destination: M, valueSelector: (Boolean) -> V): M {\n for (element in this)
{\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Populates and
returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the
element itself and value is provided
by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites
the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
*@\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Char, in V>>
CharArray.associateWithTo(destination: M, valueSelector: (Char) -> V): M {\n for (element in this) {\n
destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Appends all elements to
the given [destination] collection.\n *\npublic fun <T, C : MutableCollection<in T>> Array<out
T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return
destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n *\npublic fun <C :
MutableCollection<in Byte>> ByteArray.toCollection(destination: C): C {\n for (item in this) {\n
destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination]
collection.\n *\npublic fun <C : MutableCollection<in Short>> ShortArray.toCollection(destination: C): C {\n for
(item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the
given [destination]
collection.\n *\npublic fun <C : MutableCollection<in Int>> IntArray.toCollection(destination: C): C {\n for
(item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the
given [destination] collection.\n *\npublic fun <C : MutableCollection<in Long>>
LongArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return
destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n *\npublic fun <C :
MutableCollection<in Float>> FloatArray.toCollection(destination: C): C {\n for (item
in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given
[destination] collection.\n *\npublic fun <C : MutableCollection<in Double>>
DoubleArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return
destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n *\npublic fun <C :
MutableCollection<in Boolean>> BooleanArray.toCollection(destination: C): C {\n for (item in this) {\n
destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination]
collection.\n *\npublic fun <C : MutableCollection<in Char>> CharArray.toCollection(destination: C): C {\n for
(item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a new [HashSet] of all
elements.\n *\npublic fun <T> Array<out T>.toHashSet(): HashSet<T> {\n return
toCollection(HashSet<T>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n *\npublic fun
ByteArray.toHashSet(): HashSet<Byte> {\n return
toCollection(HashSet<Byte>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n
*\npublic fun ShortArray.toHashSet(): HashSet<Short> {\n return
toCollection(HashSet<Short>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n
*\npublic fun IntArray.toHashSet(): HashSet<Int> {\n return
toCollection(HashSet<Int>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n *\npublic
fun LongArray.toHashSet(): HashSet<Long> {\n return

```

```

toCollection(HashSet<Long>(mapCapacity(size)))\n\n/**\n * Returns a new [HashSet] of all elements.\n\n */\npublic fun FloatArray.toHashSet(): HashSet<Float> {\n    return\n    toCollection(HashSet<Float>(mapCapacity(size)))\n\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n\n */\npublic fun DoubleArray.toHashSet(): HashSet<Double> {\n    return\n    toCollection(HashSet<Double>(mapCapacity(size)))\n\n}\n\n/**\n * Returns a new [HashSet] of all\n    elements.\n\n */\npublic fun BooleanArray.toHashSet(): HashSet<Boolean> {\n    return\n    toCollection(HashSet<Boolean>(mapCapacity(size)))\n\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n\n */\npublic fun CharArray.toHashSet(): HashSet<Char> {\n    return\n    toCollection(HashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n\n}\n\n/**\n * Returns a [List] containing all\n    elements.\n\n */\npublic fun <T> Array<out T>.toList(): List<T> {\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n\n}\n\n/**\n * Returns a [List] containing all\n    elements.\n\n */\npublic fun ByteArray.toList(): List<Byte> {\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n\n}\n\n/**\n * Returns a [List] containing all elements.\n\n */\npublic fun ShortArray.toList(): List<Short> {\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n\n}\n\n/**\n * Returns a [List] containing all elements.\n\n */\npublic fun IntArray.toList(): List<Int> {\n    return\n    when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n\n}\n\n/**\n * Returns a [List] containing all elements.\n\n */\npublic fun LongArray.toList(): List<Long> {\n    return when (size)\n    {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n\n}\n\n/**\n * Returns a\n    [List] containing all elements.\n\n */\npublic fun FloatArray.toList(): List<Float> {\n    return when (size) {\n        0 ->\n        emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n\n}\n\n/**\n * Returns a [List]\n    containing all elements.\n\n */\npublic fun DoubleArray.toList(): List<Double> {\n    return when (size) {\n        0 ->\n        emptyList()\n        1\n        -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n\n}\n\n/**\n * Returns a [List] containing all elements.\n\n */\npublic fun BooleanArray.toList(): List<Boolean> {\n    return when (size) {\n        0 -> emptyList()\n        1 ->\n        listOf(this[0])\n        else -> this.toMutableList()\n    }\n\n}\n\n/**\n * Returns a [List] containing all elements.\n\n */\npublic fun CharArray.toList(): List<Char> {\n    return when (size) {\n        0 -> emptyList()\n        1 ->\n        listOf(this[0])\n        else -> this.toMutableList()\n    }\n\n}\n\n/**\n * Returns a new [MutableList] filled with all\n    elements of this array.\n\n */\npublic fun <T> Array<out T>.toMutableList(): MutableList<T> {\n    return\n    ArrayList(this.asCollection())\n\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n\n */\npublic fun ByteArray.toMutableList(): MutableList<Byte> {\n    val list = ArrayList<Byte>(size)\n    for (item\n    in this) list.add(item)\n    return list\n\n}\n\n/**\n * Returns a new [MutableList]\n    filled with all elements of this array.\n\n */\npublic fun ShortArray.toMutableList(): MutableList<Short> {\n    val list\n    = ArrayList<Short>(size)\n    for (item in this) list.add(item)\n    return list\n\n}\n\n/**\n * Returns a new\n    [MutableList] filled with all elements of this array.\n\n */\npublic fun IntArray.toMutableList(): MutableList<Int> {\n    val list = ArrayList<Int>(size)\n    for (item in this) list.add(item)\n    return list\n\n}\n\n/**\n * Returns a new\n    [MutableList] filled with all elements of this array.\n\n */\npublic fun LongArray.toMutableList():\n    MutableList<Long> {\n    val list = ArrayList<Long>(size)\n    for (item in this) list.add(item)\n    return\n    list\n\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n\n */\npublic fun\n    FloatArray.toMutableList(): MutableList<Float> {\n    val list = ArrayList<Float>(size)\n    for (item in this)\n    list.add(item)\n    return list\n\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of\n    this array.\n\n */\npublic fun DoubleArray.toMutableList(): MutableList<Double> {\n    val list =\n    ArrayList<Double>(size)\n    for (item in this) list.add(item)\n    return list\n\n}\n\n/**\n * Returns a new\n    [MutableList] filled with all elements of this array.\n\n */\npublic fun BooleanArray.toMutableList():\n    MutableList<Boolean> {\n    val list = ArrayList<Boolean>(size)\n    for (item in this) list.add(item)\n    return\n    list\n\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n\n */\npublic fun\n    CharArray.toMutableList(): MutableList<Char> {\n    val list = ArrayList<Char>(size)\n    for (item in this)\n    list.add(item)\n    return list\n\n}\n\n/**\n * Returns a [Set] of all elements.\n\n */\n * \n * The returned set preserves the

```

```

element iteration order of the original array.\n */\npublic fun <T> Array<out T>.toSet(): Set<T> {\n    return when
(size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->
toCollection(LinkedHashSet<T>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of
the original array.\n */\npublic fun ByteArray.toSet(): Set<Byte> {\n    return when (size) {\n        0 -> emptySet()\n
        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n    }\n}\n\n/**\n *
Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n
*/\npublic fun ShortArray.toSet(): Set<Short> {\n    return when (size) {\n        0 -> emptySet()\n        1 ->
setOf(this[0])\n        else -> toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a
[Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic
fun IntArray.toSet(): Set<Int> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n
        else -> toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all
elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
LongArray.toSet(): Set<Long> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n
        else -> toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all
elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
FloatArray.toSet(): Set<Float> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n
        else -> toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all
elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
DoubleArray.toSet(): Set<Double> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n
        else -> toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all
elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
BooleanArray.toSet(): Set<Boolean> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n
        else -> toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all
elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
CharArray.toSet(): Set<Char> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n
        else -> toCollection(LinkedHashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n    }\n}\n\n/**\n * Returns
a single list of all elements yielded from results of [transform] function being invoked on each element of original
array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <T,\n    R> Array<out T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
*/\npublic inline fun <R> ByteArray.flatMap(transform: (Byte) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
*/\npublic inline fun <R> ShortArray.flatMap(transform: (Short) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
*/\npublic inline fun <R> IntArray.flatMap(transform: (Int) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
*/\npublic inline fun <R> LongArray.flatMap(transform: (Long) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
*/\npublic inline fun <R> FloatArray.flatMap(transform:

```



```

(Float) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform]
function being invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R>
DoubleArray.flatMap(transform: (Double) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R>
BooleanArray.flatMap(transform: (Boolean) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> CharArray.flatMap(transform:
(Char) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of
original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequence")\npublic inline fun <T, R> Array<out
T>.flatMap(transform: (T) -> Sequence<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element\n * and its index in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun
<T, R> Array<out T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ByteArray.flatMapIndexed(transform: (index: Int, Byte) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ShortArray.flatMapIndexed(transform: (index: Int, Short) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> IntArray.flatMapIndexed(transform: (index: Int, Int) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n *
and its index in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.jvm.JvmName("\\flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> LongArray.flatMapIndexed(transform: (index: Int, Long) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\\flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> FloatArray.flatMapIndexed(transform: (index: Int, Float) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\\flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> DoubleArray.flatMapIndexed(transform: (index: Int, Double) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the
original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\\flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> BooleanArray.flatMapIndexed(transform: (index: Int, Boolean) -> Iterable<R>): List<R> {\n
return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded
from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\\flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> CharArray.flatMapIndexed(transform: (index: Int, Char)
-> Iterable<R>): List<R> {\n  return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a
single list of all elements yielded from results of [transform] function being invoked on each element\n * and its
index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\\flatMapIndexedSequence")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R> Array<out T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\\flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c
inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapIndexedTo(destination: C, transform: (index:
Int, T) -> Iterable<R>): C {\n  var index = 0\n  for (element in this) {\n    val list = transform(index++,
element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\\flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> ByteArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Byte) -> Iterable<R>): C {\n  var index = 0\n  for (element in this) {\n    val

```

```

list = transform(index++, element)\n    destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends
all elements yielded from results of [transform] function being invoked on each element\n * and its index in the
original array, to the given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> ShortArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Short) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++,
element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c
inline fun <R, C : MutableCollection<in R>> IntArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Int) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n
        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> LongArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Long)
-> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n
destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> FloatArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Float) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++,
element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and
its index in the original array, to the given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapIndexedTo(destination: C, transform: (index:
Int, Double) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++,
element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in
R>> BooleanArray.flatMapIndexedTo(destination: C, transform: (index: Int, Boolean) -> Iterable<R>): C {\n    var
index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n        destination.addAll(list)\n
    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being
invoked on each element\n * and its index in the original array, to the given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.jvm.JvmName("\flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> CharArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Char) -> Iterable<R>): C {\n  var index = 0\n  for (element in this) {\n    val list = transform(index++,
element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element\n * and its index in the
original array, to the given [destination].\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\flatMapIndexedSequenceTo")\n@kotlin.internal.InlineOnly\npu
blic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapIndexedTo(destination: C, transform:
(index: Int, T) -> Sequence<R>): C {\n  var index = 0\n  for (element in this) {\n    val list =
transform(index++, element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapTo(destination: C,
transform: (T) -> Iterable<R>): C {\n  for (element in this) {\n
    val list = transform(element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.flatMapTo(destination: C,
transform: (Byte) -> Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n
destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline
fun <R, C : MutableCollection<in R>> ShortArray.flatMapTo(destination: C, transform: (Short) -> Iterable<R>): C
{\n  for (element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements yielded from results
of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic
inline fun <R, C : MutableCollection<in R>> IntArray.flatMapTo(destination: C, transform: (Int) -> Iterable<R>): C
{\n  for (element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>
LongArray.flatMapTo(destination: C, transform: (Long) -> Iterable<R>): C {\n  for (element in this) {\n    val
list = transform(element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>
FloatArray.flatMapTo(destination: C, transform: (Float) -> Iterable<R>): C {\n  for (element in this) {\n    val
list = transform(element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapTo(destination: C,
transform: (Double) -> Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n
destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline
fun <R, C : MutableCollection<in R>> BooleanArray.flatMapTo(destination: C, transform: (Boolean) ->
Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n
destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline
fun <R, C : MutableCollection<in R>> CharArray.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C
{\n  for (element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequenceTo")\npublic inline fun <T, R, C :
MutableCollection<in R>> Array<out T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n for
(element in this) {\n val list = transform(element)\n
destination.addAll(list)\n } \n return destination\n}\n\n/**\n * Groups elements of the original array by the
key returned by the given [keySelector] function\n * applied to each element and returns a map where each group
key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order
of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Array<out
T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return groupByTo(LinkedHashMap<K,
MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n *
@sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
ByteArray.groupBy(keySelector: (Byte) -> K): Map<K, List<Byte>> {\n return groupByTo(LinkedHashMap<K,
MutableList<Byte>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n *
@sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> ShortArray.groupBy(keySelector: (Short) -> K): Map<K, List<Short>> {\n return
groupByTo(LinkedHashMap<K, MutableList<Short>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated
with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n *
@sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> IntArray.groupBy(keySelector: (Int) -> K): Map<K, List<Int>> {\n return
groupByTo(LinkedHashMap<K, MutableList<Int>>(), keySelector)\n}\n\n/**\n * Groups elements of the original
array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where
each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry
iteration order of the keys produced from the original array.\n * \n *
@sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
LongArray.groupBy(keySelector: (Long) -> K): Map<K, List<Long>> {\n return
groupByTo(LinkedHashMap<K, MutableList<Long>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n *
@sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
FloatArray.groupBy(keySelector: (Float) -> K): Map<K, List<Float>> {\n return groupByTo(LinkedHashMap<K,
MutableList<Float>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n *
@sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> DoubleArray.groupBy(keySelector:
(Double) -> K): Map<K, List<Double>> {\n return groupByTo(LinkedHashMap<K, MutableList<Double>>(),
keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n *
@sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun

```

```

<K> BooleanArray.groupBy(keySelector: (Boolean) -> K): Map<K, List<Boolean>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<Boolean>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration
order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
CharArray.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n  return groupByTo(LinkedHashMap<K,
MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied
to each element of the original array\n * by the key returned by the given [keySelector] function applied to the
element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The
returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V>
Array<out T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the
key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key
is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>
ByteArray.groupBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned
map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>
ShortArray.groupBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>
IntArray.groupBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, List<V>> {\n
  return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original array\n * by the key
returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is
associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>
LongArray.groupBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map
where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>

```

```

FloatArray.groupBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V>
DoubleArray.groupBy(keySelector:
(Double) -> K, valueTransform: (Double) -> V): Map<K, List<V>> {\n  return groupByTo(LinkedHashMap<K,
MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform]
function applied to each element of the original array\n * by the key returned by the given [keySelector] function
applied to the element\n * and returns a map where each group key is associated with a list of corresponding
values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n
* \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun
<K, V> BooleanArray.groupBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, List<V>>
{\n  return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n *
Groups values returned by the [valueTransform] function applied to each element of the original array\n
* by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each
group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration
order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V>
CharArray.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements
of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to
the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline
fun <T, K, M : MutableMap<in K, MutableList<T>>>>
Array<out T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n  for (element in this) {\n    val key =
keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<T>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and puts to the [destination] map each group key associated with a list of
corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K,
MutableList<Byte>>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K): M {\n  for (element in
this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<Byte>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the original array by the
key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each
group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n *
@sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in
K, MutableList<Short>>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K): M {\n  for (element
in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<Short>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the original array by the key
returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each
group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n *
@sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K,
M : MutableMap<in K, MutableList<Int>>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K): M {\n
for (element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) {
ArrayList<Int>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the original

```

array by the key returned by the given [keySelector] function\n \* applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n \* \n \* @return The [destination] map.\n \* \n \* @sample samples.collections.Collections.Transformations.groupBy\n \* \n \* public inline fun <K, M : MutableMap<in K, MutableList<Long>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Long>() }\n list.add(element)\n }\n return destination\n}\n \* \n \* Groups elements

of the original array by the key returned by the given [keySelector] function\n \* applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n \* \n \* @return The [destination] map.\n \* \n \* @sample samples.collections.Collections.Transformations.groupBy\n \* \n \* public inline fun <K, M : MutableMap<in K, MutableList<Float>>> FloatArray.groupByTo(destination: M, keySelector: (Float) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Float>() }\n list.add(element)\n }\n return destination\n}\n \* \n \* Groups elements

of the original array by the key returned by the given [keySelector] function\n \* applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n \* \n \* @return The [destination] map.\n \* \n \* @sample samples.collections.Collections.Transformations.groupBy\n \* \n \* public inline fun <K, M : MutableMap<in K, MutableList<Double>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Double>() }\n list.add(element)\n }\n return destination\n}\n \* \n \* Groups elements

of the original array by the key returned by the given [keySelector] function\n \* applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n \* \n \* @return The [destination] map.\n \* \n \* @sample samples.collections.Collections.Transformations.groupBy\n \* \n \* public inline fun <K, M : MutableMap<in K, MutableList<Boolean>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Boolean>() }\n list.add(element)\n }\n return destination\n}\n \* \n \* Groups elements

of the original array by the key returned by the given [keySelector] function\n \* applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n \* \n \* @return The [destination] map.\n \* \n \* @sample samples.collections.Collections.Transformations.groupBy\n \* \n \* public inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Char>() }\n list.add(element)\n }\n return destination\n}\n \* \n \* Groups values returned by the [valueTransform] function applied to each element of the original array\n \* by the key returned by the given [keySelector] function applied to the element\n \* and puts to the [destination] map each group key associated with a list of corresponding values.\n \* \n \* @return The [destination] map.\n \* \n \* @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n \* \n \* public inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n \* \n \* Groups values returned by the [valueTransform] function applied to each element of the original array\n \* by the key returned by the given [keySelector] function applied to the element\n \* and puts to the [destination] map each group key associated with a list of corresponding values.\n \* \n \* @return The [destination] map.\n \* \n \* @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n \* \n \* public inline fun <K, V, M : MutableMap<in K, MutableList<V>>>

of the original array by the key returned by the given [keySelector] function\n \* applied to each element and puts to the [destination] map each group key associated with a list of corresponding values.\n \* \n \* @return The [destination] map.\n \* \n \* @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n \* \n \* public inline fun <K, V, M : MutableMap<in K, MutableList<V>>>

of the original array by the key returned by the given [keySelector] function\n \* applied to each element and puts to the [destination] map each group key associated with a list of corresponding values.\n \* \n \* @return The [destination] map.\n \* \n \* @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n \* \n \* public inline fun <K, V, M : MutableMap<in K, MutableList<V>>>



returned by the [valueTransform] function applied to each element of the original array\n \* by the key returned by the given [keySelector] function applied to the element\n \* and puts to the [destination] map each group key associated with a list of corresponding values.\n \* \n \* @return The [destination] map.\n \* \n \* @sample

```

samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K,
valueTransform: (Short) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key)
{ ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original array\n * by the key
returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each
group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n *
@sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K,
valueTransform: (Int) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each
element of the original array\n * by the key returned by the given [keySelector] function applied to the
element\n * and puts to the [destination] map each group key associated with a list of corresponding
values.\n * \n * @return
The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K,
valueTransform: (Long) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding
values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> FloatArray.groupByTo(destination: M, keySelector: (Float) -> K,
valueTransform: (Float) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>>
DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {\n for
(element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) {
ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key
associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K,
valueTransform: (Boolean) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val
list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the

```

[destination] map each group key associated with a list of corresponding values.\n \* \n \* @return The [destination] map.\n \* \n \* @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n \* \n public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination}\n}\n\n/\*\*\n \* Creates a [Grouping] source from an array to be used later with one of group-and-fold operations\n \* using the specified [keySelector] function to extract a key from each element.\n \* \n \* @sample samples.collections.Grouping.groupingByEachCount\n \* \n @SinceKotlin("1.1")\n public inline fun <T, K> Array<out T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* @sample samples.collections.Collections.Transformations.map\n \* \n public inline fun <T, R> Array<out T>.map(transform: (T) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* @sample samples.collections.Collections.Transformations.map\n \* \n public inline fun <R> ByteArray.map(transform: (Byte) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* @sample samples.collections.Collections.Transformations.map\n \* \n public inline fun <R> ShortArray.map(transform: (Short) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* @sample samples.collections.Collections.Transformations.map\n \* \n public inline fun <R> IntArray.map(transform: (Int) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* @sample samples.collections.Collections.Transformations.map\n \* \n public inline fun <R> LongArray.map(transform: (Long) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* @sample samples.collections.Collections.Transformations.map\n \* \n public inline fun <R> FloatArray.map(transform: (Float) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* @sample samples.collections.Collections.Transformations.map\n \* \n public inline fun <R> DoubleArray.map(transform: (Double) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* @sample samples.collections.Collections.Transformations.map\n \* \n public inline fun <R> BooleanArray.map(transform: (Boolean) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each element and its index in the original array.\n \* \n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \* \n public inline fun <T, R> Array<out T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each element and its index in the original array.\n \* \n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \* \n public inline fun <R> ByteArray.mapIndexed(transform: (index: Int, Byte) -> R): List<R> {\n return

mapIndexedTo(ArrayList<R>(size), transform)\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each element and its index in the original array.\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*/\npublic inline fun <R> ShortArray.mapIndexed(transform: (index: Int, Short) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each element and its index in the original array.\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*/\npublic inline fun <R> IntArray.mapIndexed(transform: (index: Int, Int) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each element and its index in the original array.\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*/\npublic inline fun <R> LongArray.mapIndexed(transform: (index: Int, Long) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each element and its index in the original array.\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*/\npublic inline fun <R> FloatArray.mapIndexed(transform: (index: Int, Float) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each element and its index in the original array.\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*/\npublic inline fun <R> DoubleArray.mapIndexed(transform: (index: Int, Double) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each element and its index in the original array.\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*/\npublic inline fun <R> BooleanArray.mapIndexed(transform: (index: Int, Boolean) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each element and its index in the original array.\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*/\npublic inline fun <R> CharArray.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/\*\*\n \* Returns a list containing only the non-null results of applying the given [transform] function\n \* to each element and its index in the original array.\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*/\npublic inline fun <T, R : Any> Array<out T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/\*\*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends only the non-null results to the given [destination].\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*/\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends the results to the given [destination].\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*/\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends the results to the given [destination].\n \* @param [transform] function that takes the index of

an element and the element itself  
`* and returns the result of the transform applied to the element.`  
`public inline fun <R, C : MutableCollection<in R>> ByteArray.mapIndexedTo(destination: C, transform: (index: Int, Byte) -> R): C {`  
`var index = 0`  
`for (item in this)`  
`destination.add(transform(index++, item))`  
`return destination`  
`}`  
`* Applies the given [transform] function to each element and its index in the original array`  
`* and appends the results to the given [destination].`  
`* @param [transform] function that takes the index of an element and the element itself`  
`* and returns the result of the transform applied to the element.`  
`public inline fun <R, C : MutableCollection<in R>> ShortArray.mapIndexedTo(destination: C, transform: (index: Int, Short) -> R): C {`  
`var index = 0`  
`for (item in this)`  
`destination.add(transform(index++, item))`  
`return destination`  
`}`  
`* Applies the given [transform] function to each element and its index in the original array`  
`* and appends the results to the given [destination].`  
`* @param [transform] function that takes the index of an element and the element itself`  
`* and returns the result of the transform applied to the element.`  
`public inline fun <R, C : MutableCollection<in R>> IntArray.mapIndexedTo(destination: C, transform: (index: Int, Int) -> R): C {`  
`var index = 0`  
`for (item in this)`  
`destination.add(transform(index++, item))`  
`return destination`  
`}`  
`* Applies the given [transform] function to each element and its index in the original array`  
`* and appends the results to the given [destination].`  
`* @param [transform] function that takes the index of an element and the element itself`  
`* and returns the result of the transform applied to the element.`  
`public inline fun <R, C : MutableCollection<in R>> LongArray.mapIndexedTo(destination: C, transform: (index: Int, Long) -> R): C {`  
`var index = 0`  
`for (item in this)`  
`destination.add(transform(index++, item))`  
`return destination`  
`}`  
`* Applies the given [transform] function to each element and its index in the original array`  
`* and appends the results to the given [destination].`  
`* @param [transform] function that takes the index of an element and the element itself`  
`* and returns the result of the transform applied to the element.`  
`public inline fun <R, C : MutableCollection<in R>> FloatArray.mapIndexedTo(destination: C, transform: (index: Int, Float) -> R): C {`  
`var index = 0`  
`for (item in this)`  
`destination.add(transform(index++, item))`  
`return destination`  
`}`  
`* Applies the given [transform] function to each element and its index in the original array`  
`* and appends the results to the given [destination].`  
`* @param [transform] function that takes the index of an element and the element itself`  
`* and returns the result of the transform applied to the element.`  
`public inline fun <R, C : MutableCollection<in R>> DoubleArray.mapIndexedTo(destination: C, transform: (index: Int, Double) -> R): C {`  
`var index = 0`  
`for (item in this)`  
`destination.add(transform(index++, item))`  
`return destination`  
`}`  
`* Applies the given [transform] function to each element and its index in the original array`  
`* and appends the results to the given [destination].`  
`* @param [transform] function that takes the index of an element and the element itself`  
`* and returns the result of the transform applied to the element.`  
`public inline fun <R, C : MutableCollection<in R>> BooleanArray.mapIndexedTo(destination: C, transform: (index: Int, Boolean) -> R): C {`  
`var index = 0`  
`for (item in this)`  
`destination.add(transform(index++, item))`  
`return destination`  
`}`  
`* Applies the given [transform] function to each element and its index in the original array`  
`* and appends the results to the given [destination].`  
`* @param [transform] function that takes the index of an element and the element itself`  
`* and returns the result of the transform applied to the element.`  
`public inline fun <R, C : MutableCollection<in R>> CharArray.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {`  
`var index = 0`  
`for (item in this)`  
`destination.add(transform(index++, item))`  
`return destination`  
`}`  
`* Returns a list containing only the non-null results of applying the given [transform] function`  
`* to each element in the original array.`  
`* @sample samples.collections.Collections.Transformations.mapNotNull`  
`public inline fun <T, R : Any> Array<out T>.mapNotNull(transform: (T) -> R?): List<R> {`  
`return mapNotNullTo(ArrayList<R>(), transform)`  
`}`  
`* Applies the given [transform] function to each element in the original array`  
`* and appends only the non-null results to the given [destination].`  
`public inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {`  
`forEach { element -> transform(element)??.let { destination.add(it) } }`  
`return destination`  
`}`  
`* Applies the given [transform] function to each element of the original array`  
`* and appends the results to the given`

```

[destination].\n *\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapTo(destination: C,
transform:
(T) -> R): C {\n  for (item in this)\n    destination.add(transform(item))\n  return destination\n}\n\n/**\n *
Applies the given [transform] function to each element of the original array\n * and appends the results to the given
[destination].\n *\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapTo(destination: C,
transform: (Byte) -> R): C {\n  for (item in this)\n    destination.add(transform(item))\n  return
destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and
appends the results to the given [destination].\n *\npublic inline fun <R, C : MutableCollection<in R>>
ShortArray.mapTo(destination: C, transform: (Short) -> R): C {\n  for (item in this)\n
destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n *\npublic inline fun <R, C :
MutableCollection<in
R>> IntArray.mapTo(destination: C, transform: (Int) -> R): C {\n  for (item in this)\n
destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n *\npublic inline fun <R, C :
MutableCollection<in R>> LongArray.mapTo(destination: C, transform: (Long) -> R): C {\n  for (item in this)\n
destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to
each element of the original array\n * and appends the results to the given [destination].\n *\npublic inline fun <R,
C : MutableCollection<in R>> FloatArray.mapTo(destination: C, transform: (Float) -> R): C {\n  for (item in
this)\n  destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform]
function to each element of the original array\n * and appends the results
to the given [destination].\n *\npublic inline fun <R, C : MutableCollection<in R>>
DoubleArray.mapTo(destination: C, transform: (Double) -> R): C {\n  for (item in this)\n
destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n *\npublic inline fun <R, C :
MutableCollection<in R>> BooleanArray.mapTo(destination: C, transform: (Boolean) -> R): C {\n  for (item in
this)\n  destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform]
function to each element of the original array\n * and appends the results to the given [destination].\n *\npublic
inline fun <R, C : MutableCollection<in R>> CharArray.mapTo(destination: C, transform: (Char) -> R): C {\n  for
(item in this)\n  destination.add(transform(item))\n  return destination\n}\n\n/**\n * Returns a lazy [Iterable]
that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and
the element itself.\n *\npublic fun <T> Array<out T>.withIndex(): Iterable<IndexedValue<T>> {\n  return
IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n
* into an [IndexedValue] containing the index of that element and the element itself.\n *\npublic fun
ByteArray.withIndex(): Iterable<IndexedValue<Byte>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the
index of that element and the element itself.\n *\npublic fun ShortArray.withIndex():
Iterable<IndexedValue<Short>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable]
that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the
element itself.\n\n *\npublic fun IntArray.withIndex(): Iterable<IndexedValue<Int>> {\n  return IndexingIterable { iterator()
}\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue]
containing the index of that element and the element itself.\n *\npublic fun LongArray.withIndex():
Iterable<IndexedValue<Long>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable]
that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the
element itself.\n *\npublic fun FloatArray.withIndex(): Iterable<IndexedValue<Float>> {\n  return
IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n
* into an [IndexedValue] containing the index of that element and the element itself.\n *\npublic fun

```

```

DoubleArray.withIndex(): Iterable<IndexedValue<Double>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun BooleanArray.withIndex():\nIterable<IndexedValue<Boolean>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun CharArray.withIndex(): Iterable<IndexedValue<Char>> {\n  return\nIndexingIterable { iterator() }\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * Among equal elements of the given array, only the first one will be present in the resulting list.\n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample\nsamples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T> Array<out T>.distinct(): List<T>\n{\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample\nsamples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun\nByteArray.distinct(): List<Byte> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample\nsamples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun ShortArray.distinct():\nList<Short> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample\nsamples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun IntArray.distinct(): List<Int> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample\nsamples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun LongArray.distinct():\nList<Long> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample\nsamples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun FloatArray.distinct(): List<Float> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample\nsamples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun DoubleArray.distinct():\nList<Double> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample\nsamples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun BooleanArray.distinct(): List<Boolean> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample\nsamples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun CharArray.distinct():\nList<Char> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * Among elements of the given array with equal keys, only the first one will be present in the resulting list.\n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample\nsamples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <T, K> Array<out T>.distinctBy(selector: (T) -> K): List<T> {\n  val set = HashSet<K>()\n  val list = ArrayList<T>()\n  for (e in this) {\n    val key = selector(e)\n    if (set.add(key))\n      list.add(e)\n  }\n  return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source

```

```

array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n
*/\npublic inline fun <K> ByteArray.distinctBy(selector: (Byte) -> K): List<Byte> {\n    val set = HashSet<K>()\n
val list = ArrayList<Byte>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n
list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having
distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same
order as they were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>
ShortArray.distinctBy(selector: (Short) -> K): List<Short> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Short>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n
list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having
distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same
order as they were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>
IntArray.distinctBy(selector: (Int) -> K): List<Int> {\n    val set = HashSet<K>()\n    val list = ArrayList<Int>()\n
for (e in this) {\n    val key = selector(e)\n    if (set.add(key))\n        list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given
[selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source
array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline
fun <K> LongArray.distinctBy(selector: (Long) -> K): List<Long> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Long>()\n
    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return
list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by
the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the
source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic
inline fun <K> FloatArray.distinctBy(selector: (Float) -> K): List<Float> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Float>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n
return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>
DoubleArray.distinctBy(selector: (Double) -> K): List<Double> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Double>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n
    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>
BooleanArray.distinctBy(selector: (Boolean) -> K): List<Boolean> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Boolean>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n
    }\n    return list\n}\n\n/**\n * Returns
a list containing only elements from the given array\n * having distinct keys returned by the given [selector]
function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n *
@sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>
CharArray.distinctBy(selector: (Char) -> K): List<Char> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Char>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n
    }\n    return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified
collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set
containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun <T>
Array<out T>.intersect(other: Iterable<T>): Set<T> {\n    val set

```

= this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/\*\*\n \* Returns a set containing all elements that are contained by both this array and the specified collection.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* \n \* To get a set containing all elements that are contained at least in one of these collections use [union].\n \*/\n\npublic infix fun ByteArray.intersect(other: Iterable<Byte>): Set<Byte> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/\*\*\n \* Returns a set containing all elements that are contained by both this array and the specified collection.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* \n \* To get a set containing all elements that are contained at least in one of these collections use [union].\n \*/\n\npublic infix fun ShortArray.intersect(other: Iterable<Short>): Set<Short> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/\*\*\n \* Returns a set containing all elements that are contained by both this array and the specified collection.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* \n \* To get a set containing all elements that are contained at least in one of these collections use [union].\n \*/\n\npublic infix fun IntArray.intersect(other: Iterable<Int>): Set<Int> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/\*\*\n \* Returns a set containing all elements that are contained by both this array and the specified collection.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* \n \* To get a set containing all elements that are contained at least in one of these collections use [union].\n \*/\n\npublic infix fun LongArray.intersect(other: Iterable<Long>): Set<Long> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/\*\*\n \* Returns a set containing all elements that are contained by both this array and the specified collection.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* \n \* To get a set containing all elements that are contained at least in one of these collections use [union].\n \*/\n\npublic infix fun FloatArray.intersect(other: Iterable<Float>): Set<Float> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/\*\*\n \* Returns a set containing all elements that are contained by both this array and the specified collection.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* \n \* To get a set containing all elements that are contained at least in one of these collections use [union].\n \*/\n\npublic infix fun DoubleArray.intersect(other: Iterable<Double>): Set<Double> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/\*\*\n \* Returns a set containing all elements that are contained by both this array and the specified collection.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* \n \* To get a set containing all elements that are contained at least in one of these collections use [union].\n \*/\n\npublic infix fun BooleanArray.intersect(other: Iterable<Boolean>): Set<Boolean> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/\*\*\n \* Returns a set containing all elements that are contained by both this array and the specified collection.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* \n \* To get a set containing all elements that are contained at least in one of these collections use [union].\n \*/\n\npublic infix fun CharArray.intersect(other: Iterable<Char>): Set<Char> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/\*\*\n \* Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \*/\n\npublic infix fun <T> Array<out T>.subtract(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/\*\*\n \* Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \*/\n\npublic infix fun ByteArray.subtract(other: Iterable<Byte>): Set<Byte> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/\*\*\n \* Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \*/\n\npublic infix fun ShortArray.subtract(other: Iterable<Short>): Set<Short> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/\*\*\n \* Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \*/\n



```

*/\npublic infix fun IntArray.subtract(other: Iterable<Int>): Set<Int> {\n    val set = this.toMutableSet()\n    set.removeAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic infix fun LongArray.subtract(other: Iterable<Long>): Set<Long> {\n    val set = this.toMutableSet()\n    set.removeAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic infix fun FloatArray.subtract(other: Iterable<Float>): Set<Float> {\n    val set = this.toMutableSet()\n    set.removeAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic infix fun DoubleArray.subtract(other: Iterable<Double>): Set<Double> {\n    val set = this.toMutableSet()\n    set.removeAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic infix fun BooleanArray.subtract(other: Iterable<Boolean>): Set<Boolean> {\n    val set = this.toMutableSet()\n    set.removeAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic infix fun CharArray.subtract(other: Iterable<Char>): Set<Char> {\n    val set = this.toMutableSet()\n    set.removeAll(other)\n    return set\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic fun <T> Array<out T>.toMutableSet(): MutableSet<T> {\n    return toCollection(LinkedHashSet<T>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic fun ByteArray.toMutableSet(): MutableSet<Byte> {\n    return toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic fun ShortArray.toMutableSet(): MutableSet<Short> {\n    return toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic fun IntArray.toMutableSet(): MutableSet<Int> {\n    return toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic fun LongArray.toMutableSet(): MutableSet<Long> {\n    return toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic fun FloatArray.toMutableSet(): MutableSet<Float> {\n    return toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic fun DoubleArray.toMutableSet(): MutableSet<Double> {\n    return toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic fun BooleanArray.toMutableSet(): MutableSet<Boolean> {\n    return toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic fun CharArray.toMutableSet(): MutableSet<Char> {\n    return toCollection(LinkedHashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n}\n\n/**\n * Returns a set containing

```

all distinct elements from both collections.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* Those elements of the [other] collection that are unique are iterated in the end\n \* in the order of the [other] collection.\n \* \n \* To get a set containing all elements that are contained in both collections use [intersect].\n \*/\npublic infix fun <T> Array<out T>.union(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set}\n\n/\*\*\n \* Returns a set containing all distinct elements from both collections.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* Those elements of the [other] collection that are unique are iterated in the end\n \* in the order of the [other] collection.\n \* \n \* To get a set containing all elements that are contained in both collections use [intersect].\n \*/\npublic infix fun ByteArray.union(other: Iterable<Byte>): Set<Byte> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set}\n\n/\*\*\n \* Returns a set containing all distinct elements from both collections.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* Those elements of the [other] collection that are unique are iterated in the end\n \* in the order of the [other] collection.\n \* \n \* To get a set containing all elements that are contained in both collections use [intersect].\n \*/\npublic infix fun ShortArray.union(other: Iterable<Short>): Set<Short> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set}\n\n/\*\*\n \* Returns a set containing all distinct elements from both collections.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* Those elements of the [other] collection that are unique are iterated in the end\n \* in the order of the [other] collection.\n \* \n \* To get a set containing all elements that are contained in both collections use [intersect].\n \*/\npublic infix fun IntArray.union(other: Iterable<Int>): Set<Int> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set}\n\n/\*\*\n \* Returns a set containing all distinct elements from both collections.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* Those elements of the [other] collection that are unique are iterated in the end\n \* in the order of the [other] collection.\n \* \n \* To get a set containing all elements that are contained in both collections use [intersect].\n \*/\npublic infix fun LongArray.union(other: Iterable<Long>): Set<Long> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set}\n\n/\*\*\n \* Returns a set containing all distinct elements from both collections.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* Those elements of the [other] collection that are unique are iterated in the end\n \* in the order of the [other] collection.\n \* \n \* To get a set containing all elements that are contained in both collections use [intersect].\n \*/\npublic infix fun FloatArray.union(other: Iterable<Float>): Set<Float> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set}\n\n/\*\*\n \* Returns a set containing all distinct elements from both collections.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* Those elements of the [other] collection that are unique are iterated in the end\n \* in the order of the [other] collection.\n \* \n \* To get a set containing all elements that are contained in both collections use [intersect].\n \*/\npublic infix fun DoubleArray.union(other: Iterable<Double>): Set<Double> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set}\n\n/\*\*\n \* Returns a set containing all distinct elements from both collections.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* Those elements of the [other] collection that are unique are iterated in the end\n \* in the order of the [other] collection.\n \* \n \* To get a set containing all elements that are contained in both collections use [intersect].\n \*/\npublic infix fun BooleanArray.union(other: Iterable<Boolean>): Set<Boolean> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set}\n\n/\*\*\n \* Returns a set containing all distinct elements from both collections.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* Those elements of the [other] collection that are unique are iterated in the end\n \* in the order of the [other] collection.\n \* \n \* To get a set containing all elements that are contained in both collections use [intersect].\n \*/\npublic infix fun CharArray.union(other: Iterable<Char>): Set<Char> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set}\n\n/\*\*\n \* Returns `true` if all elements match the given [predicate].\n \* \n \* @sample samples.collections.Collections.Aggregates.all\n \*/\npublic inline fun <T> Array<out T>.all(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true}\n\n/\*\*\n \* Returns `true` if all elements match the given

```

[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun
ByteArray.all(predicate: (Byte) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return
false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n */\npublic inline fun ShortArray.all(predicate: (Short) -> Boolean):
Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n
* Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n */\npublic inline fun IntArray.all(predicate: (Int) -> Boolean):
Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if
all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*/\npublic inline fun LongArray.all(predicate: (Long) -> Boolean): Boolean {\n for (element in this) if
(!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun
FloatArray.all(predicate: (Float) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return
false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*/\npublic inline fun DoubleArray.all(predicate: (Double) -> Boolean): Boolean {\n for (element in this) if
(!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun
BooleanArray.all(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if (!predicate(element))
return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharArray.all(predicate: (Char) -> Boolean):
Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true`
if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun
<T> Array<out T>.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n
* Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n */\npublic fun ByteArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n */\npublic fun ShortArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n */\npublic fun IntArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n */\npublic fun LongArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n */\npublic fun FloatArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns
`true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*/\npublic fun DoubleArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least
one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun
BooleanArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n
* \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun CharArray.any(): Boolean {\n
return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.any\n */\npublic inline fun <T> Array<out
T>.any(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.any\n */\npublic inline fun
ByteArray.any(predicate: (Byte) -> Boolean): Boolean {\n for (element in this) if
(predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the
given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic

```

```

inline fun ShortArray.any(predicate: (Short) -> Boolean): Boolean {
    for (element in this) if (predicate(element))
        return true
    return false
}

Returns `true` if at least one element matches the given [predicate].

@sample samples.collections.Collections.Aggregates.anyWithPredicate

public inline fun
IntArray.any(predicate: (Int) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return true
    return false
}

Returns `true` if at least one element matches the given [predicate].

@sample samples.collections.Collections.Aggregates.anyWithPredicate

public inline fun LongArray.any(predicate: (Long) -> Boolean): Boolean {
    for (element in this) if
        (predicate(element)) return true
    return false
}

Returns `true` if at least one element matches the
given [predicate].

@sample samples.collections.Collections.Aggregates.anyWithPredicate

public inline fun FloatArray.any(predicate: (Float) -> Boolean): Boolean {
    for (element in this) if (predicate(element))
        return true
    return false
}

Returns `true` if at least one element matches the given [predicate].

@sample samples.collections.Collections.Aggregates.anyWithPredicate

public inline fun DoubleArray.any(predicate: (Double) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return
        true
    return false
}

Returns `true` if at least one element matches the given [predicate].

@sample samples.collections.Collections.Aggregates.anyWithPredicate

public inline fun BooleanArray.any(predicate: (Boolean) -> Boolean): Boolean {
    for (element in this) if
        (predicate(element)) return true
    return false
}

Returns `true` if at least one element matches the
given [predicate].

@sample samples.collections.Collections.Aggregates.anyWithPredicate

public inline fun CharArray.any(predicate: (Char) -> Boolean): Boolean {
    for (element in this) if (predicate(element))
        return true
    return false
}

Returns the number of elements in this array.

@kotlin.internal.InlineOnly

public inline fun <T> Array<out T>.count(): Int {
    return size
}

Returns the number of elements in this array.

@kotlin.internal.InlineOnly

public inline fun
ByteArray.count(): Int {
    return size
}

Returns the number of elements in this array.

@kotlin.internal.InlineOnly

public inline fun ShortArray.count(): Int {
    return size
}

Returns the
number of elements in this
array.

@kotlin.internal.InlineOnly

public inline fun IntArray.count(): Int {
    return size
}

Returns the number of elements in this array.

@kotlin.internal.InlineOnly

public inline fun
LongArray.count(): Int {
    return size
}

Returns the number of elements in this array.

@kotlin.internal.InlineOnly

public inline fun FloatArray.count(): Int {
    return size
}

Returns the
number of elements in this
array.

@kotlin.internal.InlineOnly

public inline fun DoubleArray.count(): Int {
    return size
}

Returns the number of elements in this array.

@kotlin.internal.InlineOnly

public inline fun BooleanArray.count(): Int {
    return size
}

Returns the number of elements in this array.

@kotlin.internal.InlineOnly

public inline fun CharArray.count(): Int {
    return size
}

Returns the
number of elements matching
the given [predicate].

public inline fun <T> Array<out
T>.count(predicate: (T) -> Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element))
        ++count
    return count
}

Returns the number of elements matching the given [predicate].

public inline fun ByteArray.count(predicate: (Byte) -> Boolean): Int {
    var count = 0
    for (element in this) if
        (predicate(element)) ++count
    return count
}

Returns the number of elements matching the given
[predicate].

public inline fun ShortArray.count(predicate: (Short) -> Boolean): Int {
    var count = 0
    for
        (element in this) if (predicate(element)) ++count
    return count
}

Returns the number of elements
matching the given [predicate].

public inline fun IntArray.count(predicate: (Int) -> Boolean): Int {
    var
        count = 0
    for (element in this) if (predicate(element)) ++count
    return count
}

Returns the
number of elements matching
the given [predicate].

public inline fun LongArray.count(predicate:
(Long) -> Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element)) ++count
    return
        count
}

Returns the number of elements matching the given [predicate].

public inline fun
FloatArray.count(predicate: (Float) -> Boolean): Int {
    var count = 0
    for (element in this) if
        (predicate(element)) ++count
    return count
}

Returns the number of elements matching the given
[predicate].

public inline fun DoubleArray.count(predicate: (Double) -> Boolean): Int {
    var count = 0

```

```

for (element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements
matching the given [predicate].\n */\npublic inline fun BooleanArray.count(predicate: (Boolean) -> Boolean): Int
{\n    var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns
the number of elements matching the given [predicate].\n */\npublic inline fun
CharArray.count(predicate: (Char) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Accumulates value starting with [initial] value and
applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator
value and an element, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out
T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n    var accumulator = initial\n    for (element in this)
accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n *
\n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that
takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun
<R> ByteArray.fold(initial: R, operation: (acc: R, Byte) -> R): R {\n    var accumulator = initial\n    for (element in
this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each
element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that
takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun
<R> ShortArray.fold(initial: R, operation: (acc: R, Short) -> R): R {\n    var accumulator = initial\n    for (element in
this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each
element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that
takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun
<R> IntArray.fold(initial: R, operation: (acc: R, Int) -> R): R {\n    var accumulator = initial\n    for (element in
this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n *
\n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that
takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun
<R> LongArray.fold(initial: R, operation: (acc: R, Long) -> R): R
{\n    var accumulator = initial\n    for (element in this) accumulator = operation(accumulator,
element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified
[initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and
an element, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.fold(initial: R,
operation: (acc: R, Float) -> R): R {\n    var accumulator = initial\n    for (element in this) accumulator =
operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial]
value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns
the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n */\npublic
inline fun <R> DoubleArray.fold(initial: R, operation: (acc: R, Double) -> R): R {\n    var accumulator = initial\n
for (element in this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator
value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n */\npublic inline fun <R> BooleanArray.fold(initial: R, operation: (acc: R, Boolean) -> R): R {\n    var
accumulator = initial\n    for (element in this) accumulator = operation(accumulator, element)\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to

```

right\n \* to current accumulator value and each element.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n \*/\npublic inline fun <R> CharArray.fold(initial: R, operation: (acc: R, Char) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \*/\npublic inline fun <T, R> Array<out T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \*/\npublic inline fun <R> ByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \*/\npublic inline fun <R> ShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \*/\npublic inline fun <R> IntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \*/\npublic inline fun <R> LongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \*/\npublic inline fun <R> FloatArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \*/\npublic inline fun <R> DoubleArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator =



[operation] from right to left\n \* to each element and current accumulator value.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n \*/\npublic inline fun <R>

DoubleArray.foldRight(initial: R, operation: (Double, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left\n \* to each element and current accumulator value.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n \*/\npublic inline fun <R> BooleanArray.foldRight(initial: R, operation: (Boolean, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left\n \* to each element and current accumulator value.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n \*/\npublic inline fun <R> CharArray.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left\n \* to each element with its index in the original array and current accumulator value.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, the element itself\n \* and current accumulator value, and calculates the next accumulator value.\n \*/\npublic inline fun <T, R> Array<out T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left\n \* to each element with its index in the original array and current accumulator value.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, the element itself\n \* and current accumulator value, and calculates the next accumulator value.\n \*/\npublic inline fun <R> ByteArray.foldRightIndexed(initial: R, operation: (index: Int, Byte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left\n \* to each element with its index in the original array and current accumulator value.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, the element itself\n \* and current accumulator value, and calculates the next accumulator value.\n \*/\npublic inline fun <R> ShortArray.foldRightIndexed(initial: R, operation: (index: Int, Short, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left\n \* to each element with its index in the original array and current accumulator value.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, the element itself\n \* and current accumulator value, and calculates the next accumulator value.\n \*/\npublic inline fun <R> IntArray.foldRightIndexed(initial: R, operation: (index: Int, Int, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left\n \* to each element with its index in the original array and current accumulator value.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, the element itself\n \* and current accumulator value, and calculates the next accumulator value.\n \*/\npublic inline fun <R> LongArray.foldRightIndexed(initial: R, operation: (index: Int, Long, acc: R) ->



```

R): R {\n  var index = lastIndex\n  var accumulator
= initial\n  while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from
right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns
the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*/\npublic inline fun <R> FloatArray.foldRightIndexed(initial: R, operation: (index: Int, Float, acc: R) -> R): R {\n
var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(index,
get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*/\npublic inline fun <R> DoubleArray.foldRightIndexed(initial: R, operation: (index: Int, Double, acc: R) -> R): R
{\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator =
operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in
the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n
* \n * @param [operation] function that takes the index of an element, the element
itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
BooleanArray.foldRightIndexed(initial: R, operation: (index: Int, Boolean, acc: R) -> R): R {\n  var index =
lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial]
value and applying [operation] from right to left\n * to each element with its index in the original array and current
accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the
next accumulator value.\n */\npublic inline fun <R> CharArray.foldRightIndexed(initial: R, operation: (index: Int,
Char, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator
= initial\n  while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n
  }\n  return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun <T>
Array<out T>.forEach(action: (T) -> Unit): Unit {\n  for (element in this) action(element)\n}\n\n/**\n * Performs
the given [action] on each element.\n */\npublic inline fun ByteArray.forEach(action: (Byte) -> Unit): Unit {\n  for
(element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun
ShortArray.forEach(action: (Short) -> Unit): Unit {\n  for (element in this) action(element)\n}\n\n/**\n * Performs
the given [action] on each element.\n */\npublic inline fun IntArray.forEach(action: (Int) -> Unit): Unit {\n  for
(element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun
LongArray.forEach(action: (Long) -> Unit): Unit {\n  for
(element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun
FloatArray.forEach(action: (Float) -> Unit): Unit {\n  for (element in this) action(element)\n}\n\n/**\n * Performs
the given [action] on each element.\n */\npublic inline fun DoubleArray.forEach(action: (Double) -> Unit): Unit {\n
for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline
fun BooleanArray.forEach(action: (Boolean) -> Unit): Unit {\n  for (element in this) action(element)\n}\n\n/**\n
* Performs the given [action] on each element.\n */\npublic inline fun CharArray.forEach(action: (Char) -> Unit):
Unit {\n  for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing
sequential index with the element.\n * \n * @param [action] function that takes the index of an element and the element
itself\n * and performs the action on the element.\n */\npublic
inline fun <T> Array<out T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n  var index = 0\n  for (item
in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index

```

with the element.

```

    * @param [action] function that takes the index of an element and the element itself
    * and performs the action on the element.
    * ^\npublic inline fun ByteArray.forEachIndexed(action: (index: Int, Byte) ->
    Unit): Unit {
    \n    var index = 0
    \n    for (item in this) action(index++, item)
    \n}
    * Performs the given [action] on each element, providing sequential index with the element.
    * @param [action] function that takes the index of an element and the element itself
    * and performs the action on the element.
    * ^\npublic inline fun ShortArray.forEachIndexed(action: (index: Int, Short) -> Unit): Unit {
    \n    var index = 0
    \n    for (item in this)
    action(index++, item)
    \n}
    * Performs the given [action] on each element, providing sequential index with the element.
    * @param [action] function that takes the index of an element and the element itself
    * and performs the action on the element.
    * ^\npublic inline fun IntArray.forEachIndexed(action: (index: Int, Int) -> Unit): Unit {
    \n    var index = 0
    \n    for (item in this) action(index++, item)
    \n}
    * Performs the given [action] on each element, providing sequential index with the element.
    * @param [action] function that takes the index of an element and the element itself
    * and performs the action on the element.
    * ^\npublic inline fun LongArray.forEachIndexed(action: (index: Int, Long) -> Unit): Unit {
    \n    var index = 0
    \n    for (item in this)
    action(index++, item)
    \n}
    * Performs the given [action] on each element, providing sequential index with the element.
    * @param [action] function that takes the index of an element and the element itself
    * and performs the action on the element.
    * ^\npublic inline fun FloatArray.forEachIndexed(action: (index: Int, Float) -> Unit): Unit {
    \n    var index = 0
    \n    for (item in this) action(index++, item)
    \n}
    * Performs the given [action] on each element, providing sequential index with the element.
    * @param [action] function that takes the index of an element and the element itself
    * and performs the action on the element.
    * ^\npublic inline fun DoubleArray.forEachIndexed(action: (index: Int, Double) -> Unit): Unit {
    \n    var index = 0
    \n    for (item in this) action(index++, item)
    \n}
    * Performs the given [action] on each element, providing sequential index with the element.
    * @param [action] function that takes the index of an element and the element itself
    * and performs the action on the element.
    * ^\npublic inline fun BooleanArray.forEachIndexed(action: (index: Int, Boolean) -> Unit): Unit {
    \n    var index = 0
    \n    for (item in this) action(index++, item)
    \n}
    * Performs the given [action] on each element, providing sequential index with the element.
    * @param [action] function that takes the index of an element and the element itself
    * and performs the action on the element.
    * ^\npublic inline fun CharArray.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {
    \n    var index = 0
    \n    for (item in this) action(index++, item)
    \n}
    * @Deprecated("Use maxOrNull instead.", ReplaceWith("this.maxOrNull()"))
    * @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
    * @SinceKotlin("1.1")
    * public fun Array<out Double>.max(): Double? {
    \n    return maxOrNull()
    \n}
    * @Deprecated("Use maxOrNull instead.", ReplaceWith("this.maxOrNull()"))
    * @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
    * @SinceKotlin("1.1")
    * public fun Array<out Float>.max(): Float? {
    \n    return maxOrNull()
    \n}
    * @Deprecated("Use maxOrNull instead.", ReplaceWith("this.maxOrNull()"))
    * @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
    * public fun <T : Comparable<T>> Array<out T>.max(): T? {
    \n    return maxOrNull()
    \n}
    * @Deprecated("Use maxOrNull instead.", ReplaceWith("this.maxOrNull()"))
    * @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
    * public fun ByteArray.max(): Byte? {
    \n    return maxOrNull()
    \n}
    * @Deprecated("Use maxOrNull instead.", ReplaceWith("this.maxOrNull()"))
    * @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
    * public fun ShortArray.max(): Short? {
    \n    return maxOrNull()
    \n}
    * @Deprecated("Use maxOrNull instead.", ReplaceWith("this.maxOrNull()"))
    * @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
    * public fun IntArray.max(): Int? {
    \n    return maxOrNull()
    \n}
    * @Deprecated("Use maxOrNull instead.", ReplaceWith("this.maxOrNull()"))
    * @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
    * public fun LongArray.max():

```

```

Long? {\n  return maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("this.maxOrNull()\")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",
hiddenSince = \"1.6\")\npublic fun FloatArray.max(): Float? {\n  return maxOrNull()\n}\n\n@Deprecated("Use
maxOrNull instead.\", ReplaceWith("this.maxOrNull()\")\n@DeprecatedSinceKotlin(warningSince = \"1.4\",
errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun DoubleArray.max(): Double? {\n  return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("this.maxOrNull()\")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",
hiddenSince = \"1.6\")\npublic fun CharArray.max(): Char? {\n  return maxOrNull()\n}\n\n@Deprecated("Use
maxByOrNull instead.\", ReplaceWith("this.maxByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince =
\"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <T, R : Comparable<R>> Array<out
T>.maxBy(selector:
(T) -> R): T? {\n  return maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> ByteArray.maxBy(selector: (Byte) -> R):
Byte? {\n  return maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> ShortArray.maxBy(selector: (Short) -> R):
Short? {\n  return maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> IntArray.maxBy(selector: (Int) -> R): Int?
{\n  return maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull
instead.\", ReplaceWith("this.maxByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince = \"1.4\",
errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> LongArray.maxBy(selector:
(Long) -> R): Long? {\n  return maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> FloatArray.maxBy(selector: (Float) -> R):
Float? {\n  return maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> DoubleArray.maxBy(selector: (Double) ->
R): Double? {\n  return maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince
= \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>>
BooleanArray.maxBy(selector: (Boolean) -> R): Boolean? {\n  return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> CharArray.maxBy(selector: (Char) -> R):
Char? {\n  return maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the
given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <T, R :
Comparable<R>> Array<out T>.maxByOrNull(selector: (T) -> R): T? {\n  if (isEmpty()) return null\n  var
maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxVal =
selector(maxElem)\n
  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxVal < v) {\n      maxElem
= e\n      maxVal = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first element yielding the
largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> ByteArray.maxByOrNull(selector: (Byte) -> R): Byte? {\n  if (isEmpty()) return null\n  var
maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxVal =

```

```

selector(maxElem)\n for (i in 1..lastIndex) {\n     val e = this[i]\n     val v = selector(e)\n     if (maxValue < v)\n     {\n         maxElem = e\n         maxVAlue = v\n     }\n }\n return maxElem\n}\n\n/**\n * Returns the first\n element yielding the largest value of the given function\n or `null` if there are no elements.\n */\n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>> ShortArray.maxByOrNull(selector: (Short) -> R): Short? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxVAlue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxVAlue < v) {\n            maxElem = e\n            maxVAlue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or\n `null` if there are no elements.\n */\n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>> IntArray.maxByOrNull(selector: (Int) -> R): Int? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxVAlue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxVAlue < v) {\n            maxElem = e\n            maxVAlue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value\n of the given function or `null` if there are no elements.\n */\n * @sample\n samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>> LongArray.maxByOrNull(selector: (Long) -> R): Long? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxVAlue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxVAlue < v) {\n            maxElem = e\n            maxVAlue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\n * @sample\n samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>> FloatArray.maxByOrNull(selector: (Float) -> R): Float? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxVAlue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxVAlue < v) {\n            maxElem = e\n            maxVAlue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\n * @sample\n samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>> DoubleArray.maxByOrNull(selector: (Double) -> R): Double? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxVAlue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxVAlue < v) {\n            maxElem = e\n            maxVAlue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or\n `null` if there are no elements.\n */\n * @sample\n samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>> BooleanArray.maxByOrNull(selector: (Boolean) -> R): Boolean? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxVAlue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxVAlue < v) {\n            maxElem = e\n            maxVAlue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n */\n * @sample\n samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>> CharArray.maxByOrNull(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxVAlue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxVAlue < v) {\n            maxElem = e\n            maxVAlue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * If any of values produced by [selector] function is `NaN`, the returned

```

```

result is `NaN`. \n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOf(selector: (T) ->
Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for
(i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline
fun ByteArray.maxOf(selector: (Byte) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n
var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue =
maxOf(maxValue, v)\n }\n return maxValue}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOf(selector: (Short) ->
Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for
(i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue,
v)\n }\n return maxValue}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`,
the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOf(selector: (Int) -> Double):
Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOf(selector: (Long) ->
Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for
(i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOf(selector:
(Float) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n
}\n return maxValue}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n *
applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOf(selector: (Double) ->
Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for
(i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return

```

```

maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOf(selector: (Boolean) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOf(selector: (Char) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOf(selector: (T) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOf(selector: (Byte) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOf(selector: (Short) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOf(selector: (Int) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOf(selector: (Long) ->
Float):
Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOf(selector: (Float) ->
Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i
in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue\n}\n\n/**\n * Returns the
largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If
any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOf(selector: (Double) ->
Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i
in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array
is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOf(selector: (Boolean) ->
Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i
in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOf(selector: (Char) -> Float):
Float {\n if
(isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns
the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n *
@throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out
T>.maxOf(selector: (T) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied
to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ByteArray.maxOf(selector: (Byte) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var

```

```

maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ShortArray.maxOf(selector:
(Short) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for
(i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n
return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n *
applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.maxOf(selector: (Int) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all
values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
LongArray.maxOf(selector: (Long) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline
fun <R : Comparable<R>> FloatArray.maxOf(selector: (Float) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.maxOf(selector: (Double) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
BooleanArray.maxOf(selector: (Boolean) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic

```



```
inline fun <R : Comparable<R>> CharArray.maxOf(selector: (Char) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (maxValue < v) {
            maxValue = v
        }
    }
    return maxValue
}
```

Returns the largest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOfOrNull(selector: (T) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
```

Returns the largest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOfOrNull(selector: (Byte) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
```

Returns the largest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOfOrNull(selector: (Short) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
```

Returns the largest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOfOrNull(selector: (Int) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
```

Returns the largest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOfOrNull(selector: (Long) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
```

Returns the largest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOfOrNull(selector: (Float) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
```

Returns the largest value among all values produced by [selector] function applied to each element in the array

or `null` if there are no elements. \n \* \n \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`. \n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
```

```
inline fun DoubleArray.maxOrNull(selector: (Double) -> Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue =\n        maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced\n * by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of\n * values produced by [selector] function is `NaN`, the returned result is `NaN`. \n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOrNull(selector:
```

```
(Boolean) -> Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in\n    1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue,\n        v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector]\n * function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced\n * by [selector] function is `NaN`, the returned result is `NaN`. \n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOrNull(selector: (Char) ->
```

```
Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns\n * the largest value among all values produced by [selector] function\n * applied to each element in the array or `null`\n * if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result\n * is `NaN`. \n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOrNull(selector:
```

```
(T) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex)\n    {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array\n * or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned\n * result is `NaN`. \n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOrNull(selector: (Byte) ->
```

```
Float): Float? {\n    if (isEmpty()) return null\n    var maxValue\n    = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue,\n        v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector]\n * function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced\n * by [selector] function is `NaN`, the returned result is `NaN`. \n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOrNull(selector: (Short) -
```

```
> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns\n * the largest value among all values produced by [selector] function\n * applied to each element in the array or `null`\n * if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is\n * `NaN`. \n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOrNull(selector: (Int) ->
```

```
Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns
```

the largest value among all values produced by [selector] function  
\* applied to each element in the array or `null`  
if there are no elements.  
\* If any of values produced by [selector] function is `NaN`, the returned result is  
`NaN`.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun
```

```
LongArray.maxOrNull(selector: (Long) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue =  
    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function  
* applied to each element in the array or `null` if there are no elements.  
* If any of values produced by [selector]  
function is `NaN`, the returned result is `NaN`.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOrNull(selector: (Float) -  
> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns  
the largest
```

value among all values produced by [selector] function  
\* applied to each element in the array or `null` if there are  
no elements.  
\* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOrNull(selector:  
(Double) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in  
1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return  
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function  
* applied to  
each element in the array or `null` if there are no elements.  
* If any of values produced by [selector] function  
is `NaN`, the returned result is `NaN`.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic  
inline fun BooleanArray.maxOrNull(selector: (Boolean) -> Float): Float? {\n    if (isEmpty()) return null\n    var  
maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue =  
maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced  
by [selector] function  
* applied to each element in the array or `null` if there are no elements.  
* If any of  
values produced by [selector] function is `NaN`, the returned result is `NaN`.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOrNull(selector: (Char) ->  
Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val  
v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the  
largest value among all values produced by [selector] function  
* applied to each element in the array or `null` if  
there are no elements.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out  
T>.maxOrNull(selector: (T) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for  
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return  
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function  
*  
applied to each element in the array or `null` if there are no elements.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
```

```
inline fun <R : Comparable<R>> ByteArray.maxOrNull(selector: (Byte) -> R): R? {\n    if (isEmpty()) return  
null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
```

```

(maxValue < v) {\n      maxValue = v\n    }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n\n*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nShortArray.maxOrNull(selector: (Short) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n\n*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nIntArray.maxOrNull(selector: (Int) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n\n*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nLongArray.maxOrNull(selector: (Long) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n\n*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nFloatArray.maxOrNull(selector: (Float) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n\n*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nDoubleArray.maxOrNull(selector: (Double) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n\n*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nBooleanArray.maxOrNull(selector: (Boolean) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n\n*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nCharArray.maxOrNull(selector: (Char) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided

```

```

[comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ByteArray.maxOfWith(comparator: Comparator<in R>, selector: (Byte) -> R): R {\n if
(isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n
return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all
values produced by [selector] function applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.maxOfWith(comparator:
Comparator<in R>, selector: (Short) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n *
@throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.maxOfWith(comparator:
Comparator<in R>, selector: (Int) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue
= selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value according
to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.maxOfWith(comparator:
Comparator<in R>, selector: (Long) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R> FloatArray.maxOfWith(comparator: Comparator<in R>, selector: (Float) -> R): R {\n if
(isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n
return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all

```

values produced by [selector] function applied to each element in the array.\n \* \n \* @throws NoSuchElementException if the array is empty.\n

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.maxOfWith(comparator:
Comparator<in R>, selector: (Double) -> R): R {\n    if (isEmpty())
    throw NoSuchElementException()\n    var maxV = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(maxV, v) < 0) {\n            maxV = v\n        }\n    }\n    return
maxV\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.maxOfWith(comparator:
Comparator<in R>, selector: (Boolean) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
maxV = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxV, v) < 0) {\n            maxV = v\n        }\n    }\n    return maxV\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among
all values produced by [selector] function applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.maxOfWith(comparator:
Comparator<in R>, selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
maxV = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxV, v) < 0) {\n            maxV = v\n        }\n    }\n    return maxV\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Array<out T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n    if
(isEmpty()) return null\n    var maxV = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(maxV, v) < 0) {\n            maxV = v\n        }\n    }\n    return
maxV\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ByteArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Byte) -> R): R? {\n    if (isEmpty())
return null\n    var maxV = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxV, v) < 0) {\n            maxV = v\n        }\n    }\n    return maxV\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ShortArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Short) -> R): R? {\n    if (isEmpty())
return null\n    var maxV = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxV, v) < 0) {\n            maxV = v\n        }\n    }\n    return maxV\n}\n\n/**\n * Returns the largest
value according to the provided [comparator]\n * among all values produced by [selector] function applied to each
element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
IntArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Int) -> R): R? {\n  if (isEmpty()) return
null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R> LongArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Long) -> R): R? {\n  if
(isEmpty()) return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
FloatArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Float) -> R): R? {\n  if (isEmpty())
return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val
v = selector(this[i])\n    if (comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all
values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
DoubleArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Double) -> R): R? {\n  if (isEmpty())
return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function
applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
BooleanArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Boolean) -> R): R? {\n  if (isEmpty())
return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
CharArray.maxOfWithOrNull(comparator:
Comparator<in R>, selector: (Char) -> R): R? {\n  if (isEmpty()) return null\n  var maxValue = selector(this[0])\n
for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (comparator.compare(maxValue, v) < 0) {\n
maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest element or `null` if there are no
elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic fun Array<out
Double>.maxOrNull(): Double? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    max = maxOf(max, e)\n  }\n  return max\n}\n\n/**\n * Returns the largest element or `null`
if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic fun
Array<out Float>.maxOrNull(): Float? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in
1..lastIndex) {\n

```

```

    val e = this[i]\n    max = maxOf(max, e)\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null`
if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun <T : Comparable<T>> Array<out
T>.maxOrNull(): T? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e =
this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are
no elements.\n */\n@SinceKotlin("1.4")\npublic fun ByteArray.maxOrNull(): Byte? {\n    if (isEmpty()) return
null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return
max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic
fun ShortArray.maxOrNull(): Short? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex)
{\n        val e = this[i]\n        if (max < e) max
= e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun
IntArray.maxOrNull(): Int? {\n    if (isEmpty()) return null\n    var max =
this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null`
if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun
LongArray.maxOrNull(): Long? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n
        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null`
if there are no elements.\n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin("1.4")\npublic fun
FloatArray.maxOrNull(): Float? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n
        val e = this[i]\n        max = maxOf(max, e)\n
    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * If any of
elements is `NaN` returns `NaN`.\n */\n@SinceKotlin("1.4")\npublic fun DoubleArray.maxOrNull(): Double? {\n    if
(isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        max =
maxOf(max, e)\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun
CharArray.maxOrNull(): Char? {\n    if (isEmpty()) return null\n    var max =
this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return
max\n}\n\n@Deprecated("Use maxWithOrNull instead.",
ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun <T> Array<out T>.maxWith(comparator: Comparator<in T>): T? {\n    return
maxWithOrNull(comparator)\n}\n\n@Deprecated("Use
maxWithOrNull instead.",
ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun ByteArray.maxWith(comparator: Comparator<in Byte>): Byte? {\n    return
maxWithOrNull(comparator)\n}\n\n@Deprecated("Use
maxWithOrNull instead.",
ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun ShortArray.maxWith(comparator: Comparator<in Short>): Short? {\n    return
maxWithOrNull(comparator)\n}\n\n@Deprecated("Use
maxWithOrNull instead.",
ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun IntArray.maxWith(comparator: Comparator<in Int>): Int? {\n    return
maxWithOrNull(comparator)\n}\n\n@Deprecated("Use
maxWithOrNull instead.",
ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince
= "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun LongArray.maxWith(comparator: Comparator<in
Long>): Long? {\n    return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use
maxWithOrNull instead.",
ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun FloatArray.maxWith(comparator: Comparator<in Float>): Float? {\n    return
maxWithOrNull(comparator)\n}\n\n@Deprecated("Use
maxWithOrNull instead.",
ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun DoubleArray.maxWith(comparator: Comparator<in Double>): Double?
{\n    return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use
maxWithOrNull instead.",
ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince

```



```

= `1.5`, hiddenSince
= `1.6`)`npublic fun BooleanArray.maxWith(comparator: Comparator<in Boolean>): Boolean? {`n  return
maxWithOrNull(comparator)`n`n@Deprecated(`"Use maxWithOrNull instead.`",
ReplaceWith(`"this.maxWithOrNull(comparator)`")`n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince
= `1.5`, hiddenSince = `1.6`)`npublic fun CharArray.maxWith(comparator: Comparator<in Char>): Char? {`n
return maxWithOrNull(comparator)`n`n/**`n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.`n *`n@SinceKotlin(`1.4`)`npublic fun <T> Array<out
T>.maxWithOrNull(comparator: Comparator<in T>): T? {`n  if (isEmpty()) return null`n  var max = this[0]`n
for (i in 1..lastIndex) {`n    val e = this[i]`n    if (comparator.compare(max, e) < 0) max = e`n  }`n  return
max`n`n`n/**`n * Returns the first element having the largest value according to the provided [comparator] or `null`
if there are no
elements.`n *`n@SinceKotlin(`1.4`)`npublic fun ByteArray.maxWithOrNull(comparator: Comparator<in Byte>):
Byte? {`n  if (isEmpty()) return null`n  var max = this[0]`n  for (i in 1..lastIndex) {`n    val e = this[i]`n
if (comparator.compare(max, e) < 0) max = e`n  }`n  return max`n`n`n/**`n * Returns the first element having the
largest value according to the provided [comparator] or `null` if there are no elements.`n
*`n@SinceKotlin(`1.4`)`npublic fun ShortArray.maxWithOrNull(comparator: Comparator<in Short>): Short? {`n
if (isEmpty()) return null`n  var max = this[0]`n  for (i in 1..lastIndex) {`n    val e = this[i]`n    if
(comparator.compare(max, e) < 0) max = e`n  }`n  return max`n`n`n/**`n * Returns the first element having the
largest value according to the provided [comparator] or `null` if there are no elements.`n
*`n@SinceKotlin(`1.4`)`npublic fun IntArray.maxWithOrNull(comparator: Comparator<in Int>): Int? {`n  if
(isEmpty())
return null`n  var max = this[0]`n  for (i in 1..lastIndex) {`n    val e = this[i]`n    if (comparator.compare(max,
e) < 0) max = e`n  }`n  return max`n`n`n/**`n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.`n *`n@SinceKotlin(`1.4`)`npublic fun
LongArray.maxWithOrNull(comparator: Comparator<in Long>): Long? {`n  if (isEmpty()) return null`n  var max
= this[0]`n  for (i in 1..lastIndex) {`n    val e = this[i]`n    if (comparator.compare(max, e) < 0) max = e`n
} `n  return max`n`n`n/**`n * Returns the first element having the largest value according to the provided [comparator]
or `null` if there are no elements.`n *`n@SinceKotlin(`1.4`)`npublic fun FloatArray.maxWithOrNull(comparator:
Comparator<in Float>): Float? {`n  if (isEmpty()) return null`n  var max = this[0]`n  for (i in 1..lastIndex) {`n
val e = this[i]`n    if (comparator.compare(max,
e) < 0) max = e`n  }`n  return max`n`n`n/**`n * Returns the first element having the largest value according to
the provided [comparator] or `null` if there are no elements.`n *`n@SinceKotlin(`1.4`)`npublic fun
DoubleArray.maxWithOrNull(comparator: Comparator<in Double>): Double? {`n  if (isEmpty()) return null`n
var max = this[0]`n  for (i in 1..lastIndex) {`n    val e = this[i]`n    if (comparator.compare(max, e) < 0) max =
e`n  }`n  return max`n`n`n/**`n * Returns the first element having the largest value according to the provided
[comparator] or `null` if there are no elements.`n *`n@SinceKotlin(`1.4`)`npublic fun
BooleanArray.maxWithOrNull(comparator: Comparator<in Boolean>): Boolean? {`n  if (isEmpty()) return null`n
var max = this[0]`n  for (i in 1..lastIndex) {`n    val e = this[i]`n    if (comparator.compare(max, e) < 0) max =
e`n  }`n  return max`n`n`n/**`n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.`n *`n@SinceKotlin(`1.4`)`npublic fun
CharArray.maxWithOrNull(comparator: Comparator<in Char>): Char? {`n  if (isEmpty()) return null`n  var max
= this[0]`n  for (i in 1..lastIndex) {`n    val e = this[i]`n    if (comparator.compare(max, e) < 0) max = e`n
} `n  return max`n`n`n@Deprecated(`"Use minOrNull instead.`",
ReplaceWith(`"this.minOrNull()`")`n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.5`,
hiddenSince = `1.6`)`n@SinceKotlin(`1.1`)`npublic fun Array<out Double>.min(): Double? {`n  return
minOrNull()`n`n`n@Deprecated(`"Use minOrNull instead.`",
ReplaceWith(`"this.minOrNull()`")`n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.5`,
hiddenSince = `1.6`)`n@SinceKotlin(`1.1`)`npublic fun Array<out Float>.min(): Float? {`n  return

```

```

minOrNull()\n}\n\n@Deprecated(\\"Use minOrNull instead.\",
ReplaceWith(\\"this.minOrNull()\")\n)\n@DeprecatedSinceKotlin(warningSince
= \\"1.4\", errorSince = \\"1.5\", hiddenSince = \\"1.6\")\npublic fun <T : Comparable<T>> Array<out T>.min(): T?
{\n    return minOrNull()\n}\n\n@Deprecated(\\"Use minOrNull instead.\",
ReplaceWith(\\"this.minOrNull()\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince = \\"1.5\",
hiddenSince = \\"1.6\")\npublic fun ByteArray.min(): Byte? {\n    return minOrNull()\n}\n\n@Deprecated(\\"Use
minOrNull instead.\", ReplaceWith(\\"this.minOrNull()\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\",
errorSince = \\"1.5\", hiddenSince = \\"1.6\")\npublic fun ShortArray.min(): Short? {\n    return
minOrNull()\n}\n\n@Deprecated(\\"Use minOrNull instead.\",
ReplaceWith(\\"this.minOrNull()\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince = \\"1.5\",
hiddenSince = \\"1.6\")\npublic fun IntArray.min(): Int? {\n    return minOrNull()\n}\n\n@Deprecated(\\"Use
minOrNull instead.\", ReplaceWith(\\"this.minOrNull()\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\",
errorSince = \\"1.5\", hiddenSince
= \\"1.6\")\npublic fun LongArray.min(): Long? {\n    return minOrNull()\n}\n\n@Deprecated(\\"Use minOrNull
instead.\", ReplaceWith(\\"this.minOrNull()\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince =
\"1.5\", hiddenSince = \\"1.6\")\npublic fun FloatArray.min(): Float? {\n    return
minOrNull()\n}\n\n@Deprecated(\\"Use minOrNull instead.\",
ReplaceWith(\\"this.minOrNull()\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince = \\"1.5\",
hiddenSince = \\"1.6\")\npublic fun DoubleArray.min(): Double? {\n    return
minOrNull()\n}\n\n@Deprecated(\\"Use minOrNull instead.\",
ReplaceWith(\\"this.minOrNull()\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince = \\"1.5\",
hiddenSince = \\"1.6\")\npublic fun CharArray.min(): Char? {\n    return minOrNull()\n}\n\n@Deprecated(\\"Use
minByOrNull instead.\", ReplaceWith(\\"this.minByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince =
\"1.4\", errorSince = \\"1.5\", hiddenSince = \\"1.6\")\npublic inline fun <T,
R : Comparable<R>> Array<out T>.minBy(selector: (T) -> R): T? {\n    return
minByOrNull(selector)\n}\n\n@Deprecated(\\"Use minByOrNull instead.\",
ReplaceWith(\\"this.minByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince =
\"1.5\", hiddenSince = \\"1.6\")\npublic inline fun <R : Comparable<R>> ByteArray.minBy(selector: (Byte) -> R):
Byte? {\n    return minByOrNull(selector)\n}\n\n@Deprecated(\\"Use minByOrNull instead.\",
ReplaceWith(\\"this.minByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince =
\"1.5\", hiddenSince = \\"1.6\")\npublic inline fun <R : Comparable<R>> ShortArray.minBy(selector: (Short) -> R):
Short? {\n    return minByOrNull(selector)\n}\n\n@Deprecated(\\"Use minByOrNull instead.\",
ReplaceWith(\\"this.minByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince =
\"1.5\", hiddenSince = \\"1.6\")\npublic inline fun <R : Comparable<R>> IntArray.minBy(selector: (Int) -> R): Int?
{\n    return minByOrNull(selector)\n}\n\n@Deprecated(\\"Use
minByOrNull instead.\", ReplaceWith(\\"this.minByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince =
\"1.4\", errorSince = \\"1.5\", hiddenSince = \\"1.6\")\npublic inline fun <R : Comparable<R>>
LongArray.minBy(selector: (Long) -> R): Long? {\n    return minByOrNull(selector)\n}\n\n@Deprecated(\\"Use
minByOrNull instead.\", ReplaceWith(\\"this.minByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince =
\"1.4\", errorSince = \\"1.5\", hiddenSince = \\"1.6\")\npublic inline fun <R : Comparable<R>>
FloatArray.minBy(selector: (Float) -> R): Float? {\n    return minByOrNull(selector)\n}\n\n@Deprecated(\\"Use
minByOrNull instead.\", ReplaceWith(\\"this.minByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince =
\"1.4\", errorSince = \\"1.5\", hiddenSince = \\"1.6\")\npublic inline fun <R : Comparable<R>>
DoubleArray.minBy(selector: (Double) -> R): Double? {\n    return
minByOrNull(selector)\n}\n\n@Deprecated(\\"Use minByOrNull instead.\",
ReplaceWith(\\"this.minByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince
= \\"1.4\", errorSince = \\"1.5\", hiddenSince = \\"1.6\")\npublic inline fun <R : Comparable<R>>
BooleanArray.minBy(selector: (Boolean) -> R): Boolean? {\n    return

```



```

    minElem = e\n        minValue = v\n    }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> BooleanArray.minByOrNull(selector: (Boolean) -> R): Boolean? {\n    if (isEmpty()) return
null\n    var minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var
minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if
there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun <R : Comparable<R>> CharArray.minByOrNull(selector: (Char) ->
R): Char? {\n    if (isEmpty()) return null\n    var minElem = this[0]\n    val lastIndex = this.lastIndex\n    if
(lastIndex == 0) return minElem\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e =
this[i]\n        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the array is empty.\n\n * \n * @SinceKotlin("1.4")\n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * @OverloadResolution
ByLambdaReturnType\n * @kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOf(selector: (T) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n\n * \n * @SinceKotlin("1.4")\n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * @OverloadResolution
ByLambdaReturnType\n * @kotlin.internal.InlineOnly\npublic
inline fun ByteArray.minOf(selector: (Byte) -> Double): Double {\n    if (isEmpty()) throw
NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n\n * \n * @SinceKotlin("1.4")\n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * @OverloadResolution
ByLambdaReturnType\n * @kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOf(selector: (Short) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val
v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If
any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n\n * \n * @SinceKotlin("1.4")\n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * @OverloadResolution
ByLambdaReturnType\n * @kotlin.internal.InlineOnly\npublic inline fun IntArray.minOf(selector: (Int) -> Double):
Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced
by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the
array is empty.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOf(selector: (Long) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun FloatArray.minOf(selector: (Float) -> Double): Double {\n    if (isEmpty()) throw
NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOf(selector: (Double) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n
        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is
empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOf(selector: (Boolean) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOf(selector: (Char) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Array<out T>.minOf(selector: (T) -> Float): Float {\n    if (isEmpty()) throw
NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOf(selector: (Byte) -> Float):

```

```

Float {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

/** Returns the smallest value among all values produced by [selector] function applied to each element in the array. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`. @throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun ShortArray.minOf(selector: (Short) -> Float): Float {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

/** Returns the smallest value among all values produced by [selector] function applied to each element in the array. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`. @throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun IntArray.minOf(selector: (Int) -> Float): Float {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

/** Returns the smallest value among all values produced by [selector] function applied to each element in the array. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`. @throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun LongArray.minOf(selector: (Long) -> Float): Float {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

/** Returns the smallest value among all values produced by [selector] function applied to each element in the array. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`. @throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun FloatArray.minOf(selector: (Float) -> Float): Float {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

/** Returns the smallest value among all values produced by [selector] function applied to each element in the array. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`. @throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun DoubleArray.minOf(selector: (Double) -> Float): Float {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

/** Returns the smallest value among all values produced by [selector] function applied to each element in the array. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`. @throws NoSuchElementException if the array is empty.

```

```

`NaN`. \n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun CharArray.minOf(selector: (Char) -> Float): Float {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out
T>.minOf(selector: (T) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n *
@throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ByteArray.minOf(selector: (Byte) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue
= selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> ShortArray.minOf(selector: (Short) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.minOf(selector: (Int) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is
empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
LongArray.minOf(selector: (Long) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> FloatArray.minOf(selector: (Float) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =

```

```

selector(this[i])\n    if (minValue > v) {\n        minValue = v\n    }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nDoubleArray.minOf(selector: (Double) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var\n    minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the\n * smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nBooleanArray.minOf(selector: (Boolean) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var\n    minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values\n * produced by [selector] function\n * applied to each element in the array.\n * \n * @throws\n * NoSuchElementException if the array is empty.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic\n    inline fun <R : Comparable<R>> CharArray.minOf(selector: (Char) -> R): R {\n    if (isEmpty()) throw\n    NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =\n        selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array\n * or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned\n * result is `NaN`.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOfOrNull(selector:\n(T) -> Double): Double? {\n    if (isEmpty()) return\n    null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue\n        = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values\n * produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If\n * any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOfOrNull(selector: (Byte) ->\nDouble): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns\n * the smallest value among all values produced by [selector] function\n * applied to each element\n * in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the\n * returned result is `NaN`.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOfOrNull(selector: (Short) -\n> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns\n * the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null`\n * if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is\n * `NaN`.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic

```



```

inline fun IntArray.minOrNull(selector: (Int) -> Double): Double? {
    if (isEmpty()) return null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

```

\* Returns the smallest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.  
 \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun LongArray.minOrNull(selector: (Long) -> Double): Double? {
    if (isEmpty()) return null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

```

\* Returns the smallest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.  
 \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun FloatArray.minOrNull(selector: (Float) -> Double): Double? {
    if (isEmpty()) return null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

```

\* Returns the smallest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.  
 \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun DoubleArray.minOrNull(selector: (Double) -> Double): Double? {
    if (isEmpty()) return null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

```

\* Returns the smallest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.  
 \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun BooleanArray.minOrNull(selector: (Boolean) -> Double): Double? {
    if (isEmpty()) return null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

```

\* Returns the smallest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.  
 \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun CharArray.minOrNull(selector: (Char) -> Double): Double? {
    if (isEmpty()) return null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

```

\* Returns the smallest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.  
 \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Array<out T>.minOrNull(selector: (T) -> Float): Float? {
    if (isEmpty()) return null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

```

\* Returns the smallest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.  
 \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Array<out T>.minOrNull(selector: (T) -> Double): Double? {
    if (isEmpty()) return null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

```

\* Returns the smallest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.  
 \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOrNull(selector:
(Byte) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOrNull(selector: (Short) -
> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the
smallest value among
all values produced by [selector] function\n * applied to each element in the array or `null` if there are no
elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOrNull(selector: (Int) ->
Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if
there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun LongArray.minOrNull(selector: (Long) -> Float): Float? {\n if (isEmpty()) return null\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue =
minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOrNull(selector: (Float) ->
Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n
minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n *
*\n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOrNull(selector:
(Double) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOrNull(selector:
(Boolean) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOrNull(selector: (Char) ->
Float): Float? {\n    if (isEmpty())
return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n
minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out
T>.minOrNull(selector: (T) -> R): R? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n
for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n
        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ByteArray.minOrNull(selector: (Byte) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n    }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ShortArray.minOrNull(selector: (Short) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =
selector(this[0])\n    for (i in 1..lastIndex)
{\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.minOrNull(selector: (Int) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n    }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> LongArray.minOrNull(selector: (Long) -> R): R? {\n    if (isEmpty()) return
null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n
if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value
among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no
elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
FloatArray.minOrNull(selector: (Float) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n    }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.minOrNull(selector: (Double) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n

```

```

minValue = v\n    }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> BooleanArray.minOrNull(selector: (Boolean) -> R): R? {\n    if (isEmpty())
return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value
among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no
elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharArray.minOrNull(selector: (Char) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array
is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.minOfWith(comparator:
Comparator<in R>, selector: (Byte) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.minOfWith(comparator:
Comparator<in
R>, selector: (Short) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue,
v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value
according to the provided [comparator]\n * among all values produced by [selector] function applied to each
element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.minOfWith(comparator:
Comparator<in R>, selector: (Int) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue
= selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue,
v)
> 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according
to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the

```

```

array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.minOfWith(comparator:
Comparator<in R>, selector: (Long) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.minOfWith(comparator:
Comparator<in R>, selector: (Float) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R> DoubleArray.minOfWith(comparator: Comparator<in R>, selector: (Double) -> R): R {\n if
(isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n
return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all
values produced by [selector] function applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.minOfWith(comparator:
Comparator<in R>, selector: (Boolean) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n
return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all
values produced by [selector] function applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.minOfWith(comparator:
Comparator<in R>, selector: (Char) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among
all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.minOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n if (isEmpty()) return null\n
var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic

```

```

inline fun <R> ByteArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Byte) -> R): R? {\n  if
(isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ShortArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Short) -> R): R? {\n  if (isEmpty())
return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue,
v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value
according to the provided [comparator]\n * among all values produced by [selector] function applied to each
element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
IntArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Int) -> R): R? {\n  if (isEmpty()) return
null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there
are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
LongArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Long) -> R): R? {\n  if (isEmpty()) return
null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
FloatArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Float)
-> R): R? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v
= selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
DoubleArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Double) -> R): R? {\n  if (isEmpty())
return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
BooleanArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Boolean) -> R): R? {\n  if (isEmpty())
return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]

```

```

function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R> CharArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n if
(isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return
minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is
`NaN` returns `NaN`.\n */\n*\n@SinceKotlin("1.4")\npublic fun Array<out Double>.minOrNull(): Double? {\n if
(isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n min = minOf(min,
e)\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any
of elements is `NaN` returns `NaN`.\n */\n*\n@SinceKotlin("1.4")\npublic fun Array<out
Float>.minOrNull(): Float? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n min = minOf(min, e)\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if
there are no elements.\n */\n*\n@SinceKotlin("1.4")\npublic fun <T : Comparable<T>> Array<out T>.minOrNull():
T? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min
> e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*/\n*\n@SinceKotlin("1.4")\npublic fun ByteArray.minOrNull(): Byte? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n */\n*\n@SinceKotlin("1.4")\npublic fun
ShortArray.minOrNull(): Short? {\n
if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e)
min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*/\n*\n@SinceKotlin("1.4")\npublic fun IntArray.minOrNull(): Int? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n */\n*\n@SinceKotlin("1.4")\npublic fun
LongArray.minOrNull(): Long? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null`
if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n*\n@SinceKotlin("1.4")\npublic fun
FloatArray.minOrNull(): Float? {\n if
(isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n min =
minOf(min, e)\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*/\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n*\n@SinceKotlin("1.4")\npublic fun DoubleArray.minOrNull():
Double? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n
min = minOf(min, e)\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no
elements.\n */\n*\n@SinceKotlin("1.4")\npublic fun CharArray.minOrNull(): Char? {\n if (isEmpty()) return null\n
var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return
min\n}\n\n@Deprecated("Use minWithOrNull instead.")\nReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5",
hiddenSince = "1.6")\npublic fun <T> Array<out T>.minWith(comparator: Comparator<in T>): T? {\n return
minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")\nReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun ByteArray.minWith(comparator: Comparator<in Byte>): Byte? {\n
return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")\nReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun ShortArray.minWith(comparator: Comparator<in Short>): Short? {\n
return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")\nReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince

```

```

= \"1.5\", hiddenSince = \"1.6\")\npublic fun IntArray.minWith(comparator: Comparator<in Int>):
Int? {\n    return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\",
ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince
= \"1.5\", hiddenSince = \"1.6\")\npublic fun LongArray.minWith(comparator: Comparator<in Long>): Long? {\n
return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\",
ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince
= \"1.5\", hiddenSince = \"1.6\")\npublic fun FloatArray.minWith(comparator: Comparator<in Float>): Float? {\n
return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\",
ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince
= \"1.5\", hiddenSince = \"1.6\")\npublic fun DoubleArray.minWith(comparator: Comparator<in Double>): Double?
{\n    return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull
instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\",
errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun BooleanArray.minWith(comparator: Comparator<in
Boolean>): Boolean? {\n    return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull
instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\",
errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun CharArray.minWith(comparator: Comparator<in Char>):
Char? {\n    return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value
according to the provided [comparator] or `null` if there are no elements.\n *\n */\n@SinceKotlin(\"1.4\")\npublic fun
<T> Array<out T>.minWithOrNull(comparator: Comparator<in T>): T? {\n    if (isEmpty()) return null\n    var min
= this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n
return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator]
or `null` if there are no elements.\n *\n */\n@SinceKotlin(\"1.4\")\npublic fun ByteArray.minWithOrNull(comparator:
Comparator<in Byte>): Byte? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n
val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first
element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n *\n
*/\n@SinceKotlin(\"1.4\")\npublic fun ShortArray.minWithOrNull(comparator: Comparator<in Short>): Short? {\n
if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if
there are no elements.\n *\n */\n@SinceKotlin(\"1.4\")\npublic fun IntArray.minWithOrNull(comparator:
Comparator<in Int>): Int? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n
val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first
element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n *\n
*/\n@SinceKotlin(\"1.4\")\npublic fun LongArray.minWithOrNull(comparator: Comparator<in Long>): Long? {\n
if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n *\n */\n@SinceKotlin(\"1.4\")\npublic fun FloatArray.minWithOrNull(comparator: Comparator<in Float>): Float? {\n
if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n *\n */\n@SinceKotlin(\"1.4\")\npublic fun DoubleArray.minWithOrNull(comparator: Comparator<in Double>):
Double? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n
if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n *\n */\n@SinceKotlin(\"1.4\")\npublic fun BooleanArray.minWithOrNull(comparator: Comparator<in Boolean>):
Boolean? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n
}

```



```

if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n\n@SinceKotlin("1.4")\npublic fun CharArray.minWithOrNull(comparator: Comparator<in Char>): Char? {\n
if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if the array has no
elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n *\npublic fun <T> Array<out
T>.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n *\npublic fun ByteArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n\npublic fun ShortArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no
elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n *\npublic fun IntArray.none():
Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun LongArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun FloatArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun DoubleArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n\npublic fun BooleanArray.none():
Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun CharArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun <T> Array<out
T>.none(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun ByteArray.none(predicate:
(Byte) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n\npublic inline fun ShortArray.none(predicate: (Short) -> Boolean): Boolean {\n    for (element in this) if
(predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun
IntArray.none(predicate: (Int) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n
return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun LongArray.none(predicate:
(Long) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun FloatArray.none(predicate:
(Float)
-> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n *
Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun DoubleArray.none(predicate:
(Double) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun
BooleanArray.none(predicate: (Boolean) -> Boolean): Boolean {\n    for (element in this) if (predicate(element))
return false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharArray.none(predicate:
(Char) -> Boolean): Boolean {\n    for (element in this)
    if (predicate(element)) return false\n    return true\n}\n\n/**\n * Performs the given [action] on each element and
returns the array itself afterwards.\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Array<out T>.onEach(action: (T) -> Unit): Array<out T> {\n    return apply { for (element in this) action(element)
}\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.onEach(action: (Byte) ->
Unit): ByteArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.onEach(action: (Short) ->
Unit): ShortArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns
the array itself afterwards.\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.onEach(action: (Int) -> Unit): IntArray {\n    return apply { for (element in this) action(element)
}\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.onEach(action: (Long) ->
Unit): LongArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.onEach(action: (Float) ->
Unit): FloatArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.onEach(action:
(Double) -> Unit): DoubleArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs
the given [action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.onEach(action: (Boolean)
-> Unit): BooleanArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.onEach(action: (Char) ->
Unit): CharArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n *
@param [action] function that takes the index of an element and the element itself\n * and performs the action on
the element.\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Array<out T>.onEachIndexed(action: (index: Int, T) -> Unit): Array<out T> {\n    return apply {
forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index
with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an
element and the element itself\n * and performs the action on the element.\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.onEachIndexed(action:
(index: Int, Byte) -> Unit): ByteArray {\n    return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the
given [action] on each element, providing sequential index with the element,\n * and returns the array itself
afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the action on the element.\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.onEachIndexed(action:
(index: Int, Short) -> Unit): ShortArray {\n    return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the
given [action] on each element, providing sequential index with the element,\n * and returns the array itself
afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the action on the element.\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.onEachIndexed(action: (index: Int, Int) -> Unit): IntArray {\n    return apply { forEachIndexed(action)
}\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and

```

returns the array itself afterwards.

```

    * @param [action] function that takes the index of an element and the element
    itself
    * and performs the action on the element.
    *
    * @since Kotlin("1.4")
    * @kotlin.internal.InlineOnly
    * @public
    inline fun LongArray.onEachIndexed(action: (index: Int, Long) -> Unit):
    LongArray {
        return apply {
            forEachIndexed(action)
        }
    }
    * Performs the given [action] on each
    element, providing sequential index with the element,
    * and returns the array itself afterwards.
    * @param
    [action] function that takes the index of an element and the element itself
    * and performs the action on the
    element.
    *
    * @since Kotlin("1.4")
    * @kotlin.internal.InlineOnly
    * @public
    inline fun
    FloatArray.onEachIndexed(action: (index: Int, Float) -> Unit): FloatArray {
        return apply {
            forEachIndexed(action)
        }
    }
    * Performs the given [action] on each element, providing sequential index
    with the element,
    * and returns the array itself afterwards.
    * @param [action] function that takes the index of an
    element and the element itself
    * and performs the action on the element.
    *
    * @since Kotlin("1.4")
    * @kotlin.internal.InlineOnly
    * @public
    inline fun DoubleArray.onEachIndexed(action:
    (index: Int, Double) -> Unit): DoubleArray {
        return apply {
            forEachIndexed(action)
        }
    }
    * Performs the given [action] on each element, providing sequential index with the element,
    * and
    returns the array itself afterwards.
    * @param [action] function that takes the index of an element and the element
    itself
    * and performs the action on the element.
    *
    * @since Kotlin("1.4")
    * @kotlin.internal.InlineOnly
    * @public
    inline fun BooleanArray.onEachIndexed(action: (index: Int, Boolean) -> Unit): BooleanArray {
        return apply {
            forEachIndexed(action)
        }
    }
    * Performs the given [action] on each element, providing sequential index
    with the element,
    * and returns the array itself afterwards.
    * @param [action] function that takes the index of an
    element and the element itself
    * and performs the action on the element.
    *
    * @since Kotlin("1.4")
    * @kotlin.internal.InlineOnly
    * @public
    inline fun CharArray.onEachIndexed(action:
    (index: Int, Char) -> Unit): CharArray {
        return apply {
            forEachIndexed(action)
        }
    }
    * Accumulates
    value starting with the first element and applying [operation] from left to right
    * to current accumulator value and
    each element.
    *
    * Throws an exception if this array is empty. If the array can be empty in an expected way,
    *
    * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.
    *
    * @param [operation] function
    that takes current accumulator value and an element,
    * and calculates the next accumulator value.
    *
    * @sample samples.collections.Collections.Aggregates.reduce
    *
    * @public
    inline fun <S, T : S> Array<out
    T>.reduce(operation: (acc: S, T) -> S): S {
        if (isEmpty())
            throw UnsupportedOperationException("Empty
            array can't be reduced.")
        var accumulator: S = this[0]
        for (index in 1..lastIndex) {
            accumulator =
            operation(accumulator, this[index])
        }
        return accumulator
    }
    * Accumulates value starting with the
    first element and applying [operation] from left to right
    * to current accumulator
    value and each element.
    *
    * Throws an exception if this array is empty. If the array can be empty in an
    expected way,
    * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.
    *
    * @param
    [operation] function that takes current accumulator value and an element,
    * and calculates the next accumulator
    value.
    *
    * @sample samples.collections.Collections.Aggregates.reduce
    *
    * @public
    inline fun
    ByteArray.reduce(operation: (acc: Byte, Byte) -> Byte): Byte {
        if (isEmpty())
            throw
            UnsupportedOperationException("Empty array can't be reduced.")
        var accumulator = this[0]
        for (index in
            1..lastIndex) {
            accumulator = operation(accumulator, this[index])
        }
        return accumulator
    }
    * Accumulates value starting with the first element and applying [operation] from left to right
    * to current
    accumulator value and each element.
    *
    * Throws an exception if this array is empty. If the array can be empty
    in
    an expected way,
    * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.
    *
    * @param
    [operation] function that takes current accumulator value and an element,
    * and calculates the next
    accumulator value.
    *
    * @sample samples.collections.Collections.Aggregates.reduce
    *
    * @public
    inline fun
    ShortArray.reduce(operation: (acc: Short, Short) -> Short): Short {
        if (isEmpty())
            throw
            UnsupportedOperationException("Empty array can't be reduced.")
        var accumulator = this[0]
        for (index in
            1..lastIndex) {
            accumulator = operation(accumulator, this[index])
        }
        return accumulator
    }
    * Accumulates value starting with the first element and applying [operation] from left to right
    * to current

```

accumulator value and each element. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes current accumulator value and an element and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduce
public inline fun
IntArray.reduce(operation: (acc: Int, Int) -> Int): Int {
    if (isEmpty()) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes current accumulator value and an element and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduce
public inline fun
LongArray.reduce(operation: (acc: Long, Long) -> Long): Long {
    if (isEmpty()) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes current accumulator value and an element and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduce
public inline fun
FloatArray.reduce(operation: (acc: Float, Float) -> Float): Float {
    if (isEmpty()) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes current accumulator value and an element and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduce
public inline fun
DoubleArray.reduce(operation: (acc: Double, Double) -> Double): Double {
    if (isEmpty()) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes current accumulator value and an element and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduce
public inline fun
BooleanArray.reduce(operation: (acc: Boolean, Boolean) -> Boolean): Boolean {
    if (isEmpty()) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes current accumulator value and an element and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduce
public inline fun
CharArray.reduce(operation: (acc: Char, Char) -> Char): Char {
    if (isEmpty()) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
}

```

```

return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from
left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws
an exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function
that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S,
T : S> Array<out T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator: S = this[0]\n for (index
in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull]
instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
ByteArray.reduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): Byte {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is
empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null`
when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun ShortArray.reduceIndexed(operation:
(index: Int, acc: Short, Short) -> Short): Short {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is
empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null`
when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun IntArray.reduceIndexed(operation:
(index: Int, acc: Int, Int) -> Int): Int {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array
can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator =
operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is
empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null`
when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun LongArray.reduceIndexed(operation:
(index: Int, acc: Long, Long) -> Long): Long {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n

```

\* Accumulates value starting with the first element and applying [operation] from left to right  
 accumulator value and each element with its index in the original array.  
 Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.  
 @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.  
 @sample  
 samples.collections.Collections.Aggregates.reduce  
 \n \* \n public inline fun FloatArray.reduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): Float {  
 \n if (isEmpty())  
 throw  
 UnsupportedOperationException("Empty array can't be reduced.")  
 var accumulator = this[0]  
 for (index in 1..lastIndex) {  
 accumulator = operation(index, accumulator, this[index])  
 }  
 return  
 accumulator  
 }  
 \n \n /\*\*  
 \n \*

Accumulates value starting with the first element and applying [operation] from left to right  
 accumulator value and each element with its index in the original array.  
 Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.  
 @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.  
 @sample  
 samples.collections.Collections.Aggregates.reduce  
 \n \* \n public inline fun DoubleArray.reduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): Double {  
 \n if (isEmpty())  
 throw  
 UnsupportedOperationException("Empty array can't be reduced.")  
 var accumulator = this[0]  
 for (index in 1..lastIndex) {  
 accumulator = operation(index, accumulator, this[index])  
 }  
 return  
 accumulator  
 }  
 \n \n /\*\*  
 \n \*

\* Accumulates value starting with the first element and applying [operation] from left to right  
 accumulator value and each element with its index in the original array.  
 Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.  
 @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.  
 @sample  
 samples.collections.Collections.Aggregates.reduce  
 \n \* \n public inline fun BooleanArray.reduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean {  
 \n if (isEmpty())  
 throw  
 UnsupportedOperationException("Empty array can't be reduced.")  
 var accumulator = this[0]  
 for (index in 1..lastIndex) {  
 accumulator = operation(index, accumulator, this[index])  
 }  
 return  
 accumulator  
 }  
 \n \n /\*\*  
 \n \*

\* Accumulates value starting with the first element and applying [operation] from left to right  
 accumulator value and each element with its index in the original array.  
 Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.  
 @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.  
 @sample  
 samples.collections.Collections.Aggregates.reduce  
 \n \* \n public inline fun CharArray.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {  
 \n if (isEmpty())  
 throw  
 UnsupportedOperationException("Empty array can't be reduced.")  
 var accumulator = this[0]  
 for (index in 1..lastIndex) {  
 accumulator = operation(index, accumulator, this[index])  
 }  
 return  
 accumulator  
 }  
 \n \n /\*\*  
 \n \*

\* Accumulates value starting with the first element and applying [operation] from left to right  
 accumulator value and each element with its index in the original array.  
 Returns `null` if the array is empty.  
 @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.  
 @sample  
 samples.collections.Collections.Aggregates.reduceOrNull  
 \n \* \n @SinceKotlin("1.4")  
 \n public inline fun <S, T : S> Array<out T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S? {  
 \n if (isEmpty())  
 return  
 null  
 var accumulator: S = this[0]  
 for (index in 1..lastIndex) {  
 accumulator = operation(index, accumulator, this[index])  
 }  
 return accumulator  
 }  
 \n \n /\*\*  
 \n \* Accumulates value starting with the first

element and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the

original array.\n \* \n \* Returns `null` if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduceOrNull\n

```
*\n@SinceKotlin("1.4")\npublic inline fun ByteArray.reduceIndexedOrNull(operation: (index: Int, acc: Byte, Byte) -> Byte): Byte? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element
```

```
itself,\n * and calculates the next accumulator value.\n * \n * @sample
```

```
samples.collections.Collections.Aggregates.reduceOrNull\n*\n@SinceKotlin("1.4")\npublic inline fun ShortArray.reduceIndexedOrNull(operation: (index: Int, acc: Short, Short) -> Short): Short? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
```

```
*\n@SinceKotlin("1.4")\npublic
```

```
inline fun IntArray.reduceIndexedOrNull(operation: (index: Int, acc: Int, Int) -> Int): Int? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
```

```
*\n@SinceKotlin("1.4")\npublic inline fun LongArray.reduceIndexedOrNull(operation: (index: Int, acc: Long, Long) -> Long): Long? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample
```

```
samples.collections.Collections.Aggregates.reduceOrNull\n*\n@SinceKotlin("1.4")\npublic inline fun FloatArray.reduceIndexedOrNull(operation: (index: Int, acc: Float, Float) -> Float): Float? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
```

```
*\n@SinceKotlin("1.4")\npublic inline fun DoubleArray.reduceIndexedOrNull(operation: (index: Int, acc: Double, Double) -> Double): Double? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
```

```

right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns
`null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun
BooleanArray.reduceIndexedOrNull(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean? {\n if
(isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator =
operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting
with the first element and applying [operation] from left to right\n * to current accumulator value and each element
with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value and the element itself,\n
* and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun
CharArray.reduceIndexedOrNull(operation: (index: Int, acc: Char, Char) -> Char): Char? {\n if (isEmpty())\n
return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index,
accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first
element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n *
Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and
an element,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
* \n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S>
Array<out T>.reduceOrNull(operation:
(acc: S, T) -> S): S? {\n if (isEmpty())\n return null\n var accumulator: S = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation]
function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduceOrNull\n
* \n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
ByteArray.reduceOrNull(operation: (acc: Byte, Byte) -> Byte): Byte? {\n if (isEmpty())\n return null\n var
accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n
}\n
return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from
left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n *
\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
* \n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
ShortArray.reduceOrNull(operation: (acc: Short, Short) -> Short): Short? {\n if (isEmpty())\n return null\n
var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n
}\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array
is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and
calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
* \n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
IntArray.reduceOrNull(operation: (acc: Int, Int) -> Int): Int? {\n if (isEmpty())\n return null\n var
accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n
}\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n *
\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next

```



```

accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
inline fun LongArray.reduceOrNull(operation: (acc: Long, Long) -> Long): Long? {\n if (isEmpty())\n return
null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator,
this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and
applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if
the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
FloatArray.reduceOrNull(operation: (acc: Float, Float) -> Float): Float? {\n if (isEmpty())\n return null\n var
accumulator
= this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n *
@param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
DoubleArray.reduceOrNull(operation: (acc: Double, Double) -> Double): Double? {\n if (isEmpty())\n return
null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator,
this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and
applying
[operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array
is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and
calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
BooleanArray.reduceOrNull(operation: (acc: Boolean, Boolean) -> Boolean): Boolean? {\n if (isEmpty())\n
return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator =
operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n *
Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and
an element,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
CharArray.reduceOrNull(operation: (acc: Char, Char) -> Char): Char? {\n if (isEmpty())\n return null\n var
accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n
}\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]
from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is
empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null`
when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@public inline fun <S, T : S> Array<out T>.reduceRight(operation: (T, acc: S) -> S): S {\n var index =
lastIndex\n if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n var
accumulator: S = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n
}\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]
from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is
empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null`

```

when its receiver is empty.

```

    @param [operation] function that takes an element and current accumulator
    value, and calculates the next accumulator value.
    @sample
samples.collections.Collections.Aggregates.reduceRight
public inline fun
ByteArray.reduceRight(operation: (Byte, acc: Byte) -> Byte): Byte {
    var index = lastIndex
    if (index < 0)
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

```

    @param [operation] function that takes an element and current accumulator
    value, and calculates the next accumulator value.
    @sample
samples.collections.Collections.Aggregates.reduceRight
public inline fun ShortArray.reduceRight(operation:
    (Short, acc: Short) -> Short): Short {
    var
    index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

```

    @param [operation] function that takes an element and current accumulator
    value, and calculates the next accumulator value.
    @sample
samples.collections.Collections.Aggregates.reduceRight
public inline fun IntArray.reduceRight(operation:
    (Int, acc: Int) -> Int): Int {
    var index = lastIndex
    if (index < 0) throw
    UnsupportedOperationException("Empty array
    can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator =
        operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

```

    @param [operation] function that
    takes an element and current accumulator
    value, and calculates the next accumulator
    value.
    @sample
samples.collections.Collections.Aggregates.reduceRight
public inline fun LongArray.reduceRight(operation:
    (Long, acc: Long) -> Long): Long {
    var index = lastIndex
    if (index < 0) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while
    (index >=
    0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

```

    @param [operation] function that takes an element and current accumulator
    value, and calculates the next
    accumulator value.
    @sample
samples.collections.Collections.Aggregates.reduceRight
public inline
fun FloatArray.reduceRight(operation: (Float, acc: Float) -> Float): Float {
    var index = lastIndex
    if (index < 0)
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

```

    @param [operation] function that takes an element and current accumulator
    value, and calculates the next
    accumulator value.
    @sample
samples.collections.Collections.Aggregates.reduceRight
public inline fun DoubleArray.reduceRight(operation:

```

(Double, acc: Double) -> Double): Double {  
var index = lastIndex  
if (index < 0) throw  
UnsupportedOperationException("Empty array can't be reduced.")  
var accumulator = get(index--)  
while  
(index >= 0) {  
accumulator = operation(get(index--), accumulator)  
}  
return accumulator  
}

Accumulates value starting with the  
last element and applying [operation] from right to left  
to each element and current accumulator value.  
Throws an exception if this array is empty. If the array can be empty in an expected way,  
please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.  
@param [operation] function that takes an element and current accumulator value,  
and calculates the next accumulator value.  
@sample  
samples.collections.Collections.Aggregates.reduceRight  
public inline fun  
BooleanArray.reduceRight(operation: (Boolean, acc: Boolean) -> Boolean): Boolean {  
var index = lastIndex  
if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")  
var accumulator =  
get(index--)  
while (index >= 0) {  
accumulator = operation(get(index--), accumulator)  
}  
return  
accumulator  
}

Accumulates value starting with the last element and applying [operation] from right to  
left  
to each  
element and current accumulator value.  
Throws an exception if this array is empty. If the array can be  
empty in an expected way,  
please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.  
@param [operation] function that takes an element and current accumulator value,  
and calculates the next  
accumulator value.  
@sample  
samples.collections.Collections.Aggregates.reduceRight  
public inline  
fun CharArray.reduceRight(operation: (Char, acc: Char) -> Char): Char {  
var index = lastIndex  
if (index < 0)  
throw UnsupportedOperationException("Empty array can't be reduced.")  
var accumulator = get(index--)  
while (index >= 0) {  
accumulator = operation(get(index--), accumulator)  
}  
return  
accumulator  
}

Accumulates value starting with the last element and applying [operation] from right to  
left  
to each element with its index in the original array and current accumulator value.  
Throws an exception if this array is empty. If the array can be empty in an expected way,  
please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is  
empty.  
@param [operation] function that takes the index of an element, the element itself and current  
accumulator value,  
and calculates the  
next accumulator value.  
@sample  
samples.collections.Collections.Aggregates.reduceRight  
public  
inline fun <S, T : S> Array<out T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {  
var index =  
lastIndex  
if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")  
var  
accumulator: S = get(index--)  
while (index >= 0) {  
accumulator = operation(index, get(index),  
accumulator)  
--index  
}  
return accumulator  
}

Accumulates value starting with the last  
element and applying [operation] from right to left  
to each element with its index in the original  
array and current accumulator value.  
Throws an exception if this array is empty. If the array can be empty  
in an expected way,  
please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is  
empty.  
@param [operation] function that takes the index of an element, the element itself and current  
accumulator value,  
and calculates the next accumulator value.  
@sample  
samples.collections.Collections.Aggregates.reduceRight  
public inline fun  
ByteArray.reduceRightIndexed(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte {  
var index = lastIndex  
if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")  
var accumulator =  
get(index--)  
while (index >= 0) {  
accumulator = operation(index, get(index), accumulator)  
--index  
}  
return accumulator  
}

Accumulates value starting with the last element and applying [operation]  
from right to left  
to each  
element with its index in the original array and current accumulator value.  
Throws an exception if this array  
is empty. If the array can be empty in an expected way,  
please use [reduceRightIndexedOrNull] instead. It  
returns `null` when its receiver is empty.  
@param [operation] function that takes the index of an element,  
the element itself and current accumulator value,  
and calculates the next accumulator value.  
@sample  
samples.collections.Collections.Aggregates.reduceRight  
public inline fun  
ShortArray.reduceRightIndexed(operation: (index: Int, Short, acc: Short) -> Short): Short {  
var index =

```

lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying
[operation] from right to left\n * to each element with its index in the original array and current accumulator
value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n *\npublic
inline fun IntArray.reduceRightIndexed(operation: (index: Int, Int, acc: Int) -> Int): Int {\n    var index = lastIndex\n
if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator =
get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n
    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with
the last element and applying [operation] from right to left\n * to each element with its index in the original array
and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n *\npublic inline fun
LongArray.reduceRightIndexed(operation: (index: Int, Long, acc: Long) -> Long): Long {\n    var index =
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element
with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is
empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns
`null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the
element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n *\npublic inline fun
FloatArray.reduceRightIndexed(operation: (index: Int, Float, acc: Float) -> Float): Float {\n    var index =
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]
from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n *
Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n *\npublic
inline fun DoubleArray.reduceRightIndexed(operation: (index: Int, Double, acc: Double) -> Double): Double {\n
var index = lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n
var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index,
get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with
the last element and applying [operation] from right to left\n * to each element with its index in the original array
and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.reduceRight\n *^\npublic inline fun
BooleanArray.reduceRightIndexed(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean {\n  var
index = lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n
var accumulator = get(index--)\n
  while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n *^\npublic
inline fun CharArray.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n
var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that
takes the index of an element, the element itself and current accumulator value,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n *^\n@SinceKotlin("1.4")\npublic inline fun <S, T : S> Array<out T>.reduceRightIndexedOrNull(operation:
(index: Int, T, acc: S) -> S): S? {\n  var index = lastIndex\n  if (index < 0) return null\n  var accumulator: S =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n
--index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying
[operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n
* \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element,
the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n *^\n@SinceKotlin("1.4")\npublic inline fun
ByteArray.reduceRightIndexedOrNull(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte? {\n  var index =
lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right
to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null`
if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and
current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n *^\n@SinceKotlin("1.4")\npublic inline fun
ShortArray.reduceRightIndexedOrNull(operation: (index: Int, Short, acc: Short) -> Short): Short? {\n  var index =
lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns `null` if the
array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and
current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n *^\n@SinceKotlin("1.4")\npublic inline fun
IntArray.reduceRightIndexedOrNull(operation: (index: Int, Int, acc: Int) -> Int): Int? {\n  var index = lastIndex\n
if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator =
operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with the last element and applying [operation] from right to left\n * to each element with its index in
the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param

```

[operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

samples.collections.Collections.Aggregates.reduceRightOrNull
@SinceKotlin("1.4")
public inline fun
LongArray.reduceRightIndexedOrNull(operation: (index: Int, Long, acc: Long) -> Long): Long? {
    var index =
lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

samples.collections.Collections.Aggregates.reduceRightOrNull
@SinceKotlin("1.4")
public
inline fun FloatArray.reduceRightIndexedOrNull(operation: (index: Int, Float, acc: Float) -> Float): Float? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

samples.collections.Collections.Aggregates.reduceRightOrNull
@SinceKotlin("1.4")
public inline fun
DoubleArray.reduceRightIndexedOrNull(operation: (index: Int, Double, acc: Double) -> Double): Double? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

samples.collections.Collections.Aggregates.reduceRightOrNull
@SinceKotlin("1.4")
public inline fun
BooleanArray.reduceRightIndexedOrNull(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

samples.collections.Collections.Aggregates.reduceRightOrNull
@SinceKotlin("1.4")
public inline fun
CharArray.reduceRightIndexedOrNull(operation: (index: Int, Char, acc: Char) -> Char): Char? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Returns `null` if the array is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduceRightOrNull
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun <S, T : S>
Array<out T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator: S = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Returns `null` if the array is empty.

```

* \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
ByteArray.reduceRightOrNull(operation: (Byte, acc: Byte) -> Byte): Byte? {\n  var index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
ShortArray.reduceRightOrNull(operation: (Short, acc: Short) -> Short): Short? {\n  var index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
IntArray.reduceRightOrNull(operation: (Int, acc: Int) -> Int): Int? {\n  var index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
LongArray.reduceRightOrNull(operation: (Long, acc: Long) -> Long): Long? {\n  var index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
FloatArray.reduceRightOrNull(operation: (Float, acc: Float) -> Float): Float? {\n  var index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
DoubleArray.reduceRightOrNull(operation: (Double, acc: Double) -> Double): Double? {\n  var index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n

```

value.\n \* \n \* Returns `null` if the array is empty.\n \* \n \* @param [operation] function that takes an element and current accumulator value,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
BooleanArray.reduceRightOrNull(operation: (Boolean, acc: Boolean) -> Boolean): Boolean? {\n  var index =
lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value
starting with the last element and applying [operation] from right to left\n * to each element and current accumulator
value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and
current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n

```

\*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
CharArray.reduceRightOrNull(operation: (Char,
acc: Char) -> Char): Char? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator =
get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return
accumulator\n}\n\n/\*\*\n \* Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n \* to each element and current accumulator value that starts with [initial] value.\n \* \n
\* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the
previous value in resulting list.\n \* \n \* @param [operation] function that takes current accumulator value and an
element, and calculates the next accumulator value.\n \* \n \* @sample
samples.collections.Collections.Aggregates.runningFold\n

\*\n@SinceKotlin("1.4")\npublic inline fun <T, R>
Array<out T>.runningFold(initial: R, operation: (acc: R, T) -> R): List<R> {\n if (isEmpty()) return
listOf(initial)\n val result
= ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n
accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/\*\*\n \*
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to
each element and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to
[operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n
\* @param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n

\*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ByteArray.runningFold(initial: R,
operation: (acc: R, Byte) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result
= ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n
accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/\*\*\n \*
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to
each element and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to
[operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n
\* @param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n

\*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ShortArray.runningFold(initial: R,
operation: (acc: R, Short) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val
result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n
accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/\*\*\n \*
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to
each element and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to
[operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n
\* @param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n



```

*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.runningFold(initial: R,
operation: (acc: R, Int) -> R): List<R> {\n  if (isEmpty()) return listOf(initial)\n  val result = ArrayList<R>(size + 1).apply { add(initial) }\n  var accumulator = initial\n  for (element in this) {\n    accumulator = operation(accumulator, element)\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.runningFold(initial: R,
operation: (acc: R, Long) -> R): List<R> {\n  if (isEmpty()) return listOf(initial)\n  val result = ArrayList<R>(size + 1).apply { add(initial) }\n  var accumulator = initial\n  for (element in this) {\n    accumulator = operation(accumulator, element)\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.runningFold(initial: R,
operation: (acc: R, Float) -> R): List<R> {\n  if (isEmpty()) return listOf(initial)\n  val result = ArrayList<R>(size + 1).apply { add(initial) }\n  var accumulator = initial\n  for (element in this) {\n    accumulator = operation(accumulator, element)\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.runningFold(initial: R,
operation: (acc: R, Double) -> R): List<R> {\n  if (isEmpty()) return listOf(initial)\n  val result = ArrayList<R>(size + 1).apply { add(initial) }\n  var accumulator = initial\n  for (element in this) {\n    accumulator = operation(accumulator, element)\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.runningFold(initial: R,
operation: (acc: R, Boolean) -> R): List<R> {\n  if (isEmpty())\n    return listOf(initial)\n  val result = ArrayList<R>(size + 1).apply { add(initial) }\n  var accumulator = initial\n  for (element in this) {\n    accumulator = operation(accumulator, element)\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.runningFold(initial: R,
operation: (acc: R, Char) -> R): List<R> {\n  if (isEmpty())

```

```

return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\nfor (element in this) {\n    accumulator = operation(accumulator, element)\n    result.add(accumulator)\n}\nreturn result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying\n [operation] from left to right\n * to each element, its index in the original array and current accumulator value that\n starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the\n index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator\n value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n\n*\n@SinceKotlin("1.4")\npublic inline fun <T, R> Array<out T>.runningFoldIndexed(initial: R,\n    operation: (index: Int, acc: R, T) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result =\n    ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return\n    result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from\n left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial]\n value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would\n affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element,\n current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample\n samples.collections.Collections.Aggregates.runningFold\n\n*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic\n    inline fun <R> ByteArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator\n    = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation\n values generated by applying [operation] from left to right\n * to each element, its index in the original array and\n current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function\n should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]\n function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the\n next accumulator\n value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n\n*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nShortArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {\n    if (isEmpty())\n    return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation\n values generated by applying [operation] from left to right\n * to each element, its index in the original array and\n current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function\n should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]\n function that takes the\n index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator\n value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n\n*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nIntArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {\n    if (isEmpty()) return\n    listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for\n    (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying\n [operation] from left to right\n * to each element, its index in the original array and current accumulator value that\n starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise\n otherwise

```

it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R>
```

```
LongArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): List<R> {\n    if (isEmpty())\n        return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    result.add(accumulator)\n}\n\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n
```

\* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R>
```

```
FloatArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {\n    if (isEmpty())\n        return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    result.add(accumulator)\n}\n\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n *
```

to each element, its index in the original array and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R>
```

```
DoubleArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {\n    if (isEmpty())\n        return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    result.add(accumulator)\n}\n\n * Returns
```

a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element, its index in the original array and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R>
```

```
BooleanArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {\n    if (isEmpty())\n        return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    result.add(accumulator)\n}\n\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R>
```

```

CharArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {
    if (isEmpty())
    return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    }
    val accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

```

\* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with the first element of this array.

\* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

\* @param [operation] function that takes current accumulator value and the element, and calculates the next accumulator value.

\* @sample samples.collections.Collections.Aggregates.runningReduce

```

* \n @SinceKotlin("1.4") \n @WasExperimental(ExperimentalStdlibApi::class) \n public inline fun <S, T : S>
Array<out T>.runningReduce(operation: (acc: S, T) -> S): List<S> {
    if (isEmpty()) return emptyList()
    var accumulator: S = this[0]
    val result = ArrayList<S>(size).apply { add(accumulator) }
    for (index in 1 until size) {
        accumulator = operation(accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

```

\* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with the first element of this array.

\* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

\* @sample samples.collections.Collections.Aggregates.runningReduce

```

* \n @SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public inline fun ByteArray.runningReduce(operation:
(acc: Byte, Byte) -> Byte): List<Byte> {
    if (isEmpty()) return emptyList()
    var accumulator = this[0]
    val result = ArrayList<Byte>(size).apply { add(accumulator) }
    for (index in 1 until size) {
        accumulator = operation(accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

```

\* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with the first element of this array.

\* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

\* @sample samples.collections.Collections.Aggregates.runningReduce

```

* \n @SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public inline fun ShortArray.runningReduce(operation:
(acc: Short, Short) -> Short): List<Short> {
    if (isEmpty()) return emptyList()
    var accumulator = this[0]
    val result = ArrayList<Short>(size).apply { add(accumulator) }
    for (index in 1 until size) {
        accumulator = operation(accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

```

\* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with the first element of this array.

\* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

\* @sample samples.collections.Collections.Aggregates.runningReduce

```

* \n @SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public inline fun IntArray.runningReduce(operation: (acc:
Int, Int) -> Int): List<Int> {
    if (isEmpty()) return emptyList()
    var accumulator = this[0]
    val result = ArrayList<Int>(size).apply { add(accumulator) }
    for (index in 1 until size) {
        accumulator = operation(accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

```

\* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with the first element of this array.

\* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

\* @sample samples.collections.Collections.Aggregates.runningReduce

```

* \n @SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public inline fun LongArray.runningReduce(operation: (acc:
Long, Long) -> Long): List<Long> {
    if (isEmpty()) return emptyList()
    var accumulator = this[0]
    val result = ArrayList<Long>(size).apply { add(accumulator) }
    for (index in 1 until size) {
        accumulator = operation(accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

```

\* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with the first element of this array.

\* @param [operation] function that

takes current accumulator value and an element, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningReduce\n

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.runningReduce(operation: (acc: Float, Float) -> Float): List<Float> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Float>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.runningReduce(operation: (acc: Double, Double) -> Double): List<Double> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Double>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.runningReduce(operation: (acc: Boolean, Boolean) -> Boolean): List<Boolean> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Boolean>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.runningReduce(operation: (acc: Char, Char) -> Char): List<Char> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Char>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
```

```
*\n@SinceKotlin("1.4")\npublic inline fun <S, T : S> Array<out T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {\n    if (isEmpty()) return emptyList()\n    var accumulator: S = this[0]\n    val result = ArrayList<S>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.runningReduceIndexed(operation: (index: Int, acc: Byte,
```

```

Byte) -> Byte): List<Byte> {\n  if (isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result =
ArrayList<Byte>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator =
operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n *
to each element, its index in the original array and current accumulator value that starts with the first element of this
array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and
the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.runningReduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): List<Short>
{\n  if (isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Short>(size).apply {
add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n
    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.runningReduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): List<Int> {\n  if (isEmpty()) return
emptyList()\n
  var accumulator = this[0]\n  val result = ArrayList<Int>(size).apply { add(accumulator) }\n  for (index in 1
until size) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n
return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element, its index in the original array and current accumulator value that
starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element,
current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.runningReduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): List<Long> {\n  if
(isEmpty()) return emptyList()\n  var accumulator =
this[0]\n  val result = ArrayList<Long>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n
accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return
result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from
left to right\n * to each element, its index in the original array and current accumulator value that starts with the
first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.runningReduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): List<Float> {\n  if
(isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result =
ArrayList<Float>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator =
operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n *
to each element, its index in the original array and current accumulator value that starts with the first element of this
array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and
the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

DoubleArray.runningReduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): List<Double> {
    if (isEmpty()) return emptyList()
    var accumulator = this[0]
    val result = ArrayList<Double>(size).apply {
        add(accumulator)
    }
    for (index in 1 until size) {
        accumulator = operation(index, accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

/**
 * Returns a list containing successive accumulation values generated by applying [operation] from left to right
 * to each element, its index in the original array and current accumulator value that starts with the first element of this array.
 * @param [operation] function that takes the index of an element, current accumulator value
 * and the element itself, and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.runningReduce
 */
@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun

BooleanArray.runningReduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): List<Boolean> {
    if (isEmpty()) return emptyList()
    var accumulator = this[0]
    val result = ArrayList<Boolean>(size).apply {
        add(accumulator)
    }
    for (index in 1 until size) {
        accumulator = operation(index, accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

/**
 * Returns a list containing successive accumulation values generated by applying [operation] from left to right
 * to each element, its index in the original array and current accumulator value that starts with the first element of this array.
 * @param [operation] function that takes the index of an element, current accumulator value
 * and the element itself, and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.runningReduce
 */
@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun

CharArray.runningReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {
    if (isEmpty()) return emptyList()
    var accumulator = this[0]
    val result = ArrayList<Char>(size).apply {
        add(accumulator)
    }
    for (index in 1 until size) {
        accumulator = operation(index, accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

/**
 * Returns a list containing successive accumulation values generated by applying [operation] from left to right
 * to each element and current accumulator value that starts with [initial] value.
 * Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the
 * previous value in resulting list.
 * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.scan
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun <T, R>

Array<out T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {
    return runningFold(initial, operation)
}

/**
 * Returns a list containing successive accumulation values generated by applying [operation] from left to right
 * to each element and current accumulator value that starts with [initial] value.
 * Note that `acc` value passed to [operation] function should not be mutated; otherwise it would
 * affect the previous value in resulting list.
 * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.scan
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public inline fun <R>

ByteArray.scan(initial: R, operation: (acc: R, Byte) -> R): List<R> {
    return runningFold(initial, operation)
}

/**
 * Returns a list containing successive accumulation values generated by applying [operation] from left to right
 * to each element and current accumulator value that starts with [initial] value.
 * Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
 * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.scan
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public inline fun <R>

ShortArray.scan(initial: R, operation: (acc: R, Short) -> R): List<R> {
    return runningFold(initial, operation)
}

/**
 * Returns a list containing successive accumulation values generated by
 */

```

applying [operation] from left to right\n \* to each element and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes current accumulator value and an element, and calculates the next

accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.scan\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.scan(initial: R, operation: (acc: R, Int) -> R): List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n *\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline
```

```
fun <R> LongArray.scan(initial: R, operation: (acc: R, Long) -> R): List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.scan(initial: R, operation: (acc: R, Float) -> R): List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
```

```
samples.collections.Collections.Aggregates.scan\n *\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.scan(initial: R, operation: (acc: R, Double) -> R): List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.scan(initial: R, operation: (acc: R, Boolean) -> R): List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates
```

the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.scan\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with
```



[initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.scan\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R> Array<out T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values\n    generated by applying [operation] from left to right\n    * to each element, its index in the original array and current\n    accumulator value that starts with [initial] value.\n    * Note that `acc` value passed to [operation] function\n    should not be mutated;\n    * otherwise it would affect the previous value in resulting list.\n    * \n    * @param\n    [operation] function that takes the index of an element, current accumulator value\n    * and the element itself, and\n    calculates the next accumulator value.\n    * \n    * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values\n    generated by applying [operation] from left to right\n    * to each element, its index in the original array and current\n    accumulator value that starts with [initial] value.\n    * Note that `acc` value passed to [operation] function should\n    not be mutated;\n    * otherwise it would affect the previous value in resulting list.\n    * \n    * @param [operation] function that takes the index of an element, current accumulator value\n    * and the element\n    itself, and calculates the next accumulator value.\n    * \n    * @sample\n    samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values\n    generated by applying [operation] from left to right\n    * to each element, its index in the original array and current\n    accumulator value that starts with [initial] value.\n    * Note that `acc` value passed to [operation] function should\n    not be mutated;\n    * otherwise it would affect the previous value in resulting list.\n    * \n    * @param [operation]\n    function that takes the index of an element, current accumulator value\n    * \n    * and the element itself, and calculates the next accumulator value.\n    * \n    * @sample\n    samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n    return\n    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function\n    applied to each element in the array.\n    *\n    @Deprecated("Use sumOf instead.")\n    ReplaceWith("this.sumOf(selector)")\n    @DeprecatedSinceKotlin(warningSince = "1.5")\n    public inline fun <T>\n    Array<out T>.sumBy(selector: (T) -> Int): Int {\n        var sum: Int = 0\n        for (element in this) {\n            sum +=\n            selector(element)\n        }\n        return sum\n    }\n\n/**\n * Returns the sum of all values produced by [selector] function\n    applied to each element in the array.\n    *\n    @Deprecated("Use sumOf instead.")\n    ReplaceWith("this.sumOf(selector)")\n    @DeprecatedSinceKotlin(warningSince\n    = "1.5")\n    public inline fun ByteArray.sumBy(selector: (Byte) -> Int): Int {\n        var sum: Int = 0\n        for (element in\n            this) {\n            sum += selector(element)\n        }\n        return sum\n    }\n\n/**\n * Returns the sum of all values produced by\n    [selector] function applied to each element in the array.\n    *\n    @Deprecated("Use sumOf instead.")\n    ReplaceWith("this.sumOf(selector)")\n    @DeprecatedSinceKotlin(warningSince = "1.5")\n    public inline fun\n    ShortArray.sumBy(selector: (Short) -> Int): Int {\n        var sum: Int = 0\n        for (element in this) {\n            sum +=\n            selector(element)\n        }\n        return sum\n    }\n\n/**\n * Returns the sum of all values produced by [selector] function\n    applied to each element in the array.\n    *\n    @Deprecated("Use sumOf instead.")\n    ReplaceWith("this.sumOf(selector)")\n    @DeprecatedSinceKotlin(warningSince = "1.5")\n    public inline fun\n    IntArray.sumBy(selector: (Int) -> Int): Int {\n        var sum: Int = 0\n        for\n        (element in this) {\n            sum += selector(element)\n        }\n        return sum\n    }\n\n/**\n * Returns the sum of all values\n    produced by [selector] function applied to each element in the array.\n    *\n    @Deprecated("Use sumOf instead.")\n    ReplaceWith("this.sumOf(selector)")\n    @DeprecatedSinceKotlin(warningSince = "1.5")\n    public inline fun\n    LongArray.sumBy(selector: (Long) -> Int): Int {\n        var sum: Int = 0\n        for (element in this) {\n            sum +=

```

```

selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
FloatArray.sumBy(selector: (Float) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum +=
selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied
to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
DoubleArray.sumBy(selector: (Double) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum +=
selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
BooleanArray.sumBy(selector: (Boolean) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum +=
selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic
inline fun CharArray.sumBy(selector: (Char) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum
+= selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun <T>
Array<out T>.sumByDouble(selector: (T) -> Double): Double {\n var sum: Double = 0.0\n for (element in this)
{\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
ByteArray.sumByDouble(selector: (Byte) -> Double): Double {\n var sum: Double = 0.0\n for (element in this)
{\n
sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
ShortArray.sumByDouble(selector: (Short) -> Double): Double {\n var sum: Double = 0.0\n for (element in this)
{\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
IntArray.sumByDouble(selector: (Int) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n
sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function
applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
LongArray.sumByDouble(selector: (Long) -> Double): Double {\n var sum: Double = 0.0\n for (element in this)
{\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
FloatArray.sumByDouble(selector: (Float) -> Double): Double {\n var sum: Double = 0.0\n for (element in this)
{\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince
= "1.5")\npublic inline fun DoubleArray.sumByDouble(selector: (Double) -> Double): Double {\n var sum:
Double = 0.0\n for (element in this) {\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns

```

```

the sum of all values produced by [selector] function applied to each element in the array.\n *\n@Deprecated("Use
sumOf instead.\", ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince =
"1.5")\npublic inline fun BooleanArray.sumByDouble(selector: (Boolean) -> Double): Double {\n  var sum:
Double = 0.0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n *\n@Deprecated("Use
sumOf instead.\", ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince =
"1.5")\npublic inline fun CharArray.sumByDouble(selector: (Char) -> Double): Double {\n
  var sum: Double = 0.0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n
* Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Array<out T>.sumOf(selector: (T) -> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element
in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.sumOf(selector: (Byte) -> Double): Double
{\n  var sum: Double = 0.toDouble()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.sumOf(selector: (Short) -> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element in
this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.sumOf(selector: (Int) -> Double):
Double {\n  var sum: Double = 0.toDouble()\n  for (element in this) {\n    sum += selector(element)\n  }\n
return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in
the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.sumOf(selector: (Long) -> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element in
this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.sumOf(selector: (Float)
-> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.sumOf(selector: (Double) -> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element
in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.jvm.JvmName("\\sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.sumOf(selector:
  (Boolean) -> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element in this) {\n    sum +=
  selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
  applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\\sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.sumOf(selector: (Char) -> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element in
  this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
  [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Array<out T>.sumOf(selector: (T) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum +=
  selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
  applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.sumOf(selector: (Byte) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum +=
  selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
  applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.sumOf(selector:
  (Short) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n
  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in
  the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.sumOf(selector: (Int) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum +=
  selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
  applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.sumOf(selector: (Long) -> Int):
  Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return
  sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
  array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.sumOf(selector: (Float) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum +=
  selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
  applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.sumOf(selector: (Double) -> Int): Int {\n
  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**
  * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.sumOf(selector: (Boolean) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n
sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.sumOf(selector: (Char) -> Int): Int {\n  var sum: Int
= 0.toInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the
sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Array<out T>.sumOf(selector: (T) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this)
{\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.sumOf(selector: (Byte) -> Long): Long {\n  var sum: Long = 0.toLong()\n
for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.sumOf(selector: (Short) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n
sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.sumOf(selector: (Int) -> Long): Long {\n  var sum: Long = 0.toLong()\n
for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.sumOf(selector: (Long) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n
sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.sumOf(selector: (Float) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element
in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.sumOf(selector: (Double) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this)
{\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.sumOf(selector: (Boolean) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element

```

```

in this) {\n    sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.sumOf(selector: (Char) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this) {\n
sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> UInt): UInt
{\n    var sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    } \n return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> UInt): UInt {\n    var
sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    } \n return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic
inline fun ShortArray.sumOf(selector: (Short) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n    for (element in
this) {\n        sum += selector(element)\n    } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> UInt): UInt {\n    var
sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    } \n return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic
inline fun LongArray.sumOf(selector: (Long) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n    for (element in
this) {\n        sum += selector(element)\n    } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> UInt): UInt {\n    var
sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    } \n return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.sumOf(selector: (Double) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n    for (element
in this) {\n        sum += selector(element)\n    } \n return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType

```

```

s::class)\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> UInt): UInt
{\n    var sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> UInt): UInt {\n    var
sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> ULong):
ULong {\n    var sum: ULong = 0.toULong()\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> ULong): ULong
{\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sumOf(selector:
(Short) -> ULong): ULong {\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> ULong): ULong {\n
var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun LongArray.sumOf(selector: (Long) -> ULong): ULong {\n    var sum: ULong = 0.toULong()\n    for
(element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> ULong): ULong
{\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic

```



```

inline fun DoubleArray.sumOf(selector: (Double) -> ULong): ULong {
    var sum: ULong = 0.toULong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values produced by [selector] function applied to each element in the array.

@SinceKotlin("1.5")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.jvm.JvmName("sumOfULong")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
public inline fun BooleanArray.sumOf(selector: (Boolean) -> ULong): ULong {
    var sum: ULong = 0.toULong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values produced by [selector] function applied to each element in the array.

@SinceKotlin("1.5")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.jvm.JvmName("sumOfULong")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
public inline fun CharArray.sumOf(selector: (Char) -> ULong): ULong {
    var sum: ULong = 0.toULong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.

public fun <T : Any> Array<T?>.requireNonNulls(): Array<T> {
    for (element in this) {
        if (element == null) {
            throw IllegalArgumentException("null element found in $this.")
        }
    }
}

@Suppress("UNCHECKED_CAST")
return this as Array<T>
}
// Splits the original array into pair of lists,
// where *first* list contains elements for which [predicate] yielded `true`,
// while *second* list contains elements for which [predicate] yielded `false`.

@sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives

public inline fun <T> Array<out T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {
    val first = ArrayList<T>()
    val second = ArrayList<T>()
    for (element in this) {
        if (predicate(element)) {
            first.add(element)
        } else {
            second.add(element)
        }
    }
    return Pair(first, second)
}
// Splits the original array into pair of lists,
// where *first* list contains elements for which [predicate] yielded `true`,
// while *second* list contains elements for which [predicate] yielded `false`.

@sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives

public inline fun ByteArray.partition(predicate: (Byte) -> Boolean): Pair<List<Byte>, List<Byte>> {
    val first = ArrayList<Byte>()
    val second = ArrayList<Byte>()
    for (element in this) {
        if (predicate(element)) {
            first.add(element)
        } else {
            second.add(element)
        }
    }
    return Pair(first, second)
}
// Splits the original array into pair of lists,
// where *first* list contains elements for which [predicate] yielded `true`,
// while *second* list contains elements for which [predicate] yielded `false`.

@sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives

public inline fun ShortArray.partition(predicate: (Short) -> Boolean): Pair<List<Short>, List<Short>> {
    val first = ArrayList<Short>()
    val second = ArrayList<Short>()
    for (element in this) {
        if (predicate(element)) {
            first.add(element)
        } else {
            second.add(element)
        }
    }
    return Pair(first, second)
}
// Splits the original array into pair of lists,
// where *first* list contains elements for which [predicate] yielded `true`,
// while *second* list contains elements for which [predicate] yielded `false`.

@sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives

public inline fun IntArray.partition(predicate: (Int) -> Boolean): Pair<List<Int>, List<Int>> {
    val first = ArrayList<Int>()
    val second = ArrayList<Int>()
    for (element in this) {
        if (predicate(element)) {
            first.add(element)
        } else {
            second.add(element)
        }
    }
    return Pair(first, second)
}
// Splits the original array into pair of lists,
// where *first* list contains elements for which [predicate] yielded `true`,
// while *second* list contains elements for which [predicate] yielded `false`.

@sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives

public inline fun LongArray.partition(predicate:

```

```

(Long) -> Boolean): Pair<List<Long>, List<Long>> {\n  val first = ArrayList<Long>()\n  val second =
ArrayList<Long>()\n  for (element in this) {\n    if (predicate(element)) {\n      first.add(element)\n    } else
{\n      second.add(element)\n    }\n  }\n  return Pair(first, second)\n}\n\n/**\n * Splits the original array into
pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list
contains elements for which [predicate] yielded `false`.\n * \n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
FloatArray.partition(predicate: (Float) -> Boolean): Pair<List<Float>, List<Float>> {\n  val first =
ArrayList<Float>()\n  val second = ArrayList<Float>()\n  for (element in this) {\n    if (predicate(element)) {\n
      first.add(element)\n    } else {\n      second.add(element)\n    }\n  }\n  return
Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements
for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded
`false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline
fun DoubleArray.partition(predicate: (Double) -> Boolean): Pair<List<Double>, List<Double>> {\n  val first =
ArrayList<Double>()\n  val second = ArrayList<Double>()\n  for (element in this) {\n    if (predicate(element))
{\n      first.add(element)\n    } else {\n      second.add(element)\n    }\n  }\n  return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n *
@sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun BooleanArray.partition(predicate: (Boolean) -> Boolean): Pair<List<Boolean>,
List<Boolean>> {\n  val first = ArrayList<Boolean>()\n  val second = ArrayList<Boolean>()\n  for (element in
this) {\n    if (predicate(element)) {\n      first.add(element)\n    } else {\n      second.add(element)\n    }\n  }\n  return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list
contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which
[predicate] yielded `false`.\n * \n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
CharArray.partition(predicate: (Char) -> Boolean): Pair<List<Char>, List<Char>> {\n  val first =
ArrayList<Char>()\n  val second = ArrayList<Char>()\n  for (element in this) {\n    if (predicate(element)) {\n
      first.add(element)\n    } else {\n      second.add(element)\n    }\n  }\n  return Pair(first, second)\n}\n\n/**\n * Returns a list of
pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic
infix fun <T, R> Array<out T>.zip(other: Array<out R>): List<Pair<T, R>> {\n  return zip(other) { t1, t2 -> t1 to
t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ByteArray.zip(other: Array<out R>):
List<Pair<Byte, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` array and the [other] array with the same index.\n * The returned
list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ShortArray.zip(other: Array<out R>): List<Pair<Short, R>> {\n  return zip(other) { t1, t2
-> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the
same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> IntArray.zip(other: Array<out R>):
List<Pair<Int, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R>
LongArray.zip(other: Array<out R>): List<Pair<Long, R>> {\n  return zip(other) { t1, t2 ->
t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the
same index.\n * The returned list has length of the shortest collection.\n * \n * @sample

```

```

samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> FloatArray.zip(other: Array<out
R>): List<Pair<Float, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R>
DoubleArray.zip(other: Array<out R>): List<Pair<Double, R>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <R> BooleanArray.zip(other: Array<out R>): List<Pair<Boolean, R>> {\n    return zip(other) {
t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array
with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> CharArray.zip(other: Array<out R>):
List<Pair<Char, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the
elements of `this` array and the [other] array with the same index\n * using the provided [transform] function
applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <T, R, V> Array<out
T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V):
List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n
list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements
of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each
pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <R, V>
ByteArray.zip(other: Array<out R>, transform: (a: Byte, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i],
other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each
pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <R, V>
ShortArray.zip(other: Array<out R>, transform: (a: Short, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i],
other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <R, V>
IntArray.zip(other: Array<out R>, transform: (a: Int, b: R) -> V): List<V> {\n    val size = minOf(size, other.size)\n
val list = ArrayList<V>(size)\n    for (i in 0 until
size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built
from the elements of `this` array and the [other] array with the same index\n * using the provided [transform]
function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <R, V>
LongArray.zip(other: Array<out R>, transform: (a: Long, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i],
other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <R, V> FloatArray.zip(other: Array<out R>, transform: (a: Float, b: R) -> V): List<V> {\n
val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n

```

```

list.add(transform(this[i], other[i]))\n } \n return list\n\n\n * Returns a list of values built from the elements
of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each
pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <R, V>
DoubleArray.zip(other: Array<out R>, transform: (a: Double, b: R) -> V): List<V> {\n val size = minOf(size,
other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n
}\n return list\n}\n\n\n * Returns
a list of values built from the elements of `this` array and the [other] array with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline
fun <R, V> BooleanArray.zip(other: Array<out R>, transform: (a: Boolean, b: R) -> V): List<V> {\n val size =
minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i],
other[i]))\n }\n return list\n}\n\n\n * Returns a list of values built from the elements of `this` array and the
[other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n *
The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <R, V>
CharArray.zip(other:
Array<out R>, transform: (a: Char, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list =
ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return
list\n}\n\n\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <T, R> Array<out T>.zip(other:
Iterable<R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n\n * Returns a list of pairs built
from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R>
ByteArray.zip(other: Iterable<R>): List<Pair<Byte, R>> {\n return zip(other) { t1,
t2 -> t1 to t2 }\n}\n\n\n * Returns a list of pairs built from the elements of `this` collection and [other] array with
the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> ShortArray.zip(other: Iterable<R>):
List<Pair<Short, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n\n * Returns a list of pairs built from the
elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R>
IntArray.zip(other: Iterable<R>): List<Pair<Int, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n\n *
Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <R> LongArray.zip(other: Iterable<R>): List<Pair<Long, R>> {\n return zip(other) { t1, t2 -
> t1 to t2 }\n}\n\n\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the
same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> FloatArray.zip(other: Iterable<R>):
List<Pair<Float, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n\n * Returns a list of pairs built from the
elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R>
DoubleArray.zip(other: Iterable<R>): List<Pair<Double, R>> {\n return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n\n * Returns a list of pairs built from the elements
of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R>
BooleanArray.zip(other: Iterable<R>): List<Pair<Boolean, R>> {\n return zip(other) { t1, t2 -> t1 to t2
}

```

```

}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *^npublic infix fun <R> CharArray.zip(other: Iterable<R>):
List<Pair<Char, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the
elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function
applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*^npublic inline fun <T, R, V> Array<out T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n
val arraySize = size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i =
0\n    for (element in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n
return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with
the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list
has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *^npublic inline fun <R, V>
ByteArray.zip(other: Iterable<R>, transform: (a: Byte, b: R) -> V): List<V> {\n    val arraySize = size\n    val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other]
collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *^npublic inline fun <R, V>
ShortArray.zip(other: Iterable<R>, transform: (a: Short, b: R) -> V): List<V> {\n    val arraySize = size\n    val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n *
using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*^npublic inline fun <R, V> IntArray.zip(other: Iterable<R>, transform: (a: Int, b: R) -> V): List<V> {\n    val
arraySize = size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n
for (element in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n
return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the
same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has
length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *^npublic inline fun <R, V>
LongArray.zip(other: Iterable<R>,
transform: (a: Long, b: R) -> V): List<V> {\n    val arraySize = size\n    val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n *^npublic inline
fun <R, V> FloatArray.zip(other: Iterable<R>, transform: (a: Float, b: R) -> V): List<V> {\n    val arraySize =
size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element
in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other]
collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *^npublic inline fun <R, V>

```

```

DoubleArray.zip(other: Iterable<R>, transform: (a: Double, b: R) -> V): List<V> {\n  val arraySize = size\n  val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> BooleanArray.zip(other: Iterable<R>, transform: (a: Boolean, b: R) -> V): List<V> {\n  val arraySize = size\n  val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> CharArray.zip(other: Iterable<R>, transform: (a: Char, b: R) -> V): List<V> {\n  val arraySize = size\n  val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ByteArray.zip(other: ByteArray): List<Pair<Byte, Byte>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ShortArray.zip(other: ShortArray): List<Pair<Short, Short>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun IntArray.zip(other: IntArray): List<Pair<Int, Int>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun LongArray.zip(other: LongArray): List<Pair<Long, Long>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun FloatArray.zip(other: FloatArray): List<Pair<Float, Float>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun DoubleArray.zip(other: DoubleArray): List<Pair<Double, Double>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun BooleanArray.zip(other: BooleanArray): List<Pair<Boolean, Boolean>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun CharArray.zip(other: CharArray): List<Pair<Char, Char>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */

```

```

*public inline fun <V> ByteArray.zip(other: ByteArray, transform: (a: Byte, b: Byte) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.
   
 @sample samples.collections.Iterables.Operations.zipIterableWithTransform

```

*public inline fun <V> ShortArray.zip(other: ShortArray, transform: (a: Short, b: Short) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.
   
 @sample

```

samples.collections.Iterables.Operations.zipIterableWithTransform
*public inline fun <V> IntArray.zip(other: IntArray, transform: (a: Int, b: Int) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.
   
 @sample samples.collections.Iterables.Operations.zipIterableWithTransform

```

*public inline fun <V> LongArray.zip(other: LongArray, transform: (a: Long, b: Long) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.
   
 @sample samples.collections.Iterables.Operations.zipIterableWithTransform

```

*public inline fun <V> FloatArray.zip(other: FloatArray, transform: (a: Float, b: Float) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.
   
 @sample

```

samples.collections.Iterables.Operations.zipIterableWithTransform
*public inline fun <V> DoubleArray.zip(other: DoubleArray, transform: (a: Double, b: Double) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.
   
 @sample samples.collections.Iterables.Operations.zipIterableWithTransform

```

*public inline fun <V> BooleanArray.zip(other: BooleanArray, transform: (a: Boolean, b: Boolean) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.
   
 @sample

```

samples.collections.Iterables.Operations.zipIterableWithTransform
*public inline fun <V> CharArray.zip(other: CharArray, transform: (a: Char, b: Char) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied. If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to

```

\"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \npublic fun <T, A :
Appendable> Array<out T>.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = \"\", postfix:
CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\").\n * \n * @sample
{\n buffer.append(prefix)\n var count = 0\n for
(element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n
buffer.appendElement(element, transform)\n } else break\n }\n if (limit >= 0 && count > limit)
buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the
elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection
could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will
be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n * \npublic fun <A : Appendable>
ByteArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = \"\", postfix: CharSequence =
\"\", limit: Int = -1, truncated: CharSequence = \"...\").\n * \n * @sample
buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1)
buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n
buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n
}\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \npublic fun <A :
Appendable> ShortArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix:
CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\").\n * \n * @sample
((Short) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n
if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n
buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else
break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n * \npublic fun <A : Appendable> IntArray.joinTo(buffer:
A, separator: CharSequence = "\", \"", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1,
truncated: CharSequence = \"...\").\n * \n * @sample
buffer.append(prefix)\n var
count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <=
limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n
buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit)
buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the
elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection
could be huge, you can specify a non-negative value of [limit],
in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults
to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \npublic fun <A :
Appendable> LongArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = \"\", postfix:
CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\").\n * \n * @sample
((Long) -> CharSequence)? =
null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1)
buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n
buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n
}\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return

```



```

buffer\n}\n\n/**\n * Appends the string from all the elements separated using
 [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can
 specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed
 by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable>
FloatArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence =
 \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Float) -> CharSequence)? = null): A {\n
buffer.append(prefix)\n var count = 0\n for (element in this) {\n     if (++count > 1) buffer.append(separator)\n
     if (limit < 0 || count <= limit) {\n         if (transform != null)\n             buffer.append(transform(element))\n         else\n             buffer.append(element.toString())\n     } else break\n } \n if (limit >=
0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends
the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n *
\n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first
 [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable>
DoubleArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix:
CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Double) -> CharSequence)? =
null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n     if (++count > 1)
buffer.append(separator)\n     if (limit < 0 || count <= limit) {\n         if (transform != null)\n
buffer.append(transform(element))\n         else\n             buffer.append(element.toString())\n     } else
break\n } \n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
 [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
 [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
 defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A :
Appendable> BooleanArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\",
postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) ->
CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n
for (element in this) {\n     if (++count > 1) buffer.append(separator)\n     if (limit < 0 || count <= limit) {\n
if (transform != null)\n         buffer.append(transform(element))\n         else\n             buffer.append(element.toString())\n     } else break\n } \n if (limit >= 0 && count > limit)
buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the
elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection
could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will
be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable>
CharArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence =
 \"\",
limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): A {\n
buffer.append(prefix)\n var count = 0\n for (element in this) {\n     if (++count > 1) buffer.append(separator)\n
     if (limit < 0 || count <= limit) {\n         if (transform != null)\n             buffer.append(transform(element))\n         else\n             buffer.append(element)\n     } else break\n } \n if (limit >= 0 && count > limit)
buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Creates a string from all the
elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection
could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will
be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic

```

```

fun <T> Array<out T>.joinToString(separator: CharSequence = '\', '\', prefix: CharSequence = \"\", postfix:
CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null):
String {\n    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated,
transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the
given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value
of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string
(which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n
*/\npublic fun ByteArray.joinToString(separator: CharSequence = '\', '\', prefix: CharSequence = \"\", postfix:
CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Byte) -> CharSequence)?
= null): String {\n    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated,
transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the
given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value
of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string
(which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n
*/\npublic fun ShortArray.joinToString(separator: CharSequence = '\', '\', prefix: CharSequence = \"\", postfix:
CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Short) -> CharSequence)? =
null): String {\n    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated,
transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the
given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative
value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string
(which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n
*/\npublic fun IntArray.joinToString(separator: CharSequence = '\', '\', prefix: CharSequence = \"\", postfix:
CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Int) -> CharSequence)? = null):
String {\n    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated,
transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the
given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value
of [limit], in which case only the first [limit]\n * elements will be appended, followed by the
[truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n
*/\npublic fun LongArray.joinToString(separator:
CharSequence = '\', '\', prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Long) -> CharSequence)? = null): String {\n    return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n
*/\npublic fun FloatArray.joinToString(separator:
CharSequence = '\', '\', prefix: CharSequence
= \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Float) ->
CharSequence)? = null): String {\n    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated,
transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the
given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value
of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string
(which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n
*/\npublic fun DoubleArray.joinToString(separator: CharSequence = '\', '\', prefix: CharSequence = \"\", postfix:
CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Double) -> CharSequence)? =
null): String {\n    return joinTo(StringBuilder(), separator, prefix, postfix,
limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using
[separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can

```

```

specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed
by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun
BooleanArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence =
\"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) -> CharSequence)? = null): String {\n
return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates
a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n
* If the collection could
be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun CharArray.joinToString(separator:
CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): String {\n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an [Iterable] instance that
wraps the original array returning its elements when being iterated.\n *\npublic fun <T> Array<out T>.asIterable():
Iterable<T> {\n  if (isEmpty()) return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates an
[Iterable] instance that wraps the original array returning its elements when being iterated.\n *\npublic
fun ByteArray.asIterable(): Iterable<Byte> {\n  if (isEmpty()) return emptyList()\n  return Iterable { this.iterator()
}\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being
iterated.\n *\npublic fun ShortArray.asIterable(): Iterable<Short> {\n  if (isEmpty()) return emptyList()\n  return
Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its
elements when being iterated.\n *\npublic fun IntArray.asIterable(): Iterable<Int> {\n  if (isEmpty()) return
emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original
array returning its elements when being iterated.\n *\npublic fun LongArray.asIterable(): Iterable<Long> {\n  if
(isEmpty()) return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that
wraps the original array returning its elements
when being iterated.\n *\npublic fun FloatArray.asIterable(): Iterable<Float> {\n  if (isEmpty()) return
emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original
array returning its elements when being iterated.\n *\npublic fun DoubleArray.asIterable(): Iterable<Double> {\n
if (isEmpty()) return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance
that wraps the original array returning its elements when being iterated.\n *\npublic fun BooleanArray.asIterable():
Iterable<Boolean> {\n  if (isEmpty()) return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates
an [Iterable] instance that wraps the original array returning its elements when being iterated.\n *\npublic fun
CharArray.asIterable(): Iterable<Char> {\n  if (isEmpty()) return emptyList()\n  return Iterable { this.iterator()
}\n}\n\n/**\n * Creates a [Sequence] instance that wraps the
original array returning its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n *\npublic fun <T> Array<out T>.asSequence():
Sequence<T> {\n  if (isEmpty()) return emptySequence()\n  return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *\npublic fun ByteArray.asSequence():
Sequence<Byte> {\n  if (isEmpty()) return emptySequence()\n  return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *\npublic fun ShortArray.asSequence():
Sequence<Short> {\n  if (isEmpty()) return emptySequence()\n  return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps
the original array returning its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n *\npublic fun IntArray.asSequence():
Sequence<Int> {\n  if (isEmpty()) return emptySequence()\n  return Sequence { this.iterator() }\n}\n\n/**\n *

```

```

Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n * \n\npublic fun LongArray.asSequence():
Sequence<Long> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n * \n\npublic fun FloatArray.asSequence():
Sequence<Float> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that
wraps the original array returning its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n * \n\npublic fun DoubleArray.asSequence():
Sequence<Double> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n * \n\npublic fun
BooleanArray.asSequence(): Sequence<Boolean> {\n if (isEmpty()) return emptySequence()\n return Sequence
{ this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements
when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n * \n\npublic
fun CharArray.asSequence(): Sequence<Char> {\n if (isEmpty()) return emptySequence()\n return Sequence {
this.iterator() }\n}\n\n/**\n * Returns an average value
of elements in the array.\n * \n\n@kotlin.jvm.JvmName("averageOfByte")\n\npublic fun Array<out Byte>.average():
Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n
++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n * \n\n@kotlin.jvm.JvmName("averageOfShort")\n\npublic fun Array<out Short>.average():
Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n
++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n * \n\n@kotlin.jvm.JvmName("averageOfInt")\n\npublic fun Array<out Int>.average(): Double
{\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n
}\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n * \n\n@kotlin.jvm.JvmName("averageOfLong")\n\npublic fun
Array<out Long>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n
sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n *
Returns an average value of elements in the array.\n * \n\n@kotlin.jvm.JvmName("averageOfFloat")\n\npublic fun
Array<out Float>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n
sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n *
Returns an average value of elements in the array.\n * \n\n@kotlin.jvm.JvmName("averageOfDouble")\n\npublic fun
Array<out Double>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this)
{\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN
else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n * \n\npublic fun
ByteArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n
sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the array.\n * \n\npublic fun ShortArray.average(): Double {\n var sum: Double =
0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count
== 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n * \n\npublic
fun IntArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n
sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the array.\n * \n\npublic fun LongArray.average():
Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n
++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n * \n\npublic fun FloatArray.average(): Double {\n var sum: Double = 0.0\n var count: Int
= 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN

```

```

else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun
DoubleArray.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
sum += element\n        ++count\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun Array<out
Byte>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\n@kotlin.jvm.JvmName("sumOfShort")\npublic fun Array<out Short>.sum(): Int {\n    var sum: Int = 0\n    for
(element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the
array.\n */\n@kotlin.jvm.JvmName("sumOfInt")\npublic fun Array<out Int>.sum(): Int {\n    var sum: Int = 0\n
for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in
the array.\n */\n@kotlin.jvm.JvmName("sumOfLong")\npublic fun Array<out Long>.sum(): Long {\n    var sum:
Long = 0L\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of
all elements in the array.\n */\n@kotlin.jvm.JvmName("sumOfFloat")\npublic fun Array<out Float>.sum(): Float
{\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName("sumOfDouble")\npublic fun Array<out Double>.sum(): Double {\n    var sum:
Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of
all elements in the array.\n */\npublic fun ByteArray.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun
ShortArray.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun IntArray.sum(): Int {\n    var sum:
Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
elements in the array.\n */\npublic fun LongArray.sum(): Long {\n    var sum: Long = 0L\n    for (element
in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\npublic fun FloatArray.sum(): Float {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum +=
element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun
DoubleArray.sum(): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n"/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
*/\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("RangesKt")\n\npackage
kotlin.ranges\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\nimport kotlin.random.*\n\n/**\n * Returns a
random
element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun IntRange.random(): Int {\n    return
random(Random)\n}\n\n/**\n * Returns a random element from this range.\n * \n * @throws
IllegalArgumentException if this range is empty.\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun LongRange.random(): Long {\n    return random(Random)\n}\n\n/**\n * Returns a random element from
this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun CharRange.random(): Char {\n    return
random(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of
randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin("1.3")\npublic fun IntRange.random(random: Random): Int {\n    try {\n        return
random.nextInt(this)\n    } catch (e: IllegalArgumentException) {\n        throw NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws
IllegalArgumentException if this range is empty.\n */\n@SinceKotlin("1.3")\npublic fun LongRange.random(random: Random): Long {\n    try {\n        return random.nextLong(this)\n    } catch (e:

```

```

IllegalArgumentException) {\n    throw NoSuchElementException(e.message)\n } }\n\n/**\n * Returns a
random element from this range using the specified source of randomness.\n * \n * @throws
IllegalArgumentException if this range is empty.\n */\n@SinceKotlin("1.3")\npublic fun
CharRange.random(random: Random): Char {\n    try {\n        return random.nextInt(first.code +
1).toChar()\n    } catch(e: IllegalArgumentException) {\n        throw NoSuchElementException(e.message)\n
}\n}\n\n/**\n * Returns a random element from this range, or `null` if
this range is empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun IntRange.randomOrNull(): Int? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random
element from this range, or `null` if this range is empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun LongRange.randomOrNull(): Long? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this range, or `null` if this range is empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun CharRange.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this range using the specified source of randomness, or `null` if this range is empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
IntRange.randomOrNull(random:
Random): Int? {\n    if (isEmpty())\n        return null\n    return random.nextInt(this)\n}\n\n/**\n * Returns a random
element from this range using the specified source of randomness, or `null` if this range is empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
LongRange.randomOrNull(random: Random): Long? {\n    if (isEmpty())\n        return null\n    return
random.nextLong(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of
randomness, or `null` if this range is empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
CharRange.randomOrNull(random: Random): Char? {\n    if (isEmpty())\n        return null\n    return
random.nextInt(first.code, last.code + 1).toChar()\n}\n\n/**\n * Returns `true` if this range contains the specified
[element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline operator fun IntRange.contains(element: Int?): Boolean {\n    return element != null &&
contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns
`false` if the [element] is `null`.\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator
fun LongRange.contains(element: Long?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n *
Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is
`null`.\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun
CharRange.contains(element: Char?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName("intRangeContains")\npublic
operator fun ClosedRange<Int>.contains(value: Byte): Boolean {\n    return contains(value.toInt())\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun ClosedRange<Long>.contains(value:
Byte): Boolean {\n    return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this
range.\n */\n@kotlin.jvm.JvmName("shortRangeContains")\npublic operator fun
ClosedRange<Short>.contains(value: Byte): Boolean {\n    return contains(value.toShort())\n}\n\n/**\n * Checks if
the specified [value] belongs to this range.\n */\n@Deprecated("This `contains` operation mixing integer and
floating point arguments has ambiguous semantics and is going to be
removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince =
"1.5")\n@kotlin.jvm.JvmName("doubleRangeContains")\npublic operator fun
ClosedRange<Double>.contains(value: Byte): Boolean {\n    return contains(value.toDouble())\n}\n\n/**\n *

```

Checks if the specified [value] belongs to this range.\n \*\n@Deprecated(\nThis  
`contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be  
removed.\n)\n@DeprecatedSinceKotlin(warningSince = \n1.3\n, errorSince = \n1.4\n, hiddenSince =  
\n1.5\n)\n@kotlin.jvm.JvmName(\nfloatRangeContains\n)\npublic operator fun ClosedRange<Float>.contains(value:  
Byte): Boolean {\n return contains(value.toFloat())\n}\n\n\*\*\n \* Checks if the specified [value] belongs to this  
range.\n \*\n@Deprecated(\nThis `contains` operation mixing integer and floating point arguments has ambiguous  
semantics and is going to be removed.\n)\n@DeprecatedSinceKotlin(warningSince = \n1.3\n, errorSince = \n1.4\n,  
hiddenSince = \n1.5\n)\n@kotlin.jvm.JvmName(\nintRangeContains\n)\npublic operator fun  
ClosedRange<Int>.contains(value: Double): Boolean {\n return value.toIntExactOrNull().let { if (it != null)  
contains(it) else false }\n}\n\n\*\*\n \* Checks if the specified [value] belongs to this range.\n  
\*\n@Deprecated(\nThis `contains` operation  
mixing integer and floating point arguments has ambiguous semantics and is going to be  
removed.\n)\n@DeprecatedSinceKotlin(warningSince = \n1.3\n, errorSince = \n1.4\n, hiddenSince =  
\n1.5\n)\n@kotlin.jvm.JvmName(\nlongRangeContains\n)\npublic operator fun ClosedRange<Long>.contains(value:  
Double): Boolean {\n return value.toLongExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n\*\*\n \*  
Checks if the specified [value] belongs to this range.\n \*\n@Deprecated(\nThis `contains` operation mixing integer  
and floating point arguments has ambiguous semantics and is going to be  
removed.\n)\n@DeprecatedSinceKotlin(warningSince = \n1.3\n, errorSince = \n1.4\n, hiddenSince =  
\n1.5\n)\n@kotlin.jvm.JvmName(\nbyteRangeContains\n)\npublic operator fun ClosedRange<Byte>.contains(value:  
Double): Boolean {\n return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n\*\*\n \*  
Checks if the specified [value] belongs to this range.\n \*\n@Deprecated(\nThis  
`contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be  
removed.\n)\n@DeprecatedSinceKotlin(warningSince = \n1.3\n, errorSince = \n1.4\n, hiddenSince =  
\n1.5\n)\n@kotlin.jvm.JvmName(\nshortRangeContains\n)\npublic operator fun  
ClosedRange<Short>.contains(value: Double): Boolean {\n return value.toShortExactOrNull().let { if (it != null)  
contains(it) else false }\n}\n\n\*\*\n \* Checks if the specified [value] belongs to this range.\n  
\*\n@kotlin.jvm.JvmName(\nfloatRangeContains\n)\npublic operator fun ClosedRange<Float>.contains(value:  
Double): Boolean {\n return contains(value.toFloat())\n}\n\n\*\*\n \* Checks if the specified [value] belongs to this  
range.\n \*\n@Deprecated(\nThis `contains` operation mixing integer and floating point arguments has ambiguous  
semantics and is going to be removed.\n)\n@DeprecatedSinceKotlin(warningSince = \n1.3\n, errorSince = \n1.4\n,  
hiddenSince = \n1.5\n)\n@kotlin.jvm.JvmName(\nintRangeContains\n)\npublic  
operator fun ClosedRange<Int>.contains(value: Float): Boolean {\n return value.toIntExactOrNull().let { if (it !=  
null) contains(it) else false }\n}\n\n\*\*\n \* Checks if the specified [value] belongs to this range.\n  
\*\n@Deprecated(\nThis `contains` operation mixing integer and floating point arguments has ambiguous semantics  
and is going to be removed.\n)\n@DeprecatedSinceKotlin(warningSince = \n1.3\n, errorSince = \n1.4\n, hiddenSince  
= \n1.5\n)\n@kotlin.jvm.JvmName(\nlongRangeContains\n)\npublic operator fun  
ClosedRange<Long>.contains(value: Float): Boolean {\n return value.toLongExactOrNull().let { if (it != null)  
contains(it) else false }\n}\n\n\*\*\n \* Checks if the specified [value] belongs to this range.\n  
\*\n@Deprecated(\nThis `contains` operation mixing integer and floating point arguments has ambiguous semantics  
and is going to be removed.\n)\n@DeprecatedSinceKotlin(warningSince = \n1.3\n, errorSince = \n1.4\n, hiddenSince  
= \n1.5\n)\n@kotlin.jvm.JvmName(\nbyteRangeContains\n)\npublic  
operator fun ClosedRange<Byte>.contains(value: Float): Boolean {\n return value.toByteExactOrNull().let { if (it  
!= null) contains(it) else false }\n}\n\n\*\*\n \* Checks if the specified [value] belongs to this range.\n  
\*\n@Deprecated(\nThis `contains` operation mixing integer and floating point arguments has ambiguous semantics  
and is going to be removed.\n)\n@DeprecatedSinceKotlin(warningSince = \n1.3\n, errorSince = \n1.4\n, hiddenSince  
= \n1.5\n)\n@kotlin.jvm.JvmName(\nshortRangeContains\n)\npublic operator fun  
ClosedRange<Short>.contains(value: Float): Boolean {\n return value.toShortExactOrNull().let { if (it != null)  
contains(it) else false }\n}\n\n\*\*\n \* Checks if the specified [value] belongs to this range.\n

```

*\n@kotlin.jvm.JvmName("doubleRangeContains")\npublic operator fun ClosedRange<Double>.contains(value:
Float): Boolean {\n    return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this
range.\n
*\n@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun ClosedRange<Long>.contains(value: Int):
Boolean {\n    return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*\n@kotlin.jvm.JvmName("byteRangeContains")\npublic operator fun ClosedRange<Byte>.contains(value: Int):
Boolean {\n    return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if
the specified [value] belongs to this range.\n
*\n@kotlin.jvm.JvmName("shortRangeContains")\npublic operator
fun ClosedRange<Short>.contains(value: Int): Boolean {\n    return value.toShortExactOrNull().let { if (it != null)
contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*\n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics
and is going to be removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince
= "1.5")\n@kotlin.jvm.JvmName("doubleRangeContains")\npublic operator fun
ClosedRange<Double>.contains(value: Int): Boolean {\n    return contains(value.toDouble())\n}\n\n/**\n * Checks
if the specified [value] belongs to this range.\n
*\n@Deprecated("This `contains` operation mixing integer and
floating point arguments has ambiguous semantics and is going to be
removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince =
"1.5")\n@kotlin.jvm.JvmName("floatRangeContains")\npublic operator fun ClosedRange<Float>.contains(value:
Int): Boolean {\n    return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this
range.\n
*\n@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun ClosedRange<Int>.contains(value:
Long): Boolean {\n    return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n
*\n@kotlin.jvm.JvmName("byteRangeContains")\npublic
operator fun ClosedRange<Byte>.contains(value: Long): Boolean {\n    return value.toByteExactOrNull().let { if (it
!= null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*\n@kotlin.jvm.JvmName("shortRangeContains")\npublic operator fun ClosedRange<Short>.contains(value:
Long): Boolean {\n    return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n
*\n@Deprecated("This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince =
"1.5")\n@kotlin.jvm.JvmName("doubleRangeContains")\npublic operator fun
ClosedRange<Double>.contains(value: Long): Boolean {\n    return contains(value.toDouble())\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n
*\n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics
and is going to be removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince
= "1.5")\n@kotlin.jvm.JvmName("floatRangeContains")\npublic operator fun
ClosedRange<Float>.contains(value: Long): Boolean {\n    return contains(value.toFloat())\n}\n\n/**\n * Checks if
the specified [value] belongs to this range.\n
*\n@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun
ClosedRange<Int>.contains(value: Short): Boolean {\n    return contains(value.toInt())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n
*\n@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun
ClosedRange<Long>.contains(value: Short): Boolean {\n    return contains(value.toLong())\n}\n\n/**\n * Checks if
the specified [value] belongs to this range.\n
*\n@kotlin.jvm.JvmName("byteRangeContains")\npublic operator
fun ClosedRange<Byte>.contains(value:
Short): Boolean {\n    return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n
*\n@Deprecated("This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince =
"1.5")\n@kotlin.jvm.JvmName("doubleRangeContains")\npublic operator fun
ClosedRange<Double>.contains(value: Short): Boolean {\n    return contains(value.toDouble())\n}\n\n/**\n *

```



Checks if the specified [value] belongs to this range.  
`@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")`  
`@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince = "1.5")`  
`@kotlin.jvm.JvmName("floatRangeContains")`  
`public operator fun ClosedRange<Float>.contains(value: Short): Boolean {`  
`return contains(value.toFloat())`  
`}`  
`n/n/**`  
`* Returns a progression from this value down to the specified [to] value with the step -1.`  
`* The [to] value should be less than or equal to `this` value.`  
`* If the [to] value is greater than `this` value the returned progression is empty.`  
`n/n`  
`public infix fun Int.downTo(to: Byte): IntProgression {`  
`return IntProgression.fromClosedRange(this, to.toInt(), -1)`  
`}`  
`n/n/**`  
`* Returns a progression from this value down to the specified [to] value with the step -1.`  
`* The [to] value should be less than or equal to `this` value.`  
`* If the [to] value is greater than `this` value the returned progression is empty.`  
`n/n`  
`public infix fun Long.downTo(to: Byte): LongProgression {`  
`return LongProgression.fromClosedRange(this, to.toLong(), -1L)`  
`}`  
`n/n/**`  
`* Returns a progression from this value down to the specified [to] value with the step -1.`  
`* The [to] value should be less than or equal to `this` value.`  
`* If the [to] value is greater than `this` value the returned progression is empty.`  
`n/n`  
`public infix fun Byte.downTo(to: Byte): IntProgression {`  
`return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)`  
`}`  
`n/n/**`  
`* Returns a progression from this value down to the specified [to] value with the step -1.`  
`* The [to] value should be less than or equal to `this` value.`  
`* If the [to] value is greater than `this` value the returned progression is empty.`  
`n/n`  
`public infix fun Short.downTo(to: Byte): IntProgression {`  
`return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)`  
`}`  
`n/n/**`  
`* Returns a progression from this value down to the specified [to] value with the step -1.`  
`* The [to] value should be less than or equal to `this` value.`  
`* If the [to] value is greater than `this` value the returned progression is empty.`  
`n/n`  
`public infix fun Int.downTo(to: Int): IntProgression {`  
`return IntProgression.fromClosedRange(this, to, -1)`  
`}`  
`n/n/**`  
`* Returns a progression from this value down to the specified [to] value with the step -1.`  
`* The [to] value should be less than or equal to `this` value.`  
`* If the [to] value is greater than `this` value the returned progression is empty.`  
`n/n`  
`public infix fun Long.downTo(to: Int): LongProgression {`  
`return LongProgression.fromClosedRange(this, to.toLong(), -1L)`  
`}`  
`n/n/**`  
`* Returns a progression from this value down to the specified [to] value with the step -1.`  
`* The [to] value should be less than or equal to `this` value.`  
`* If the [to] value is greater than `this` value the returned progression is empty.`  
`n/n`  
`public infix fun Byte.downTo(to: Int): IntProgression {`  
`return IntProgression.fromClosedRange(this.toInt(), to, -1)`  
`}`  
`n/n/**`  
`* Returns a progression from this value down to the specified [to] value with the step -1.`  
`* The [to] value should be less than or equal to `this` value.`  
`* If the [to] value is greater than `this` value the returned progression is empty.`  
`n/n`  
`public infix fun Short.downTo(to: Int): IntProgression {`  
`return IntProgression.fromClosedRange(this.toInt(), to, -1)`  
`}`  
`n/n/**`  
`* Returns a progression from this value down to the specified [to] value with the step -1.`  
`* The [to] value should be less than or equal to `this` value.`  
`* If the [to] value is greater than `this` value the returned progression is empty.`  
`n/n`  
`public infix fun Int.downTo(to: Long): LongProgression {`  
`return LongProgression.fromClosedRange(this.toLong(), to, -1L)`  
`}`  
`n/n/**`  
`* Returns a progression from this value down to the specified [to] value with the step -1.`  
`* The [to] value should be less than or equal to `this` value.`  
`* If the [to] value is greater than `this` value the returned progression is empty.`  
`n/n`  
`public infix fun Long.downTo(to: Long): LongProgression {`  
`return LongProgression.fromClosedRange(this, to, -1L)`  
`}`  
`n/n/**`  
`* Returns a progression from this value down to the specified [to] value with the step -1.`  
`* The [to] value should be less than or equal to `this` value.`  
`* If the [to] value is greater than `this` value the returned progression is empty.`  
`n/n`  
`public infix fun Byte.downTo(to: Long): LongProgression {`  
`return LongProgression.fromClosedRange(this.toLong(), to, -1L)`  
`}`  
`n/n/**`  
`* Returns a progression from this value down to the specified [to] value with the step -1.`  
`* The [to] value should be less than or equal to `this` value.`  
`* If the [to] value is greater than `this` value the returned progression is empty.`  
`n/n`

```

* If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun
Short.downTo(to:
Long): LongProgression {\n    return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n *
Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should
be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is
empty.\n */\npublic infix fun Int.downTo(to: Short): IntProgression {\n    return
IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the
specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to]
value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Short):
LongProgression {\n    return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a
progression from this value down to the specified [to] value with the step -1.\n * \n * The [to]
value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned
progression is empty.\n */\npublic infix fun Byte.downTo(to: Short): IntProgression {\n    return
IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value
down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n
* If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun
Short.downTo(to: Short): IntProgression {\n    return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -
1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n
*/\npublic fun IntProgression.reversed(): IntProgression {\n    return IntProgression.fromClosedRange(last, first, -
step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction
with the same step.\n */\npublic fun LongProgression.reversed(): LongProgression {\n    return
LongProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same
range in the opposite direction with the same step.\n */\npublic fun CharProgression.reversed(): CharProgression {\n
    return CharProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the
same range with the given step.\n */\npublic infix fun IntProgression.step(step: Int): IntProgression {\n
    checkStepIsPositive(step > 0, step)\n    return IntProgression.fromClosedRange(first, last, if (this.step > 0) step else -
step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun
LongProgression.step(step: Long): LongProgression {\n    checkStepIsPositive(step > 0, step)\n    return
LongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a
progression that goes over the same range with the given step.\n */\npublic infix fun CharProgression.step(step:
Int): CharProgression {\n    checkStepIsPositive(step > 0, step)\n    return CharProgression.fromClosedRange(first,
last, if (this.step > 0) step else -step)\n}\n\ninternal fun Int.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toInt()..Byte.MAX_VALUE.toInt()) this.toByte() else null\n}\n\ninternal fun
Long.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toLong()..Byte.MAX_VALUE.toLong()) this.toByte() else null\n}\n\ninternal fun
Short.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toShort()..Byte.MAX_VALUE.toShort()) this.toByte() else null\n}\n\ninternal fun
Double.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toDouble()..Byte.MAX_VALUE.toDouble()) this.toInt().toByte() else null\n}\n\ninternal fun
Float.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toFloat()..Byte.MAX_VALUE.toFloat())
this.toInt().toByte() else null\n}\n\ninternal fun Long.toIntExactOrNull(): Int? {\n    return if (this in
Int.MIN_VALUE.toLong()..Int.MAX_VALUE.toLong()) this.toInt() else null\n}\n\ninternal fun
Double.toIntExactOrNull(): Int? {\n    return if (this in
Int.MIN_VALUE.toDouble()..Int.MAX_VALUE.toDouble()) this.toInt() else null\n}\n\ninternal fun
Float.toIntExactOrNull(): Int? {\n    return if (this in Int.MIN_VALUE.toFloat()..Int.MAX_VALUE.toFloat())
this.toInt() else null\n}\n\ninternal fun Double.toLongExactOrNull(): Long? {\n    return if (this in
Long.MIN_VALUE.toDouble()..Long.MAX_VALUE.toDouble()) this.toLong() else null\n}\n\ninternal fun

```

Float.toLongExactOrNull(): Long? {\n return if (this in Long.MIN\_VALUE.toFloat()..Long.MAX\_VALUE.toFloat()) this.toLong() else null\n}\n\ninternal fun

Int.toShortExactOrNull(): Short? {\n return if (this in Short.MIN\_VALUE.toInt()..Short.MAX\_VALUE.toInt()) this.toShort() else null\n}\n\ninternal fun Long.toShortExactOrNull(): Short? {\n return if (this in Short.MIN\_VALUE.toLong()..Short.MAX\_VALUE.toLong()) this.toShort() else null\n}\n\ninternal fun Double.toShortExactOrNull(): Short? {\n return if (this in Short.MIN\_VALUE.toDouble()..Short.MAX\_VALUE.toDouble()) this.toInt().toShort() else null\n}\n\ninternal fun Float.toShortExactOrNull(): Short? {\n return if (this in Short.MIN\_VALUE.toFloat()..Short.MAX\_VALUE.toFloat()) this.toInt().toShort() else null\n}\n\n\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Int.until(to: Byte): IntRange {\n return this .. (to.toInt() - 1).toInt()\n}\n\n\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Long.until(to: Byte): LongRange {\n return this .. (to.toLong() - 1).toLong()\n}\n\n\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Byte.until(to: Byte): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Short.until(to: Byte): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Char.until(to: Char): CharRange {\n if (to <= '\u0000') return CharRange.EMPTY\n return this .. (to - 1).toChar()\n}\n\n\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Int.until(to: Int): IntRange {\n if (to <= Int.MIN\_VALUE) return IntRange.EMPTY\n return this .. (to - 1).toInt()\n}\n\n\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Long.until(to: Int): LongRange {\n return this .. (to.toLong() - 1).toLong()\n}\n\n\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Byte.until(to: Int): IntRange {\n if (to <= Int.MIN\_VALUE) return IntRange.EMPTY\n return this.toInt() .. (to - 1).toInt()\n}\n\n\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Short.until(to: Int): IntRange {\n if (to <= Int.MIN\_VALUE) return IntRange.EMPTY\n return this.toInt() .. (to - 1).toInt()\n}\n\n\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Int.until(to: Long): LongRange {\n if (to <= Long.MIN\_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Long.until(to: Long): LongRange {\n if (to <= Long.MIN\_VALUE) return LongRange.EMPTY\n return this .. (to - 1).toLong()\n}\n\n\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Byte.until(to: Long): LongRange {\n if (to <= Long.MIN\_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Short.until(to: Long): LongRange {\n if (to <= Long.MIN\_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or

```

equal to `this` value, then the returned range is empty.\n *\npublic infix fun Int.until(to: Short): IntRange {\n
return this .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns
a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to
`this` value, then the returned range is empty.\n *\npublic infix fun Long.until(to: Short): LongRange {\n
return
this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to]
value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n *\npublic
infix fun Byte.until(to: Short): IntRange {\n
return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a
range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to
`this` value, then the returned range is empty.\n *\npublic infix fun Short.until(to: Short): IntRange {\n
return
this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Ensures that this value is not less than the specified
[minimumValue].\n * \n * @return this value
if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeast\n *\npublic fun <T : Comparable<T>>
T.coerceAtLeast(minimumValue: T): T {\n
return if (this < minimumValue) minimumValue else this\n}\n\n/**\n
* Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater
than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeast\n *\npublic fun Byte.coerceAtLeast(minimumValue: Byte):
Byte {\n
return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less
than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue]
or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n
*\npublic fun Short.coerceAtLeast(minimumValue: Short):
Short {\n
return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not
less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the
[minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeast\n *\npublic fun Int.coerceAtLeast(minimumValue: Int): Int
{\n
return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than
the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the
[minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n *\npublic
fun Long.coerceAtLeast(minimumValue: Long): Long {\n
return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value
if it's greater than or equal to the [minimumValue]
or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n
*\npublic fun Float.coerceAtLeast(minimumValue: Float): Float {\n
return if (this < minimumValue)
minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n
* @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n *
@sample samples.comparisons.ComparableOps.coerceAtLeast\n *\npublic fun
Double.coerceAtLeast(minimumValue: Double): Double {\n
return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n *\npublic fun <T : Comparable<T>>
T.coerceAtMost(maximumValue: T): T {\n
return if (this > maximumValue)
maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n
* @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n *
@sample samples.comparisons.ComparableOps.coerceAtMost\n *\npublic fun
Byte.coerceAtMost(maximumValue: Byte): Byte {\n
return if (this > maximumValue) maximumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n *\npublic fun Short.coerceAtMost(maximumValue: Short):

```

```

Short {
    return if (this > maximumValue) maximumValue else this
}

Ensures that this value is not greater than the specified [maximumValue].

@return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.

@sample samples.comparisons.ComparableOps.coerceAtMost

public fun Int.coerceAtMost(maximumValue: Int): Int {
    return if (this > maximumValue) maximumValue else this
}

Ensures that this value is not greater than the specified [maximumValue].

@return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.

@sample samples.comparisons.ComparableOps.coerceAtMost

public fun Long.coerceAtMost(maximumValue: Long): Long {
    return if (this > maximumValue) maximumValue else this
}

Ensures that this value is not greater than the specified [maximumValue].

@return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.

@sample samples.comparisons.ComparableOps.coerceAtMost

public fun Float.coerceAtMost(maximumValue: Float): Float {
    return if (this > maximumValue) maximumValue else this
}

Ensures that this value is not greater than the specified [maximumValue].

@return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.

@sample samples.comparisons.ComparableOps.coerceAtMost

public fun Double.coerceAtMost(maximumValue: Double): Double {
    return if (this > maximumValue) maximumValue else this
}

Ensures that this value lies in the specified range [minimumValue]..[maximumValue].

@return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].

@sample samples.comparisons.ComparableOps.coerceInComparable

public fun <T> Comparable<T>.coerceIn(minimumValue: T?, maximumValue: T?): T {
    if (minimumValue != null && maximumValue != null) {
        if (minimumValue > maximumValue) throw
            IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.")
        if (this < minimumValue) return minimumValue
        if (this > maximumValue) return maximumValue
    }
    else {
        if (minimumValue != null && this < minimumValue) return minimumValue
        if (maximumValue != null && this > maximumValue) return maximumValue
    }
    return this
}

Ensures that this value lies in the specified range [minimumValue]..[maximumValue].

@return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].

@sample samples.comparisons.ComparableOps.coerceIn

public fun Byte.coerceIn(minimumValue: Byte, maximumValue: Byte): Byte {
    if (minimumValue > maximumValue) throw
        IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.")
    if (this < minimumValue) return minimumValue
    if (this > maximumValue) return maximumValue
    return this
}

Ensures that this value lies in the specified range [minimumValue]..[maximumValue].

@return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].

@sample samples.comparisons.ComparableOps.coerceIn

public fun Short.coerceIn(minimumValue: Short, maximumValue: Short): Short {
    if (minimumValue > maximumValue) throw
        IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.")
    if (this < minimumValue) return minimumValue
    if (this > maximumValue) return maximumValue
    return this
}

Ensures that this value lies in the specified range [minimumValue]..[maximumValue].

@return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].

@sample samples.comparisons.ComparableOps.coerceIn

public fun Int.coerceIn(minimumValue: Int, maximumValue: Int): Int {
    if (minimumValue > maximumValue) throw
        IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.")
    if (this < minimumValue) return minimumValue
    if (this > maximumValue) return maximumValue
    return

```

```

this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n *
@return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
[maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *\npublic fun Long.coerceIn(minimumValue: Long,
maximumValue: Long): Long {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n
    if (this < minimumValue) return minimumValue\n    if (this > maximumValue) return maximumValue\n    return
this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n *
@return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
[maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *\npublic fun Float.coerceIn(minimumValue: Float,
maximumValue: Float): Float {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this
value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n *
@sample samples.comparisons.ComparableOps.coerceIn\n *\npublic fun Double.coerceIn(minimumValue:
Double, maximumValue: Double): Double {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInFloatingPointRange\n *\n@SinceKotlin("1.1")\npublic fun <T :
Comparable<T>> T.coerceIn(range: ClosedFloatingPointRange<T>): T {\n    if (range.isEmpty())
throw IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n    return when {\n        //
this < start equiv to this <= start && !(this >= start)\n        range.lessThanOrEquals(this, range.start) &&
!range.lessThanOrEquals(range.start, this) -> range.start\n        // this > end equiv to this >= end && !(this <= end)\n
range.lessThanOrEquals(range.endInclusive, this) && !range.lessThanOrEquals(this, range.endInclusive) ->
range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInComparable\n *\npublic fun <T : Comparable<T>>
T.coerceIn(range: ClosedRange<T>): T {\n    if (range is ClosedFloatingPointRange) {\n        return
this.coerceIn<T>(range)\n
    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n
return when {\n        this < range.start -> range.start\n        this > range.endInclusive -> range.endInclusive\n
else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's
in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater
than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n *\npublic fun
Int.coerceIn(range: ClosedRange<Int>): Int {\n    if (range is ClosedFloatingPointRange) {\n        return
this.coerceIn<Int>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to
an empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this > range.endInclusive -
-> range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n *

```

```

* @sample samples.comparisons.ComparableOps.coerceIn\n *\npublic fun Long.coerceIn(range:
ClosedRange<Long>): Long {\n    if (range is ClosedFloatingPointRange) {\n        return
this.coerceIn<Long>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value
to an empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this >
range.endInclusive -> range.endInclusive\n        else -> this\n    }\n}\n\n"/*\n * Copyright 2010-2022 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT
EDIT!\n\npackage
kotlin\n\nimport kotlin.experimental.*\nimport
kotlin.jvm.*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npu
blic value class UByte @PublishedApi internal constructor(@PublishedApi internal val data: Byte) :
Comparable<UByte> {\n\n    companion object {\n        /**\n         * A constant holding the minimum value an
instance of UByte can have.\n         */\n        public const val MIN_VALUE: UByte = UByte(0)\n\n        /**\n         *
A constant holding the maximum value an instance of UByte can have.\n         */\n        public const val
MAX_VALUE: UByte = UByte(-1)\n\n        /**\n         * The number of bytes used to represent an instance of
UByte in a binary form.\n         */\n        public const val SIZE_BYTES: Int = 1\n\n        /**\n         * The number of
bits used to represent an instance of UByte in a binary form.\n         */\n        public const val SIZE_BITS: Int = 8\n
}\n\n        /**\n         * Compares this value with the
specified value for order.\n         * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n         * or a positive number if it's greater than other.\n         */\n        @kotlin.internal.InlineOnly\n
@Suppress("OVERRIDE_BY_INLINE")\n        public override inline operator fun compareTo(other: UByte): Int =
this.toInt().compareTo(other.toInt())\n\n        /**\n         * Compares this value with the specified value for order.\n         *
Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n         * or a
positive number if it's greater than other.\n         */\n        @kotlin.internal.InlineOnly\n        public inline operator fun
compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\n\n        /**\n         * Compares this value with the
specified value for order.\n         * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n         * or a positive
number if it's greater than other.\n         */\n        @kotlin.internal.InlineOnly\n        public inline operator fun
compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n\n        /**\n         * Compares this value with the
specified value for order.\n         * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n         * or a positive number if it's greater than other.\n         */\n        @kotlin.internal.InlineOnly\n
public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n        /** Adds the
other value to this value. */\n        @kotlin.internal.InlineOnly\n        public inline operator fun plus(other: UByte): UInt =
this.toUInt().plus(other.toUInt())\n\n        /** Adds the other value to this value. */\n        @kotlin.internal.InlineOnly\n
public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\n\n        /** Adds the other value
to this value. */\n        @kotlin.internal.InlineOnly\n        public
inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)\n\n        /** Adds the other value to this value. */\n
        @kotlin.internal.InlineOnly\n        public inline operator fun plus(other: ULong): ULong =
this.toULong().plus(other)\n\n        /** Subtracts the other value from this value. */\n        @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\n\n        /** Subtracts the
other value from this value. */\n        @kotlin.internal.InlineOnly\n        public inline operator fun minus(other: UShort):
UInt = this.toUInt().minus(other.toUInt())\n\n        /** Subtracts the other value from this value. */\n        @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\n\n        /** Subtracts the other value from this
value. */\n        @kotlin.internal.InlineOnly\n        public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n\n
        /** Multiplies this value by
the other value. */\n        @kotlin.internal.InlineOnly\n        public inline operator fun times(other: UByte): UInt =
this.toUInt().times(other.toUInt())\n\n        /** Multiplies this value by the other value. */\n        @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UShort): UInt =

```

```

this.toUInt().times(other.toUInt())\n  /** Multiplies this value by the other value. */\n
@kotlin.internal.InlineOnly\n  public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n
/** Multiplies this value by the other value. */\n  @kotlin.internal.InlineOnly\n  public inline operator fun
times(other: ULong): ULong = this.toULong().times(other)\n\n  /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. */\n  @kotlin.internal.InlineOnly\n  public inline operator
fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())\n  /** Divides this value by the other value,
truncating the result to an integer
that is closer to zero. */\n  @kotlin.internal.InlineOnly\n  public inline operator fun div(other: UShort): UInt =
this.toUInt().div(other.toUInt())\n  /** Divides this value by the other value, truncating the result to an integer that
is closer to zero. */\n  @kotlin.internal.InlineOnly\n  public inline operator fun div(other: UInt): UInt =
this.toUInt().div(other)\n  /** Divides this value by the other value, truncating the result to an integer that is closer
to zero. */\n  @kotlin.internal.InlineOnly\n  public inline operator fun div(other: ULong): ULong =
this.toULong().div(other)\n\n  /**\n   * Calculates the remainder of truncating division of this value by the other
value.\n   * \n   * The result is always less than the divisor.\n   */\n  @kotlin.internal.InlineOnly\n  public
inline operator fun rem(other: UByte): UInt = this.toUInt().rem(other.toUInt())\n  /**\n   * Calculates the
remainder of truncating division of this value by the other
value.\n   * \n   * The result is always less than the divisor.\n   */\n  @kotlin.internal.InlineOnly\n  public
inline operator fun rem(other: UShort): UInt = this.toUInt().rem(other.toUInt())\n  /**\n   * Calculates the
remainder of truncating division of this value by the other value.\n   * \n   * The result is always less than the
divisor.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun rem(other: UInt): UInt =
this.toUInt().rem(other)\n  /**\n   * Calculates the remainder of truncating division of this value by the other
value.\n   * \n   * The result is always less than the divisor.\n   */\n  @kotlin.internal.InlineOnly\n  public
inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n  /**\n   * Divides this value by
the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types,
the results of flooring division and truncating division are
the same.\n   */\n  @kotlin.internal.InlineOnly\n  public inline fun floorDiv(other: UByte): UInt =
this.toUInt().floorDiv(other.toUInt())\n  /**\n   * Divides this value by the other value, flooring the result to an
integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and
truncating division are the same.\n   */\n  @kotlin.internal.InlineOnly\n  public inline fun floorDiv(other:
UShort): UInt = this.toUInt().floorDiv(other.toUInt())\n  /**\n   * Divides this value by the other value, flooring
the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring
division and truncating division are the same.\n   */\n  @kotlin.internal.InlineOnly\n  public inline fun
floorDiv(other: UInt): UInt = this.toUInt().floorDiv(other)\n  /**\n   * Divides this value by the other value,
flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring
division and truncating division are the same.\n   */\n  @kotlin.internal.InlineOnly\n  public inline fun
floorDiv(other: ULong): ULong =
this.toULong().floorDiv(other)\n\n  /**\n   * Calculates the remainder of flooring division of this value by the
other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned types, the remainders
of flooring division and truncating division are the same.\n   */\n  @kotlin.internal.InlineOnly\n  public inline
fun mod(other: UByte): UByte = this.toUInt().mod(other.toUInt()).toUByte()\n  /**\n   * Calculates the remainder
of flooring division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n
   * For unsigned types, the remainders of flooring division and truncating division are the same.\n   */\n  @kotlin.internal.InlineOnly\n  public inline fun mod(other: UShort):
UShort = this.toUInt().mod(other.toUInt()).toUShort()\n  /**\n   * Calculates the remainder of flooring division
of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned
types, the remainders of flooring division and truncating division are the same.\n   */\n  @kotlin.internal.InlineOnly\n  public inline fun mod(other: UInt): UInt =
this.toUInt().mod(other)\n  /**\n   * Calculates the remainder of flooring division of this value by the other value.\n   * \n   * The result is always less

```



```

than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the
same.\n * \n @kotlin.internal.InlineOnly\n public inline fun mod(other: ULong): ULong =
this.toULong().mod(other)\n\n /**\n * Returns this value incremented by one.\n * \n * @sample
samples.misc.Builtins.inc\n * \n @kotlin.internal.InlineOnly\n public inline operator
fun inc(): UByte = UByte(data.inc())\n\n /**\n * Returns this value decremented by one.\n * \n * @sample
samples.misc.Builtins.dec\n * \n @kotlin.internal.InlineOnly\n public inline operator fun dec(): UByte =
UByte(data.dec())\n\n /** Creates a range from this value to the specified [other] value. * \n
@kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: UByte): UIntRange =
UIntRange(this.toUInt(), other.toUInt())\n\n /** Performs a bitwise AND operation between the two values. * \n
@kotlin.internal.InlineOnly\n public inline infix fun and(other: UByte): UByte = UByte(this.data and other.data)\n
/** Performs a bitwise OR operation between the two values. * \n @kotlin.internal.InlineOnly\n public inline
infix fun or(other: UByte): UByte = UByte(this.data or other.data)\n\n /** Performs a bitwise XOR operation
between the two values. * \n @kotlin.internal.InlineOnly\n public inline infix fun xor(other: UByte):
UByte = UByte(this.data xor other.data)\n\n /** Inverts the bits in this value. * \n @kotlin.internal.InlineOnly\n
public inline fun inv(): UByte = UByte(data.inv())\n\n /**\n * Converts this [UByte] value to [Byte].\n * \n
* If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same
numerical value as this `UByte`. Otherwise the result is negative.\n * \n * The resulting `Byte` value has the
same binary representation as this `UByte` value.\n * \n @kotlin.internal.InlineOnly\n public inline fun
toByte(): Byte = data\n\n /**\n * Converts this [UByte] value to [Short].\n * \n * The resulting `Short` value
represents the same numerical value as this `UByte`.\n * \n * The least significant 8 bits of the resulting `Short`
value are the same as the bits of this `UByte` value,\n * whereas the most significant 8 bits are filled with zeros.\n
* \n @kotlin.internal.InlineOnly\n
public inline fun toShort(): Short = data.toShort() and 0xFF\n\n /**\n * Converts this [UByte] value to [Int].\n
* \n * The resulting `Int` value represents the same numerical value as this `UByte`.\n * \n * The least
significant 8 bits of the resulting `Int` value are the same as the bits of this `UByte` value,\n * whereas the most
significant 24 bits are filled with zeros.\n * \n @kotlin.internal.InlineOnly\n public inline fun toInt(): Int =
data.toInt() and 0xFF\n\n /**\n * Converts this [UByte] value to [Long].\n * \n * The resulting `Long` value
represents the same numerical value as this `UByte`.\n * \n * The least significant 8 bits of the resulting `Long`
value are the same as the bits of this `UByte` value,\n * whereas the most significant 56 bits are filled with
zeros.\n * \n @kotlin.internal.InlineOnly\n public inline fun toLong(): Long = data.toLong() and 0xFF\n\n
/** Returns this value. * \n
@kotlin.internal.InlineOnly\n public inline fun toUByte(): UByte = this\n\n /**\n * Converts this [UByte]
value to [UShort].\n * \n * The resulting `UShort` value represents the same numerical value as this `UByte`.\n
* \n * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this `UByte` value,\n
* whereas the most significant 8 bits are filled with zeros.\n * \n @kotlin.internal.InlineOnly\n public inline
fun toUShort(): UShort = UShort(data.toShort() and 0xFF)\n\n /**\n * Converts this [UByte] value to [UInt].\n
* \n * The resulting `UInt` value represents the same numerical value as this `UByte`.\n * \n * The least
significant 8 bits of the resulting `UInt` value are the same as the bits of this `UByte` value,\n * whereas the most
significant 24 bits are filled with zeros.\n * \n @kotlin.internal.InlineOnly\n public inline fun toUInt(): UInt =
UInt(data.toInt() and 0xFF)\n\n /**\n * Converts this [UByte] value to [ULong].\n * \n * The resulting `ULong`
value represents the same
numerical value as this `UByte`.\n * \n * The least significant 8 bits of the resulting `ULong` value are the same
as the bits of this `UByte` value,\n * whereas the most significant 56 bits are filled with zeros.\n * \n
@kotlin.internal.InlineOnly\n public inline fun toULong(): ULong = ULong(data.toLong() and 0xFF)\n\n /**\n
* Converts this [UByte] value to [Float].\n * \n * The resulting `Float` value represents the same numerical
value as this `UByte`.\n * \n @kotlin.internal.InlineOnly\n public inline fun toFloat(): Float =
this.toInt().toFloat()\n\n /**\n * Converts this [UByte] value to [Double].\n * \n * The resulting `Double`
value represents the same numerical value as this `UByte`.\n * \n @kotlin.internal.InlineOnly\n public inline

```

```

fun toDouble(): Double = this.toInt().toDouble()\n\n public
override fun toString(): String = toInt().toString()\n\n}\n\n/**\n * Converts this [Byte] value to [UByte].\n *\n * If
this value is positive, the resulting `UByte` value represents the same numerical value as this `Byte`.\n *\n * The
resulting `UByte` value has the same binary representation as this `Byte` value.\n
*\n @SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class)\n @kotlin.internal.InlineOnly\n
npublic inline fun Byte.toUByte(): UByte = UByte(this)\n\n/**\n * Converts this [Short] value to [UByte].\n *\n * If
this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n *
the same numerical value as this `Short`.\n *\n * The resulting `UByte` value is represented by the least significant 8
bits of this `Short` value.\n
*\n @SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class)\n @kotlin.internal.InlineOnly\n
npublic inline fun Short.toUByte(): UByte = UByte(this.toByte())\n\n/**\n * Converts this [Int]
value to [UByte].\n *\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting
`UByte` value represents\n * the same numerical value as this `Int`.\n *\n * The resulting `UByte` value is
represented by the least significant 8 bits of this `Int` value.\n
*\n @SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class)\n @kotlin.internal.InlineOnly\n
npublic inline fun Int.toUByte(): UByte = UByte(this.toByte())\n\n/**\n * Converts this [Long] value to [UByte].\n
*\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value
represents\n * the same numerical value as this `Long`.\n *\n * The resulting `UByte` value is represented by the
least significant 8 bits of this `Long` value.\n
*\n @SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class)\n @kotlin.internal.InlineOnly\n
npublic inline fun Long.toUByte(): UByte = UByte(this.toByte())\n\n", /*\n * Copyright 2010-2022 JetBrains s.r.o.
and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin\n\nimport kotlin.experimental.*\nimport
kotlin.jvm.*\n\n @SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class)\n @JvmInline\npu
blic value class UInt @PublishedApi internal constructor(@PublishedApi internal val data: Int) :
Comparable<UInt> {\n\n companion object {\n\n /**\n * A constant holding the minimum value an
instance of UInt can have.\n * \n public const val MIN_VALUE: UInt = UInt(0)\n\n /**\n * A
constant holding the maximum value an instance of UInt can have.\n * \n public const val MAX_VALUE:
UInt = UInt(-1)\n\n /**\n * The number of bytes used to represent an instance of UInt in a binary form.\n
*\n public const val SIZE_BYTES: Int = 4\n\n
**\n * The number of bits used to represent an instance of UInt in a binary form.\n * \n public const
val SIZE_BITS: Int = 32\n } \n\n /**\n * Compares this value with the specified value for order.\n * Returns
zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive
number if it's greater than other.\n * \n @kotlin.internal.InlineOnly\n public inline operator fun
compareTo(other: UByte): Int = this.compareTo(other.toUInt())\n\n /**\n * Compares this value with the
specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n * or a positive number if it's greater than other.\n * \n @kotlin.internal.InlineOnly\n
public inline operator fun compareTo(other: UShort): Int = this.compareTo(other.toUInt())\n\n /**\n *
Compares this value with the specified value for order.\n
*\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n *
or a positive number if it's greater than other.\n * \n @kotlin.internal.InlineOnly\n
*\n @Suppress("OVERRIDE_BY_INLINE")\n public override inline operator fun compareTo(other: UInt): Int =
uintCompare(this.data, other.data)\n\n /**\n * Compares this value with the specified value for order.\n *
Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n *
or a positive number if it's greater than other.\n * \n @kotlin.internal.InlineOnly\n public inline operator fun
compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n /**\n * Adds the other value to this value. *\n

```

```

@kotlin.internal.InlineOnly\n public inline operator fun plus(other: UByte): UInt = this.plus(other.toUInt())\n
/** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun plus(other: UShort): UInt = this.plus(other.toUInt())\n /** Adds the other value to this
value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UInt): UInt =
UInt(this.data.plus(other.data))\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n /** Subtracts the other
value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UByte): UInt =
this.minus(other.toUInt())\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: UShort): UInt = this.minus(other.toUInt())\n /** Subtracts the other value
from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UInt): UInt =
UInt(this.data.minus(other.data))\n /** Subtracts the other value from
this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: ULong): ULong =
this.toULong().minus(other)\n\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UByte): UInt = this.times(other.toUInt())\n /** Multiplies this value by the
other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UShort): UInt =
this.times(other.toUInt())\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UInt): UInt = UInt(this.data.times(other.data))\n /** Multiplies this value
by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: ULong): ULong =
this.toULong().times(other)\n\n /** Divides this value by the other value, truncating the result to an integer that is
closer to zero. */\n @kotlin.internal.InlineOnly\n public
inline operator fun div(other: UByte): UInt = this.div(other.toUInt())\n /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator
fun div(other: UShort): UInt = this.div(other.toUInt())\n /** Divides this value by the other value, truncating the
result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other:
UInt): UInt = uintDivide(this, other)\n /** Divides this value by the other value, truncating the result to an integer
that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: ULong): ULong =
this.toULong().div(other)\n\n /**\n * Calculates the remainder of truncating division of this value by the other
value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other:
UByte): UInt = this.rem(other.toUInt())\n /**\n * Calculates the remainder of truncating division of this value
by the other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n
public inline operator fun rem(other: UShort): UInt = this.rem(other.toUInt())\n /**\n * Calculates the
remainder of truncating division of this value by the other value.\n * \n * The result is always less than the
divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): UInt =
uintRemainder(this, other)\n /**\n * Calculates the remainder of truncating division of this value by the other
value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n /**\n * Divides this value by
the other value, flooring the result to an integer that is
closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division
are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UByte): UInt =
this.floorDiv(other.toUInt())\n /**\n * Divides this value by the other value, flooring the result to an integer that
is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division
are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UShort): UInt =
this.floorDiv(other.toUInt())\n /**\n * Divides this value by the other value, flooring the result to an integer that
is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division
are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UInt): UInt = div(other)\n
/**\n * Divides this value

```

```

by the other value, flooring the result to an integer that is closer to negative infinity.
 * For unsigned
types, the results of flooring division and truncating division are the same.
 * @kotlin.internal.InlineOnly
public inline fun floorDiv(other: ULong): ULong = this.toULong().floorDiv(other)
 /**
 * Calculates the
remainder of flooring division of this value by the other value.
 * The result is always less than the
divisor.
 * For unsigned types, the remainders of flooring division and truncating division are the same.
 * @kotlin.internal.InlineOnly
public inline fun mod(other: UByte): UByte =
this.mod(other.toUByte()).toUByte()
 /**
 * Calculates the remainder of flooring division of this value by the
other value.
 * The result is always less than the divisor.
 * For unsigned types, the remainders
of flooring division and truncating division are the same.
 * @kotlin.internal.InlineOnly
public inline fun mod(other: UShort): UShort =
this.mod(other.toUShort()).toUShort()
 /**
 * Calculates the remainder of flooring division of this value by the
other value.
 * The result is always less than the divisor.
 * For unsigned types, the remainders
of flooring division and truncating division are the same.
 * @kotlin.internal.InlineOnly
public inline
fun mod(other: UInt): UInt = rem(other)
 /**
 * Calculates the remainder of flooring division of this value by
the other value.
 * The result is always less than the divisor.
 * For unsigned types, the
remainders of flooring division and truncating division are the same.
 * @kotlin.internal.InlineOnly
public inline fun mod(other: ULong): ULong = this.toULong().mod(other)
 /**
 * Returns this value
incremented by one.
 * @sample samples.misc.Builtins.inc
 * @kotlin.internal.InlineOnly
public inline operator fun inc(): UInt = UInt(data.inc())
 /**
 * Returns
this value decremented by one.
 * @sample samples.misc.Builtins.dec
 * @kotlin.internal.InlineOnly
public inline operator fun dec(): UInt = UInt(data.dec())
 /**
Creates a range
from this value to the specified [other] value.
 * @kotlin.internal.InlineOnly
public inline operator fun
rangeTo(other: UInt): UIntRange = UIntRange(this, other)
 /**
 * Shifts this value left by the [bitCount]
number of bits.
 * Note that only the five lowest-order bits of the [bitCount] are used as the shift
distance.
 * The shift distance actually used is therefore always in the range `0..31`.
 * @kotlin.internal.InlineOnly
public inline infix fun shl(bitCount: Int): UInt = UInt(data shl bitCount)
 /**
 * Shifts this value right by the [bitCount] number of bits, filling the leftmost bits
with zeros.
 * Note that only the five lowest-order bits of the [bitCount] are used as the shift distance.
 * The shift distance actually used is therefore always in the range `0..31`.
 * @kotlin.internal.InlineOnly
public inline infix fun shr(bitCount: Int): UInt = UInt(data ushr bitCount)
 /**
Performs a bitwise AND
operation between the two values.
 * @kotlin.internal.InlineOnly
public inline infix fun and(other: UInt):
UInt = UInt(this.data and other.data)
 /**
Performs a bitwise OR operation between the two values.
 * @kotlin.internal.InlineOnly
public inline infix fun or(other: UInt): UInt = UInt(this.data or other.data)
 /**
Performs a bitwise XOR operation between the two values.
 * @kotlin.internal.InlineOnly
public inline infix
fun xor(other: UInt): UInt = UInt(this.data xor other.data)
 /**
Inverts the bits in this value.
 * @kotlin.internal.InlineOnly
public inline fun inv(): UInt
= UInt(data.inv())
 /**
 * Converts this [UInt] value to [Byte].
 * If this value is less than or
equals to [Byte.MAX_VALUE], the resulting `Byte` value represents
 * the same numerical value as this
`UInt`.
 * The resulting `Byte` value is represented by the least significant 8 bits of this `UInt` value.
 * Note that the resulting `Byte` value may be negative.
 * @kotlin.internal.InlineOnly
public inline fun
toByte(): Byte = data.toByte()
 /**
 * Converts this [UInt] value to [Short].
 * If this value is less
than or equals to [Short.MAX_VALUE], the resulting `Short` value represents
 * the same numerical value as
this `UInt`.
 * The resulting `Short` value is represented by the least significant 16 bits of this `UInt`
value.
 * Note that the resulting `Short` value may be negative.
 * @kotlin.internal.InlineOnly
public
inline fun toShort(): Short = data.toShort()
 /**
 * Converts this [UInt] value to [Int].
 * If this value is less than or equals to
[Int.MAX_VALUE], the resulting `Int` value represents
 * the same numerical value as this `UInt`. Otherwise
the result is negative.
 * The resulting `Int` value has the same binary representation as this `UInt` value.

```

```

    @kotlin.internal.InlineOnly public inline fun toInt(): Int = data.toInt() /** Converts this [UInt] value
to [Long]. The resulting `Long` value represents the same numerical value as this `UInt`. The least significant
32 bits of the resulting `Long` value are the same as the bits of this `UInt` value, whereas the most significant
32 bits are filled with zeros. */
    @kotlin.internal.InlineOnly public inline fun
toLong(): Long = data.toLong() and 0xFFFF_FFFF /** Converts this [UInt] value to [UByte]. If this value is less
than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents the same numerical value as this
`UInt`. The resulting `UByte` value is represented by the least significant 8 bits of this `UInt` value. */
    @kotlin.internal.InlineOnly public inline fun toUByte(): UByte = data.toUByte() /** Converts this
[UInt] value to [UShort]. If this value is less than or equals to [UShort.MAX_VALUE], the resulting
`UShort` value represents the same numerical value as this `UInt`. The resulting `UShort` value is
represented by the least significant 16 bits of this `UInt` value. */
    @kotlin.internal.InlineOnly public inline fun
toUShort(): UShort = data.toUShort() /** Returns this value. */
    @kotlin.internal.InlineOnly public inline fun
toUInt(): UInt = this.toInt() /** Converts this [UInt] value to [ULong]. The resulting `ULong` value represents
the same numerical value as this `UInt`. The least significant 32 bits of the resulting `ULong` value are the
same as the bits of this `UInt` value, whereas the most significant 32 bits are filled with zeros. */
    @kotlin.internal.InlineOnly public inline fun toULong(): ULong = ULong(data.toLong() and
0xFFFF_FFFF) /** Converts this [UInt] value to [Float]. The resulting value is the closest `Float` to this
`UInt` value. In case when this `UInt` value is exactly between two `Float`s, the one with zero at least
significant bit of mantissa is selected. */
    @kotlin.internal.InlineOnly public inline fun
toFloat(): Float = this.toDouble().toFloat() /** Converts this [UInt] value to [Double]. The resulting
`Double` value represents the same numerical value as this `UInt`. */
    @kotlin.internal.InlineOnly public inline fun toDouble(): Double = UInt.toDouble(data) public
override fun toString(): String = toLong().toString() /** Converts this [Byte] value to [UInt]. If this
value is positive, the resulting `UInt` value represents the same numerical value as this `Byte`. The least
significant 8 bits of the resulting `UInt` value are the same as the bits of this `Byte` value, whereas the
most significant 24 bits are filled with the sign bit of this value. */
    @SinceKotlin("1.5") @WasExperimental(ExperimentalUnsignedTypes::class) @kotlin.internal.InlineOnly
public inline fun Byte.toUInt(): UInt = UInt(this.toInt()) /** Converts this [Short] value to [UInt]. If
this value is positive, the resulting `UInt` value represents the same numerical value as this `Short`. The
least significant 16 bits of the resulting `UInt` value are the same as the bits of this `Short` value,
whereas the most significant 16 bits are filled with the sign bit of this value. */
    @SinceKotlin("1.5") @WasExperimental(ExperimentalUnsignedTypes::class) @kotlin.internal.InlineOnly
public inline fun Short.toUInt(): UInt = UInt(this.toInt()) /** Converts this [Int] value to [UInt]. If this
value is positive, the resulting `UInt` value represents the same numerical value as this `Int`. The resulting
`UInt` value has the same binary representation as this `Int` value. */
    @SinceKotlin("1.5") @WasExperimental(ExperimentalUnsignedTypes::class) @kotlin.internal.InlineOnly
public inline fun Int.toUInt(): UInt = UInt(this) /** Converts this [Long] value to [UInt]. If this value
is positive and less than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents the same
numerical value as this `Long`. The resulting `UInt` value is represented by the least significant 32 bits of
this `Long` value. */
    @SinceKotlin("1.5") @WasExperimental(ExperimentalUnsignedTypes::class) @kotlin.internal.InlineOnly
public inline fun Long.toUInt(): UInt =
    UInt(this.toInt()) /** Converts this [Float] value to [UInt]. The fractional part, if any, is rounded
down towards zero. Returns zero if this `Float` value is negative or `NaN`, [UInt.MAX_VALUE] if it's bigger
than `UInt.MAX_VALUE`. */

```

```

*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Float.toUInt(): UInt = doubleToUInt(this.toDouble())\n/**\n * Converts this [Double] value to [UInt].\n *\n * The fractional part, if any, is rounded down towards zero.\n * Returns zero if this `Double` value is negative or `NaN`, [UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\n */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Double.toUInt(): UInt = doubleToUInt(this)\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\nimport kotlin.jvm.*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npublic value class UShort @PublishedApi internal constructor(@PublishedApi internal val data: Short) : Comparable<UShort> {\n\n    companion object {\n\n        /**\n         * A constant holding the minimum value an instance of UShort can have.\n         */\n        public const val MIN_VALUE: UShort = UShort(0)\n\n        /**\n         * A constant holding the maximum value an instance of UShort can have.\n         */\n        public const val MAX_VALUE: UShort = UShort(-1)\n\n        /**\n         * The number of bytes used to represent an instance of UShort in a binary form.\n         */\n        public const val SIZE_BYTES: Int = 2\n\n        /**\n         * The number of bits used to represent an instance of UShort in a binary form.\n         */\n        public const val SIZE_BITS: Int = 16\n    }\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    @Suppress("OVERRIDE_BY_INLINE")\n    public override inline operator fun compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n    /**\n     * Adds the other value to this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())\n\n    /**\n     * Adds the other value to this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\n\n    /**\n     * Adds the other value to this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)\n\n    /**\n     * Adds the other value to this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n    /**\n     * Subtracts the other value from this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\n\n    /**\n     * Subtracts the other value from this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UShort): UInt = this.toUInt().minus(other.toUInt())\n\n    /**\n     * Subtracts the other value from this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\n\n    /**\n     * Subtracts the other value from this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n\n    /**\n     * Multiplies this value by the other value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UByte): UInt = this.toUInt().times(other.toUInt())\n\n    /**\n     * Multiplies this value by the other value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UShort): UInt =

```

```

this.toUInt().times(other.toUInt())\n  /** Multiplies this value by the other value. */\n
@kotlin.internal.InlineOnly\n  public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n
/** Multiplies this value by the other value. */\n  @kotlin.internal.InlineOnly\n  public inline operator fun
times(other: ULong): ULong = this.toULong().times(other)\n\n  /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. */\n  @kotlin.internal.InlineOnly\n  public inline operator
fun div(other: UByte): UInt =
    this.toUInt().div(other.toUInt())\n  /** Divides this value by the other value, truncating the result to an integer that
is closer to zero. */\n  @kotlin.internal.InlineOnly\n  public inline operator fun div(other: UShort): UInt =
this.toUInt().div(other.toUInt())\n  /** Divides this value by the other value, truncating the result to an integer that
is closer to zero. */\n  @kotlin.internal.InlineOnly\n  public inline operator fun div(other: UInt): UInt =
this.toUInt().div(other)\n  /** Divides this value by the other value, truncating the result to an integer that is closer
to zero. */\n  @kotlin.internal.InlineOnly\n  public inline operator fun div(other: ULong): ULong =
this.toULong().div(other)\n\n  /**\n   * Calculates the remainder of truncating division of this value by the other
value.\n   * \n   * The result is always less than the divisor.\n   */\n  @kotlin.internal.InlineOnly\n  public
inline operator fun rem(other: UByte): UInt = this.toUInt().rem(other.toUInt())\n
  /**\n   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result
is always less than the divisor.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun rem(other:
UShort): UInt = this.toUInt().rem(other.toUInt())\n  /**\n   * Calculates the remainder of truncating division of
this value by the other value.\n   * \n   * The result is always less than the divisor.\n   */\n
  @kotlin.internal.InlineOnly\n  public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\n  /**\n
   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result is always
less than the divisor.\n   */\n  @kotlin.internal.InlineOnly\n  public inline operator fun rem(other: ULong):
ULong = this.toULong().rem(other)\n\n  /**\n   * Divides this value by the other value, flooring the result to an
integer that is closer to negative
infinity.\n   * \n   * For unsigned types, the results of flooring division and truncating division are the same.\n
*/\n  @kotlin.internal.InlineOnly\n  public inline fun floorDiv(other: UByte): UInt =
this.toUInt().floorDiv(other.toUInt())\n  /**\n   * Divides this value by the other value, flooring the result to an
integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and
truncating division are the same.\n   */\n  @kotlin.internal.InlineOnly\n  public inline fun floorDiv(other:
UShort): UInt = this.toUInt().floorDiv(other.toUInt())\n  /**\n   * Divides this value by the other value, flooring
the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring
division and truncating division are the same.\n   */\n  @kotlin.internal.InlineOnly\n  public inline fun
floorDiv(other: UInt): UInt = this.toUInt().floorDiv(other)\n  /**\n
   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n
   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n
  @kotlin.internal.InlineOnly\n  public inline fun floorDiv(other: ULong): ULong =
this.toULong().floorDiv(other)\n\n  /**\n   * Calculates the remainder of flooring division of this value by the
other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned types, the remainders
of flooring division and truncating division are the same.\n   */\n  @kotlin.internal.InlineOnly\n  public inline
fun mod(other: UByte): UByte = this.toUInt().mod(other.toUInt()).toUByte()\n  /**\n   * Calculates the remainder
of flooring division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n
   * For unsigned types, the remainders of flooring division and truncating
division are the same.\n   */\n  @kotlin.internal.InlineOnly\n  public inline fun mod(other: UShort): UShort =
this.toUInt().mod(other.toUInt()).toUShort()\n  /**\n   * Calculates the remainder of flooring division of this
value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned types,
the remainders of flooring division and truncating division are the same.\n   */\n  @kotlin.internal.InlineOnly\n
public inline fun mod(other: UInt): UInt = this.toUInt().mod(other)\n  /**\n   * Calculates the remainder of
flooring division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n
   */

```

```

* For unsigned types, the remainders of flooring division and truncating division are the same.\n  *\n
@kotlin.internal.InlineOnly\n  public inline fun mod(other: ULong): ULong = this.toULong().mod(other)\n\n
/**\n  * Returns this value incremented by one.\n
  *\n  * @sample samples.misc.Builtins.inc\n  *\n  @kotlin.internal.InlineOnly\n  public inline operator fun
inc(): UShort = UShort(data.inc())\n\n  /**\n  * Returns this value decremented by one.\n  *\n  * @sample
samples.misc.Builtins.dec\n  *\n  @kotlin.internal.InlineOnly\n  public inline operator fun dec(): UShort =
UShort(data.dec())\n\n  /** Creates a range from this value to the specified [other] value. *\n
@kotlin.internal.InlineOnly\n  public inline operator fun rangeTo(other: UShort): UIntRange =
UIntRange(this.toUInt(), other.toUInt())\n\n  /** Performs a bitwise AND operation between the two values. *\n
@kotlin.internal.InlineOnly\n  public inline infix fun and(other: UShort): UShort = UShort(this.data and
other.data)\n\n  /** Performs a bitwise OR operation between the two values. *\n  @kotlin.internal.InlineOnly\n
public inline infix fun or(other: UShort): UShort = UShort(this.data or other.data)\n\n  /** Performs a
bitwise XOR operation between the two values. *\n  @kotlin.internal.InlineOnly\n  public inline infix fun
xor(other: UShort): UShort = UShort(this.data xor other.data)\n\n  /** Inverts the bits in this value. *\n
@kotlin.internal.InlineOnly\n  public inline fun inv(): UShort = UShort(data.inv())\n\n  /**\n  * Converts this
[UShort] value to [Byte].\n  *\n  * If this value is less than or equals to [Byte.MAX_VALUE], the resulting
`Byte` value represents\n  * the same numerical value as this `UShort`.\n  *\n  * The resulting `Byte` value is
represented by the least significant 8 bits of this `UShort` value.\n  * Note that the resulting `Byte` value may be
negative.\n  *\n  @kotlin.internal.InlineOnly\n  public inline fun toByte(): Byte = data.toByte()\n\n  /**\n  *
Converts this [UShort] value to [Short].\n  *\n  * If this value is less than or equals to [Short.MAX_VALUE],
the resulting `Short` value represents\n  * the same numerical
value as this `UShort`. Otherwise the result is negative.\n  *\n  * The resulting `Short` value has the same binary
representation as this `UShort` value.\n  *\n  @kotlin.internal.InlineOnly\n  public inline fun toShort(): Short =
data\n\n  /**\n  * Converts this [UShort] value to [Int].\n  *\n  * The resulting `Int` value represents the same
numerical value as this `UShort`.\n  *\n  * The least significant 16 bits of the resulting `Int` value are the same as
the bits of this `UShort` value,\n  * whereas the most significant 16 bits are filled with zeros.\n  *\n
@kotlin.internal.InlineOnly\n  public inline fun toInt(): Int = data.toInt() and 0xFFFF\n\n  /**\n  * Converts this
[UShort] value to [Long].\n  *\n  * The resulting `Long` value represents the same numerical value as this
`UShort`.\n  *\n  * The least significant 16 bits of the resulting `Long` value are the same as the bits of this
`UShort` value,\n  * whereas the most
significant 48 bits are filled with zeros.\n  *\n  @kotlin.internal.InlineOnly\n  public inline fun toLong(): Long
= data.toLong() and 0xFFFF\n\n  /**\n  * Converts this [UShort] value to [UByte].\n  *\n  * If this value is
less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n  * the same numerical
value as this `UShort`.\n  *\n  * The resulting `UByte` value is represented by the least significant 8 bits of this
`UShort` value.\n  *\n  @kotlin.internal.InlineOnly\n  public inline fun toUByte(): UByte = data.toUByte()\n\n
/** Returns this value. *\n  @kotlin.internal.InlineOnly\n  public inline fun toUShort(): UShort = this\n\n  /**\n  *
Converts this [UShort] value to [UInt].\n  *\n  * The resulting `UInt` value represents the same numerical
value as this `UShort`.\n  *\n  * The least significant 16 bits of the resulting `UInt` value are the same as the bits
of this `UShort` value,\n  * whereas
the most significant 16 bits are filled with zeros.\n  *\n  @kotlin.internal.InlineOnly\n  public inline fun
toUInt(): UInt = UInt(data.toInt() and 0xFFFF)\n\n  /**\n  * Converts this [UShort] value to [ULong].\n  *\n  *
The resulting `ULong` value represents the same numerical value as this `UShort`.\n  *\n  * The least significant
16 bits of the resulting `ULong` value are the same as the bits of this `UShort` value,\n  * whereas the most
significant 48 bits are filled with zeros.\n  *\n  @kotlin.internal.InlineOnly\n  public inline fun toULong():
ULong = ULong(data.toLong() and 0xFFFF)\n\n  /**\n  * Converts this [UShort] value to [Float].\n  *\n  *
The resulting `Float` value represents the same numerical value as this `UShort`.\n  *\n
@kotlin.internal.InlineOnly\n  public inline fun toFloat(): Float = this.toInt().toFloat()\n\n  /**\n  * Converts this
[UShort] value to [Double].\n  *\n  * The resulting `Double` value

```



```

represents the same numerical value as this `UShort`.
 * Kotlin internal inline fun public inline fun
toDouble(): Double = this.toInt().toDouble()
 * Kotlin internal inline fun public override fun toString(): String =
toInt().toString()
 * Converts this [Byte] value to [UShort].
 * If this value is positive, the
resulting `UShort` value represents the same numerical value as this `Byte`
 * The least significant 8 bits of the
resulting `UShort` value are the same as the bits of this `Byte` value,
 * whereas the most significant 8 bits are
filled with the sign bit of this value.
 * Kotlin internal inline fun public inline fun Byte.toUShort(): UShort = UShort(this.toShort())
 * Converts this [Short] value to
[UShort].
 * If this value is positive, the resulting `UShort` value represents the same numerical value as this
`Short`.
 * The resulting `UShort` value has the same binary
representation as this `Short` value.
 * Kotlin internal inline fun public inline fun Short.toUShort(): UShort = UShort(this)
 * Converts this [Int] value to [UShort].
 * If
this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents
 * the same numerical value as this `Int`.
 * The resulting `UShort` value is represented by the least significant 16
bits of this `Int` value.
 * Kotlin internal inline fun public inline fun Int.toUShort(): UShort = UShort(this.toShort())
 * Converts this [Long] value to
[UShort].
 * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort`
value represents
 * the same numerical value as this `Long`.
 * The resulting `UShort` value is represented by
the least significant 16
bits of this `Long` value.
 * Kotlin internal inline fun public inline fun Long.toUShort(): UShort = UShort(this.toShort())
 * Copyright 2010-2022 JetBrains s.r.o.
and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.
 * Auto-generated file. DO NOT EDIT!
 * Kotlin internal inline fun public class CharRange(start: Char, endInclusive:
Char) : CharProgression(start, endInclusive, 1), ClosedRange<Char> {
 * override val start: Char get() = first
 * override val endInclusive: Char get() = last
 * override fun contains(value: Char): Boolean = first <= value &&
value <= last
 * Checks whether the range is empty.
 * The range is empty if its start value is
greater than the end value.
 * override fun
isEmpty(): Boolean = first > last
 * override fun equals(other: Any?): Boolean =
other is CharRange &&
(isEmpty() && other.isEmpty() ||
first == other.first && last == other.last)
 * override fun hashCode(): Int =
if (isEmpty()) -1 else (31 * first.code + last.code)
 * override fun toString(): String = "$first..$last"
 * companion object {
 * /** An empty range of values of type Char.
 * public val EMPTY: CharRange =
CharRange(1.toChar(), 0.toChar())
 * }
 * A range of values of type `Int`.
 * Kotlin internal inline fun public class
IntRange(start: Int, endInclusive: Int) : IntProgression(start, endInclusive, 1), ClosedRange<Int> {
 * override val
start: Int get() = first
 * override val endInclusive: Int get() = last
 * override fun contains(value: Int): Boolean =
first <= value && value <= last
 * Checks whether the range is empty.
 * The range is empty
if its start value is greater than the end value.
 * override fun
isEmpty(): Boolean = first > last
 * override fun equals(other: Any?): Boolean =
other is IntRange && (isEmpty() && other.isEmpty() ||
first == other.first && last == other.last)
 * override fun hashCode(): Int =
if (isEmpty()) -1 else (31 * first + last)
 * override fun toString(): String =
"$first..$last"
 * companion object {
 * /** An empty range of values of type Int.
 * public val
EMPTY: IntRange = IntRange(1, 0)
 * }
 * A range of values of type `Long`.
 * Kotlin internal inline fun public class
LongRange(start: Long, endInclusive: Long) : LongProgression(start, endInclusive, 1), ClosedRange<Long> {
 * override val
start: Long get() = first
 * override val endInclusive: Long get() = last
 * override fun
contains(value: Long): Boolean = first <= value && value <= last
 * Checks whether the range is

```

```

empty.\n    *\n    * The range is empty if its start value is greater than
the end value.\n    */\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?):
Boolean =\n        other is LongRange && (isEmpty() && other.isEmpty()) ||\n        first == other.first && last ==
other.last\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (first xor (first ushr 32)) + (last xor
(last ushr 32))).toInt()\n\n    override fun toString(): String = "$first..$last"\n\n    companion object {\n        /** An
empty range of values of type Long. */\n        public val EMPTY: LongRange = LongRange(1, 0)\n    }\n\n    "\n\n"/*\n
* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n@file:OptIn(kotlin.exper
imental.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\nimport
kotlin.random.Random\n\ninternal object EmptyIterator : ListIterator<Nothing> {\n    override fun hasNext():
Boolean = false\n    override fun hasPrevious(): Boolean = false\n    override fun nextIndex(): Int = 0\n    override
fun previousIndex(): Int = -1\n    override fun next(): Nothing = throw NoSuchElementException()\n    override fun
previous(): Nothing = throw NoSuchElementException()\n}\n\ninternal object EmptyList : List<Nothing>,
Serializable, RandomAccess {\n    private const val serialVersionUID: Long = -7390468764508069838L\n\n    override fun equals(other: Any?): Boolean = other is List<*> && other.isEmpty()\n    override fun hashCode(): Int
= 1\n    override fun toString(): String = "[]"\n\n    override val size: Int get() = 0\n    override fun isEmpty():
Boolean = true\n    override fun contains(element: Nothing): Boolean = false\n    override fun containsAll(elements:
Collection<Nothing>): Boolean = elements.isEmpty()\n\n    override fun get(index:
Int): Nothing = throw IndexOutOfBoundsException("Empty list doesn't contain element at index $index.")\n\n    override fun indexOf(element: Nothing): Int = -1\n    override fun lastIndexOf(element: Nothing): Int = -1\n\n    override fun iterator(): Iterator<Nothing> = EmptyIterator\n    override fun listIterator(): ListIterator<Nothing> =
EmptyIterator\n    override fun listIterator(index: Int): ListIterator<Nothing> {\n        if (index != 0) throw
IndexOutOfBoundsException("Index: $index")\n        return EmptyIterator\n    }\n\n    override fun
subList(fromIndex: Int, toIndex: Int): List<Nothing> {\n        if (fromIndex == 0 && toIndex == 0) return this\n        throw IndexOutOfBoundsException("fromIndex: $fromIndex, toIndex: $toIndex")\n    }\n\n    private fun
readResolve(): Any = EmptyList\n}\n\ninternal fun <T> Array<out T>.asCollection(): Collection<T> =
ArrayAsCollection(this, isVarargs = false)\n\nprivate class ArrayAsCollection<T>(val values: Array<out T>, val
isVarargs:
Boolean) : Collection<T> {\n    override val size: Int get() = values.size\n    override fun isEmpty(): Boolean =
values.isEmpty()\n    override fun contains(element: T): Boolean = values.contains(element)\n    override fun
containsAll(elements: Collection<T>): Boolean = elements.all { contains(it) }\n    override fun iterator():
Iterator<T> = values.iterator()\n    // override hidden toArray implementation to prevent copying of values array\n
public fun toArray(): Array<out Any?> = values.copyOfToArrayOfAny(isVarargs)\n}\n\n/**\n
* Returns an empty
read-only list. The returned list is serializable (JVM).\n
* @sample
samples.collections.Collections.Lists.emptyReadOnlyList\n
*/\n\npublic fun <T> emptyList(): List<T> =
EmptyList\n\n/**\n
* Returns a new read-only list of given elements. The returned list is serializable (JVM).\n
* @sample
samples.collections.Collections.Lists.readOnlyList\n
*/\n\npublic fun <T> listOf(vararg elements: T):
List<T> = if (elements.size > 0) elements.asList()\n
else emptyList()\n\n/**\n
* Returns an empty read-only list. The returned list is serializable (JVM).\n
* @sample
samples.collections.Collections.Lists.emptyReadOnlyList\n
*/\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T>
listOf(): List<T> = emptyList()\n\n/**\n
* Returns an empty new [MutableList].\n
* @sample
samples.collections.Collections.Lists.emptyMutableList\n
*/\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> mutableListOf(): MutableList<T> =
ArrayList()\n\n/**\n
* Returns an empty new [ArrayList].\n
* @sample
samples.collections.Collections.Lists.emptyArrayList\n
*/\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> arrayListOf(): ArrayList<T> =
ArrayList()\n\n/**\n
* Returns a new [MutableList] with the given elements.\n
* @sample

```

```

samples.collections.Collections.Lists.mutableList\n *\npublic fun <T> mutableListOf(vararg elements: T):
MutableList<T> =\n if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements,
isVarargs = true))\n\n/**\n * Returns a new [ArrayList] with the given elements.\n * @sample
samples.collections.Collections.Lists.arrayList\n *\npublic fun <T> arrayListOf(vararg elements: T): ArrayList<T>
=\n if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\n\n/**\n *
Returns a new read-only list either of single given element, if it is not null, or empty list if the element is null. The
returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n *\npublic fun
<T : Any> listOfNotNull(element: T?): List<T> = if (element != null) listOf(element) else emptyList()\n\n/**\n *
Returns a new read-only list only of those given elements, that are not null. The returned list is serializable
(JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n *\npublic fun <T : Any>
listOfNotNull(vararg elements: T?): List<T> = elements.filterNotNull()\n\n/**\n * Creates
a new read-only list with the specified [size], where each element is calculated by calling the specified\n * [init]
function.\n * The function [init] is called for each list element sequentially starting from the first one.\n * It
should return the value for a list element given its index.\n * @sample
samples.collections.Collections.Lists.readOnlyListFromInitializer\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> List(size: Int, init: (index: Int) -> T):
List<T> = MutableList(size, init)\n\n/**\n * Creates a new mutable list with the specified [size], where each element
is calculated by calling the specified\n * [init] function.\n * The function [init] is called for each list element
sequentially starting from the first one.\n * It should return the value for a list element given its index.\n * @sample
samples.collections.Collections.Lists.mutableListFromInitializer\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline
fun <T> MutableList(size: Int, init: (index: Int) -> T): MutableList<T> {\n val list = ArrayList<T>(size)\n
repeat(size) { index -> list.add(init(index)) }\n return list\n}\n\n/**\n * Builds a new read-only [List] by
populating a [MutableList] using the given [builderAction]\n * and returning a read-only list with the same
elements.\n * The list passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it
outside of the function produces an unspecified behavior.\n * The returned list is serializable (JVM).\n * @sample
samples.collections.Builders.Lists.buildListSample\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <E> buildList(@BuilderInference builderAction: MutableList<E>().-> Unit): List<E> {\n contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n return
buildListInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal
expect inline fun <E> buildListInternal(builderAction: MutableList<E>().-> Unit): List<E>\n\n/**\n * Builds a
new read-only [List] by populating a [MutableList] using the given [builderAction]\n * and returning a read-only list
with the same elements.\n * The list passed as a receiver to the [builderAction] is valid only inside that
function.\n * Using it outside of the function produces an unspecified behavior.\n * The returned list is
serializable (JVM).\n * [capacity] is used to hint the expected number of elements added in the
[builderAction].\n * @throws IllegalArgumentException if the given [capacity] is negative.\n * @sample
samples.collections.Builders.Lists.buildListSampleWithCapacity\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <E> buildList(capacity: Int, @BuilderInference builderAction: MutableList<E>().-> Unit): List<E> {\n
contract
{ callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n return buildListInternal(capacity,
builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal expect inline
fun <E> buildListInternal(capacity: Int, builderAction: MutableList<E>().-> Unit): List<E>\n\n/**\n * Returns an
[IntRange] of the valid indices for this collection.\n * @sample
samples.collections.Collections.Collections.indicesOfCollection\n *\npublic val Collection<*>.indices: IntRange\n
get() = 0..size - 1\n\n/**\n * Returns the index of the last item in the list or -1 if the list is empty.\n * @sample

```

```

samples.collections.Collections.Lists.lastIndexOfList\n *^\\npublic val <T> List<T>.lastIndex: Int\n  get() =
this.size - 1\\n\\n**\\n * Returns `true` if the collection is not empty.\\n * @sample
samples.collections.Collections.Collections.collectionIsNotEmpty\n *^\\n@kotlin.internal.InlineOnly\\npublic inline
fun <T> Collection<T>.isNotEmpty(): Boolean = !isEmpty()\\n\\n**\\n
 * Returns `true` if this nullable collection is either null or empty.\\n * @sample
samples.collections.Collections.Collections.collectionOrNull\n *^\\n@SinceKotlin("1.3")\\n@kotlin.internal.InlineOnly\\npublic inline fun <T> Collection<T>?.isNullOrNull():
Boolean {\\n  contract {\\n    returns(false) implies (this@isNullOrNull != null)\\n  }\\n  return this == null ||
this.isEmpty()\\n}\\n\\n**\\n * Returns this Collection if it's not `null` and the empty list otherwise.\\n * @sample
samples.collections.Collections.Collections.collectionOrNull\n *^\\n@kotlin.internal.InlineOnly\\npublic inline fun
<T> Collection<T>?.orEmpty(): Collection<T> = this ?: emptyList()\\n\\n**\\n * Returns this List if it's not `null` and
the empty list otherwise.\\n * @sample samples.collections.Collections.Lists.listOrNull\n *^\\n@kotlin.internal.InlineOnly\\npublic inline fun <T> List<T>?.orEmpty(): List<T> = this ?: emptyList()\\n\\n**\\n
 * Returns this collection if it's not empty\\n * or the
result of calling [defaultValue] function if the collection is empty.\\n *\\n * @sample
samples.collections.Collections.Collections.collectionIfEmpty\n *^\\n@SinceKotlin("1.3")\\n@kotlin.internal.InlineOnly\\npublic inline fun <C, R> C.ifEmpty(defaultValue: () ->
R): R where C : Collection<*>, C : R =\\n  if (isEmpty()) defaultValue() else this\\n\\n**\\n * Checks if all
elements in the specified collection are contained in this collection.\\n *\\n * Allows to overcome type-safety
restriction of `containsAll` that requires to pass a collection of type `Collection<E>`.\\n * @sample
samples.collections.Collections.Collections.collectionContainsAll\n *^\\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases\\n@kotlin.internal.InlineOnly\\npublic inline fun <@kotlin.internal.OnlyInputTypes T>
Collection<T>.containsAll(elements: Collection<T>): Boolean = this.containsAll(elements)\\n\\n**\\n * Returns a
new list with the elements of this list randomly
shuffled\\n * using the specified [random] instance as the source of randomness.\\n
 *^\\n@SinceKotlin("1.3")\\npublic fun <T> Iterable<T>.shuffled(random: Random): List<T> =
toMutableList().apply { shuffle(random) }\\n\\ninternal fun <T> List<T>.optimizeReadOnlyList() = when (size) {\\n
  0 -> emptyList()\\n  1 -> listOf(this[0])\\n  else -> this\\n}\\n\\n**\\n * Searches this list or its range for the provided
[element] using the binary search algorithm.\\n * The list is expected to be sorted into ascending order according to
the Comparable natural ordering of its elements,\\n * otherwise the result is undefined.\\n *\\n * If the list contains
multiple elements equal to the specified [element], there is no guarantee which one will be found.\\n *\\n * `null`
value is considered to be less than any non-null value.\\n *\\n * @return the index of the element, if it is contained in
the list within the specified range;\\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\\n * The
insertion point is defined as the index at which the element should be inserted,\\n * so that the list (or the specified
subrange of list) still remains sorted.\\n * @sample
samples.collections.Collections.Lists.binarySearchOnComparable\n * @sample
samples.collections.Collections.Lists.binarySearchWithBoundaries\n *^\\npublic fun <T : Comparable<T>>
List<T?>.binarySearch(element: T?, fromIndex: Int = 0, toIndex: Int = size): Int {\\n  rangeCheck(size, fromIndex,
toIndex)\\n\\n  var low = fromIndex\\n  var high = toIndex - 1\\n\\n  while (low <= high) {\\n    val mid = (low +
high).ushr(1) // safe from overflows\\n    val midVal = get(mid)\\n    val cmp = compareValues(midVal,
element)\\n\\n    if (cmp < 0)\\n      low = mid + 1\\n    else if (cmp > 0)\\n      high = mid - 1\\n    else\\n
return mid // key found\\n  }\\n  return -(low + 1) // key not found\\n}\\n\\n**\\n * Searches this list or its range
for the provided [element] using the binary search
algorithm.\\n * The list is expected to be sorted into ascending order according to the specified [comparator],\\n *
otherwise the result is undefined.\\n *\\n * If the list contains multiple elements equal to the specified [element], there
is no guarantee which one will be found.\\n *\\n * `null` value is considered to be less than any non-null value.\\n *\\n *
@return the index of the element, if it is contained in the list within the specified range;\\n * otherwise, the inverted

```

```

insertion point `(-insertion point - 1)`.
 * The insertion point is defined as the index at which the element should be
inserted,
 * so that the list (or the specified subrange of list) still remains sorted according to the specified
[comparator].
 * @sample samples.collections.Collections.Lists.binarySearchWithComparator
 * ^\npublic fun
<T> List<T>.binarySearch(element: T, comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Int
{
    rangeCheck(size, fromIndex, toIndex)
    var low =
    fromIndex
    var high = toIndex - 1
    while (low <= high) {
        val mid = (low + high).ushr(1) // safe from
overflows
        val midVal = get(mid)
        val cmp = comparator.compare(midVal, element)
        if (cmp <
0)
            low = mid + 1
        else if (cmp > 0)
            high = mid - 1
        else
            return mid // key
found
    }
    return -(low + 1) // key not found
}
 * Searches this list or its range for an element having
the key returned by the specified [selector] function
 * equal to the provided [key] value using the binary search
algorithm.
 * The list is expected to be sorted into ascending order according to the Comparable natural ordering of
keys of its elements.
 * otherwise the result is undefined.
 * If the list contains multiple elements with the
specified [key], there is no guarantee which one will be found.
 * `null` value is considered to be less than any
non-null value.
 * @return the index
of the element with the specified [key], if it is contained in the list within the specified range;
 * otherwise, the
inverted insertion point `(-insertion point - 1)`.
 * The insertion point is defined as the index at which the element
should be inserted,
 * so that the list (or the specified subrange of list) still remains sorted.
 * @sample
samples.collections.Collections.Lists.binarySearchByKey
 * ^\npublic inline fun <T, K : Comparable<K>>
List<T>.binarySearchBy(
    key: K?,
    fromIndex: Int = 0,
    toIndex: Int = size,
    crossinline selector: (T) ->
K?): Int =
    binarySearch(fromIndex, toIndex) { compareValues(selector(it), key) }
// do not introduce this
overload --- too rare
\n/public fun <T, K> List<T>.binarySearchBy(key: K, comparator: Comparator<K>,
fromIndex: Int = 0, toIndex: Int = size(), selector: (T) -> K): Int =
    binarySearch(fromIndex, toIndex) {
    comparator.compare(selector(it), key) }
 * Searches this list or its range for an
element for which the given [comparison] function returns zero using the binary search algorithm.
 * The list is
expected to be sorted so that the signs of the [comparison] function's return values ascend on the list elements,
 *
i.e. negative values come before zero and zeroes come before positive values.
 * Otherwise, the result is
undefined.
 * If the list contains multiple elements for which [comparison] returns zero, there is no guarantee
which one will be found.
 * @param comparison function that returns zero when called on the list element
being searched.
 * On the elements coming before the target element, the function must return negative values;
 *
on the elements coming after the target element, the function must return positive values.
 * @return the index
of the found element, if it is contained in the list within the specified range;
 * otherwise, the inverted insertion
point `(-insertion point - 1)`.
 * The insertion point is defined as the index
at which the element should be inserted,
 * so that the list (or the specified subrange of list) still remains sorted.
 * @sample
samples.collections.Collections.Lists.binarySearchWithComparisonFunction
 * ^\npublic fun <T>
List<T>.binarySearch(fromIndex: Int = 0, toIndex: Int = size, comparison: (T) -> Int): Int {
    rangeCheck(size,
fromIndex, toIndex)
    var low = fromIndex
    var high = toIndex - 1
    while (low <= high) {
        val mid
= (low + high).ushr(1) // safe from overflows
        val midVal = get(mid)
        val cmp = comparison(midVal)
        if (cmp < 0)
            low = mid + 1
        else if (cmp > 0)
            high = mid - 1
        else
            return
mid // key found
    }
    return -(low + 1) // key not found
}
 * Checks that `from` and `to` are in
 * the range of [0..size] and throws an appropriate exception, if they aren't.
 * ^\nprivate fun rangeCheck(size: Int,
fromIndex: Int, toIndex: Int) {
    when {
        fromIndex > toIndex -> throw IllegalArgumentException("fromIndex ($fromIndex) is greater than toIndex
($toIndex).")
        fromIndex < 0 -> throw IndexOutOfBoundsException("fromIndex ($fromIndex) is less than
zero.")
        toIndex > size -> throw IndexOutOfBoundsException("toIndex ($toIndex) is greater than size
($size).")
    }
}
 * @PublishedApi
 * @SinceKotlin("1.3")
 * internal expect fun checkIndexOverflow(index:
Int): Int
 * @PublishedApi
 * @SinceKotlin("1.3")
 * internal expect fun checkCountOverflow(count: Int):
Int
 * @PublishedApi
 * @SinceKotlin("1.3")
 * internal fun throwIndexOverflow() { throw
ArithmeticException("Index overflow has happened.") }
 * @PublishedApi
 * @SinceKotlin("1.3")
 * internal fun

```

```

throwCountOverflow() { throw ArithmeticException("Count overflow has happened.") }\n\n"/*\n * Copyright
2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can
be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MapsKt")\n@file:OptIn(kotlin.experiment
al.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\nprivate object
EmptyMap : Map<Any?, Nothing>, Serializable {\n    private const val serialVersionUID: Long =
8246714829545688274\n\n    override fun equals(other: Any?): Boolean = other is Map<*, *> &&
other.isEmpty()\n    override fun hashCode(): Int = 0\n    override fun toString(): String = "{}"\n\n    override val
size: Int get() = 0\n    override fun isEmpty(): Boolean = true\n\n    override fun containsKey(key: Any?): Boolean =
false\n    override fun containsValue(value: Nothing): Boolean = false\n    override fun get(key: Any?): Nothing? =
null\n    override val entries: Set<Map.Entry<Any?, Nothing>> get() = EmptySet\n    override val keys: Set<Any?>
get() = EmptySet\n    override val values: Collection<Nothing> get() = EmptyList\n\n    private fun readResolve(): Any = EmptyMap\n}\n\n/**\n * Returns an empty read-only map of specified type.\n
*\n * The returned map is serializable (JVM).\n * @sample
samples.collections.Maps.Instantiation.emptyReadOnlyMap\n */\n\npublic fun <K, V> emptyMap(): Map<K, V> =
@Suppress("UNCHECKED_CAST") (EmptyMap as Map<K, V>)\n\n/**\n * Returns a new read-only map with
the specified contents, given as a list of pairs\n * where the first value is the key and the second is the value.\n
*\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n
*\n * Entries of the map are iterated in the order they were specified.\n * The returned map is serializable (JVM).\n
*\n * @sample samples.collections.Maps.Instantiation.mapFromPairs\n */\n\npublic fun <K, V> mapOf(vararg pairs:
Pair<K, V>): Map<K, V> =\n    if (pairs.size > 0) pairs.toMap(LinkedHashMap(mapCapacity(pairs.size))) else
emptyMap()\n\n/**\n * Returns an empty read-only map.\n
*\n * The returned map is serializable (JVM).\n * @sample
samples.collections.Maps.Instantiation.emptyReadOnlyMap\n */\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
<K, V> mapOf(): Map<K, V> = emptyMap()\n\n/**\n * Returns an empty new [MutableMap].\n * The returned
map preserves the entry iteration order.\n * @sample samples.collections.Maps.Instantiation.emptyMutableMap\n
*/\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <K, V> mutableMapOf():
MutableMap<K, V> = LinkedHashMap()\n\n/**\n * Returns a new [MutableMap] with the specified contents, given
as a list of pairs\n * where the first component is the key and the second is the value.\n * If multiple pairs have
the same key, the resulting map will contain the value from the last of those pairs.\n * Entries of the map are
iterated in the order they were specified.\n * @sample
samples.collections.Maps.Instantiation.mutableMapFromPairs\n * @sample
samples.collections.Maps.Instantiation.emptyMutableMap\n
*/\n\npublic fun <K, V> mutableMapOf(vararg pairs: Pair<K, V>): MutableMap<K, V> =\n    LinkedHashMap<K,
V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n\n/**\n * Returns an empty new [HashMap].\n * @sample
samples.collections.Maps.Instantiation.emptyHashMap\n
*/\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <K, V> hashMapOf(): HashMap<K, V>
= HashMap<K, V>()\n\n/**\n * Returns a new [HashMap] with the specified contents, given as a list of pairs\n *
where the first component is the key and the second is the value.\n * @sample
samples.collections.Maps.Instantiation.hashMapFromPairs\n */\n\npublic fun <K, V> hashMapOf(vararg pairs:
Pair<K, V>): HashMap<K, V> = HashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n\n/**\n *
Returns an empty new [LinkedHashMap].\n * @sample samples.collections.Maps.Instantiation.linkedMapOf\n */\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline
fun <K, V> linkedMapOf(): LinkedHashMap<K, V> = LinkedHashMap<K, V>()\n\n/**\n * Returns a new
[LinkedHashMap]
with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the
value.\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those
pairs.\n * Entries of the map are iterated in the order they were specified.\n * @sample

```

```

samples.collections.Maps.Instantiation.linkedMapFromPairs\n */\npublic fun <K, V> linkedMapOf(vararg pairs:
Pair<K, V>): LinkedHashMap<K, V> = pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))\n\n/**\n * Builds
a new read-only [Map] by populating a [MutableMap] using the given [builderAction]\n * and returning a read-only
map with the same key-value pairs.\n * \n * The map passed as a receiver to the [builderAction] is valid only inside
that function.\n * Using it outside of the function produces an unspecified behavior.\n * \n * Entries of the map are
iterated in the order they were added by the [builderAction].\n * \n * The returned map is serializable
(JVM).\n * \n * @sample samples.collections.Builders.Maps.buildMapSample\n
*/\n\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <K, V> buildMap(@BuilderInference builderAction: MutableMap<K, V>().->Unit): Map<K, V> {\n
contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n return
buildMapInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal
expect inline fun <K, V> buildMapInternal(builderAction: MutableMap<K, V>().->Unit): Map<K,
V>\n\n/**\n * Builds a new read-only [Map] by populating a [MutableMap] using the given [builderAction]\n * and
returning a read-only map with the same key-value pairs.\n * \n * The map passed as a receiver to the
[builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified
behavior.\n * \n * [capacity] is used to hint the expected number of pairs added in the
[builderAction].\n * \n * Entries of the map are iterated in the order they were added by the [builderAction].\n * \n
* The returned map is serializable (JVM).\n * \n * @throws IllegalArgumentException if the given [capacity] is
negative.\n * \n * @sample samples.collections.Builders.Maps.buildMapSample\n
*/\n\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <K, V> buildMap(capacity: Int, @BuilderInference builderAction: MutableMap<K, V>().->Unit):
Map<K, V> {\n contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n return
buildMapInternal(capacity,
builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal expect inline
fun <K, V> buildMapInternal(capacity: Int, builderAction: MutableMap<K, V>().->Unit): Map<K, V>\n\n/**\n *
Calculate the initial capacity of a map.\n * \n * @PublishedApi\n * \n * internal expect fun mapCapacity(expectedSize: Int):
Int\n\n/**\n * Returns
`true` if this map is not empty.\n * \n * @sample samples.collections.Maps.Usage.mapIsNotEmpty\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.isNotEmpty(): Boolean =
!isEmpty()\n\n/**\n * Returns `true` if this nullable map is either null or empty.\n * \n * @sample
samples.collections.Maps.Usage.mapIsNullOrEmpty\n
*/\n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>?.isNullOrEmpty(): Boolean {\n contract {\n returns(false) implies (this@isNullOrEmpty != null)\n }\n\n
return this == null || isEmpty()\n}\n\n/**\n * Returns the [Map] if its not `null`, or the empty [Map] otherwise.\n
*\n * @sample samples.collections.Maps.Usage.mapOrElse\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun
<K, V> Map<K, V>?.orElse(): Map<K, V> = this ?: emptyMap()\n\n/**\n * Returns this map if it's not empty\n *
or the result of calling [defaultValue] function if the map is empty.\n * \n * @sample
samples.collections.Maps.Usage.mapIfEmpty\n
*/\n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <M, R> M.ifEmpty(defaultValue: () ->
R): R where M : Map<*, *>, M : R =\n if (isEmpty()) defaultValue() else this\n\n/**\n * Checks if the map
contains the given key.\n * \n * This method allows to use the `x in map` syntax for checking whether an object is
contained in the map.\n * \n * @sample samples.collections.Maps.Usage.containsKey\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K,
V>.contains(key: K): Boolean = containsKey(key)\n\n/**\n * Returns the value corresponding to the given [key], or
`null` if such a key is not present in the map.\n * \n * @kotlin.internal.InlineOnly\n * \n * public inline operator fun
<@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.get(key: K): V? =\n
@Suppress("UNCHECKED_CAST") (this as Map<K, V>).get(key)\n\n/**\n * Allows to use the index operator
for storing values in a mutable map.\n * \n * @kotlin.internal.InlineOnly\n * \n * public

```

```

inline operator fun <K, V> MutableMap<K, V>.set(key: K, value: V): Unit {
    put(key, value)
}

Returns `true` if the map contains the specified [key].
Allows to overcome type-safety restriction of `containsKey` that requires to pass a key of type `K`.
@kotlin.internal.InlineOnly
public inline fun
<@kotlin.internal.OnlyInputTypes K> Map<out K, *>.containsKey(key: K): Boolean =
    @Suppress("UNCHECKED_CAST") (this as Map<K, *>).containsKey(key)

Returns `true` if the map maps one or more keys to the specified [value].
Allows to overcome type-safety restriction of `containsValue` that requires to pass a value of type `V`.
@sample
samples.collections.Maps.Usage.containsValue
^
@Suppress("EXTENSION_SHADOWED_BY_MEMBER")
// false warning, extension takes precedence in some cases
@kotlin.internal.InlineOnly
public inline fun <K,
@kotlin.internal.OnlyInputTypes V> Map<K, V>.containsValue(value: V): Boolean
= this.containsValue(value)

Removes the specified key and its corresponding value from this map.
@return the previous value associated with the key, or `null` if the key was not present in the map.
Allows to overcome type-safety restriction of `remove` that requires to pass a key of type `K`.
^
@kotlin.internal.InlineOnly
public inline fun <@kotlin.internal.OnlyInputTypes K, V> MutableMap<out K,
V>.remove(key: K): V? =
    @Suppress("UNCHECKED_CAST") (this as MutableMap<K,
V>).remove(key)

Returns the key component of the map entry.
This method allows to use destructuring declarations when working with maps, for example:
```
for ((key, value) in map) {
    // do something with the key and the value
}
^
@kotlin.internal.InlineOnly
public inline operator fun <K,
V> Map.Entry<K, V>.component1(): K = key

Returns the value component of the map entry.
This method allows to use destructuring declarations when working with maps, for example:
```
for ((key, value) in map) {
    // do something with the key and the value
}
^
@kotlin.internal.InlineOnly
public inline operator fun <K, V>
Map.Entry<K, V>.component2(): V = value

Converts entry to [Pair] with key being first component and value being second.
^
@kotlin.internal.InlineOnly
public inline fun <K, V> Map.Entry<K, V>.toPair():
Pair<K, V> = Pair(key, value)

Returns the value for the given key, or the result of the [defaultValue] function if there was no entry for the given key.
@sample
samples.collections.Maps.Usage.getOrElse
^
@kotlin.internal.InlineOnly
public inline fun <K, V> Map<K, V>.getOrElse(key: K, defaultValue: () -> V): V
= get(key) ?: defaultValue()

internal inline fun <K, V> Map<K, V>.getOrElseNullable(key: K, defaultValue: ()
-> V): V {
    val value = get(key)
    if (value == null && !containsKey(key)) {
        return defaultValue()
    } else {
        @Suppress("UNCHECKED_CAST")
        return value as V
    }
}

Returns the value for the given [key] or throws an exception if there is no such key in the map.
If the map was created by [withDefault], resorts to its `defaultValue` provider function instead of throwing an exception.
@throws NoSuchElementException when the map doesn't contain a value for the specified key and no implicit default value was provided for that map.
^
@SinceKotlin("1.1")
public fun <K, V> Map<K, V>.getValue(key: K): V
= getOrDefault(key)

Returns the value for the given key. If the key is not found in the map, calls the [defaultValue] function, puts its result into the map under the given key and returns it.
Note that the operation is not guaranteed to be atomic if the map is being modified concurrently.
@sample
samples.collections.Maps.Usage.getOrPut
^
public inline fun <K, V> MutableMap<K, V>.getOrPut(key:
K, defaultValue: () -> V): V {
    val value = get(key)
    return if (value == null) {
        val answer =
defaultValue()
        put(key, answer)
        answer
    } else {
        value
    }
}

Returns an [Iterator] over the entries in the [Map].
@sample
samples.collections.Maps.Usage.forOverEntries
^
@kotlin.internal.InlineOnly
public inline operator fun <K, V> Map<out K, V>.iterator():
Iterator<Map.Entry<K, V>> = entries.iterator()

Returns a [MutableIterator] over the mutable entries in the [MutableMap].
^
@kotlin.jvm.JvmName("mutableIterator")
@kotlin.internal.InlineOnly
public inline operator fun <K, V> MutableMap<K, V>.iterator(): MutableIterator<MutableMap.MutableEntry<K, V>> =
entries.iterator()

Populates the given [destination] map with entries having the keys of this map and the values obtained by applying the [transform] function to each entry in this [Map].
^
public inline fun <K,

```



```

V, R, M : MutableMap<in K, in R>> Map<out K, V>.mapValuesTo(destination: M, transform: (Map.Entry<K, V>
-> R): M {\n  return entries.associateByTo(destination, { it.key }, transform)\n}\n\n/**\n * Populates the given
[destination] map with entries having the keys obtained\n * by applying the [transform] function to each entry in this
[Map] and the values of this map.\n *\n * In case if any two entries are mapped to the equal keys, the value of the
latter one will overwrite\n * the value associated with the former one.\n */\npublic inline fun <K, V, R, M :
MutableMap<in R, in V>> Map<out K, V>.mapKeysTo(destination: M, transform: (Map.Entry<K, V> -> R): M
{\n  return entries.associateByTo(destination, transform, { it.value })\n}\n\n/**\n * Puts all the given [pairs] into
this [MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun <K,
V> MutableMap<in K, in V>.putAll(pairs: Array<out Pair<K, V>>): Unit {\n  for ((key, value) in
pairs) {\n    put(key, value)\n  }\n}\n\n/**\n * Puts all the elements of the given collection into this
[MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun <K, V>
MutableMap<in K, in V>.putAll(pairs: Iterable<Pair<K, V>>): Unit {\n  for ((key, value) in pairs) {\n
put(key, value)\n  }\n}\n\n/**\n * Puts all the elements of the given sequence into this [MutableMap] with the first
component in the pair being the key and the second the value.\n */\npublic fun <K, V> MutableMap<in K, in
V>.putAll(pairs: Sequence<Pair<K, V>>): Unit {\n  for ((key, value) in pairs) {\n    put(key, value)\n
}\n}\n\n/**\n * Returns a new map with entries having the keys of this map and the values obtained by applying the
[transform]\n * function to each entry in this [Map].\n *\n * The returned map preserves the entry iteration order of
the original map.\n */\n * @sample samples.collections.Maps.Transformations.mapValues\n */\npublic
inline fun <K, V, R> Map<out K, V>.mapValues(transform: (Map.Entry<K, V>) -> R): Map<K, R> {\n  return
mapValuesTo(LinkedHashMap<K, R>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n}\n\n/**\n *
Returns a new Map with entries having the keys obtained by applying the [transform] function to each entry in this\n
* [Map] and the values of this map.\n *\n * In case if any two entries are mapped to the equal keys, the value of the
latter one will overwrite\n * the value associated with the former one.\n *\n * The returned map preserves the entry
iteration order of the original map.\n */\n * @sample samples.collections.Maps.Transformations.mapKeys\n */\npublic
inline fun <K, V, R> Map<out K, V>.mapKeys(transform: (Map.Entry<K, V>) -> R): Map<R, V> {\n  return
mapKeysTo(LinkedHashMap<R, V>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n}\n\n/**\n *
Returns a map containing all key-value pairs with keys matching the given [predicate].\n *\n * The returned map
preserves
the entry iteration order of the original map.\n */\n * @sample samples.collections.Maps.Filtering.filterKeys\n */\npublic
inline fun <K, V> Map<out K, V>.filterKeys(predicate: (K) -> Boolean): Map<K, V> {\n  val result =
LinkedHashMap<K, V>()\n  for (entry in this) {\n    if (predicate(entry.key)) {\n      result.put(entry.key,
entry.value)\n    }\n  }\n  return result\n}\n\n/**\n * Returns a map containing all key-value pairs with values
matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n
* @sample samples.collections.Maps.Filtering.filterValues\n */\npublic inline fun <K, V> Map<out K,
V>.filterValues(predicate: (V) -> Boolean): Map<K, V> {\n  val result = LinkedHashMap<K, V>()\n  for (entry
in this) {\n    if (predicate(entry.value)) {\n      result.put(entry.key, entry.value)\n    }\n  }\n  return
result\n}\n\n/**\n * Appends all entries matching the given [predicate] into
the mutable map given as [destination] parameter.\n *\n * @return the destination map.\n */\n * @sample
samples.collections.Maps.Filtering.filterTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> Map<out
K, V>.filterTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\n  for (element in this) {\n    if
(predicate(element)) {\n      destination.put(element.key, element.value)\n    }\n  }\n  return
destination\n}\n\n/**\n * Returns a new map containing all key-value pairs matching the given [predicate].\n *\n *
The returned map preserves the entry iteration order of the original map.\n */\n * @sample
samples.collections.Maps.Filtering.filter\n */\npublic inline fun <K, V> Map<out K, V>.filter(predicate:
(Map.Entry<K, V>) -> Boolean): Map<K, V> {\n  return filterTo(LinkedHashMap<K, V>(),
predicate)\n}\n\n/**\n * Appends all entries not matching the given [predicate] into the given [destination].\n *\n *
@return the destination map.\n */\n * @sample samples.collections.Maps.Filtering.filterNotTo\n

```

```

*^public inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterNotTo(destination: M, predicate:
(Map.Entry<K, V> -> Boolean): M {
    for (element in this)
        if (!predicate(element))
            destination.put(element.key, element.value)
    return destination
}

* Returns a new map containing all key-value pairs not matching the given [predicate].
* The returned map preserves the entry iteration order of the original map.
* @sample samples.collections.Maps.Filtering.filterNot

*^public inline fun <K, V> Map<out K, V>.filterNot(predicate: (Map.Entry<K, V> -> Boolean): Map<K, V> {
    return filterNotTo(LinkedHashMap<K, V>(), predicate)
}

* Returns a new map containing all key-value pairs from the given collection of pairs.
* The returned map preserves the entry iteration order of the original collection.
* If any of two pairs would have the same key the last one gets added to the map.

*^public fun <K, V> Iterable<Pair<K, V>>.toMap(): Map<K, V> {
    if (this is Collection)
        return when (size) {
            0 -> emptyMap()
            1 -> mapOf(if (this is List) this[0] else iterator().next())
            else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))
        }
    return toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()
}

* Populates and returns the [destination] mutable map with key-value pairs from the given collection of pairs.

*^public fun <K, V, M : MutableMap<in K, in V>> Iterable<Pair<K, V>>.toMap(destination: M): M =
    destination.apply { putAll(this@toMap) }

* Returns a new map containing all key-value pairs from the given array of pairs.
* The returned map preserves the entry iteration order of the original array.
* If any of two pairs would have the same key the last one gets added to the map.

*^public fun <K, V> Array<out Pair<K, V>>.toMap(): Map<K, V> =
    when (size) {
        0 -> emptyMap()
        1 -> mapOf(this[0])
        else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))
    }

* Populates and returns the [destination] mutable map with key-value pairs from the given array of pairs.

*^public fun <K, V, M : MutableMap<in K, in V>> Array<out Pair<K, V>>.toMap(destination: M): M =
    destination.apply { putAll(this@toMap) }

* Returns a new map containing all key-value pairs from the given sequence of pairs.
* The returned map preserves the entry iteration order of the original sequence.
* If any of two pairs would have the same key the last one gets added to the map.

*^public fun <K, V> Sequence<Pair<K, V>>.toMap(): Map<K, V> = toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()

* Populates and returns the [destination] mutable map with key-value pairs from the given sequence of pairs.

*^public fun <K, V, M : MutableMap<in K, in V>> Sequence<Pair<K, V>>.toMap(destination: M): M =
    destination.apply { putAll(this@toMap) }

* Returns a new read-only map containing all key-value pairs from the original map.
* The returned map preserves the entry iteration order of the original map.

*^@SinceKotlin("1.1")
*^public fun <K, V> Map<out K, V>.toMap(): Map<K, V> = when (size) {
    0 -> emptyMap()
    1 -> toSingletonMap()
    else -> toMutableMap()
}

* Returns a new mutable map containing all key-value pairs from the original map.
* The returned map preserves the entry iteration order of the original map.

*^@SinceKotlin("1.1")
*^public fun <K, V> Map<out K, V>.toMutableMap(): MutableMap<K, V> = LinkedHashMap(this)

* Populates and returns the [destination] mutable map with key-value pairs from the given map.

*^@SinceKotlin("1.1")
*^public fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.toMap(destination: M): M =
    destination.apply { putAll(this@toMap) }

* Creates a new read-only map by replacing or adding an entry to this map from a given key-value [pair].
* The returned map preserves the entry iteration order of the original map.
* The [pair] is iterated in the end if it has a unique key.

*^public operator fun <K, V> Map<out K, V>.plus(pair: Pair<K, V>): Map<K, V> =
    if (this.isEmpty()) mapOf(pair) else LinkedHashMap(this).apply { put(pair.first, pair.second) }

* Creates a new read-only map by replacing or adding entries to this map from a given collection of key-value [pairs].
* The returned map preserves the entry iteration order of the original map.
* Those [pairs] with unique keys are iterated in the end in the order of [pairs] collection.

*^public operator fun <K, V> Map<out K, V>.plus(pairs: Iterable<Pair<K, V>>): Map<K, V> =
    if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }

* Creates a new read-only map by replacing or adding entries to this map from a given array of key-value [pairs].
* The

```

returned map preserves the entry iteration order of the original map.

- \* Those [pairs] with unique keys are iterated in the end in the order of [pairs] array.

```

public operator fun <K, V> Map<out K, V>.plus(pairs: Array<out Pair<K, V>>): Map<K, V> =
    if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }

```

- \* Creates a new read-only map by replacing or adding entries to this map from a given sequence of key-value [pairs].
- \* The returned map preserves the entry iteration order of the original map.
- \* Those [pairs] with unique keys are iterated in the end in the order of [pairs] sequence.

```

public operator fun <K, V> Map<out K, V>.plus(pairs: Sequence<Pair<K, V>>): Map<K, V> =
    LinkedHashMap(this).apply { putAll(pairs) }.optimizeReadOnlyMap()

```

- \* Creates a new read-only map by replacing or adding entries to this map from another [map].
- \* The returned map preserves the entry iteration order of the original map.
- \* Those entries of another [map] that are missing in this map are iterated in the end in the order of that [map].

```

public operator fun <K, V> Map<out K, V>.plus(map: Map<out K, V>): Map<K, V> =
    LinkedHashMap(this).apply { putAll(map) }

```

- \* Appends or replaces the given [pair] in this mutable map.

```

@kotlin.internal.InlineOnly public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pair: Pair<K, V>) {
    put(pair.first, pair.second)
}

```

- \* Appends or replaces all pairs from the given collection of [pairs] in this mutable map.

```

@kotlin.internal.InlineOnly public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Iterable<Pair<K, V>>) {
    putAll(pairs)
}

```

- \* Appends or replaces all pairs from the given array of [pairs] in this mutable map.

```

@kotlin.internal.InlineOnly public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Array<out Pair<K, V>>) {
    putAll(pairs)
}

```

- \* Appends or replaces all pairs from the given sequence of [pairs] in this mutable map.

```

@kotlin.internal.InlineOnly public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Sequence<Pair<K, V>>) {
    putAll(pairs)
}

```

- \* Appends or replaces all entries from the given [map] in this mutable map.

```

@kotlin.internal.InlineOnly public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(map: Map<K, V>) {
    putAll(map)
}

```

- \* Returns a map containing all entries of the original map except the entry with the given [key].
- \* The returned map preserves the entry iteration order of the original map.

```

@SinceKotlin("1.1") public operator fun <K, V> Map<out K, V>.minus(key: K): Map<K, V> =
    this.toMutableMap().apply { minusAssign(key) }.optimizeReadOnlyMap()

```

- \* Returns a map containing all entries of the original map except those entries the keys of which are contained in the given [keys] collection.
- \* The returned map preserves the entry iteration order of the original map.

```

@SinceKotlin("1.1") public operator fun <K, V> Map<out K, V>.minus(keys: Iterable<K>): Map<K, V> =
    this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()

```

- \* Returns a map containing all entries of the original map except those entries the keys of which are contained in the given [keys] array.
- \* The returned map preserves the entry iteration order of the original map.

```

@SinceKotlin("1.1") public operator fun <K, V> Map<out K, V>.minus(keys: Array<out K>): Map<K, V> =
    this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()

```

- \* Returns a map containing all entries of the original map except those entries the keys of which are contained in the given [keys] sequence.
- \* The returned map preserves the entry iteration order of the original map.

```

@SinceKotlin("1.1") public operator fun <K, V> Map<out K, V>.minus(keys: Sequence<K>): Map<K, V> =
    this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()

```

- \* Removes the entry with the given [key] from this mutable map.

```

@SinceKotlin("1.1") @kotlin.internal.InlineOnly public inline operator fun <K, V> MutableMap<K, V>.minusAssign(key: K) {
    remove(key)
}

```

- \* Removes all entries the keys of which are contained in the given [keys] collection from this mutable map.

```

@SinceKotlin("1.1") @kotlin.internal.InlineOnly public inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Iterable<K>) {
    this.keys.removeAll(keys)
}

```

- \* Removes all entries the keys of which are contained in the given [keys] array from this mutable map.

```

@SinceKotlin("1.1") @kotlin.internal.InlineOnly public inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Array<out K>) {
    this.keys.removeAll(keys)
}

```

- \* Removes all entries from the

keys of which are contained in the given [keys] sequence from this mutable map.\n

```

*^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(keys: Sequence<K>) {\n  this.keys.removeAll(keys)\n}\n\n// do not expose for now
@PublishedApi\ninternal fun <K, V> Map<K, V>.optimizeReadOnlyMap() = when (size) {\n  0 -> emptyMap()\n  1 -> toSingletonMapOrSelf()\n  else -> this\n}\n"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n
*^@file:kotlin.jvm.JvmMultifileClass@file:kotlin.jvm.JvmName("SetsKt")@file:OptIn(kotlin.experimenta
l.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\ninternal object
EmptySet : Set<Nothing>, Serializable {\n  private const val serialVersionUID: Long =
3406603774387020532\n\n  override fun equals(other: Any?): Boolean = other is Set<*> && other.isEmpty()\n
  override fun hashCode(): Int = 0\n  override fun toString(): String = "[]"\n\n  override val size: Int get() = 0\n
  override fun isEmpty(): Boolean = true\n  override fun contains(element: Nothing): Boolean = false\n  override
fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()\n  override fun iterator():
Iterator<Nothing> = EmptyIterator\n\n  private fun readResolve(): Any = EmptySet\n}\n\n/**\n * Returns an
empty read-only set. The returned set is serializable (JVM).\n * @sample
samples.collections.Collections.Sets.emptyReadOnlySet\n *^@kotlin.internal.InlineOnly\npublic inline fun <T> emptySet(): Set<T> =
EmptySet\n\n/**\n * Returns a new read-only set with the given elements.\n * Elements of the set are iterated in the
order they were specified.\n * The returned set is serializable (JVM).\n * @sample
samples.collections.Collections.Sets.readOnlySet\n *^@kotlin.internal.InlineOnly\npublic inline fun <T> setOf(vararg elements: T): Set<T> = if
(elements.size > 0) elements.toSet() else emptySet()\n\n/**\n * Returns an empty read-only set. The returned set is serializable (JVM).\n * @sample
samples.collections.Collections.Sets.emptyReadOnlySet\n *^@kotlin.internal.InlineOnly\npublic inline fun <T>
setOf(): Set<T> = emptySet()\n\n/**\n * Returns an empty new [MutableSet].\n * The returned set preserves the
element iteration order.\n * @sample samples.collections.Collections.Sets.emptyMutableSet\n
*^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic inline fun <T> mutableSetOf(): MutableSet<T> =
LinkedHashSet()\n\n/**\n * Returns a new [MutableSet] with the given elements.\n * Elements of the set are
iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.mutableSet\n *^@kotlin.internal.InlineOnly\npublic inline fun <T> mutableSetOf(vararg elements: T): MutableSet<T> =
elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/**\n * Returns an empty new [HashSet].
*\n *^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic inline fun <T> hashSetOf(): HashSet<T>
= HashSet()\n\n/**\n * Returns a new [HashSet] with the given elements. *\n *^@kotlin.internal.InlineOnly\npublic inline fun <T> hashSetOf(vararg
elements: T): HashSet<T> = elements.toCollection(HashSet(mapCapacity(elements.size)))\n\n/**\n * Returns an
empty new [LinkedHashSet].\n * @sample samples.collections.Collections.Sets.emptyLinkedHashSet\n
*^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic inline fun <T> linkedSetOf(): LinkedHashSet<T>
= LinkedHashSet()\n\n/**\n * Returns a new [LinkedHashSet] with the given elements.\n * Elements of the set are
iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.linkedHashSet\n
*^@kotlin.internal.InlineOnly\npublic inline fun <T> linkedSetOf(vararg elements: T): LinkedHashSet<T> =
elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/**\n * Returns a new read-only set either
with single given element, if it is not null, or empty set if the element is null.\n * The returned set is serializable
(JVM).\n * @sample samples.collections.Collections.Sets.setOfNotNull\n
*^@SinceKotlin("1.4")\npublic fun <T : Any> setOfNotNull(element: T?): Set<T> = if (element != null)
setOf(element) else emptySet()\n\n/**\n * Returns a new read-only set only with those given elements, that are not
null.\n * Elements of the set are iterated in the order they were specified.\n * The returned set is serializable
(JVM).\n * @sample samples.collections.Collections.Sets.setOfNotNull\n *^@SinceKotlin("1.4")\npublic fun <T
: Any> setOfNotNull(vararg elements: T?): Set<T> {\n  return
elements.filterNotNullTo(LinkedHashSet())\n}\n\n/**\n * Builds a new read-only [Set] by populating a
[MutableSet] using the given [builderAction]\n * and returning a read-only set with the same elements.\n * The

```

set passed as a receiver to the [builderAction] is valid only inside that function.\n \* Using it outside of the function produces an unspecified behavior.\n \* Elements of the set are iterated in the order they were added by the [builderAction].\n \* The returned set is serializable (JVM).\n \* @sample samples.collections.Builders.Sets.buildSetSample

```

*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <E> buildSet(@BuilderInference builderAction: MutableSet<E>().-> Unit): Set<E> {\n    contract {\n        callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return\n    buildSetInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal expect inline fun <E> buildSetInternal(builderAction: MutableSet<E>().-> Unit): Set<E>\n\n/**\n * Builds a new read-only [Set] by populating a [MutableSet] using the given [builderAction]\n * and returning a read-only set with the same elements.\n * The set passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n * [capacity] is used to hint the expected number of elements added in the [builderAction].\n * Elements of the set are iterated in the order they were added by the [builderAction].\n * The returned set is serializable (JVM).\n * @throws IllegalArgumentException if the given [capacity] is negative.\n * @sample samples.collections.Builders.Sets.buildSetSample
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <E> buildSet(capacity: Int, @BuilderInference builderAction: MutableSet<E>().-> Unit): Set<E> {\n    contract {\n        callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return buildSetInternal(capacity, builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal expect inline fun <E> buildSetInternal(capacity: Int, builderAction: MutableSet<E>().-> Unit): Set<E>\n\n/**\n * Returns this Set if it's not `null` and the empty set otherwise. *\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>?.orEmpty(): Set<T> = this\n    ?: emptySet()\n\ninternal fun <T> Set<T>.optimizeReadOnlySet() = when (size) {\n    0 -> emptySet()\n    1 -> setOf(iterator().next())\n    else -> this\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n@file:Suppress("PLATFORM_CLASS_MAPPED_TO_KOTLIN")\n\npackage kotlin.text\n\n/**\n * Parses the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a number.
*\n\n@SinceKotlin("1.1")\npublic fun String.toByteArrayOrNull(): Byte? = toByteOrNull(radix = 10)\n\n/**\n * Parses the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.
*\n\n@SinceKotlin("1.1")\npublic fun String.toByteArrayOrNull(radix: Int): Byte? {\n    val int = this.toIntOrNull(radix) ?: return null\n    if (int < Byte.MIN_VALUE || int > Byte.MAX_VALUE) return null\n    return int.toByteArray()\n}\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a number.
*\n\n@SinceKotlin("1.1")\npublic fun String.toShortOrNull(): Short? = toShortOrNull(radix = 10)\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.
*\n\n@SinceKotlin("1.1")\npublic fun String.toShortOrNull(radix: Int): Short? {\n    val int = this.toIntOrNull(radix) ?: return null\n    if (int < Short.MIN_VALUE || int > Short.MAX_VALUE) return null\n    return int.toShort()\n}\n\n/**\n * Parses the string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.
*\n\n@SinceKotlin("1.1")\npublic fun String.toIntOrNull(): Int? = toIntOrNull(radix = 10)\n\n/**\n * Parses the string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.
*\n\n@SinceKotlin("1.1")\npublic fun String.toIntOrNull(radix: Int): Int? {\n    checkRadix(radix)\n    val length = this.length\n    if (length == 0) return null\n    val start: Int\n    val isNegative: Boolean\n    val limit:

```

```

Int\n\n val firstChar = this[0]\n if (firstChar < '0') { // Possible leading sign\n     if (length == 1) return null //
non-digit (possible sign) only, no digits after\n\n     start = 1\n\n     if (firstChar == '-') {\n         isNegative =
true\n         limit = Int.MIN_VALUE\n
    } else if (firstChar == '+') {\n         isNegative = false\n         limit = -Int.MAX_VALUE\n     } else\n
return null\n } else {\n     start = 0\n     isNegative = false\n     limit = -Int.MAX_VALUE\n }\n\n val
limitForMaxRadix = (-Int.MAX_VALUE) / 36\n\n var limitBeforeMul = limitForMaxRadix\n var result = 0\n
for (i in start until length) {\n     val digit = digitOf(this[i], radix)\n\n     if (digit < 0) return null\n     if (result <
limitBeforeMul) {\n         if (limitBeforeMul == limitForMaxRadix) {\n             limitBeforeMul = limit /
radix\n\n             if (result < limitBeforeMul) {\n                 return null\n             }\n         } else {\n
return null\n         }\n     }\n\n     result *= radix\n\n     if (result < limit + digit) return null\n\n     result -=
digit\n }\n\n return if (isNegative) result else -result\n}\n\n**\n * Parses
the string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a
number.\n *^\n@SinceKotlin("1.1")\npublic fun String.toLongOrNull(): Long? = toLongOrNull(radix =
10)\n\n**\n * Parses the string as a [Long] number and returns the result\n * or `null` if the string is not a valid
representation of a number.\n *^\n * @throws IllegalArgumentException when [radix] is not a valid radix for string
to number conversion.\n *^\n@SinceKotlin("1.1")\npublic fun String.toLongOrNull(radix: Int): Long? {\n
checkRadix(radix)\n\n val length = this.length\n if (length == 0) return null\n\n val start: Int\n val isNegative:
Boolean\n val limit: Long\n\n val firstChar = this[0]\n if (firstChar < '0') { // Possible leading sign\n     if
(length == 1) return null // non-digit (possible sign) only, no digits after\n\n     start = 1\n\n     if (firstChar == '-')
{\n         isNegative = true\n         limit = Long.MIN_VALUE\n
    } else if (firstChar == '+') {\n         isNegative = false\n         limit = -Long.MAX_VALUE\n     } else\n
return null\n } else {\n     start = 0\n     isNegative = false\n     limit = -Long.MAX_VALUE\n }\n\n val
limitForMaxRadix = (-Long.MAX_VALUE) / 36\n\n var limitBeforeMul = limitForMaxRadix\n var result =
0L\n for (i in start until length) {\n     val digit = digitOf(this[i], radix)\n\n     if (digit < 0) return null\n     if
(result < limitBeforeMul) {\n         if (limitBeforeMul == limitForMaxRadix) {\n             limitBeforeMul = limit
/ radix\n\n             if (result < limitBeforeMul) {\n                 return null\n             }\n         } else {\n
return null\n         }\n     }\n\n     result *= radix\n\n     if (result < limit + digit) return null\n\n     result -=
digit\n }\n\n return if (isNegative) result else -result\n}\n\n\ninternal
fun numberFormatError(input: String): Nothing = throw NumberFormatException("Invalid number format:
'$input')")\n\n"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@npackage kotlin.time\n\nimport kotlin.contracts.*\nimport kotlin.jvm.JvmInline\nimport kotlin.math.*\n\n**\n * Represents the amount of time one instant of time is away from another instant.\n *^\n * A negative duration is
possible in a situation when the second instant is earlier than the first one.\n *^\n * The type can store duration values
up to \u00b1146 years with nanosecond precision,\n * and up to \u00b1146 million years with millisecond
precision.\n *^\n * If a duration-returning operation provided in `kotlin.time` produces a duration value that doesn't fit
into the above range,\n * the returned `Duration` is infinite.\n *^\n * An infinite duration value
[Duration.INFINITE] can be used to represent infinite timeouts.\n *^\n * To construct a duration use either the
extension function [toDuration],\n * or the extension properties [hours], [minutes], [seconds], and so on,\n *
available on [Int], [Long], and [Double] numeric types.\n *^\n * To get the value of this duration expressed in a
particular [duration units][DurationUnit]\n * use the functions [toInt], [toLong], and [toDouble]\n * or the properties
[inWholeHours], [inWholeMinutes], [inWholeSeconds], [inWholeNanoseconds], and so on.\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalTime::class)\n@JvmInline\npublic value class
Duration internal constructor(private val rawValue: Long) : Comparable<Duration> {\n\n     private val value: Long
get() = rawValue shr 1\n     private inline val unitDiscriminator: Int get() = rawValue.toInt() and 1\n     private fun
isInNanos() = unitDiscriminator == 0\n     private fun isInMillis() = unitDiscriminator == 1\n     private val
storageUnit get()

```

```

= if (isInNanos()) DurationUnit.NANOSECONDS else DurationUnit.MILLISECONDS\n\n init {\n    if
(durationAssertionsEnabled) {\n        if (isInNanos()) {\n            if (value !in -MAX_NANOS..MAX_NANOS)
throw AssertionError("\$value ns is out of nanoseconds range")\n        } else {\n            if (value !in -
MAX_MILLIS..MAX_MILLIS) throw AssertionError("\$value ms is out of milliseconds range")\n        } if
(value in -MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) throw AssertionError("\$value ms is
denormalized")\n    }\n }\n }\n\n companion object {\n    /** The duration equal to exactly 0
seconds. */\n    public val ZERO: Duration = Duration(0L)\n\n    /** The duration whose value is positive
infinity. It is useful for representing timeouts that should never expire. */\n    public val INFINITE: Duration =
durationOfMillis(MAX_MILLIS)\n\n    internal val NEG_INFINITE: Duration = durationOfMillis(-
MAX_MILLIS)\n\n    /** Converts the given time duration [value] expressed in the specified [sourceUnit] into the specified
[targetUnit]. */\n    @ExperimentalTime\n    public fun convert(value: Double, sourceUnit: DurationUnit,
targetUnit: DurationUnit): Double =\n        convertDurationUnit(value, sourceUnit, targetUnit)\n\n    //
Duration construction extension properties in Duration companion scope\n\n    /** Returns a [Duration] equal to
this [Int] number of nanoseconds. */\n    @kotlin.internal.InlineOnly\n    public inline val Int.nanoseconds get()
= toDuration(DurationUnit.NANOSECONDS)\n\n    /** Returns a [Duration] equal to this [Long] number of
nanoseconds. */\n    @kotlin.internal.InlineOnly\n    public inline val Long.nanoseconds get() =
toDuration(DurationUnit.NANOSECONDS)\n\n    /**\n     * Returns a [Duration] equal to this [Double]
number of nanoseconds.\n     *\n     * Depending on its magnitude, the value is rounded to an integer
number of nanoseconds or milliseconds.\n     *\n     * @throws IllegalArgumentException if this [Double]
value is `NaN`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline val Double.nanoseconds get() =
toDuration(DurationUnit.NANOSECONDS)\n\n    /** Returns a [Duration] equal to this [Int] number of
microseconds. */\n    @kotlin.internal.InlineOnly\n    public inline val Int.microseconds get() =
toDuration(DurationUnit.MICROSECONDS)\n\n    /** Returns a [Duration] equal to this [Long] number of
microseconds. */\n    @kotlin.internal.InlineOnly\n    public inline val Long.microseconds get() =
toDuration(DurationUnit.MICROSECONDS)\n\n    /**\n     * Returns a [Duration] equal to this [Double]
number of microseconds.\n     *\n     * Depending on its magnitude, the value is rounded to an integer number
of nanoseconds or milliseconds.\n     *\n     * @throws IllegalArgumentException if this [Double] value
is `NaN`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline val Double.microseconds get() =
toDuration(DurationUnit.MICROSECONDS)\n\n    /** Returns a [Duration] equal to this [Int] number of
milliseconds. */\n    @kotlin.internal.InlineOnly\n    public inline val Int.milliseconds get() =
toDuration(DurationUnit.MILLISECONDS)\n\n    /** Returns a [Duration] equal to this [Long] number of
milliseconds. */\n    @kotlin.internal.InlineOnly\n    public inline val Long.milliseconds get() =
toDuration(DurationUnit.MILLISECONDS)\n\n    /**\n     * Returns a [Duration] equal to this [Double]
number of milliseconds.\n     *\n     * Depending on its magnitude, the value is rounded to an integer number of
nanoseconds or milliseconds.\n     *\n     * @throws IllegalArgumentException if this [Double] value is
`NaN`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline val Double.milliseconds get() =
toDuration(DurationUnit.MILLISECONDS)\n\n    /** Returns a [Duration] equal to this [Int] number of seconds. */\n    @kotlin.internal.InlineOnly\n    public inline val Int.seconds get() = toDuration(DurationUnit.SECONDS)\n\n    /** Returns a [Duration] equal to
this [Long] number of seconds. */\n    @kotlin.internal.InlineOnly\n    public inline val Long.seconds get() =
toDuration(DurationUnit.SECONDS)\n\n    /**\n     * Returns a [Duration] equal to this [Double] number of
seconds.\n     *\n     * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or
milliseconds.\n     *\n     * @throws IllegalArgumentException if this [Double] value is `NaN`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline val Double.seconds get() =
toDuration(DurationUnit.SECONDS)\n\n    /** Returns a [Duration] equal to this [Int] number of minutes. */\n    @kotlin.internal.InlineOnly\n    public inline

```

```

val Int.minutes get() = toDuration(DurationUnit.MINUTES)\n\n    /** Returns a [Duration] equal to this [Long]
number of minutes. */\n    @kotlin.internal.InlineOnly\n    public inline val Long.minutes get() =
toDuration(DurationUnit.MINUTES)\n\n    /**\n    * Returns a [Duration] equal to this [Double] number of
minutes.\n    *\n    * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or
milliseconds.\n    *\n    * @throws IllegalArgumentException if this [Double] value is `NaN`.\n    */\n    @kotlin.internal.InlineOnly\n    public inline val Double.minutes get() =
toDuration(DurationUnit.MINUTES)\n\n\n    /** Returns a [Duration] equal to this [Int] number of hours. */\n    @kotlin.internal.InlineOnly\n    public inline val Int.hours get() = toDuration(DurationUnit.HOURS)\n\n\n    /**
Returns a [Duration] equal to this [Long] number of hours. */\n    @kotlin.internal.InlineOnly\n    public inline val Long.hours get() = toDuration(DurationUnit.HOURS)\n\n\n    /**\n    * Returns a
[Duration] equal to this [Double] number of hours.\n    *\n    * Depending on its magnitude, the value is
rounded to an integer number of nanoseconds or milliseconds.\n    *\n    * @throws IllegalArgumentException
if this [Double] value is `NaN`.\n    */\n    @kotlin.internal.InlineOnly\n    public inline val Double.hours
get() = toDuration(DurationUnit.HOURS)\n\n\n    /** Returns a [Duration] equal to this [Int] number of days. */\n    @kotlin.internal.InlineOnly\n    public inline val Int.days get() = toDuration(DurationUnit.DAYS)\n\n\n    /**
Returns a [Duration] equal to this [Long] number of days. */\n    @kotlin.internal.InlineOnly\n    public inline
val Long.days get() = toDuration(DurationUnit.DAYS)\n\n\n    /**\n    * Returns a [Duration] equal to this
[Double] number of days.\n    *\n    * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or milliseconds.\n    *\n    * @throws IllegalArgumentException if this [Double] value is `NaN`.\n    */\n    @kotlin.internal.InlineOnly\n    public inline val Double.days get() = toDuration(DurationUnit.DAYS)\n\n\n\n    // deprecated static factory functions\n    /** Returns a [Duration] representing the specified [value] number of
nanoseconds. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use
'Int.nanoseconds' extension property from Duration.Companion instead.", ReplaceWith("value.nanoseconds",
"kotlin.time.Duration.Companion.nanoseconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun nanoseconds(value: Int): Duration = value.toDuration(DurationUnit.NANOSECONDS)\n\n\n    /**
Returns a [Duration] representing the specified [value] number of nanoseconds. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Long.nanoseconds' extension property from Duration.Companion
instead.", ReplaceWith("value.nanoseconds", "kotlin.time.Duration.Companion.nanoseconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun nanoseconds(value: Long): Duration =
value.toDuration(DurationUnit.NANOSECONDS)\n\n\n    /**\n    * Returns a [Duration] representing the
specified [value] number of nanoseconds.\n    *\n    * @throws IllegalArgumentException if the provided
`Double` [value] is `NaN`.\n    */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Double.nanoseconds' extension property from Duration.Companion instead.",
ReplaceWith("value.nanoseconds", "kotlin.time.Duration.Companion.nanoseconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun nanoseconds(value: Double): Duration =
value.toDuration(DurationUnit.NANOSECONDS)\n\n\n\n    Returns a [Duration] representing the specified [value] number of microseconds. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Int.microseconds' extension property from Duration.Companion
instead.", ReplaceWith("value.microseconds", "kotlin.time.Duration.Companion.microseconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun microseconds(value: Int): Duration =
value.toDuration(DurationUnit.MICROSECONDS)\n\n\n    /** Returns a [Duration] representing the specified
[value] number of microseconds. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Long.microseconds' extension property from Duration.Companion instead.",
ReplaceWith("value.microseconds", "kotlin.time.Duration.Companion.microseconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun microseconds(value: Long): Duration =
value.toDuration(DurationUnit.MICROSECONDS)\n\n\n    /**\n

```



```

    * Returns a [Duration] representing the specified [value] number of microseconds.\n
    * @throws\n
    IllegalArgumentException if the provided `Double` [value] is `NaN`.\n
    @SinceKotlin("1.5")\n
    @ExperimentalTime\n
    @Deprecated("Use 'Double.microseconds' extension property from\n
    Duration.Companion instead.", ReplaceWith("value.microseconds",\n
    "kotlin.time.Duration.Companion.microseconds"))\n
    @DeprecatedSinceKotlin(warningSince = "1.6")\n
    public fun microseconds(value: Double): Duration = value.toDuration(DurationUnit.MICROSECONDS)\n\n
    /** Returns a [Duration] representing the specified [value] number of milliseconds. */\n
    @SinceKotlin("1.5")\n
    @ExperimentalTime\n
    @Deprecated("Use 'Int.milliseconds' extension property\n
    from Duration.Companion instead.", ReplaceWith("value.milliseconds",\n
    "kotlin.time.Duration.Companion.milliseconds"))\n
    @DeprecatedSinceKotlin(warningSince\n
    = "1.6")\n
    public fun milliseconds(value: Int): Duration =\n
    value.toDuration(DurationUnit.MILLISECONDS)\n\n
    /** Returns a [Duration] representing the specified\n
    [value] number of milliseconds. */\n
    @SinceKotlin("1.5")\n
    @ExperimentalTime\n
    @Deprecated("Use 'Long.milliseconds' extension property from Duration.Companion instead.",\n
    ReplaceWith("value.milliseconds", "kotlin.time.Duration.Companion.milliseconds"))\n
    @DeprecatedSinceKotlin(warningSince = "1.6")\n
    public fun milliseconds(value: Long): Duration =\n
    value.toDuration(DurationUnit.MILLISECONDS)\n\n
    /**\n
    * Returns a [Duration] representing the\n
    specified [value] number of milliseconds.\n
    * @throws IllegalArgumentException if the provided\n
    `Double` [value] is `NaN`.\n
    * @SinceKotlin("1.5")\n
    @ExperimentalTime\n
    @Deprecated("Use 'Double.milliseconds' extension property from Duration.Companion instead.",\n
    ReplaceWith("value.milliseconds", "kotlin.time.Duration.Companion.milliseconds"))\n
    @DeprecatedSinceKotlin(warningSince = "1.6")\n
    public fun milliseconds(value: Double): Duration =\n
    value.toDuration(DurationUnit.MILLISECONDS)\n\n
    /** Returns a [Duration] representing the specified\n
    [value] number of seconds. */\n
    @SinceKotlin("1.5")\n
    @ExperimentalTime\n
    @Deprecated("Use\n
    'Int.seconds' extension property from Duration.Companion instead.", ReplaceWith("value.seconds",\n
    "kotlin.time.Duration.Companion.seconds"))\n
    @DeprecatedSinceKotlin(warningSince = "1.6")\n
    public\n
    fun seconds(value: Int): Duration = value.toDuration(DurationUnit.SECONDS)\n\n
    /** Returns a [Duration]\n
    representing the specified [value] number of seconds. */\n
    @SinceKotlin("1.5")\n
    @ExperimentalTime\n
    @Deprecated("Use 'Long.seconds' extension property from Duration.Companion instead.",\n
    ReplaceWith("value.seconds", "kotlin.time.Duration.Companion.seconds"))\n
    @DeprecatedSinceKotlin(warningSince = "1.6")\n
    public fun seconds(value: Long): Duration =\n
    value.toDuration(DurationUnit.SECONDS)\n\n
    /**\n
    * Returns a [Duration] representing the specified\n
    [value] number of seconds.\n
    * @throws IllegalArgumentException if the provided `Double` [value] is\n
    `NaN`.\n
    * @SinceKotlin("1.5")\n
    @ExperimentalTime\n
    @Deprecated("Use\n
    'Double.seconds' extension property from Duration.Companion instead.", ReplaceWith("value.seconds",\n
    "kotlin.time.Duration.Companion.seconds"))\n
    @DeprecatedSinceKotlin(warningSince = "1.6")\n
    public\n
    fun seconds(value: Double): Duration = value.toDuration(DurationUnit.SECONDS)\n\n
    /** Returns a\n
    [Duration] representing the specified [value] number of minutes. */\n
    @SinceKotlin("1.5")\n
    @ExperimentalTime\n
    @Deprecated("Use 'Int.minutes' extension property\n
    from Duration.Companion instead.", ReplaceWith("value.minutes",\n
    "kotlin.time.Duration.Companion.minutes"))\n
    @DeprecatedSinceKotlin(warningSince = "1.6")\n
    public\n
    fun minutes(value: Int): Duration = value.toDuration(DurationUnit.MINUTES)\n\n
    /** Returns a [Duration]\n
    representing the specified [value] number of minutes. */\n
    @SinceKotlin("1.5")\n
    @ExperimentalTime\n
    @Deprecated("Use 'Long.minutes' extension property from Duration.Companion instead.",\n
    ReplaceWith("value.minutes", "kotlin.time.Duration.Companion.minutes"))\n
    @DeprecatedSinceKotlin(warningSince = "1.6")\n
    public fun minutes(value: Long): Duration =\n
    value.toDuration(DurationUnit.MINUTES)\n\n
    /**\n
    * Returns a [Duration] representing the specified\n
    [value] number of minutes.\n
    * @throws IllegalArgumentException if the provided `Double` [value] is
  
```

```

`NaN`.n    */n    @SinceKotlin("1.5")n    @ExperimentalTime\n
    @Deprecated("Use 'Double.minutes' extension property from Duration.Companion instead.",
ReplaceWith("value.minutes", "kotlin.time.Duration.Companion.minutes"))n
@DeprecatedSinceKotlin(warningSince = "1.6")n    public fun minutes(value: Double): Duration =
value.toDuration(DurationUnit.MINUTES)n\n\n    /** Returns a [Duration] representing the specified [value]
number of hours. */n    @SinceKotlin("1.5")n    @ExperimentalTime\n    @Deprecated("Use 'Int.hours'
extension property from Duration.Companion instead.", ReplaceWith("value.hours",
"kotlin.time.Duration.Companion.hours"))n    @DeprecatedSinceKotlin(warningSince = "1.6")n    public
fun hours(value: Int): Duration = value.toDuration(DurationUnit.HOURS)n\n\n    /** Returns a [Duration]
representing the specified [value] number of hours. */n    @SinceKotlin("1.5")n    @ExperimentalTime\n
@Deprecated("Use 'Long.hours' extension property from
Duration.Companion instead.", ReplaceWith("value.hours", "kotlin.time.Duration.Companion.hours"))n
@DeprecatedSinceKotlin(warningSince = "1.6")n    public fun hours(value: Long): Duration =
value.toDuration(DurationUnit.HOURS)n\n\n    /**n    * Returns a [Duration] representing the specified
[value] number of hours.n    *n    * @throws IllegalArgumentException if the provided `Double` [value] is
`NaN`.n    */n    @SinceKotlin("1.5")n    @ExperimentalTime\n    @Deprecated("Use 'Double.hours'
extension property from Duration.Companion instead.", ReplaceWith("value.hours",
"kotlin.time.Duration.Companion.hours"))n    @DeprecatedSinceKotlin(warningSince = "1.6")n    public
fun hours(value: Double): Duration = value.toDuration(DurationUnit.HOURS)n\n\n    /** Returns a [Duration]
representing the specified [value] number of days. */n    @SinceKotlin("1.5")n    @ExperimentalTime\n
@Deprecated("Use
'Int.days' extension property from Duration.Companion instead.", ReplaceWith("value.days",
"kotlin.time.Duration.Companion.days"))n    @DeprecatedSinceKotlin(warningSince = "1.6")n    public
fun days(value: Int): Duration = value.toDuration(DurationUnit.DAYS)n\n\n    /** Returns a [Duration]
representing the specified [value] number of days. */n    @SinceKotlin("1.5")n    @ExperimentalTime\n
@Deprecated("Use 'Long.days' extension property from Duration.Companion instead.",
ReplaceWith("value.days", "kotlin.time.Duration.Companion.days"))n
@DeprecatedSinceKotlin(warningSince = "1.6")n    public fun days(value: Long): Duration =
value.toDuration(DurationUnit.DAYS)n\n\n    /**n    * Returns a [Duration] representing the specified [value]
number of days.n    *n    * @throws IllegalArgumentException if the provided `Double` [value] is `NaN`.n
*/n    @SinceKotlin("1.5")n    @ExperimentalTime\n
    @Deprecated("Use 'Double.days' extension property from Duration.Companion instead.",
ReplaceWith("value.days", "kotlin.time.Duration.Companion.days"))n
@DeprecatedSinceKotlin(warningSince = "1.6")n    public fun days(value: Double): Duration =
value.toDuration(DurationUnit.DAYS)n\n\n    /**n    * Parses a string that represents a duration and returns the
parsed [Duration] value.n    *n    * The following formats are accepted:n    *n    * - ISO-8601
Duration format, e.g. `P1DT2H3M4.058S`, see [toIsoString] and [parseIsoString].n    * - The format of string
returned by the default [Duration.toString] and `toString` in a specific unit,n    * e.g. `10s`, `1h 30m` or
`-(1h 30m)`.n    *n    * @throws IllegalArgumentException if the string doesn't represent a duration in any of the
supported formats.n    * @sample samples.time.Durations.parse\n    */n    @SinceKotlin("1.5")n    @ExperimentalTime\n
    @Deprecated("Use 'Double.days' extension property from Duration.Companion instead.",
ReplaceWith("value.days", "kotlin.time.Duration.Companion.days"))n
@DeprecatedSinceKotlin(warningSince = "1.6")n    public fun parse(value:
String): Duration = try {\n        parseDuration(value, strictIso = false)\n    } catch (e:
IllegalArgumentException) {\n        throw IllegalArgumentException("Invalid duration string format: '$value'.",
e)\n    }\n\n    /**n    * Parses a string that represents a duration in ISO-8601 format and returns the parsed
[Duration] value.n    *n    * @throws IllegalArgumentException if the string doesn't represent a duration in
ISO-8601 format.n    * @sample samples.time.Durations.parseIsoString\n    */n    @SinceKotlin("1.5")n
@ExperimentalTime\n    public fun
parseIsoString(value: String): Duration = try {\n        parseDuration(value, strictIso = true)\n    } catch (e:
IllegalArgumentException) {\n        throw IllegalArgumentException("Invalid ISO duration string format:
'$value'.", e)\n    }\n\n    /**n    * Parses a string that represents a duration and returns the parsed [Duration]

```

value, \n \* or `null` if the string doesn't represent a duration in any of the supported formats. \n \* \n \* The following formats are accepted: \n \* \n \* - ISO-8601 Duration format, e.g. `P1DT2H3M4.058S`, see [toIsoString] and [parseIsoString]. \n \* - The format of string returned by the default [Duration.toString] and `toString` in a specific unit, \n \* e.g. `10s`, `1h 30m` or `-(1h 30m)`. \n \* @sample samples.time.Durations.parse \n \* \n \* public fun parseOrNull(value: String): Duration? = try {\n parseDuration(value, strictIso = false)\n } catch (e: IllegalArgumentException) {\n null\n }\n } \n \* \n \* Parses a string that represents a duration in ISO-8601 format and returns the parsed [Duration] value, \n \* or `null` if the string doesn't represent a duration in ISO-8601 format. \n \* @sample samples.time.Durations.parseIsoString \n \* \n \* public fun parseIsoStringOrNull(value: String): Duration? = try {\n parseDuration(value, strictIso = true)\n } catch (e: IllegalArgumentException) {\n null\n }\n } \n \* \n \* // arithmetic operators \n \* /\*\* Returns the negative of this value. \*/ \n \* public operator fun unaryMinus(): Duration = durationOf(-value, unitDiscriminator)\n \* \n \* /\*\* Returns a duration whose value is the sum of this and [other] duration values. \n \* \n \* @throws IllegalArgumentException if the operation results in an undefined value for the given arguments, \n \* e.g. when adding infinite durations of different sign. \n \* \n \* \n \* public operator fun plus(other: Duration): Duration {\n when {\n this.isInfinite() -> {\n if (other.isFinite() || (this.rawValue xor other.rawValue >= 0))\n return this\n else\n throw IllegalArgumentException("Summing infinite durations of different signs yields an undefined result.")\n }\n }\n }\n other.isInfinite() -> return other\n }\n }\n return when {\n this.unitDiscriminator == other.unitDiscriminator -> {\n val result = this.value + other.value // never overflows long, but can overflow long63\n when {\n isInNanos() ->{\n durationOfNanosNormalized(result)\n }\n else ->{\n durationOfMillisNormalized(result)\n }\n }\n }\n this.isInMillis() ->{\n addValuesMixedRanges(this.value, other.value)\n }\n else ->{\n addValuesMixedRanges(other.value, this.value)\n }\n }\n }\n private fun addValuesMixedRanges(thisMillis: Long, otherNanos: Long): Duration {\n val otherMillis = nanosToMillis(otherNanos)\n val resultMillis = thisMillis + otherMillis\n return if (resultMillis in -MAX\_NANOS\_IN\_MILLIS..MAX\_NANOS\_IN\_MILLIS) {\n val otherNanoRemainder = otherNanos - millisToNanos(otherMillis)\n durationOfNanos(millisToNanos(resultMillis) + otherNanoRemainder)\n } else {\n durationOfMillis(resultMillis.coerceIn(-MAX\_MILLIS, MAX\_MILLIS))\n }\n }\n \* \n \* Returns a duration whose value is the difference between this and [other] duration values. \n \* \n \* @throws IllegalArgumentException if the operation results in an undefined value for the given arguments, \n \* e.g. when subtracting infinite durations of the same sign. \n \* \n \* \n \* public operator fun minus(other: Duration): Duration = this + (-other)\n \* \n \* /\*\* Returns a duration whose value is this duration value multiplied by the given [scale] number. \n \* \n \* @throws IllegalArgumentException if the operation results in an undefined value for the given arguments, \n \* e.g. when multiplying an infinite duration by zero. \n \* \n \* \n \* public operator fun times(scale: Int): Duration {\n if (isInfinite())\n {\n return when {\n scale == 0 -> throw IllegalArgumentException("Multiplying infinite duration by zero yields an undefined result.")\n scale > 0 -> this\n else -> -this\n }\n }\n }\n if (scale == 0) return ZERO\n val value = value\n val result = value \* scale\n return if (isInNanos()) {\n if (value in (MAX\_NANOS / Int.MIN\_VALUE)..(-MAX\_NANOS / Int.MIN\_VALUE)) {\n // can't overflow nanos range for any scale\n durationOfNanos(result)\n }\n } else {\n if (result / scale == value) {\n durationOfNanosNormalized(result)\n }\n }\n }\n val millis = nanosToMillis(value)\n val remNanos = value - millisToNanos(millis)\n val resultMillis = millis \* scale\n val totalMillis = resultMillis + nanosToMillis(remNanos \* scale)\n if (resultMillis / scale == millis && totalMillis xor resultMillis >= 0) {\n durationOfMillis(totalMillis.coerceIn(-MAX\_MILLIS..MAX\_MILLIS))\n }\n }\n if (value.sign \* scale.sign > 0) INFINITE else NEG\_INFINITE\n }\n }\n }\n }\n }\n } else

```

{\n      if (result / scale == value) {\n          durationOfMillis(result.coerceIn(-
MAX_MILLIS..MAX_MILLIS))\n      } else {\n          if (value.sign * scale.sign > 0) INFINITE else
NEG_INFINITE\n      }\n  }\n  }\n  }\n  /**\n   * Returns a duration whose value is this duration value
multiplied by the given [scale] number.\n   * \n   * The operation may involve rounding when the result cannot be
represented exactly with a [Double] number.\n   * \n   * @throws IllegalArgumentException if the operation
results in an undefined value for the given arguments,\n   * e.g. when
multiplying an infinite duration by zero.\n   */\n  public operator fun times(scale: Double): Duration {\n      val
intScale = scale.roundToInt()\n      if (intScale.toDouble() == scale) {\n          return times(intScale)\n      }\n      val
unit = storageUnit\n      val result = toDouble(unit) * scale\n      return result.toDuration(unit)\n  }\n  }\n  /**\n   * Returns a duration whose value is this duration value divided by the given [scale] number.\n   * \n   *
@throws IllegalArgumentException if the operation results in an undefined value for the given arguments,\n   *
e.g. when dividing zero duration by zero.\n   */\n  public operator fun div(scale: Int): Duration {\n      if (scale ==
0) {\n          return when {\n              isPositive() -> INFINITE\n              isNegative() -> NEG_INFINITE\n              else -> throw IllegalArgumentException("Dividing zero duration by zero yields an undefined result.")\n          }\n      }\n      if (isInNanos()) {\n          return durationOfNanos(value / scale)\n      } else {\n          if (isInfinite())\n              return this * scale.sign\n          val result = value / scale\n          if (result in -
MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {\n              val rem = millisToNanos(value - (result *
scale)) / scale\n              return durationOfNanos(millisToNanos(result) + rem)\n          }\n          return
durationOfMillis(result)\n      }\n  }\n  }\n  /**\n   * Returns a duration whose value is this duration value divided
by the given [scale] number.\n   * \n   * @throws IllegalArgumentException if the operation results in an
undefined value for the given arguments,\n   * e.g. when dividing an infinite duration by infinity or zero duration
by zero.\n   */\n  public operator fun div(scale: Double): Duration {\n      val intScale = scale.roundToInt()\n      if
(intScale.toDouble() == scale && intScale != 0) {\n          return div(intScale)\n      }\n      val unit = storageUnit\n      val result = toDouble(unit) / scale\n      return result.toDuration(unit)\n  }\n  }\n  /** Returns a number that is the ratio of this and [other] duration values.
*/\n  public operator fun div(other: Duration): Double {\n      val coarserUnit = maxOf(this.storageUnit,
other.storageUnit)\n      return this.toDouble(coarserUnit) / other.toDouble(coarserUnit)\n  }\n  }\n  /** Returns
true, if the duration value is less than zero. */\n  public fun isNegative(): Boolean = rawValue < 0\n  /** Returns
true, if the duration value is greater than zero. */\n  public fun isPositive(): Boolean = rawValue > 0\n  /**
Returns true, if the duration value is infinite. */\n  public fun isInfinite(): Boolean = rawValue ==
INFINITE.rawValue || rawValue == NEG_INFINITE.rawValue\n  /** Returns true, if the duration value is finite.
*/\n  public fun isFinite(): Boolean = !isInfinite()\n  }\n  }\n  Returns the absolute value of this value. The returned value is always non-negative. */\n  public val absoluteValue:
Duration get() = if (isNegative()) -this else this\n  override fun compareTo(other: Duration): Int {\n      val
compareBits = this.rawValue xor other.rawValue\n      if (compareBits < 0 || compareBits.toInt() and 1 == 0) //
different signs or same sign/same range\n          return this.rawValue.compareTo(other.rawValue)\n      // same
sign/different ranges\n      val r = this.unitDiscriminator - other.unitDiscriminator // compare ranges\n      return if
(isNegative()) -r else r\n  }\n  }\n  /**\n   * Splits this duration into days, hours,
minutes, seconds, and nanoseconds and executes the given [action] with these components.\n   * The result of
[action] is returned as the result of this function.\n   * \n   * - `nanoseconds` represents the whole number of
nanoseconds in this duration, and its absolute value
is less than 1_000_000_000;\n   * - `seconds` represents the whole number of seconds in this duration, and its
absolute value is less than 60;\n   * - `minutes` represents the whole number of minutes in this duration, and its
absolute value is less than 60;\n   * - `hours` represents the whole number of hours in this duration, and its absolute
value is less than 24;\n   * - `days` represents the whole number of days in this duration.\n   * \n   * Infinite
durations are represented as either [Long.MAX_VALUE] days, or [Long.MIN_VALUE] days (depending on the
sign of infinity),\n   * and zeroes in the lower components.\n   */\n  public inline fun <T> toComponents(action:

```

```

(days: Long, hours: Int, minutes: Int, seconds: Int, nanoseconds: Int) -> T): T {
  contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }
  return action(inWholeDays, hoursComponent, minutesComponent,
secondsComponent, nanosecondsComponent)
}

/**
 * Splits this duration into hours, minutes, seconds, and nanoseconds and executes the given [action] with these components.
 * The result of [action] is returned as the result of this function.
 * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;
 * - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;
 * - `minutes` represents the whole number of minutes in this duration, and its absolute value is less than 60;
 * - `hours` represents the whole number of hours in this duration.
 * Infinite durations are represented as either [Long.MAX_VALUE] hours, or [Long.MIN_VALUE] hours (depending on the sign of infinity),
 * and zeroes in the lower components.
 */
public inline fun <T> toComponents(action: (hours: Long, minutes: Int, seconds: Int, nanoseconds: Int) -> T): T {
  contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }
  return action(inWholeHours, minutesComponent, secondsComponent, nanosecondsComponent)
}

/**
 * Splits this duration into minutes, seconds, and nanoseconds and executes the given [action] with these components.
 * The result of [action] is returned as the result of this function.
 * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;
 * - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;
 * - `minutes` represents the whole number of minutes in this duration.
 * Infinite durations are represented as either [Long.MAX_VALUE] minutes, or [Long.MIN_VALUE] minutes (depending on the sign of infinity),
 * and zeroes in the lower components.
 */
public inline fun <T> toComponents(action: (minutes: Long, seconds: Int, nanoseconds: Int) -> T): T {
  contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }
  return action(inWholeMinutes, secondsComponent, nanosecondsComponent)
}

/**
 * Splits this duration into seconds, and nanoseconds and executes the given [action] with these components.
 * The result of [action] is returned as the result of this function.
 * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;
 * - `seconds` represents the whole number of seconds in this duration.
 * Infinite durations are represented as either [Long.MAX_VALUE] seconds, or [Long.MIN_VALUE] seconds (depending on the sign of infinity),
 * and zero nanoseconds.
 */
public inline fun <T> toComponents(action: (seconds: Long, nanoseconds: Int) -> T): T {
  contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }
  return action(inWholeSeconds, nanosecondsComponent)
}

}

@PublishedApi
internal val hoursComponent: Int
  get() = if (isInfinite()) 0 else (inWholeHours % 24).toInt()

@PublishedApi
internal val minutesComponent: Int
  get() = if (isInfinite()) 0 else (inWholeMinutes % 60).toInt()

@PublishedApi
internal val secondsComponent: Int
  get() = if (isInfinite()) 0 else (inWholeSeconds % 60).toInt()

@PublishedApi
internal val nanosecondsComponent: Int
  get() = when {
    isInfinite() -> 0
    isInMillis() -> millisToNanos(value % 1_000).toInt()
    else -> (value % 1_000_000_000).toInt()
  }

// conversion to units
/**
 * Returns the value of this duration expressed as a [Double] number of the specified [unit].
 * The operation may involve rounding when the result cannot be represented exactly with a [Double] number.
 * An infinite duration value is converted either to [Double.POSITIVE_INFINITY] or [Double.NEGATIVE_INFINITY] depending on its sign.
 */
public fun toDouble(unit: DurationUnit): Double {
  return when (rawValue) {
    INFINITE.rawValue -> Double.POSITIVE_INFINITY
    NEG_INFINITE.rawValue -> Double.NEGATIVE_INFINITY
    else -> {
      // TODO: whether it's ok to convert to Double before scaling
      convertDurationUnit(value.toDouble(), storageUnit, unit)
    }
  }
}

/**
 * Returns the value of this duration expressed as a [Long] number of the specified [unit].
 * If the result doesn't fit in the range of [Long] type, it is coerced into that range:
 * - [Long.MIN_VALUE] is returned if it's less than `Long.MIN_VALUE`,
 * - [Long.MAX_VALUE] is returned if it's greater than `Long.MAX_VALUE`.
 * An infinite duration value is converted either to

```

```

[Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n    */\n    public fun
    toLong(unit: DurationUnit): Long {\n        return when (rawValue) {\n            INFINITE.rawValue ->
Long.MAX_VALUE\n            NEG_INFINITE.rawValue -> Long.MIN_VALUE\n            else ->
convertDurationUnit(value, storageUnit, unit)\n        }\n    }\n    /**\n     * Returns the value of this duration
expressed as an [Int] number of the specified [unit].\n     *\n     * If the result doesn't fit in the range of [Int] type, it
is coerced into that range:\n     * - [Int.MIN_VALUE] is returned if it's less than `Int.MIN_VALUE`,\n     * -
[Int.MAX_VALUE] is returned if it's greater than `Int.MAX_VALUE`.\n     *\n     * An infinite duration value is
converted either to [Int.MAX_VALUE] or [Int.MIN_VALUE] depending on its sign.\n    */\n    public fun
    toInt(unit: DurationUnit): Int =\n        toLong(unit).coerceIn(Int.MIN_VALUE.toLong(),
Int.MAX_VALUE.toLong()).toInt()\n    /** The value of this duration expressed as a [Double] number of days.
*/\n    @ExperimentalTime\n    @Deprecated("Use
inWholeDays property instead or convert toDouble(DAYS) if a double value is required."),
    ReplaceWith("toDouble(DurationUnit.DAYS)")\n    public val inDays: Double get() =
    toDouble(DurationUnit.DAYS)\n    /** The value of this duration expressed as a [Double] number of hours. */\n
    @ExperimentalTime\n    @Deprecated("Use inWholeHours property instead or convert toDouble(HOURS) if a
double value is required.", ReplaceWith("toDouble(DurationUnit.HOURS)")\n    public val inHours: Double
get() = toDouble(DurationUnit.HOURS)\n    /** The value of this duration expressed as a [Double] number of
minutes. */\n    @ExperimentalTime\n    @Deprecated("Use inWholeMinutes property instead or convert
toDouble(MINUTES) if a double value is required.", ReplaceWith("toDouble(DurationUnit.MINUTES)")\n    public
val inMinutes: Double get() = toDouble(DurationUnit.MINUTES)\n    /** The value of this duration
expressed as a [Double] number of seconds. */\n    @ExperimentalTime\n
    @Deprecated("Use inWholeSeconds property instead or convert toDouble(SECONDS) if a double value is
required.", ReplaceWith("toDouble(DurationUnit.SECONDS)")\n    public val inSeconds: Double get() =
    toDouble(DurationUnit.SECONDS)\n    /** The value of this duration expressed as a [Double] number of
milliseconds. */\n    @ExperimentalTime\n    @Deprecated("Use inWholeMilliseconds property instead or convert
toDouble(MILLISECONDS) if a double value is required.",
    ReplaceWith("toDouble(DurationUnit.MILLISECONDS)")\n    public val inMilliseconds: Double get() =
    toDouble(DurationUnit.MILLISECONDS)\n    /** The value of this duration expressed as a [Double] number of
microseconds. */\n    @ExperimentalTime\n    @Deprecated("Use inWholeMicroseconds property instead or
convert toDouble(MICROSECONDS) if a double value is required.",
    ReplaceWith("toDouble(DurationUnit.MICROSECONDS)")\n    public val inMicroseconds: Double get() =
    toDouble(DurationUnit.MICROSECONDS)\n    /** The value of this duration expressed as a [Double] number of
nanoseconds. */\n    @ExperimentalTime\n
    @Deprecated("Use inWholeNanoseconds property instead or convert toDouble(NANOSECONDS) if a double
value is required.", ReplaceWith("toDouble(DurationUnit.NANOSECONDS)")\n    public val inNanoseconds:
Double get() = toDouble(DurationUnit.NANOSECONDS)\n    /**\n     * The value of this duration expressed as
a [Long] number of days.\n     *\n     * An infinite duration value is converted either to [Long.MAX_VALUE] or
[Long.MIN_VALUE] depending on its sign.\n    */\n    public val inWholeDays: Long\n        get() =
    toLong(DurationUnit.DAYS)\n    /**\n     * The value of this duration expressed as a [Long] number of hours.\n
*/\n    * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending
on its sign.\n    */\n    public val inWholeHours: Long\n        get() = toLong(DurationUnit.HOURS)\n    /**\n
     * The value of this
duration expressed as a [Long] number of minutes.\n     *\n     * An infinite duration value is converted either
to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n    */\n    public val inWholeMinutes:
Long\n        get() = toLong(DurationUnit.MINUTES)\n    /**\n     * The value of this duration expressed as a
[Long] number of seconds.\n     *\n     * An infinite duration value is converted either to [Long.MAX_VALUE] or
[Long.MIN_VALUE] depending on its sign.\n    */\n    public val inWholeSeconds: Long\n        get() =
    toLong(DurationUnit.SECONDS)\n    /**\n     * The value of this duration expressed as a [Long] number of

```

```

milliseconds.\n * An infinite duration value is converted either to [Long.MAX_VALUE] or
[Long.MIN_VALUE] depending on its sign.\n * public val inWholeMilliseconds: Long\n get() {\n
return if (isInMillis() && isFinite()) value else toLong(DurationUnit.MILLISECONDS)\n }\n /**\n *
The value of this
duration expressed as a [Long] number of microseconds.\n * If the result doesn't fit in the range of [Long]
type, it is coerced into that range:\n * - [Long.MIN_VALUE] is returned if it's less than `Long.MIN_VALUE`,\n
* - [Long.MAX_VALUE] is returned if it's greater than `Long.MAX_VALUE`.\n * An infinite duration
value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n * public
val inWholeMicroseconds: Long\n get() = toLong(DurationUnit.MICROSECONDS)\n /**\n * The value
of this duration expressed as a [Long] number of nanoseconds.\n * If the result doesn't fit in the range of
[Long] type, it is coerced into that range:\n * - [Long.MIN_VALUE] is returned if it's less than
`Long.MIN_VALUE`,\n * - [Long.MAX_VALUE] is returned if it's greater than `Long.MAX_VALUE`.\n * An
infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending
on its sign.\n * public val inWholeNanoseconds: Long\n get() {\n val value = value\n
return when {\n isInNanos() -> value\n value > Long.MAX_VALUE / NANOS_IN_MILLIS ->
Long.MAX_VALUE\n value < Long.MIN_VALUE / NANOS_IN_MILLIS -> Long.MIN_VALUE\n
else -> millisToNanos(value)\n }\n }\n // shortcuts\n /**\n * Returns the value of this
duration expressed as a [Long] number of nanoseconds.\n * If the value doesn't fit in the range of [Long]
type, it is coerced into that range, see the conversion [Double.toLong] for details.\n * The range of
durations that can be expressed as a `Long` number of nanoseconds is approximately \u00b1292 years.\n *
@ExperimentalTime\n @Deprecated("Use inWholeNanoseconds property instead.")\n
ReplaceWith("this.inWholeNanoseconds")\n public fun toLongNanoseconds(): Long =
inWholeNanoseconds\n\n /**\n * Returns the value of this duration expressed as a [Long] number of milliseconds.\n * The value
is coerced to the range of [Long] type, if it doesn't fit in that range, see the conversion [Double.toLong] for details.\n
* The range of durations that can be expressed as a `Long` number of milliseconds is approximately
\u00b11292 million years.\n * @ExperimentalTime\n @Deprecated("Use inWholeMilliseconds property
instead.")\n ReplaceWith("this.inWholeMilliseconds")\n public fun toLongMilliseconds(): Long =
inWholeMilliseconds\n /**\n * Returns a string representation of this duration value\n * expressed as a
combination of numeric components, each in its own unit.\n * Each component is a number followed by the
unit abbreviated name: `d`, `h`, `m`, `s`:\n * `5h`, `1d 12h`, `1h 0m 30.340s`.\n * The last component, usually
seconds, can be a number with a fractional part.\n * If the duration
is less than a second, it is represented as a single number\n * with one of sub-second units: `ms` (milliseconds),
`us` (microseconds), or `ns` (nanoseconds):\n * `140.884ms`, `500us`, `24ns`.\n * A negative duration is
prefixed with `-` sign and, if it consists of multiple components, surrounded with parentheses:\n * `-12m` and
`-(1h 30m)`.\n * Special cases:\n * - an infinite duration is formatted as `"Infinity"` or `"-Infinity"`
without a unit.\n * It's recommended to use [toIsoString] that uses more strict ISO-8601 format instead of
this `toString`\n * when you want to convert a duration to a string in cases of serialization, interchange, etc.\n
* @sample samples.time.Durations.toStringDefault\n * override fun toString(): String = when
(rawValue) {\n 0L -> "0s"\n INFINITE.rawValue -> "Infinity"\n NEG_INFINITE.rawValue -> "-
Infinity"\n else -> {\n val isNegative
= isNegative()\n buildString {\n if (isNegative) append('-')\n absoluteValue.toComponents
{ days, hours, minutes, seconds, nanoseconds ->\n val hasDays = days != 0\n val hasHours
= hours != 0\n val hasMinutes = minutes != 0\n val hasSeconds = seconds != 0\n
nanoseconds != 0\n var components = 0\n if (hasDays) {\n
append(days).append('d')\n components++\n }\n if (hasHours || (hasDays &&
(hasMinutes || hasSeconds))) {\n if (components++ > 0) append(' ')\n
append(hours).append('h')\n }\n if (hasMinutes || (hasSeconds && (hasHours || hasDays)))

```

```

    if (components++ > 0) append(' ')
        append(minutes).append('m')
    }
    if (hasSeconds) {
        if (components++ > 0) append(' ')
            when
                seconds != 0 || hasDays || hasHours || hasMinutes ->
                    appendFractional(seconds, nanoseconds, 9, "s", isoZeroes = false)
                    nanoseconds >= 1_000_000 ->
                    appendFractional(nanoseconds / 1_000_000, nanoseconds % 1_000_000, 6, "ms",
                    isoZeroes = false)
                    nanoseconds >= 1_000 ->
                    appendFractional(nanoseconds / 1_000, nanoseconds % 1_000, 3, "us", isoZeroes = false)
                    else ->
                    append(nanoseconds).append("ns")
    }
    if (isNegative && components > 1) insert(1, '(').append(')')
}
private fun
StringBuilder.appendFractional(whole:
Int, fractional: Int, fractionalSize: Int, unit: String, isoZeroes: Boolean) {
    append(whole)
    if (fractional != 0) {
        append('.')
        val fracString = fractional.toString().padStart(fractionalSize, '0')
        val nonZeroDigits = fracString.indexOfLast { it != '0' } + 1
        when {
            !isoZeroes && nonZeroDigits < 3 -> appendRange(fracString, 0, nonZeroDigits)
            else -> appendRange(fracString, 0, ((nonZeroDigits + 2) / 3) * 3)
        }
        append(unit)
    }
}
/**
 * Returns a string representation of this duration value expressed in the given [unit] and formatted with the specified [decimals] number of digits after decimal point.
 * Special cases:
 * - an infinite duration is formatted as "Infinity" or "-Infinity" without a unit.
 * @param decimals the number of digits after decimal point to show. The value must be non-negative.
 * No more than 12 decimals will be shown, even if a larger number is requested.
 * @return the value of duration in the specified [unit] followed by that unit abbreviated name: `d`, `h`, `m`, `s`, `ms`, `us`, or `ns`.
 * @throws IllegalArgumentException if [decimals] is less than zero.
 * @sample samples.time.Durations.toStringDecimals
 */
public fun toString(unit: DurationUnit, decimals: Int = 0): String {
    require(decimals >= 0) { "decimals must be not negative, but was $decimals" }
    val number = toDouble(unit)
    if (number.isInfinite()) return number.toString()
    return formatToExactDecimals(number, decimals.coerceAtMost(12)) + unit.shortName()
}
/**
 * Returns an ISO-8601 based string representation of this duration.
 * The returned value is presented in the format `PThHmMs.fS`, where `h`, `m`, `s` are the integer components of this duration (see [toComponents]) and `f` is a fractional part of second. Depending on the roundness of the value the fractional part can be formatted with either 0, 3, 6, or 9 decimal digits.
 * The infinite duration is represented as "PT99999999999999H" which is larger than any possible finite duration in Kotlin.
 * Negative durations are indicated with the sign '-' in the beginning of the returned string, for example, "-PT5M30S".
 * @sample samples.time.Durations.toIsoString
 */
public fun toIsoString(): String = buildString {
    if (isNegative()) append('-')
    append("PT")
    this@Duration.absoluteValue.toComponents { hours, minutes, seconds, nanoseconds ->
        @Suppress("NAME_SHADOWING")
        var hours = hours
        if (isInfinite()) {
            // use large enough value instead of Long.MAX_VALUE
            hours = 9_999_999_999_999
        }
        val hasHours = hours != 0L
        val hasSeconds = seconds != 0 || nanoseconds != 0
        val hasMinutes = minutes != 0 || (hasSeconds && hasHours)
        if (hasHours) {
            append(hours).append('H')
        }
        if (hasMinutes) {
            append(minutes).append('M')
        }
        if (hasSeconds || (!hasHours && !hasMinutes)) {
            appendFractional(seconds, nanoseconds, 9, "S", isoZeroes = true)
        }
    }
}
// constructing from number of units
// extension functions
/**
 * Returns a [Duration] equal to this [Int] number of the specified [unit].
 */
@SinceKotlin("1.6")
@WasExperimental(ExperimentalTime::class)
public fun Int.toDuration(unit: DurationUnit): Duration {
    return if (unit <= DurationUnit.SECONDS) {
        durationOfNanos(convertDurationUnitOverflow(this.toLong(), unit, DurationUnit.NANOSECONDS))
    } else {
        toLong().toDuration(unit)
    }
}
/**
 * Returns a [Duration] equal to this [Long] number of the specified [unit].
 */
@SinceKotlin("1.6")
@WasExperimental(ExperimentalTime::class)
public fun Long.toDuration(unit:

```



```

DurationUnit): Duration {
    val maxNsInUnit = convertDurationUnitOverflow(MAX_NANOS,
DurationUnit.NANOSECONDS, unit)
    if (this in -maxNsInUnit..maxNsInUnit) {
        return
durationOfNanos(convertDurationUnitOverflow(this, unit, DurationUnit.NANOSECONDS))
    } else {
        val
millis = convertDurationUnit(this, unit, DurationUnit.MILLISECONDS)
        return
durationOfMillis(millis.coerceIn(-MAX_MILLIS, MAX_MILLIS))
    }
}

/** Returns a [Duration] equal
to this [Double] number of the specified [unit].
*/
* Depending on its magnitude, the value is rounded to an
integer number of nanoseconds or milliseconds.
*/
* @throws IllegalArgumentException if this `Double` value is
`NaN`.
*/
@SinceKotlin("1.6")
@WasExperimental(ExperimentalTime::class)
public fun
Double.toDuration(unit:
DurationUnit): Duration {
    val valueInNs = convertDurationUnit(this, unit, DurationUnit.NANOSECONDS)
    require(!valueInNs.isNaN()) { "Duration value cannot be NaN." }
    val nanos = valueInNs.roundToLong()
    return if (nanos in -MAX_NANOS..MAX_NANOS) {
        durationOfNanos(nanos)
    } else {
        val millis =
convertDurationUnit(this, unit, DurationUnit.MILLISECONDS).roundToLong()
        durationOfMillisNormalized(millis)
    }
}

// constructing from number of units
// deprecated extension
properties

/** Returns a [Duration] equal to this [Int] number of nanoseconds.
*/
@SinceKotlin("1.3")
@ExperimentalTime
@Deprecated("Use 'Int.nanoseconds' extension property from
Duration.Companion instead.", ReplaceWith("this.nanoseconds",
"kotlin.time.Duration.Companion.nanoseconds"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public val
Int.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)

/** Returns a [Duration] equal to
this [Long] number of nanoseconds.
*/
@SinceKotlin("1.3")
@ExperimentalTime
@Deprecated("Use
'Long.nanoseconds' extension property from Duration.Companion instead.",
ReplaceWith("this.nanoseconds",
"kotlin.time.Duration.Companion.nanoseconds"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public val
Long.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)

/** Returns a [Duration] equal to this
[Double] number of nanoseconds.
*/
* @throws IllegalArgumentException if this [Double] value is `NaN`.
*/
@SinceKotlin("1.3")
@ExperimentalTime
@Deprecated("Use 'Double.nanoseconds' extension property
from Duration.Companion instead.", ReplaceWith("this.nanoseconds",
"kotlin.time.Duration.Companion.nanoseconds"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public val
Double.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)

/** Returns a [Duration] equal to
this [Int] number of microseconds.
*/
@SinceKotlin("1.3")
@ExperimentalTime
@Deprecated("Use
'Int.microseconds' extension property from Duration.Companion instead.",
ReplaceWith("this.microseconds",
"kotlin.time.Duration.Companion.microseconds"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public val
Int.microseconds get() = toDuration(DurationUnit.MICROSECONDS)

/** Returns a [Duration] equal to this
[Long] number of microseconds.
*/
@SinceKotlin("1.3")
@ExperimentalTime
@Deprecated("Use
'Long.microseconds' extension property from Duration.Companion instead.",
ReplaceWith("this.microseconds",
"kotlin.time.Duration.Companion.microseconds"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public val
Long.microseconds get() = toDuration(DurationUnit.MICROSECONDS)

/** Returns a [Duration] equal to
this [Double] number of microseconds.
*/
* @throws IllegalArgumentException if this [Double] value is
`NaN`.
*/
@SinceKotlin("1.3")
@ExperimentalTime
@Deprecated("Use 'Double.microseconds' extension
property from Duration.Companion
instead.", ReplaceWith("this.microseconds",
"kotlin.time.Duration.Companion.microseconds"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public val
Double.microseconds get() = toDuration(DurationUnit.MICROSECONDS)

/** Returns a [Duration] equal to
this [Int] number of milliseconds.
*/
@SinceKotlin("1.3")
@ExperimentalTime
@Deprecated("Use
'Int.milliseconds' extension property from Duration.Companion instead.",
ReplaceWith("this.milliseconds",
"kotlin.time.Duration.Companion.milliseconds"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public val
Int.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)

/** Returns a [Duration] equal to this
[Long] number of milliseconds.
*/
@SinceKotlin("1.3")
@ExperimentalTime
@Deprecated("Use
'Long.milliseconds' extension property from Duration.Companion instead.",
ReplaceWith("this.milliseconds",

```

```

\"kotlin.time.Duration.Companion.milliseconds\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic
val Long.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/**\n * Returns a [Duration] equal to
this [Double] number of milliseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n * @SinceKotlin(\"1.3\")\n * @ExperimentalTime\n * @Deprecated(\"Use 'Double.milliseconds' extension property
from Duration.Companion instead.\", ReplaceWith(\"this.milliseconds\"),
\"kotlin.time.Duration.Companion.milliseconds\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Double.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/**\n * Returns a [Duration] equal to this
[Int] number of seconds. *\n * @SinceKotlin(\"1.3\")\n * @ExperimentalTime\n * @Deprecated(\"Use 'Int.seconds'
extension property from Duration.Companion instead.\", ReplaceWith(\"this.seconds\"),
\"kotlin.time.Duration.Companion.seconds\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Int.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/**\n * Returns a [Duration] equal
to this [Long] number of seconds. *\n * @SinceKotlin(\"1.3\")\n * @ExperimentalTime\n * @Deprecated(\"Use
'Long.seconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.seconds\"),
\"kotlin.time.Duration.Companion.seconds\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Long.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/**\n * Returns a [Duration] equal to this [Double]
number of seconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n * @SinceKotlin(\"1.3\")\n * @ExperimentalTime\n * @Deprecated(\"Use 'Double.seconds' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.seconds\"),
\"kotlin.time.Duration.Companion.seconds\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Double.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/**\n * Returns a [Duration] equal to this [Int]
number of minutes. *\n * @SinceKotlin(\"1.3\")\n * @ExperimentalTime\n * @Deprecated(\"Use 'Int.minutes' extension
property
from Duration.Companion instead.\", ReplaceWith(\"this.minutes\"),
\"kotlin.time.Duration.Companion.minutes\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Int.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/**\n * Returns a [Duration] equal to this [Long] number of
minutes. *\n * @SinceKotlin(\"1.3\")\n * @ExperimentalTime\n * @Deprecated(\"Use 'Long.minutes' extension property
from Duration.Companion instead.\", ReplaceWith(\"this.minutes\"),
\"kotlin.time.Duration.Companion.minutes\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Long.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/**\n * Returns a [Duration] equal to this [Double]
number of minutes.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n * @SinceKotlin(\"1.3\")\n * @ExperimentalTime\n * @Deprecated(\"Use 'Double.minutes' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.minutes\"),
\"kotlin.time.Duration.Companion.minutes\")\n@DeprecatedSinceKotlin(warningSince
= \"1.5\")\npublic val Double.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/**\n * Returns a [Duration]
equal to this [Int] number of hours. *\n * @SinceKotlin(\"1.3\")\n * @ExperimentalTime\n * @Deprecated(\"Use
'Int.hours' extension property from Duration.Companion instead.\", ReplaceWith(\"this.hours\"),
\"kotlin.time.Duration.Companion.hours\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Int.hours get() = toDuration(DurationUnit.HOURS)\n\n/**\n * Returns a [Duration] equal to this [Long] number of
hours. *\n * @SinceKotlin(\"1.3\")\n * @ExperimentalTime\n * @Deprecated(\"Use 'Long.hours' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.hours\"),
\"kotlin.time.Duration.Companion.hours\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Long.hours get() = toDuration(DurationUnit.HOURS)\n\n/**\n * Returns a [Duration] equal to this [Double]
number of hours.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n * @SinceKotlin(\"1.3\")\n * @ExperimentalTime\n * @Deprecated(\"Use
'Double.hours' extension property from Duration.Companion instead.\", ReplaceWith(\"this.hours\"),
\"kotlin.time.Duration.Companion.hours\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Double.hours get() = toDuration(DurationUnit.HOURS)\n\n/**\n * Returns a [Duration] equal to this [Int] number of
days. *\n * @SinceKotlin(\"1.3\")\n * @ExperimentalTime\n * @Deprecated(\"Use 'Int.days' extension property from

```

```

Duration.Companion instead.\", ReplaceWith(\"this.days\",
\"kotlin.time.Duration.Companion.days\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Int.days
get() = toDuration(DurationUnit.DAYS)\n\n/** Returns a [Duration] equal to this [Long] number of days.
*\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.days' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.days\",
\"kotlin.time.Duration.Companion.days\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic
val Long.days get() = toDuration(DurationUnit.DAYS)\n\n/** Returns a [Duration] equal to this [Double]
number of days.\n * \n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.days' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.days\",
\"kotlin.time.Duration.Companion.days\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Double.days get() = toDuration(DurationUnit.DAYS)\n\n/** Returns a duration whose value is the specified
[duration] value multiplied by this number.
*\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\n@kotlin.internal.InlineOnly\npublic
inline operator fun Int.times(duration: Duration): Duration = duration * this\n\n/** Returns a duration whose
value is the specified [duration] value multiplied by this number.\n * \n * The operation may involve rounding when
the result cannot be represented exactly with
a [Double] number.\n * \n * @throws IllegalArgumentException if the operation results in a `NaN` value.\n
*\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\n@kotlin.internal.InlineOnly\npublic
inline operator fun Double.times(duration: Duration): Duration = duration * this\n\n\nprivate fun
parseDuration(value: String, strictIso: Boolean): Duration {\n    var length = value.length\n    if (length == 0) throw
IllegalArgumentException(\"The string is empty\")\n    var index = 0\n    var result = Duration.ZERO\n    val
infinityString = \"Infinity\"\n    when (value[index]) {\n        '+', '-' -> index++\n    }\n    val hasSign = index > 0\n    val
isNegative = hasSign && value.startsWith('-')\n    when {\n        length <= index ->\n            throw
IllegalArgumentException(\"No components\")\n        value[index] == 'P' -> {\n            if (++index == length) throw
IllegalArgumentException()\n            val nonDigitSymbols = \".-\" \n            var isTimeComponent
= false\n            var prevUnit: DurationUnit? = null\n            while (index < length) {\n                if (value[index] ==
'T') {\n                    if (isTimeComponent || ++index == length) throw IllegalArgumentException()\n                    isTimeComponent = true\n                    continue\n                }\n                val component =
value.substringWhile(index) { it in '0'..'9' || it in nonDigitSymbols }\n                if (component.isEmpty()) throw
IllegalArgumentException()\n                index += component.length\n                val unitChar =
value.getOrElse(index) { throw IllegalArgumentException(\"Missing unit for value $component\") }\n                index++\n                val unit = durationUnitByIsoChar(unitChar, isTimeComponent)\n                if (prevUnit != null
&& prevUnit <= unit) throw IllegalArgumentException(\"Unexpected order of duration components\")\n                prevUnit = unit\n                val dotIndex = component.indexOf('.')\n                if (unit == DurationUnit.SECONDS && dotIndex > 0) {\n                    val whole =
component.substring(0, dotIndex)\n                    result += parseOverLongIsoComponent(whole).toDuration(unit)\n                    result += component.substring(dotIndex).toDouble().toDuration(unit)\n                } else {\n                    result += parseOverLongIsoComponent(component).toDuration(unit)\n                }\n            }\n            strictIso
->\n                throw IllegalArgumentException()\n            value.regionMatches(index, infinityString, 0, length =
maxOf(length - index, infinityString.length), ignoreCase = true) -> {\n                result = Duration.INFINITE\n            }\n            else -> {\n                // parse default string format\n                var prevUnit: DurationUnit? = null\n                var
afterFirst = false\n                var allowSpaces = !hasSign\n                if (hasSign && value[index] == '(' && value.last()
== ')') {\n                    allowSpaces
= true\n                    if (++index == --length) throw IllegalArgumentException(\"No components\")\n                }\n                while (index < length) {\n                    if (afterFirst && allowSpaces) {\n                        index = value.skipWhile(index) {
it == ' ' }\n                    }\n                    afterFirst = true\n                    val component = value.substringWhile(index) { it in
'0'..'9' || it == '.' }\n                    if (component.isEmpty()) throw IllegalArgumentException()\n                    index +=

```

```

component.length\n        val unitName = value.substringWhile(index) { it in 'a'..'z' }\n        index +=
unitName.length\n        val unit = durationUnitByShortName(unitName)\n        if (prevUnit != null &&
prevUnit <= unit) throw IllegalArgumentException("\Unexpected order of duration components")\n
prevUnit = unit\n        val dotIndex = component.indexOf('.')\n        if (dotIndex > 0) {\n
    val whole = component.substring(0, dotIndex)\n        result += whole.toLong().toDuration(unit)\n
    result += component.substring(dotIndex).toDouble().toDuration(unit)\n        if (index < length) throw
IllegalArgumentException("Fractional component must be last")\n        } else {\n        result +=
component.toLong().toDuration(unit)\n        }\n        }\n        }\n        return if (isNegative) -result else
result\n}\n\nprivate fun parseOverLongIsoComponent(value: String): Long {\n    val length = value.length\n    var
startIndex = 0\n    if (length > 0 && value[0] in '+-') startIndex++\n    if ((length - startIndex) > 16 &&
(startIndex..value.lastIndex).all { value[it] in '0'..'9' }) {\n        // all chars are digits, but more than
ceiling(log10(MAX_MILLIS / 1000)) of them\n        return if (value[0] == '-') Long.MIN_VALUE else
Long.MAX_VALUE\n    }\n    // TODO: replace with just toLong after
min JDK becomes 8\n    return if (value.startsWith('+')) value.drop(1).toLong() else
value.toLong()\n}\n\nprivate inline fun String.substringWhile(startIndex: Int, predicate: (Char) -> Boolean):
String =\n    substring(startIndex, skipWhile(startIndex, predicate))\n\nprivate inline fun
String.skipWhile(startIndex: Int, predicate: (Char) -> Boolean): Int {\n    var i = startIndex\n    while (i < length &&
predicate(this[i])) i++\n    return i\n}\n\n// The ranges are chosen so that they are:\n// - symmetric relative to
zero: this greatly simplifies operations with sign, e.g. unaryMinus and minus.\n// - non-overlapping, but adjacent:
the first value that doesn't fit in nanos range, can be exactly represented in millis.\n\ninternal const val
NANOS_IN_MILLIS = 1_000_000\n// maximum number duration can store in nanosecond range\n\ninternal const
val MAX_NANOS = Long.MAX_VALUE / 2 / NANOS_IN_MILLIS * NANOS_IN_MILLIS - 1 // ends in
..._999_999\n// maximum number duration can store
in millisecond range, also encodes an infinite value\n\ninternal const val MAX_MILLIS = Long.MAX_VALUE /
2\n// MAX_NANOS expressed in milliseconds\n\nprivate const val MAX_NANOS_IN_MILLIS = MAX_NANOS /
NANOS_IN_MILLIS\n\nprivate fun nanosToMillis(nanos: Long): Long = nanos / NANOS_IN_MILLIS\n\nprivate fun
millisToNanos(millis: Long): Long = millis * NANOS_IN_MILLIS\n\nprivate fun
durationOfNanos(normalNanos: Long) = Duration(normalNanos shl 1)\n\nprivate fun durationOfMillis(normalMillis:
Long) = Duration((normalMillis shl 1) + 1)\n\nprivate fun durationOf(normalValue: Long, unitDiscriminator: Int) =
Duration((normalValue shl 1) + unitDiscriminator)\n\nprivate fun durationOfNanosNormalized(nanos: Long) =\n    if
(nanos in -MAX_NANOS..MAX_NANOS) {\n        durationOfNanos(nanos)\n    } else {\n
durationOfMillis(nanosToMillis(nanos))\n    }\n\nprivate fun durationOfMillisNormalized(millis: Long) =\n    if
(millis in -MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {\n
durationOfNanos(millisToNanos(millis))\n    } else {\n
durationOfMillis(millis.coerceIn(-MAX_MILLIS, MAX_MILLIS))\n    }\n\ninternal expect val
durationAssertionsEnabled: Boolean\n\ninternal expect fun formatToExactDecimals(value: Double, decimals: Int):
String\n\ninternal expect fun formatUpToDecimals(value: Double, decimals: Int): String", "/*\n * Copyright 2010-
2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("UnsignedKt")\n\npackage kotlin\n\n@PublishedApi\n\ninternal fun uintCompare(v1:
Int, v2: Int): Int = (v1 xor Int.MIN_VALUE).compareTo(v2 xor Int.MIN_VALUE)\n\n@PublishedApi\n\ninternal fun
ulongCompare(v1: Long, v2: Long): Int = (v1 xor Long.MIN_VALUE).compareTo(v2 xor
Long.MIN_VALUE)\n\n@PublishedApi\n\ninternal fun uintDivide(v1: UInt, v2: UInt): UInt = (v1.toLong() /
v2.toLong()).toUInt()\n\n@PublishedApi\n\ninternal fun uintRemainder(v1:
UInt, v2: UInt): UInt = (v1.toLong() % v2.toLong()).toUInt()\n\n// Division and remainder are based on Guava's
UnsignedLongs implementation\n\n// Copyright 2011 The Guava Authors\n\n@PublishedApi\n\ninternal fun
ulongDivide(v1: ULong, v2: ULong): ULong {\n    val dividend = v1.toLong()\n    val divisor = v2.toLong()\n    if
(divisor < 0) { // i.e., divisor >= 2^63:\n        return if (v1 < v2) ULong(0) else ULong(1)\n    }\n    // Optimization

```

```

- use signed division if both dividend and divisor < 2^63\n  if (dividend >= 0) {\n    return ULong(dividend /
divisor)\n  }\n\n // Otherwise, approximate the quotient, check, and correct if necessary.\n  val quotient =
((dividend ushr 1) / divisor) shl 1\n  val rem = dividend - quotient * divisor\n  return ULong(quotient + if
(ULong(rem) >= ULong(divisor)) 1 else 0)\n}\n\n@PublishedApi\ninternal fun ulongRemainder(v1: ULong, v2:
ULong): ULong {\n  val dividend = v1.toLong()\n  val divisor = v2.toLong()\n  if (divisor < 0)
{\n    // i.e., divisor >= 2^63:\n    return if (v1 < v2) {\n      v1 // dividend < divisor\n    } else {\n      v1 - v2
// dividend >= divisor\n    }\n  }\n\n // Optimization - use signed modulus if both dividend and divisor < 2^63\n
if (dividend >= 0) {\n    return ULong(dividend % divisor)\n  }\n\n // Otherwise, approximate the quotient,
check, and correct if necessary.\n  val quotient = ((dividend ushr 1) / divisor) shl 1\n  val rem = dividend -
quotient * divisor\n  return ULong(rem - if (ULong(rem) >= ULong(divisor)) divisor else
0)\n}\n\n@PublishedApi\ninternal fun doubleToUInt(v: Double): UInt = when {\n  v.isNaN() -> 0u\n  v <=
UInt.MIN_VALUE.toDouble() -> UInt.MIN_VALUE\n  v >= UInt.MAX_VALUE.toDouble() ->
UInt.MAX_VALUE\n  v <= Int.MAX_VALUE -> v.toInt().toUInt()\n  else -> (v -
Int.MAX_VALUE).toInt().toUInt() + Int.MAX_VALUE.toUInt() // Int.MAX_VALUE < v <
UInt.MAX_VALUE\n}\n\n@PublishedApi\ninternal fun doubleToULong(v:
Double): ULong = when {\n  v.isNaN() -> 0u\n  v <= ULong.MIN_VALUE.toDouble() ->
ULong.MIN_VALUE\n  v >= ULong.MAX_VALUE.toDouble() -> ULong.MAX_VALUE\n  v <
Long.MAX_VALUE -> v.toLong().toULong()\n\n // Real values from Long.MAX_VALUE to
(Long.MAX_VALUE + 1) are not representable in Double, so don't handle them.\n  else -> (v -
9223372036854775808.0).toLong().toULong() + 9223372036854775808uL // Long.MAX_VALUE + 1 < v <
ULong.MAX_VALUE\n}\n\n@PublishedApi\ninternal fun uintToDouble(v: Int): Double = (v and
Int.MAX_VALUE).toDouble() + (v ushr 31 shl 30).toDouble() * 2\n\n@PublishedApi\ninternal fun
ulongToDouble(v: Long): Double = (v ushr 11).toDouble() * 2048 + (v and 2047)\n\n\ninternal fun
ulongToString(v: Long): String = ulongToString(v, 10)\n\ninternal fun ulongToString(v: Long, base: Int): String {\n
if (v >= 0) return v.toString(base)\n  var quotient = ((v ushr 1) / base) shl 1\n  var rem = v - quotient * base\n
if (rem >= base) {\n    rem
- = base\n    quotient += 1\n  }\n  return quotient.toString(base) + rem.toString(base)\n}\n\n", "/*\n * Copyright
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\n/**\n * Given an [iterator] function constructs an [Iterable] instance that returns values through
the [Iterator]\n * provided by that function.\n * @sample samples.collections.Iterables.Building.iterable\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable(crossinline iterator: () -> Iterator<T>): Iterable<T>
= object : Iterable<T> {\n  override fun iterator(): Iterator<T> = iterator()\n}\n\n/**\n * A wrapper over another
[Iterable] (or any other object that can produce an [Iterator]) that returns\n * an indexing iterator.\n */\n\ninternal class
IndexingIterable<out
T>(private val iteratorFactory: () -> Iterator<T>) : Iterable<IndexedValue<T>> {\n  override fun iterator():
Iterator<IndexedValue<T>> = IndexingIterator(iteratorFactory())\n}\n\n\n/**\n * Returns the size of this iterable if
it is known, or `null` otherwise.\n */\n\n@PublishedApi\ninternal fun <T> Iterable<T>.collectionSizeOrNull(): Int? =
if (this is Collection<*>) this.size else null\n\n\n/**\n * Returns the size of this iterable if it is known, or the
specified [default] value otherwise.\n */\n\n@PublishedApi\ninternal fun <T> Iterable<T>.collectionSizeOrDefault(default:
Int): Int = if (this is Collection<*>) this.size else default\n\n\n/**\n * Returns a single list of all elements from
all collections in the given collection.\n * @sample samples.collections.Iterables.Operations.flattenIterable\n */\n\npublic
fun <T> Iterable<Iterable<T>>.flatten(): List<T> {\n  val result = ArrayList<T>()\n  for (element in this) {\n
result.addAll(element)\n  }\n  return
result\n}\n\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from
this collection,\n * *second* list is built from the second values of each pair from this collection.\n * @sample
samples.collections.Iterables.Operations.unzipIterable\n */\n\npublic fun <T, R> Iterable<Pair<T, R>>.unzip():

```

```

Pair<List<T>, List<R>> { \n    val expectedSize = collectionSizeOrDefault(10)\n    val listT =
ArrayList<T>(expectedSize)\n    val listR = ArrayList<R>(expectedSize)\n    for (pair in this) {\n
listT.add(pair.first)\n    listR.add(pair.second)\n    }\n    return listT to listR\n}\n"/*\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("\SequencesKt")\n\npackage
kotlin.sequences\n\nimport kotlin.random.Random\n\n/**\n
 * Given an [iterator] function constructs a [Sequence] that returns values through the [Iterator]\n * provided by that
function.\n * The values are evaluated lazily, and the sequence is potentially infinite.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromIterator\n */\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
<T> Sequence(crossinline iterator: () -> Iterator<T>): Sequence<T> = object : Sequence<T> {\n    override fun
iterator(): Iterator<T> = iterator()\n}\n\n/**\n * Creates a sequence that returns all elements from this iterator. The
sequence is constrained to be iterated only once.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromIterator\n */\n\npublic fun <T> Iterator<T>.asSequence():
Sequence<T> = Sequence { this }.constrainOnce()\n\n/**\n * Creates a sequence that returns the specified values.\n * \n *
@sample samples.collections.Sequences.Building.sequenceOfValues\n */\n\npublic fun <T> sequenceOf(vararg
elements: T): Sequence<T> = if (elements.isEmpty())
emptySequence() else elements.asSequence()\n\n/**\n * Returns an empty sequence.\n */\n\npublic fun <T>
emptySequence(): Sequence<T> = EmptySequence\n\nprivate object EmptySequence : Sequence<Nothing>,
DropTakeSequence<Nothing> {\n    override fun iterator(): Iterator<Nothing> = EmptyIterator\n    override fun
drop(n: Int) = EmptySequence\n    override fun take(n: Int) = EmptySequence\n}\n\n/**\n * Returns this sequence if
it's not `null` and the empty sequence otherwise.\n * \n * @sample
samples.collections.Sequences.Usage.sequenceOrEmpty\n
*/\n\n@SinceKotlin("1.3")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> Sequence<T>?.orEmpty():
Sequence<T> = this ?. emptySequence()\n\n/**\n * Returns a sequence that iterates through the elements either of
this sequence\n * or, if this sequence turns out to be empty, of the sequence returned by [defaultValue] function.\n
*\n * @sample samples.collections.Sequences.Usage.sequenceIfEmpty\n */\n\n@SinceKotlin("1.3")\n\npublic fun
<T>
Sequence<T>.ifEmpty(defaultValue: () -> Sequence<T>): Sequence<T> = sequence {\n    val iterator =
this@ifEmpty.iterator()\n    if (iterator.hasNext()) {\n        yieldAll(iterator)\n    } else {\n
yieldAll(defaultValue())\n    }\n}\n\n/**\n * Returns a sequence of all elements from all sequences in this
sequence.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Sequences.Transformations.flattenSequenceOfSequences\n */\n\npublic fun <T>
Sequence<Sequence<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\n/**\n * Returns a sequence of all
elements from all iterables in this sequence.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n *
@sample samples.collections.Sequences.Transformations.flattenSequenceOfLists\n
*/\n\n@kotlin.jvm.JvmName("\flattenSequenceOfIterable")\n\npublic fun <T> Sequence<Iterable<T>>.flatten():
Sequence<T> = flatten { it.iterator() }\n\nprivate fun <T, R> Sequence<T>.flatten(iterator: (T) -> Iterator<R>):
Sequence<R> {\n    if (this is TransformingSequence<*, *>) {\n        return (this as TransformingSequence<*,
T>).flatten(iterator)\n    }\n    return FlatteningSequence(this, { it }, iterator)\n}\n\n/**\n * Returns a pair of lists,
where\n * first list is built from the first values of each pair from this sequence,\n * second list is built from the
second values of each pair from this sequence.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Sequences.Transformations.unzip\n */\n\npublic fun <T, R> Sequence<Pair<T, R>>.unzip():
Pair<List<T>, List<R>> {\n    val listT = ArrayList<T>()\n    val listR = ArrayList<R>()\n    for (pair in this) {\n
listT.add(pair.first)\n    listR.add(pair.second)\n    }\n    return listT to listR\n}\n\n/**\n * Returns a sequence that
yields elements of this sequence randomly shuffled.\n * \n * Note that every iteration of the sequence returns
elements in a different order.\n * \n * The operation is _intermediate_

```

```

and _stateful_.\n *\n@SinceKotlin("1.4")\npublic fun <T> Sequence<T>.shuffled(): Sequence<T> =
shuffled(Random)\n\n/**\n * Returns a sequence that yields elements of this sequence randomly shuffled\n * using
the specified [random] instance as the source of randomness.\n *\n * Note that every iteration of the sequence
returns elements in a different order.\n *\n * The operation is _intermediate_ and _stateful_.\n
*\n@SinceKotlin("1.4")\npublic fun <T> Sequence<T>.shuffled(random: Random): Sequence<T> =
sequence<T> {\n    val buffer = toMutableList()\n    while (buffer.isNotEmpty()) {\n        val j =
random.nextInt(buffer.size)\n        val last = buffer.removeLast()\n        val value = if (j < buffer.size) buffer.set(j,
last) else last\n        yield(value)\n    }\n}\n\n/**\n * A sequence that returns the values from the underlying
[sequence] that either match or do not match\n * the specified [predicate].\n *\n * @param sendWhen If `true`,
values for which the predicate returns
`true` are returned. Otherwise,\n * values for which the predicate returns `false` are returned\n *\ninternal class
FilteringSequence<T>(\n    private val sequence: Sequence<T>,\n    private val sendWhen: Boolean = true,\n    private val predicate: (T) -> Boolean\n) : Sequence<T> {\n    override fun iterator(): Iterator<T> = object :
Iterator<T> {\n        val iterator = sequence.iterator()\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1
for continue\n        var nextItem: T? = null\n        private fun calcNext() {\n            while (iterator.hasNext()) {\n
                val item = iterator.next()\n                if (predicate(item) == sendWhen) {\n                    nextItem = item\n
                    nextState = 1\n                    return\n                }\n            }\n            nextState = 0\n        }\n        override fun
next(): T {\n            if (nextState == -1)\n                calcNext()\n            if (nextState == 0)\n                throw NoSuchElementException()\n            val result = nextItem\n            nextItem = null\n            nextState = -
1\n            @Suppress("UNCHECKED_CAST")\n            return result as T\n        }\n        override fun
hasNext(): Boolean {\n            if (nextState == -1)\n                calcNext()\n            return nextState == 1\n        }\n    }\n}\n\n/**\n * A sequence which returns the results of applying the given [transformer] function to the values\n *
in the underlying [sequence].\n *\ninternal class TransformingSequence<T, R>\nconstructor(private val
sequence: Sequence<T>, private val transformer: (T) -> R) : Sequence<R> {\n    override fun iterator(): Iterator<R>
= object : Iterator<R> {\n        val iterator = sequence.iterator()\n        override fun next(): R {\n            return
transformer(iterator.next())\n        }\n        override fun hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n}\n\ninternal fun <E>
flatten(iterator: (R) -> Iterator<E>): Sequence<E> {\n    return FlatteningSequence<T, R, E>(sequence,
transformer, iterator)\n}\n\n/**\n * A sequence which returns the results of applying the given [transformer]
function to the values\n * in the underlying [sequence], where the transformer function takes the index of the value
in the underlying\n * sequence along with the value itself.\n *\ninternal class TransformingIndexedSequence<T,
R>\nconstructor(private val sequence: Sequence<T>, private val transformer: (Int, T) -> R) : Sequence<R> {\n
    override fun iterator(): Iterator<R> = object : Iterator<R> {\n        val iterator = sequence.iterator()\n        var index =
0\n        override fun next(): R {\n            return transformer(checkIndexOverflow(index++), iterator.next())\n        }\n        override fun hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A
sequence which combines values from the underlying [sequence] with
their indices and returns them as\n * [IndexedValue] objects.\n *\ninternal class
IndexingSequence<T>\nconstructor(private val sequence: Sequence<T>) : Sequence<IndexedValue<T>> {\n
    override fun iterator(): Iterator<IndexedValue<T>> = object : Iterator<IndexedValue<T>> {\n        val iterator =
sequence.iterator()\n        var index = 0\n        override fun next(): IndexedValue<T> {\n            return
IndexedValue(checkIndexOverflow(index++), iterator.next())\n        }\n        override fun hasNext(): Boolean {\n
            return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence which takes the values from two parallel
underlying sequences, passes them to the given\n * [transform] function and returns the values returned by that
function. The sequence stops returning\n * values as soon as one of the underlying sequences stops returning
values.\n *\ninternal class MergingSequence<T1, T2, V>\nconstructor(\n    private val sequence1:
Sequence<T1>,\n    private val
sequence2: Sequence<T2>,\n    private val transform: (T1, T2) -> V\n) : Sequence<V> {\n    override fun iterator():
Iterator<V> = object : Iterator<V> {\n        val iterator1 = sequence1.iterator()\n        val iterator2 =

```

```

sequence2.iterator()\n    override fun next(): V {\n        return transform(iterator1.next(), iterator2.next())\n    }\n\n    override fun hasNext(): Boolean {\n        return iterator1.hasNext() && iterator2.hasNext()\n    }\n}\n\ninternal class FlatteningSequence<T, R, E>\nconstructor(\n    private val sequence: Sequence<T>,\n    private val transformer: (T) -> R,\n    private val iterator: (R) -> Iterator<E>\n) : Sequence<E> {\n    override fun\n    iterator(): Iterator<E> = object : Iterator<E> {\n        val iterator = sequence.iterator()\n        var itemIterator:\n        Iterator<E>? = null\n\n        override fun next(): E {\n            if (!ensureItemIterator())\n                throw\n                NoSuchElementException()\n            return itemIterator!!.next()\n        }\n\n        override fun hasNext(): Boolean {\n            return ensureItemIterator()\n        }\n\n        private fun\n        ensureItemIterator(): Boolean {\n            if (itemIterator?.hasNext() == false)\n                itemIterator = null\n            while (itemIterator == null) {\n                if (!iterator.hasNext())\n                    return false\n            } else {\n                val element = iterator.next()\n                val nextItemIterator = iterator(transformer(element))\n            }\n            if (nextItemIterator.hasNext())\n                itemIterator = nextItemIterator\n            return true\n        }\n    }\n}\n\ninternal fun <T, C, R> flatMapIndexed(source:\nSequence<T>, transform: (Int, T) -> C, iterator: (C) -> Iterator<R>): Sequence<R> =\nsequence {\n    var\n    index = 0\n    for (element in source) {\n        val result = transform(checkIndexOverflow(index++), element)\n        yieldAll(iterator(result))\n    }\n}\n\n/**\n * A sequence that supports drop(n) and take(n) operations\n */\ninternal interface\nDropTakeSequence<T> : Sequence<T> {\n    fun drop(n: Int): Sequence<T>\n    fun take(n: Int):\n    Sequence<T>\n}\n\n/**\n * A sequence that skips [startIndex] values from the underlying [sequence]\n * and stops\n    returning values right before [endIndex], i.e. stops at `endIndex - 1`\n */\ninternal class SubSequence<T>(\n    private val sequence: Sequence<T>,\n    private val startIndex: Int,\n    private val endIndex: Int\n) : Sequence<T>,\nDropTakeSequence<T> {\n    init {\n        require(startIndex >= 0) { \"$startIndex should be non-negative, but is\n        $startIndex\" }\n        require(endIndex >= 0) { \"$endIndex should be non-negative, but is\n        $endIndex\" }\n        require(endIndex >= startIndex) { \"$endIndex should be not less than\n        startIndex, but was $endIndex < $startIndex\" }\n    }\n\n    private val count: Int get() = endIndex - startIndex\n\n    override fun drop(n: Int): Sequence<T> = if\n    (n >= count) emptySequence() else SubSequence(sequence, startIndex + n,\n    endIndex)\n\n    override fun take(n: Int):\n    Sequence<T> = if (n >= count) this else SubSequence(sequence, startIndex,\n    startIndex + n)\n\n    override fun\n    iterator() = object : Iterator<T> {\n        val iterator = sequence.iterator()\n        var position = 0\n        //\n        Shouldn't be called from constructor to avoid premature iteration\n        private fun drop() {\n            while (position\n            < startIndex && iterator.hasNext())\n                iterator.next()\n            position++\n        }\n\n        override fun hasNext(): Boolean {\n            drop()\n            return (position < endIndex) && iterator.hasNext()\n        }\n\n        override fun next(): T {\n            drop()\n            if (position >= endIndex)\n                throw\n                NoSuchElementException()\n            position++\n            return iterator.next()\n        }\n    }\n}\n\n/**\n * A sequence that returns at most [count]\n    values from the underlying [sequence], and stops returning values\n * as soon as that count is reached.\n */\ninternal\n    class TakeSequence<T>(\n    private val sequence: Sequence<T>,\n    private val count: Int\n) : Sequence<T>,\nDropTakeSequence<T> {\n    init {\n        require(count >= 0) { \"$count must be non-negative, but was\n        $count.\" }\n    }\n\n    override fun drop(n: Int): Sequence<T> = if (n >= count) emptySequence() else\n    SubSequence(sequence, n, count)\n\n    override fun take(n: Int): Sequence<T> = if (n >= count) this else\n    TakeSequence(sequence, n)\n\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        var left =\n        count\n        val iterator = sequence.iterator()\n\n        override fun next(): T {\n            if (left == 0)\n                throw\n                NoSuchElementException()\n            left--\n            return iterator.next()\n        }\n\n        override fun hasNext(): Boolean {\n            return left > 0 && iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence that returns values from the underlying [sequence] while the\n    [predicate] function\n    returns `true`, and stops returning values once the function returns `false`\n    for the next element.\n */\ninternal\n    class TakeWhileSequence<T>\n    constructor(\n    private val sequence: Sequence<T>,\n    private val predicate: (T) ->\n    Boolean\n) : Sequence<T> {\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        val iterator =\n        sequence.iterator()\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n        var nextItem: T?\n    }\n}

```



```

= null\n\n    private fun calcNext() {\n        if (iterator.hasNext()) {\n            val item = iterator.next()\n            if (predicate(item)) {\n                nextState = 1\n                nextItem = item\n                return\n            }\n            nextState = 0\n        }\n        override fun next(): T {\n            if (nextState == -1)\n                calcNext() // will change nextState\n            if (nextState == 0)\n                throw NoSuchElementException()\n            @Suppress("UNCHECKED_CAST")\n            val result = nextItem as T\n            // Clean next to avoid\n            keeping reference on yielded instance\n            nextItem = null\n            nextState = -1\n            return result\n        }\n        override fun hasNext(): Boolean {\n            if (nextState == -1)\n                calcNext() // will change\n            nextState\n            return nextState == 1\n        }\n    }\n\n    /**\n     * A sequence that skips the specified number of\n     values from the underlying [sequence] and returns\n     * all values after that.\n     */\n    internal class DropSequence<T>(\n        private val sequence: Sequence<T>,\n        private val count: Int) : Sequence<T>, DropTakeSequence<T> {\n        init\n            {\n                require(count >= 0) { "\"count must be non-negative, but was $count.\" }\n            }\n        override fun drop(n: Int): Sequence<T> = (count + n).let { n1 -> if (n1 < 0) DropSequence(this, n) else DropSequence(sequence, n1) }\n        override fun take(n: Int): Sequence<T> = (count + n).let { n1 -> if (n1 < 0) TakeSequence(this, n) else SubSequence(sequence, count, n1) }\n        override fun iterator(): Iterator<T> = object : Iterator<T> {\n            val\n            iterator = sequence.iterator()\n            var left = count\n            // Shouldn't be called from constructor to avoid\n            premature iteration\n            private fun drop() {\n                while (left > 0 && iterator.hasNext()) {\n                    iterator.next()\n                    left--\n                }\n            }\n            override fun next(): T {\n                drop()\n                return\n                iterator.next()\n            }\n            override fun hasNext(): Boolean {\n                drop()\n                return iterator.hasNext()\n            }\n        }\n    }\n\n    /**\n     * A sequence\n     that skips the values from the underlying [sequence] while the given [predicate] returns `true` and returns\n     * all\n     values after that.\n     */\n    internal class DropWhileSequence<T>(\n        private val sequence: Sequence<T>,\n        private val predicate: (T) -> Boolean) : Sequence<T> {\n        override fun iterator(): Iterator<T> = object : Iterator<T> {\n            val iterator = sequence.iterator()\n            var dropState: Int = -1 // -1 for not\n            dropping, 1 for nextItem, 0 for normal iteration\n            var nextItem: T? = null\n            private fun drop() {\n                while (iterator.hasNext()) {\n                    val item = iterator.next()\n                    if (!predicate(item)) {\n                        nextItem = item\n                        dropState = 1\n                        return\n                    }\n                    dropState = 0\n                }\n            }\n            override fun next(): T {\n                if (dropState == -1)\n                    drop()\n                if (dropState == 1)\n                    @Suppress("UNCHECKED_CAST")\n                    val result = nextItem as T\n                    nextItem =\n                    null\n                    dropState = 0\n                    return result\n                }\n                return iterator.next()\n            }\n            override fun hasNext(): Boolean {\n                if (dropState == -1)\n                    drop()\n                return dropState == 1 ||\n                iterator.hasNext()\n            }\n        }\n    }\n\n    internal class DistinctSequence<T, K>(\n        private val source: Sequence<T>,\n        private val keySelector: (T) -> K) : Sequence<T> {\n        override fun iterator(): Iterator<T> =\n        DistinctIterator(source.iterator(), keySelector)\n    }\n\n    private class DistinctIterator<T, K>(\n        private val source: Iterator<T>,\n        private val keySelector: (T) -> K) : AbstractIterator<T>() {\n        private val observed =\n        HashSet<K>()\n        override fun computeNext() {\n            while (source.hasNext()) {\n                val next =\n                source.next()\n                val key = keySelector(next)\n                if (observed.add(key))\n                    {\n                        setNext(next)\n                        return\n                    }\n                done()\n            }\n        }\n    }\n\n    private class\n    GeneratorSequence<T : Any>(\n        private val getInitialValue: () -> T?,\n        private val getNextValue: (T) -> T?) : Sequence<T> {\n        override fun iterator(): Iterator<T> = object : Iterator<T> {\n            var nextItem: T? = null\n            var nextState: Int = -2 // -2 for initial unknown, -1 for next unknown, 0 for done, 1 for continue\n            private fun\n            calcNext() {\n                nextItem = if (nextState == -2) getInitialValue() else getNextValue(nextItem!)\n                nextState = if (nextItem == null) 0 else 1\n            }\n            override fun next(): T {\n                if (nextState < 0)\n                    calcNext()\n                if (nextState == 0)\n                    throw NoSuchElementException()\n                val result =\n                nextItem as T\n                // Do not clean nextItem (to avoid keeping reference on yielded instance) -- need to keep\n                state for\n                getNextValue\n                nextState = -1\n                return result\n            }\n            override fun hasNext(): Boolean {\n                if (nextState < 0)\n                    calcNext()\n                return nextState == 1\n            }\n        }\n    }\n\n    /**\n     * Returns a

```

```

wrapper sequence that provides values of this sequence, but ensures it can be iterated only one time.\n *\n * The
operation is _intermediate_ and _stateless_.\n *\n * [IllegalStateException] is thrown on iterating the returned
sequence for the second time and the following times.\n *\n */\npublic fun <T> Sequence<T>.constrainOnce():
Sequence<T> {\n // as? does not work in js\n //return this as? ConstrainedOnceSequence<T> ?:\n
ConstrainedOnceSequence(this)\n return if (this is ConstrainedOnceSequence<T>) this else
ConstrainedOnceSequence(this)\n}\n\n/**\n * Returns a sequence which invokes the function to calculate the next
value on each iteration until the function returns `null`.\n *\n * The returned sequence is constrained
to be iterated only once.\n *\n * @see constrainOnce\n * @see kotlin.sequences.sequence\n *\n * @sample
samples.collections.Sequences.Building.generateSequence\n */\npublic fun <T : Any>
generateSequence(nextFunction: () -> T?): Sequence<T> {\n return GeneratorSequence(nextFunction, {
nextFunction() }).constrainOnce()\n}\n\n/**\n * Returns a sequence defined by the starting value [seed] and the
function [nextFunction],\n * which is invoked to calculate the next value based on the previous one on each
iteration.\n *\n * The sequence produces values until it encounters first `null` value.\n * If [seed] is `null`, an empty
sequence is produced.\n *\n * The sequence can be iterated multiple times, each time starting with [seed].\n *\n *
@see kotlin.sequences.sequence\n *\n * @sample
samples.collections.Sequences.Building.generateSequenceWithSeed\n */\n@kotlin.internal.LowPriorityInOverloadResolution\npublic fun <T : Any> generateSequence(seed: T?,
nextFunction: (T) -> T?): Sequence<T>
=\n if (seed == null)\n EmptySequence\n else\n GeneratorSequence({ seed }, nextFunction)\n\n/**\n * Returns a sequence defined by the function [seedFunction], which is invoked to produce the starting value,\n * and
the [nextFunction], which is invoked to calculate the next value based on the previous one on each iteration.\n *\n * The sequence produces values until it encounters first `null` value.\n * If [seedFunction] returns `null`, an empty
sequence is produced.\n *\n * The sequence can be iterated multiple times.\n *\n * @see
kotlin.sequences.sequence\n *\n * @sample
samples.collections.Sequences.Building.generateSequenceWithLazySeed\n */\npublic fun <T : Any>
generateSequence(seedFunction: () -> T?, nextFunction: (T) -> T?): Sequence<T> =\n
GeneratorSequence(seedFunction, nextFunction)\n\n"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("PreconditionsKt")\n\npackage
kotlin\n\nimport kotlin.contracts.contract\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic
inline fun require(value: Boolean): Unit {\n contract {\n returns() implies value\n }\n require(value) {
"Failed requirement." }\n}\n\n/**\n * Throws an [IllegalArgumentException] with the result of calling
[lazyMessage] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun require(value: Boolean, lazyMessage: () -> Any): Unit {\n
contract {\n returns() implies value\n }\n if (!value) {\n val message = lazyMessage()\n throw
IllegalArgumentException(message.toString())\n }\n}\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is null. Otherwise returns the not null value.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> requireNotNull(value: T?): T {\n contract {\n
returns() implies (value != null)\n }\n return requireNotNull(value) { "Required value was null." }\n}\n\n/**\n * Throws an [IllegalArgumentException] with the result of calling [lazyMessage] if the [value] is null. Otherwise\n *
returns the not null value.\n *\n * @sample samples.misc.Preconditions.failRequireNotNullWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> requireNotNull(value: T?, lazyMessage: () -> Any): T
{\n contract {\n returns() implies (value != null)\n }\n if (value == null) {\n val message =
lazyMessage()\n throw IllegalArgumentException(message.toString())\n } else {\n return value\n
}\n}\n\n/**\n * Throws an [IllegalStateException] if the [value] is false.\n *\n */

```

```

* @sample samples.misc.Preconditions.failCheckWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic
inline fun check(value: Boolean): Unit {\n  contract {\n    returns() implies value\n  }\n  check(value) {\n
  \"Check failed.\" }\n}\n\n/**\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the
[value] is false.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n
*\n@kotlin.internal.InlineOnly\npublic inline fun check(value: Boolean, lazyMessage: () -> Any): Unit {\n
contract {\n  returns() implies value\n  }\n  if (!value) {\n    val message = lazyMessage()\n    throw
IllegalStateException(message.toString())\n  }\n}\n\n/**\n * Throws an [IllegalStateException] if the [value] is
null. Otherwise\n * returns the not null value.\n *\n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T :
Any> checkNotNull(value: T?): T {\n  contract {\n
    returns() implies (value != null)\n  }\n  return checkNotNull(value) { \"Required value was null.\"
}\n}\n\n/**\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is null.
Otherwise\n * returns the not null value.\n *\n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T :
Any> checkNotNull(value: T?, lazyMessage: () -> Any): T {\n  contract {\n    returns() implies (value != null)\n
  }\n  if (value == null) {\n    val message = lazyMessage()\n    throw
IllegalStateException(message.toString())\n  } else {\n    return value\n  }\n}\n\n/**\n * Throws an
[IllegalStateException] with the given [message].\n *\n * @sample samples.misc.Preconditions.failWithError\n
*\n@kotlin.internal.InlineOnly\npublic inline fun error(message: Any): Nothing = throw
IllegalStateException(message.toString())\n\", /*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n *\n@npackage kotlin.collections\n\n// NOTE: THIS FILE IS
AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.js.*\nimport
primitiveArrayConcat\nimport withType\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n *
Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds
of this array.\n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\npublic actual fun <T>
Array<out T>.elementAt(index: Int): T {\n  return elementAtOrElse(index) { throw
IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n
*\n * @sample samples.collections.Collections.Elements.elementAt\n *\npublic actual fun
ByteArray.elementAt(index: Int): Byte {\n  return elementAtOrElse(index) { throw
IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n *\n * @sample
samples.collections.Collections.Elements.elementAt\n *\npublic actual fun ShortArray.elementAt(index: Int): Short
{\n  return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\")
}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\npublic
actual fun IntArray.elementAt(index: Int): Int {\n  return elementAtOrElse(index) { throw
IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n
* Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of
bounds of this array.\n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\npublic actual fun
LongArray.elementAt(index: Int): Long {\n  return elementAtOrElse(index) { throw
IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n *\n * @sample
samples.collections.Collections.Elements.elementAt\n *\npublic actual fun FloatArray.elementAt(index: Int): Float
{\n  return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\")
}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is

```

```

out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n * \n\npublic
actual fun DoubleArray.elementAt(index:
Int): Double {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size:
$size}") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the
[index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n * \n\npublic actual fun BooleanArray.elementAt(index: Int): Boolean {\n    return elementAtOrElse(index) { throw
IndexOutOfBoundsException("index: $index, size: $size}") }\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n * \n\npublic actual fun CharArray.elementAt(index: Int): Char
{\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n
}\n}\n\n/**\n * Returns a [List] that wraps the original array.\n * \n\npublic actual fun <T> Array<out T>.asList():
List<T> {\n    return ArrayList<T>(this.unsafeCast<Array<Any?>>())\n}\n\n/**\n * Returns a [List] that wraps the
original array.\n * \n\n@kotlin.internal.InlineOnly\npublic actual inline fun ByteArray.asList(): List<Byte> {\n
return this.unsafeCast<Array<Byte>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n\n@kotlin.internal.InlineOnly\npublic actual inline fun ShortArray.asList(): List<Short> {\n    return
this.unsafeCast<Array<Short>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n\n@kotlin.internal.InlineOnly\npublic actual inline fun IntArray.asList(): List<Int> {\n    return
this.unsafeCast<Array<Int>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n\n@kotlin.internal.InlineOnly\npublic actual inline fun LongArray.asList(): List<Long> {\n    return
this.unsafeCast<Array<Long>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n\n@kotlin.internal.InlineOnly\npublic
actual inline fun FloatArray.asList(): List<Float> {\n    return this.unsafeCast<Array<Float>>().asList()\n}\n\n/**\n
* Returns a [List] that wraps the original array.\n * \n\n@kotlin.internal.InlineOnly\npublic actual inline fun
DoubleArray.asList(): List<Double> {\n    return this.unsafeCast<Array<Double>>().asList()\n}\n\n/**\n * Returns
a [List] that wraps the original array.\n * \n\n@kotlin.internal.InlineOnly\npublic actual inline fun
BooleanArray.asList(): List<Boolean> {\n    return this.unsafeCast<Array<Boolean>>().asList()\n}\n\n/**\n *
Returns a [List] that wraps the original array.\n * \n\npublic actual fun CharArray.asList(): List<Char> {\n    return
object : AbstractList<Char>(), RandomAccess {\n        override val size: Int get() = this@asList.size\n        override
fun isEmpty(): Boolean = this@asList.isEmpty()\n        override fun contains(element: Char): Boolean =
this@asList.contains(element)\n        override fun get(index: Int): Char {\n
AbstractList.checkElementIndex(index,
size)\n        return this@asList[index]\n    }\n    override fun indexOf(element: Char): Int {\n
@Suppress("USELESS_CAST")\n        if ((element as Any?) !is Char) return -1\n        return
this@asList.indexOf(element)\n    }\n    override fun lastIndexOf(element: Char): Int {\n
@Suppress("USELESS_CAST")\n        if ((element as Any?) !is Char) return -1\n        return
this@asList.lastIndexOf(element)\n    }\n}\n}\n\n/**\n * Returns `true` if the two specified arrays are *deeply*
equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * If two
corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any
nesting level the behavior is undefined.\n * \n * The elements of other types are compared for equality with the
[equals][Any.equals] function.\n * For floating point numbers it means that `NaN`
is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual infix fun <T>
Array<out T>.contentDeepEquals(other: Array<out T>): Boolean {\n    return
this.contentDeepEquals(other)\n}\n}\n\n/**\n * Returns `true` if the two specified arrays are *deeply* equal to one
another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The specified arrays are
also considered deeply equal if both are `null`.\n * \n * If two corresponding elements are nested arrays, they are
also compared deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n *
The elements of other types are compared for equality with the [equals][Any.equals] function.\n * For floating point

```

numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n

```
*\n@SinceKotlin("1.4")\n@library("arrayDeepEquals")\npublic actual infix fun <T> Array<out T>?.contentDeepEquals(other: Array<out T>?): Boolean {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n */\n\n*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual fun <T> Array<out T>.contentDeepHashCode(): Int {\n    return this.contentDeepHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n */\n\n*\n@SinceKotlin("1.4")\n@library("arrayDeepHashCode")\npublic actual fun <T> Array<out T>?.contentDeepHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as `"[...]"` to prevent recursion.\n * \n * @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n */\n\n*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual fun <T> Array<out T>.contentDeepToString(): String {\n    return this.contentDeepToString()\n}\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as `"[...]"` to prevent recursion.\n * \n * @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n */\n\n*\n@SinceKotlin("1.4")\n@library("arrayDeepToString")\npublic actual fun <T> Array<out T>?.contentDeepToString(): String {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * \n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n\n*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * \n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n\n*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun ByteArray.contentEquals(other: ByteArray): Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * \n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n\n*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun ShortArray.contentEquals(other: ShortArray): Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * \n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n\n*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun IntArray.contentEquals(other: IntArray): Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * \n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
```

function.  
 \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.  
 \*  
 @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")  
 @SinceKotlin("1.1")  
 @DeprecatedSinceKotlin(hiddenSince = "1.4")  
 public actual infix fun LongArray.contentEquals(other: LongArray): Boolean  
 {  
   return this.contentEquals(other)  
 }  
 \* Returns `true` if the two specified arrays are *structurally* equal to one another,  
 \* i.e. contain the same number of the same elements in the same order.  
 \*  
 \* The elements are compared for equality with the [equals][Any.equals] function.  
 \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.  
 \*  
 \*  
 @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")  
 @SinceKotlin("1.1")  
 @DeprecatedSinceKotlin(hiddenSince = "1.4")  
 public actual infix fun FloatArray.contentEquals(other: FloatArray): Boolean  
 {  
   return this.contentEquals(other)  
 }  
 \* Returns `true` if the two specified arrays are *structurally* equal to one another,  
 \* i.e. contain the same number of the same elements in the same order.  
 \*  
 \* The elements are compared for equality with the [equals][Any.equals] function.  
 \* For floating point numbers it means that `NaN` is equal to itself and  
 \*  
 \*  
 @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")  
 @SinceKotlin("1.1")  
 @DeprecatedSinceKotlin(hiddenSince = "1.4")  
 public actual infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean  
 {  
   return this.contentEquals(other)  
 }  
 \* Returns `true` if the two specified arrays are *structurally* equal to one another,  
 \* i.e. contain the same number of the same elements in the same order.  
 \*  
 \* The elements are compared for equality with the [equals][Any.equals] function.  
 \* For floating point numbers it means that `NaN` is equal to itself and  
 \*  
 \*  
 @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")  
 @SinceKotlin("1.1")  
 @DeprecatedSinceKotlin(hiddenSince = "1.4")  
 public actual infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean  
 {  
   return this.contentEquals(other)  
 }  
 \* Returns `true` if the two specified arrays are *structurally*  
 \* equal to one another,  
 \* i.e. contain the same number of the same elements in the same order.  
 \*  
 \* The elements are compared for equality with the [equals][Any.equals] function.  
 \* For floating point numbers it means that `NaN` is equal to itself and  
 \*  
 \*  
 @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")  
 @SinceKotlin("1.1")  
 @DeprecatedSinceKotlin(hiddenSince = "1.4")  
 public actual infix fun CharArray.contentEquals(other: CharArray): Boolean  
 {  
   return this.contentEquals(other)  
 }  
 \* Returns `true` if the two specified arrays are *structurally* equal to one another,  
 \* i.e. contain the same number of the same elements in the same order.  
 \*  
 \* The elements are compared for equality with the [equals][Any.equals] function.  
 \* For floating point numbers it means that `NaN` is equal to itself and  
 \*  
 \*  
 @SinceKotlin("1.4")  
 @library("arrayEquals")  
 public actual infix fun <T> Array<out T>?.contentEquals(other: Array<out T>?): Boolean  
 {  
   definedExternally  
 }  
 \* Returns `true` if the two specified arrays are *structurally* equal to one another,  
 \* i.e. contain the same number of the same elements in the same order.  
 \*  
 \* The elements are compared for equality with the [equals][Any.equals] function.  
 \* For floating point numbers it means that `NaN` is equal to itself and  
 \*  
 \*  
 @SinceKotlin("1.4")  
 @library("arrayEquals")  
 public actual infix fun ByteArray?.contentEquals(other: ByteArray?): Boolean  
 {  
   definedExternally  
 }  
 \* Returns `true` if the two specified arrays are *structurally* equal to one another,  
 \* i.e. contain the same number of the same elements in the same order.  
 \*  
 \* The elements are compared for equality with the [equals][Any.equals] function.  
 \* For floating point numbers it means that `NaN` is equal to itself and  
 \*  
 \*  
 @SinceKotlin("1.4")  
 @library("arrayEquals")  
 public actual infix fun ShortArray?.contentEquals(other: ShortArray?): Boolean  
 {  
   definedExternally  
 }  
 \* Returns `true` if the two specified arrays are *structurally* equal to one another,  
 \* i.e. contain the same number of the same elements in the same order.  
 \*  
 \* The elements are compared for equality with the [equals][Any.equals] function.  
 \* For floating point numbers it means that `NaN` is equal to itself and  
 \*  
 \*  
 @SinceKotlin("1.4")  
 @library("arrayEquals")  
 public actual infix fun IntArray?.contentEquals(other: IntArray?): Boolean  
 {  
   definedExternally  
 }  
 \* Returns `true` if the two specified arrays are

\*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*\n @SinceKotlin("1.4")\n @library("arrayEquals")\n public actual infix fun LongArray?.contentEquals(other: LongArray?): Boolean {\n definedExternally\n }\n /\*\*\n \* Returns `true` if the two specified arrays are \*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*\n @SinceKotlin("1.4")\n @library("arrayEquals")\n public actual infix fun FloatArray?.contentEquals(other: FloatArray?): Boolean {\n definedExternally\n }\n /\*\*\n \* Returns `true` if the two specified arrays are \*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*\n @SinceKotlin("1.4")\n @library("arrayEquals")\n public actual infix fun DoubleArray?.contentEquals(other: DoubleArray?): Boolean {\n definedExternally\n }\n /\*\*\n \* Returns `true` if the two specified arrays are \*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*\n @SinceKotlin("1.4")\n @library("arrayEquals")\n public actual infix fun BooleanArray?.contentEquals(other: BooleanArray?): Boolean {\n definedExternally\n }\n /\*\*\n \* Returns `true` if the two specified arrays are \*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The elements are compared for equality with the [equals][Any.equals] function.\n \*\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*\n @SinceKotlin("1.4")\n @library("arrayEquals")\n public actual infix fun CharArray?.contentEquals(other: CharArray?): Boolean {\n definedExternally\n }\n /\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*\n @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n @SinceKotlin("1.1")\n @DeprecatedSinceKotlin(hiddenSince = "1.4")\n public actual fun <T> Array<out T>.contentHashCode(): Int {\n return this.contentHashCode()\n }\n /\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*\n @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n @SinceKotlin("1.1")\n @DeprecatedSinceKotlin(hiddenSince = "1.4")\n public actual fun ByteArray.contentHashCode(): Int {\n return this.contentHashCode()\n }\n /\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*\n @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n @SinceKotlin("1.1")\n @DeprecatedSinceKotlin(hiddenSince = "1.4")\n public actual fun ShortArray.contentHashCode(): Int {\n return this.contentHashCode()\n }\n /\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*\n @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n @SinceKotlin("1.1")\n @DeprecatedSinceKotlin(hiddenSince = "1.4")\n public actual fun IntArray.contentHashCode(): Int {\n return this.contentHashCode()\n }\n /\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*\n @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n @SinceKotlin("1.1")\n @DeprecatedSinceKotlin(hiddenSince = "1.4")\n public actual fun LongArray.contentHashCode(): Int {\n return this.contentHashCode()\n }\n /\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*\n @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n @SinceKotlin("1.1")\n @DeprecatedSinceKotlin(hiddenSince = "1.4")\n public actual fun FloatArray.contentHashCode(): Int {\n return this.contentHashCode()\n }\n /\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*\n @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n @SinceKotlin("1.1")\n @DeprecatedSinceKotlin(hiddenSince = "1.4")\n public actual fun DoubleArray.contentHashCode(): Int {\n return this.contentHashCode()\n }\n /\*\*\n \* Returns a hash code based

on the contents of this array as if it is [List].\n \* \n @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n @SinceKotlin("1.1")\n @DeprecatedSinceKotlin(hiddenSince = "1.4")\n public actual fun

```

BooleanArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based
on the contents of this array as if it is [List].\n * \n @Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.\")\n @SinceKotlin("1.1")\n @DeprecatedSinceKotlin(hiddenSince = "1.4")\n public actual fun
CharArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on
the contents of this array as if it is [List].\n * \n @SinceKotlin("1.4")\n @library("arrayHashCode")\n public actual
fun <T> Array<out T>.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on
the contents of this array as if it is [List].\n * \n @SinceKotlin("1.4")\n @library("arrayHashCode")\n public actual
fun ByteArray?.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the
contents of this array as if it is [List].\n * \n @SinceKotlin("1.4")\n @library("arrayHashCode")\n public actual fun
ShortArray?.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the
contents of this array as if it is [List].\n * \n @SinceKotlin("1.4")\n @library("arrayHashCode")\n public
actual fun IntArray?.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on
the contents of this array as if it is [List].\n * \n @SinceKotlin("1.4")\n @library("arrayHashCode")\n public actual
fun LongArray?.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the
contents of this array as if it is [List].\n * \n @SinceKotlin("1.4")\n @library("arrayHashCode")\n public actual
fun FloatArray?.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the
contents of this array as if it is [List].\n * \n @SinceKotlin("1.4")\n @library("arrayHashCode")\n public actual
fun DoubleArray?.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the
contents of this array as if it is [List].\n * \n @SinceKotlin("1.4")\n @library("arrayHashCode")\n public actual
fun BooleanArray?.contentHashCode(): Int
{\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
* \n @SinceKotlin("1.4")\n @library("arrayHashCode")\n public actual fun CharArray?.contentHashCode(): Int
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it
is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n * \n @Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.\")\n @SinceKotlin("1.1")\n @DeprecatedSinceKotlin(hiddenSince = "1.4")\n public actual fun <T>
Array<out T>.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n * \n @Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n @SinceKotlin("1.1")\n @DeprecatedSinceKotlin(hiddenSince = "1.4")\n public actual
fun ByteArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n * \n @Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n @SinceKotlin("1.1")\n @DeprecatedSinceKotlin(hiddenSince = "1.4")\n public
actual fun ShortArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n * \n @Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n @SinceKotlin("1.1")\n @DeprecatedSinceKotlin(hiddenSince = "1.4")\n public
actual fun IntArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the
contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n * \n @Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n @SinceKotlin("1.1")\n @DeprecatedSinceKotlin(hiddenSince = "1.4")\n public
actual fun LongArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
  
```



```

samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\n"Use Kotlin compiler 1.4 to
avoid deprecation warning.\n")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun FloatArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\n"Use
Kotlin compiler 1.4 to avoid deprecation
warning.\n")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
DoubleArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\n"Use Kotlin compiler 1.4 to
avoid deprecation warning.\n")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun BooleanArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\n"Use Kotlin compiler 1.4 to
avoid deprecation warning.\n")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun CharArray.contentToString():
String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string representation of the
contents of the
specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun <T> Array<out T>?.contentToString():
String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun ByteArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun ShortArray?.contentToString():
String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun IntArray?.contentToString(): String {\n
definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun LongArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun FloatArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun DoubleArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun BooleanArray?.contentToString():
String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun CharArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Copies this array or
its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the
[destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param
destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by

```

default. \n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default. \n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n \* or when that index is out of the [destination] array indices range. \n \* \n \* @return the [destination] array. \n

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
    actual inline fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0,
    endIndex: Int = size): Array<T> {\n    arrayCopy(this, destination, destinationOffset, startIndex, endIndex)\n
    return destination\n}\n\n/**
    * Copies this array or its subrange into the [destination] array and returns that array. \n
    * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with
    the destination range. \n * \n * @param destination the array to copy to. \n * @param destinationOffset the position in
    the [destination] array to copy to, 0 by default. \n * @param startIndex the beginning (inclusive) of the subrange to
    copy, 0 by default. \n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n
    * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex]
    or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n * @throws
    IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified
    [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n * \n * @return the
    [destination] array. \n
    */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0,
    startIndex: Int = 0, endIndex: Int = size): ByteArray {\n    arrayCopy(this.unsafeCast<Array<Byte>>(),
    destination.unsafeCast<Array<Byte>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**
    * Copies this array or its subrange into the [destination] array and returns that array. \n
    * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination
    range. \n * \n * @param destination the array to copy to. \n * @param destinationOffset the position in the
    [destination] array to copy to, 0 by default. \n * @param startIndex the beginning (inclusive) of the subrange to copy,
    0 by default. \n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n * \n *
    @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
    range of this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the
    subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is
    out of the [destination] array indices range. \n * \n * @return the [destination] array. \n
    */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int =
    0, startIndex: Int =
    0, endIndex: Int = size): ShortArray {\n    arrayCopy(this.unsafeCast<Array<Short>>(),
    destination.unsafeCast<Array<Short>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**
    * Copies this array or its subrange into the [destination] array and returns that array. \n
    * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range. \n
    * \n * @param destination the array to copy to. \n * @param destinationOffset the position in the [destination] array to
    copy to, 0 by default. \n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default. \n *
    @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n * \n * @throws
    IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this
    array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange
    doesn't
    fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the
    [destination] array indices range. \n * \n * @return the [destination] array. \n
    */

```

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0,
startIndex: Int = 0, endIndex: Int = size): IntArray {\n    arrayCopy(this.unsafeCast<Array<Int>>(),
destination.unsafeCast<Array<Int>>(), destinationOffset, startIndex, endIndex)\n    return destination}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * \n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n\n*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0,
startIndex: Int = 0, endIndex: Int = size): LongArray {\n    arrayCopy(this.unsafeCast<Array<Long>>(),
destination.unsafeCast<Array<Long>>(), destinationOffset, startIndex,
endIndex)\n    return destination}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n\n*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0,
startIndex: Int = 0, endIndex: Int = size): FloatArray {\n    arrayCopy(this.unsafeCast<Array<Float>>(),
destination.unsafeCast<Array<Float>>(), destinationOffset, startIndex, endIndex)\n    return destination}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n\n*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0,
startIndex: Int = 0, endIndex: Int = size): DoubleArray {\n    arrayCopy(this.unsafeCast<Array<Double>>(),
destination.unsafeCast<Array<Double>>(), destinationOffset, startIndex, endIndex)\n    return destination}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *

```

\n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
```

```
actual inline fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray {\n    arrayCopy(this.unsafeCast<Array<Boolean>>(),\n    destination.unsafeCast<Array<Boolean>>(), destinationOffset, startIndex, endIndex)\n    return
```

```
destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *
```

It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or

[endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray {\n    arrayCopy(this.unsafeCast<Array<Char>>(),\n    destination.unsafeCast<Array<Char>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n *
```

```
* Returns new array which is a copy of the original array.\n * \n * @sample
```

```
samples.collections.Arrays.CopyOfOperations.copyOfOf\n *\n@Suppress("ACTUAL_WITHOUT_EXPECT",\n"NOTHING_TO_INLINE")\npublic actual inline fun <T> Array<out
```

```
T>.copyOf(): Array<T> {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
```

```
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun ByteArray.copyOfOf(): ByteArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
```

```
samples.collections.Arrays.CopyOfOperations.copyOfOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun ShortArray.copyOfOf(): ShortArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
```

```
samples.collections.Arrays.CopyOfOperations.copyOfOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun IntArray.copyOfOf(): IntArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
```

```
*\npublic actual fun LongArray.copyOfOf(): LongArray {\n    return withType("LongArray",\n    this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
```

```
samples.collections.Arrays.CopyOfOperations.copyOfOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun FloatArray.copyOfOf(): FloatArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
```

```
samples.collections.Arrays.CopyOfOperations.copyOfOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun DoubleArray.copyOfOf(): DoubleArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
```

```

samples.collections.Arrays.CopyOfOperations.copyOfOf\n *\npublic actual fun BooleanArray.copyOf():
BooleanArray {\n  return withType(\\"BooleanArray\\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array
which is a copy
of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n *\npublic actual
fun CharArray.copyOf(): CharArray {\n  return withType(\\"CharArray\\", this.asDynamic().slice())\n}\n\n/**\n *
Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the
original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\npublic actual fun
ByteArray.copyOf(newSize: Int): ByteArray {\n  require(newSize >= 0) { \\"Invalid new array size: $newSize.\\\"
}\n  return fillFrom(this, ByteArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original
array, resized to the
given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If
[newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize]
is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n *
@sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\npublic actual fun
ShortArray.copyOf(newSize: Int): ShortArray {\n  require(newSize >= 0) { \\"Invalid new array size: $newSize.\\\"
}\n  return fillFrom(this, ShortArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original
array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if
necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
[newSize].\n * - If [newSize] is greater than the size of the original array, the extra
elements in the copy array are filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\npublic actual fun
IntArray.copyOf(newSize: Int): IntArray {\n  require(newSize >= 0) { \\"Invalid new array size: $newSize.\\\" }\n
return fillFrom(this, IntArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array,
resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n
*\n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If
[newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero
values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\npublic actual
fun LongArray.copyOf(newSize: Int): LongArray {\n  require(newSize >= 0) { \\"Invalid new array size:
$newSize.\\\" }\n  return withType(\\"LongArray\\",
arrayCopyResize(this, newSize, 0L))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized
to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * -
If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize]
is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n *
@sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\npublic actual fun
FloatArray.copyOf(newSize: Int): FloatArray {\n  require(newSize >= 0) { \\"Invalid new array size: $newSize.\\\"
}\n  return fillFrom(this, FloatArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original
array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if
necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the
original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\npublic actual fun
DoubleArray.copyOf(newSize: Int): DoubleArray {\n  require(newSize >= 0) { \\"Invalid new array size:
$newSize.\\\" }\n  return fillFrom(this, DoubleArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of
the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false`
values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the

```

```

[newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are
filled with `false` values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\npublic
actual fun BooleanArray.copyOf(newSize: Int): BooleanArray {\n  require(newSize >= 0) { \"Invalid new array
size: $newSize.\" }\n  return withType(\"BooleanArray\", arrayCopyResize(this, newSize, false))\n}\n\n/**\n *
Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with null char (`\u0000`) values if necessary.\n * \n * - If [newSize] is less than the
size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of
the original array, the extra elements in the copy array are filled with null char (`\u0000`) values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\npublic actual fun
CharArray.copyOf(newSize: Int): CharArray {\n  require(newSize >= 0) { \"Invalid new array size: $newSize.\"
}\n  return withType(\"CharArray\", fillFrom(this, CharArray(newSize)))\n}\n\n/**\n * Returns
new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or
padded at the end with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the
copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra
elements in the copy array are filled with `null` values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n
*\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual fun <T> Array<out T>.copyOf(newSize: Int):
Array<T?> {\n  require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n  return arrayCopyResize(this,
newSize, null)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n
*\n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive)
to copy.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual fun <T> Array<out
T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T> {\n  AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)\n  return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a
copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to
copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *\npublic actual fun
ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n
return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the
specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n *
@param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *\npublic actual fun
ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  return this.asDynamic().slice(fromIndex,
toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n
*\n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to
copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n *\npublic actual fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  return this.asDynamic().slice(fromIndex,
toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n
*\n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to

```

```

copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the
size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *\npublic
actual fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return withType("LongArray",
this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n
 * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the
start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n *
@throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this
array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *\npublic actual fun
FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return this.asDynamic().slice(fromIndex,
toIndex)\n}\n\n/**\n
 * Returns a new array which is a copy of the specified range of the original array.\n * \n *
@param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to
copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the
size of this array.\n
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *\npublic actual fun
DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return this.asDynamic().slice(fromIndex,
toIndex)\n}\n\n/**\n
 * Returns a new array which is a copy of the specified range of the original array.\n * \n *
@param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to
copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the
size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *\npublic
actual fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return withType("BooleanArray",
this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n
 * Returns a new array which
is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to
copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *\npublic actual fun
CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return withType("CharArray",
this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n
 * Fills this array or its subrange with the specified
[element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param
toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size
of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\npublic
actual fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n
 * Fills this array or its subrange with the specified [element] value.\n * \n *
@param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n
*\npublic
actual fun ByteArray.fill(element: Byte, fromIndex:
Int = 0, toIndex: Int = size): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n
this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n
 * Fills this array or its subrange with the specified

```

```

[element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param
toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified
[element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param
toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param

```



fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to

fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

\*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL\_FUNCTION\_WITH\_DEFAULT\_ARGUMENTS")\npublic actual fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size): Unit {\n

AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/\*\*\n \* Returns an array containing all elements of the original array and then the given [element].\n

\*\n@Suppress("ACTUAL\_WITHOUT\_EXPECT", "NOTHING\_TO\_INLINE")\npublic actual inline operator fun <T> Array<out T>.plus(element: T): Array<T> {\n return

this.asDynamic().concat(arrayOf(element))\n}\n\n/\*\*\n \* Returns an array containing all elements of the original array and then the given [element].\n

\*\n@Suppress("NOTHING\_TO\_INLINE")\npublic actual inline operator fun ByteArray.plus(element: Byte): ByteArray {\n return

plus(byteArrayOf(element))\n}\n\n/\*\*\n \* Returns an array containing all elements of the original array and then the given [element].\n

\*\n@Suppress("NOTHING\_TO\_INLINE")\npublic actual inline operator fun ShortArray.plus(element: Short): ShortArray {\n return plus(shortArrayOf(element))\n}\n\n/\*\*\n \* Returns an array containing all elements of the original array and then the given [element].\n

\*\n@Suppress("NOTHING\_TO\_INLINE")\npublic actual inline operator fun IntArray.plus(element: Int): IntArray {\n return plus(intArrayOf(element))\n}\n\n/\*\*\n \* Returns an array containing all elements of the original array and then the given [element].\n

\*\n@Suppress("NOTHING\_TO\_INLINE")\npublic actual inline operator fun LongArray.plus(element: Long): LongArray {\n return plus(longArrayOf(element))\n}\n\n/\*\*\n \* Returns an array containing all elements of the original array and then the given [element].\n

\*\n@Suppress("NOTHING\_TO\_INLINE")\npublic actual inline operator fun FloatArray.plus(element: Float): FloatArray {\n return plus(floatArrayOf(element))\n}\n\n/\*\*\n \* Returns an array containing all elements of the original array and then the given [element].\n

\*\n@Suppress("NOTHING\_TO\_INLINE")\npublic actual inline operator fun DoubleArray.plus(element: Double): DoubleArray {\n return plus(doubleArrayOf(element))\n}\n\n/\*\*\n \* Returns an array containing all elements of the original array and then the given [element].\n

\*\n@Suppress("NOTHING\_TO\_INLINE")\npublic actual inline operator fun BooleanArray.plus(element: Boolean): BooleanArray {\n return

plus(booleanArrayOf(element))\n}\n\n/\*\*\n \* Returns an array containing all elements of the original array and then the given [element].\n

\*\n@Suppress("NOTHING\_TO\_INLINE")\npublic actual inline operator fun CharArray.plus(element: Char): CharArray {\n return plus(charArrayOf(element))\n}\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n

\*\n@Suppress("ACTUAL\_WITHOUT\_EXPECT")\npublic actual operator fun <T> Array<out T>.plus(elements: Collection<T>): Array<T> {\n return arrayPlusCollection(this, elements)\n}\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n

\*\npublic actual operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray {\n return

fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n

\*\npublic actual operator fun ShortArray.plus(elements: Collection<Short>): ShortArray {\n return

fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/\*\*\n \* Returns an array containing all elements of the original array and

then all elements of the given [elements] collection.\n

\*\npublic actual operator fun IntArray.plus(elements: Collection<Int>): IntArray {\n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n

\*\npublic actual operator fun LongArray.plus(elements: Collection<Long>): LongArray {\n return arrayPlusCollection(this, elements)\n}\n\n/\*\*\n \* Returns an array containing all elements of

the original array and then all elements of the given [elements] collection.

```

public actual operator fun
FloatArray.plus(elements: Collection<Float>): FloatArray {
    return fillFromCollection(this.copyOf(size +
elements.size), this.size, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.

```

public actual operator fun DoubleArray.plus(elements:
Collection<Double>): DoubleArray {
    return fillFromCollection(this.copyOf(size + elements.size), this.size,
elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.

```

public actual operator fun BooleanArray.plus(elements: Collection<Boolean>):
BooleanArray {
    return arrayPlusCollection(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.

```

public actual operator fun CharArray.plus(elements: Collection<Char>): CharArray {
    return fillFromCollection(this.copyOf(size +
elements.size), this.size, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("ACTUAL_WITHOUT_EXPECT",
"NOTHING_TO_INLINE")
public actual inline operator fun <T> Array<out T>.plus(elements: Array<out T>):
Array<T> {
    return this.asDynamic().concat(elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun ByteArray.plus(elements:
ByteArray): ByteArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun ShortArray.plus(elements:
ShortArray): ShortArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun IntArray.plus(elements: IntArray):
IntArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun LongArray.plus(elements:
LongArray): LongArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun FloatArray.plus(elements:
FloatArray): FloatArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun DoubleArray.plus(elements:
DoubleArray): DoubleArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun
BooleanArray.plus(elements: BooleanArray): BooleanArray {
    return primitiveArrayConcat(this,
elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun
CharArray.plus(elements: CharArray): CharArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then the given [element].

```

@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")
public actual inline fun <T>
Array<out T>.plusElement(element: T): Array<T> {
    return
this.asDynamic().concat(arrayOf(element))
}

```

\* Sorts the array in-place.

```

@sample
samples.collections.Arrays.Sorting.sortArray

```

```

@library("primitiveArraySort")
public actual fun
IntArray.sort(): Unit {
    definedExternally
}

```

\* Sorts the array in-place.

```

@sample
samples.collections.Arrays.Sorting.sortArray

```

```

public actual fun
LongArray.sort(): Unit {
    @Suppress("DEPRECATION")
    if (size > 1) sort { a: Long, b: Long ->
a.compareTo(b) }
}

```

\* Sorts the array in-place.

```

@sample
samples.collections.Arrays.Sorting.sortArray

```

```

@library("primitiveArraySort")
public actual fun

```

```

ByteArray.sort(): Unit {
    definedExternally
}

/**
 * Sorts the array in-place.
 *
 * @sample
 * samples.collections.Arrays.Sorting.sortArray
 */
@library("primitiveArraySort")
public actual fun
ShortArray.sort(): Unit {
    definedExternally
}

/**
 * Sorts the array in-place.
 *
 * @sample
 * samples.collections.Arrays.Sorting.sortArray
 */
@library("primitiveArraySort")
public actual fun
DoubleArray.sort(): Unit {
    definedExternally
}

/**
 * Sorts the array in-place.
 *
 * @sample
 * samples.collections.Arrays.Sorting.sortArray
 */
@library("primitiveArraySort")
public
actual fun
FloatArray.sort(): Unit {
    definedExternally
}

/**
 * Sorts the array in-place.
 *
 * @sample
 * samples.collections.Arrays.Sorting.sortArray
 */
@library("primitiveArraySort")
public actual fun
CharArray.sort(): Unit {
    definedExternally
}

/**
 * Sorts the array in-place according to the natural order
 * of its elements.
 *
 * The sort is _stable_. It means that equal elements preserve their order relative to each other
 * after sorting.
 *
 * @sample
 * samples.collections.Arrays.Sorting.sortArrayOfComparable
 */
@library("primitiveArraySort")
public actual fun
<T : Comparable<T>> Array<out T>.sort(): Unit {
    if (size > 1) sortArray(this)
}

/**
 * Sorts the array in-
 * place according to the order specified by the given [comparison] function.
 *
 * The sort is _stable_. It means that
 * equal elements preserve their order relative to each other after sorting.
 *
 * @deprecated("Use sortWith instead",
 * ReplaceWith("this.sortWith(Comparator(comparison))"))
 */
@DeprecatedSinceKotlin(warningSince
    = "1.6")
public fun <T> Array<out T>.sort(comparison: (a: T, b: T) -> Int): Unit {
    if (size > 1)
    sortArrayWith(this, comparison)
}

/**
 * Sorts a range in the array in-place.
 *
 * The sort is _stable_. It
 * means that equal elements preserve their order relative to each other after sorting.
 *
 * @param fromIndex the
 * start of the range (inclusive) to sort, 0 by default.
 * @param toIndex the end of the range (exclusive) to sort, size
 * of this array by default.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
 * is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than
 * [toIndex].
 *
 * @sample
 * samples.collections.Arrays.Sorting.sortRangeOfArrayOfComparable
 */
@SinceKotlin("1.4")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public
actual fun <T : Comparable<T>> Array<out T>.sort(fromIndex: Int = 0, toIndex: Int = size):
    Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    sortArrayWith(this, fromIndex, toIndex,
    naturalOrder())
}

/**
 * Sorts a range in the array in-place.
 *
 * @param fromIndex the start of the range
 * (inclusive) to sort, 0 by default.
 * @param toIndex the end of the range (exclusive) to sort, size of this array by
 * default.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
 * the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
 *
 * @sample
 * samples.collections.Arrays.Sorting.sortRangeOfArray
 */
@SinceKotlin("1.4")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public
actual fun
ByteArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    val subarray =
    this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<ByteArray>()
    subarray.sort()
}

/**
 * Sorts a
 * range
 * in the array in-place.
 *
 * @param fromIndex the start of the range (inclusive) to sort, 0 by default.
 * @param
 * toIndex the end of the range (exclusive) to sort, size of this array by default.
 * @throws
 * IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
 * @throws
 * IllegalArgumentException if [fromIndex] is greater than [toIndex].
 *
 * @sample
 * samples.collections.Arrays.Sorting.sortRangeOfArray
 */
@SinceKotlin("1.4")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public
actual fun
ShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    val subarray =
    this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<ShortArray>()
    subarray.sort()
}

/**
 * Sorts a
 * range in the array in-place.
 *
 * @param fromIndex the start of the range (inclusive) to sort, 0 by default.
 * @param
 * toIndex the end of the range (exclusive)
 * to sort, size of this array by default.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
 * or [toIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater
 */

```

```

than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun IntArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<IntArray>()\n    subarray.sort()\n}\n\n/**\n * Sorts a
range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n *
@param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size
of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun LongArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    sortArrayWith(this.unsafeCast<Array<Long>>(),
fromIndex, toIndex, naturalOrder())\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex
the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort,
size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or
[toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun FloatArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<FloatArray>()\n    subarray.sort()\n}\n\n/**\n * Sorts a
range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n *
@param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun DoubleArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<DoubleArray>()\n    subarray.sort()\n}\n\n/**\n * Sorts
a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n *
@param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun CharArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<CharArray>()\n    subarray.sort()\n}\n\n/**\n *
* Sorts the array in-place according to the order specified by the given [comparison] function.\n
*\n@Deprecated("Use other sorting functions from the Standard
Library")\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.sort(noinline comparison: (a: Byte, b: Byte) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n
* Sorts the array in-place according to the order specified by the given [comparison] function.\n
*\n@Deprecated("Use other sorting functions from the Standard
Library")\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.sort(noinline comparison: (a: Short, b: Short) -> Int): Unit {\n

```

```

asDynamic().sort(comparison)\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n */\n@Deprecated("Use other sorting functions from the Standard
Library")\n@DeprecatedSinceKotlin(warningSince
= "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sort(noinline comparison: (a: Int, b: Int) -> Int):
Unit {\n  asDynamic().sort(comparison)\n\n\n/**\n * Sorts the array in-place according to the order specified by
the given [comparison] function.\n */\n@Deprecated("Use other sorting functions from the Standard
Library")\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.sort(noinline comparison: (a: Long, b: Long) -> Int): Unit {\n
  asDynamic().sort(comparison)\n\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n */\n@Deprecated("Use other sorting functions from the Standard
Library")\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.sort(noinline comparison: (a: Float, b: Float) -> Int): Unit {\n
  asDynamic().sort(comparison)\n\n\n/**\n * Sorts the array in-place according to the
order specified by the given [comparison] function.\n */\n@Deprecated("Use other sorting functions from the
Standard Library")\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline
fun DoubleArray.sort(noinline comparison: (a: Double, b: Double) -> Int): Unit {\n
  asDynamic().sort(comparison)\n\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n */\n@Deprecated("Use other sorting functions from the Standard
Library")\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.sort(noinline comparison: (a: Char, b: Char) -> Int): Unit {\n
  asDynamic().sort(comparison)\n\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n */\npublic actual fun <T> Array<out T>.sortWith(comparator:
Comparator<in T>): Unit {\n  if (size > 1) sortArrayWith(this, comparator)\n\n\n/**\n * Sorts a range in the array
in-place with the given [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by
default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size):
Unit {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  sortArrayWith(this, fromIndex, toIndex,
comparator)\n}\n\n/**\n
* Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun
ByteArray.toTypedArray(): Array<Byte> {\n  return js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed*
object array containing all of the elements of this primitive array.\n */\npublic actual fun
ShortArray.toTypedArray(): Array<Short> {\n  return js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed*
object array containing all of the elements of this primitive array.\n */\npublic actual fun IntArray.toTypedArray():
Array<Int> {\n  return js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the
elements of this primitive array.\n */\npublic actual fun LongArray.toTypedArray(): Array<Long> {\n  return
js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n */\npublic actual fun FloatArray.toTypedArray(): Array<Float> {\n  return
js("[]").slice.call(this)\n}\n\n/**\n
* Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun
DoubleArray.toTypedArray(): Array<Double> {\n  return js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed*
object array containing all of the elements of this primitive array.\n */\npublic actual fun
BooleanArray.toTypedArray(): Array<Boolean> {\n  return js("[]").slice.call(this)\n}\n\n/**\n * Returns a
*typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun

```

```

CharArray.toArray(): Array<Char> {
    return Array(size) { index -> this[index] }
}

/* Copyright
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

@file:kotlin.jvm.JvmName("ComparisonsKt")
@file:kotlin.jvm.JvmMultifileClass
package
kotlin.comparisons

Compares
two values using the specified functions [selectors] to calculate the result of the comparison.
The functions are
called sequentially, receive the given values [a] and [b] and return [Comparable]
objects. As soon as the
[Comparable] instances returned by a function for [a] and [b] values do not
compare as equal, the result of that
comparison is returned.

@sample samples.comparisons.Comparisons.compareValuesByWithSelectors

public fun <T> compareValuesBy(a: T, b: T, vararg selectors: (T) -> Comparable<*>?): Int {
    require(selectors.size > 0)
    return compareValuesByImpl(a, b, selectors)
}

private fun <T>
compareValuesByImpl(a: T, b: T, selectors: Array<out (T) -> Comparable<*>?): Int {
    for (fn in selectors) {
        val v1 = fn(a)
        val v2 = fn(b)
        val diff = compareValues(v1, v2)
        if (diff != 0) return diff
    }
    return 0
}

Compares two values using the specified [selector] function to calculate the
result of the comparison.
The function is applied to the given values [a] and [b] and return [Comparable]
objects.
The result of comparison of these [Comparable] instances is returned.

@sample
samples.comparisons.Comparisons.compareValuesByWithSingleSelector

@kotlin.internal.InlineOnly
public
inline fun <T> compareValuesBy(a: T, b: T, selector: (T) -> Comparable<*>?): Int {
    return
compareValues(selector(a), selector(b))
}

Compares two values using the specified [selector] function to
calculate the result of the comparison.
The function is applied to the given values [a] and [b] and return objects
of type K which are then being
compared with the given [comparator].

@sample
samples.comparisons.Comparisons.compareValuesByWithComparator

@kotlin.internal.InlineOnly
public
inline fun <T, K> compareValuesBy(a: T, b: T, comparator: Comparator<in K>, selector: (T) -> K): Int {
    return
comparator.compare(selector(a), selector(b))
}

Not so useful without type inference for receiver of expression
compareValuesWith(v1, v2, compareBy {
    it.prop1 } thenByDescending { it.prop2 })

Compares two values using the specified [comparator].

@Suppress("NOTHING_TO_INLINE")
public inline fun <T> compareValuesWith(a: T, b: T, comparator:
Comparator<T>): Int = comparator.compare(a, b)

Compares two nullable [Comparable] values. Null
is considered less than any value.

@sample samples.comparisons.Comparisons.compareValues

public
fun <T : Comparable<*>> compareValues(a: T?, b: T?): Int {
    if (a === b) return 0
    if (a == null) return -1
    if (b == null) return 1
    @Suppress("UNCHECKED_CAST")
    return (a as
Comparable<Any>).compareTo(b)
}

Creates a comparator using the sequence of functions to calculate a
result of comparison.
The functions are called sequentially, receive the given values `a` and `b` and return
[Comparable]
objects. As soon as the [Comparable] instances returned by a function for `a` and `b` values do not
compare as
equal, the result of that comparison is returned from the [Comparator].

@sample
samples.comparisons.Comparisons.compareByWithSelectors

public fun <T> compareBy(vararg selectors: (T)
-> Comparable<*>?): Comparator<T> {
    require(selectors.size > 0)
    return Comparator { a, b ->
compareValuesByImpl(a, b, selectors) }
}

Creates a comparator using the function to transform value
to a [Comparable] instance for comparison.

@sample
samples.comparisons.Comparisons.compareByWithSingleSelector

@kotlin.internal.InlineOnly
public inline
fun <T> compareBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =
Comparator { a, b ->
compareValuesBy(a, b, selector) }

Creates a comparator using the [selector] function to transform values
being compared and then applying
the specified [comparator] to compare transformed
values.

@sample samples.comparisons.Comparisons.compareByWithComparator

@kotlin.internal.InlineOnly
public inline fun <T, K> compareBy(comparator: Comparator<in K>, crossinline
selector: (T) -> K): Comparator<T> =
Comparator { a, b -> compareValuesBy(a, b, comparator, selector)
}

Creates a descending comparator using the function to transform value to a [Comparable] instance for

```

```

comparison.\n *\n * @sample samples.comparisons.Comparisons.compareByDescendingWithSingleSelector\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareByDescending(crossinline selector: (T) ->
Comparable<*>?): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(b, a, selector) }\n\n/**\n *
Creates a descending comparator using the [selector] function to transform values being compared and then
applying\n * the specified [comparator] to compare transformed values.\n *\n * Note that an order of [comparator] is
reversed by this wrapper.\n *\n * @sample
samples.comparisons.Comparisons.compareByDescendingWithComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareByDescending(comparator: Comparator<in K>,
crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(b, a, comparator,
selector) }\n\n/**\n * Creates a comparator comparing values after the primary comparator defined them equal. It
uses\n * the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample
samples.comparisons.Comparisons.thenBy\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Comparator<T>.thenBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b -
>\n        val previousCompare = this@thenBy.compare(a, b)\n        if (previousCompare != 0) previousCompare else
compareValuesBy(a, b, selector)\n    }\n\n/**\n * Creates a comparator comparing values after the primary
comparator defined them equal. It uses\n * the [selector] function to transform values
and then compares them with the given [comparator].\n *\n * @sample
samples.comparisons.Comparisons.thenByWithComparator\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T,
K> Comparator<T>.thenBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n
Comparator { a, b ->\n    val previousCompare = this@thenBy.compare(a, b)\n    if (previousCompare != 0)
previousCompare else compareValuesBy(a, b, comparator, selector)\n }\n\n/**\n * Creates a descending
comparator using the primary comparator and\n * the function to transform value to a [Comparable] instance for
comparison.\n *\n * @sample samples.comparisons.Comparisons.thenByDescending\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> Comparator<T>.thenByDescending(crossinline selector: (T)
-> Comparable<*>?): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare =
this@thenByDescending.compare(a, b)\n        if (previousCompare != 0) previousCompare else
compareValuesBy(b,
a, selector)\n    }\n\n/**\n * Creates a descending comparator comparing values after the primary comparator
defined them equal. It uses\n * the [selector] function to transform values and then compares them with the given
[comparator].\n *\n * @sample samples.comparisons.Comparisons.thenByDescendingWithComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenByDescending(comparator:
Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b ->\n        val
previousCompare = this@thenByDescending.compare(a, b)\n        if (previousCompare != 0) previousCompare else
compareValuesBy(b, a, comparator, selector)\n    }\n\n/**\n * Creates a comparator using the primary comparator
and function to calculate a result of comparison.\n *\n * @sample
samples.comparisons.Comparisons.thenComparator\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Comparator<T>.thenComparator(crossinline comparison: (a: T, b: T) -> Int):
Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenComparator.compare(a, b)\n
        if (previousCompare != 0) previousCompare else comparison(a, b)\n    }\n\n/**\n * Combines this comparator and
the given [comparator] such that the latter is applied only\n * when the former considered values equal.\n *\n *
@sample samples.comparisons.Comparisons.then\n *\npublic infix fun <T> Comparator<T>.then(comparator:
Comparator<in T>): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare =
this@then.compare(a, b)\n        if (previousCompare != 0) previousCompare else comparator.compare(a, b)\n
    }\n\n/**\n * Combines this comparator and the given [comparator] such that the latter is applied only\n * when the
former considered values equal.\n *\n * @sample samples.comparisons.Comparisons.thenDescending\n *\npublic
infix fun <T> Comparator<T>.thenDescending(comparator: Comparator<in T>): Comparator<T> =\n
Comparator<T> { a, b ->\n

```

```

    val previousCompare = this@thenDescending.compare(a, b)\n    if (previousCompare != 0) previousCompare
else comparator.compare(b, a)\n    }\n\n// Not so useful without type inference for receiver of expression\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of nullable values\n * considering `null`
value less than any other value.\n *\n * @sample
samples.comparisons.Comparisons.nullsFirstLastWithComparator\n *\npublic fun <T : Any>
nullsFirst(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n        when {\n            a
=== b -> 0\n            a == null -> -1\n            b == null -> 1\n            else -> comparator.compare(a, b)\n        }\n    }\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value less than any other
value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsFirst():
Comparator<T?> = nullsFirst(naturalOrder())\n\n/**\n * Extends the given [comparator] of non-nullable values to a
comparator of nullable values\n * considering `null` value greater than any other value.\n *\n * @sample
samples.comparisons.Comparisons.nullsFirstLastWithComparator\n *\npublic fun <T : Any>
nullsLast(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n        when {\n            a
=== b -> 0\n            a == null -> 1\n            b == null -> -1\n            else -> comparator.compare(a, b)\n        }\n    }\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value greater than any
other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsLast(): Comparator<T?> =
nullsLast(naturalOrder())\n\n/**\n * Returns a comparator that compares [Comparable] objects in natural order.\n
*\n * @sample samples.comparisons.Comparisons.naturalOrderComparator\n
*\npublic fun <T : Comparable<T>> naturalOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST")
(NaturalOrderComparator as Comparator<T>)\n\n/**\n * Returns a comparator that compares [Comparable] objects
in reversed natural order.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n
*\npublic fun <T : Comparable<T>> reverseOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST")
(ReverseOrderComparator as Comparator<T>)\n\n/**\n * Returns a comparator that imposes the reverse ordering
of this comparator.\n *\n * @sample samples.comparisons.Comparisons.reversed\n
*\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER")\npublic fun <T> Comparator<T>.reversed():
Comparator<T> = when (this) {\n    is ReversedComparator -> this.comparator\n    NaturalOrderComparator ->
@Suppress("UNCHECKED_CAST") (ReverseOrderComparator as Comparator<T>)\n    ReverseOrderComparator -> @Suppress("UNCHECKED_CAST") (NaturalOrderComparator as
Comparator<T>)\n    else -> ReversedComparator(this)\n}\n\nprivate class ReversedComparator<T>(public val comparator:
Comparator<T>) : Comparator<T> {\n    override fun compare(a: T, b: T): Int = comparator.compare(b, a)\n    @Suppress("VIRTUAL_MEMBER_HIDDEN")\n    fun reversed(): Comparator<T> = comparator\n}\n\nprivate
object NaturalOrderComparator : Comparator<Comparable<Any>> {\n    override fun compare(a:
Comparable<Any>, b: Comparable<Any>): Int = a.compareTo(b)\n    @Suppress("VIRTUAL_MEMBER_HIDDEN")\n    fun reversed(): Comparator<Comparable<Any>> =
ReverseOrderComparator\n}\n\nprivate object ReverseOrderComparator : Comparator<Comparable<Any>> {\n
override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = b.compareTo(a)\n    @Suppress("VIRTUAL_MEMBER_HIDDEN")\n    fun reversed(): Comparator<Comparable<Any>> =
NaturalOrderComparator\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StandardKt")\npackage kotlin\n\nimport
kotlin.contracts.*\n\n/**\n * An exception is thrown to indicate that a method body remains to be implemented.\n
*\npublic class NotImplementedError(message: String = "An operation is not implemented.") :
Error(message)\n\n/**\n * Always throws [NotImplementedError] stating that operation is not implemented.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun TODO(): Nothing = throw NotImplementedError()\n\n/**\n *

```



Always throws [NotImplementedError] stating that operation is not implemented.

```

 * @param reason a string explaining why the implementation is missing.
 @kotlin.internal.InlineOnly
 public inline fun TODO(reason: String): Nothing = throw NotImplementedError("An operation is not implemented: $reason")
 * Calls the specified function [block] and returns its result.
 * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).
 @kotlin.internal.InlineOnly
 public inline fun <R> run(block: () -> R): R {
   contract {
     callsInPlace(block, InvocationKind.EXACTLY_ONCE)
   }
   return block()
 }
 * Calls the specified function [block] with `this` value as its receiver and returns its result.
 * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).
 @kotlin.internal.InlineOnly
 public inline fun <T, R> T.run(block: T.() -> R): R {
   contract {
     callsInPlace(block, InvocationKind.EXACTLY_ONCE)
   }
   return block()
 }
 * Calls the specified function [block] with the given [receiver] as its receiver and returns its result.
 * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#with).
 @kotlin.internal.InlineOnly
 public inline fun <T, R> with(receiver: T, block: T.() -> R): R {
   contract {
     callsInPlace(block, InvocationKind.EXACTLY_ONCE)
   }
   return receiver.block()
 }
 * Calls the specified function [block] with `this` value as its receiver and returns `this` value.
 * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#apply).
 @kotlin.internal.InlineOnly
 public inline fun <T> T.apply(block: T.() -> Unit): T {
   contract {
     callsInPlace(block, InvocationKind.EXACTLY_ONCE)
   }
   block()
   return this
 }
 * Calls the specified function [block] with `this` value as its argument and returns `this` value.
 * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#also).
 @kotlin.internal.InlineOnly
 @SinceKotlin("1.1")
 public inline fun <T> T.also(block: (T) -> Unit): T {
   contract {
     callsInPlace(block, InvocationKind.EXACTLY_ONCE)
   }
   block(this)
   return this
 }
 * Calls the specified function [block] with `this` value as its argument and returns its result.
 * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#let).
 @kotlin.internal.InlineOnly
 public inline fun <T, R> T.let(block: (T) -> R): R {
   contract {
     callsInPlace(block, InvocationKind.EXACTLY_ONCE)
   }
   return block(this)
 }
 * Returns `this` value if it satisfies the given [predicate] or `null`, if it doesn't.
 * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#takeif-and-takeunless).
 @kotlin.internal.InlineOnly
 @SinceKotlin("1.1")
 public inline fun <T> T.takeIf(predicate: (T) -> Boolean): T? {
   contract {
     callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)
   }
   return if (predicate(this)) this else null
 }
 * Returns `this` value if it _does not_ satisfy the given [predicate] or `null`, if it does.
 * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#takeif-and-takeunless).
 @kotlin.internal.InlineOnly
 @SinceKotlin("1.1")
 public inline fun <T> T.takeUnless(predicate: (T) -> Boolean): T? {
   contract {
     callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)
   }
   return if (!predicate(this)) this else null
 }
 * Executes the given function [action] specified number of [times].
 * A zero-based index of current iteration is passed as a parameter to [action].
 * @sample samples.misc.ControlFlow.repeat
 @kotlin.internal.InlineOnly
 public inline fun repeat(times: Int, action: (Int) -> Unit) {
   contract {
     callsInPlace(action)
   }
   for (index in 0 until times) {
     action(index)
   }
 }

```

Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

package kotlin.comparisons
 NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
 See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib/nimpor

```

kotlin.js.*\n\n/**\n * Returns the greater of two values.\n * \n * If values are equal, returns the first one.\n *\n@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T): T {\n    return if (a >= b) a\n    else b\n}\n\n/**\n * Returns the greater of two values.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Byte, b: Byte): Byte {\n    return maxOf(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of two values.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline\nfun maxOf(a: Short, b: Short): Short {\n    return maxOf(a.toInt(), b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of two values.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline\nfun maxOf(a: Int, b: Int): Int {\n    return JsMath.max(a, b)\n}\n\n/**\n * Returns the greater of two values.\n *\n@SinceKotlin("1.1")\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun maxOf(a: Long, b:\nLong): Long {\n    return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n * \n * If either value\nis `NaN`, returns `NaN`.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun\nmaxOf(a: Float, b: Float): Float {\n    return JsMath.max(a, b)\n}\n\n/**\n * Returns the greater of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic\nactual inline fun maxOf(a: Double, b: Double): Double {\n    return JsMath.max(a, b)\n}\n\n/**\n * Returns the\ngreater of three values.\n * \n * If there are multiple equal maximal values, returns the first of them.\n *\n@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T, c: T): T {\n    return\nmaxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Byte, b: Byte, c: Byte):\nByte {\n    return JsMath.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of\nthree values.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Short, b:\nShort, c: Short): Short {\n    return JsMath.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of three values.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual\ninline fun maxOf(a: Int, b: Int, c: Int): Int {\n    return JsMath.max(a, b, c)\n}\n\n/**\n * Returns the greater of three\nvalues.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Long, b: Long,\nc: Long): Long {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n * \n * If any\nvalue is `NaN`, returns `NaN`.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun\nmaxOf(a: Float, b: Float, c: Float): Float {\n    return JsMath.max(a, b, c)\n}\n\n/**\n * Returns the greater of three\nvalues.\n * \n * If any value is `NaN`, returns `NaN`.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Double, b: Double, c:\nDouble): Double {\n    return JsMath.max(a, b, c)\n}\n\n/**\n * Returns the greater of the given values.\n * \n * If\nthere are multiple equal maximal values, returns the first of them.\n *\n@SinceKotlin("1.4")\npublic actual fun <T\n: Comparable<T>>\nmaxOf(a: T, vararg other: T): T {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return\nmax\n}\n\n/**\n * Returns the greater of the given values.\n *\n@SinceKotlin("1.4")\npublic actual fun maxOf(a:\nByte, vararg other: Byte): Byte {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return\nmax\n}\n\n/**\n * Returns the greater of the given values.\n *\n@SinceKotlin("1.4")\npublic actual fun maxOf(a:\nShort, vararg other: Short): Short {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return\nmax\n}\n\n/**\n * Returns the greater of the given values.\n *\n@SinceKotlin("1.4")\npublic actual fun maxOf(a:\nInt, vararg other: Int): Int {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns the greater of the given values.\n *\n@SinceKotlin("1.4")\npublic actual fun maxOf(a: Long, vararg\nother: Long): Long {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns the greater of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic actual fun maxOf(a: Float, vararg other: Float): Float {\n    var max = a\n    for (e\nin other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns the greater of the given values.\n * \n * If any\nvalue is `NaN`, returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic actual fun maxOf(a: Double, vararg other:\nDouble): Double {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns\nthe smaller of two values.\n * \n * If values are equal, returns the first one.\n *\n@SinceKotlin("1.1")\npublic

```

```

actual fun <T : Comparable<T>> minOf(a: T, b: T): T {
    return if (a <= b) a else b
}

Returns the smaller of two values.

@SinceKotlin("1.1")@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Byte, b: Byte): Byte {
    return minOf(a.toInt(), b.toInt()).unsafeCast<Byte>()
}

Returns the smaller of two values.

@SinceKotlin("1.1")@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Short, b: Short): Short {
    return minOf(a.toInt(), b.toInt()).unsafeCast<Short>()
}

Returns the smaller of two values.

@SinceKotlin("1.1")@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Int, b: Int): Int {
    return JsMath.min(a, b)
}

Returns the smaller of two values.

@SinceKotlin("1.1")@Suppress("NOTHING_TO_INLINE")
public actual inline fun minOf(a: Long, b: Long): Long {
    return if (a <= b) a else b
}

Returns the smaller of two values.

If either value is NaN, returns NaN.

@SinceKotlin("1.1")@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Float, b: Float): Float {
    return JsMath.min(a, b)
}

Returns the smaller of two values.

If either value is NaN, returns NaN.

@SinceKotlin("1.1")@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Double, b: Double): Double {
    return JsMath.min(a, b)
}

Returns the smaller of three values.

If there are multiple equal minimal values, returns the first of them.

@SinceKotlin("1.1")@kotlin.internal.InlineOnly
public actual fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T {
    return minOf(a, minOf(b, c))
}

Returns the smaller of three values.

@SinceKotlin("1.1")@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Byte, b: Byte, c: Byte): Byte {
    return JsMath.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()
}

Returns the smaller of three values.

@SinceKotlin("1.1")@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Short, b: Short, c: Short): Short {
    return JsMath.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()
}

Returns the smaller of three values.

@SinceKotlin("1.1")@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Int, b: Int, c: Int): Int {
    return JsMath.min(a, b, c)
}

Returns the smaller of three values.

@SinceKotlin("1.1")@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Long, b: Long, c: Long): Long {
    return minOf(a, minOf(b, c))
}

Returns the smaller of three values.

If any value is NaN, returns NaN.

@SinceKotlin("1.1")@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Float, b: Float, c: Float): Float {
    return JsMath.min(a, b, c)
}

Returns the smaller of three values.

If any value is NaN, returns NaN.

@SinceKotlin("1.1")@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Double, b: Double, c: Double): Double {
    return JsMath.min(a, b, c)
}

Returns the smaller of the given values.

If there are multiple equal minimal values, returns the first of them.

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public actual fun <T : Comparable<T>> minOf(a: T, vararg other: T): T {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

Returns the smaller of the given values.

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public actual fun minOf(a: Byte, vararg other: Byte): Byte {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

Returns the smaller of the given values.

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public actual fun minOf(a: Short, vararg other: Short): Short {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

Returns the smaller of the given values.

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public actual fun minOf(a: Int, vararg other: Int): Int {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

Returns the smaller of the given values.

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public actual fun minOf(a: Long, vararg other: Long): Long {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

Returns the smaller of the given values.

If any value is NaN, returns NaN.

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public actual fun minOf(a: Float, vararg other: Float): Float {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

Returns the smaller of the given values.

If any value is NaN, returns NaN.

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public actual fun minOf(a: Double, vararg other: Double): Double {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

// Auto-generated file. DO NOT EDIT!

package kotlin
import kotlin.experimental.*
import

```

```

kotlin.jvm.*\n\n@SinceKotlin("1.5")\n\n@WasExperimental(ExperimentalUnsignedTypes::class)\n\n@JvmInline\n\npublic value class ULong @PublishedApi

internal constructor(@PublishedApi internal val data: Long) : Comparable<ULong> {\n\n    companion object {\n\n        /**\n         * A constant holding the minimum value an instance of ULong can have.\n         */\n        public const val MIN_VALUE: ULong = ULong(0)\n\n        /**\n         * A constant holding the maximum value an instance of ULong can have.\n         */\n        public const val MAX_VALUE: ULong = ULong(-1)\n\n        /**\n         * The number of bytes used to represent an instance of ULong in a binary form.\n         */\n        public const val SIZE_BYTES: Int = 8\n\n        /**\n         * The number of bits used to represent an instance of ULong in a binary form.\n         */\n        public const val SIZE_BITS: Int = 64\n    }\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UByte): Int = this.compareTo(other.toULong())\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UShort): Int = this.compareTo(other.toULong())\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UInt): Int = this.compareTo(other.toULong())\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public override inline operator fun compareTo(other: ULong): Int = ulongCompare(this.data, other.data)\n\n    /**\n     * Adds the other value to this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UByte): ULong = this.plus(other.toULong())\n\n    /**\n     * Adds the other value to this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UShort): ULong = this.plus(other.toULong())\n\n    /**\n     * Adds the other value to this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UInt): ULong = this.plus(other.toULong())\n\n    /**\n     * Adds the other value to this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: ULong): ULong = ULong(this.data.plus(other.data))\n\n    /**\n     * Subtracts the other value from this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UByte): ULong = this.minus(other.toULong())\n\n    /**\n     * Subtracts the other value from this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UShort): ULong = this.minus(other.toULong())\n\n    /**\n     * Subtracts the other value from this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UInt): ULong = this.minus(other.toULong())\n\n    /**\n     * Subtracts the other value from this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: ULong): ULong = ULong(this.data.minus(other.data))\n\n    /**\n     * Multiplies this value by the other value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UByte): ULong = this.times(other.toULong())\n\n    /**\n     * Multiplies this value by the other value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UShort): ULong = this.times(other.toULong())\n\n    /**\n     * Multiplies this value by the other value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UInt): ULong = this.times(other.toULong())\n\n    /**\n     * Multiplies this value by the other value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: ULong): ULong = ULong(this.data.times(other.data))\n\n    /**\n     * Divides this value by the other value, truncating the result to an integer that is closer to zero.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UByte): ULong = this.div(other.toULong())\n\n    /**\n     * Divides this value by the other value, truncating the result to an integer that is closer to zero.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UShort): ULong = this.div(other.toULong())\n\n    /**\n     * Divides this value by the other

```

value, truncating the result

```
to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UInt):  
ULong = this.div(other.toULong())\n /** Divides this value by the other value, truncating the result to an integer  
that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: ULong): ULong =  
ulongDivide(this, other)\n /**\n * Calculates the remainder of truncating division of this value by the other  
value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public  
inline operator fun rem(other: UByte): ULong = this.rem(other.toULong())\n /**\n * Calculates the remainder  
of truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): ULong =  
this.rem(other.toULong())\n /**\n * Calculates the remainder  
of truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: ULong): ULong = ulongRemainder(this, other)\n /**\n * Divides this value by  
the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types,  
the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public  
inline fun floorDiv(other: UByte): ULong = this.floorDiv(other.toULong())\n /**\n * Divides this value  
by the other value, flooring the result to an integer that is  
closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division  
are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UShort): ULong =  
this.floorDiv(other.toULong())\n /**\n * Divides this value by the other value, flooring the result to an integer  
that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating  
division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UInt): ULong =  
this.floorDiv(other.toULong())\n /**\n * Divides this value by the other value, flooring the result to an integer  
that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating  
division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: ULong): ULong =  
div(other)\n /**\n * Calculates  
the remainder of flooring division of this value by the other value.\n * \n * The result is always less than the  
divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UByte): UByte =  
this.mod(other.toULong()).toUByte()\n /**\n * Calculates the remainder of flooring division of this value by the  
other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders  
of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline  
fun mod(other: UShort): UShort = this.mod(other.toULong()).toUShort()\n /**\n * Calculates the remainder of  
flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n * \n * For unsigned types, the remainders of flooring division  
and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UInt):  
UInt = this.mod(other.toULong()).toInt()\n /**\n * Calculates the remainder of flooring division of this value  
by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the  
remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public  
inline fun mod(other: ULong): ULong = rem(other)\n /**\n * Returns this value incremented by one.\n * \n * @sample samples.misc.Builtins.inc\n */\n @kotlin.internal.InlineOnly\n public inline operator fun  
inc(): ULong = ULong(data.inc())\n /**\n * Returns this value decremented by one.\n * \n * @sample  
samples.misc.Builtins.dec\n */\n @kotlin.internal.InlineOnly\n public inline operator fun dec(): ULong =  
ULong(data.dec())\n /** Creates a range from  
this value to the specified [other] value. */\n @kotlin.internal.InlineOnly\n public inline operator fun  
rangeTo(other: ULong): ULongRange = ULongRange(this, other)\n /**\n * Shifts this value left by the
```

```

[bitCount] number of bits.\n * Note that only the six lowest-order bits of the [bitCount] are used as the shift
distance.\n * The shift distance actually used is therefore always in the range `0..63`.\n */
@kotlin.internal.InlineOnly\n public inline infix fun shl(bitCount: Int): ULong = ULong(data shl bitCount)\n\n
/**\n * Shifts this value right by the [bitCount] number of bits, filling the leftmost bits with zeros.\n * Note that only the six lowest-order bits of the [bitCount] are used as the shift distance.\n * The shift distance
actually used is therefore always in the range `0..63`.\n */\n @kotlin.internal.InlineOnly\n public inline infix
fun shr(bitCount: Int): ULong = ULong(data ushr bitCount)\n\n
/**
Performs a bitwise AND operation between the two values.\n @kotlin.internal.InlineOnly\n public inline
infix fun and(other: ULong): ULong = ULong(this.data and other.data)\n /** Performs a bitwise OR operation
between the two values.\n @kotlin.internal.InlineOnly\n public inline infix fun or(other: ULong): ULong =
ULong(this.data or other.data)\n /** Performs a bitwise XOR operation between the two values.\n */\n
@kotlin.internal.InlineOnly\n public inline infix fun xor(other: ULong): ULong = ULong(this.data xor
other.data)\n /** Inverts the bits in this value.\n @kotlin.internal.InlineOnly\n public inline fun inv():
ULong = ULong(data.inv())\n\n
/**\n * Converts this [ULong] value to [Byte].\n * If this value is less
than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same numerical value as this
`ULong`.\n * The resulting `Byte` value is represented by the least significant 8 bits
of this `ULong` value.\n * Note that the resulting `Byte` value may be negative.\n */\n
@kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data.toByte()\n /**\n * Converts this [ULong]
value to [Short].\n * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value
represents\n * the same numerical value as this `ULong`.\n * The resulting `Short` value is represented
by the least significant 16 bits of this `ULong` value.\n * Note that the resulting `Short` value may be negative.\n
*/\n @kotlin.internal.InlineOnly\n public inline fun toShort(): Short = data.toShort()\n /**\n * Converts this
[ULong] value to [Int].\n * If this value is less than or equals to [Int.MAX_VALUE], the resulting `Int`
value represents\n * the same numerical value as this `ULong`.\n * The resulting `Int` value is
represented by the least significant 32 bits of this `ULong`
value.\n * Note that the resulting `Int` value may be negative.\n */\n @kotlin.internal.InlineOnly\n public
inline fun toInt(): Int = data.toInt()\n /**\n * Converts this [ULong] value to [Long].\n * If this value is
less than or equals to [Long.MAX_VALUE], the resulting `Long` value represents\n * the same numerical value
as this `ULong`. Otherwise the result is negative.\n * The resulting `Long` value has the same binary
representation as this `ULong` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toLong(): Long =
data\n\n
/**\n * Converts this [ULong] value to [UByte].\n * If this value is less than or equals to
[UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `ULong`.\n
*\n * The resulting `UByte` value is represented by the least significant 8 bits of this `ULong` value.\n */\n
@kotlin.internal.InlineOnly\n public inline
fun toUByte(): UByte = data.toUByte()\n /**\n * Converts this [ULong] value to [UShort].\n * If this
value is less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n * the same
numerical value as this `ULong`.\n * The resulting `UShort` value is represented by the least significant 16
bits of this `ULong` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort =
data.toUShort()\n /**\n * Converts this [ULong] value to [UInt].\n * If this value is less than or equals
to [UInt.MAX_VALUE], the resulting `UInt` value represents\n * the same numerical value as this `ULong`.\n
*\n * The resulting `UInt` value is represented by the least significant 32 bits of this `ULong` value.\n */\n
@kotlin.internal.InlineOnly\n public inline fun toUInt(): UInt = data.toUInt()\n /** Returns this value.\n */\n
@kotlin.internal.InlineOnly\n public inline fun toULong():
ULong = this\n\n
/**\n * Converts this [ULong] value to [Float].\n * The resulting value is the closest
`Float` to this `ULong` value.\n * In case when this `ULong` value is exactly between two `Float`s,\n * the one
with zero at least significant bit of mantissa is selected.\n */\n @kotlin.internal.InlineOnly\n public inline fun
toFloat(): Float = this.toDouble().toFloat()\n /**\n * Converts this [ULong] value to [Double].\n * The
resulting value is the closest `Double` to this `ULong` value.\n * In case when this `ULong` value is exactly

```

between two `Double`s, \n \* the one with zero at least significant bit of mantissa is selected.\n \*/\n

```
@kotlin.internal.InlineOnly\n public inline fun toDouble(): Double = ulongToDouble(data)\n\n public override\n fun toString(): String = ulongToString(data)\n\n}\n\n/**\n * Converts this [Byte] value to [ULong].\n *\n * If this\n value is positive, the resulting `ULong` value\n represents the same numerical value as this `Byte`.\n *\n * The least significant 8 bits of the resulting `ULong`\n value are the same as the bits of this `Byte` value,\n *\n * whereas the most significant 56 bits are filled with the sign bit\n of this value.\n\n*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n public inline fun Byte.toULong(): ULong = ULong(this.toLong())\n\n/**\n * Converts this [Short] value to\n [ULong].\n *\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this\n `Short`.\n *\n * The least significant 16 bits of the resulting `ULong` value are the same as the bits of this `Short`\n value,\n *\n * whereas the most significant 48 bits are filled with the sign bit of this value.\n\n*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n public inline fun Short.toULong(): ULong = ULong(this.toLong())\n\n/**\n * Converts this [Int]\n value to [ULong].\n *\n * If this value is positive, the resulting `ULong` value represents the same numerical value\n as this `Int`.\n *\n * The least significant 32 bits of the resulting `ULong` value are the same as the bits of this `Int`\n value,\n *\n * whereas the most significant 32 bits are filled with the sign bit of this value.\n\n*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n public inline fun Int.toULong(): ULong = ULong(this.toLong())\n\n/**\n * Converts this [Long] value to [ULong].\n *\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Long`.\n *\n * The resulting `ULong` value has the same binary representation as this `Long` value.\n\n*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n public inline fun Long.toULong(): ULong = ULong(this)\n\n/**\n * Converts this [Float] value to [ULong].\n *\n * The fractional part,\n if any, is rounded down towards zero.\n *\n * Returns zero if this `Float` value is negative or `NaN`,\n [ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.\n\n*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n public inline fun Float.toULong(): ULong = doubleToULong(this.toDouble())\n\n/**\n * Converts this [Double]\n value to [ULong].\n *\n * The fractional part, if any, is rounded down towards zero.\n *\n * Returns zero if this\n `Double` value is negative or `NaN`, [ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.\n\n*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n public inline fun Double.toULong(): ULong = doubleToULong(this)\n\n"/\n\n * Copyright 2010-2021 JetBrains\n s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0\n license that can be found in the license/LICENSE.txt file.\n\n*/\n\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage\n kotlin.collections\n\n/n\n/n\n\n NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n\n See:\n https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/n\n\n\nimport kotlin.random.*\nimport\n kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n\n/**\n * Returns 1st *element* from the list.\n *\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 1.\n\n*/\n\n@kotlin.internal.InlineOnly\n\n public inline operator fun <T> List<T>.component1(): T {\n return\n get(0)\n}\n\n/**\n * Returns 2nd *element* from the list.\n *\n * \n * Throws an [IndexOutOfBoundsException] if the\n size of this list is less than 2.\n\n*/\n\n@kotlin.internal.InlineOnly\n\n public inline operator fun <T>\n List<T>.component2(): T {\n return get(1)\n}\n\n/**\n * Returns 3rd *element* from the list.\n *\n * \n * Throws an\n [IndexOutOfBoundsException] if the size of this list is less than 3.\n\n*/\n\n@kotlin.internal.InlineOnly\n\n public\n inline operator fun <T> List<T>.component3(): T {\n return get(2)\n}\n\n/**\n * Returns 4th *element* from the\n list.\n *\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 4.\n\n*/\n\n@kotlin.internal.InlineOnly\n\n public inline operator fun <T> List<T>.component4(): T {\n return\n get(3)\n}\n\n/**\n * Returns 5th *element* from the list.\n *\n * \n * Throws an [IndexOutOfBoundsException] if the
```

```

size of this list is less than 5.\n * \n @kotlin.internal.InlineOnly\npublic inline operator fun <T>
List<T>.component5(): T {\n    return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the collection.\n
* \n\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.contains(element: T): Boolean {\n    if
(this is Collection)\n        return contains(element)\n        return indexOf(element) >= 0\n}\n\n/**\n * Returns an
element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this
collection.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n * \n\npublic fun <T> Iterable<T>.elementAt(index: Int): T {\n
if (this is List)\n    return get(index)\n    return elementAtOrElse(index) { throw
IndexOutOfBoundsException("Collection doesn't contain element at index $index.") }\n}\n\n/**\n * Returns an
element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this list.\n
* \n * @sample samples.collections.Collections.Elements.elementAt\n * \n\n@kotlin.internal.InlineOnly\npublic
inline fun <T> List<T>.elementAt(index: Int): T {\n    return get(index)\n}\n\n/**\n * Returns an element at the
given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this collection.\n
* \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n * \n\npublic fun <T>
Iterable<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n    if (this is List)\n        return
this.getOrElse(index,
        defaultValue)\n        if (index < 0)\n            return defaultValue(index)\n        val iterator = iterator()\n        var count = 0\n        while (iterator.hasNext()) {\n            val element = iterator.next()\n            if (index == count++)\n                return
element\n        }\n        return defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this list.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n * \n\n@kotlin.internal.InlineOnly\npublic inline fun
<T> List<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this collection.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n * \n\npublic fun <T>
Iterable<T>.elementAtOrNull(index: Int): T? {\n    if (this
is List)\n        return this.getOrNull(index)\n        if (index < 0)\n            return null\n        val iterator = iterator()\n        var
count = 0\n        while (iterator.hasNext()) {\n            val element = iterator.next()\n            if (index == count++)\n                return
element\n        }\n        return null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is
out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
* \n\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAtOrNull(index: Int): T? {\n    return
this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such
element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
* \n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.find(predicate: (T) -> Boolean): T? {\n    return
firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate],
or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
* \n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.findLast(predicate: (T) -> Boolean): T? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no
such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
* \n\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.findLast(predicate: (T) -> Boolean): T? {\n    return
lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the collection
is empty.\n * \n\npublic fun <T> Iterable<T>.first(): T {\n    when (this) {\n        is List -> return this.first()\n        else
-> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                throw
NoSuchElementException("Collection is empty.")\n            return iterator.next()\n        }\n    }\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the list is empty.\n * \n\npublic fun <T>
List<T>.first(): T {\n    if (isEmpty())\n        throw NoSuchElementException("List is empty.")\n    return
this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n * \n\npublic inline fun <T> Iterable<T>.first(predicate: (T)

```



```

-> Boolean): T {
    for (element in this) if (predicate(element)) return element
    throw NoSuchElementException("Collection contains no element matching the predicate.")
}

/** Returns the first non-null value produced by [transform] function being applied to elements of this collection in iteration order,
 * or throws [NoSuchElementException] if no non-null value was produced.
 */
@sample samples.collections.Collections.Transformations.firstNotNullOf

/** @SinceKotlin("1.5")
 * @kotlin.internal.InlineOnly
 * public inline fun <T, R : Any>
 * Iterable<T>.firstNotNullOf(transform:
 * (T) -> R?): R {
 *     return firstNotNullOfOrNull(transform) ?: throw NoSuchElementException("No element of the
 * collection was transformed to a non-null value.")
 * }

/** Returns the first non-null value produced by
 * [transform] function being applied to elements of this collection in iteration order,
 * or `null` if no non-null value
 * was produced.
 */
@sample samples.collections.Collections.Transformations.firstNotNullOf

/** @SinceKotlin("1.5")
 * @kotlin.internal.InlineOnly
 * public inline fun <T, R : Any>
 * Iterable<T>.firstNotNullOfOrNull(transform: (T) -> R?): R? {
    for (element in this) {
        val result =
        transform(element)
        if (result != null) {
            return result
        }
    }
    return null
}

/** Returns the first element, or `null` if the collection is empty.
 */
public fun <T> Iterable<T>.firstOrNull(): T? {
    when (this) {
        is List -> {
            if (isEmpty())
                return null
            else
                return this[0]
        }
        else -> {
            val iterator = iterator()
            if (!iterator.hasNext())
                return null
            return iterator.next()
        }
    }
}

/** Returns the first element, or `null` if the list is empty.
 */
public fun <T> List<T>.firstOrNull(): T? {
    return if (isEmpty())
        null else this[0]
}

/** Returns the first element matching the given [predicate], or `null` if element was not
 * found.
 */
public inline fun <T> Iterable<T>.firstOrNull(predicate: (T) -> Boolean): T? {
    for (element in
    if (predicate(element)) return element
    return null
}

/** Returns an element at the given [index] or the
 * result of calling the [defaultValue] function if the [index] is out of bounds of this list.
 */
@kotlin.internal.InlineOnly
public inline fun <T> List<T>.getOrNull(index: Int, defaultValue: (Int) -> T): T? {
    return if (index >= 0 && index
    <= lastIndex) get(index) else defaultValue(index)
}

/** Returns an element at the given [index] or `null` if
 * the [index] is out of bounds of this list.
 */
@sample samples.collections.Collections.Elements.getOrNull

/**
 * public fun <T> List<T>.getOrNull(index: Int): T? {
 *     return if (index >= 0 && index <= lastIndex) get(index)
 *     else null
 * }

/** Returns first index of [element], or -1 if the collection does not contain element.
 */
public fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.indexOf(element: T): Int {
    if (this is List) return
    this.indexOf(element)
    var index = 0
    for (item in this) {
        checkIndexOverflow(index)
        if (element
        == item)
            return index
        index++
    }
    return -1
}

/** Returns first index of [element], or -1
 * if the list does not contain element.
 */
@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false
warning, extension takes precedence in some cases
public fun <@kotlin.internal.OnlyInputTypes
 * T> List<T>.indexOf(element: T): Int {
 *     return indexOf(element)
 * }

/** Returns index of the first element
 * matching the given [predicate], or -1 if the collection does not contain such element.
 */
public inline fun <T>
 * Iterable<T>.indexOfFirst(predicate: (T) -> Boolean): Int {
 *     var index = 0
 *     for (item in this) {
 *         checkIndexOverflow(index)
 *         if (predicate(item))
 *             return index
 *         index++
 *     }
 *     return -1
 * }

/** Returns index of the first element matching the given [predicate], or -1 if the list does not contain
 * such element.
 */
public inline fun <T> List<T>.indexOfFirst(predicate: (T) -> Boolean): Int {
    var index = 0
    for (item in this) {
        if (predicate(item))
            return index
        index++
    }
    return -1
}

/** Returns index of the last element matching the given [predicate], or -1 if the collection does not contain such
 * element.
 */
public inline fun
 * <T> Iterable<T>.indexOfLast(predicate: (T) -> Boolean): Int {
 *     var lastIndex = -1
 *     var index = 0
 *     for (item
 * in this) {
 *         checkIndexOverflow(index)
 *         if (predicate(item))
 *             lastIndex = index
 *         index++
 *     }
 *     return lastIndex
 * }

/** Returns index of the last element matching the given [predicate], or -1 if the list
 * does not contain such element.
 */
public inline fun <T> List<T>.indexOfLast(predicate: (T) -> Boolean): Int {
    val iterator = this.listIterator(size)
    while (iterator.hasPrevious()) {
        if (predicate(iterator.previous())) {

```

```

return iterator.nextIndex()\n    }\n    }\n    return -1\n}\n\n/**\n * Returns the last element.\n * \n * @throws\n NoSuchElementException if the collection is empty.\n * \n * @sample\n samples.collections.Collections.Elements.last\n */\npublic fun <T> Iterable<T>.last(): T {\n    when (this) {\n        is\n List -> return this.last()\n        else -> {\n            val iterator\n = iterator()\n            if (!iterator.hasNext())\n                throw NoSuchElementException("Collection is empty.")\n            var last = iterator.next()\n            while (iterator.hasNext())\n                last = iterator.next()\n            return\n last\n        }\n    }\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the list is\n empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T> List<T>.last(): T {\n    if (isEmpty())\n        throw NoSuchElementException("List is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such\n element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T>\n Iterable<T>.last(predicate: (T) -> Boolean): T {\n    var last: T? = null\n    var found = false\n    for (element in this)\n        if (predicate(element)) {\n            last = element\n            found = true\n        }\n    if (!found) throw\n NoSuchElementException("Collection contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return last as T\n}\n\n/**\n * Returns the last element matching the\n given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample\n samples.collections.Collections.Elements.last\n */\npublic inline fun <T> List<T>.last(predicate: (T) -> Boolean): T\n {\n    val iterator = this.listIterator(size)\n    while (iterator.hasPrevious()) {\n        val element = iterator.previous()\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException("List contains no element\n matching the predicate.")\n}\n\n/**\n * Returns last index of [element], or -1 if the collection does not contain\n element.\n * \n * @kotlin.internal.OnlyInputTypes T> Iterable<T>.lastIndexOf(element: T): Int {\n    if\n (this is List) return this.lastIndexOf(element)\n    var lastIndex = -1\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (element\n == item)\n            lastIndex = index\n            index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns last index of\n [element], or -1 if the list does not contain element.\n *\n * @Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in\n some cases\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> List<T>.lastIndexOf(element: T): Int {\n    return\n lastIndexOf(element)\n}\n\n/**\n * Returns the last element, or `null` if the collection is empty.\n * \n * @sample\n samples.collections.Collections.Elements.last\n */\npublic fun <T> Iterable<T>.lastOrNull(): T? {\n    when (this)\n {\n        is List -> return if (isEmpty()) null else this[size - 1]\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                return null\n            var last = iterator.next()\n            while (iterator.hasNext())\n                last = iterator.next()\n            return last\n        }\n    }\n}\n\n/**\n * Returns the last element, or `null` if the list is empty.\n * \n * @sample\n samples.collections.Collections.Elements.last\n */\npublic fun <T> List<T>.lastOrNull(): T? {\n    return if\n (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if\n no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun\n <T> Iterable<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    var last: T? = null\n    for (element in this) {\n        if (predicate(element)) {\n            last = element\n        }\n    }\n    return last\n}\n\n/**\n * Returns the last element\n matching the given [predicate], or `null` if no such element was found.\n * \n * @sample\n samples.collections.Collections.Elements.last\n */\npublic inline fun <T> List<T>.lastOrNull(predicate: (T)\n -> Boolean): T? {\n    val iterator = this.listIterator(size)\n    while (iterator.hasPrevious()) {\n        val element =\n iterator.previous()\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns a random\n element from this collection.\n * \n * @throws NoSuchElementException if this collection is empty.\n *\n * @SinceKotlin("1.3")\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.random(): T {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this collection using the specified source of\n randomness.\n * \n * @throws NoSuchElementException if this collection is empty.\n *\n * @SinceKotlin("1.3")\n */\npublic fun <T> Collection<T>.random(random: Random): T {\n    if (isEmpty())\n
```

```

throw NoSuchElementException("Collection is empty.")\n    return elementAt(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this collection, or `null` if this collection is empty.\n *\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic\n\n    inline fun <T> Collection<T>.randomOrNull(): T? {\n        return randomOrNull(Random)\n    }\n\n    /**\n     * Returns a random element from this collection using the specified source of randomness, or `null` if this collection is empty.\n     *\n     */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    public fun <T>\n    Collection<T>.randomOrNull(random: Random): T? {\n        if (isEmpty())\n            return null\n        return\n        elementAt(random.nextInt(size))\n    }\n\n    /**\n     * Returns the single element, or throws an exception if the collection is\n     * empty or has more than one element.\n     */\n    @public fun <T> Iterable<T>.single(): T {\n        when (this) {\n            is List -> return this.single()\n            else -> {\n                val iterator = iterator()\n                if (!iterator.hasNext())\n                    throw NoSuchElementException("Collection is empty.")\n                val single = iterator.next()\n                if\n                (iterator.hasNext())\n                    throw IllegalArgumentException("Collection has more than one element.")\n                return single\n            }\n        }\n    }\n\n    /**\n     * Returns the single element, or throws an exception if the list is empty or has more than one\n     * element.\n     */\n    @public fun <T> List<T>.single(): T {\n        return when (size) {\n            0 -> throw\n            NoSuchElementException("List is empty.")\n            1 -> this[0]\n            else -> throw\n            IllegalArgumentException("List has more than one element.")\n        }\n    }\n\n    /**\n     * Returns the single element\n     * matching the given [predicate], or throws exception if there is no or more than one matching element.\n     */\n    @public\n    inline fun <T> Iterable<T>.single(predicate: (T) -> Boolean): T {\n        var single: T? = null\n        var found = false\n        for (element in this) {\n            if (predicate(element)) {\n                if (found) throw\n                IllegalArgumentException("Collection contains more than one matching element.")\n                single = element\n                found\n                = true\n            }\n        }\n        if (!found) throw NoSuchElementException("Collection contains no element matching the\n        predicate.")\n        @SuppressWarnings("UNCHECKED_CAST")\n        return single as T\n    }\n\n    /**\n     * Returns single element,\n     * or `null` if the collection is empty or has more than one element.\n     */\n    @public fun <T> Iterable<T>.singleOrNull():\n    T? {\n        when (this) {\n            is List -> return if (size == 1) this[0] else null\n            else -> {\n                val iterator =\n                iterator()\n                if (!iterator.hasNext())\n                    return null\n                val single = iterator.next()\n                if\n                (iterator.hasNext())\n                    return null\n                return single\n            }\n        }\n    }\n\n    /**\n     * Returns single element,\n     * or `null` if the list is empty or has more than one element.\n     */\n    @public fun <T> List<T>.singleOrNull(): T? {\n        return if (size == 1) this[0] else null\n    }\n\n    /**\n     * Returns the single element matching the given [predicate], or\n     * `null` if element was\n     * not found or more than one element was found.\n     */\n    @public inline fun <T> Iterable<T>.singleOrNull(predicate: (T)\n    -> Boolean): T? {\n        var single: T? = null\n        var found = false\n        for (element in this) {\n            if\n            (predicate(element)) {\n                if (found) return null\n                single = element\n                found = true\n            }\n        }\n        if (!found) return null\n        return single\n    }\n\n    /**\n     * Returns a list containing all elements except first [n]\n     * elements.\n     * @throws IllegalArgumentException if [n] is negative.\n     * @sample\n     * samples.collections.Collections.Transformations.drop\n     */\n    @public fun <T> Iterable<T>.drop(n: Int): List<T> {\n        require(n >= 0) { "Requested element count $n is less than zero." }\n        if (n == 0) return toList()\n        val list:\n        ArrayList<T>\n        if (this is Collection<*>) {\n            val resultSize = size - n\n            if (resultSize <= 0)\n                return\n                emptyList()\n            if (resultSize == 1)\n                return listOf(last())\n            list = ArrayList<T>(resultSize)\n            if (this is List<T>) {\n                if (this is RandomAccess) {\n                    for\n                    (index in n until size)\n                        list.add(this[index])\n                } else {\n                    for (item in listIterator(n))\n                        list.add(item)\n                }\n            }\n            return list\n        }\n        else {\n            list = ArrayList<T>()\n            var\n            count = 0\n            for (item in this) {\n                if (count >= n) list.add(item) else ++count\n            }\n            return\n            list.optimizeReadOnlyList()\n        }\n    }\n\n    /**\n     * Returns a list containing all elements except last [n] elements.\n     * @throws IllegalArgumentException if [n] is negative.\n     * @sample\n     * samples.collections.Collections.Transformations.drop\n     */\n    @public fun <T> List<T>.dropLast(n: Int): List<T> {\n

```

```

require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic inline fun <T>
List<T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n if (!isEmpty()) {\n val iterator =
listIterator(size)\n while (iterator.hasPrevious()) {\n if (!predicate(iterator.previous())) {\n return
take(iterator.nextIndex() + 1)\n }\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing
all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic inline fun <T> Iterable<T>.dropWhile(predicate:
(T) -> Boolean): List<T> {\n var yielding = false\n val list = ArrayList<T>()\n for (item in this)\n if
(yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n
}\n
return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n * \npublic inline fun <T> Iterable<T>.filter(predicate: (T) ->
Boolean): List<T> {\n return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only
elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n * \npublic inline fun <T>
Iterable<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n return
filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to
the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n *
and returns the result of predicate
evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n * \npublic
inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -
> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element))
destination.add(element)\n }\n return destination\n}\n\n/**\n * Returns a list containing all elements that are
instances of specified type parameter R.\n * \n * @sample
samples.collections.Collections.Filtering.filterIsInstance\n * \npublic inline fun <reified R>
Iterable<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n return
filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type
parameter R to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterIsInstanceTo\n * \npublic inline fun <reified R, C :
MutableCollection<in R>> Iterable<*>.filterIsInstanceTo(destination:
C): C {\n for (element in this) if (element is R) destination.add(element)\n return destination\n}\n\n/**\n *
Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n * \npublic inline fun <T> Iterable<T>.filterNot(predicate: (T) ->
Boolean): List<T> {\n return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all
elements that are not `null`.\n * \n * @sample samples.collections.Collections.Filtering.filterNotNull\n * \npublic
fun <T : Any> Iterable<T?>.filterNotNull(): List<T> {\n return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n *
Appends all elements that are not `null` to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterNotNullTo\n * \npublic fun <C : MutableCollection<in T>, T : Any>
Iterable<T?>.filterNotNullTo(destination: C): C {\n for (element in this) if (element != null)
destination.add(element)\n
return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given
[destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n * \npublic inline fun <T, C :
MutableCollection<in T>> Iterable<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n for (element
in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements
matching the given [predicate] to the given [destination].\n * \n * @sample

```

```

samples.collections.Collections.Filtering.filterTo\n *^\npublic inline fun <T, C : MutableCollection<in T>>
Iterable<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n  for (element in this) if (predicate(element))
destination.add(element)\n  return destination\n}\n\n/**\n * Returns a list containing elements at indices in the
specified [indices] range.\n *^\npublic fun <T> List<T>.slice(indices: IntRange): List<T> {\n  if
(indices.isEmpty()) return
listOf()\n  return this.subList(indices.start, indices.endInclusive + 1).toList()\n}\n\n/**\n * Returns a list
containing elements at specified [indices].\n *^\npublic fun <T> List<T>.slice(indices: Iterable<Int>): List<T> {\n
val size = indices.collectionSizeOrDefault(10)\n  if (size == 0) return emptyList()\n  val list =
ArrayList<T>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic fun <T> Iterable<T>.take(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (this is
Collection<T>) {\n    if (n >= size) return toList()\n    if (n == 1) return listOf(first())\n  }\n  var count = 0\n
val list = ArrayList<T>(n)\n  for (item in this)
{\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return
list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic fun <T> List<T>.takeLast(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size =
size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(last())\n  val list = ArrayList<T>(n)\n  if (this is
RandomAccess) {\n    for (index in size - n until size)\n      list.add(this[index])\n  } else {\n    for (item in
listIterator(size - n))\n      list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *^\npublic
inline fun <T> List<T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n  if (isEmpty())\n    return
emptyList()\n  val iterator = listIterator(size)\n  while (iterator.hasPrevious()) {\n    if
(!predicate(iterator.previous())) {\n      iterator.next()\n      val expectedSize = size - iterator.nextIndex()\n
if (expectedSize == 0) return emptyList()\n      return ArrayList<T>(expectedSize).apply {\n        while
(iterator.hasNext())\n          add(iterator.next())\n        }\n      }\n    }\n  }\n  return toList()\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic inline fun <T> Iterable<T>.takeWhile(predicate:
(T) -> Boolean): List<T> {\n  val list = ArrayList<T>()\n  for (item in this) {\n    if (!predicate(item))\n
break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Reverses elements in the list in-place.\n *^\npublic expect fun <T> MutableList<T>.reverse(): Unit\n}\n\n/**\n * Returns a list with elements in reversed order.\n *^\npublic fun <T> Iterable<T>.reversed(): List<T> {\n  if (this is
Collection && size <= 1) return toList()\n  val list = toMutableList()\n  list.reverse()\n  return list\n}\n\n/**\n *
Randomly shuffles elements in this list in-place using the specified [random] instance as the source of
randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n *^\n@SinceKotlin(\"1.3\")\npublic fun <T> MutableList<T>.shuffle(random: Random): Unit {\n  for (i in lastIndex
downTo 1) {\n    val j = random.nextInt(i + 1)\n    this[j] = this.set(i, this[j])\n  }\n}\n\n/**\n * Sorts elements
in the list in-place according to natural sort order of the value returned by specified [selector] function.\n * \n * The
sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n *^\npublic inline fun <T, R : Comparable<R>>
MutableList<T>.sortBy(crossinline selector: (T) -> R?): Unit {\n  if (size > 1)
sortWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according to natural sort
order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal
elements preserve their order relative to each other after sorting.\n *^\npublic inline fun <T, R : Comparable<R>>
MutableList<T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n  if (size > 1)

```

`sortWith(compareByDescending(selector))` sorts elements in the list in-place descending according to their natural sort order. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public fun <T : Comparable<T>> MutableList<T>.sortDescending(): Unit {
    sortWith(reverseOrder())
}

```

Returns a list of all elements sorted according to their natural sort order. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public fun <T : Comparable<T>> Iterable<T>.sorted(): List<T> {
    if (this is Collection) {
        if (size <= 1) return this.toList()
        @Suppress("UNCHECKED_CAST")
        return (toArray<Comparable<T>>() as Array<T>).apply {
            sort()
        }.asList()
    }
    return toMutableList().apply { sort() }
}

```

Returns a list of all elements sorted according to natural sort order of the value returned by specified `[selector]` function. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

@sample
samples.collections.Collections.Sorting.sortedBy
public inline fun <T, R : Comparable<R>>
    Iterable<T>.sortedBy(crossinline selector: (T) -> R?): List<T> {
    return
        sortedWith(compareBy(selector))
}

```

Returns a list of all elements sorted descending according to natural sort order of the value returned by specified `[selector]` function. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public inline fun <T, R : Comparable<R>> Iterable<T>.sortedByDescending(crossinline
    selector: (T) -> R?): List<T> {
    return sortedWith(compareByDescending(selector))
}

```

Returns a list of all elements sorted descending according to their natural sort order. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public fun <T : Comparable<T>>
    Iterable<T>.sortedDescending(): List<T> {
    return sortedWith(reverseOrder())
}

```

Returns a list of all elements sorted according to the specified `[comparator]`. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public fun <T> Iterable<T>.sortedWith(comparator: Comparator<in T>): List<T> {
    if (this is Collection) {
        if (size <= 1) return this.toList()
        @Suppress("UNCHECKED_CAST")
        return (toArray<Any?>() as Array<T>).apply {
            sortWith(comparator)
        }.asList()
    }
    return toMutableList().apply { sortWith(comparator) }
}

```

Returns an array of Boolean containing all of the elements of this collection.

```

public fun Collection<Boolean>.toBooleanArray(): BooleanArray {
    val result = BooleanArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return result
}

```

Returns an array of Byte containing all of the elements of this collection.

```

public fun Collection<Byte>.toByteArray(): ByteArray {
    val result = ByteArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return result
}

```

Returns an array of Char containing all of the elements of this collection.

```

public fun Collection<Char>.toCharArray(): CharArray {
    val result = CharArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return result
}

```

Returns an array of Double containing all of the elements of this collection.

```

public fun Collection<Double>.toDoubleArray(): DoubleArray {
    val result = DoubleArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return result
}

```

Returns an array of Float containing all of the elements of this collection.

```

public fun Collection<Float>.toFloatArray(): FloatArray {
    val result = FloatArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return result
}

```

Returns an array of Int containing all of the elements of this collection.

```

public fun Collection<Int>.toIntArray(): IntArray {
    val result = IntArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return result
}

```

Returns an array of Long containing all of the elements of this collection.

```

public fun Collection<Long>.toLongArray(): LongArray {
    val result = LongArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return result
}

```

Returns an array of Short containing all of the elements of this collection.

```

public fun Collection<Short>.toShortArray(): ShortArray {
    val result = ShortArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return result
}

```

Returns a `[Map]` containing key-value pairs provided by `[transform]` function applied to elements of the given collection. If any of two pairs would

have the same key the last one gets added to the map.

The returned map preserves the entry iteration order of the original collection.

`@sample samples.collections.Collections.Transformations.associate`

```

public inline fun <T, K, V> Iterable<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {
    val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity), transform)
}

```

Returns a [Map] containing the elements from the given collection indexed by the key returned from [keySelector] function applied to each element.

If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

The returned map preserves the entry iteration order of the original collection.

`@sample samples.collections.Collections.Transformations.associateBy`

```

public inline fun <T, K> Iterable<T>.associateBy(keySelector: (T) -> K): Map<K, T> {
    val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K, T>(capacity), keySelector)
}

```

Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given collection.

If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

The returned map preserves the entry iteration order of the original collection.

`@sample samples.collections.Collections.Transformations.associateByWithValueTransform`

```

public inline fun <T, K, V> Iterable<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {
    val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)
}

```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function applied to each element of the given collection and value is the element itself.

If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

`@sample samples.collections.Collections.Transformations.associateByTo`

```

public inline fun <T, K, M : MutableMap<in K, in T>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K): M {
    for (element in this) {
        destination.put(keySelector(element), element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given collection.

If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

`@sample samples.collections.Collections.Transformations.associateByToWithValueTransform`

```

public inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given collection.

If any of two pairs would have the same key the last one gets added to the map.

`@sample samples.collections.Collections.Transformations.associateTo`

```

public inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Returns a [Map] where keys are elements from the given collection and values are produced by the [valueSelector] function applied to each element.

If any two elements are equal, the last one gets added to the map.

The returned map preserves the entry iteration order of the original collection.

`@sample samples.collections.Collections.Transformations.associateWith`

```

@SinceKotlin("1.3")
public inline fun <K, V> Iterable<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {
    val result = LinkedHashMap<K, V>(mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16))
    return associateWithTo(result, valueSelector)
}

```

Populates and returns the [destination] mutable map with key-value pairs for each element of the given collection, where key is the element itself and value is provided by the [valueSelector]

```

function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the
map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.3")\npublic inline fun <K, V, M : MutableMap<in K, in V>>
Iterable<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n for (element in this) {\n
destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Appends all
elements to the given [destination] collection.\n */\npublic fun <T, C : MutableCollection<in T>>
Iterable<T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return
destination\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun <T> Iterable<T>.toHashSet():
HashSet<T> {\n return toCollection(HashSet<T>(mapCapacity(collectionSizeOrDefault(12))))\n}\n\n/**\n *
Returns a [List] containing all elements.\n */\npublic fun <T> Iterable<T>.toList(): List<T> {\n if (this is
Collection) {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(if (this is List) get(0) else
iterator().next())\n else -> this.toMutableList()\n }\n }\n return
this.toMutableList().optimizeReadOnlyList()\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of
this
collection.\n */\npublic fun <T> Iterable<T>.toMutableList(): MutableList<T> {\n if (this is Collection<T>)\n
return this.toMutableList()\n return toCollection(ArrayList<T>())\n}\n\n/**\n * Returns a new [MutableList] filled
with all elements of this collection.\n */\npublic fun <T> Collection<T>.toMutableList(): MutableList<T> {\n
return ArrayList(this)\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element
iteration order of the original collection.\n */\npublic fun <T> Iterable<T>.toSet(): Set<T> {\n if (this is
Collection) {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(if (this is List) this[0] else
iterator().next())\n else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n }\n }\n return
toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n/**\n * Returns a single list of all elements
yielded from results of [transform] function being invoked on
each element of original collection.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
*/\npublic inline fun <T, R> Iterable<T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n return
flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of
[transform] function being invoked on each element of original collection.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequence")\npublic inline fun <T, R>
Iterable<T>.flatMap(transform: (T) -> Sequence<R>): List<R> {\n return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element\n * and its index in the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Iterable<T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original collection.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequence")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R> Iterable<T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element\n * and its index in the original collection, to the given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli

```



```

c inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapIndexedTo(destination: C, transform: (index:
Int, T) -> Iterable<R>): C {\n  var index = 0\n  for (element in this) {\n    val list =
transform(checkIndexOverflow(index++), element)\n    destination.addAll(list)\n  }\n  return
destination}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element\n * and its index in the original collection, to the given [destination].\n
*\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.jvm.JvmName("\flatMapIndexedSequenceTo")\n @kotlin.internal.InlineOnly\npu
blic

inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapIndexedTo(destination: C, transform: (index:
Int, T) -> Sequence<R>): C {\n  var index = 0\n  for (element in this) {\n    val list =
transform(checkIndexOverflow(index++), element)\n    destination.addAll(list)\n  }\n  return
destination}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original collection, to the given [destination].\n
*\n public inline fun <T, R, C : MutableCollection<in
R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n  for (element in this) {\n    val
list = transform(element)\n    destination.addAll(list)\n  }\n  return destination}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on
each element of original collection, to the given [destination].\n
*\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.jvm.JvmName("\flatMapSequenceTo")\n public inline fun <T, R, C :
MutableCollection<in R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n  for
(element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination}\n\n/**\n * Groups elements of the original collection by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n public inline
fun <T, K> Iterable<T>.groupBy(keySelector: (T) -> K): Map<K,
List<T>> {\n  return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original collection\n * by the key
returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is
associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
keys produced from the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n public inline fun <T, K, V>
Iterable<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements
of the original collection by the key returned by the given [keySelector] function\n * applied to each element and
puts to the [destination] map each group key associated with a list
of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\n public inline fun <T, K, M : MutableMap<in K,
MutableList<T>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n  for (element in this) {\n
    val key = keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<T>() }\n
list.add(element)\n  }\n  return destination}\n\n/**\n * Groups values returned by the [valueTransform] function
applied to each element of the original collection\n * by the key returned by the given [keySelector] function applied
to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n
*\n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n public inline fun <T, K, V, M :
MutableMap<in K, MutableList<V>>> Iterable<T>.groupByTo(destination:
M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n  for (element in this) {\n    val key =
keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<V>() }\n

```

```

list.add(valueTransform(element))\n } \n return destination\n}\n\n/**\n * Creates a [Grouping] source from a
collection to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to
extract a key from each element.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n
*\n * @SinceKotlin("1.1")\npublic inline fun <T, K> Iterable<T>.groupingBy(crossinline keySelector: (T) -> K):
Grouping<T, K> {\n return object : Grouping<T, K> {\n override fun sourceIterator(): Iterator<T> =
this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n}\n\n/**\n *
Returns a list containing the results of applying the given [transform] function\n * to each element in the original
collection.\n
\n * \n * @sample samples.collections.Collections.Transformations.map\n *\npublic inline fun <T, R>
Iterable<T>.map(transform: (T) -> R): List<R> {\n return mapTo(ArrayList<R>(collectionSizeOrDefault(10)),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element and its index in the original collection.\n * @param [transform] function that takes the index of an element
and the element itself\n * and returns the result of the transform applied to the element.\n *\npublic inline fun <T,
R> Iterable<T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n return
mapIndexedTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing only
the non-null results of applying the given [transform] function\n * to each element and its index in the original
collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns
the result
of the transform applied to the element.\n *\npublic inline fun <T, R : Any>
Iterable<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n return
mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each
element and its index in the original collection\n * and appends only the non-null results to the given [destination].\n
\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n *\npublic inline fun <T, R : Any, C : MutableCollection<in R>>
Iterable<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed {
index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n *
Applies the given [transform] function to each element and its index in the original collection\n * and appends the
results to the given [destination].\n * @param
[transform] function that takes the index of an element and the element itself\n * and returns the result of the
transform applied to the element.\n *\npublic inline fun <T, R, C : MutableCollection<in R>>
Iterable<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in
this)\n destination.add(transform(checkIndexOverflow(index++), item))\n return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element in
the original collection.\n * \n * @sample samples.collections.Collections.Transformations.mapNotNull\n *\npublic
inline fun <T, R : Any> Iterable<T>.mapNotNull(transform: (T) -> R?): List<R> {\n return
mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element in
the original collection\n * and appends only the non-null results to the given [destination].\n *\npublic inline fun
<T, R
: Any, C : MutableCollection<in R>> Iterable<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n
forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies
the given [transform] function to each element of the original collection\n * and appends the results to the given
[destination].\n *\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapTo(destination: C,
transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return
destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original collection\n * into an
[IndexValue] containing the index of that element and the element itself.\n *\npublic fun <T>
Iterable<T>.withIndex(): Iterable<IndexedValue<T>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns a list containing only distinct elements from the given collection.\n * \n * Among equal elements of the
given collection,

```

only the first one will be present in the resulting list.\n \* The elements in the resulting list are in the same order as they were in the source collection.\n \* \n \* @sample

```

samples.collections.Collections.Transformations.distinctAndDistinctBy\n * \npublic fun <T> Iterable<T>.distinct(): List<T> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the given collection\n * having distinct keys returned by the given [selector] function.\n * \n * Among elements of the given collection with equal keys, only the first one will be present in the resulting list.\n * The elements in the resulting list are in the same order as they were in the source collection.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n * \npublic inline fun <T, K> Iterable<T>.distinctBy(selector: (T) -> K): List<T> {\n    val set = HashSet<K>()\n    val list = ArrayList<T>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this collection and the specified collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n * \npublic infix fun <T> Iterable<T>.intersect(other: Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this collection and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n * \npublic infix fun <T> Iterable<T>.subtract(other: Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.removeAll(other)\n    return set\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n * \npublic fun <T> Iterable<T>.toMutableSet(): MutableSet<T> {\n    return when (this) {\n        is Collection<T> -> LinkedHashSet(this)\n        else -> toCollection(LinkedHashSet<T>())\n    }\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original collection.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n * \npublic infix fun <T> Iterable<T>.union(other: Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n * \npublic inline fun <T> Iterable<T>.all(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection && isEmpty()) return true\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if collection has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n * \npublic fun <T> Iterable<T>.any(): Boolean {\n    if (this is Collection) return !isEmpty()\n    return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n * \npublic inline fun <T> Iterable<T>.any(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection && isEmpty()) return false\n    for (element in this) if (predicate(element)) return true\n    return false\n}\n\n/**\n * Returns the number of elements in this collection.\n * \npublic fun <T> Iterable<T>.count(): Int {\n    if (this is Collection) return size\n    var count = 0\n    for (element in this) checkCountOverflow(++count)\n    return count\n}\n\n/**\n * Returns the number of elements in this collection.\n * \n * \n * @kotlinter.inlineOnly\n * \npublic inline fun <T> Collection<T>.count(): Int {\n    return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n * \npublic inline fun <T> Iterable<T>.count(predicate: (T) -> Boolean): Int {\n    if (this is Collection && isEmpty()) return 0\n    var count = 0\n    for (element in this) if (predicate(element)) checkCountOverflow(++count)\n    return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the collection is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */

```

```

*public inline fun <T, R> Iterable<T>.fold(initial: R, operation: (acc: R, T) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

Accumulates value starting with [initial] value and applying [operation] from left to right
to current accumulator value and each element with its index in the original collection.
Returns the specified [initial] value if the collection is empty.
@param [operation] function that takes the index of an element, current accumulator
value and the element itself, and calculates the next accumulator value.

*public inline fun <T, R>
Iterable<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator,
    element)
    return accumulator
}

Accumulates value starting with [initial] value and applying [operation] from right to left
to each element and current accumulator value.
Returns the specified [initial] value if the list is empty.
@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

*public inline fun <T, R>
List<T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {
    var accumulator = initial
    if (!isEmpty()) {
        val iterator = listIterator(size)
        while (iterator.hasPrevious()) {
            accumulator = operation(iterator.previous(), accumulator)
        }
    }
    return accumulator
}

Accumulates value starting with [initial] value and applying [operation] from right to left
to each element with its index in the original list and current accumulator value.
Returns the specified [initial] value if the list is empty.
@param [operation] function that takes the index of an element, the element itself
and current accumulator value, and calculates the next accumulator value.

*public inline fun
<T, R> List<T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {
    var accumulator = initial
    if (!isEmpty()) {
        val iterator = listIterator(size)
        while (iterator.hasPrevious()) {
            val index = iterator.previousIndex()
            accumulator = operation(index, iterator.previous(), accumulator)
        }
    }
    return accumulator
}

Performs the given [action] on each element.

*internal.HidesMembers
*public inline fun <T> Iterable<T>.forEach(action: (T) -> Unit): Unit {
    for (element in this) action(element)
}

Performs the given [action] on each element, providing sequential index with the element.
@param [action] function that takes the index of an element and the element itself
and performs the action on the element.

*public inline fun <T> Iterable<T>.forEachIndexed(action:
(index: Int, T) -> Unit): Unit {
    var index = 0
    for (item in this) action(checkIndexOverflow(index++),
    item)
}

@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")
@SinceKotlin("1.1")
public fun Iterable<Double>.max(): Double? {
    return maxOrNull()
}

@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")
@SinceKotlin("1.1")
public fun Iterable<Float>.max(): Float? {
    return maxOrNull()
}

@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")
public fun <T : Comparable<T>> Iterable<T>.max(): T? {
    return maxOrNull()
}

@Deprecated("Use maxByOrNull instead.",
ReplaceWith("this.maxByOrNull(selector)"))
@DeprecatedSinceKotlin(warningSince
= "1.4", errorSince = "1.5", hiddenSince = "1.6")
public inline fun <T, R : Comparable<R>>
Iterable<T>.maxBy(selector: (T) -> R): T? {
    return maxByOrNull(selector)
}

Returns the first element yielding the largest value of the given function or `null` if there are no elements.
@param sample samples.collections.Collections.Aggregates.maxByOrNull
*internal@SinceKotlin("1.4")
public inline fun <T, R : Comparable<R>>
Iterable<T>.maxByOrNull(selector: (T) -> R): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var maxElem = iterator.next()
    if (!iterator.hasNext()) return maxElem
    var maxV = selector(maxElem)
    do {
        val e = iterator.next()
        val v = selector(e)
        if (maxV < v) {
            maxElem = e
            maxV = v
        }
    } while (iterator.hasNext())
    return maxElem
}

Returns the largest value

```

among all values produced by [selector] function\n \* applied to each element in the collection.\n \* \n \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n \* \n \* @throws NoSuchElementException if the collection is empty.\n

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOf(selector: (T) ->
Double): Double {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all
values produced by [selector] function\n * applied to each element in the collection.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result
is `NaN`.\n * \n * @throws NoSuchElementException if the collection is empty.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOf(selector: (T) ->
Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all
values produced by [selector] function\n * applied to each element in the collection.\n * \n * @throws
NoSuchElementException if the collection is empty.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.maxOf(selector:
(T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value
among all values produced by [selector] function\n * applied to each element in the collection or `null` if there are
no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOfOrNull(selector: (T)
-> Double): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var maxValue =
selector(iterator.next())\n    while (iterator.hasNext())\n        {\n            val v = selector(iterator.next())\n
            maxValue = maxOf(maxValue, v)\n        }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the collection or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOfOrNull(selector: (T)
-> Float): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var maxValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each
element in the collection or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.maxOfOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return
null\n    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v =
selector(iterator.next())\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the collection.\n * \n * @throws

```

NoSuchElementException if the collection is empty.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
```

```
inline fun <T, R> Iterable<T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var max = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (comparator.compare(max, v) < 0) {\n            max = v\n        }\n    }\n    return max\n}\n/**\n * Returns the largest value according to the provided [comparator] * among all values produced by [selector] function applied to each element in the collection or `null` if there are no elements.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
```

```
Iterable<T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (comparator.compare(max, v) < 0) {\n            max = v\n        }\n    }\n    return max\n}\n/**\n * Returns the largest element or `null` if there are no elements.\n * * If any of elements is `NaN` returns `NaN`.\n */
```

```
*\n@SinceKotlin("1.4")\npublic fun Iterable<Double>.maxOrNull(): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        max = maxOf(max, e)\n    }\n    return max\n}\n/**\n * Returns the largest element or `null` if there are no elements.\n * * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin("1.4")\npublic fun Iterable<Float>.maxOrNull(): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max = iterator.next()\n    while (iterator.hasNext())
```

```
{\n    val e = iterator.next()\n    max = maxOf(max, e)\n}\n    return max\n}\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun <T : Comparable<T>>
```

```
Iterable<T>.maxOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (max < e) max = e\n    }\n    return max\n}\n@Deprecated("Use maxWithOrNull instead.")
```

```
ReplaceWith("this.maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun <T> Iterable<T>.maxWith(comparator: Comparator<in T>): T? {\n    return maxWithOrNull(comparator)\n}\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun <T>
```

```
Iterable<T>.maxWithOrNull(comparator:
```

```
Comparator<in T>): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n@Deprecated("Use minOrNull instead.")
```

```
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Iterable<Double>.min(): Double? {\n    return minOrNull()\n}\n@Deprecated("Use minOrNull instead.")
```

```
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Iterable<Float>.min(): Float? {\n    return minOrNull()\n}\n@Deprecated("Use minOrNull instead.")
```

```
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun
```

```
<T : Comparable<T>> Iterable<T>.min(): T? {\n    return minOrNull()\n}\n@Deprecated("Use minByOrNull instead.")\nReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <T, R : Comparable<R>>
```

```
Iterable<T>.minBy(selector: (T) -> R): T? {\n    return minByOrNull(selector)\n}\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * * @sample
```

```

samples.collections.Collections.Aggregates.minByOrNull\n *\n@SinceKotlin("1.4")\npublic inline fun <T, R :
Comparable<R>> Iterable<T>.minByOrNull(selector: (T) -> R): T? {\n  val iterator = iterator()\n  if
(!iterator.hasNext()) return null\n  var minElem = iterator.next()\n  if (!iterator.hasNext()) return minElem\n  var
minValue = selector(minElem)\n  do {\n    val e = iterator.next()\n    val v = selector(e)\n    if (minValue >
v) {\n      minElem
= e\n      minValue = v\n    }\n  } while (iterator.hasNext())\n  return minElem\n}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each element in the collection.\n * \n
* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the collection is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOf(selector: (T) ->
Double): Double {\n  val iterator = iterator()\n  if (!iterator.hasNext()) throw NoSuchElementException()\n  var
minValue = selector(iterator.next())\n  while (iterator.hasNext()) {\n    val v = selector(iterator.next())\n
minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector]
function\n * applied to each element in the collection.\n * \n * If any of values produced by [selector] function is
`NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the collection is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOf(selector: (T) ->
Float): Float {\n  val iterator = iterator()\n  if (!iterator.hasNext()) throw NoSuchElementException()\n  var
minValue = selector(iterator.next())\n  while (iterator.hasNext()) {\n    val v = selector(iterator.next())\n
minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the collection.\n * \n * @throws
NoSuchElementException if the collection is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R : Comparable<R>> Iterable<T>.minOf(selector: (T) -> R): R {\n  val iterator = iterator()\n  if
(!iterator.hasNext()) throw NoSuchElementException()\n  var minValue = selector(iterator.next())\n  while
(iterator.hasNext()) {\n    val v = selector(iterator.next())\n    if (minValue > v) {\n      minValue = v\n
    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each element in the collection or `null` if there are no elements.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOfOrNull(selector: (T)
-> Double): Double?
{\n  val iterator = iterator()\n  if (!iterator.hasNext()) return null\n  var minValue = selector(iterator.next())\n
while (iterator.hasNext()) {\n    val v = selector(iterator.next())\n    minValue = minOf(minValue, v)\n  }\n
return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the collection or `null` if there are no elements.\n * \n * If any of values produced
by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOfOrNull(selector: (T)
-> Float): Float? {\n  val iterator = iterator()\n  if (!iterator.hasNext()) return null\n  var minValue =
selector(iterator.next())\n  while (iterator.hasNext()) {\n    val v = selector(iterator.next())\n    minValue =
minOf(minValue,
v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each element in the collection or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.minOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return
null\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v =
selector(iterator.next())\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the collection.\n * \n * @throws
NoSuchElementException if the collection is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Iterable<T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    val iterator
= iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var minValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if
(comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the collection or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Iterable<T>.minOfOrNull(comparator:
Comparator<in R>, selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n
var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n
*\n@SinceKotlin("1.4")\npublic fun Iterable<Double>.minOrNull(): Double? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if
there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n * \n *\n@SinceKotlin("1.4")\npublic fun
Iterable<Float>.minOrNull():
Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    while
(iterator.hasNext()) {\n        val e = iterator.next()\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun <T :
Comparable<T>> Iterable<T>.minOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n
var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (min > e) min = e\n
}\n    return min\n}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun <T> Iterable<T>.minWith(comparator: Comparator<in T>): T? {\n    return
minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest
value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic
fun <T> Iterable<T>.minWithOrNull(comparator: Comparator<in T>): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if
the collection has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n *\npublic fun
<T> Iterable<T>.none(): Boolean {\n    if (this is Collection) return isEmpty()\n    return
!iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun <T>
Iterable<T>.none(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection && isEmpty()) return true\n    for
(element
in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Performs the given [action] on each element
and returns the collection itself afterwards.\n * \n *\n@SinceKotlin("1.1")\npublic inline fun <T, C : Iterable<T>>

```



`C.onEach(action: (T) -> Unit): C` {`return apply { for (element in this) action(element) }`}  
 \* Performs the given [action] on each element, providing sequential index with the element,  
 \* and returns the collection itself afterwards.  
 \* @param [action] function that takes the index of an element and the element itself  
 \* and performs the action on the element.

`C.onEachIndexed(action: (index: Int, T) -> Unit): C` {`return apply { forEachIndexed(action) }`}  
 \* Accumulates value starting with the first element and applying [operation] from left to right  
 \* to current accumulator value and each element.  
 \* Throws an exception if this collection is empty.

If the collection can be empty in an expected way,  
 \* please use [reduceOrNull] instead. It returns `null` when its receiver is empty.  
 \* @param [operation] function that takes current accumulator value and an element,  
 \* and calculates the next accumulator value.  
 \* @sample samples.collections.Collections.Aggregates.reduce  
 \*  
`public inline fun <S, T : S> Iterable<T>.reduce(operation: (acc: S, T) -> S): S` {`val iterator = this.iterator()`  
 if (!iterator.hasNext()) throw UnsupportedOperationException("Empty collection can't be reduced.")  
 var accumulator: S = iterator.next()  
 while (iterator.hasNext()) {  
 accumulator = operation(accumulator, iterator.next())  
 }  
 return accumulator}  
 \* Accumulates value starting with the first element and applying [operation] from left to right  
 \* to current accumulator value and each element with its index in the original collection.  
 \* Throws an exception if this collection is empty.

If the collection can be empty in an expected way,  
 \* please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.  
 \* @param [operation] function that takes the index of an element, current accumulator value and the element itself,  
 \* and calculates the next accumulator value.  
 \* @sample samples.collections.Collections.Aggregates.reduce

`public inline fun <S, T : S> Iterable<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S` {`val iterator = this.iterator()`  
 if (!iterator.hasNext()) throw UnsupportedOperationException("Empty collection can't be reduced.")  
 var index = 1  
 var accumulator: S = iterator.next()  
 while (iterator.hasNext()) {  
 accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())  
 }  
 return accumulator}  
 \* Accumulates value starting with the first element and applying [operation] from left to right  
 \* to current accumulator value and each element

with its index in the original collection.  
 \* Returns `null` if the collection is empty.  
 \* @param [operation] function that takes the index of an element, current accumulator value and the element itself,  
 \* and calculates the next accumulator value.  
 \* @sample samples.collections.Collections.Aggregates.reduceOrNull

`@SinceKotlin("1.4") public inline fun <S, T : S> Iterable<T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S?` {`val iterator = this.iterator()`  
 if (!iterator.hasNext()) return null  
 var index = 1  
 var accumulator: S = iterator.next()  
 while (iterator.hasNext()) {  
 accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())  
 }  
 return accumulator}  
 \* Accumulates value starting with the first element and applying [operation] from left to right  
 \* to current accumulator value and each element.  
 \* Returns `null` if the collection is empty.

\* @param [operation] function that takes current accumulator value and an element,  
 \* and calculates the next accumulator value.  
 \* @sample samples.collections.Collections.Aggregates.reduceOrNull

`@SinceKotlin("1.4") @WasExperimental(ExperimentalStdlibApi::class) public inline fun <S, T : S> Iterable<T>.reduceOrNull(operation: (acc: S, T) -> S): S?` {`val iterator = this.iterator()`  
 if (!iterator.hasNext()) return null  
 var accumulator: S = iterator.next()  
 while (iterator.hasNext()) {  
 accumulator = operation(accumulator, iterator.next())  
 }  
 return accumulator}  
 \* Accumulates value starting with the last element and applying [operation] from right to left  
 \* to each element and current accumulator value.  
 \* Throws an exception if this list is empty. If the list can be empty in an expected way,  
 \* please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

\* @param [operation] function that takes an element and current accumulator value,  
 \* and calculates the next accumulator value.  
 \* @sample samples.collections.Collections.Aggregates.reduceRight  
`public inline fun <S, T : S> List<T>.reduceRight(operation: (T, acc: S) -> S): S` {`val iterator = listIterator(size)`  
 if (!iterator.hasNext()) return null  
 var accumulator: S = iterator.next()  
 while (iterator.hasPrevious()) {  
 accumulator = operation(iterator.previous(), accumulator)  
 }  
 return accumulator}  
 \* Accumulates value starting with the last element and applying [operation] from right to left  
 \* to each element and current accumulator value.  
 \* Throws an exception if this list is empty. If the list can be empty in an expected way,  
 \* please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

\* @param [operation] function that takes an element and current accumulator value,  
 \* and calculates the next accumulator value.  
 \* @sample samples.collections.Collections.Aggregates.reduceRight  
`public inline fun <S, T : S> List<T>.reduceRight(operation: (T, acc: S) -> S): S` {`val iterator = listIterator(size)`  
 if (!iterator.hasNext()) return null  
 var accumulator: S = iterator.next()  
 while (iterator.hasPrevious()) {  
 accumulator = operation(iterator.previous(), accumulator)  
 }  
 return accumulator}  
 \* Accumulates value starting with the last element and applying [operation] from right to left  
 \* to each element and current accumulator value.  
 \* Throws an exception if this list is empty. If the list can be empty in an expected way,  
 \* please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

```
(!iterator.hasPrevious())\n    throw UnsupportedOperationException("Empty list can't be reduced.")\n    var accumulator: S = iterator.previous()\n    while (iterator.hasPrevious()) {\n        accumulator = operation(iterator.previous(), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original list and current accumulator value.\n * \n * Throws an exception if this list is empty. If the list can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
```

```
function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n *\npublic inline fun <S, T : S> List<T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n    val iterator = listIterator(size)\n    if (!iterator.hasPrevious())\n        throw UnsupportedOperationException("Empty list can't be reduced.")\n    var accumulator: S = iterator.previous()\n    while (iterator.hasPrevious()) {\n        val index = iterator.previousIndex()\n        accumulator = operation(index, iterator.previous(), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original list and current accumulator value.\n * \n * Returns `null` if the list is empty.\n * \n * @param [operation] function that takes
```

```
the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n *\n@SinceKotlin("1.4")\npublic inline fun <S, T : S> List<T>.reduceRightIndexedOrNull(operation: (index: Int, T, acc: S) -> S): S? {\n    val iterator = listIterator(size)\n    if (!iterator.hasPrevious())\n        return null\n    var accumulator: S = iterator.previous()\n    while (iterator.hasPrevious()) {\n        val index = iterator.previousIndex()\n        accumulator = operation(index, iterator.previous(), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the list is empty.\n * \n * @param [operation] function that
```

```
takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n *\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> List<T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {\n    val iterator = listIterator(size)\n    if (!iterator.hasPrevious())\n        return null\n    var accumulator: S = iterator.previous()\n    while (iterator.hasPrevious()) {\n        accumulator = operation(iterator.previous(), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the
```

```
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n *\n@SinceKotlin("1.4")\npublic inline fun <T, R> Iterable<T>.runningFold(initial: R, operation: (acc: R, T) -> R): List<R> {\n    val estimatedSize = collectionSizeOrDefault(9)\n    if (estimatedSize == 0) return listOf(initial)\n    val result = ArrayList<R>(estimatedSize + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original collection and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
```

```
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n *\n@SinceKotlin("1.4")\npublic inline fun <T, R> Iterable<T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n    val estimatedSize = collectionSizeOrDefault(9)\n    if (estimatedSize == 0)
```

```
return listOf(initial)\n    val result = ArrayList<R>(estimatedSize + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original collection and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
```

```
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n *\n@SinceKotlin("1.4")\npublic inline fun <T, R> Iterable<T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n    val estimatedSize = collectionSizeOrDefault(9)\n    if (estimatedSize == 0)
```

```

return listOf(initial)\n  val result = ArrayList<R>(estimatedSize + 1).apply { add(initial) }\n  var index = 0\n  var
accumulator = initial\n  for (element in this) {\n    accumulator = operation(index++, accumulator, element)\n
result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with the first element of this collection.\n * \n * Note that `acc`
value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in
resulting list.\n * \n * @param [operation] function that takes current accumulator value and the element, and
calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S>
Iterable<T>.runningReduce(operation: (acc: S, T) -> S): List<S> {\n  val iterator = this.iterator()\n  if
(!iterator.hasNext()) return emptyList()\n  var accumulator: S = iterator.next()\n  val result =
ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }\n  while (iterator.hasNext()) {\n
accumulator = operation(accumulator, iterator.next())\n  result.add(accumulator)\n  }\n  return
result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from
left to right\n
* to each element, its index in the original collection and current accumulator value that starts with the first element
of this collection.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise
it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\npublic inline fun
<S, T : S> Iterable<T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {\n  val iterator =
this.iterator()\n  if (!iterator.hasNext()) return emptyList()\n  var accumulator: S = iterator.next()\n  val result =
ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }\n  var index = 1\n  while
(iterator.hasNext()) {\n    accumulator = operation(index++, accumulator,
iterator.next())\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing
successive accumulation values generated by applying [operation] from left to right\n * to each element and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R>
Iterable<T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {\n  return runningFold(initial,
operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]
from left to right\n * to each element,
its index in the original collection and current accumulator value that starts with [initial] value.\n * \n * Note that
`acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in
resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n *
and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R>
Iterable<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n  return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the collection.\n * \n * @Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun <T>
Iterable<T>.sumBy(selector: (T) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the collection.\n * \n * @Deprecated("Use sumOf instead.\",

```

```

ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun <T>
Iterable<T>.sumByDouble(selector: (T) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the collection.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Iterable<T>.sumOf(selector: (T) -> Double): Double {\n    var
sum: Double = 0.toDouble()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
collection.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.sumOf(selector: (T) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the collection.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Iterable<T>.sumOf(selector: (T) -> Long): Long {\n
var sum: Long = 0.toLong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
collection.\n
*\n*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.sumOf(selector: (T) -> UInt): UInt {\n
var sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
collection.\n
*\n*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Iterable<T>.sumOf(selector: (T) -> ULong): ULong {\n    var sum: ULong = 0.toULong()\n    for
(element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns an original collection
containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n
*\n*\npublic fun <T : Any> Iterable<T?>.requireNonNulls(): Iterable<T> {\n    for (element in this) {\n        if (element
== null) {\n            throw IllegalArgumentException("null element found in $this.")\n        }\n    }\n}\n\n@Suppress("UNCHECKED_CAST")\nreturn this as Iterable<T>\n}\n\n/**\n * Returns an original collection
containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n
*\n*\npublic fun <T : Any> List<T?>.requireNonNulls(): List<T> {\n    for (element in this) {\n        if (element ==
null) {\n            throw IllegalArgumentException("null
element found in $this.")\n        }\n    }\n}\n\n@Suppress("UNCHECKED_CAST")\nreturn this as
List<T>\n}\n\n/**\n * Splits this collection into a list of lists each not exceeding the given [size].\n * \n * The last
list in the resulting list may have fewer elements than the given [size].\n * \n * @param size the number of elements
to take in each list, must be positive and can be greater than the number of elements in this collection.\n * \n *
@sample samples.collections.Collections.Transformations.chunked\n *\n*\n@SinceKotlin("1.2")\npublic fun <T>
Iterable<T>.chunked(size: Int): List<List<T>> {\n    return windowed(size, size, partialWindows = true)\n}\n\n/**\n
* Splits this collection into several lists each not exceeding the given [size]\n * and applies the given [transform]
function to an each.\n * \n * @return list of results of the [transform] applied to an each list.\n * \n * Note that the
list passed to the [transform] function is ephemeral and is valid

```

only inside that function.

You should not store it or allow it to escape in some way, unless you made a snapshot of it.

The last list may have fewer elements than the given [size].

@param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.

@sample samples.text.Strings.chunkedTransform

```

@SinceKotlin("1.2")
public fun <T, R>
Iterable<T>.chunked(size: Int, transform: (List<T>) -> R): List<R> {
    return windowed(size, size,
partialWindows = true, transform = transform)
}

```

Returns a list containing all elements of the original collection without the first occurrence of the given [element].

```

public operator fun <T>
Iterable<T>.minus(element: T): List<T> {
    val result = ArrayList<T>(collectionSizeOrDefault(10))
    var removed = false
    return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true }
}

```

Returns a list containing all elements of the original collection except the elements contained in the given [elements] array.

Before Kotlin 1.6, the [elements] array may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have a correct and stable implementation of `hashCode()` that didn't change between successive invocations.

On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.

```

public operator fun <T>
Iterable<T>.minus(elements: Array<out T>): List<T> {
    if (elements.isEmpty()) return this.toList()
    val other = elements.convertToSetForSetOperation()
    return this.filterNot { it in other }
}

```

Returns a list containing all elements of the original collection except the elements contained in the given [elements] collection.

Before Kotlin 1.6, the [elements] collection may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have a correct and stable implementation of `hashCode()` that didn't change between successive invocations.

On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.

```

public operator fun <T>
Iterable<T>.minus(elements: Iterable<T>): List<T> {
    val other = elements.convertToSetForSetOperationWith(this)
    if (other.isEmpty()) return this.toList()
    return this.filterNot { it in other }
}

```

Returns a list containing all elements of the original collection except the elements contained in the given [elements] sequence.

Before Kotlin 1.6, the [elements] sequence may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have a correct and stable implementation of `hashCode()` that didn't change between successive invocations.

On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.

```

public operator fun <T>
Iterable<T>.minus(elements: Sequence<T>): List<T> {
    val other = elements.convertToSetForSetOperation()
    if (other.isEmpty()) return this.toList()
    return this.filterNot { it in other }
}

```

Returns a list containing all elements of the original collection without the first occurrence of the given [element].

```

@kotlin.internal.InlineOnly
public inline fun <T>
Iterable<T>.minusElement(element: T): List<T> {
    return minus(element)
}

```

Splits the original collection into pair of lists, where `first` list contains elements for which [predicate] yielded `true`, while `second` list contains elements for which [predicate] yielded `false`.

@sample samples.collections.Iterables.Operations.partition

```

public inline fun <T>
Iterable<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {
    val first = ArrayList<T>()
    val second = ArrayList<T>()
    for (element in this) {
        if (predicate(element)) first.add(element)
        else second.add(element)
    }
    return Pair(first, second)
}

```

Returns a list containing all elements of the original collection and then the given [element].

```

public operator fun <T>
Iterable<T>.plus(element: T): List<T> {
    if (this is Collection) return this.plus(element)
    val result = ArrayList<T>()
    result.addAll(this)
    result.add(element)
    return result
}

```

Returns a list containing all elements of the original collection and then the given [element].

```

public operator fun <T>
Collection<T>.plus(element: T): List<T> {
    val result = ArrayList<T>(size + 1)
    result.addAll(this)
    result.add(element)
    return result
}

```

Returns a list containing all elements of the original collection and then all elements of the

```

given [elements] array.\n *^\npublic operator fun <T> Iterable<T>.plus(elements: Array<out T>): List<T> {\n  if
(this is Collection) return this.plus(elements)\n  val result = ArrayList<T>()\n  result.addAll(this)\n
result.addAll(elements)\n  return result\n}\n\n/**\n * Returns a list containing all elements of the original
collection and then all elements of the given [elements] array.\n *^\npublic operator fun <T>
Collection<T>.plus(elements: Array<out T>): List<T> {\n  val result = ArrayList<T>(this.size + elements.size)\n
result.addAll(this)\n  result.addAll(elements)\n  return result\n}\n\n/**\n * Returns a list containing all elements
of the original collection and then all elements of the given [elements] collection.\n *^\npublic operator fun <T>
Iterable<T>.plus(elements: Iterable<T>): List<T> {\n  if (this is Collection) return this.plus(elements)\n  val
result = ArrayList<T>()\n  result.addAll(this)\n  result.addAll(elements)\n  return result\n}\n\n/**\n
* Returns a list containing all elements of the original collection and then all elements of the given [elements]
collection.\n *^\npublic operator fun <T> Collection<T>.plus(elements: Iterable<T>): List<T> {\n  if (elements is
Collection) {\n    val result = ArrayList<T>(this.size + elements.size)\n    result.addAll(this)\n
result.addAll(elements)\n    return result\n  } else {\n    val result = ArrayList<T>(this)\n
result.addAll(elements)\n    return result\n  }\n}\n\n/**\n * Returns a list containing all elements of the original
collection and then all elements of the given [elements] sequence.\n *^\npublic operator fun <T>
Iterable<T>.plus(elements: Sequence<T>): List<T> {\n  val result = ArrayList<T>()\n  result.addAll(this)\n
result.addAll(elements)\n  return result\n}\n\n/**\n * Returns a list containing all elements of the original
collection and then all elements of the given [elements] sequence.\n *^\npublic operator
fun <T> Collection<T>.plus(elements: Sequence<T>): List<T> {\n  val result = ArrayList<T>(this.size + 10)\n
result.addAll(this)\n  result.addAll(elements)\n  return result\n}\n\n/**\n * Returns a list containing all elements
of the original collection and then the given [element].\n *^\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.plusElement(element: T): List<T> {\n  return plus(element)\n}\n\n/**\n * Returns a list containing all
elements of the original collection and then the given [element].\n *^\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Collection<T>.plusElement(element: T): List<T> {\n  return plus(element)\n}\n\n/**\n * Returns a list of
snapshots of the window of the given [size]\n * sliding along this collection with the given [step], where each\n *
snapshot is a list.\n * \n * Several last lists may have fewer elements than the given [size].\n * \n * Both [size] and
[step] must be positive and can be greater than the number of elements
in this collection.\n * @param size the number of elements to take in each window\n * @param step the number of
elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls
whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't
be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n
*^\n@SinceKotlin("1.2")\npublic fun <T> Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean
= false): List<List<T>> {\n  checkWindowSizeStep(size, step)\n  if (this is RandomAccess && this is List) {\n
val thisSize = this.size\n    val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n    val result
= ArrayList<List<T>>(resultCapacity)\n    var index = 0\n    while (index in 0 until thisSize) {\n    val
windowSize = size.coerceAtMost(thisSize - index)\n    if (windowSize < size && !partialWindows)
break\n    result.add(List(windowSize) { this[it + index] })\n    index += step\n    }\n    return result\n
}\n  val result = ArrayList<List<T>>()\n  windowedIterator(iterator(), size, step, partialWindows, reuseBuffer =
false).forEach {\n    result.add(it)\n  }\n  return result\n}\n\n/**\n * Returns a list of results of applying the
given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding
along this collection with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral
and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made
a snapshot of it.\n * Several last lists may have fewer elements than the given [size].\n * \n * Both [size] and [step]
must be positive and can be greater than the number of elements in this collection.\n * @param size the number of
elements to take in each
window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n *
@param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false`
which means partial windows won't be preserved\n * \n * @sample

```

```

samples.collections.Sequences.Transformations.averageWindows\n * \n @SinceKotlin("1.2")\n public fun <T, R>
Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R):
List<R> {\n    checkWindowSizeStep(size, step)\n    if (this is RandomAccess && this is List) {\n        val thisSize =
this.size\n        val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n        val result =
ArrayList<R>(resultCapacity)\n        val window = MovingSubList(this)\n        var index = 0\n        while (index in 0
until thisSize) {\n            val windowSize = size.coerceAtMost(thisSize - index)\n            if (!partialWindows &&
windowSize < size) break\n
            window.move(index, index + windowSize)\n            result.add(transform(window))\n            index += step\n
        }\n        return result\n    }\n    val result = ArrayList<R>()\n    windowedIterator(iterator(), size, step,
partialWindows, reuseBuffer = true).forEach {\n        result.add(transform(it))\n    }\n    return result\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` collection and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \n public infix fun <T, R> Iterable<T>.zip(other: Array<out
R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from
the elements of `this` collection and the [other] array with the same index\n * using the provided [transform]
function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n
* \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n * \n public inline fun <T, R,
V> Iterable<T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n    val arraySize = other.size\n
val list = ArrayList<V>(minOf(collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in this) {\n
if (i >= arraySize) break\n        list.add(transform(element, other[i++]))\n    }\n    return list\n}\n\n/**\n * Returns a
list of pairs built from the elements of `this` collection and [other] collection with the same index.\n * The returned
list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
* \n public infix fun <T, R> Iterable<T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 ->
t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] collection
with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n
* \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n * \n public inline fun <T, R, V>
Iterable<T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n    val first = iterator()\n    val second
= other.iterator()\n    val list = ArrayList<V>(minOf(collectionSizeOrDefault(10),
other.collectionSizeOrDefault(10)))\n    while (first.hasNext() && second.hasNext()) {\n
list.add(transform(first.next(), second.next()))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs of each two
adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less than two
elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n
* \n @SinceKotlin("1.2")\n public fun <T> Iterable<T>.zipWithNext(): List<Pair<T, T>> {\n    return zipWithNext
{ a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to an
each pair of two adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less
than two elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n
* \n @SinceKotlin("1.2")\n public inline fun <T, R> Iterable<T>.zipWithNext(transform: (a: T, b: T) -> R):
List<R> {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return emptyList()\n    val result =
mutableListOf<R>()\n    var current = iterator.next()\n    while (iterator.hasNext()) {\n        val next =
iterator.next()\n        result.add(transform(current, next))\n        current = next\n    }\n    return result\n}\n\n/**\n *
Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit],
in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults
to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \n public fun <T, A :
Appendable> Iterable<T>.joinTo(buffer: A, separator: CharSequence = ", ", prefix: CharSequence = "\", postfix:
CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): A

```

```

{\n  buffer.append(prefix)\n  var count = 0\n  for (element in this) {\n    if (++count > 1)
buffer.append(separator)\n    if (limit < 0 || count <= limit) {\n      buffer.appendElement(element, transform)\n    } else break\n  }\n  if (limit >= 0 && count > limit) buffer.append(truncated)\n  buffer.append(postfix)\nreturn buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T>
Iterable<T>.joinToString(separator: CharSequence = ", ", prefix: CharSequence = "", postfix: CharSequence =
"", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): String {\n  return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Returns this
collection as an [Iterable].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.asIterable():
Iterable<T> {\n  return this\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original collection returning
its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromCollection\n */\npublic fun
<T> Iterable<T>.asSequence(): Sequence<T> {\n  return Sequence { this.iterator() }\n}\n\n/**\n * Returns an
average value of elements in the collection.\n */\n@kotlin.jvm.JvmName("averageOfByte")\npublic fun
Iterable<Byte>.average(): Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n
sum += element\n    checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the collection.\n
*/\n@kotlin.jvm.JvmName("averageOfShort")\npublic fun Iterable<Short>.average(): Double {\n  var sum:
Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n
checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName("averageOfInt")\npublic fun
Iterable<Int>.average(): Double {\n  var sum: Double
= 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n
checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName("averageOfLong")\npublic fun
Iterable<Long>.average(): Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n
sum += element\n    checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the collection.\n
*/\n@kotlin.jvm.JvmName("averageOfFloat")\npublic fun Iterable<Float>.average(): Double {\n  var sum:
Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n
checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName("averageOfDouble")\npublic
fun Iterable<Double>.average(): Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this)
{\n    sum += element\n    checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum
/ count\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun Iterable<Byte>.sum(): Int {\n  var sum: Int = 0\n  for
(element in this) {\n    sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all elements in the
collection.\n */\n@kotlin.jvm.JvmName("sumOfShort")\npublic fun Iterable<Short>.sum(): Int {\n  var sum: Int
= 0\n  for (element in this) {\n    sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all
elements in the collection.\n */\n@kotlin.jvm.JvmName("sumOfInt")\npublic fun Iterable<Int>.sum(): Int {\n  var
sum: Int = 0\n  for (element in this) {\n    sum += element\n
}\n  return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName("sumOfLong")\npublic fun Iterable<Long>.sum(): Long {\n  var sum: Long = 0L\n
for (element in this) {\n    sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all elements in
the collection.\n */\n@kotlin.jvm.JvmName("sumOfFloat")\npublic fun Iterable<Float>.sum(): Float {\n  var

```



```

sum: Float = 0.0f\n  for (element in this) {\n    sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName("sumOfDouble")\npublic fun Iterable<Double>.sum(): Double {\n  var sum: Double = 0.0\n  for (element in this) {\n    sum += element\n  }\n  return sum\n}\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\nimport kotlin.comparisons.naturalOrder\nimport kotlin.random.Random\n\n/**\n * Returns the array if it's not `null`, or an empty array otherwise.\n */\n@sample\nsamples.collections.Arrays.Usage.arrayOrEmpty\n\n/**\n * Returns a *typed* array containing all of the elements of this collection.\n */\n\n/**\n * Allocates an array of runtime type `T` having its size equal to the size of this collection\n * and populates the array with the elements of this collection.\n */\n@sample\nsamples.collections.Collections.Collections.collectionToTypedArray\n\n/**\n * Returns an immutable list containing only the specified object [element].\n */\n\npublic fun <T> listOf(element: T): List<T> =\n  arrayOf(element)\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal actual inline fun <E> buildListInternal(builderAction: MutableList<E>.() -> Unit): List<E> {\n  return\n  ArrayList<E>().apply(builderAction).build()\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal actual inline fun <E> buildListInternal(capacity: Int, builderAction: MutableList<E>.() -> Unit): List<E> {\n  checkBuilderCapacity(capacity)\n  return\n  ArrayList<E>(capacity).apply(builderAction).build()\n}\n\n/**\n * Returns an immutable set containing only the specified object [element].\n */\n\npublic fun <T> setOf(element: T): Set<T> =\n  hashSetOf(element)\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal actual inline fun <E> buildSetInternal(builderAction: MutableSet<E>.() -> Unit): Set<E> {\n  return\n  LinkedHashSet<E>().apply(builderAction).build()\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal actual inline fun <E> buildSetInternal(capacity: Int, builderAction: MutableSet<E>.() -> Unit): Set<E> {\n  return\n  LinkedHashSet<E>(capacity).apply(builderAction).build()\n}\n\n/**\n * Returns an immutable map, mapping only the specified key to the\n * specified value.\n */\n\npublic fun <K, V> mapOf(pair: Pair<K, V>): Map<K, V> =\n  hashMapOf(pair)\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal actual inline fun <K, V> buildMapInternal(builderAction: MutableMap<K, V>.() -> Unit): Map<K, V> {\n  return\n  LinkedHashMap<K, V>().apply(builderAction).build()\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal actual inline fun <K, V> buildMapInternal(capacity: Int, builderAction: MutableMap<K, V>.() -> Unit): Map<K, V> {\n  return\n  LinkedHashMap<K, V>(capacity).apply(builderAction).build()\n}\n\n/**\n * Fills the list with the provided [value].\n */\n
```

```

Each element in the list gets replaced with the [value].\n *\n@SinceKotlin("1.2")\npublic actual fun <T>
MutableList<T>.fill(value: T): Unit {\n  for (index in 0..lastIndex) {\n    this[index] = value\n  }\n}\n\n/**\n * Randomly shuffles elements in this list.\n *\n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates_shuffle#The_modern_algorithm\n
*\n@SinceKotlin("1.2")\npublic actual fun <T> MutableList<T>.shuffle(): Unit = shuffle(Random)\n\n/**\n * Returns a new list with the elements of this list randomly shuffled.\n *\n@SinceKotlin("1.2")\npublic actual fun
<T> Iterable<T>.shuffled(): List<T> = toMutableList().apply { shuffle() }\n\n/**\n * Sorts elements in the list in-
place according to their natural sort order.\n *\n * The sort is _stable_. It means that equal elements preserve their
order relative to each other after sorting.\n *\n * @sample samples.collections.Collections.Sorting.sortMutableList\n
*\n@SinceKotlin("1.2")\npublic actual fun <T : Comparable<T>> MutableList<T>.sort():
Unit {\n  collectionsSort(this, naturalOrder())\n}\n\n/**\n * Sorts elements in the list in-place according to the
order specified with [comparator].\n *\n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n *\n * @sample samples.collections.Collections.Sorting.sortMutableListWith\n
*\n@SinceKotlin("1.2")\npublic actual fun <T> MutableList<T>.sortWith(comparator: Comparator<in T>): Unit {\n
collectionsSort(this, comparator)\n}\n\nprivate fun <T> collectionsSort(list: MutableList<T>, comparator:
Comparator<in T>) {\n  if (list.size <= 1) return\n\n  val array = copyToArray(list)\n  sortArrayWith(array,
comparator)\n\n  for (i in 0 until array.size) {\n    list[i] = array[i]\n  }\n}\n\ninternal actual fun <T>
arrayOfNulls(reference: Array<T>, size: Int): Array<T> {\n  return
arrayOfNulls<Any>(size).unsafeCast<Array<T>>()\n}\n\n@SinceKotlin("1.3")\n@PublishedApi\n@JsName("arrayCopy")\ninternal fun <T> arrayCopy(source:
Array<out T>, destination: Array<in T>, destinationOffset: Int, startIndex: Int, endIndex: Int) {\n
AbstractList.checkRangeIndexes(startIndex, endIndex, source.size)\n  val rangeSize = endIndex - startIndex\n
AbstractList.checkRangeIndexes(destinationOffset, destinationOffset + rangeSize, destination.size)\n\n  if
(js("ArrayBuffer").isView(destination) && js("ArrayBuffer").isView(source)) {\n    val subrange =
source.asDynamic().subarray(startIndex, endIndex)\n    destination.asDynamic().set(subrange,
destinationOffset)\n  } else {\n    if (source !== destination || destinationOffset <= startIndex) {\n      for
(index in 0 until rangeSize) {\n        destination[destinationOffset + index] = source[startIndex + index]\n
      }\n    } else {\n      for (index in rangeSize - 1 downTo 0) {\n        destination[destinationOffset + index] =
source[startIndex + index]\n      }\n    }\n  }\n}\n\n// no singleton
map implementation in js, return map as is\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline fun
<K, V> Map<K, V>.toSingletonMapOrSelf(): Map<K, V> =
this\n\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline fun <K, V> Map<out K,
V>.toSingletonMap(): Map<K, V> = this.toMutableMap()\n\n@Suppress("NOTHING_TO_INLINE")\ninternal
actual inline fun <T> Array<out T>.copyToArrayOfAny(isVarargs: Boolean): Array<out Any?> =\n  if
(isVarargs)\n  // no need to copy vararg array in JS\n  this\n  else\n  this.copyOf()\n\n@PublishedApi\ninternal actual fun checkIndexOverflow(index: Int): Int {\n  if (index < 0)
{\n    throwIndexOverflow()\n  }\n  return index\n}\n\n@PublishedApi\ninternal actual fun
checkCountOverflow(count: Int): Int {\n  if (count < 0) {\n    throwCountOverflow()\n  }\n  return
count\n}\n\n\n/**\n * JS map and set implementations do not make use of capacities or load factors.\n
*\n@PublishedApi\ninternal actual fun mapCapacity(expectedSize:
Int) = expectedSize\n\n/**\n * Checks a collection builder function capacity argument.\n * In JS no validation is
made in Map/Set constructor yet.\n *\n@SinceKotlin("1.3")\n@PublishedApi\ninternal fun
checkBuilderCapacity(capacity: Int) {\n  require(capacity >= 0) { "capacity must be non-negative.\n"
}\n}\n\ninternal actual fun brittleContainsOptimizationEnabled(): Boolean = false\n\n/**\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\n/**\n * Returns the given iterator itself. This allows to use an instance of iterator in a `for`

```

```

loop.\n * @sample samples.collections.Iterators.iterator\n */\n@kotlin.internal.InlineOnly\npublic inline operator
fun <T> Iterator<T>.iterator(): Iterator<T> =
    this\n\n/**\n * Returns an [Iterator] that wraps each element produced by the original iterator\n * into an
[IndexValue] containing the index of that element and the element itself.\n */\n * @sample
samples.collections.Iterators.withIndexIterator\n */\npublic fun <T> Iterator<T>.withIndex():
Iterator<IndexedValue<T>> = IndexingIterator(this)\n\n/**\n * Performs the given [operation] on each element of
this [Iterator].\n */\n * @sample samples.collections.Iterators.forEachIterator\n */\npublic inline fun <T>
Iterator<T>.forEach(operation: (T) -> Unit): Unit {\n    for (element in this) operation(element)\n}\n\n/**\n *
Iterator transforming original `iterator` into iterator of [IndexedValue], counting index from zero.\n */\n\ninternal class
IndexingIterator<out T>(private val iterator: Iterator<T>) : Iterator<IndexedValue<T>> {\n    private var index =
0\n    final override fun hasNext(): Boolean = iterator.hasNext()\n    final override fun next(): IndexedValue<T> =
IndexedValue(checkIndexOverflow(index++),
    iterator.next())\n}\n\n", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("ComparisonsKt")\n\npackage
kotlin.comparisons\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\nimport kotlin.random.*\n\n/**\n * Returns the
greater of two values.\n */\n * If values are equal, returns the first one.\n */\n\n@SinceKotlin("1.1")\npublic expect
fun <T : Comparable<T>> maxOf(a: T, b: T): T\n\n/**\n * Returns the greater of two values.\n
*/\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte):
Byte\n\n/**\n * Returns the greater of two values.\n */\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic
expect inline fun maxOf(a: Short, b: Short): Short\n\n/**\n * Returns the greater of two values.\n
*/\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int): Int\n\n
* Returns the greater of two values.\n */\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline
fun maxOf(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n */\n * If either value is `NaN`,
returns `NaN`.\n */\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float,
b: Float): Float\n\n/**\n * Returns the greater of two values.\n */\n * If either value is `NaN`, returns `NaN`.\n
*/\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double):
Double\n\n/**\n * Returns the greater of three values.\n */\n * If there are multiple equal maximal values, returns the
first of them.\n */\n\n@SinceKotlin("1.1")\npublic expect fun <T : Comparable<T>> maxOf(a: T,
b: T, c: T): T\n\n/**\n * Returns the greater of three values.\n
*/\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte, c: Byte):
Byte\n\n/**\n * Returns the greater of three values.\n
*/\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short, c:
Short): Short\n\n/**\n * Returns the greater of three values.\n
*/\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int, c: Int):
Int\n\n/**\n * Returns the greater of three values.\n */\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic
expect inline fun maxOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the greater of three values.\n */\n * If
any value is `NaN`, returns `NaN`.\n */\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline
fun maxOf(a: Float, b: Float, c: Float): Float\n\n/**\n * Returns the greater of three values.\n */\n * If any value is
`NaN`, returns
`NaN`.\n */\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b:
Double, c: Double): Double\n\n/**\n * Returns the greater of three values according to the order specified by the
given [comparator].\n */\n * If there are multiple equal maximal values, returns the first of them.\n
*/\n\n@SinceKotlin("1.1")\npublic fun <T> maxOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {\n    return
maxOf(a, maxOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the greater of two values according to the
order specified by the given [comparator].\n */\n * If values are equal, returns the first one.\n

```

```

*\/n@SinceKotlin("1.1")\npublic fun <T> maxOf(a: T, b: T, comparator: Comparator<in T>): T {\n    return if
(comparator.compare(a, b) >= 0) a else b\n}\n\n**\n * Returns the greater of the given values.\n * \n * If there are
multiple equal maximal values, returns the first of them.\n *\/n@SinceKotlin("1.4")\npublic expect fun <T :
Comparable<T>>
    maxOf(a: T, vararg other: T): T\n\n**\n * Returns the greater of the given values.\n
*\/n@SinceKotlin("1.4")\npublic expect fun maxOf(a: Byte, vararg other: Byte): Byte\n\n**\n * Returns the
greater of the given values.\n *\/n@SinceKotlin("1.4")\npublic expect fun maxOf(a: Short, vararg other: Short):
Short\n\n**\n * Returns the greater of the given values.\n *\/n@SinceKotlin("1.4")\npublic expect fun maxOf(a:
Int, vararg other: Int): Int\n\n**\n * Returns the greater of the given values.\n *\/n@SinceKotlin("1.4")\npublic
expect fun maxOf(a: Long, vararg other: Long): Long\n\n**\n * Returns the greater of the given values.\n * \n *
If any value is `NaN`, returns `NaN`.\n *\/n@SinceKotlin("1.4")\npublic expect fun maxOf(a: Float, vararg other:
Float): Float\n\n**\n * Returns the greater of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n
*\/n@SinceKotlin("1.4")\npublic expect fun maxOf(a: Double, vararg other: Double): Double\n\n**\n * Returns
the
greater of the given values according to the order specified by the given [comparator].\n * \n * If there are multiple
equal maximal values, returns the first of them.\n *\/n@SinceKotlin("1.4")\npublic fun <T> maxOf(a: T, vararg
other: T, comparator: Comparator<in T>): T {\n    var max = a\n    for (e in other) if (comparator.compare(max, e) <
0) max = e\n    return max\n}\n\n**\n * Returns the smaller of two values.\n * \n * If values are equal, returns the
first one.\n *\/n@SinceKotlin("1.1")\npublic expect fun <T : Comparable<T>> minOf(a: T, b: T): T\n\n**\n *
Returns the smaller of two values.\n *\/n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline
fun minOf(a: Byte, b: Byte): Byte\n\n**\n * Returns the smaller of two values.\n
*\/n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short):
Short\n\n**\n * Returns the smaller of two values.\n
*\/n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic
expect inline fun minOf(a: Int, b: Int): Int\n\n**\n * Returns the smaller of two values.\n
*\/n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Long, b: Long):
Long\n\n**\n * Returns the smaller of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n
*\/n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float):
Float\n\n**\n * Returns the smaller of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n
*\/n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double):
Double\n\n**\n * Returns the smaller of three values.\n * \n * If there are multiple equal minimal values, returns the
first of them.\n *\/n@SinceKotlin("1.1")\npublic expect fun <T : Comparable<T>> minOf(a: T, b: T, c: T):
T\n\n**\n * Returns the smaller of three values.\n *\/n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic
expect inline fun minOf(a: Byte, b:
Byte, c: Byte): Byte\n\n**\n * Returns the smaller of three values.\n
*\/n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short, c:
Short): Short\n\n**\n * Returns the smaller of three values.\n
*\/n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int, c: Int):
Int\n\n**\n * Returns the smaller of three values.\n *\/n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic
expect inline fun minOf(a: Long, b: Long, c: Long): Long\n\n**\n * Returns the smaller of three values.\n * \n *
If any value is `NaN`, returns `NaN`.\n *\/n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline
fun minOf(a: Float, b: Float, c: Float): Float\n\n**\n * Returns the smaller of three values.\n * \n * If any value is
`NaN`, returns `NaN`.\n *\/n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a:
Double, b: Double, c: Double): Double\n\n**\n * Returns the
smaller of three values according to the order specified by the given [comparator].\n * \n * If there are multiple
equal minimal values, returns the first of them.\n *\/n@SinceKotlin("1.1")\npublic fun <T> minOf(a: T, b: T, c: T,
comparator: Comparator<in T>): T {\n    return minOf(a, minOf(b, c, comparator), comparator)\n}\n\n**\n *
Returns the smaller of two values according to the order specified by the given [comparator].\n * \n * If values are

```

```

equal, returns the first one.\n * \n @SinceKotlin("1.1")\npublic fun <T> minOf(a: T, b: T, comparator:
Comparator<in T>): T {\n    return if (comparator.compare(a, b) <= 0) a else b\n}\n\n/**\n * Returns the smaller of
the given values.\n * \n * If there are multiple equal minimal values, returns the first of them.\n
*\n @SinceKotlin("1.4")\npublic expect fun <T : Comparable<T>> minOf(a: T, vararg other: T): T\n\n/**\n *
Returns the smaller of the given values.\n * \n @SinceKotlin("1.4")\npublic expect fun minOf(a: Byte, vararg
other:
Byte): Byte\n\n/**\n * Returns the smaller of the given values.\n * \n @SinceKotlin("1.4")\npublic expect fun
minOf(a: Short, vararg other: Short): Short\n\n/**\n * Returns the smaller of the given values.\n
*\n @SinceKotlin("1.4")\npublic expect fun minOf(a: Int, vararg other: Int): Int\n\n/**\n * Returns the smaller of
the given values.\n * \n @SinceKotlin("1.4")\npublic expect fun minOf(a: Long, vararg other: Long):
Long\n\n/**\n * Returns the smaller of the given values.\n * \n * If any value is `NaN`, returns `NaN`. \n
*\n @SinceKotlin("1.4")\npublic expect fun minOf(a: Float, vararg other: Float): Float\n\n/**\n * Returns the
smaller of the given values.\n * \n * If any value is `NaN`, returns `NaN`. \n * \n @SinceKotlin("1.4")\npublic
expect fun minOf(a: Double, vararg other: Double): Double\n\n/**\n * Returns the smaller of the given values
according to the order specified by the given [comparator].\n * \n * If there are multiple equal minimal values,
returns the first
of them.\n * \n @SinceKotlin("1.4")\npublic fun <T> minOf(a: T, vararg other: T, comparator: Comparator<in
T>): T {\n    var min = a\n    for (e in other) if (comparator.compare(min, e) > 0) min = e\n    return
min\n}\n\n"/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n @file:kotlin.jvm.JvmMultifileClass\n @file:kotlin.jvm.JvmName("MapsKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns the first non-null value produced by
[transform] function being applied to entries of this map in iteration order,\n * or throws
[NoSuchElementException] if no non-null value was produced.\n * \n * \n *
@sample samples.collections.Collections.Transformations.firstNotNullOf\n
*\n @SinceKotlin("1.5")\n @kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Any> Map<out K,
V>.firstNotNullOf(transform: (Map.Entry<K, V>) -> R?): R {\n    return firstNotNullOfOrNull(transform) ?: throw
NoSuchElementException("No element of the map was transformed to a non-null value.")\n}\n\n/**\n * Returns
the first non-null value produced by [transform] function being applied to entries of this map in iteration order,\n
* or `null` if no non-null value was produced.\n * \n * \n * @sample
samples.collections.Collections.Transformations.firstNotNullOf\n
*\n @SinceKotlin("1.5")\n @kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Any> Map<out K,
V>.firstNotNullOfOrNull(transform: (Map.Entry<K, V>) -> R?): R? {\n    for (element in this) {\n        val result =
transform(element)\n        if (result != null) {\n            return result\n        }\n    }\n    return null\n}\n\n/**\n *
Returns a [List]
containing all key-value pairs.\n * \n @public fun <K, V> Map<out K, V>.toList(): List<Pair<K, V>> {\n    if (size
== 0)\n        return emptyList()\n    val iterator = entries.iterator()\n    if (!iterator.hasNext())\n        return
emptyList()\n    val first = iterator.next()\n    if (!iterator.hasNext())\n        return listOf(first.toPair())\n    val result =
ArrayList<Pair<K, V>>(size)\n    result.add(first.toPair())\n    do {\n        result.add(iterator.next().toPair())\n    }
while (iterator.hasNext())\n    return result\n}\n\n/**\n * Returns a single list of all elements yielded from results of
[transform] function being invoked on each entry of original map.\n * \n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n * \n @public inline fun <K, V, R> Map<out K,
V>.flatMap(transform: (Map.Entry<K, V>) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function
being invoked on each entry of original map.\n * \n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n

```

```

*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@kotlin.jvm.JvmName("flatMapSequence")^public inline fun <K, V, R> Map<out K,
V>.flatMap(transform: (Map.Entry<K, V>) -> Sequence<R>): List<R> {^n return flatMapTo(ArrayList<R>(),
transform)^n}^n/^n * Appends all elements yielded from results of [transform] function being invoked on each
entry of original map, to the given [destination].^n *^n^public inline fun <K, V, R, C : MutableCollection<in R>>
Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) -> Iterable<R>): C {^n for (element in
this) {^n val list = transform(element)^n destination.addAll(list)^n }^n return destination^n}^n/^n *
Appends all elements yielded from results of [transform] function being invoked on each entry of original
map, to the given [destination].^n
*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@kotlin.jvm.JvmName("flatMapSequenceTo")^public inline fun <K, V, R, C :
MutableCollection<in R>> Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) ->
Sequence<R>): C {^n for (element in this) {^n val list = transform(element)^n destination.addAll(list)^n
}^n return destination^n}^n/^n * Returns a list containing the results of applying the given [transform]
function^n * to each entry in the original map.^n * ^n * @sample
samples.collections.Maps.Transformations.mapToList^n *^n^public inline fun <K, V, R> Map<out K,
V>.map(transform: (Map.Entry<K, V>) -> R): List<R> {^n return mapTo(ArrayList<R>(size),
transform)^n}^n/^n * Returns a list containing only the non-null results of applying the given [transform]
function^n * to each entry in the original map.^n * ^n * @sample
samples.collections.Maps.Transformations.mapNotNull^n *^n^public inline fun <K, V, R : Any> Map<out K,
V>.mapNotNull(transform: (Map.Entry<K, V>) -> R?): List<R> {^n return mapNotNullTo(ArrayList<R>(),
transform)^n}^n/^n * Applies the given [transform] function to each entry in the original map^n * and appends
only the non-null results to the given [destination].^n *^n^public inline fun <K, V, R : Any, C : MutableCollection<in
R>> Map<out K, V>.mapNotNullTo(destination: C, transform: (Map.Entry<K, V>) -> R?): C {^n forEach {
element -> transform(element)?.let { destination.add(it) } }^n return destination^n}^n/^n * Applies the given
[transform] function to each entry of the original map^n * and appends the results to the given [destination].^n
*^n^public inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.mapTo(destination: C, transform:
(Map.Entry<K, V>) -> R): C {^n for (item in this)^n destination.add(transform(item))^n return
destination^n}^n/^n *
* Returns `true` if all entries match the given [predicate].^n * ^n * @sample
samples.collections.Collections.Aggregates.all^n *^n^public inline fun <K, V> Map<out K, V>.all(predicate:
(Map.Entry<K, V>) -> Boolean): Boolean {^n if (isEmpty()) return true^n for (element in this) if
(!predicate(element)) return false^n return true^n}^n/^n * Returns `true` if map has at least one entry.^n * ^n *
@sample samples.collections.Collections.Aggregates.any^n *^n^public fun <K, V> Map<out K, V>.any(): Boolean
{^n return !isEmpty()^n}^n/^n * Returns `true` if at least one entry matches the given [predicate].^n * ^n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate^n *^n^public inline fun <K, V> Map<out K,
V>.any(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {^n if (isEmpty()) return false^n for (element in
this) if (predicate(element)) return true^n return false^n}^n/^n * Returns the number of entries in this map.^n
*^n^@kotlin.internal.InlineOnly^n^public
inline fun <K, V> Map<out K, V>.count(): Int {^n return size^n}^n/^n * Returns the number of entries
matching the given [predicate].^n *^n^public inline fun <K, V> Map<out K, V>.count(predicate: (Map.Entry<K, V>)
-> Boolean): Int {^n if (isEmpty()) return 0^n var count = 0^n for (element in this) if (predicate(element))
++count^n return count^n}^n/^n * Performs the given [action] on each entry.^n
*^n^@kotlin.internal.HidesMembers^n^public inline fun <K, V> Map<out K, V>.forEach(action: (Map.Entry<K, V>)
-> Unit): Unit {^n for (element in this) action(element)^n}^n^@Deprecated("Use maxByOrNull instead.",
ReplaceWith("this.maxByOrNull(selector)"))^n^@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")^n^@kotlin.internal.InlineOnly^n^public inline fun <K, V, R : Comparable<R>>
Map<out K, V>.maxBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {^n return

```

```

maxByOrNull(selector)\n}\n\n/**\n
 * Returns the first entry yielding the largest value of the given function or `null` if there are no entries.\n * \n *
 @sample samples.collections.Collections.Aggregates.maxByOrNull\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out
K, V>.maxByOrNull(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n    return
entries.maxByOrNull(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each entry in the map.\n * \n * If any of values produced by [selector] function is `NaN`, the
returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxOf(selector:
(Map.Entry<K, V>) -> Double): Double {\n    return entries.maxOf(selector)\n}\n\n/**\n * Returns
the largest value among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * If
any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the map is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxOf(selector:
(Map.Entry<K, V>) -> Float): Float {\n    return entries.maxOf(selector)\n}\n\n/**\n * Returns the largest value
among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * @throws
NoSuchElementException if the map is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.maxOf(selector: (Map.Entry<K, V>) -> R):
R {\n    return entries.maxOf(selector)\n}\n\n/**\n * Returns the largest value among all values produced by
[selector] function\n * applied to each entry in the map or `null` if there are no entries.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> Double): Double? {\n    return
entries.maxOfOrNull(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each entry in the map or `null` if there are no entries.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <K, V> Map<out K, V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> Float): Float? {\n    return
entries.maxOfOrNull(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each entry in the map or `null` if there are no entries.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> R): R? {\n    return entries.maxOfOrNull(selector)\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each entry in the map.\n * \n * @throws NoSuchElementException if the map is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <K, V, R> Map<out K, V>.maxOfWith(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) ->
R): R {\n    return entries.maxOfWith(comparator, selector)\n}\n\n/**\n * Returns the largest value according to the
provided [comparator]\n * among all values produced by [selector] function applied to each entry in the map or
`null` if there are no entries.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,
V>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R? {\n  return
entries.maxOfWithOrNull(comparator, selector)\n}\n\n@Deprecated(\\"Use maxWithOrNull instead.\",
ReplaceWith(\\"this.maxWithOrNull(comparator)\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince
= \\"1.5\", hiddenSince = \\"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.maxWith(comparator:
Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n  return maxWithOrNull(comparator)\n}\n\n/**\n *
Returns the first entry having the largest value according to the provided [comparator] or `null` if there are no
entries.\n * \n\n@SinceKotlin(\\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.maxWithOrNull(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n  return
entries.maxWithOrNull(comparator)\n}\n\n@Deprecated(\\"Use minByOrNull instead.\",
ReplaceWith(\\"this.minByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince =
\\"1.5\", hiddenSince = \\"1.6\")\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.minBy(selector:
(Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n  return minByOrNull(selector)\n}\n\n/**\n * Returns the first
entry yielding the smallest value of the given function or `null` if there are no entries.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*\n\n@SinceKotlin(\\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out
K, V>.minByOrNull(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n  return
entries.minByOrNull(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each entry in the map.\n * \n * If any of values produced by [selector] function is `NaN`, the
returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is empty.\n
*\n\n@SinceKotlin(\\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.minOf(selector:
(Map.Entry<K, V>) -> Double): Double {\n  return entries.minOf(selector)\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * If any of values
produced by [selector] function is `NaN`, the
returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is empty.\n
*\n\n@SinceKotlin(\\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.minOf(selector:
(Map.Entry<K, V>) -> Float): Float {\n  return entries.minOf(selector)\n}\n\n/**\n * Returns the smallest value
among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * @throws
NoSuchElementException if the map is empty.\n
*\n\n@SinceKotlin(\\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.minOf(selector: (Map.Entry<K, V>) -> R): R {\n  return entries.minOf(selector)\n}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each entry in the map or `null` if
there are no entries.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n\n@SinceKotlin(\\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.minOfOrNull(selector: (Map.Entry<K, V>) -> Double): Double? {\n  return
entries.minOfOrNull(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each entry in the map or `null` if there are no entries.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*\n\n@SinceKotlin(\\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.minOfOrNull(selector: (Map.Entry<K, V>) -> Float): Float? {\n  return
entries.minOfOrNull(selector)\n}\n\n/**\n * Returns

```



the smallest value among all values produced by [selector] function\n \* applied to each entry in the map or `null` if there are no entries.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.minOfOrNull(selector: (Map.Entry<K, V>) -> R): R? {\n    return entries.minOfOrNull(selector)\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]\n * function applied to each entry in the map.\n * \n * @throws NoSuchElementException if the map is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K, V>.minOfWith(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R {\n    return entries.minOfWith(comparator, selector)\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each entry in the map or `null` if there are no entries.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K, V>.minOfWithOrNull(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R? {\n    return entries.minOfWithOrNull(comparator, selector)\n}\n\n@Deprecated("Use minWithOrNull instead.", ReplaceWith("this.minWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun <K, V> Map<out K, V>.minWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n    return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first entry having the smallest value according to the provided [comparator]\n
```

```
or `null` if there are no entries.\n *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.minWithOrNull(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n    return entries.minWithOrNull(comparator)\n}\n\n/**\n * Returns `true` if the map has no entries.\n * \n * @sample samples.collections.Collections.Aggregates.none\n *\npublic fun <K, V> Map<out K, V>.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if no entries match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun <K, V> Map<out K, V>.none(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n    if (isEmpty()) return true\n    for (element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Performs the given [action] on each entry and returns the map itself afterwards.\n *\n@SinceKotlin("1.1")\npublic inline fun <K, V, M : Map<out K, V>> M.onEach(action:\n
```

```
(Map.Entry<K, V>) -> Unit): M {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each entry, providing sequential index with the entry,\n * and returns the map itself afterwards.\n * \n * @param [action] function that takes the index of an entry and the entry itself\n * and performs the action on the entry.\n *\n@SinceKotlin("1.4")\npublic inline fun <K, V, M : Map<out K, V>> M.onEachIndexed(action: (index: Int, Map.Entry<K, V>) -> Unit): M {\n    return apply {\n
```

```
entries.forEachIndexed(action) }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original map returning its entries when being iterated.\n *\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.asIterable(): Iterable<Map.Entry<K, V>> {\n    return entries\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original map returning its entries when being iterated.\n *\npublic fun <K, V> Map<out K, V>.asSequence(): Sequence<Map.Entry<K, V>> {\n    return entries.asSequence()\n}\n\n"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\npackage kotlin.text\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See:\n
```

```
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n// 10 mappings totally\n\ninternal fun Char.titlecaseImpl(): String {\n    val uppercase = uppercase()\n    if (uppercase.length > 1) {\n        return if (this == '\u0149') uppercase else uppercase[0] + uppercase.substring(1).lowercase()\n    }\n    return\n
```

```
}\n\nreturn\n
```

```

titlecaseChar().toString()\n\n", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\npackage kotlin.text\n\n/**\n * Converts this character
to lower case using Unicode mapping rules of the invariant locale.\n */\n@Deprecated("Use lowercaseChar()
instead.", ReplaceWith("lowercaseChar()"))\n@DeprecatedSinceKotlin(warningSince =
"1.5")\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.toLowerCase(): Char =
lowercaseChar()\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant
locale.\n */\n * This function performs one-to-one character mapping.\n * To support one-to-many character
mapping use the [lowercase] function.\n * If this character has no mapping equivalent, the character itself is
returned.\n */\n * @sample samples.text.Chars.lowercase\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c actual inline fun Char.lowercaseChar(): Char = lowercase()[0]\n\n/**\n * Converts this character to lower case
using Unicode mapping rules of the invariant locale.\n */\n * This function supports one-to-many character mapping,
thus the length of the returned string can be greater than one.\n * For example, `'\u0130'.lowercase()` returns
`'\u0069\u0307'`,\n * where `'\u0130` is the LATIN CAPITAL LETTER I WITH DOT ABOVE character
(`\u0130`).\n * If this character has no lower case mapping, the result of `toString()` of this char is returned.\n */\n *
@sample samples.text.Chars.lowercase\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c actual inline fun Char.lowercase(): String = toString().asDynamic().toLowerCase().unsafeCast<String>()\n\n/**\n
 * Converts this character to upper case using Unicode mapping rules of the invariant locale.\n
*/\n@Deprecated("Use uppercaseChar() instead.",
ReplaceWith("uppercaseChar()"))\n@DeprecatedSinceKotlin(warningSince =
"1.5")\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.toUpperCase(): Char =
uppercaseChar()\n\n/**\n * Converts this character to upper case using Unicode mapping rules
of the invariant locale.\n */\n * This function performs one-to-one character mapping.\n * To support one-to-many
character mapping use the [uppercase] function.\n * If this character has no mapping equivalent, the character itself
is returned.\n */\n * @sample samples.text.Chars.uppercase\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Char.uppercaseChar(): Char {\n    val uppercase = uppercase()\n    return if (uppercase.length > 1) this else
uppercase[0]\n}\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the invariant
locale.\n */\n * This function supports one-to-many character mapping, thus the length of the returned string can be
greater than one.\n * For example, `'\uFB00'.uppercase()` returns `'\u0046\u0046'`,\n * where `'\uFB00` is the
LATIN SMALL LIGATURE FF character (`\ufb00`).\n * If this character has no upper case mapping, the result of
`toString()` of this char is returned.\n */\n * @sample
samples.text.Chars.uppercase\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c actual inline fun Char.uppercase(): String = toString().asDynamic().toUpperCase().unsafeCast<String>()\n\n/**\n
 * Converts this character to title case using Unicode mapping rules of the invariant locale.\n */\n * This function
performs one-to-one character mapping.\n * To support one-to-many character mapping use the [titlecase]
function.\n * If this character has no mapping equivalent, the result of calling [uppercaseChar] is returned.\n */\n *
@sample samples.text.Chars.titlecase\n
*/\n@SinceKotlin("1.5")\npublic actual fun Char.titlecaseChar(): Char =
titlecaseCharImpl()\n\n/**\n * Returns `true` if this character is a Unicode high-surrogate code unit (also known as
leading-surrogate code unit).\n */\n@kotlin.internal.InlineOnly\npublic actual fun Char.isHighSurrogate(): Boolean = this in
Char.MIN_HIGH_SURROGATE..Char.MAX_HIGH_SURROGATE\n\n/**\n * Returns `true` if this
character is a Unicode low-surrogate code unit (also known as trailing-surrogate code unit).\n */\n@kotlin.internal.InlineOnly\npublic actual fun
Char.isLowSurrogate(): Boolean = this in
Char.MIN_LOW_SURROGATE..Char.MAX_LOW_SURROGATE\n\n/**\n * Returns the Unicode general
category of this character.\n */\n@SinceKotlin("1.5")\npublic actual val Char.category: CharCategory\n    get() =

```

```

CharCategory.valueOf(getCategoryValue())\n\n**\n * Returns `true` if this character (Unicode code point) is
defined in Unicode.\n\n * A character is considered to be defined in Unicode if its [category] is not
[CharCategory.UNASSIGNED].\n\n * \n@SinceKotlin("1.5")\npublic actual fun Char.isDefined(): Boolean {\n    if
(this < "\u0080") {\n        return true\n    }\n    return getCategoryValue() !=
CharCategory.UNASSIGNED.value\n}\n\n**\n * Returns `true` if this character is a letter.\n\n * A character is
considered to be a letter if its [category] is [CharCategory.UPPERCASE_LETTER],\n\n *
[CharCategory.LOWERCASE_LETTER],
[CharCategory.TITLECASE_LETTER], [CharCategory.MODIFIER_LETTER], or
[CharCategory.OTHER_LETTER].\n\n * \n * @sample samples.text.Chars.isLetter\n
*\n@SinceKotlin("1.5")\npublic actual fun Char.isLetter(): Boolean {\n    if (this in 'a..'z' || this in 'A..'Z') {\n
return true\n    }\n    if (this < "\u0080") {\n        return false\n    }\n    return isLetterImpl()\n}\n\n**\n * Returns
`true` if this character is a letter or digit.\n\n * \n * @see isLetter\n\n * @see isDigit\n\n * \n * @sample
samples.text.Chars.isLetterOrDigit\n\n * \n@SinceKotlin("1.5")\npublic actual fun Char.isLetterOrDigit(): Boolean
{\n    if (this in 'a..'z' || this in 'A..'Z' || this in '0..'9') {\n        return true\n    }\n    if (this < "\u0080") {\n
return
false\n    }\n\n    return isDigitImpl() || isLetterImpl()\n}\n\n**\n * Returns `true` if this character is a digit.\n\n *
A character is considered to be a digit if its [category] is [CharCategory.DECIMAL_DIGIT_NUMBER].\n\n * \n *
@sample samples.text.Chars.isDigit\n
*\n@SinceKotlin("1.5")\npublic actual fun Char.isDigit(): Boolean {\n    if (this in '0..'9') {\n        return true\n
}\n    if (this < "\u0080") {\n        return false\n    }\n    return isDigitImpl()\n}\n\n**\n * Returns `true` if this
character is upper case.\n\n * A character is considered to be an upper case character if its [category] is
[CharCategory.UPPERCASE_LETTER],\n\n * or it has contributory property `Other_Uppercase` as defined by the
Unicode Standard.\n\n * \n * @sample samples.text.Chars.isUpperCase\n\n * \n@SinceKotlin("1.5")\npublic actual fun
Char.isUpperCase(): Boolean {\n    if (this in 'A..'Z') {\n        return true\n    }\n    if (this < "\u0080") {\n
return
false\n    }\n    return isUpperCaseImpl()\n}\n\n**\n * Returns `true` if this character is lower case.\n\n * A
character is considered to be a lower case character if its [category] is [CharCategory.LOWERCASE_LETTER],\n\n *
or it has contributory property `Other_Lowercase`
as defined by the Unicode Standard.\n\n * \n * @sample samples.text.Chars.isLowerCase\n
*\n@SinceKotlin("1.5")\npublic actual fun Char.isLowerCase(): Boolean {\n    if (this in 'a..'z') {\n        return
true\n    }\n    if (this < "\u0080") {\n        return false\n    }\n    return isLowerCaseImpl()\n}\n\n**\n * Returns
`true` if this character is a title case letter.\n\n * A character is considered to be a title case letter if its [category] is
[CharCategory.TITLECASE_LETTER].\n\n * \n * @sample samples.text.Chars.isTitleCase\n
*\n@SinceKotlin("1.5")\npublic actual fun Char.isTitleCase(): Boolean {\n    if (this < "\u0080") {\n        return
false\n    }\n    return getCategoryValue() == CharCategory.TITLECASE_LETTER.value\n}\n\n**\n * Returns
`true` if this character is an ISO control character.\n\n * A character is considered to be an ISO control character if
its [category] is [CharCategory.CONTROL],\n\n * meaning the Char is in the range `"\u0000..\u001F"`
or in the range `"\u007F..\u009F".\n\n * \n * @sample samples.text.Chars.isISOControl\n
*\n@SinceKotlin("1.5")\npublic actual fun Char.isISOControl(): Boolean {\n    return this <= "\u001F" || this in
"\u007F..\u009F"\n}\n\n**\n * Determines whether a character is whitespace according to the Unicode standard.\n\n *
Returns `true` if the character is whitespace.\n\n * \n * @sample samples.text.Chars.isWhitespace\n\n * \npublic actual
fun Char.isWhitespace(): Boolean = isWhitespaceImpl()", /*\n\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n\n * \n\n * \npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n**\n * Converts
the characters in the specified array to a string.\n\n * \n@SinceKotlin("1.2")\n@Deprecated("Use
CharArray.concatToString() instead",
ReplaceWith("chars.concatToString()"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5")\npublic actual fun String(chars: CharArray): String {\n    var result = ""\n    for (char in
chars) {\n        result += char\n    }\n    return result\n}\n\n**\n * Converts the characters from a portion of the
specified array to a string.\n\n * \n * @throws IndexOutOfBoundsException if either [offset] or [length] are less than

```

```

zero or `offset + length` is out of [chars] array bounds.
*/@SinceKotlin("1.2")@Deprecated("Use
CharArray.concatToString(startIndex, endIndex) instead", ReplaceWith("chars.concatToString(offset, offset +
length))")@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5")public actual fun String(chars:
CharArray, offset: Int, length: Int): String {
    if (offset < 0 || length < 0 || chars.size - offset < length)
        throw
IndexOutOfBoundsException("size: ${chars.size}; offset: $offset; length: $length")
    var result = ""
    for
(index in offset until offset + length) {
        result += chars[index]
    }
    return result
}

Concatenates characters in this [CharArray] into a String.
*/@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)public actual fun
CharArray.concatToString(): String {
    var result = ""
    for (char in this) {
        result += char
    }
    return result
}

Concatenates characters in this [CharArray] or its subrange into a String.
*/@param startIndex the beginning (inclusive) of the subrange of characters, 0 by default.
*/@param endIndex the end (exclusive) of the subrange of characters, size of this array by default.
*/@throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the size of this array.
*/@throws IllegalArgumentException if [startIndex] is greater than [endIndex].
*/@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")public actual fun CharArray.concatToString(startIndex:
Int = 0, endIndex: Int = this.size): String {
    AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)
    var result = ""
    for (index in startIndex until endIndex) {
        result += this[index]
    }
    return
result
}

Returns a [CharArray] containing characters of this string.
*/@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)public actual fun
String.toCharArray(): CharArray {
    return CharArray(length) { get(it) }
}

Returns a [CharArray]
containing characters of this string or its substring.
*/@param startIndex the beginning (inclusive) of the
substring, 0 by default.
*/@param endIndex the end (exclusive) of the substring, length of this string by default.
*/@throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length
of this string.
*/@throws IllegalArgumentException if [startIndex] is greater than [endIndex].
*/@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")public
actual fun String.toCharArray(startIndex: Int = 0, endIndex: Int = this.length): CharArray {
    AbstractList.checkBoundsIndexes(startIndex, endIndex, length)
    return CharArray(endIndex - startIndex) {
        get(startIndex + it)
    }
}

Decodes a string from the bytes in UTF-8 encoding in this array.
*/@throws Malformed byte sequences are replaced by the replacement char `      `.
*/@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)public actual fun
ByteArray.decodeToString(): String {
    return decodeUtf8(this, 0, size, false)
}

Decodes a string from
the bytes in UTF-8 encoding in this array or its subrange.
*/@param startIndex the beginning (inclusive) of the
subrange to decode, 0 by default.
*/@param endIndex the end (exclusive) of the subrange to decode, size of this
array by default.
*/@param throwOnInvalidSequence
specifies whether to throw an exception on malformed byte sequence or replace it by the replacement char
`      `.
*/@throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater
than the size of this array.
*/@throws IllegalArgumentException if [startIndex] is greater than [endIndex].
*/@throws CharacterCodingException if the byte array contains malformed UTF-8 byte sequence and
[throwOnInvalidSequence] is true.
*/@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")public actual fun ByteArray.decodeToString(
    startIndex: Int = 0,
    endIndex: Int = this.size,
    throwOnInvalidSequence: Boolean = false): String {
    AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)
    return decodeUtf8(this, startIndex, endIndex,
throwOnInvalidSequence)
}

Encodes this string to an array of bytes in UTF-8 encoding.
*/@param Any malformed char sequence is replaced by the replacement byte sequence.
*/@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)public actual fun

```

```

String.encodeToByteArray(): ByteArray {
    return encodeUtf8(this, 0, length, false)
}

/**
 * Encodes this string or its substring to an array of bytes in UTF-8 encoding.
 * @param startIndex the beginning (inclusive) of the substring to encode, 0 by default.
 * @param endIndex the end (exclusive) of the substring to encode, length of this string by default.
 * @param throwOnInvalidSequence specifies whether to throw an exception on malformed char sequence or replace.
 * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length of this string.
 * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].
 * @throws CharacterCodingException if this string contains malformed char sequence and [throwOnInvalidSequence] is true.
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
@Suppress("ACTUAL_FUNCTIONS_WITH_DEFAULT_ARGUMENTS")
public actual fun String.encodeToByteArray(
    startIndex: Int = 0,
    endIndex: Int = this.length,
    throwOnInvalidSequence: Boolean = false
): ByteArray {
    AbstractList.checkBoundsIndexes(startIndex, endIndex, length)
    return encodeUtf8(this, startIndex, endIndex, throwOnInvalidSequence)
}

/**
 * Returns a copy of this string converted to upper case using the rules of the default locale.
 */
@Deprecated("Use uppercase() instead.")
@DeprecatedSinceKotlin(warningSince = "1.5")
@kotlin.internal.InlineOnly
public actual inline fun String.toUpperCase(): String =
    asDynamic().toUpperCase()

/**
 * Returns a copy of this string converted to upper case using Unicode mapping rules of the invariant locale.
 * This function supports one-to-many and many-to-one character mapping, thus the length of the returned string can be different from the length of the original string.
 * @sample samples.text.Strings.uppercase
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public actual inline fun String.toUpperCase(): String =
    asDynamic().toUpperCase()

/**
 * Returns a copy of this string converted to lower case using the rules of the default locale.
 */
@Deprecated("Use lowercase() instead.")
@DeprecatedSinceKotlin(warningSince = "1.5")
@kotlin.internal.InlineOnly
public actual inline fun String.toLowerCase(): String =
    asDynamic().toLowerCase()

/**
 * Returns a copy of this string converted to lower case using Unicode mapping rules of the invariant locale.
 * This function supports one-to-many and many-to-one character mapping, thus the length of the returned string can be different from the length of the original string.
 * @sample samples.text.Strings.lowercase
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public actual inline fun String.toLowerCase(): String =
    asDynamic().toLowerCase()

@kotlin.internal.InlineOnly
@kotlin.internal.InlineOnly
internal actual inline fun String.nativeIndexOf(str: String, fromIndex: Int): Int =
    asDynamic().indexOf(str, fromIndex)

@kotlin.internal.InlineOnly
@kotlin.internal.InlineOnly
internal actual inline fun String.nativeLastIndexOf(str: String, fromIndex: Int): Int =
    asDynamic().lastIndexOf(str, fromIndex)

@kotlin.internal.InlineOnly
@kotlin.internal.InlineOnly
internal inline fun String.nativeStartsWith(s: String, position: Int): Boolean =
    asDynamic().startsWith(s, position)

@kotlin.internal.InlineOnly
@kotlin.internal.InlineOnly
internal inline fun String.nativeEndsWith(s: String): Boolean =
    asDynamic().endsWith(s)

@kotlin.internal.InlineOnly
public actual inline fun String.substring(startIndex: Int): String =
    asDynamic().substring(startIndex)

@kotlin.internal.InlineOnly
public actual inline fun String.substring(startIndex: Int, endIndex: Int): String =
    asDynamic().substring(startIndex, endIndex)

@Deprecated("Use String.plus() instead")
@DeprecatedSinceKotlin(warningSince = "1.6")
@kotlin.internal.InlineOnly
public inline fun String.concat(str: String): String =
    asDynamic().concat(str)

@Deprecated("Use Regex.findAll() instead or invoke matches() on String dynamically: this.asDynamic().match(regex)")
@DeprecatedSinceKotlin(warningSince = "1.6")
@kotlin.internal.InlineOnly
public inline fun String.match(regex: String): Array<String>? =
    asDynamic().match(regex)

//native public fun String.trim(): String
//TODO: String.replace to implement

```

```

effective trimLeading and trimTrailing\n\n@kotlin.internal.InlineOnly\ninternal inline fun
String.nativeReplace(pattern: RegExp, replacement: String): String = asDynamic().replace(pattern,
replacement)\n\n/**\n * Compares two strings lexicographically, optionally ignoring case differences.\n * If
[ignoreCase] is true, the result of `Char.uppercaseChar().lowercaseChar()`
on each character is compared.\n
*/\n@SinceKotlin("1.2")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun String.compareTo(other: String, ignoreCase: Boolean = false): Int {\n    if (ignoreCase) {\n        val n1 =
this.length\n        val n2 = other.length\n        val min = minOf(n1, n2)\n        if (min == 0) return n1 - n2\n        for
(index in 0 until min) {\n            var thisChar = this[index]\n            var otherChar = other[index]\n            if
(thisChar != otherChar) {\n                thisChar = thisChar.uppercaseChar()\n                otherChar =
otherChar.uppercaseChar()\n                if (thisChar != otherChar) {\n                    thisChar =
thisChar.lowercaseChar()\n                    otherChar = otherChar.lowercaseChar()\n                    if (thisChar !=
otherChar) {\n                        return thisChar.compareTo(otherChar)\n                    }\n                }\n            }\n        }\n        return n1 - n2\n    } else {\n        return compareTo(other)\n    }\n}\n\n/**\n * Returns `true` if the
contents of this char sequence are equal to the contents of the specified [other],\n * i.e. both char sequences contain
the same number of the same characters in the same order.\n */\n * @sample samples.text.Strings.contentEquals\n
*/\n@SinceKotlin("1.5")\npublic actual infix fun CharSequence?.contentEquals(other: CharSequence?): Boolean =
contentEqualsImpl(other)\n\n/**\n * Returns `true` if the contents of this char sequence are equal to the contents of
the specified [other], optionally ignoring case difference.\n */\n * @param ignoreCase `true` to ignore character case
when comparing contents.\n */\n * @sample samples.text.Strings.contentEquals\n */\n@SinceKotlin("1.5")\npublic
actual fun CharSequence?.contentEquals(other: CharSequence?, ignoreCase: Boolean): Boolean {\n    return if
(ignoreCase)\n        this.contentEqualsIgnoreCaseImpl(other)\n    else\n        this.contentEqualsImpl(other)\n}\n\nprivate val STRING_CASE_INSENSITIVE_ORDER =
Comparator<String> { a, b -> a.compareTo(b, ignoreCase = true) }\n\n@SinceKotlin("1.2")\npublic actual val
String.Companion.CASE_INSENSITIVE_ORDER: Comparator<String>\n    get() =
STRING_CASE_INSENSITIVE_ORDER\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CharsKt")\n\npackage kotlin.text\n\n/**\n
 * Returns the numeric value of the decimal digit that this Char represents.\n * Throws an exception if this Char is
not a valid decimal digit.\n */\n * A Char is considered to represent a decimal digit if [isDigit] is true for the Char.\n
 * In this case, the Unicode decimal digit value of the character is returned.\n */\n * @sample
samples.text.Chars.digitToInt\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
fun Char.digitToInt(): Int {\n    return digitOf(this, 10).also {\n        if (it < 0) throw
IllegalArgumentException("Char $this is not a decimal digit")\n    }\n}\n\n/**\n * Returns the numeric value of the
digit that this Char represents in the specified [radix].\n * Throws an exception if the [radix] is not in the range
`2..36` or if this Char is not a valid digit in the specified [radix].\n */\n * A Char is considered to represent a digit in
the specified [radix] if at least one of the following is true:\n * - [isDigit] is `true` for the Char and the Unicode
decimal digit value of the character is less than the specified [radix]. In this case the decimal digit value is
returned.\n * - The Char is one of the uppercase Latin letters 'A' through 'Z' and its [code] is less than `radix +
'A'.code - 10`. In this case, `this.code - 'A'.code + 10` is returned.\n * - The Char is one of the lowercase Latin
letters 'a' through
'z' and its [code] is less than `radix + 'a'.code - 10`. In this case, `this.code - 'a'.code + 10` is returned.\n * - The
Char is one of the fullwidth Latin capital letters "\uFF21" through "\uFF3A" and its [code] is less than `radix +
0xFF21 - 10`. In this case, `this.code - 0xFF21 + 10` is returned.\n * - The Char is one of the fullwidth Latin small
letters "\uFF41" through "\uFF5A" and its [code] is less than `radix + 0xFF41 - 10`. In this case, `this.code - 0xFF41
+ 10` is returned.\n */\n * @sample samples.text.Chars.digitToInt\n

```

```

*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Char.digitToInt(radix:
Int): Int {\n    return digitToIntOrNull(radix) ?: throw IllegalArgumentException("\Char $this is not a digit in the
given radix=$radix")\n}\n\n/**\n * Returns the numeric value of the decimal digit that this Char represents, or
`null` if this Char is not a valid decimal digit.\n * A Char is considered to represent a decimal digit
if [isDigit] is true for the Char.\n * In this case, the Unicode decimal digit value of the character is returned.\n *\n *
@sample samples.text.Chars.digitToIntOrNull\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
Char.digitToIntOrNull(): Int? {\n    return digitOf(this, 10).takeIf { it >= 0 }\n}\n\n/**\n * Returns the numeric
value of the digit that this Char represents in the specified [radix], or `null` if this Char is not a valid digit in the
specified [radix].\n * Throws an exception if the [radix] is not in the range `2..36`.\n *\n * A Char is considered to
represent a digit in the specified [radix] if at least one of the following is true:\n * - [isDigit] is `true` for the Char
and the Unicode decimal digit value of the character is less than the specified [radix]. In this case the decimal digit
value is returned.\n * - The Char is one of the uppercase Latin letters 'A' through 'Z' and its [code] is less than `radix
+ 'A'.code - 10`. In
this case, `this.code - 'A'.code + 10` is returned.\n * - The Char is one of the lowercase Latin letters 'a' through 'z'
and its [code] is less than `radix + 'a'.code - 10`. In this case, `this.code - 'a'.code + 10` is returned.\n * - The Char is
one of the fullwidth Latin capital letters '\uFF21' through '\uFF3A' and its [code] is less than `radix + 0xFF21 - 10`.
In this case, `this.code - 0xFF21 + 10` is returned.\n * - The Char is one of the fullwidth Latin small letters '\uFF41'
through '\uFF5A' and its [code] is less than `radix + 0xFF41 - 10`. In this case, `this.code - 0xFF41 + 10` is
returned.\n *\n * @sample samples.text.Chars.digitToIntOrNull\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
Char.digitToIntOrNull(radix: Int): Int? {\n    checkRadix(radix)\n    return digitOf(this, radix).takeIf { it >= 0
}\n}\n\n/**\n * Returns the Char that represents this decimal digit.\n * Throws an exception if this value is not in the
range
`0..9`.\n *\n * If this value is in `0..9`, the decimal digit Char with code `0'.code + this` is returned.\n *\n *
@sample samples.text.Chars.digitToChar\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Int.digitToChar(): Char
{\n    if (this in 0..9) {\n        return '0' + this\n    }\n    throw IllegalArgumentException("\Int $this is not a decimal
digit")\n}\n\n/**\n * Returns the Char that represents this numeric digit value in the specified [radix].\n * Throws
an exception if the [radix] is not in the range `2..36` or if this value is not in the range `0 until radix`.\n *\n * If this
value is less than `10`, the decimal digit Char with code `0'.code + this` is returned.\n * Otherwise, the uppercase
Latin letter with code `A'.code + this - 10` is returned.\n *\n * @sample samples.text.Chars.digitToChar\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Int.digitToChar(radix:
Int): Char {\n    if (radix
!in 2..36) {\n        throw IllegalArgumentException("Invalid radix: $radix. Valid radix values are in range 2..36")\n    }\n
    if (this < 0 || this >= radix) {\n        throw IllegalArgumentException("Digit $this does not represent a valid
digit in radix $radix")\n    }\n    return if (this < 10) {\n        '0' + this\n    } else {\n        'A' + this - 10\n
}\n}\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant locale.\n *\n *
@sample samples.text.Chars.lowercase\n
*\n@Deprecated("Use lowercaseChar() instead.")\n
ReplaceWith("lowercaseChar()")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic expect fun
Char.toLowerCase(): Char\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the
invariant locale.\n *\n * This function performs one-to-one character mapping.\n * To support one-to-many
character mapping use the [lowercase] function.\n * If this character has no mapping equivalent, the character itself
is returned.\n *\n * @sample samples.text.Chars.lowercase\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Char.lowercaseChar(): Char\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the
invariant locale.\n *\n * This function supports one-to-many character mapping, thus the length of the returned
string can be greater than one.\n * For example, `'\u0130'.lowercase()` returns `"\u0069\u0307"`,\n *\n * where

```

`̀\u0130`` is the LATIN CAPITAL LETTER I WITH DOT ABOVE character (`̀\ufffd\uuffd``).  
 If this character has no lower case mapping, the result of `toString()` of this char is returned.  
 @sample samples.text.Chars.lowercase

```

*^@SinceKotlin("1.5")^@WasExperimental(ExperimentalStdlibApi::class)^public expect fun
Char.lowercase(): String^
* Converts this character to upper case using Unicode mapping rules of the
invariant locale.
*^@Deprecated("Use uppercaseChar() instead.",
ReplaceWith("uppercaseChar()"))^@DeprecatedSinceKotlin(warningSince
= "1.5")^public expect fun Char.toUpperCase(): Char^
* Converts this character to upper case using
Unicode mapping rules of the invariant locale.
* This function performs one-to-one character mapping.
* To support one-to-many character mapping use the [uppercase] function.
* If this character has no mapping
equivalent, the character itself is returned.
* @sample samples.text.Chars.uppercase
*^@SinceKotlin("1.5")^@WasExperimental(ExperimentalStdlibApi::class)^public expect fun
Char.uppercaseChar(): Char^
* Converts this character to upper case using Unicode mapping rules of the
invariant locale.
* This function supports one-to-many character mapping, thus the length of the returned
string can be greater than one.
* For example, ̀\uFB00'.uppercase() returns ̀\u0046\u0046`, where
̀\uFB00` is the LATIN SMALL LIGATURE FF character (̀\ufffd\uuffd\uuffd`).
* If this character has no upper
case mapping,
the result of toString() of this char is returned.
* @sample samples.text.Chars.uppercase
*^@SinceKotlin("1.5")^@WasExperimental(ExperimentalStdlibApi::class)^public expect fun
Char.uppercase(): String^
* Converts this character to title case using Unicode mapping rules of the
invariant locale.
* This function performs one-to-one character mapping.
* To support one-to-many
character mapping use the [titlecase] function.
* If this character has no mapping equivalent, the result of calling
[uppercaseChar] is returned.
* @sample samples.text.Chars.titlecase
*^@SinceKotlin("1.5")^public
expect fun Char.titlecaseChar(): Char^
* Converts this character to title case using Unicode mapping rules of
the invariant locale.
* This function supports one-to-many character mapping, thus the length of the returned
string can be greater than one.
* For example, ̀\uFB00'.titlecase() returns ̀\u0046\u0066`, where
̀\uFB00`
is the LATIN SMALL LIGATURE FF character (̀\ufffd\uuffd\uuffd`).
* If this character has no title case
mapping, the result of [uppercase] is returned instead.
* @sample samples.text.Chars.titlecase
*^@SinceKotlin("1.5")^public fun Char.titlecase(): String = titlecaseImpl()^
* Concatenates this Char
and a String.
* @sample samples.text.Chars.plus
*^@kotlin.internal.InlineOnly^public inline operator fun
Char.plus(other: String): String = this.toString() + other^
* Returns `true` if this character is equal to the
[other] character, optionally ignoring character case.
* Two characters are considered equal ignoring case if
Char.uppercaseChar().lowercaseChar() on each character produces the same result.
* @param ignoreCase
`true` to ignore character case when comparing characters. By default `false`.
* @sample
samples.text.Chars.equals
*^public fun Char.equals(other: Char, ignoreCase: Boolean = false): Boolean {
if
(this ==
other) return true
if (!ignoreCase) return false
val thisUpper = this.uppercaseChar()
val otherUpper =
other.uppercaseChar()
return thisUpper == otherUpper || thisUpper.lowercaseChar() ==
otherUpper.lowercaseChar()
}
* Returns `true` if this character is a Unicode surrogate code unit.
*^public fun Char.isSurrogate(): Boolean = this in Char.MIN_SURROGATE..Char.MAX_SURROGATE^
* Returns the Unicode general category of this character.
*^@SinceKotlin("1.5")^public expect val
Char.category: CharCategory^
* Returns `true` if this character (Unicode code point) is defined in
Unicode.
* A character is considered to be defined in Unicode if its [category] is not
[CharCategory.UNASSIGNED].
*^@SinceKotlin("1.5")^public expect fun Char.isDefined():
Boolean^
* Returns `true` if this character is a letter.
* A character is considered to be a letter if its
[category] is [CharCategory.UPPERCASE_LETTER], [CharCategory.LOWERCASE_LETTER],

```



```
[CharCategory.TITLECASE_LETTER], [CharCategory.MODIFIER_LETTER], or
[CharCategory.OTHER_LETTER].\n * \n * @sample samples.text.Chars.isLetter\n
*\n@\n@SinceKotlin("\n1.5\n")\npublic expect fun Char.isLetter(): Boolean\n\n/>\n * Returns `true` if this character is a
letter or digit.\n * \n * @see isLetter\n * @see isDigit\n * \n * @sample samples.text.Chars.isLetterOrDigit\n
*\n@\n@SinceKotlin("\n1.5\n")\npublic expect fun Char.isLetterOrDigit(): Boolean\n\n/>\n * Returns `true` if this
character is a digit.\n * \n * A character is considered to be a digit if its [category] is
[CharCategory.DECIMAL_DIGIT_NUMBER].\n * \n * @sample samples.text.Chars.isDigit\n
*\n@\n@SinceKotlin("\n1.5\n")\npublic expect fun Char.isDigit(): Boolean\n\n/>\n * Returns `true` if this character is
upper case.\n * \n * A character is considered to be an upper case character if its [category] is
[CharCategory.UPPERCASE_LETTER],\n * or it has contributory property `Other_Uppercase` as defined by the
Unicode Standard.\n * \n * @sample samples.text.Chars.isUpperCase\n *\n@\n@SinceKotlin("\n1.5\n")\npublic expect
fun Char.isUpperCase(): Boolean\n\n/>\n * Returns `true` if this character is lower case.\n * \n * A character is
considered to be a lower case character if its [category] is [CharCategory.LOWERCASE_LETTER],\n * or it has
contributory property `Other_Lowercase` as defined by the Unicode Standard.\n * \n * @sample
samples.text.Chars.isLowerCase\n *\n@\n@SinceKotlin("\n1.5\n")\npublic expect fun Char.isLowerCase():
Boolean\n\n/>\n * Returns `true` if this character is a title case letter.\n * \n * A character is considered to be a title
case letter if its [category] is [CharCategory.TITLECASE_LETTER].\n * \n * @sample
samples.text.Chars.isTitleCase\n *\n@\n@SinceKotlin("\n1.5\n")\npublic expect fun Char.isTitleCase(): Boolean\n\n/>\n
* Returns `true` if this character is an ISO control character.\n * \n * A character is considered to be an ISO control
character if its [category] is [CharCategory.CONTROL],\n
* meaning the Char is in the range ``\u0000'..' \u001F` or in the range ``\u007F'..' \u009F`. \n * \n * @sample
samples.text.Chars.isISOControl\n *\n@\n@SinceKotlin("\n1.5\n")\npublic expect fun Char.isISOControl():
Boolean\n\n/>\n * Determines whether a character is whitespace according to the Unicode standard.\n * Returns
`true` if the character is whitespace.\n * \n * @sample samples.text.Chars.isWhitespace\n *\n\npublic expect fun
Char.isWhitespace(): Boolean\n","/\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\npackage kotlin\n\n/>\n * Creates a Char with the specified [code], or throws an
exception if the [code] is out of `Char.MIN_VALUE.code`..`Char.MAX_VALUE.code`. \n * \n * If the program that
calls this function is written in a way that only valid [code] is passed as the argument,\n * using the overload
that takes a [UShort] argument is preferable (`Char(intValue.toUShort())`).\n * That overload doesn't check validity
of the argument, and may improve program performance when the function is called routinely inside a loop.\n * \n *
@sample samples.text.Chars.charFromCode\n
*\n@\n@SinceKotlin("\n1.5\n")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Char(code: Int): Char { \n if (code < Char.MIN_VALUE.code || code > Char.MAX_VALUE.code) {\n
throw IllegalArgumentException("\nInvalid Char code: $code\n")\n } \n return code.toChar()\n}\n\n/>\n *
Creates a Char with the specified [code].\n * \n * @sample samples.text.Chars.charFromCode\n
*\n@\n@SinceKotlin("\n1.5\n")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("\nNO_ACTUAL_FOR
_EXPECT\n")\npublic expect fun Char(code: UShort): Char\n\n/>\n * Returns the code of this Char.\n * \n * Code of
a Char is the value it was constructed with, and the UTF-16 code unit corresponding to
this Char.\n * \n * @sample samples.text.Chars.code\n
*\n@\n@SinceKotlin("\n1.5\n")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\n@Su
ppress("\nDEPRECATION\n")\npublic inline val Char.code: Int get() = this.toInt()\n","/\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("\nSequencesKt\n")\n\npackage
kotlin.sequences\n\n/\n\n NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n/\n\nimport kotlin.random.\n*\n\n/>\n * Returns
`true` if [element] is found in the sequence.\n * \n * The operation is _terminal_.\n *\n\npublic operator fun
```

```

<@kotlin.internal.OnlyInputTypes T> Sequence<T>.contains(element: T): Boolean {
    return indexOf(element)
    >= 0
}

Returns
an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this
sequence.

The operation is _terminal_.

@sample
samples.collections.Collections.Elements.elementAt

public fun <T> Sequence<T>.elementAt(index: Int): T
{
    return elementAtOrElse(index) { throw IndexOutOfBoundsException("Sequence doesn't contain element at
    index $index.") }
}

Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this sequence.

The operation is _terminal_.

@sample
samples.collections.Collections.Elements.elementAtOrElse

public fun <T>
Sequence<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T
{
    if (index < 0)
        return
        defaultValue(index)
    val iterator = iterator()
    var count = 0
    while (iterator.hasNext())
    {
        val element
        = iterator.next()
        if (index == count++)
            return element
    }
    return defaultValue(index)
}

Returns an element at the given [index] or `null`
if the [index] is out of bounds of this sequence.

The operation is _terminal_.

@sample
samples.collections.Collections.Elements.elementAtOrNull

public fun <T>
Sequence<T>.elementAtOrNull(index: Int): T?
{
    if (index < 0)
        return null
    val iterator = iterator()
    var count = 0
    while (iterator.hasNext())
    {
        val element = iterator.next()
        if (index == count++)
            return element
    }
    return null
}

Returns the first element matching the given [predicate], or `null`
if no such element was found.

The operation is _terminal_.

@sample
samples.collections.Collections.Elements.find

@kotlin.internal.InlineOnly
public inline fun <T>
Sequence<T>.find(predicate: (T) -> Boolean): T?
{
    return firstOrNull(predicate)
}

Returns the last
element matching the
given [predicate], or `null` if no such element was found.

The operation is _terminal_.

@sample
samples.collections.Collections.Elements.find

@kotlin.internal.InlineOnly
public inline fun <T>
Sequence<T>.findLast(predicate: (T) -> Boolean): T?
{
    return lastOrNull(predicate)
}

Returns first
element.

@throws [NoSuchElementException] if the sequence is empty.

The operation is _terminal_.

public fun <T> Sequence<T>.first(): T
{
    val iterator = iterator()
    if (!iterator.hasNext())
        throw
        NoSuchElementException("Sequence is empty.")
    return iterator.next()
}

Returns the first element
matching the given [predicate].

@throws [NoSuchElementException] if no such element is found.

The
operation is _terminal_.

public inline fun <T> Sequence<T>.first(predicate: (T) -> Boolean): T
{
    for
    (element in this) if (predicate(element)) return element
    throw NoSuchElementException("Sequence
    contains no element matching the predicate.")
}

Returns the first non-null value produced by
[transform] function being applied to elements of this sequence in iteration order,
or throws
[NoSuchElementException] if no non-null value was produced.

The operation is _terminal_.

@sample
samples.collections.Collections.Transformations.firstNotNullOf

@SinceKotlin("1.5")
@kotlin.internal.InlineOnly
public inline fun <T, R : Any>
Sequence<T>.firstNotNullOf(transform: (T) -> R?): R
{
    return firstNotNullOfOrNull(transform) ?: throw
    NoSuchElementException("No element of the sequence was transformed to a non-null value.")
}

Returns the first non-null value produced by [transform] function being applied to elements of this sequence in
iteration order,
or `null` if no non-null value was produced.

The operation is _terminal_.

@sample
samples.collections.Collections.Transformations.firstNotNullOf

@SinceKotlin("1.5")
@kotlin.internal.InlineOnly
public
inline fun <T, R : Any> Sequence<T>.firstNotNullOfOrNull(transform: (T) -> R?): R?
{
    for (element in this)
    {
        val result = transform(element)
        if (result != null)
            return result
    }
    return
    null
}

Returns the first element, or `null` if the sequence is empty.

The operation is _terminal_.

public fun <T> Sequence<T>.firstOrNull(): T?
{
    val iterator = iterator()
    if (!iterator.hasNext())
        return null
    return iterator.next()
}

Returns the first element matching the given [predicate], or `null`
if element was not found.

The operation is _terminal_.

public inline fun <T>

```

```

Sequence<T>.firstOrNull(predicate: (T) -> Boolean): T? {
    for (element in this) if (predicate(element)) return element
    return null
}

Returns first index of [element], or -1 if the sequence does not contain element.

The operation is _terminal_.

public fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.indexOf(element: T): Int {
    var index = 0
    for (item in this) {
        checkIndexOverflow(index)
        if (element == item) return index
        index++
    }
    return -1
}

Returns index of the first element matching the given [predicate], or -1 if the sequence does not contain such element.

The operation is _terminal_.

public inline fun <T> Sequence<T>.indexOfFirst(predicate: (T) -> Boolean): Int {
    var index = 0
    for (item in this) {
        checkIndexOverflow(index)
        if (predicate(item)) return index
        index++
    }
    return -1
}

Returns index of the last element matching the given [predicate], or -1 if the sequence does not contain such element.

The operation is _terminal_.

public inline fun <T> Sequence<T>.indexOfLast(predicate: (T) -> Boolean): Int {
    var lastIndex = -1
    var index = 0
    for (item in this) {
        checkIndexOverflow(index)
        if (predicate(item))
            lastIndex = index
        index++
    }
    return lastIndex
}

Returns the last element.

The operation is _terminal_.

@throws NoSuchElementException if the sequence is empty.

@sample samples.collections.Collections.Elements.last

public fun <T> Sequence<T>.last(): T {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException("Sequence is empty.")
    var last = iterator.next()
    while (iterator.hasNext()) last = iterator.next()
    return last
}

Returns the last element matching the given [predicate].

The operation is _terminal_.

@throws NoSuchElementException if no such element is found.

@sample samples.collections.Collections.Elements.last

public inline fun <T> Sequence<T>.last(predicate: (T) -> Boolean): T {
    var last: T? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            last = element
            found = true
        }
    }
    if (!found) throw NoSuchElementException("Sequence contains no element matching the predicate.")
    @Suppress("UNCHECKED_CAST") return last as T
}

Returns last index of [element], or -1 if the sequence does not contain element.

The operation is _terminal_.

public fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.lastIndexOf(element: T): Int {
    var lastIndex = -1
    var index = 0
    for (item in this) {
        checkIndexOverflow(index)
        if (element == item)
            lastIndex = index
        index++
    }
    return lastIndex
}

Returns the last element, or `null` if the sequence is empty.

The operation is _terminal_.

@sample samples.collections.Collections.Elements.last

public fun <T> Sequence<T>.lastOrNull(): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var last = iterator.next()
    while (iterator.hasNext()) last = iterator.next()
    return last
}

Returns the last element matching the given [predicate], or `null` if no such element was found.

The operation is _terminal_.

@sample samples.collections.Collections.Elements.last

public inline fun <T> Sequence<T>.lastOrNull(predicate: (T) -> Boolean): T? {
    var last: T? = null
    for (element in this) {
        if (predicate(element)) last = element
    }
    return last
}

Returns the single element, or throws an exception if the sequence is empty or has more than one element.

The operation is _terminal_.

public fun <T> Sequence<T>.single(): T {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException("Sequence is empty.")
    val single = iterator.next()
    if (iterator.hasNext()) throw IllegalArgumentException("Sequence has more than one element.")
    return single
}

Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.

The operation is _terminal_.

public inline fun <T> Sequence<T>.single(predicate: (T) -> Boolean): T {
    var single: T? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) throw IllegalArgumentException("Sequence contains more than one matching element.")
            single = element
            found = true
        }
    }
    if (!found) throw NoSuchElementException("Sequence contains no element matching the predicate.")
    @Suppress("UNCHECKED_CAST") return single as T
}

Returns single element, or `null` if the

```

sequence is empty or has more than one element.

```

    * The operation is _terminal_.
    * public fun <T> Sequence<T>.singleOrNull(): T? {
        val iterator = iterator()
        if (!iterator.hasNext()) return null
        val single = iterator.next()
        if (iterator.hasNext()) return null
        return single
    }
    * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.
    * The operation is _terminal_.
    * public inline fun <T> Sequence<T>.singleOrNull(predicate: (T) -> Boolean): T? {
        var single: T? = null
        var found = false
        for (element in this) {
            if (predicate(element)) {
                if (found) return null
                single = element
                found = true
            }
        }
        if (!found) return null
        return single
    }
    * Returns a sequence containing all elements except first [n] elements.
    * The operation is _intermediate_ and _stateless_.
    * @throws IllegalArgumentException if [n] is negative.
    * @sample samples.collections.Collections.Transformations.drop
    * public fun <T> Sequence<T>.drop(n: Int): Sequence<T> {
        require(n >= 0) { "\"Requested element count $n is less than zero.\""}
        return when {
            n == 0 -> this
            else -> DropSequence(this, n)
        }
    }
    * Returns a sequence containing all elements except first elements that satisfy the given [predicate].
    * The operation is _intermediate_ and _stateless_.
    * @sample samples.collections.Collections.Transformations.dropWhile
    * public fun <T> Sequence<T>.dropWhile(predicate: (T) -> Boolean): Sequence<T> {
        return DropWhileSequence(this, predicate)
    }
    * Returns a sequence containing only elements matching the given [predicate].
    * The operation is _intermediate_ and _stateless_.
    * @sample samples.collections.Collections.Filtering.filter
    * public fun <T> Sequence<T>.filter(predicate: (T) -> Boolean): Sequence<T> {
        return FilteringSequence(this, true, predicate)
    }
    * Returns a sequence containing only elements matching the given [predicate].
    * @param [predicate] function that takes the index of an element and the element itself
    * and returns the result of predicate evaluation on the element.
    * The operation is _intermediate_ and _stateless_.
    * @sample samples.collections.Collections.Filtering.filterIndexed
    * public fun <T> Sequence<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): Sequence<T> {
        // TODO: Rewrite with generalized MapFilterIndexingSequence
        return TransformingSequence(FilteringSequence(IndexingSequence(this), true, { predicate(it.index, it.value) }), { it.value })
    }
    * Appends all elements matching the given [predicate] to the given [destination].
    * @param [predicate] function that takes the index of an element and the element itself
    * and returns the result of predicate evaluation on the element.
    * The operation is _terminal_.
    * @sample samples.collections.Collections.Filtering.filterIndexedTo
    * public inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {
        forEachIndexed { index, element ->
            if (predicate(index, element)) destination.add(element)
        }
        return destination
    }
    * Returns a sequence containing all elements that are instances of specified type parameter R.
    * The operation is _intermediate_ and _stateless_.
    * @sample samples.collections.Collections.Filtering.filterIsInstance
    * public inline fun <reified R> Sequence<*>.filterIsInstance(): Sequence<@kotlin.internal.NoInfer R> {
        @Suppress("UNCHECKED_CAST") return filter { it is R } as Sequence<R>
    }
    * Appends all elements that are instances of specified type parameter R to the given [destination].
    * The operation is _terminal_.
    * @sample samples.collections.Collections.Filtering.filterIsInstanceTo
    * public inline fun <reified R, C : MutableCollection<in R>> Sequence<*>.filterIsInstanceTo(destination: C): C {
        for (element in this) if (element is R) destination.add(element)
        return destination
    }
    * Returns a sequence containing all elements not matching the given [predicate].
    * The operation is _intermediate_ and _stateless_.
    * @sample samples.collections.Collections.Filtering.filterNot
    * public fun <T> Sequence<T>.filterNot(predicate: (T) -> Boolean): Sequence<T> {
        return FilteringSequence(this, false, predicate)
    }
    * Returns a sequence containing all elements that are not `null`.
    * The operation is _intermediate_ and _stateless_.
    * @sample samples.collections.Collections.Filtering.filterNotNull
    * public fun <T : Any> Sequence<T?>.filterNotNull(): Sequence<T> {

```

```

@Suppress("UNCHECKED_CAST")\n    return filterNot { it == null } as Sequence<T>\n}\n\n/**\n * Appends all
elements that are not `null`
to the given [destination].\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Filtering.filterNotNullTo\n *\n\npublic fun <C : MutableCollection<in T>, T : Any>
Sequence<T?>.filterNotNullTo(destination: C): C {\n    for (element in this) if (element != null)
destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not matching the given
[predicate] to the given [destination].\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Filtering.filterTo\n *\n\npublic inline fun <T, C : MutableCollection<in T>>
Sequence<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n    for (element in this) if
(!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Filtering.filterTo\n *\n\npublic inline fun
<T, C : MutableCollection<in T>> Sequence<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n    for
(element in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Returns a
sequence containing first [n] elements.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @throws
IllegalArgumentException if [n] is negative.\n *\n * @sample
samples.collections.Collections.Transformations.take\n *\n\npublic fun <T> Sequence<T>.take(n: Int): Sequence<T>
{\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    return when {\n        n == 0 ->
emptySequence()\n        this is DropTakeSequence -> this.take(n)\n        else -> TakeSequence(this, n)\n    }\n}\n\n/**\n * Returns a sequence containing first elements satisfying the given [predicate].\n *\n * The operation
is _intermediate_ and _stateless_.\n *\n * @sample samples.collections.Collections.Transformations.take\n
*\n\npublic fun <T> Sequence<T>.takeWhile(predicate:
(T) -> Boolean): Sequence<T> {\n    return TakeWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence
that yields elements of this sequence sorted according to their natural sort order.\n *\n * The sort is _stable_. It
means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is
_intermediate_ and _stateful_.\n *\n\npublic fun <T : Comparable<T>> Sequence<T>.sorted(): Sequence<T> {\n    return object : Sequence<T> {\n        override fun iterator(): Iterator<T> {\n            val sortedList =
this@sorted.toMutableList()\n            sortedList.sort()\n            return sortedList.iterator()\n        }\n    }\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according to natural sort order of the value
returned by specified [selector] function.\n *\n * The sort is _stable_. It means that equal elements preserve their
order relative to each other after sorting.\n *\n * The operation is
_intermediate_ and _stateful_.\n *\n * @sample samples.collections.Collections.Sorting.sortedBy\n *\n\npublic
inline fun <T, R : Comparable<R>> Sequence<T>.sortedBy(crossinline selector: (T) -> R?): Sequence<T> {\n    return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence
sorted descending according to natural sort order of the value returned by specified [selector] function.\n *\n * The
sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The
operation is _intermediate_ and _stateful_.\n *\n\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.sortedByDescending(crossinline selector: (T) -> R?): Sequence<T> {\n    return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence
sorted descending according to their natural sort order.\n *\n * The sort is _stable_. It means that equal elements
preserve their order relative
to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n *\n\npublic fun <T :
Comparable<T>> Sequence<T>.sortedDescending(): Sequence<T> {\n    return
sortedWith(reverseOrder())\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according
to the specified [comparator].\n *\n * The sort is _stable_. It means that equal elements preserve their order relative
to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n *\n\npublic fun <T>
Sequence<T>.sortedWith(comparator: Comparator<in T>): Sequence<T> {\n    return object : Sequence<T> {\n        override fun iterator(): Iterator<T> {\n            val sortedList = this@sortedWith.toMutableList()\n

```

```
sortedList.sortWith(comparator)\n        return sortedList.iterator()\n    }\n}\n\n/**\n * Returns a [Map]\n * containing key-value pairs provided by [transform] function\n * applied to elements of the given sequence.\n * \n * If any\n * of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the\n * entry iteration order of the original sequence.\n * \n * The operation is _terminal_.\n * \n * @sample\n * samples.collections.Collections.Transformations.associate\n */\npublic inline fun <T, K, V>\nSequence<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n    return associateTo(LinkedHashMap<K,\n * V>(), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given sequence indexed by the\n * key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the\n * same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry\n * iteration order of the original sequence.\n * \n * The operation is _terminal_.\n * \n * @sample\n * samples.collections.Collections.Transformations.associateBy\n */\npublic inline fun <T, K>\nSequence<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n    return associateByTo(LinkedHashMap<K, T>(), keySelector)\n}\n\n/**\n * Returns a [Map] containing the\n * values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given\n * sequence.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to\n * the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n * \n * The\n * operation is _terminal_.\n * \n * @sample\n * samples.collections.Collections.Transformations.associateByWithValueTransform\n */\npublic inline fun <T, K, V>\nSequence<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n    return\n * associateByTo(LinkedHashMap<K, V>(), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the\n * [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to\n * each element of the given sequence\n * and value is the element itself.\n * \n * If any\n * two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The\n * operation is _terminal_.\n * \n * @sample\n * samples.collections.Collections.Transformations.associateByTo\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>>\nSequence<T>.associateByTo(destination: M,\n * keySelector: (T) -> K): M {\n    for (element in this) {\n        destination.put(keySelector(element), element)\n    }\n    return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where\n * key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function\n * applied to elements of the given sequence.\n * \n * If any two elements would have the same key returned by\n * [keySelector] the last one gets added to the map.\n * \n * The operation is _terminal_.\n * \n * @sample\n * samples.collections.Collections.Transformations.associateByToWithValueTransform\n */\npublic inline fun <T, K,\n * V, M : MutableMap<in\n * K, in V>>\nSequence<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n    for (element in this) {\n        destination.put(keySelector(element), valueTransform(element))\n    }\n    return\n * destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by\n * [transform] function applied to each element of the given sequence.\n * \n * If any of two pairs would have the same\n * key the last one gets added to the map.\n * \n * The operation is _terminal_.\n * \n * @sample\n * samples.collections.Collections.Transformations.associateTo\n */\npublic inline fun <T, K, V, M : MutableMap<in\n * K, in V>>\nSequence<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n    for (element in this)\n * {\n        destination += transform(element)\n    }\n    return destination\n}\n\n/**\n * Returns a [Map] where keys are\n * elements from the given sequence and values are\n * produced by the [valueSelector] function\n * applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The\n * returned map preserves the entry iteration order of the original sequence.\n * \n * The operation is _terminal_.\n * \n * \n * @sample\n * samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin("1.3")\npublic\n * inline fun <K, V>\nSequence<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n    val result =\n * LinkedHashMap<K, V>()\n    return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the\n * [destination] mutable map with key-value pairs for each element of the given sequence,\n * where key is the element
```

itself and value is provided by the [valueSelector] function applied to that key.

If any two elements are equal, the last one overwrites the former value in the map.

The operation is `_terminal_`.

`@sample`

```

samples.collections.Collections.Transformations.associateWithTo
*^@SinceKotlin("1.3")
npublic
inline fun <K, V, M : MutableMap<in K, in V>> Sequence<K>.associateWithTo(destination: M, valueSelector: (K
-> V): M {
    for (element in this) {
        destination.put(element, valueSelector(element))
    }
    return
destination
}
}
n/**
* Appends all elements to the given [destination] collection.
* The operation is
_terminal_
n^public fun <T, C : MutableCollection<in T>> Sequence<T>.toCollection(destination: C): C {
    for (item in this) {
        destination.add(item)
    }
    return destination
}
}
n/**
* Returns a new [HashSet] of
all elements.
* The operation is _terminal_.
n^public fun <T> Sequence<T>.toHashSet(): HashSet<T> {
    return toCollection(HashSet<T>())
}
}
n/**
* Returns a [List] containing all elements.
* The operation is
_terminal_
n^public fun <T> Sequence<T>.toList(): List<T> {
    return
this.toMutableList().optimizeReadOnlyList()
}
}
n/**
* Returns a new [MutableList] filled with all elements of
this
sequence.
* The operation is _terminal_.
n^public fun <T> Sequence<T>.toMutableList():
MutableList<T> {
    return toCollection(ArrayList<T>())
}
}
n/**
* Returns a [Set] of all elements.
* The returned set preserves the element iteration order of the original sequence.
* The operation is
_terminal_
n^public fun <T> Sequence<T>.toSet(): Set<T> {
    return
toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()
}
}
n/**
* Returns a single sequence of all elements
from results of [transform] function being invoked on each element of original sequence.
* The operation is
_intermediate_ and
_stateless_.
n^@sample
samples.collections.Collections.Transformations.flatMap
*^@SinceKotlin("1.4")
n^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
n^@OverloadResolution
ByLambdaReturnType
n^@kotlin.jvm.JvmName("flatMapIterable")
npublic fun <T, R>
Sequence<T>.flatMap(transform: (T) -> Iterable<R>): Sequence<R> {
    return FlatteningSequence(this,
transform, Iterable<R>::iterator)
}
}
n/**
* Returns a single sequence of all elements from results of [transform]
function being invoked on each element of original sequence.
* The operation is
_intermediate_ and
_stateless_.
n^@sample
samples.collections.Collections.Transformations.flatMap
n^public fun <T, R>
Sequence<T>.flatMap(transform: (T) -> Sequence<R>): Sequence<R> {
    return FlatteningSequence(this,
transform, Sequence<R>::iterator)
}
}
n/**
* Returns a single sequence of all elements yielded from results of
[transform] function being invoked on each element
* and its index in the original sequence.
* The operation
is
_intermediate_ and
_stateless_.
n^@sample
samples.collections.Collections.Transformations.flatMapIndexed
n
*^@SinceKotlin("1.4")
n^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
n^@OverloadResolution
ByLambdaReturnType
n^@kotlin.jvm.JvmName("flatMapIndexedIterable")
npublic fun <T, R>
Sequence<T>.flatMapIndexed(transform:
(index: Int, T) -> Iterable<R>): Sequence<R> {
    return flatMapIndexed(this, transform,
Iterable<R>::iterator)
}
}
n/**
* Returns a single sequence of all elements yielded from results of [transform]
function being invoked on each element
* and its index in the original sequence.
* The operation is
_intermediate_ and
_stateless_.
n^@sample
samples.collections.Collections.Transformations.flatMapIndexed
n
*^@SinceKotlin("1.4")
n^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
n^@OverloadResolution
ByLambdaReturnType
n^@kotlin.jvm.JvmName("flatMapIndexedSequence")
npublic fun <T, R>
Sequence<T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): Sequence<R> {
    return
flatMapIndexed(this, transform, Sequence<R>::iterator)
}
}
n/**
* Appends all elements yielded from results of
[transform] function being invoked on each element
* and its index in the original sequence, to the given
[destination].
* The
operation is _terminal_.
n
*^@SinceKotlin("1.4")
n^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
n^@OverloadResolution
ByLambdaReturnType
n^@kotlin.jvm.JvmName("flatMapIndexedIterableTo")
n^@kotlin.internal.InlineOnly
npublic

```

```

c inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapIndexedTo(destination: C, transform:
(index: Int, T) -> Iterable<R>): C { \n    var index = 0 \n    for (element in this) { \n        val list =
transform(checkIndexOverflow(index++), element) \n        destination.addAll(list) \n    } \n    return
destination \n } \n /** \n * Appends all elements yielded from results of [transform] function being invoked on each
element \n * and its index in the original sequence, to the given [destination]. \n * \n * The operation is _terminal_. \n
*\n@SinceKotlin("1.4") \n@OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n@OverloadResolution
ByLambdaReturnType \n@kotlin.jvm.JvmName("flatMapIndexedSequenceTo") \n@kotlin.internal.InlineOnly \npu
blic

inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapIndexedTo(destination: C, transform: (index:
Int, T) -> Sequence<R>): C { \n    var index = 0 \n    for (element in this) { \n        val list =
transform(checkIndexOverflow(index++), element) \n        destination.addAll(list) \n    } \n    return
destination \n } \n /** \n * Appends all elements yielded from results of [transform] function being invoked on each
element of original sequence, to the given [destination]. \n * \n * The operation is _terminal_. \n
*\n@SinceKotlin("1.4") \n@OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n@OverloadResolution
ByLambdaReturnType \n@kotlin.jvm.JvmName("flatMapIterableTo") \npublic inline fun <T, R, C :
MutableCollection<in R>> Sequence<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C { \n    for
(element in this) { \n        val list = transform(element) \n        destination.addAll(list) \n    } \n    return
destination \n } \n /** \n * Appends all elements yielded from
results of [transform] function being invoked on each element of original sequence, to the given [destination]. \n * \n
* The operation is _terminal_. \n * \npublic inline fun <T, R, C : MutableCollection<in R>>
Sequence<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C { \n    for (element in this) { \n        val
list = transform(element) \n        destination.addAll(list) \n    } \n    return destination \n } \n /** \n * Groups elements of
the original sequence by the key returned by the given [keySelector] function \n * applied to each element and
returns a map where each group key is associated with a list of corresponding elements. \n * \n * The returned map
preserves the entry iteration order of the keys produced from the original sequence. \n * \n * The operation is
_terminal_. \n * \n * @sample samples.collections.Collections.Transformations.groupBy \n * \npublic inline fun <T,
K> Sequence<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> { \n    return groupByTo(LinkedHashMap<K,
MutableList<T>>(), keySelector) \n } \n /** \n * Groups values returned by the [valueTransform] function applied to
each element of the original sequence \n * by the key returned by the given [keySelector] function applied to the
element \n * and returns a map where each group key is associated with a list of corresponding values. \n * \n * The
returned map preserves the entry iteration order of the keys produced from the original sequence. \n * \n * The
operation is _terminal_. \n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues \n * \npublic inline fun <T, K, V>
Sequence<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> { \n    return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform) \n } \n /** \n * Groups elements
of the original sequence by the key returned by the given [keySelector] function \n * applied to each element and
puts to the [destination] map each group key associated with a list of corresponding
elements. \n * \n * @return The [destination] map. \n * \n * The operation is _terminal_. \n * \n * @sample
samples.collections.Collections.Transformations.groupBy \n * \npublic inline fun <T, K, M : MutableMap<in K,
MutableList<T>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K): M { \n    for (element in this)
{ \n        val key = keySelector(element) \n        val list = destination.getOrPut(key) { ArrayList<T>() } \n
list.add(element) \n    } \n    return destination \n } \n /** \n * Groups values returned by the [valueTransform] function
applied to each element of the original sequence \n * by the key returned by the given [keySelector] function applied
to the element \n * and puts to the [destination] map each group key associated with a list of corresponding values. \n
* \n * @return The [destination] map. \n * \n * The operation is _terminal_. \n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues \n * \npublic inline fun <T, K, V, M :
MutableMap<in

```



```

K, MutableList<V>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V):
M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) {
            ArrayList<V>()
        }
        list.add(valueTransform(element))
    }
    return destination
}

Creates a [Grouping] source from a sequence to be used later with one of group-and-fold operations using the specified [keySelector] function to extract a key from each element. The operation is _intermediate_ and _stateless_.

@sample samples.collections.Grouping.groupingByEachCount

public inline fun <T, K> Sequence<T>.groupBy(crossinline keySelector: (T) -> K): Grouping<T, K> {
    return object : Grouping<T, K> {
        override fun sourceIterator(): Iterator<T> = this@groupBy.iterator()
        override fun keyOf(element: T): K = keySelector(element)
    }
}

Returns a sequence containing the results of applying the given [transform] function to each element in the original sequence. The operation is _intermediate_ and _stateless_.

@sample samples.collections.Collections.Transformations.map

public fun <T, R> Sequence<T>.map(transform: (T) -> R): Sequence<R> {
    return TransformingSequence(this, transform)
}

Returns a sequence containing the results of applying the given [transform] function to each element and its index in the original sequence.

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element. The operation is _intermediate_ and _stateless_.

public fun <T, R> Sequence<T>.mapIndexed(transform: (index: Int, T) -> R): Sequence<R> {
    return TransformingIndexedSequence(this, transform)
}

Returns a sequence containing only the non-null results of applying the given [transform] function to each element and its index in the original sequence.

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element. The operation is _intermediate_ and _stateless_.

public fun <T, R : Any> Sequence<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): Sequence<R> {
    return TransformingIndexedSequence(this, transform).filterNotNull()
}

Applies the given [transform] function to each element and its index in the original sequence and appends only the non-null results to the given [destination].

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element. The operation is _terminal_.

public inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {
    forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }
    return destination
}

Applies the given [transform] function to each element and its index in the original sequence and appends the results to the given [destination].

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element. The operation is _terminal_.

public inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {
    var index = 0
    for (item in this) {
        destination.add(transform(checkIndexOverflow(index++), item))
    }
    return destination
}

Returns a sequence containing only the non-null results of applying the given [transform] function to each element in the original sequence. The operation is _intermediate_ and _stateless_.

@sample samples.collections.Collections.Transformations.mapNotNull

public fun <T, R : Any> Sequence<T>.mapNotNull(transform: (T) -> R?): Sequence<R> {
    return TransformingSequence(this, transform).filterNotNull()
}

Applies the given [transform] function to each element in the original sequence and appends only the non-null results to the given [destination]. The operation is _terminal_.

public inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {
    forEach { element -> transform(element)?.let { destination.add(it) } }
    return destination
}

Applies the given [transform] function to each element of the original sequence and appends the results to the given [destination]. The operation is _terminal_.

public inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapTo(destination: C, transform: (T) -> R): C {
    for (item in this) {

```

```

destination.add(transform(item))\n
    return destination\n}\n\n/**\n * Returns a sequence that wraps each element of the original sequence\n * into an [IndexedValue] containing the index of that element and the element itself.\n * \n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.withIndex(): Sequence<IndexedValue<T>> {\n    return IndexingSequence(this)\n}\n\n/**\n * Returns a sequence containing only distinct elements from the given sequence.\n * \n * Among equal elements of the given sequence, only the first one will be present in the resulting sequence.\n * \n * The elements in the resulting sequence are in the same order as they were in the source sequence.\n * \n * The operation is _intermediate_ and _stateful_.\n * \n * @sample\n samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T> Sequence<T>.distinct(): Sequence<T> {\n    return this.distinctBy { it }\n}\n\n/**\n * Returns a sequence containing only elements from the given sequence\n * having distinct keys returned by the given [selector] function.\n * \n * Among elements of the given sequence with equal keys, only the first one will be present in the resulting sequence.\n * \n * The elements in the resulting sequence are in the same order as they were in the source sequence.\n * \n * The operation is _intermediate_ and _stateful_.\n * \n * @sample\n samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T, K> Sequence<T>.distinctBy(selector: (T) -> K): Sequence<T> {\n    return DistinctSequence(this, selector)\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given sequence.\n * \n * The returned set preserves the element iteration order of the original sequence.\n * \n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toMutableSet(): MutableSet<T> {\n    val set = LinkedHashSet<T>()\n    for (item in this) set.add(item)\n    return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * The operation is _terminal_.\n * \n * @sample\n samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Sequence<T>.all(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if sequence has at least one element.\n * \n * The operation is _terminal_.\n * \n * @sample\n samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Sequence<T>.any(): Boolean {\n    return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * The operation is _terminal_.\n * \n * @sample\n samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Sequence<T>.any(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return false\n}\n\n/**\n * Returns the number of elements in this sequence.\n * \n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.count(): Int {\n    var count = 0\n    for (element in this) checkCountOverflow(++count)\n    return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n * \n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.count(predicate: (T) -> Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) checkCountOverflow(++count)\n    return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the sequence is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * The operation is _terminal_.\n */\npublic inline fun <T, R> Sequence<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n    var accumulator = initial\n    for (element in this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original sequence.\n * \n * Returns the specified [initial] value if the sequence is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * The operation is _terminal_.\n */\npublic inline fun <T, R> Sequence<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator, element)\n    return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n * \n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.forEach(action: (T) -> Unit): Unit {\n    for

```

```

(element in this) action(element)\n\n/**\n * Performs the given [action] on each element, providing sequential
index with the element.\n * @param [action] function that takes the index of an element and the element itself\n *
and performs the action on the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T>
Sequence<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n    var index = 0\n    for (item in this)
action(checkIndexOverflow(index++), item)\n}\n\n@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Sequence<Double>.max(): Double? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Sequence<Float>.max(): Float? {\n
    return maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun <T : Comparable<T>> Sequence<T>.max(): T? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxByOrNull instead.",
ReplaceWith("this.maxByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <T, R : Comparable<R>> Sequence<T>.maxBy(selector: (T) ->
R): T? {\n    return maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the
given function or `null` if there are no elements.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <T, R :
Comparable<R>> Sequence<T>.maxByOrNull(selector: (T) -> R): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return
null\n    var maxElem = iterator.next()\n    if (!iterator.hasNext()) return maxElem\n    var maxValue =
selector(maxElem)\n    do {\n        val e = iterator.next()\n        val v = selector(e)\n        if (maxValue < v) {\n
            maxElem = e\n            maxValue = v\n        }\n    } while (iterator.hasNext())\n    return maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the
sequence.\n *\n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n *\n * @throws NoSuchElementException if the sequence is empty.\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOf(selector: (T) ->
Double): Double {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n
    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all
values produced by [selector] function\n * applied to each element in the sequence.\n *\n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n *\n * @throws NoSuchElementException
if the sequence is empty.\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOf(selector: (T) ->
Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n
    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
        maxValue = maxOf(maxValue,
v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each element in the sequence.\n *\n * @throws NoSuchElementException if the sequence is
empty.\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.maxOf(selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw
NoSuchElementException()\n    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v
= selector(iterator.next())\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return

```

`maxValue` Returns the largest value among all values produced by [selector] function applied to each element in the sequence or `null` if there are no elements.

\* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`. The operation is `_terminal_`.

```

*^@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOrNull(selector:
(T) -> Double): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var maxValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        maxValue =
maxOf(maxValue, v)\n    }\n    return maxValue\n}
    
```

Returns the largest value among all values produced by [selector] function applied to each element in the sequence or `null` if there are no elements.

\* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`. The operation is `_terminal_`.

```

*^@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic
inline fun <T> Sequence<T>.maxOrNull(selector: (T) -> Float): Float? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n
val v = selector(iterator.next())\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}
    
```

Returns the largest value among all values produced by [selector] function applied to each element in the sequence or `null` if there are no elements.

\* The operation is `_terminal_`.

```

*^@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.maxOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return
null\n    var maxValue = selector(iterator.next())\n
    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (maxValue < v) {\n            maxValue =
v\n        }\n    }\n    return maxValue\n}
    
```

Returns the largest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the sequence.

\* @throws `NoSuchElementException` if the sequence is empty. The operation is `_terminal_`.

```

*^@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Sequence<T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) throw NoSuchElementException()\n    var maxValue = selector(iterator.next())\n    while
(iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (comparator.compare(maxValue, v) < 0) {\n
maxValue = v\n        }\n    }\n    return maxValue\n}
    
```

Returns the largest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the sequence or `null` if there are no elements.

\* The operation is `_terminal_`.

```

*^@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Sequence<T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n    val iterator =
iterator()\n    if (!iterator.hasNext()) return null\n    var maxValue = selector(iterator.next())\n    while
(iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (comparator.compare(maxValue, v) < 0) {\n
maxValue = v\n        }\n    }\n    return maxValue\n}
    
```

Returns the largest element or `null` if there are no elements.

\* If any of elements is `NaN` returns `NaN`. The operation is `_terminal_`.

```

*^@SinceKotlin("1.4")\npublic fun
Sequence<Double>.maxOrNull(): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n
var max = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        max = maxOf(max, e)\n
    }\n    return max\n}
    
```

Returns the largest element or `null` if there are no elements.

\* If any of elements is `NaN` returns `NaN`. The operation is `_terminal_`.

```

*^@SinceKotlin("1.4")\npublic fun
Sequence<Float>.maxOrNull(): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n
var max = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        max = maxOf(max, e)\n
    }\n}
    
```

```

} \n return max \n } \n \n /** \n * Returns the largest element or `null` if there are no elements. \n * \n * The operation is
_terminal_. \n * \n * @SinceKotlin("1.4") \n public fun <T : Comparable<T>>
Sequence<T>.maxOrNull(): T? { \n val iterator = iterator() \n if (!iterator.hasNext()) return null \n var max =
iterator.next() \n while (iterator.hasNext()) { \n val e = iterator.next() \n if (max < e) max = e \n } \n
return max \n } \n \n @Deprecated("Use maxWithOrNull instead."),
ReplaceWith("this.maxWithOrNull(comparator)") \n \n @DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6") \n public fun <T> Sequence<T>.maxWith(comparator: Comparator<in T>): T? { \n
return maxWithOrNull(comparator) \n } \n \n /** \n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements. \n * \n * The operation is _terminal_. \n
* \n * @SinceKotlin("1.4") \n public fun <T> Sequence<T>.maxWithOrNull(comparator: Comparator<in T>): T? { \n
val iterator = iterator() \n if (!iterator.hasNext()) return null \n var max = iterator.next() \n while
(iterator.hasNext()) { \n val e = iterator.next() \n
if (comparator.compare(max, e) < 0) max = e \n } \n return max \n } \n \n @Deprecated("Use minOrNull
instead."), ReplaceWith("this.minOrNull()") \n \n @DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6") \n @SinceKotlin("1.1") \n public fun Sequence<Double>.min(): Double? { \n return
minOrNull() \n } \n \n @Deprecated("Use minOrNull instead."),
ReplaceWith("this.minOrNull()") \n \n @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6") \n @SinceKotlin("1.1") \n public fun Sequence<Float>.min(): Float? { \n return
minOrNull() \n } \n \n @Deprecated("Use minOrNull instead."),
ReplaceWith("this.minOrNull()") \n \n @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6") \n public fun <T : Comparable<T>> Sequence<T>.min(): T? { \n return
minOrNull() \n } \n \n @Deprecated("Use minByOrNull instead."),
ReplaceWith("this.minByOrNull(selector)") \n \n @DeprecatedSinceKotlin(warningSince
= "1.4", errorSince = "1.5", hiddenSince = "1.6") \n public inline fun <T, R : Comparable<R>>
Sequence<T>.minBy(selector: (T) -> R): T? { \n return minByOrNull(selector) \n } \n \n /** \n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements. \n * \n * The operation is
_terminal_. \n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull \n
* \n * @SinceKotlin("1.4") \n public inline fun <T, R : Comparable<R>> Sequence<T>.minByOrNull(selector: (T) ->
R): T? { \n val iterator = iterator() \n if (!iterator.hasNext()) return null \n var minElem = iterator.next() \n
if (!iterator.hasNext()) return minElem \n var minValue = selector(minElem) \n do { \n val e = iterator.next() \n
val v = selector(e) \n if (minValue > v) { \n minElem = e \n minValue = v \n } \n } while
(iterator.hasNext()) \n return minElem \n } \n \n /** \n * Returns the smallest value among all values
produced by [selector] function \n * applied to each element in the sequence. \n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`. \n * \n * @throws NoSuchElementException if the
sequence is empty. \n * \n * The operation is _terminal_. \n
* \n * @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
ByLambdaReturnType \n @kotlin.internal.InlineOnly \n public inline fun <T> Sequence<T>.minOf(selector: (T) ->
Double): Double { \n val iterator = iterator() \n if (!iterator.hasNext()) throw NoSuchElementException() \n var
minValue = selector(iterator.next()) \n while (iterator.hasNext()) { \n val v = selector(iterator.next()) \n
minValue = minOf(minValue, v) \n } \n return minValue \n } \n \n /** \n * Returns the smallest value among all
values produced by [selector] function \n * applied to each element in the sequence. \n * \n * If any of values
produced by [selector] function is `NaN`, the
returned result is `NaN`. \n * \n * @throws NoSuchElementException if the sequence is empty. \n * \n * The
operation is _terminal_. \n
* \n * @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
ByLambdaReturnType \n @kotlin.internal.InlineOnly \n public inline fun <T> Sequence<T>.minOf(selector: (T) ->
Float): Float { \n val iterator = iterator() \n if (!iterator.hasNext()) throw NoSuchElementException() \n var
minValue = selector(iterator.next()) \n while (iterator.hasNext()) { \n val v = selector(iterator.next()) \n

```

```

minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the sequence.\n * \n * @throws
NoSuchElementException if the sequence is empty.\n * \n * The operation is _terminal_.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R : Comparable<R>> Sequence<T>.minOf(selector: (T) -> R): R {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) throw NoSuchElementException()\n    var minValue = selector(iterator.next())\n    while
(iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (minValue > v) {\n            minValue = v\n
        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each element in the sequence or `null` if there are no elements.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * The operation is _terminal_.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minOrNull(selector:
(T) -> Double): Double? {\n    val iterator =
iterator()\n    if (!iterator.hasNext()) return null\n    var minValue = selector(iterator.next())\n    while
(iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the sequence or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * The operation is _terminal_.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minOrNull(selector:
(T) -> Float): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue
= minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n * \n *
The operation is _terminal_.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.minOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return
null\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v =
selector(iterator.next())\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the sequence.\n * \n * @throws
NoSuchElementException
if the sequence is empty.\n * \n * The operation is _terminal_.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Sequence<T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) throw NoSuchElementException()\n    var minValue = selector(iterator.next())\n    while
(iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (comparator.compare(minValue, v) > 0) {\n
            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the
provided [comparator]\n * among all values produced by [selector] function applied to each element in the sequence
or `null` if there are no elements.\n * \n * The operation is _terminal_.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Sequence<T>.minOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n
val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue = selector(iterator.next())\n    while
(iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (comparator.compare(minValue, v) > 0) {\n

```

```

    minValue = v\n    }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are
no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n * \n * The operation is _terminal_.\n
*/\n\n@SinceKotlin("1.4")\npublic fun Sequence<Double>.minOrNull(): Double? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/**\n * Returns the smallest
element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n * \n * The operation
is _terminal_.\n * \n * @SinceKotlin("1.4")\npublic fun Sequence<Float>.minOrNull(): Float? {\n    val iterator =
iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n
        val e = iterator.next()\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or
`null` if there are no elements.\n * \n * The operation is _terminal_.\n * \n * @SinceKotlin("1.4")\npublic fun <T
: Comparable<T>> Sequence<T>.minOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return
null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (min > e) min
= e\n    }\n    return min\n}\n\n@Deprecated("Use minWithOrNull instead.")\nReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince
= "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun <T> Sequence<T>.minWith(comparator:
Comparator<in T>): T? {\n    return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n * \n * The operation is
_terminal_.\n * \n * @SinceKotlin("1.4")\npublic fun <T> Sequence<T>.minWithOrNull(comparator:
Comparator<in T>): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min =
iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (comparator.compare(min, e) >
0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if the sequence has no elements.\n * \n * The operation is
_terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\n\npublic fun <T>
Sequence<T>.none(): Boolean {\n    return !iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match
the
given [predicate].\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\n\npublic inline fun <T>
Sequence<T>.none(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
false\n    return true\n}\n\n/**\n * Returns a sequence which performs the given [action] on each element of the
original sequence as they pass through it.\n * \n * The operation is _intermediate_ and _stateless_.\n
*/\n\n@SinceKotlin("1.1")\npublic fun <T> Sequence<T>.onEach(action: (T) -> Unit): Sequence<T> {\n    return
map {\n        action(it)\n        it\n    }\n}\n\n/**\n * Returns a sequence which performs the given [action] on each
element of the original sequence as they pass through it.\n * \n * @param [action] function that takes the index of an
element and the element itself\n * and performs the action on the element.\n * \n * The operation is _intermediate_
and _stateless_.\n * \n * @SinceKotlin("1.4")\npublic
fun <T> Sequence<T>.onEachIndexed(action: (index: Int, T) -> Unit): Sequence<T> {\n    return mapIndexed {\n
index, element ->\n        action(index, element)\n        element\n    }\n}\n\n/**\n * Accumulates value starting with
the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n *
\n * Throws an exception if this sequence is empty. If the sequence can be empty in an expected way,\n * please use
[reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes
current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * The operation is
_terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\n\npublic inline fun <S, T : S>
Sequence<T>.reduce(operation: (acc: S, T) -> S): S {\n    val iterator = this.iterator()\n    if (!iterator.hasNext())
throw UnsupportedOperationException("Empty sequence can't be reduced.")\n\n    var accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n        accumulator = operation(accumulator,
iterator.next())\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and
applying [operation] from left to right\n * to current accumulator value and each element with its index in the
original sequence.\n * \n * Throws an exception if this sequence is empty. If the sequence can be empty in an
expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n *

```

@param [operation] function that takes the index of an element, current accumulator value and the element itself,\n
 \* and calculates the next accumulator value.\n \* \n \* The operation is \_terminal\_.\n \* \n \* @sample

```

samples.collections.Collections.Aggregates.reduce\n * \n\npublic inline fun <S, T : S>
Sequence<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n  val iterator = this.iterator()\n  if
(iterator.hasNext())
    throw UnsupportedOperationException("Empty sequence can't be reduced.")\n  var index = 1\n  var
accumulator: S = iterator.next()\n  while (iterator.hasNext()) {\n    accumulator =
operation(checkIndexOverflow(index++), accumulator, iterator.next())\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original sequence.\n * \n * Returns `null` if the sequence is
empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the
element itself,\n * and calculates the next accumulator value.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n * \n\n@SinceKotlin("1.4")\n\npublic inline fun <S, T : S>
Sequence<T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S? {\n  val iterator = this.iterator()\n
if (!iterator.hasNext()) return null\n  var index = 1\n  var accumulator: S = iterator.next()\n  while
(iterator.hasNext()) {\n    accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n
}\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the sequence is
empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates
the next accumulator value.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n\n@SinceKotlin("1.4")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic inline fun <S, T : S>
Sequence<T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n  val iterator = this.iterator()\n  if
(!iterator.hasNext()) return null\n  var accumulator: S = iterator.next()\n  while
(iterator.hasNext()) {\n    accumulator = operation(accumulator, iterator.next())\n  }\n  return
accumulator\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n
* Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the
previous value in resulting sequence.\n * The [initial] value should also be immutable (or should not be mutated)\n *
as it may be passed to [operation] function later because of sequence's lazy nature.\n * \n * @param [operation]
function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * The
operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n * \n\n@SinceKotlin("1.4")\n\npublic fun <T, R>
Sequence<T>.runningFold(initial:
R, operation: (acc: R, T) -> R): Sequence<R> {\n  return sequence {\n    yield(initial)\n    var accumulator =
initial\n    for (element in this@runningFold) {\n      accumulator = operation(accumulator, element)\n
yield(accumulator)\n    }\n  }\n}\n\n/**\n * Returns a sequence containing successive accumulation values
generated by applying [operation] from left to right\n * to each element, its index in the original sequence and
current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation]
function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The
[initial] value should also be immutable (or should not be mutated)\n * as it may be passed to [operation]
function later because of sequence's lazy nature.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value\n * and the element itself, and calculates
the next accumulator value.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n * \n\n@SinceKotlin("1.4")\n\npublic fun <T, R>
Sequence<T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): Sequence<R> {\n  return
sequence {\n    yield(initial)\n    var index = 0\n    var accumulator = initial\n    for (element in
this@runningFoldIndexed) {\n      accumulator = operation(checkIndexOverflow(index++), accumulator,

```



```

element)\n        yield(accumulator)\n        }\n    }\n}\n\n/**\n * Returns a sequence containing successive
accumulation values generated by applying [operation] from left to right\n * to each element and current
accumulator value that starts with the first element of this sequence.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n
*\n
* @param [operation] function that takes current accumulator value and the element, and calculates the next
accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <S, T : S>
Sequence<T>.runningReduce(operation: (acc: S, T) -> S): Sequence<S> {\n    return sequence {\n        val iterator =
iterator()\n        if (iterator.hasNext()) {\n            var accumulator: S = iterator.next()\n            yield(accumulator)\n            while (iterator.hasNext()) {\n                accumulator = operation(accumulator, iterator.next())\n            }\n        }\n    }\n}\n\n/**\n * Returns a sequence containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original sequence and
current accumulator value that
starts with the first element of this sequence.\n * \n * Note that `acc` value passed to [operation] function should not
be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n\n@SinceKotlin("1.4")\npublic fun <S, T : S>
Sequence<T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): Sequence<S> {\n    return sequence
{\n        val iterator = iterator()\n        if (iterator.hasNext()) {\n            var accumulator: S = iterator.next()\n            yield(accumulator)\n            var index = 1\n            while (iterator.hasNext()) {\n                accumulator =
operation(checkIndexOverflow(index++), accumulator, iterator.next())\n                yield(accumulator)\n            }\n        }\n    }\n}\n\n/**\n * Returns a sequence containing successive
accumulation values generated by applying [operation] from left to right\n * to each element and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should
also be immutable (or should not be mutated)\n * as it may be passed to [operation] function later because of
sequence's lazy nature.\n * \n * @param [operation] function that takes current accumulator value and an element,
and calculates the next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n *
@sample samples.collections.Collections.Aggregates.scan\n
*\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T, R>
Sequence<T>.scan(initial: R, operation: (acc: R, T) ->
R): Sequence<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a sequence containing
successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in
the original sequence and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value
passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting
sequence.\n * The [initial] value should also be immutable (or should not be mutated)\n * as it may be passed to
[operation] function later because of sequence's lazy nature.\n * \n * @param [operation] function that takes the
index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator
value.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
fun <T, R> Sequence<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): Sequence<R> {\n    return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the sequence.\n *\n * The operation is _terminal_.\n *\n\n@Deprecated("Use sumOf
instead.", ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline

```

```

fun <T> Sequence<T>.sumBy(selector: (T) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the sequence.

\* The operation is `_terminal_`.

`@Deprecated("Use sumOf instead.")`, `ReplaceWith("this.sumOf(selector)")`)

`@DeprecatedSinceKotlin(warningSince = "1.5")`

```

public inline fun <T> Sequence<T>.sumByDouble(selector: (T) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the sequence.

\* The operation is `_terminal_`.

`@SinceKotlin("1.4")`, `@OptIn(kotlin.experimental.ExperimentalTypeInference::class)`, `@OverloadResolutionByLambdaReturnType`, `@kotlin.jvm.JvmName("sumOfDouble")`, `@kotlin.internal.InlineOnly`

```

public inline fun <T> Sequence<T>.sumOf(selector: (T) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the sequence.

\* The operation is `_terminal_`.

`@SinceKotlin("1.4")`, `@OptIn(kotlin.experimental.ExperimentalTypeInference::class)`, `@OverloadResolutionByLambdaReturnType`, `@kotlin.jvm.JvmName("sumOfInt")`, `@kotlin.internal.InlineOnly`, `public inline fun`

```

inline fun <T> Sequence<T>.sumOf(selector: (T) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the sequence.

\* The operation is `_terminal_`.

`@SinceKotlin("1.4")`, `@OptIn(kotlin.experimental.ExperimentalTypeInference::class)`, `@OverloadResolutionByLambdaReturnType`, `@kotlin.jvm.JvmName("sumOfLong")`, `@kotlin.internal.InlineOnly`, `public inline fun`

```

inline fun <T> Sequence<T>.sumOf(selector: (T) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the sequence.

\* The operation is `_terminal_`.

`@SinceKotlin("1.5")`, `@OptIn(kotlin.experimental.ExperimentalTypeInference::class)`, `@OverloadResolutionByLambdaReturnType`, `@kotlin.jvm.JvmName("sumOfUInt")`, `@WasExperimental(ExperimentalUnsignedTypes::class)`, `@kotlin.internal.InlineOnly`, `public inline fun`

```

inline fun <T> Sequence<T>.sumOf(selector: (T) -> UInt): UInt {
    var sum: UInt = 0.toUInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the sequence.

\* The operation is `_terminal_`.

`@SinceKotlin("1.5")`, `@OptIn(kotlin.experimental.ExperimentalTypeInference::class)`, `@OverloadResolutionByLambdaReturnType`, `@kotlin.jvm.JvmName("sumOfULong")`, `@WasExperimental(ExperimentalUnsignedTypes::class)`, `@kotlin.internal.InlineOnly`, `public inline fun`

```

inline fun <T> Sequence<T>.sumOf(selector: (T) -> ULong): ULong {
    var sum: ULong = 0.toULong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns an original collection containing all the non-`null` elements, throwing an `[IllegalArgumentException]` if there are any `null` elements.

\* The operation is `_intermediate_` and `_stateless_`.

`public fun` `<T : Any> Sequence<T?>.requireNonNulls(): Sequence<T>` {

```

    return map { it?.throw IllegalArgumentException("null element found in $this.") }
}

```

\* Splits this sequence into a sequence of lists each not exceeding the given [size].

\* The last list in the resulting sequence may have fewer elements than the given [size].

\* @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.

\* The operation is `_intermediate_` and `_stateful_`.

\* @sample samples.collections.Collections.Transformations.chunked

`@SinceKotlin("1.2")`, `public fun` `<T> Sequence<T>.chunked(size: Int): Sequence<List<T>>` {

```

    return windowed(size, size, partialWindows = true)
}

```

\* Splits this sequence into several lists each not exceeding the given [size].

and applies the given [transform] function to an each.

\* @return sequence of results of the [transform] applied to an each list.

\* Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.

\* You should not store it or allow it to escape in some way, unless you made a snapshot of it.

\* The last list may have fewer elements than the given [size].

\* @param size the number of elements to

take in each list, must be positive and can be greater than the number of elements in this sequence.

```

 * The operation is _intermediate_ and _stateful_.
 * @sample samples.text.Strings.chunkedTransform
 * Since Kotlin("1.2")
 public fun <T, R> Sequence<T>.chunked(size: Int, transform: (List<T>) -> R):
 Sequence<R> {
     return windowed(size, size, partialWindows = true, transform = transform)
 }
 
```

Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].

```

 * The operation is _intermediate_ and _stateless_.
 * public operator fun <T> Sequence<T>.minus(element:
 T): Sequence<T> {
     return object: Sequence<T> {
         override fun iterator(): Iterator<T> {
             var removed = false
             return this@minus.filter { if (!removed && it == element) { removed = true; false } else true }.iterator()
         }
     }
 }
 
```

Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] array.

Note that the source sequence and the array being subtracted are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

Before Kotlin 1.6, the [elements] array may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have a correct and stable implementation of `hashCode()` that didn't change between successive invocations.

On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.

```

 * The operation is _intermediate_ and _stateful_.
 * public operator fun <T> Sequence<T>.minus(elements: Array<out T>): Sequence<T> {
     if (elements.isEmpty()) return this
     return object: Sequence<T> {
         override fun iterator(): Iterator<T> {
             val other = elements.convertToSetForSetOperation()
             return this@minus.filterNot { it in other }.iterator()
         }
     }
 }
 
```

Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] collection.

Note that the source sequence and the collection being subtracted are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

Before Kotlin 1.6, the [elements] collection may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have a correct and stable implementation of `hashCode()` that didn't change between successive invocations.

On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.

```

 * The operation is _intermediate_ and _stateful_.
 * public operator fun <T> Sequence<T>.minus(elements: Iterable<T>): Sequence<T> {
     return object: Sequence<T> {
         override fun iterator(): Iterator<T> {
             val other = elements.convertToSetForSetOperation()
             if (other.isEmpty()) return this@minus.iterator()
             else return this@minus.filterNot { it in other }.iterator()
         }
     }
 }
 
```

Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] sequence.

Note that the source sequence and the sequence being subtracted are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

The operation is `_intermediate_` for this sequence and `_terminal_` and `_stateful_` for the [elements] sequence.

Before Kotlin 1.6, the [elements] sequence may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have a correct and stable implementation of `hashCode()` that didn't change between successive invocations.

On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.

```

 * public operator fun <T>
 Sequence<T>.minus(elements: Sequence<T>): Sequence<T> {
     return object: Sequence<T> {
         override fun iterator(): Iterator<T> {
             val other = elements.convertToSetForSetOperation()
             if (other.isEmpty()) return this@minus.iterator()
             else return this@minus.filterNot { it in other }.iterator()
         }
     }
 }
 
```

Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].

The operation is `_intermediate_` and `_stateless_`.

```

 * @kotlin.internal.InlineOnly
 * public inline fun <T> Sequence<T>.minusElement(element: T):
 Sequence<T> {
     return minus(element)
 }
 
```

Splits the original sequence into pair of lists, where `*first*` list contains elements for which [predicate] yielded `true`, while `*second*` list contains elements for

which [predicate] yielded `false`.\n \* \n \* The operation is `_terminal_`.\n \* \n \* @sample  
samples.collections.Sequences.Transformations.partition\n \* \n\npublic inline fun <T>  
Sequence<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n val first = ArrayList<T>()\n val  
second = ArrayList<T>()\n  
for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n  
second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/\*\*\n \* Returns a sequence containing all  
elements of the original sequence and then the given [element].\n \* \n \* The operation is `_intermediate_` and  
`_stateless_`.\n \* \n\npublic operator fun <T> Sequence<T>.plus(element: T): Sequence<T> {\n return  
sequenceOf(this, sequenceOf(element)).flatten()\n}\n\n/\*\*\n \* Returns a sequence containing all elements of  
original sequence and then all elements of the given [elements] array.\n \* \n \* Note that the source sequence and the  
array being added are iterated only when an `iterator` is requested from\n \* the resulting sequence. Changing any of  
them between successive calls to `iterator` may affect the result.\n \* \n \* The operation is `_intermediate_` and  
`_stateless_`.\n \* \n\npublic operator fun <T> Sequence<T>.plus(elements: Array<out T>): Sequence<T>  
{\n return this.plus(elements.asList())\n}\n\n/\*\*\n \* Returns a sequence containing all elements of original  
sequence and then all elements of the given [elements] collection.\n \* \n \* Note that the source sequence and the  
collection being added are iterated only when an `iterator` is requested from\n \* the resulting sequence. Changing  
any of them between successive calls to `iterator` may affect the result.\n \* \n \* The operation is `_intermediate_` and  
`_stateless_`.\n \* \n\npublic operator fun <T> Sequence<T>.plus(elements: Iterable<T>): Sequence<T> {\n return  
sequenceOf(this, elements.asSequence()).flatten()\n}\n\n/\*\*\n \* Returns a sequence containing all elements of  
original sequence and then all elements of the given [elements] sequence.\n \* \n \* Note that the source sequence and  
the sequence being added are iterated only when an `iterator` is requested from\n \* the resulting sequence. Changing  
any of them between successive calls to `iterator` may affect the result.\n \* \n\n \* The operation is `_intermediate_` and `_stateless_`.\n \* \n\npublic operator fun <T> Sequence<T>.plus(elements:  
Sequence<T>): Sequence<T> {\n return sequenceOf(this, elements).flatten()\n}\n\n/\*\*\n \* Returns a sequence  
containing all elements of the original sequence and then the given [element].\n \* \n \* The operation is  
`_intermediate_` and `_stateless_`.\n \* \n\n@kotlin.internal.InlineOnly\npublic inline fun <T>  
Sequence<T>.plusElement(element: T): Sequence<T> {\n return plus(element)\n}\n\n/\*\*\n \* Returns a sequence  
of snapshots of the window of the given [size]\n \* sliding along this sequence with the given [step], where each  
snapshot is a list.\n \* \n \* Several last lists may have fewer elements than the given [size].\n \* \n \* Both [size] and  
[step] must be positive and can be greater than the number of elements in this sequence.\n \* @param size the  
number of elements to take in each window\n \* @param step the number of elements to move the window forward  
by on an each step, by default  
1\n \* @param partialWindows controls whether or not to keep partial windows in the end if any,\n \* by default  
`false` which means partial windows won't be preserved\n \* \n \* @sample  
samples.collections.Sequences.Transformations.takeWindows\n \* \n\n@SinceKotlin("1.2")\npublic fun <T>  
Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<List<T>> {\n return  
windowedSequence(size, step, partialWindows, reuseBuffer = false)\n}\n\n/\*\*\n \* Returns a sequence of results of  
applying the given [transform] function to\n \* an each list representing a view over the window of the given [size]\n \* sliding along this sequence with the given [step].\n \* \n \* Note that the list passed to the [transform] function is  
ephemeral and is valid only inside that function.\n \* You should not store it or allow it to escape in some way,  
unless you made a snapshot of it.\n \* Several last lists may have fewer elements than the given [size].\n \* \n \* Both  
[size] and [step]  
must be positive and can be greater than the number of elements in this sequence.\n \* @param size the number of  
elements to take in each window\n \* @param step the number of elements to move the window forward by on an  
each step, by default 1\n \* @param partialWindows controls whether or not to keep partial windows in the end if  
any,\n \* by default `false` which means partial windows won't be preserved\n \* \n \* @sample  
samples.collections.Sequences.Transformations.averageWindows\n \* \n\n@SinceKotlin("1.2")\npublic fun <T, R>  
Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R):

```

Sequence<R> {\n  return windowedSequence(size, step, partialWindows, reuseBuffer =
true).map(transform)\n}\n\n/**\n * Returns a sequence of values built from the elements of `this` sequence and the
[other] sequence with the same index.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n
*\n * The operation is _intermediate_ and
_stateless_.\n * \n * @sample samples.collections.Sequences.Transformations.zip\n */\npublic infix fun <T, R>
Sequence<T>.zip(other: Sequence<R>): Sequence<Pair<T, R>> {\n  return MergingSequence(this, other) { t1, t2 -
> t1 to t2 }\n}\n\n/**\n * Returns a sequence of values built from the elements of `this` sequence and the [other]
sequence with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The
resulting sequence ends as soon as the shortest input sequence ends.\n *\n * The operation is _intermediate_ and
_stateless_.\n * \n * @sample samples.collections.Sequences.Transformations.zipWithTransform\n */\npublic fun
<T, R, V> Sequence<T>.zip(other: Sequence<R>, transform: (a: T, b: R) -> V): Sequence<V> {\n  return
MergingSequence(this, other, transform)\n}\n\n/**\n * Returns a sequence of pairs of each two adjacent elements in
this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin("1.2")\npublic fun <T>
Sequence<T>.zipWithNext(): Sequence<Pair<T, T>> {\n  return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to an each pair of two
adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two
elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin("1.2")\npublic
fun <T, R> Sequence<T>.zipWithNext(transform: (a: T, b: T) -> R): Sequence<R> {\n  return sequence result@\n
{\n  val iterator = iterator()\n  if (!iterator.hasNext()) return @result\n  var current = iterator.next()\n
while (iterator.hasNext()) {\n  val next = iterator.next()\n
yield(transform(current, next))\n  current = next\n  }\n }\n}\n\n/**\n * Appends the string from
all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the
collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n *
elements will be appended, followed by the [truncated] string (which defaults to `"...`).\n *\n * The operation is
_terminal_.\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A :
Appendable> Sequence<T>.joinTo(buffer: A, separator: CharSequence = ``, ``, prefix: CharSequence = ``, postfix:
CharSequence = ``, limit: Int = -1, truncated: CharSequence = `"...`, transform: ((T) -> CharSequence)? = null): A
{\n  buffer.append(prefix)\n  var count = 0\n  for (element in this) {\n  if (++count > 1)
buffer.append(separator)\n  if (limit < 0 || count <= limit)
{\n  buffer.appendElement(element, transform)\n  } else break\n  }\n  if (limit >= 0 && count > limit)
buffer.append(truncated)\n  buffer.append(postfix)\n  return buffer\n}\n\n/**\n * Creates a string from all the
elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection
could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will
be appended, followed by the [truncated] string (which defaults to `"...`).\n *\n * The operation is _terminal_.\n * \n *
@sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T>
Sequence<T>.joinToString(separator: CharSequence = ``, ``, prefix: CharSequence = ``, postfix: CharSequence =
``, limit: Int = -1, truncated: CharSequence = `"...`, transform: ((T) -> CharSequence)? = null): String {\n  return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n *
Creates an [Iterable] instance that wraps the original sequence returning its elements when being iterated.\n
*\n */\npublic fun <T> Sequence<T>.asIterable(): Iterable<T> {\n  return Iterable { this.iterator() }\n}\n\n/**\n *
Returns this sequence as a [Sequence].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Sequence<T>.asSequence(): Sequence<T> {\n  return this\n}\n\n/**\n * Returns an average value of elements in
the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("averageOfByte")\npublic fun
Sequence<Byte>.average(): Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n
sum += element\n  checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum /

```

```

count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n *\n * Kotlin JVM Name: "averageOfShort"\n */\npublic fun Sequence<Short>.average():\n    Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n *\n * Kotlin JVM Name: "averageOfInt"\n */\npublic fun Sequence<Int>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the\n * sequence.\n *\n * The operation is _terminal_.\n *\n * Kotlin JVM Name: "averageOfLong"\n */\npublic fun\nSequence<Long>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else\n        sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is\n * _terminal_.\n *\n * Kotlin JVM Name: "averageOfFloat"\n */\npublic fun Sequence<Float>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is\n * _terminal_.\n *\n * Kotlin JVM Name: "averageOfDouble"\n */\npublic fun Sequence<Double>.average(): Double {\n    var sum:\n        Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns\n * the sum of all elements in the sequence.\n *\n * The operation is\n * _terminal_.\n *\n * Kotlin JVM Name: "sumOfByte"\n */\npublic fun Sequence<Byte>.sum(): Int\n    {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns\n * the sum of all elements in the sequence.\n *\n * The operation is\n * _terminal_.\n *\n * Kotlin JVM Name: "sumOfShort"\n */\npublic fun Sequence<Short>.sum(): Int {\n    var sum: Int = 0\n    for\n        (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the\n * sequence.\n *\n * The operation is\n * _terminal_.\n *\n * Kotlin JVM Name: "sumOfInt"\n */\npublic fun\nSequence<Int>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return\n        sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is\n * _terminal_.\n *\n * Kotlin JVM Name: "sumOfLong"\n */\npublic fun Sequence<Long>.sum(): Long {\n    var sum: Long = 0L\n    for\n        (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in\n * the sequence.\n *\n * The operation is\n * _terminal_.\n *\n * Kotlin JVM Name: "sumOfFloat"\n */\npublic fun\nSequence<Float>.sum(): Float {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is\n * _terminal_.\n *\n * Kotlin JVM Name: "sumOfDouble"\n */\npublic fun Sequence<Double>.sum(): Double {\n    var sum:\n        Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/*\n * Copyright 2010-\n * 2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the\n * Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file: kotlin.jvm.JvmMultifileClass\n@file: kotlin.jvm.JvmName("SetsKt")\npackage\nkotlin.collections\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:\n// https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport\nkotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns a set containing\n * all elements of the original set except the given [element].\n *\n * The returned set preserves the element iteration\n * order of the original set.\n *\n * Kotlin public operator fun <T> Set<T>.minus(element: T): Set<T> {\n    val result =\n        LinkedHashSet<T>(mapCapacity(size))\n    var removed = false\n    return this.filterTo(result) { if (!removed && it\n        == element) {\n            removed = true; false\n        } else true\n    }\n}\n\n/**\n * Returns a set containing all elements of the original\n * set except the elements contained in the given [elements] array.\n *\n * The returned set preserves the element\n * iteration order of the original set.\n *\n * Before Kotlin 1.6, the [elements] array may have been converted to a

```

[HashSet] to speed up the operation, thus the elements were required to have a correct and stable implementation of hashCode() that didn't change between successive invocations.

\* On JVM, you can enable this behavior back with the system property

```
 kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.
```

```
 public operator fun <T>  
 Set<T>.minus(elements: Array<out T>): Set<T> {
```

```
     val result = LinkedHashSet<T>(this)  
     result.removeAll(elements)  
     return result  
 }  
 /**  
  * Returns a set containing all elements of the original set  
  * except the elements contained in the given [elements] collection.  
  * The returned set preserves the element  
  * iteration order of the original set.  
  * Before Kotlin 1.6, the [elements] collection may have been converted to a  
  * [HashSet] to speed up the operation, thus the elements were required to have  
  * a correct and stable implementation  
  * of hashCode() that didn't change between successive invocations.  
  * On JVM, you can enable this behavior back  
  * with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.  
  */  
 public operator  
 fun <T> Set<T>.minus(elements: Iterable<T>):
```

```
 Set<T> {  
     val other = elements.convertToSetForSetOperationWith(this)  
     if (other.isEmpty())  
         return  
     this.toSet()  
     if (other is Set)  
         return this.filterNotTo(LinkedHashSet<T>()) { it in other }  
     val result =  
     LinkedHashSet<T>(this)  
     result.removeAll(other)  
     return result  
 }  
 /**  
  * Returns a set containing all  
  * elements of the original set except the elements contained in the given [elements] sequence.  
  * The returned set  
  * preserves the element iteration order of the original set.  
  * Before Kotlin 1.6, the [elements] sequence may  
  * have been converted to a [HashSet] to speed up the operation, thus the elements were required to have  
  * a correct  
  * and stable implementation of hashCode() that didn't change between successive invocations.  
  * On JVM, you can  
  * enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to  
  * `true`.  
  */  
 public operator fun <T> Set<T>.minus(elements: Sequence<T>):
```

```
 Set<T> {  
     val result = LinkedHashSet<T>(this)  
     result.removeAll(elements)  
     return result  
 }  
 /**  
  * Returns a set containing all elements of the original set except the given [element].  
  * The returned set  
  * preserves the element iteration order of the original set.
```

```
 */  
 @kotlin.internal.InlineOnly  
 public inline fun <T>  
 Set<T>.minusElement(element: T): Set<T> {  
     return minus(element)  
 }  
 /**  
  * Returns a set containing all  
  * elements of the original set and then the given [element] if it isn't already in this set.  
  * The returned set  
  * preserves the element iteration order of the original set.  
  */  
 public operator fun <T> Set<T>.plus(element: T):
```

```
 Set<T> {  
     val result = LinkedHashSet<T>(mapCapacity(size + 1))  
     result.addAll(this)  
     result.add(element)  
     return result  
 }  
 /**  
  * Returns a set containing all elements of the original set and the  
  * given [elements] array,  
  * which aren't already in this set.  
  * The returned set preserves  
  * the element iteration order of the original set.  
  */  
 public operator fun <T> Set<T>.plus(elements: Array<out T>):
```

```
 Set<T> {  
     val result = LinkedHashSet<T>(mapCapacity(this.size + elements.size))  
     result.addAll(this)  
     result.addAll(elements)  
     return result  
 }  
 /**  
  * Returns a set containing all elements of the original set and  
  * the given [elements] collection,  
  * which aren't already in this set.  
  * The returned set preserves the element  
  * iteration order of the original set.  
  */  
 public operator fun <T> Set<T>.plus(elements: Iterable<T>): Set<T> {
```

```
     val result = LinkedHashSet<T>(mapCapacity(elements.collectionSizeOrNull()?.let { this.size + it } ?: this.size *  
     2))  
     result.addAll(this)  
     result.addAll(elements)  
     return result  
 }  
 /**  
  * Returns a set containing all  
  * elements of the original set and the given [elements] sequence,  
  * which aren't already in this set.  
  * The  
  * returned set preserves the element iteration order of the original set.
```

```
 */  
 public operator fun <T> Set<T>.plus(elements: Sequence<T>): Set<T> {  
     val result =  
     LinkedHashSet<T>(mapCapacity(this.size * 2))  
     result.addAll(this)  
     result.addAll(elements)  
     return  
     result  
 }  
 /**  
  * Returns a set containing all elements of the original set and then the given [element] if it isn't  
  * already in this set.  
  * The returned set preserves the element iteration order of the original set.
```

```
 */  
 @kotlin.internal.InlineOnly  
 public inline fun <T> Set<T>.plusElement(element: T): Set<T> {  
     return  
     plus(element)  
 }
```

Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.  
Use of this source code is governed by the Apache 2.0 license that can be found in the  
license/LICENSE.txt file.

```
 @file:kotlin.jvm.JvmMultifileClass @file:kotlin.jvm.JvmName("StringsKt")
```

kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:  
<https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n/\n\nimport>  
kotlin.random.\*\n\n/\*\*\n \* Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if  
the [index] is out of bounds of this char sequence.\n \* \n \* @sample  
samples.collections.Collections.Elements.elementAt\n \* \n\npublic expect fun CharSequence.elementAt(index: Int):  
Char\n\n/\*\*\n \* Returns a character at the given [index] or the result of calling the [defaultValue] function if the  
[index] is out of bounds of this char sequence.\n \* \n \* @sample  
samples.collections.Collections.Elements.elementAtOrElse\n \* \n\n@kotlin.internal.InlineOnly\n\npublic inline fun  
CharSequence.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index  
<= lastIndex) get(index) else defaultValue(index)\n}\n\n/\*\*\n \* Returns a character at the given [index] or `null` if  
the [index] is out of bounds of this char sequence.\n \* \n \* @sample  
samples.collections.Collections.Elements.elementAtOrNull\n \* \n\n@kotlin.internal.InlineOnly\n\npublic  
inline fun CharSequence.elementAtOrNull(index: Int): Char? {\n return this.getOrNull(index)\n}\n\n/\*\*\n \*  
Returns the first character matching the given [predicate], or `null` if no such character was found.\n \* \n \* @sample  
samples.collections.Collections.Elements.find\n \* \n\n@kotlin.internal.InlineOnly\n\npublic inline fun  
CharSequence.find(predicate: (Char) -> Boolean): Char? {\n return firstOrNull(predicate)\n}\n\n/\*\*\n \* Returns  
the last character matching the given [predicate], or `null` if no such character was found.\n \* \n \* @sample  
samples.collections.Collections.Elements.find\n \* \n\n@kotlin.internal.InlineOnly\n\npublic inline fun  
CharSequence.findLast(predicate: (Char) -> Boolean): Char? {\n return lastOrNull(predicate)\n}\n\n/\*\*\n \*  
Returns first character.\n \* @throws [NoSuchElementException] if the char sequence is empty.\n \* \n\npublic fun  
CharSequence.first(): Char {\n if (isEmpty())\n throw NoSuchElementException("Char sequence is  
empty.")\n return this[0]\n}\n\n/\*\*\n \* Returns the first character matching the given [predicate].\n \* @throws  
[NoSuchElementException] if no such character is found.\n \* \n\npublic inline fun CharSequence.first(predicate:  
(Char) -> Boolean): Char {\n for (element in this) if (predicate(element)) return element\n throw  
NoSuchElementException("Char sequence contains no character matching the predicate.")\n}\n\n/\*\*\n \* Returns  
the first non-null value produced by [transform] function being applied to characters of this char sequence in  
iteration order,\n \* or throws [NoSuchElementException] if no non-null value was produced.\n \* \n \* @sample  
samples.collections.Collections.Transformations.firstNotNullOf\n \* \n\n@SinceKotlin("1.5")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <R : Any>  
CharSequence.firstNotNullOf(transform: (Char) -> R?): R {\n return firstNotNullOfOrNull(transform) ?: throw  
NoSuchElementException("No element of the char sequence was transformed to a non-null  
value.")\n}\n\n/\*\*\n \* Returns the first non-null value produced by [transform] function being applied to characters  
of this char sequence in iteration order,\n \* or `null` if no non-null value was produced.\n \* \n \* @sample  
samples.collections.Collections.Transformations.firstNotNullOf\n \* \n\n@SinceKotlin("1.5")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <R : Any>  
CharSequence.firstNotNullOfOrNull(transform: (Char) -> R?): R? {\n for (element in this) {\n val result =  
transform(element)\n if (result != null) {\n return result\n }\n }\n return null\n}\n\n/\*\*\n \*  
Returns the first character, or `null` if the char sequence is empty.\n \* \n\npublic fun CharSequence.firstOrNull():  
Char? {\n return if (isEmpty()) null else this[0]\n}\n\n/\*\*\n \* Returns the first character matching the given  
[predicate], or `null` if character was not found.\n \* \n\npublic inline fun CharSequence.firstOrNull(predicate: (Char) -  
> Boolean): Char? {\n for  
(element in this) if (predicate(element)) return element\n return null\n}\n\n/\*\*\n \* Returns a character at the given  
[index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.\n \* \n\n@kotlin.internal.InlineOnly\n\npublic inline fun CharSequence.getOrNull(index: Int, defaultValue: (Int) -> Char):  
Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/\*\*\n \* Returns a  
character at the given [index] or `null` if the [index] is out of bounds of this char sequence.\n \* \n \* @sample  
samples.collections.Collections.Elements.getOrNull\n \* \n\npublic fun CharSequence.getOrNull(index: Int): Char?  
{\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/\*\*\n \* Returns index of the first



```

character matching the given [predicate], or -1 if the char sequence does not contain such character.\n */\npublic
inline fun CharSequence.indexOfFirst(predicate: (Char) -> Boolean): Int {\n
    for (index in indices) {\n        if (predicate(this[index])) {\n            return index\n        }\n    }\n    return -
1\n}\n\n/**\n * Returns index of the last character matching the given [predicate], or -1 if the char sequence does
not contain such character.\n */\npublic inline fun CharSequence.indexOfLast(predicate: (Char) -> Boolean): Int {\n
    for (index in indices.reversed()) {\n        if (predicate(this[index])) {\n            return index\n        }\n    }\n    return -
1\n}\n\n/**\n * Returns the last character.\n * \n * @throws NoSuchElementException if the char sequence is
empty.\n * \n * @sample samples.text.Strings.last\n */\npublic fun CharSequence.last(): Char {\n    if (isEmpty())\n        throw NoSuchElementException("Char sequence is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the
last character matching the given [predicate].\n * \n * @throws NoSuchElementException if no such character is
found.\n * \n * @sample samples.text.Strings.last\n */\npublic
inline fun CharSequence.last(predicate: (Char) -> Boolean): Char {\n    for (index in this.indices.reversed()) {\n
        val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Char sequence contains no character matching the predicate.")\n}\n\n/**\n * Returns
the last character, or `null` if the char sequence is empty.\n * \n * @sample samples.text.Strings.last\n */\npublic fun
CharSequence.lastOrNull(): Char? {\n    return if (isEmpty()) null else this[length - 1]\n}\n\n/**\n * Returns the last
character matching the given [predicate], or `null` if no such character was found.\n * \n * @sample
samples.text.Strings.last\n */\npublic inline fun CharSequence.lastOrNull(predicate: (Char) -> Boolean): Char? {\n
    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n
    }\n    return null\n}\n\n/**\n * Returns a random character from this char sequence.\n
* \n * @throws NoSuchElementException if this char sequence is empty.\n
*/\n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.random(): Char {\n
    return random(Random)\n}\n\n/**\n * Returns a random character from this char sequence using the specified
source of randomness.\n * \n * @throws NoSuchElementException if this char sequence is empty.\n
*/\n\n@SinceKotlin("1.3")\npublic fun CharSequence.random(random: Random): Char {\n    if (isEmpty())\n        throw NoSuchElementException("Char sequence is empty.")\n    return get(random.nextInt(length))\n}\n\n/**\n *
Returns a random character from this char sequence, or `null` if this char sequence is empty.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun CharSequence.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random character from this char sequence using the specified source of
randomness, or `null` if this char sequence is empty.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
CharSequence.randomOrNull(random: Random): Char? {\n    if (isEmpty())\n        return null\n    return
get(random.nextInt(length))\n}\n\n/**\n * Returns the single character, or throws an exception if the char sequence
is empty or has more than one character.\n */\npublic fun CharSequence.single(): Char {\n    return when (length)
{\n        0 -> throw NoSuchElementException("Char sequence is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Char sequence has more than one element.")\n    }\n}\n\n/**\n * Returns the single
character matching the given [predicate], or throws exception if there is no or more than one matching character.\n
*/\npublic inline fun CharSequence.single(predicate: (Char) -> Boolean): Char {\n    var single: Char? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element))\n            {\n                if (found) throw IllegalArgumentException("Char sequence contains more than one matching
element.")\n                single = element\n                found = true\n            }\n    }\n    if (!found) throw
NoSuchElementException("Char sequence contains no character matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Char\n}\n\n/**\n * Returns single character, or `null` if
the char sequence is empty or has more than one character.\n */\npublic fun CharSequence.singleOrNull(): Char?
{\n    return if (length == 1) this[0] else null\n}\n\n/**\n * Returns the single character matching the given
[predicate], or `null` if character was not found or more than one character was found.\n */\npublic inline fun
CharSequence.singleOrNull(predicate: (Char) -> Boolean): Char? {\n    var single: Char? = null\n    var found =

```

```

false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single
= element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a
subsequence of this char sequence with the first [n] characters removed.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun
CharSequence.drop(n: Int): CharSequence {\n require(n >= 0) { \"Requested character count $n is less than zero.\"
}\n return subSequence(n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string with the first [n] characters
removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.text.Strings.drop\n */\npublic fun String.drop(n: Int): String {\n require(n >= 0) { \"Requested character
count $n is less than zero.\" }\n return substring(n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of
this char sequence with the last [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is
negative.\n
* \n * @sample samples.text.Strings.drop\n */\npublic fun CharSequence.dropLast(n: Int): CharSequence {\n
require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return take((length -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a string with the last [n] characters removed.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun
String.dropLast(n: Int): String {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return
take((length - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a subsequence of this char sequence containing all
characters except last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n
*/\npublic inline fun CharSequence.dropLastWhile(predicate: (Char) -> Boolean): CharSequence {\n for (index in
lastIndex downTo 0)\n if (!predicate(this[index]))\n return subSequence(0, index + 1)\n return
\"\"\n}\n\n/**\n * Returns a string containing all characters except last characters that satisfy the given
[predicate].\n * \n * @sample samples.text.Strings.drop\n */\npublic inline fun String.dropLastWhile(predicate:
(Char) -> Boolean): String {\n for (index in lastIndex downTo 0)\n if (!predicate(this[index]))\n return
substring(0, index + 1)\n return \"\"\n}\n\n/**\n * Returns a subsequence of this char sequence containing all
characters except first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n
*/\npublic inline fun CharSequence.dropWhile(predicate: (Char) -> Boolean): CharSequence {\n for (index in
this.indices)\n if (!predicate(this[index]))\n return subSequence(index, length)\n return \"\"\n}\n\n/**\n * Returns a string containing all characters except first characters that satisfy the given [predicate].\n * \n *
@sample samples.text.Strings.drop\n */\npublic inline fun String.dropWhile(predicate:
(Char) -> Boolean): String {\n for (index in this.indices)\n if (!predicate(this[index]))\n return
substring(index)\n return \"\"\n}\n\n/**\n * Returns a char sequence containing only those characters from the
original char sequence that match the given [predicate].\n * \n * @sample samples.text.Strings.filter\n */\npublic
inline fun CharSequence.filter(predicate: (Char) -> Boolean): CharSequence {\n return filterTo(StringBuilder(),
predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that match the
given [predicate].\n * \n * @sample samples.text.Strings.filter\n */\npublic inline fun String.filter(predicate: (Char) -
> Boolean): String {\n return filterTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Returns a char sequence
containing only those characters from the original char sequence that match the given [predicate].\n * @param
[predicate] function that takes the index of a character
and the character itself\n * and returns the result of predicate evaluation on the character.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun CharSequence.filterIndexed(predicate:
(index: Int, Char) -> Boolean): CharSequence {\n return filterIndexedTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that match the given [predicate].\n *
@param [predicate] function that takes the index of a character and the character itself\n * and returns the result of
predicate evaluation on the character.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n
*/\npublic inline fun String.filterIndexed(predicate: (index: Int, Char) -> Boolean): String {\n return
filterIndexedTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Appends all characters matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the

```

```

index of a character and the character itself\n * and returns the result of predicate evaluation on the character.\n * \n
* @sample samples.collections.Collections.Filtering.filterIndexedTo\n *^\npublic inline fun <C : Appendable>
CharSequence.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n  forEachIndexed {
index, element ->\n    if (predicate(index, element)) destination.append(element)\n  }\n  return
destination\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence
that do not match the given [predicate].\n * \n * @sample samples.text.Strings.filterNot\n *^\npublic inline fun
CharSequence.filterNot(predicate: (Char) -> Boolean): CharSequence {\n  return filterNotTo(StringBuilder(),
predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that do not match
the given [predicate].\n * \n * @sample samples.text.Strings.filterNot\n *^\npublic inline fun
String.filterNot(predicate: (Char) -> Boolean): String {\n  return filterNotTo(StringBuilder(),
predicate).toString()\n}\n\n/**\n * Appends all characters not matching the given [predicate] to the given
[destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n *^\npublic inline fun <C :
Appendable> CharSequence.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (element in this)
if (!predicate(element)) destination.append(element)\n  return destination\n}\n\n/**\n * Appends all characters
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *^\npublic inline fun <C : Appendable>
CharSequence.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (index in 0 until length) {\n    val
element = get(index)\n    if (predicate(element)) destination.append(element)\n  }\n  return
destination\n}\n\n/**\n * Returns a char sequence containing
characters of the original char sequence at the specified range of [indices].\n *^\npublic fun
CharSequence.slice(indices: IntRange): CharSequence {\n  if (indices.isEmpty()) return ""\n  return
subSequence(indices)\n}\n\n/**\n * Returns a string containing characters of the original string at the specified
range of [indices].\n *^\npublic fun String.slice(indices: IntRange): String {\n  if (indices.isEmpty()) return ""\n
return substring(indices)\n}\n\n/**\n * Returns a char sequence containing characters of the original char sequence
at specified [indices].\n *^\npublic fun CharSequence.slice(indices: Iterable<Int>): CharSequence {\n  val size =
indices.collectionSizeOrDefault(10)\n  if (size == 0) return ""\n  val result = StringBuilder(size)\n  for (i in
indices) {\n    result.append(get(i))\n  }\n  return result\n}\n\n/**\n * Returns a string containing characters of
the original string at specified [indices].\n *^\n@kotlin.internal.InlineOnly\npublic
inline fun String.slice(indices: Iterable<Int>): String {\n  return (this as
CharSequence).slice(indices).toString()\n}\n\n/**\n * Returns a subsequence of this char sequence containing the
first [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n *
* @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n *^\npublic fun
CharSequence.take(n: Int): CharSequence {\n  require(n >= 0) { "Requested character count $n is less than zero."
}\n  return subSequence(0, n.coerceAtMost(length))\n}\n\n/**\n * Returns a string containing the first [n]
characters from this string, or the entire string if this string is shorter.\n * \n * @throws IllegalArgumentException if
[n] is negative.\n * \n * @sample samples.text.Strings.take\n *^\npublic fun String.take(n: Int): String {\n  require(
n >= 0) { "Requested character count $n is less than zero." }\n  return substring(0,
n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence containing the last [n]
characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n *^\npublic fun
CharSequence.takeLast(n: Int): CharSequence {\n  require(n >= 0) { "Requested character count $n is less than zero."
}\n  val length = length\n  return
subSequence(length - n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string containing the last [n]
characters from this string, or the entire string if this string is shorter.\n * \n * @throws IllegalArgumentException if
[n] is negative.\n * \n * @sample samples.text.Strings.take\n *^\npublic fun String.takeLast(n: Int): String {\n
require(n >= 0) { "Requested character count $n is less than zero." }\n  val length = length\n  return
substring(length - n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence

```

of this char sequence containing last characters that satisfy the given [predicate].

```

@sample samples.text.Strings.takeLastWhile(predicate: (Char) -> Boolean):
CharSequence
{n for (index in lastIndex downTo 0) {
    if (!predicate(this[index])) {
        return
subSequence(index + 1, length)}
}
}
return subSequence(0, length)
}
}

```

\* Returns a string containing last characters that satisfy the given [predicate].

```

@sample samples.text.Strings.takeLastWhile(predicate: (Char) -> Boolean): String
{n for (index in lastIndex downTo 0) {
    if (!predicate(this[index])) {
        return substring(index + 1)}
}
}
return this
}
}

```

\* Returns a subsequence of this char sequence containing the first characters that satisfy the given [predicate].

```

@sample samples.text.Strings.takeWhile(predicate:
(Char) -> Boolean): CharSequence
{n for (index in 0 until length)
    if (!predicate(get(index))) {
        return subSequence(0, index)}
}
}
return subSequence(0, length)
}
}

```

\* Returns a string containing the first characters that satisfy the given [predicate].

```

@sample samples.text.Strings.takeWhile(predicate: (Char) -> Boolean): String
{n for (index in 0 until length)
    if
(!predicate(get(index))) {
        return substring(0, index)}
}
}
return this
}
}

```

\* Returns a char sequence with characters in reversed order.

```

@public fun CharSequence.reversed(): CharSequence {
return
StringBuilder(this).reverse()
}
}

```

\* Returns a string with characters in reversed order.

```

@kotlin.internal.InlineOnly
@public inline fun String.reversed(): String {
return (this as
CharSequence).reversed().toString()
}
}

```

\* Returns a [Map] containing key-value pairs provided by [transform] function applied to characters of the given char sequence.

\* If any of two pairs would have the same key the last one gets added to the map.

\* The returned map preserves the entry iteration order of the original char sequence.

```

@sample samples.text.Strings.associate
<K, V> CharSequence.associate(transform: (Char) -> Pair<K, V>): Map<K, V>
{n val capacity =
mapCapacity(length).coerceAtLeast(16)
return associateTo(LinkedHashMap<K, V>(capacity),
transform)}
}
}

```

\* Returns a [Map] containing the characters from the given char sequence indexed by the key returned from [keySelector] function applied to each character.

\* If any two characters would have the same key returned by [keySelector] the last one gets added to the map.

\* The returned map preserves the entry iteration order of the original char sequence.

```

@sample samples.text.Strings.associateBy
<K> CharSequence.associateBy(keySelector: (Char) -> K): Map<K, Char>
{n val capacity =
mapCapacity(length).coerceAtLeast(16)
return associateByTo(LinkedHashMap<K, Char>(capacity),
keySelector)}
}
}

```

\* Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to characters of the given char sequence.

\* If any two characters would have the same key returned by [keySelector] the last one gets added to the map.

\* The returned map preserves the entry iteration order of the original char sequence.

```

@sample
samples.text.Strings.associateByWithValueTransform
<K, V>
CharSequence.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V>
{n val capacity =
mapCapacity(length).coerceAtLeast(16)
return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)}
}
}

```

\* Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function applied to each character of the given char sequence and value is the character itself.

\* If any two characters would have the same key returned by [keySelector] the last one gets added to the map.

```

@sample samples.text.Strings.associateByTo
<K, M : MutableMap<in K, in Char>>
CharSequence.associateByTo(destination: M, keySelector: (Char) -> K): M
{n for (element in this) {
    destination.put(keySelector(element), element)}
}
}
return destination
}
}

```

\* Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to characters of the given char sequence.

\* If any two characters would have the same key returned by [keySelector] the last one gets added to the map.

```

@sample
samples.text.Strings.associateByToWithValueTransform

```

```

*  

public inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateByTo(destination: M,
keySelector: (Char) -> K, valueTransform: (Char) -> V): M {  

    for (element in this) {  

        destination.put(keySelector(element), valueTransform(element))  

    }  

    return destination  

}
* Populates and returns the [destination] mutable map with key-value pairs  

* provided by [transform] function applied to each character of the given char sequence.  

* If any of two pairs would have the same key the last one gets added to the map.  

* @sample samples.text.Strings.associateTo
*  

public inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {  

    for (element in this) {  

        destination += transform(element)  

    }  

    return destination  

}
* Returns a [Map] where keys are characters from the given char sequence and values are  

* produced by the [valueSelector] function applied to each character.  

* If any two characters are equal, the last one gets added to the map.  

* The returned map preserves the entry iteration order of the original char sequence.  

* @sample samples.text.Strings.associateWith
*  

@SinceKotlin("1.3")  

public inline fun <V> CharSequence.associateWith(valueSelector: (Char) -> V): Map<Char, V> {  

    val result = LinkedHashMap<Char, V>(mapCapacity(length.coerceAtMost(128)).coerceAtLeast(16))  

    return associateWithTo(result, valueSelector)  

}
* Populates and returns the [destination] mutable map with key-value pairs for each character of the given char sequence,  

* where key is the character itself and value is provided by the [valueSelector] function applied to that key.  

* If any two characters are equal, the last one overwrites the former value in the map.  

* @sample samples.text.Strings.associateWithTo
*  

@SinceKotlin("1.3")  

public inline fun <V, M : MutableMap<in Char, in V>> CharSequence.associateWithTo(destination: M, valueSelector: (Char) -> V): M {  

    for (element in this) {  

        destination.put(element, valueSelector(element))  

    }  

    return destination  

}
* Appends all characters to the given [destination] collection.  

*  

public fun <C : MutableCollection<in Char>> CharSequence.toCollection(destination: C): C {  

    for (item in this) {  

        destination.add(item)  

    }  

    return destination  

}
* Returns a new [HashSet] of all characters.  

*  

public fun CharSequence.toHashSet(): HashSet<Char> {  

    return toCollection(HashSet<Char>(mapCapacity(length.coerceAtMost(128))))  

}
* Returns a [List] containing all characters.  

*  

public fun CharSequence.toList(): List<Char> {  

    return when (length) {  

        0 -> emptyList()  

        1 -> listOf(this[0])  

        else -> this.toMutableList()  

    }  

}
* Returns a new [MutableList] filled with all characters of this char sequence.  

*  

public fun CharSequence.toMutableList(): MutableList<Char> {  

    return toCollection(ArrayList<Char>(length))  

}
* Returns a [Set] of all characters.  

* The returned set preserves the element iteration order of the original char sequence.  

*  

public fun CharSequence.toSet(): Set<Char> {  

    return when (length) {  

        0 -> emptySet()  

        1 -> setOf(this[0])  

        else -> toCollection(LinkedHashSet<Char>(mapCapacity(length.coerceAtMost(128))))  

    }  

}
* Returns a single list of all elements yielded from results of [transform] function being invoked on each character of original char sequence.  

* @sample samples.collections.Collections.Transformations.flatMap
*  

public inline fun <R> CharSequence.flatMap(transform: (Char) -> Iterable<R>): List<R> {  

    return flatMapTo(ArrayList<R>(), transform)  

}
* Returns a single list of all elements yielded from results of [transform] function being invoked on each character  

* and its index in the original char sequence.  

* @sample samples.collections.Collections.Transformations.flatMapIndexed
*  

@SinceKotlin("1.4")  

@OptIn(kotlin.experimental.ExperimentalTypeInference::class)  

@OverloadResolutionByLambdaReturnType  

@kotlin.jvm.JvmName("flatMapIndexedIterable")  

@kotlin.internal.InlineOnly  

public inline fun <R> CharSequence.flatMapIndexed(transform: (index: Int, Char) -> Iterable<R>): List<R> {  

    return flatMapIndexedTo(ArrayList<R>(), transform)  

}
* Appends all elements yielded from results of [transform] function being invoked on each character  

* and its index in the original char sequence, to the given [destination].  

*  

@SinceKotlin("1.4")  

@OptIn(kotlin.experimental.ExperimentalTypeInference::class)  

@OverloadResolutionByLambdaReturnType  

@kotlin.jvm.JvmName("flatMapIndexedIterableTo")  

@kotlin.internal.InlineOnly  

public inline fun <R, D : MutableCollection<in R>> CharSequence.flatMapIndexedTo(destination: D, transform: (index: Int, Char) -> Iterable<R>): D {  

    return flatMapIndexedTo(destination, transform)  

}
* Appends all elements yielded from results of [transform] function being invoked on each character  

* and its index in the original char sequence, to the given [destination].

```

```

c inline fun <R, C : MutableCollection<in R>> CharSequence.flatMapIndexedTo(destination: C, transform:
(index: Int, Char) -> Iterable<R>): C {
    var index = 0
    for (element in this) {
        val list =
transform(index++, element)
        destination.addAll(list)
    }
    return destination
}

Append all
elements yielded from results of [transform] function being invoked on each character of original char sequence, to
the given [destination].

public inline fun <R, C : MutableCollection<in R>>
CharSequence.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {
    for (element in this) {
        val
list = transform(element)
        destination.addAll(list)
    }
    return destination
}

Groups characters
of the original char sequence by the key returned by the given [keySelector] function
applied to each character
and returns a map where each group key is associated with a list of corresponding characters.

The returned
map preserves the entry iteration order of the keys produced from the original char sequence.

@sample samples.collections.Collections.Transformations.groupBy

public inline fun <K>
CharSequence.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {
    return
groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)
}

Groups values returned by the
[valueTransform] function applied to each character of the original char sequence
by the key returned by the
given [keySelector] function applied to the character
and returns a map where each group key is associated with
a list of corresponding values.

The returned map preserves the entry iteration order of the keys produced
from the original char sequence.

@sample
samples.collections.Collections.Transformations.groupByKeysAndValues

public inline fun <K, V>
CharSequence.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {
    return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)
}

Groups
characters of the
original char sequence by the key returned by the given [keySelector] function
applied to each character and
puts to the [destination] map each group key associated with a list of corresponding characters.

@return The
[destination] map.

@sample samples.collections.Collections.Transformations.groupBy

public inline
fun <K, M : MutableMap<in K, MutableList<Char>>> CharSequence.groupByTo(destination: M, keySelector:
(Char) -> K): M {
    for (element in this) {
        val key = keySelector(element)
        val list =
destination.getOrPut(key) { ArrayList<Char>() }
        list.add(element)
    }
    return destination
}

Groups values returned by the [valueTransform] function applied to each character of the original char sequence
by the key returned by the given [keySelector] function applied to the character
and puts to the [destination] map
each group key associated with a list of corresponding values.

@return The [destination]
map.

@sample samples.collections.Collections.Transformations.groupByKeysAndValues

public inline
fun <K, V, M : MutableMap<in K, MutableList<V>>> CharSequence.groupByTo(destination: M,
keySelector: (Char) -> K, valueTransform: (Char) -> V): M {
    for (element in this) {
        val key =
keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

Creates a [Grouping] source from a
char sequence to be used later with one of group-and-fold operations
using the specified [keySelector] function
to extract a key from each character.

@sample samples.collections.Grouping.groupingByEachCount

@SinceKotlin("1.1")
public inline fun <K> CharSequence.groupingBy(crossinline keySelector: (Char) -> K):
Grouping<Char, K> {
    return object : Grouping<Char, K> {
        override fun sourceIterator(): Iterator<Char>
= this@groupingBy.iterator()

        override fun keyOf(element: Char): K = keySelector(element)
    }
}

Returns a list containing the
results of applying the given [transform] function
to each character in the original char sequence.

@sample samples.text.Strings.map

public inline fun <R> CharSequence.map(transform: (Char) -> R):
List<R> {
    return mapTo(ArrayList<R>(length), transform)
}

Returns a list containing the results of
applying the given [transform] function
to each character and its index in the original char sequence.

@param [transform] function that takes the index of a character and the character itself
and returns the result of
the transform applied to the character.

public inline fun <R> CharSequence.mapIndexed(transform: (index:
Int, Char) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(length), transform)
}

Returns a list

```

containing only the non-null results of applying the given [transform] function to each character and its index in the original char sequence.

`\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R : Any> CharSequence.mapIndexedNotNull(transform: (index: Int, Char) -> R?): List<R> {\n return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char sequence\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapIndexedNotNullTo(destination: C, transform: (index: Int, Char) -> R?): C {\n forIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char sequence\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each character in the original char sequence.\n */\n * @sample samples.collections.Collections.Transformations.mapNotNull\n */\npublic inline fun <R : Any> CharSequence.mapNotNull(transform: (Char) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each character in the original char sequence\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapNotNullTo(destination: C, transform: (Char) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each character of the original char sequence\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapTo(destination: C, transform: (Char) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each character of the original char sequence\n * into an [IndexedValue] containing the index of that character and the character itself.\n */\npublic fun CharSequence.withIndex(): Iterable<IndexedValue<Char>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all characters match the given [predicate].\n */\n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharSequence.all(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if char sequence has at least one character.\n */\n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun CharSequence.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one character matches the given [predicate].\n */\n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun CharSequence.any(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the length of this char sequence.\n */\n * @kotlin.internal\n */\npublic inline fun CharSequence.count(): Int {\n return length\n}\n\n/**\n * Returns the number of characters matching the given [predicate].\n */\npublic inline fun CharSequence.count(predicate: (Char) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each character.\n */\n * Returns the specified [initial] value if the char sequence is empty.\n */\n * @param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.\n */\npublic inline fun <R> CharSequence.fold(initial: R, operation: (acc: R, Char) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation]`

from left to right

```

 * to current accumulator value and each character with its index in the original char sequence.
 * Returns the specified [initial] value if the char sequence is empty.
 * @param [operation] function that takes the index of a character, current accumulator value
 * and the character itself, and calculates the next accumulator value.
 */
public inline fun <R> CharSequence.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left

```

 * to each character and current accumulator value.
 * Returns the specified [initial] value if the char sequence is empty.
 * @param [operation] function that takes a character and current accumulator value, and calculates the next accumulator
 * value.
 */
public inline fun <R> CharSequence.foldRight(initial: R, operation: (Char, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left

```

 * to each character with its index in the original char sequence and current accumulator value.
 * Returns the specified [initial] value if the char sequence is empty.
 * @param [operation] function that takes the index of a character, the character itself
 * and current accumulator value, and calculates the next accumulator value.
 */
public inline fun <R> CharSequence.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Performs the given [action] on each character

```

 */
public inline fun CharSequence.forEach(action: (Char) -> Unit): Unit {
    for (element in this) action(element)
}

```

Performs the given [action] on each character, providing sequential index with the character

```

 * @param [action] function that takes the index of a character and the character itself
 * and performs the action on the character.
 */
public inline fun CharSequence.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {
    var index = 0
    for (item in this) action(index++, item)
}

```

**Deprecated** ("Use maxOrNull instead.", ReplaceWith("this.maxOrNull()"))

**Deprecated** ("Use maxByOrNull instead.", ReplaceWith("this.maxByOrNull(selector)"))

```

 */
public fun CharSequence.max(): Char? {
    return maxOrNull()
}

```

**Deprecated** ("Use maxByOrNull instead.", ReplaceWith("this.maxByOrNull(selector)"))

```

 */
public inline fun <R : Comparable<R>> CharSequence.maxBy(selector: (Char) -> R): Char? {
    return maxByOrNull(selector)
}

```

Returns the first character yielding the largest value of the given function or `null` if there are no characters

```

 * @sample samples.collections.Collections.Aggregates.maxByOrNull
 * @SinceKotlin("1.4")
 */
public inline fun <R : Comparable<R>> CharSequence.maxByOrNull(selector: (Char) -> R): Char? {
    if (isEmpty()) return null
    var maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue = selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}

```

Returns the largest value among all values produced by [selector] function applied to each character in the char sequence

```

 * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
 * @throws NoSuchElementException if the char sequence is empty.
 * @SinceKotlin("1.4")
 * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)
 * @OverloadResolutionByLambdaReturnType
 */
@kotlin.internal.InlineOnly
public inline fun CharSequence.maxOf(selector: (Char) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

```

Returns the largest value among all values produced by [selector] function applied to each character in the char sequence

```

 * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
 * @throws NoSuchElementException if the char sequence is empty.
 * @SinceKotlin("1.4")
 * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)
 * @OverloadResolutionByLambdaReturnType
 */
@kotlin.internal.InlineOnly
public

```



```

inline fun CharSequence.maxOf(selector: (Char) -> Float): Float {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
// Returns the largest value among all values produced by [selector] function
// applied to each character in the char sequence.
// @throws NoSuchElementException if the char sequence is empty.
// Since Kotlin("1.4")
// OptIn(kotlin.experimental.ExperimentalTypeInference::class)
// OverloadResolutionByLambdaReturnType
// kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>>
CharSequence.maxOf(selector: (Char) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (maxValue < v) {
            maxValue = v
        }
    }
    return maxValue
}
// Returns the largest value among all values produced by [selector] function
// applied to each character in the char sequence or `null` if there are no characters.
// If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
// Since Kotlin("1.4")
// OptIn(kotlin.experimental.ExperimentalTypeInference::class)
// OverloadResolutionByLambdaReturnType
// kotlin.internal.InlineOnly
public inline fun CharSequence.maxOfOrNull(selector:
(Char) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
// Returns the largest value among all values produced by [selector] function
// applied to each character in the char sequence or `null` if there
// are no characters.
// If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
// Since Kotlin("1.4")
// OptIn(kotlin.experimental.ExperimentalTypeInference::class)
// OverloadResolutionByLambdaReturnType
// kotlin.internal.InlineOnly
public inline fun CharSequence.maxOfOrNull(selector:
(Char) -> Float): Float? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
// Returns the largest value among all values produced by [selector] function
// applied to each character in the char sequence or `null` if there are no characters.
// Since Kotlin("1.4")
// OptIn(kotlin.experimental.ExperimentalTypeInference::class)
// OverloadResolutionByLambdaReturnType
// kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>>
CharSequence.maxOfOrNull(selector: (Char) -> R): R? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (maxValue < v) {
            maxValue = v
        }
    }
    return maxValue
}
// Returns the largest value according to the provided [comparator]
// among all values produced by [selector] function applied to each character in the char sequence.
// @throws NoSuchElementException if the char sequence is empty.
// Since Kotlin("1.4")
// OptIn(kotlin.experimental.ExperimentalTypeInference::class)
// OverloadResolutionByLambdaReturnType
// kotlin.internal.InlineOnly
public inline fun <R> CharSequence.maxOfWith(comparator:
Comparator<in R>, selector: (Char) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}
// Returns the largest value according to the provided [comparator]
// among all values produced by [selector] function applied to each character in the char sequence
// or `null` if there are no characters.
// Since Kotlin("1.4")
// OptIn(kotlin.experimental.ExperimentalTypeInference::class)
// OverloadResolutionByLambdaReturnType
// kotlin.internal.InlineOnly
public inline fun <R>
CharSequence.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}
// Returns the largest character or `null` if there are no characters.
// Since Kotlin("1.4")
// OptIn(kotlin.experimental.ExperimentalTypeInference::class)
// OverloadResolutionByLambdaReturnType
// kotlin.internal.InlineOnly
public fun
CharSequence.maxOrNull(): Char? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex)

```

```

{\n    val
    e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n@Deprecated("Use maxWithOrNull instead.",
ReplaceWith("this.maxWithOrNull(comparator)"))\n\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n\npublic fun CharSequence.maxWith(comparator: Comparator<in Char>): Char?
{\n    return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first character having the largest value
according to the provided [comparator] or `null` if there are no characters.\n * \n\n@SinceKotlin("1.4")\n\npublic fun
CharSequence.maxWithOrNull(comparator: Comparator<in Char>): Char? {\n    if (isEmpty()) return null\n    var
max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n
}\n    return max\n}\n\n@Deprecated("Use minOrNull instead.",
ReplaceWith("this.minOrNull()"))\n\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n\npublic fun CharSequence.min():
Char? {\n    return minOrNull()\n}\n\n@Deprecated("Use minByOrNull instead.",
ReplaceWith("this.minByOrNull(selector)"))\n\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\n\npublic inline fun <R : Comparable<R>> CharSequence.minBy(selector: (Char) ->
R): Char? {\n    return minByOrNull(selector)\n}\n\n/**\n * Returns the first character yielding the smallest value of
the given function or `null` if there are no characters.\n * \n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n\n@SinceKotlin("1.4")\n\npublic inline fun <R :
Comparable<R>> CharSequence.minByOrNull(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each character in the char sequence.\n * \n * \n * If any of values produced
by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * \n * @throws NoSuchElementException if the char
sequence is empty.\n * \n\n@SinceKotlin("1.4")\n\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n\n@OverloadResolution
ByLambdaReturnType\n\n@kotlin.internal.InlineOnly\n\npublic inline fun CharSequence.minOf(selector: (Char) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each character in the char sequence.\n * \n * \n * If any of values produced
by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * \n * @throws NoSuchElementException if the char
sequence is empty.\n * \n\n@SinceKotlin("1.4")\n\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n\n@OverloadResolution
ByLambdaReturnType\n\n@kotlin.internal.InlineOnly\n\npublic inline fun CharSequence.minOf(selector: (Char) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each character in the char sequence.\n * \n * \n * @throws NoSuchElementException if the char sequence is empty.\n * \n\n@SinceKotlin("1.4")\n\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n\n@OverloadResolution
ByLambdaReturnType\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <R : Comparable<R>>
CharSequence.minOf(selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no
characters.\n * \n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n\n@SinceKotlin("1.4")\n\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n\n@OverloadResolution
ByLambdaReturnType\n\n@kotlin.internal.InlineOnly\n\npublic inline fun CharSequence.minOfOrNull(selector:

```

```

(Char) -> Double): Double? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/*\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOrNull(selector: (Char) -> Float): Float? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/*\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> CharSequence.minOrNull(selector: (Char) -> R): R? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/*\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.minOfWith(comparator: Comparator<in R>, selector: (Char) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/*\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each character in the char sequence or `null` if there are no characters.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.minOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/*\n * Returns the smallest character or `null` if there are no characters.\n */\n\n@SinceKotlin("1.4")\npublic fun CharSequence.minOrNull(): Char? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (min > e) min = e\n  }\n  return min\n}\n\n@Deprecated("Use minWithOrNull instead.")\nReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun CharSequence.minWith(comparator: Comparator<in Char>): Char? {\n  return minWithOrNull(comparator)\n}\n\n/*\n * Returns the first character having the smallest value according to the provided [comparator] or `null` if there are no characters.\n */\n\n@SinceKotlin("1.4")\npublic fun CharSequence.minWithOrNull(comparator: Comparator<in Char>): Char? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/*\n * Returns `true` if the char sequence has no characters.\n * \n * @sample\n * samples.collections.Collections.Aggregates.none\n */\n\n@SinceKotlin("1.4")\npublic fun CharSequence.none(): Boolean {\n  return isEmpty()\n}\n\n/*\n * Returns `true` if no characters match the given [predicate].\n * \n * @sample\n * samples.collections.Collections.Aggregates.noneWithPredicate\n */\n\n@SinceKotlin("1.4")\npublic inline fun CharSequence.none(predicate: (Char) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return false\n  return true\n}\n\n/*\n * Performs the given [action] on each character and returns the char sequence itself

```

```

afterwards.\n *^@SinceKotlin("1.1")\npublic inline fun <S : CharSequence> S.onEach(action: (Char) -> Unit): S
{\n  return apply { for (element in this) action(element) }\n}\n/n/**\n * Performs the given [action] on each
character, providing sequential index with the character,\n * and returns the char sequence itself afterwards.\n *
@param [action] function that takes the index of
a character and the character itself\n * and performs the action on the character.\n
*^@SinceKotlin("1.4")\npublic inline fun <S : CharSequence> S.onEachIndexed(action: (index: Int, Char) ->
Unit): S {\n  return apply { forEachIndexed(action) }\n}\n/n/**\n * Accumulates value starting with the first
character and applying [operation] from left to right\n * to current accumulator value and each character.\n * \n *
Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way,\n *
please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function
that takes current accumulator value and a character,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduce\n *^@SinceKotlin("1.4")\npublic inline fun
CharSequence.reduce(operation: (acc: Char, Char) -> Char): Char {\n  if (isEmpty())\n    throw
UnsupportedOperationException("Empty char sequence can't
be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator =
operation(accumulator, this[index])\n  }\n  return accumulator\n}\n/n/**\n * Accumulates value starting with the
first character and applying [operation] from left to right\n * to current accumulator value and each character with its
index in the original char sequence.\n * \n * Throws an exception if this char sequence is empty. If the char sequence
can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is
empty.\n * \n * @param [operation] function that takes the index of a character, current accumulator value and the
character itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n *^@SinceKotlin("1.4")\npublic inline fun CharSequence.reduceIndexed(operation:
(index: Int, acc: Char, Char) -> Char): Char {\n  if (isEmpty())\n    throw
UnsupportedOperationException("Empty
char sequence can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator
= operation(index, accumulator, this[index])\n  }\n  return accumulator\n}\n/n/**\n * Accumulates value starting
with the first character and applying [operation] from left to right\n * to current accumulator value and each
character with its index in the original char sequence.\n * \n * Returns `null` if the char sequence is empty.\n * \n *
@param [operation] function that takes the index of a character, current accumulator value and the character itself,\n
* and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n *^@SinceKotlin("1.4")\npublic inline fun
CharSequence.reduceIndexedOrNull(operation: (index: Int, acc: Char, Char) -> Char): Char? {\n  if (isEmpty())\n
return null\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(index,
accumulator, this[index])\n  }\n  return accumulator\n}\n/n/**\n * Accumulates value starting with the first
character and applying [operation] from left to right\n * to current accumulator value and each character.\n * \n *
Returns `null` if the char sequence is empty.\n * \n * @param [operation] function that takes current accumulator
value and a character,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n *^@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
CharSequence.reduceOrNull(operation: (acc: Char, Char) -> Char): Char? {\n  if (isEmpty())\n    return null\n
var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(accumulator, this[index])\n
}\n  return accumulator\n}\n/n/**\n * Accumulates value starting with the last character and applying [operation]
from right to left\n * to each character and current accumulator
value.\n * \n * Throws an exception if this char sequence is empty. If the char sequence can be empty in an
expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes a character and current accumulator value,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n *^@SinceKotlin("1.4")\npublic inline
fun CharSequence.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n  var index = lastIndex\n  if (index

```

```

< 0) throw UnsupportedOperationException("Empty char sequence can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last character and applying [operation] from right to
left\n * to each character with its index in the original char sequence and current accumulator
value.\n * \n * Throws an exception if this char sequence is empty. If the char sequence can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n
* @param [operation] function that takes the index of a character, the character itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun
CharSequence.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty char sequence can't be reduced.")\n
var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last
character and applying [operation] from right to left\n * to
each character with its index in the original char sequence and current accumulator value.\n * \n * Returns `null` if
the char sequence is empty.\n * \n * @param [operation] function that takes the index of a character, the character
itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun
CharSequence.reduceRightIndexedOrNull(operation: (index: Int, Char, acc: Char) -> Char): Char? {\n  var index =
lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last character and applying [operation] from right to left\n * to each character
and current accumulator value.\n * \n * Returns `null` if the char sequence is empty.\n * \n *
@param [operation] function that takes a character and current accumulator value,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
CharSequence.reduceRightOrNull(operation: (Char, acc: Char) -> Char): Char? {\n  var index = lastIndex\n  if
(index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator =
operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Returns a list containing successive
accumulation values generated by applying [operation] from left to right\n * to each character and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes
current accumulator value and a character, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin("1.4")\npublic inline fun <R>
CharSequence.runningFold(initial: R, operation: (acc: R, Char) -> R): List<R> {\n  if (isEmpty()) return
listOf(initial)\n  val result = ArrayList<R>(length + 1).apply { add(initial) }\n  var accumulator = initial\n  for
(element in this) {\n    accumulator = operation(accumulator, element)\n    result.add(accumulator)\n  }\n
return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each character, its index in the original char sequence and current accumulator
value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be
mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of a character, current accumulator value\n * and the character itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*/\n@SinceKotlin("1.4")\npublic inline fun <R> CharSequence.runningFoldIndexed(initial: R, operation: (index:
Int, acc: R, Char) -> R): List<R> {\n  if (isEmpty()) return listOf(initial)\n  val result = ArrayList<R>(length +
1).apply { add(initial) }\n  var accumulator = initial\n  for (index in indices) {\n    accumulator =
operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n *

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each character and current accumulator value that starts with the first character of this char sequence. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.

@sample

```

samples.collections.Collections.Aggregates.runningReduce
*^@SinceKotlin("1.4")
public inline fun
CharSequence.runningReduce(operation: (acc: Char, Char) -> Char): List<Char> {
    if (isEmpty()) return
    emptyList()
    var accumulator = this[0]
    val result = ArrayList<Char>(length).apply {
        add(accumulator)
    }
    for (index in 1 until length) {
        accumulator = operation(accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each character, its index in the original char sequence and current accumulator value that starts with the first character of this char sequence. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes the index of a character, current accumulator value and the character itself, and calculates the next accumulator value.

@sample

```

samples.collections.Collections.Aggregates.runningReduce
*^@SinceKotlin("1.4")
public inline fun
CharSequence.runningReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {
    if (isEmpty()) return
    emptyList()
    var accumulator = this[0]
    val result = ArrayList<Char>(length).apply {
        add(accumulator)
    }
    for (index in 1 until length) {
        accumulator = operation(index, accumulator,
        this[index])
        result.add(accumulator)
    }
    return result
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each character and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.

@sample

```

samples.collections.Collections.Aggregates.scan
*^@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun <R>
CharSequence.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {
    return runningFold(initial,
    operation)
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each character, its index in the original char sequence and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes the index of a character, current accumulator value and the character itself, and calculates the next accumulator value.

@sample

```

samples.collections.Collections.Aggregates.scan
*^@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun <R>
CharSequence.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {
    return
    runningFoldIndexed(initial, operation)
}

```

Returns the sum of all values produced by [selector] function applied to each character in the char sequence.

@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))

@DeprecatedSinceKotlin(warningSince = "1.5")

```

public inline fun
CharSequence.sumBy(selector: (Char) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum +=
        selector(element)
    }
    return sum
}

```

Returns the sum of all values produced by [selector] function applied to each character in the char sequence.

@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))

@DeprecatedSinceKotlin(warningSince = "1.5")

```

public inline fun
CharSequence.sumByDouble(selector: (Char) -> Double): Double {
    var sum: Double = 0.0
    for (element in
    this) {
        sum +=
        selector(element)
    }
    return sum
}

```

Returns the sum of all values produced by

[selector] function applied to each character in the char sequence.

```

*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@kotlin.jvm.JvmName("sumOfDouble")^@kotlin.internal.InlineOnly^public inline fun
CharSequence.sumOf(selector: (Char) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each character in the char sequence.

```

*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@kotlin.jvm.JvmName("sumOfInt")^@kotlin.internal.InlineOnly^public
inline fun CharSequence.sumOf(selector: (Char) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each character in the char sequence.

```

*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@kotlin.jvm.JvmName("sumOfLong")^@kotlin.internal.InlineOnly^public inline fun
CharSequence.sumOf(selector: (Char) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each character in the char sequence.

```

*^@SinceKotlin("1.5")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@kotlin.jvm.JvmName("sumOfUInt")^@WasExperimental(ExperimentalUnsignedType
s::class)^@kotlin.internal.InlineOnly^public inline fun CharSequence.sumOf(selector: (Char) -> UInt): UInt {
    var sum: UInt = 0.toUInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each character in the char sequence.

```

*^@SinceKotlin("1.5")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@kotlin.jvm.JvmName("sumOfULong")^@WasExperimental(ExperimentalUnsignedType
s::class)^@kotlin.internal.InlineOnly^public inline fun CharSequence.sumOf(selector: (Char) -> ULong):
ULong {
    var sum: ULong = 0.toULong()
    for (element in this) {
        sum += selector(element)
    }
    return
    sum
}

```

\* Splits this char sequence into a list of strings each not exceeding the given [size]. The last string in the resulting list may have fewer characters than the given [size]. @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char sequence. @sample samples.text.Strings.chunked

```

*^@SinceKotlin("1.2")^public fun
CharSequence.chunked(size: Int): List<String> {
    return windowed(size, size, partialWindows =
true)
}

```

\* Splits this char sequence into several char sequences each not exceeding the given [size] and applies the given [transform] function to an each. @return list of results of the [transform] applied to an each char sequence. Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function. You should not store it or allow it to escape in some way, unless you made a snapshot of it. The last char sequence may have fewer characters than the given [size]. @param size the number of elements to take in each char sequence, must be positive and can be greater than the number of elements in this char sequence. @sample samples.text.Strings.chunkedTransform

```

*^@SinceKotlin("1.2")^public fun <R> CharSequence.chunked(size: Int, transform: (CharSequence) -> R):
List<R> {
    return windowed(size, size, partialWindows = true, transform = transform)
}

```

\* Splits this char sequence into a sequence of strings each not exceeding the given [size]. The last string in the resulting sequence may have fewer characters than the given [size]. @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char sequence. @sample samples.collections.Collections.Transformations.chunked

```

*^@SinceKotlin("1.2")^public fun
CharSequence.chunkedSequence(size:
Int): Sequence<String> {
    return chunkedSequence(size) { it.toString() }
}

```

\* Splits this char sequence into several char sequences each not exceeding the given [size] and applies the given [transform] function to an

each. You should not store it or allow it to escape in some way, unless you made a snapshot of it. The last char sequence may have fewer characters than the given size.

**chunkedSequence**(size: Int, transform: (CharSequence) -> R): Sequence<R>

return windowedSequence(size, size, partialWindows = true, transform = transform)

**chunkedSequence**(size: Int, transform: (CharSequence) -> R): Sequence<R>

**chunkedSequence**(size: Int, transform: (CharSequence) -> R): Sequence<R>

return windowedSequence(size, size, partialWindows = true, transform = transform)

**partition**(predicate: (Char) -> Boolean): Pair<CharSequence, CharSequence>

return Pair(builder, builder)

**partition**(predicate: (Char) -> Boolean): Pair<CharSequence, CharSequence>

return Pair(builder, builder)

**partition**(predicate: (Char) -> Boolean): Pair<String, String>

return Pair(builder, builder)

**partition**(predicate: (Char) -> Boolean): Pair<String, String>

return Pair(builder, builder)

**takeWindows**(size: Int, step: Int = 1, partialWindows: Boolean = false): List<String>

return windowed(size, step, partialWindows) { it.toString() }

**takeWindows**(size: Int, step: Int = 1, partialWindows: Boolean = false): List<String>

return windowed(size, step, partialWindows) { it.toString() }

**takeWindows**(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): List<R>

checkWindowSizeStep(size, step)

val thisSize = this.length

val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1

val result = ArrayList<R>(resultCapacity)

var index = 0

while (index in 0 until thisSize) {

val end = index + size

val coercedEnd = if (end < 0 || end > thisSize) {

(partialWindows)

thisSize else break

result.add(transform(subSequence(index, coercedEnd)))

index += step

}

return result

**takeWindows**(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): List<R>

checkWindowSizeStep(size, step)

val thisSize = this.length

val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1

val result = ArrayList<R>(resultCapacity)

var index = 0

while (index in 0 until thisSize) {

val end = index + size

val coercedEnd = if (end < 0 || end > thisSize) {

(partialWindows)

thisSize else break

result.add(transform(subSequence(index, coercedEnd)))

index += step

}

return result



```

number of elements in this char sequence.\n * @param size the number of elements to take in each window\n *
@param step the number of elements to move the window forward by on an each step, by default 1\n * @param
partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which
means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.takeWindows\n *^\n@SinceKotlin("1.2")\npublic fun
CharSequence.windowedSequence(size: Int,
    step: Int = 1, partialWindows: Boolean = false): Sequence<String> {\n    return windowedSequence(size, step,
partialWindows) { it.toString() }\n}\n\n/**\n * Returns a sequence of results of applying the given [transform]
function to\n * an each char sequence representing a view over the window of the given [size]\n * sliding along this
char sequence with the given [step].\n * \n * Note that the char sequence passed to the [transform] function is
ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way,
unless you made a snapshot of it.\n * Several last char sequences may have fewer characters than the given [size].\n
*\n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n
*\n * @param size the number of elements to take in each window\n * @param step the number of elements to move
the window forward by on an each step, by default 1\n * @param partialWindows controls whether
or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be
preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n
*^\n@SinceKotlin("1.2")\npublic fun <R> CharSequence.windowedSequence(size: Int, step: Int = 1,
partialWindows: Boolean = false, transform: (CharSequence) -> R): Sequence<R> {\n
    checkWindowSizeStep(size, step)\n    val windows = (if (partialWindows) indices else 0 until length - size + 1) step
step\n    return windows.asSequence().map { index ->\n        val end = index + size\n        val coercedEnd = if (end <
0 || end > length) length else end\n        transform(subSequence(index, coercedEnd))\n    }\n}\n\n/**\n * Returns a
list of pairs built from the characters of `this` and the [other] char sequences with the same index\n * The returned
list has length of the shortest char sequence.\n * \n * @sample samples.text.Strings.zip\n *^\npublic infix fun
CharSequence.zip(other: CharSequence):
    List<Pair<Char, Char>> {\n    return zip(other) { c1, c2 -> c1 to c2 }\n}\n\n/**\n * Returns a list of values built
from the characters of `this` and the [other] char sequences with the same index\n * using the provided [transform]
function applied to each pair of characters.\n * The returned list has length of the shortest char sequence.\n * \n *
@sample samples.text.Strings.zipWithTransform\n *^\npublic inline fun <V> CharSequence.zip(other:
CharSequence, transform: (a: Char, b: Char) -> V): List<V> {\n    val length = minOf(this.length, other.length)\n
    val list = ArrayList<V>(length)\n    for (i in 0 until length) {\n        list.add(transform(this[i], other[i]))\n    }\n
    return list\n}\n\n/**\n * Returns a list of pairs of each two adjacent characters in this char sequence.\n * \n * The
returned list is empty if this char sequence contains less than two characters.\n * \n * @sample
samples.collections.Collections.Transformations.zipWithNext\n *^\n@SinceKotlin("1.2")\npublic
fun CharSequence.zipWithNext(): List<Pair<Char, Char>> {\n    return zipWithNext { a, b -> a to b }\n}\n\n/**\n *
Returns a list containing the results of applying the given [transform] function\n * to an each pair of two adjacent
characters in this char sequence.\n * \n * The returned list is empty if this char sequence contains less than two
characters.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n
*^\n@SinceKotlin("1.2")\npublic inline fun <R> CharSequence.zipWithNext(transform: (a: Char, b: Char) -> R):
List<R> {\n    val size = length - 1\n    if (size < 1) return emptyList()\n    val result = ArrayList<R>(size)\n    for
(index in 0 until size) {\n        result.add(transform(this[index], this[index + 1]))\n    }\n    return result\n}\n\n/**\n *
Creates an [Iterable] instance that wraps the original char sequence returning its characters when being iterated.\n
*\n *^\npublic fun CharSequence.asIterable(): Iterable<Char> {\n
    if (this is String && isEmpty()) return emptyList()\n    return Iterable { this.iterator() }\n}\n\n/**\n * Creates a
[Sequence] instance that wraps the original char sequence returning its characters when being iterated.\n *^\npublic
fun CharSequence.asSequence(): Sequence<Char> {\n    if (this is String && isEmpty()) return emptySequence()\n
    return Sequence { this.iterator() }\n}\n\n", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the

```

license/LICENSE.txt file.\n

```
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage  
kotlin.text\nimport kotlin.contracts.contract\nimport kotlin.jvm.JvmName\n\n/**\n * Returns a copy of this string  
converted to upper case using the rules of the default locale.\n */\n@Deprecated("Use uppercase() instead.",  
ReplaceWith("uppercase()"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic  
expect fun String.toUpperCase(): String\n\n/**\n * Returns a copy of this string converted to upper case using  
Unicode mapping rules of the invariant locale.\n */\n * This function supports one-to-many and many-to-one  
character mapping,\n * thus the length of the returned string can be different from the length of the original string.\n */\n * @sample samples.text.Strings.uppercase\n\n*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun  
String.uppercase(): String\n\n/**\n * Returns a copy of this string converted to lower case using the rules of the  
default locale.\n */\n@Deprecated("Use lowercase() instead.",  
ReplaceWith("lowercase()"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic expect fun  
String.toLowerCase(): String\n\n/**\n * Returns a copy of this string converted to lower case using Unicode  
mapping rules of the invariant locale.\n */\n * This function supports one-to-many and many-to-one character  
mapping,\n * thus the  
length of the returned string can be different from the length of the original string.\n */\n * @sample  
samples.text.Strings.lowercase\n\n*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun  
String.lowercase(): String\n\n/**\n * Returns a copy of this string having its first letter titlecased using the rules of  
the default locale,\n * or the original string if it's empty or already starts with a title case letter.\n */\n * The title case  
of a character is usually the same as its upper case with several exceptions.\n * The particular list of characters with  
the special title case form depends on the underlying platform.\n */\n * @sample samples.text.Strings.capitalize\n\n*\n\n@Deprecated("Use replaceFirstChar instead.", ReplaceWith("replaceFirstChar { if (it.isLowerCase())  
it.titlecase() else it.toString() }"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic expect fun  
String.capitalize(): String\n\n/**\n * Returns a copy of this string having  
its first letter lowercased using the rules of the default locale,\n * or the original string if it's empty or already starts  
with a lower case letter.\n */\n * @sample samples.text.Strings.decapitalize\n\n*\n\n@Deprecated("Use  
replaceFirstChar instead.", ReplaceWith("replaceFirstChar { it.lowercase()  
}"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic expect fun String.decapitalize(): String\n\n/**\n * Returns a sub sequence of this char sequence having leading and trailing characters matching the [predicate]  
removed.\n */\n\npublic inline fun CharSequence.trim(predicate: (Char) -> Boolean): CharSequence {\n    var  
startIndex = 0\n    var endIndex = length - 1\n    var startFound = false\n\n    while (startIndex <= endIndex) {\n        val index = if (!startFound) startIndex else endIndex\n        val match = predicate(this[index])\n\n        if  
(!startFound) {\n            if (!match)\n                startFound = true\n            else\n                startIndex += 1\n        } else {\n            if (!match)\n                break\n            else\n                endIndex -= 1\n        }\n    }\n\n    return  
subSequence(startIndex, endIndex + 1)\n}\n\n/**\n * Returns a string having leading and trailing characters  
matching the [predicate] removed.\n */\n\npublic inline fun String.trim(predicate: (Char) -> Boolean): String =\n(this as CharSequence).trim(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having  
leading characters matching the [predicate] removed.\n */\n\npublic inline fun CharSequence.trimStart(predicate:  
(Char) -> Boolean): CharSequence {\n    for (index in this.indices)\n        if (!predicate(this[index]))\n            return  
subSequence(index, length)\n    return ""\n}\n\n/**\n * Returns a string having leading characters matching the  
[predicate] removed.\n */\n\npublic inline fun String.trimStart(predicate: (Char) -> Boolean): String =\n(this as  
CharSequence).trimStart(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having trailing characters matching the [predicate] removed.\n */\n\npublic inline fun CharSequence.trimEnd(predicate: (Char) -> Boolean): CharSequence {\n    for (index in  
this.indices.reversed())\n        if (!predicate(this[index]))\n            return subSequence(0, index + 1)\n    return  
""\n}\n\n/**\n * Returns a string having trailing characters matching the [predicate] removed.\n */\n\npublic inline
```

```

fun String.trimEnd(predicate: (Char) -> Boolean): String =\n    (this as
CharSequence).trimEnd(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having
leading and trailing characters from the [chars] array removed.\n */\npublic fun CharSequence.trim(vararg chars:
Char): CharSequence = trim { it in chars }\n\n/**\n * Returns a string having leading and trailing characters from
the [chars] array removed.\n */\npublic fun String.trim(vararg chars: Char): String = trim { it in chars }\n\n/**\n *
Returns a sub
sequence of this char sequence having leading characters from the [chars] array removed.\n */\npublic fun
CharSequence.trimStart(vararg chars: Char): CharSequence = trimStart { it in chars }\n\n/**\n * Returns a string
having leading characters from the [chars] array removed.\n */\npublic fun String.trimStart(vararg chars: Char):
String = trimStart { it in chars }\n\n/**\n * Returns a sub sequence of this char sequence having trailing characters
from the [chars] array removed.\n */\npublic fun CharSequence.trimEnd(vararg chars: Char): CharSequence =
trimEnd { it in chars }\n\n/**\n * Returns a string having trailing characters from the [chars] array removed.\n
*/\npublic fun String.trimEnd(vararg chars: Char): String = trimEnd { it in chars }\n\n/**\n * Returns a sub
sequence of this char sequence having leading and trailing whitespace removed.\n */\npublic fun
CharSequence.trim(): CharSequence = trim(Char::isWhitespace)\n\n/**\n * Returns a string having leading and
trailing whitespace
removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trim(): String = (this as
CharSequence).trim().toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading whitespace
removed.\n */\npublic fun CharSequence.trimStart(): CharSequence = trimStart(Char::isWhitespace)\n\n/**\n *
Returns a string having leading whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
String.trimStart(): String = (this as CharSequence).trimStart().toString()\n\n/**\n * Returns a sub sequence of this
char sequence having trailing whitespace removed.\n */\npublic fun CharSequence.trimEnd(): CharSequence =
trimEnd(Char::isWhitespace)\n\n/**\n * Returns a string having trailing whitespace removed.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun String.trimEnd(): String = (this as
CharSequence).trimEnd().toString()\n\n/**\n * Returns a char sequence with content of this char sequence padded at
the beginning\n * to the specified [length] with the specified
character or space.\n */\n * @param length the desired string length.\n * @param padChar the character to pad
string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a char
sequence of length at least [length] consisting of `this` char sequence prepended with [padChar] as many times\n *
as are necessary to reach that length.\n */\n@sample samples.text.Strings.padStart\n */\npublic fun
CharSequence.padStart(length: Int, padChar: Char = ' '): CharSequence {\n    if (length < 0)\n        throw
IllegalArgumentException("Desired length $length is less than zero.")\n    if (length <= this.length)\n        return
this.subSequence(0, this.length)\n    val sb = StringBuilder(length)\n    for (i in 1..(length - this.length))\n        sb.append(padChar)\n    sb.append(this)\n    return sb\n}\n\n/**\n * Pads the string to the specified [length] at the
beginning with the specified character or space.\n */\n * @param length the desired string
length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space
is used by default.\n * @return Returns a string of length at least [length] consisting of `this` string prepended
with [padChar] as many times\n * as are necessary to reach that length.\n */\n@sample samples.text.Strings.padStart\n
*/\npublic fun String.padStart(length: Int, padChar: Char = ' '): String =\n    (this as CharSequence).padStart(length,
padChar).toString()\n\n/**\n * Returns a char sequence with content of this char sequence padded at the end\n * to
the specified [length] with the specified character or space.\n */\n * @param length the desired string length.\n *
@param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by
default.\n * @return Returns a char sequence of length at least [length] consisting of `this` char sequence appended
with [padChar] as many times\n * as are necessary to reach that
length.\n */\n@sample samples.text.Strings.padEnd\n */\npublic fun CharSequence.padEnd(length: Int, padChar:
Char = ' '): CharSequence {\n    if (length < 0)\n        throw IllegalArgumentException("Desired length $length is
less than zero.")\n    if (length <= this.length)\n        return this.subSequence(0, this.length)\n    val sb =
StringBuilder(length)\n    sb.append(this)\n    for (i in 1..(length - this.length))\n        sb.append(padChar)\n    return

```

```

sb\n}\n\n/**\n * Pads the string to the specified [length] at the end with the specified character or space.\n *\n *
@param length the desired string length.\n * @param padChar the character to pad string with, if it has length less
than the [length] specified. Space is used by default.\n * @return Returns a string of length at least [length]
consisting of `this` string appended with [padChar] as many times\n * as are necessary to reach that length.\n *
@sample samples.text.Strings.padEnd\n */\npublic fun String.padEnd(length:
Int, padChar: Char = ' '): String =\n (this as CharSequence).padEnd(length, padChar).toString()\n\n/**\n * Returns
`true` if this nullable char sequence is either `null` or empty.\n *\n * @sample
samples.text.Strings.stringIsNullOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence?.isNullOrEmpty(): Boolean {\n contract {\n returns(false) implies (this@isNullOrEmpty !=
null)\n }\n\n return this == null || this.length == 0\n}\n\n/**\n * Returns `true` if this char sequence is empty
(contains no characters).\n *\n * @sample samples.text.Strings.stringIsEmpty\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isEmpty(): Boolean = length == 0\n\n/**\n *
Returns `true` if this char sequence is not empty.\n *\n * @sample samples.text.Strings.stringIsNotEmpty\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isNotEmpty(): Boolean = length > 0\n\n//
implemented differently in JVM and JS\n/public fun String.isBlank(): Boolean
= length() == 0 || all { it.isWhitespace() }\n\n/**\n * Returns `true` if this char sequence is not empty and contains
some characters except of whitespace characters.\n *\n * @sample samples.text.Strings.stringIsNotBlank\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isNotBlank(): Boolean = !isBlank()\n\n/**\n *
Returns `true` if this nullable char sequence is either `null` or empty or consists solely of whitespace characters.\n
*\n * @sample samples.text.Strings.stringIsNullOrBlank\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence?.isNullOrBlank(): Boolean {\n contract {\n returns(false) implies (this@isNullOrBlank !=
null)\n }\n\n return this == null || this.isBlank()\n}\n\n/**\n * Iterator for characters of the given char sequence.\n
*/\npublic operator fun CharSequence.iterator(): CharIterator = object : CharIterator() {\n private var index = 0\n\n
public override fun nextChar(): Char = get(index++)\n\n public override
fun hasNext(): Boolean = index < length\n}\n\n/** Returns the string if it is not `null`, or the empty string
otherwise. */\n@kotlin.internal.InlineOnly\npublic inline fun String?.orEmpty(): String = this ?: ""\n\n/**\n *
Returns this char sequence if it's not empty\n * or the result of calling [defaultValue] function if the char sequence is
empty.\n *\n * @sample samples.text.Strings.stringIfEmpty\n
*/\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifEmpty(defaultValue: () ->
R): R where C : CharSequence, C : R =\n if (isEmpty()) defaultValue() else this\n\n/**\n * Returns this char
sequence if it is not empty and doesn't consist solely of whitespace characters,\n * or the result of calling
[defaultValue] function otherwise.\n *\n * @sample samples.text.Strings.stringIfNotBlank\n
*/\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifBlank(defaultValue: () -> R):
R where C : CharSequence, C : R =\n if (isBlank()) defaultValue()
else this\n\n/**\n * Returns the range of valid character indices for this char sequence.\n */\npublic val
CharSequence.indices: IntRange\n get() = 0..length - 1\n\n/**\n * Returns the index of the last character in the
char sequence or -1 if it is empty.\n */\npublic val CharSequence.lastIndex: Int\n get() = this.length - 1\n\n/**\n *
Returns `true` if this CharSequence has Unicode surrogate pair at the specified [index].\n */\npublic fun
CharSequence.hasSurrogatePairAt(index: Int): Boolean {\n return index in 0..length - 2\n &&
this[index].isHighSurrogate()\n && this[index + 1].isLowSurrogate()\n}\n\n/**\n * Returns a substring
specified by the given [range] of indices.\n */\npublic fun String.substring(range: IntRange): String =
substring(range.start, range.endInclusive + 1)\n\n/**\n * Returns a subsequence of this char sequence specified by
the given [range] of indices.\n */\npublic fun CharSequence.subSequence(range: IntRange): CharSequence
= subSequence(range.start, range.endInclusive + 1)\n\n/**\n * Returns a subsequence of this char sequence.\n *\n *
This extension is chosen only for invocation with old-named parameters.\n * Replace parameter names with the
same as those of [CharSequence.subSequence].\n
*/\n@kotlin.internal.InlineOnly\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false
warning\n@Deprecated("Use parameters named startIndex and endIndex.", ReplaceWith("subSequence(startIndex

```

```

= start, endIndex = end)\")\n\npublic inline fun String.subSequence(start: Int, end: Int): CharSequence =
subSequence(start, end)\n\n/**\n * Returns a substring of chars from a range of this char sequence starting at the
[startIndex] and ending right before the [endIndex].\n * \n * @param startIndex the start index (inclusive).\n *
@param endIndex the end index (exclusive). If not specified, the length of the char sequence is used.\n
*\n * @kotlin.internal.InlineOnly\n\npublic inline fun CharSequence.substring(startIndex: Int, endIndex:
Int = length): String = subSequence(startIndex, endIndex).toString()\n\n/**\n * Returns a substring of chars at
indices from the specified [range] of this char sequence.\n * \n\npublic fun CharSequence.substring(range: IntRange):
String = subSequence(range.start, range.endInclusive + 1).toString()\n\n/**\n * Returns a substring before the first
occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which
defaults to the original string.\n * \n\npublic fun String.substringBefore(delimiter: Char, missingDelimiterValue:
String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else
substring(0, index)\n}\n\n/**\n * Returns a substring before the first occurrence of [delimiter].\n * If the string does
not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n * \n\npublic fun
String.substringBefore(delimiter: String, missingDelimiterValue: String
= this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else
substring(0, index)\n}\n\n/**\n * Returns a substring after the first occurrence of [delimiter].\n * If the string does
not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n * \n\npublic fun
String.substringAfter(delimiter: Char, missingDelimiterValue: String = this): String {\n    val index =
indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(index + 1, length)\n}\n\n/**\n *
Returns a substring after the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n * \n\npublic fun String.substringAfter(delimiter:
String, missingDelimiterValue: String = this): String {\n    val index =
indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)\n}\n\n/**\n *
Returns a substring before the last occurrence of [delimiter].\n * If the string does not contain the delimiter,
returns [missingDelimiterValue] which defaults to the original string.\n * \n\npublic fun
String.substringBeforeLast(delimiter: Char, missingDelimiterValue: String = this): String {\n    val index =
lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n *
Returns a substring before the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n * \n\npublic fun String.substringBeforeLast(delimiter:
String, missingDelimiterValue: String = this): String {\n    val index = lastIndexOf(delimiter)\n    return if (index ==
-1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring after the last occurrence of
[delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue]
which defaults to the original string.\n * \n\npublic fun String.substringAfterLast(delimiter: Char,
missingDelimiterValue: String = this): String {\n    val index = lastIndexOf(delimiter)\n    return if (index == -1)
missingDelimiterValue else substring(index + 1, length)\n}\n\n/**\n * Returns a substring after the last occurrence
of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the
original string.\n * \n\npublic fun String.substringAfterLast(delimiter: String, missingDelimiterValue: String = this):
String {\n    val index = lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else
substring(index + delimiter.length, length)\n}\n\n/**\n * Returns a char sequence with content of this char sequence
where its part at the given range\n * is replaced with the [replacement] char sequence.\n * @param startIndex the
index of the first character to be replaced.\n * @param endIndex the index of the first character
after the replacement to keep in the string.\n * \n\npublic fun CharSequence.replaceRange(startIndex: Int, endIndex:
Int, replacement: CharSequence): CharSequence {\n    if (endIndex < startIndex)\n        throw
IndexOutOfBoundsException("End index ($endIndex) is less than start index ($startIndex).")\n    val sb =
StringBuilder()\n    sb.appendRange(this, 0, startIndex)\n    sb.append(replacement)\n    sb.appendRange(this,
endIndex, length)\n    return sb\n}\n\n/**\n * Replaces the part of the string at the given range with the
[replacement] char sequence.\n * @param startIndex the index of the first character to be replaced.\n * @param
endIndex the index of the first character after the replacement to keep in the string.\n

```

```

*  

@kotlin.internal.InlineOnly  

public inline fun String.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): String =  

    (this as CharSequence).replaceRange(startIndex, endIndex, replacement).toString()  

    * Returns a char sequence with content of this char sequence where its part at the given [range] is replaced with the [replacement] char sequence.  

    * The end index of the [range] is included in the part to be replaced.  

public fun CharSequence.replaceRange(range: IntRange, replacement: CharSequence): CharSequence =  

    replaceRange(range.start, range.endInclusive + 1, replacement)  

    * Replace the part of string at the given [range] with the [replacement] string.  

    * The end index of the [range] is included in the part to be replaced.  

*  

@kotlin.internal.InlineOnly  

public inline fun String.removeRange(startIndex: Int, endIndex: Int): String =  

    (this as CharSequence).removeRange(startIndex, endIndex).toString()  

    * Returns a char sequence with content of this char sequence where its part at the given range is removed.  

    * @param startIndex the index of the first character to be removed.  

    * @param endIndex the index of the first character after the removed part to keep in the string.  

    * [endIndex] is not included in the removed part.  

public fun CharSequence.removeRange(startIndex: Int, endIndex: Int): CharSequence {  

    if (endIndex < startIndex) throw IndexOutOfBoundsException("End index ($endIndex) is less than start index ($startIndex).")  

    if (endIndex == startIndex) return this.subSequence(0, length)  

    val sb = StringBuilder(length - (endIndex - startIndex))  

    sb.appendRange(this, 0, startIndex)  

    sb.appendRange(this, endIndex, length)  

    return sb  

}
    * Removes the part of a string at a given range.  

    * @param startIndex the index of the first character to be removed.  

    * @param endIndex the index of the first character after the removed part to keep in the string.  

    * [endIndex] is not included in the removed part.  

@kotlin.internal.InlineOnly  

public inline fun String.removeRange(range: IntRange): String =  

    (this as CharSequence).removeRange(range.start, range.endInclusive + 1).toString()  

    * Returns a char sequence with content of this char sequence where its part at the given [range] is removed.  

    * The end index of the [range] is included in the removed part.  

public fun CharSequence.removeRange(range: IntRange): CharSequence = removeRange(range.start, range.endInclusive + 1)  

    * Removes the part of a string at the given [range].  

    * The end index of the [range] is included in the removed part.  

@kotlin.internal.InlineOnly  

public inline fun String.removePrefix(prefix: CharSequence): String =  

    (this as CharSequence).removePrefix(prefix).toString()  

    * If this char sequence starts with the given [prefix], returns a new char sequence with the prefix removed. Otherwise, returns a new char sequence with the same characters.  

public fun CharSequence.removePrefix(prefix: CharSequence): CharSequence {  

    if (startsWith(prefix)) return subSequence(prefix.length, length)  

    return this  

}
    * If this string starts with the given [prefix], returns a copy of this string with the prefix removed. Otherwise, returns this string.  

public fun String.removePrefix(prefix: CharSequence): String {  

    if (startsWith(prefix)) return substring(prefix.length)  

    return this  

}
    * If this char sequence ends with the given [suffix], returns a new char sequence with the suffix removed. Otherwise, returns a new char sequence with the same characters.  

public fun CharSequence.removeSuffix(suffix: CharSequence): CharSequence {  

    if (endsWith(suffix)) return subSequence(0, length - suffix.length)  

    return this  

}
    * If this string ends with the given [suffix], returns a copy of this string with the suffix removed. Otherwise, returns this string.  

public fun String.removeSuffix(suffix: CharSequence): String {  

    if (endsWith(suffix)) return substring(0, length - suffix.length)  

    return this  

}
    * When this char sequence starts with the given [prefix] and ends with the given [suffix], returns a new char sequence having both the given [prefix] and [suffix] removed.  

    * Otherwise returns a new char sequence with the same characters.  

public fun CharSequence.removeSurrounding(prefix: CharSequence, suffix: CharSequence): CharSequence {  

    if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) return subSequence(prefix.length, length - suffix.length)  

    return this  

}
    * Removes from a string both the given [prefix] and [suffix] if and only if it starts with the [prefix] and ends with the [suffix].  

    * Otherwise returns this string unchanged.  

public fun String.removeSurrounding(prefix:

```

```

CharSequence, suffix: CharSequence): String {\n  if ((length >= prefix.length + suffix.length) &&
startsWith(prefix) &&
endsWith(suffix)) {\n    return substring(prefix.length, length - suffix.length)\n  }\n  return this\n}\n\n/**\n *
When this char sequence starts with and ends with the given [delimiter],\n * returns a new char sequence having this
[delimiter] removed both from the start and end.\n * Otherwise returns a new char sequence with the same
characters.\n */\npublic fun CharSequence.removeSurrounding(delimiter: CharSequence): CharSequence =
removeSurrounding(delimiter, delimiter)\n\n/**\n * Removes the given [delimiter] string from both the start and the
end of this string\n * if and only if it starts with and ends with the [delimiter].\n * Otherwise returns this string
unchanged.\n */\npublic fun String.removeSurrounding(delimiter: CharSequence): String =
removeSurrounding(delimiter, delimiter)\n\n/**\n * Replace part of string before the first occurrence of given
delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns
[missingDelimiterValue]
which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter: Char, replacement: String,
missingDelimiterValue: String = this): String {\n  val index = indexOf(delimiter)\n  return if (index == -1)
missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string before the first
occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter:
String, replacement: String, missingDelimiterValue: String = this): String {\n  val index = indexOf(delimiter)\n
return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part
of string after the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain
the delimiter, returns [missingDelimiterValue] which defaults to the
original string.\n */\npublic fun String.replaceAfter(delimiter: Char, replacement: String, missingDelimiterValue:
String = this): String {\n  val index = indexOf(delimiter)\n  return if (index == -1) missingDelimiterValue else
replaceRange(index + 1, length, replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of given
delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfter(delimiter: String,
replacement: String, missingDelimiterValue: String = this): String {\n  val index = indexOf(delimiter)\n  return if
(index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n *
Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does
not contain the delimiter, returns [missingDelimiterValue] which defaults
to the original string.\n */\npublic fun String.replaceAfterLast(delimiter: String, replacement: String,
missingDelimiterValue: String = this): String {\n  val index = lastIndexOf(delimiter)\n  return if (index == -1)
missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n * Replace part
of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain
the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun
String.replaceAfterLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n  val
index = lastIndexOf(delimiter)\n  return if (index == -1) missingDelimiterValue else replaceRange(index + 1,
length, replacement)\n}\n\n/**\n * Replace part of string before the last occurrence of given delimiter with the
[replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue]
which defaults to the original string.\n */\npublic fun String.replaceBeforeLast(delimiter: Char, replacement: String,
missingDelimiterValue: String = this): String {\n  val index = lastIndexOf(delimiter)\n  return if (index == -1)
missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string before the last
occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBeforeLast(delimiter:
String, replacement: String, missingDelimiterValue: String = this): String {\n  val index = lastIndexOf(delimiter)\n
return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n// public fun
String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean): String // JVM- and JS-specific\n// public fun
String.replace(oldValue: String, newValue: String, ignoreCase:

```

Boolean): String // JVM- and JS-specific

\* Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression with the given [replacement]. The [replacement] can consist of any combination of literal text and \$-substitutions. To treat the replacement string literally escape it with the [kotlin.text.Regex.Companion.escapeReplacement] method.

```
*\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, replacement: String): String = regex.replace(this, replacement)\n\n
```

\* Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression with the result of the given function [transform] that takes [MatchResult] and returns a string to be used as a replacement for that match.

```
*\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, noinline transform: (MatchResult) -> CharSequence): String =\n    regex.replace(this, transform)\n\n
```

\* Replaces the first occurrence of the given regular expression [regex] in this char sequence with specified [replacement] expression.

@param replacement A replacement expression that can include substitutions. See [Regex.replaceFirst] for details.

```
*\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replaceFirst(regex: Regex, replacement: String): String = regex.replaceFirst(this, replacement)\n\n
```

\* Returns a copy of this string having its first character replaced with the result of the specified [transform], or the original string if it's empty.

@param transform function that takes the first character and returns the result of the transform applied to the character.

@sample samples.text.Strings.replaceFirstChar

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@JvmName("replaceFirstCharWithChar")\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceFirstChar(transform: (Char) -> Char): String {\n    return if (isEmpty())\n        transform(this[0]) + substring(1) else this\n}\n\n
```

\* Returns a copy of this string having its first character replaced with the result of the specified [transform], or the original string if it's empty.

@param transform function that takes the first character and returns the result of the transform applied to the character.

@sample samples.text.Strings.replaceFirstChar

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@JvmName("replaceFirstCharWithCharSequence")\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceFirstChar(transform: (Char) -> CharSequence): String {\n    return if (isEmpty())\n        transform(this[0]).toString() + substring(1) else\n        this\n}\n\n
```

\* Returns `true` if this char sequence matches the given regular expression.

```
*\n@kotlin.internal.InlineOnly\npublic infix fun CharSequence.matches(regex: Regex): Boolean =\n    regex.matches(this)\n\n
```

Implementation of [regionMatches] for CharSequences.

Invoked when it's already known that arguments are not Strings, so that no additional type checks are performed.

```
internal fun CharSequence.regionMatchesImpl(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean): Boolean {\n    if ((otherOffset < 0) || (thisOffset < 0) || (thisOffset > this.length - length) || (otherOffset > other.length - length))\n        return false\n    for (index in 0 until length)\n        if (!this[thisOffset + index].equals(other[otherOffset + index], ignoreCase))\n            return false\n    return true\n}\n\n
```

\* Returns `true` if this char sequence starts with the specified character.

```
public fun CharSequence.startsWith(char: Char, ignoreCase: Boolean = false): Boolean =\n    this.length > 0 && this[0].equals(char, ignoreCase)\n\n
```

\* Returns `true` if this char sequence ends with the specified character.

```
public fun CharSequence.endsWith(char: Char, ignoreCase: Boolean = false): Boolean =\n    this.length > 0 && this[lastIndex].equals(char, ignoreCase)\n\n
```

\* Returns `true` if this char sequence starts with the specified prefix.

```
public fun CharSequence.startsWith(prefix: CharSequence, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase && this is String && prefix is String)\n        return this.startsWith(prefix)\n    else\n        return regionMatchesImpl(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n
```

\* Returns `true` if a substring of this char sequence starting at the



```

specified offset [startIndex] starts with the specified prefix.\n */\npublic fun CharSequence.startsWith(prefix:
CharSequence, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n
    if (!ignoreCase && this is String && prefix is String)\n        return this.startsWith(prefix, startIndex)\n    else\n        return regionMatchesImpl(startIndex, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this char
sequence ends with the specified suffix.\n */\npublic fun CharSequence.endsWith(suffix: CharSequence,
ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase && this is String && suffix is String)\n        return
this.endsWith(suffix)\n    else\n        return regionMatchesImpl(length - suffix.length, suffix, 0, suffix.length,
ignoreCase)\n}\n\n// common prefix and suffix\n/**\n * Returns the longest string `prefix` such that this char
sequence and [other] char sequence both start with this prefix,\n * taking care not to split surrogate pairs.\n * If this
and [other] have no common prefix, returns the empty string.\n */\n * @param ignoreCase `true` to ignore character
case when matching a character. By default `false`.\n * @sample samples.text.Strings.commonPrefixWith\n
*/\npublic fun CharSequence.commonPrefixWith(other: CharSequence, ignoreCase: Boolean = false): String {\n
    val shortestLength = minOf(this.length, other.length)\n    var i = 0\n    while (i < shortestLength &&
this[i].equals(other[i], ignoreCase = ignoreCase)) {\n        i++\n    }\n    if (this.hasSurrogatePairAt(i - 1) ||
other.hasSurrogatePairAt(i - 1)) {\n        i--\n    }\n    return subSequence(0, i).toString()\n}\n\n/**\n * Returns the
longest string `suffix` such that this char sequence and [other] char sequence both end with this suffix,\n * taking
care not to split surrogate pairs.\n * If this and [other] have no common suffix, returns the empty string.\n */\n *
@param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @sample
samples.text.Strings.commonSuffixWith\n
*/\npublic fun CharSequence.commonSuffixWith(other: CharSequence,
ignoreCase: Boolean = false): String {\n    val thisLength = this.length\n
    val otherLength = other.length\n    val shortestLength = minOf(thisLength, otherLength)\n    var i = 0\n    while
(i < shortestLength && this[thisLength - i - 1].equals(other[otherLength - i - 1], ignoreCase = ignoreCase)) {\n
        i++\n    }\n    if (this.hasSurrogatePairAt(thisLength - i - 1) || other.hasSurrogatePairAt(otherLength - i - 1)) {\n
        i--\n    }\n    return subSequence(thisLength - i, thisLength).toString()\n}\n\n// indexOfAny()\n/**\n * Finds the
index of the first occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified
[startIndex] and optionally ignoring the case.\n */\n * @param ignoreCase `true` to ignore character case when
matching a character. By default `false`.\n * @return An index of the first occurrence of matched character from
[chars] or -1 if none of [chars] are found.\n */\n */\npublic fun CharSequence.indexOfAny(chars: CharArray,
startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n    if
(!ignoreCase && chars.size == 1 && this is String) {\n        val char = chars.single()\n        return
nativeIndexOf(char, startIndex)\n    }\n    for (index in startIndex.coerceAtLeast(0)..lastIndex) {\n        val
charAtIndex = get(index)\n        if (chars.any { it.equals(charAtIndex, ignoreCase) })\n            return index\n    }\n
return -1\n}\n\n/**\n * Finds the index of the last occurrence of any of the specified [chars] in this char sequence,\n
* starting from the specified [startIndex] and optionally ignoring the case.\n */\n * @param startIndex The index of
character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param
ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of
the last occurrence of matched character from [chars] or -1 if none of [chars] are found.\n */\n */\npublic fun
CharSequence.lastIndexOfAny(chars: CharArray, startIndex: Int = lastIndex, ignoreCase:
Boolean = false): Int {\n    if (!ignoreCase && chars.size == 1 && this is String) {\n        val char =
chars.single()\n        return nativeLastIndexOf(char, startIndex)\n    }\n    for (index in startIndex.coerceAtMost(lastIndex)
downTo 0) {\n        val charAtIndex = get(index)\n        if (chars.any { it.equals(charAtIndex, ignoreCase) })\n
            return index\n    }\n    return -1\n}\n\nprivate fun CharSequence.indexOf(other: CharSequence, startIndex: Int,
endIndex: Int, ignoreCase: Boolean, last: Boolean = false): Int {\n    val indices = if (!!last)\n        startIndex.coerceAtLeast(0)..endIndex.coerceAtMost(length)\n    else\n        startIndex.coerceAtMost(lastIndex)
downTo endIndex.coerceAtLeast(0)\n    if (this is String && other is String) { // smart cast\n        for (index in
indices) {\n            if (other.regionMatches(0, this, index, other.length, ignoreCase))\n                return index\n
        }\n    } else {\n        for (index in indices) {\n

```

```

        if (other.regionMatchesImpl(0, this, index, other.length, ignoreCase))\n            return index\n        }\n    }\n\n    return -1\n}\n\nprivate fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int, ignoreCase: Boolean, last: Boolean): Pair<Int, String>? {\n    if (!ignoreCase && strings.size == 1) {\n        val string = strings.single()\n        val index = if (!last) indexOf(string, startIndex) else lastIndexOf(string, startIndex)\n        return if (index < 0) null else index to string\n    }\n\n    val indices = if (!last) startIndex.coerceAtLeast(0).length else startIndex.coerceAtMost(lastIndex) downTo 0\n    if (this is String) {\n        for (index in indices) {\n            val matchingString = strings.firstOrNull { it.regionMatches(0, this, index, it.length, ignoreCase) }\n            if (matchingString != null)\n                return index to matchingString\n        }\n    } else {\n        for (index in indices) {\n            val matchingString = strings.firstOrNull { it.regionMatchesImpl(0, this, index, it.length, ignoreCase) }\n            if (matchingString != null)\n                return index to matchingString\n        }\n    }\n\n    return null\n}\n\n/**\n * Finds the first occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the first occurrence of matched string from [strings] and the string matched\n * or `null` if none of [strings] are found.\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\n\npublic fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Pair<Int, String>? =\n    findAnyOf(strings, startIndex, ignoreCase, last = false)\n\n/**\n * Finds the last occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the last occurrence of matched string from [strings] and the string matched or `null` if none of [strings] are found.\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the end toward the beginning of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\n\npublic fun CharSequence.findLastAnyOf(strings: Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Pair<Int, String>? =\n    findAnyOf(strings, startIndex, ignoreCase, last = true)\n\n/**\n * Finds the index of the first occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the first occurrence of matched string from [strings] or -1 if none of [strings] are found.\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\n\npublic fun CharSequence.indexOfAny(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Int =\n    findAnyOf(strings, startIndex, ignoreCase, last = false)?.first ?: -1\n\n/**\n * Finds the index of the last occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the last occurrence of matched string from [strings] or -1 if none of [strings] are found.\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the end toward the beginning of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\n\npublic fun CharSequence.lastIndexOfAny(strings: Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int =\n    findAnyOf(strings, startIndex, ignoreCase, last = true)?.first ?: -1\n\n/**\n * Returns the index within this string of the first occurrence of the specified character, starting from the specified [startIndex].\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the first occurrence

```

```

of [char] or -1 if none is found.\n */\npublic fun CharSequence.indexOf(char: Char, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n    return if (ignoreCase || this !is String)\n        indexOfAny(charArrayOf(char), startIndex, ignoreCase)\n    else\n        nativeIndexOf(char, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the first occurrence of the specified [string],\n * starting from the specified [startIndex].\n *\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the first occurrence of [string] or -1 if none is found.\n */\n\n * @sample samples.text.Strings.indexOf\n */\npublic fun CharSequence.indexOf(string: String, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n    return if (ignoreCase || this !is String)\n        indexOf(string, startIndex, length, ignoreCase)\n    else\n        nativeIndexOf(string, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the last occurrence of the specified character,\n * starting from the specified [startIndex].\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the last occurrence of [char] or -1 if none is found.\n */\n\npublic fun CharSequence.lastIndexOf(char: Char, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n    return if (ignoreCase || this !is String)\n        lastIndexOfAny(charArrayOf(char), startIndex, ignoreCase)\n    else\n        nativeLastIndexOf(char, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the last occurrence of the specified [string],\n * starting from the specified [startIndex].\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the last occurrence of [string] or -1 if none is found.\n */\n\npublic fun CharSequence.lastIndexOf(string: String, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n    return if (ignoreCase || this !is String)\n        indexOf(string, startIndex, 0, ignoreCase, last = true)\n    else\n        nativeLastIndexOf(string, startIndex)\n}\n\n/**\n * Returns `true` if this char sequence contains the specified [other] sequence of characters as a substring.\n *\n * @param ignoreCase `true` to ignore character case when comparing strings. By default `false`.\n */\n\n * @Suppress("INAPPLICABLE_OPERATOR_MODIFIER")\npublic operator fun CharSequence.contains(other: CharSequence, ignoreCase: Boolean = false): Boolean =\n    indexOf(other, ignoreCase = ignoreCase) >= 0\n    else\n        indexOf(other, 0, length, ignoreCase) >= 0\n}\n\n/**\n * Returns `true` if this char sequence contains the specified character [char].\n *\n * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.\n */\n\n * @Suppress("INAPPLICABLE_OPERATOR_MODIFIER")\npublic operator fun CharSequence.contains(char: Char, ignoreCase: Boolean = false): Boolean =\n    indexOf(char, ignoreCase = ignoreCase) >= 0\n}\n\n/**\n * Returns `true` if this char sequence contains at least one match of the specified regular expression [regex].\n */\n\n * @kotlin.internal.InlineOnly\npublic inline operator fun CharSequence.contains(regex: Regex): Boolean =\n    regex.containsMatchIn(this)\n\n\n//\n\nrangesDelimitedBy\n\nprivate class DelimitedRangesSequence(\n    private val input: CharSequence,\n    private val startIndex: Int,\n    private val limit: Int,\n    private val getNextMatch: CharSequence.(currentIndex: Int) -> Pair<Int, Int>?) : Sequence<IntRange> {\n    override fun iterator(): Iterator<IntRange> = object : Iterator<IntRange> {\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n        var currentStartIndex: Int = startIndex.coerceIn(0, input.length)\n        var nextSearchIndex: Int = currentStartIndex\n        var nextItem: IntRange? = null\n        var counter: Int = 0\n        private fun calcNext() {\n            if (nextSearchIndex < 0) {\n                nextState = 0\n                nextItem = null\n            } else {\n                if (limit > 0 && ++counter >= limit || nextSearchIndex > input.length) {\n                    nextItem = currentStartIndex..input.lastIndex\n                    nextSearchIndex = -1\n                } else {\n                    val match = input.getNextMatch(nextSearchIndex)\n                    if (match == null) {\n                        nextItem = currentStartIndex..input.lastIndex\n                        nextSearchIndex = -1\n                    } else {\n                        val (index, length) = match\n                        nextItem = currentStartIndex until index\n                        currentStartIndex = index + length\n                        nextSearchIndex = currentStartIndex + if (length ==

```

```

0) 1 else 0\n        }\n        }\n        nextState = 1\n        }\n        }\n        override fun next():
IntRange {\n        if (nextState == -1)\n        calcNext()\n        if (nextState == 0)\n        throw
NoSuchElementException()\n        val result = nextItem as IntRange\n        // Clean next to avoid keeping
reference on yielded instance\n        nextItem = null\n
        nextState = -1\n        return result\n        }\n        override fun hasNext(): Boolean {\n        if (nextState
== -1)\n        calcNext()\n        return nextState == 1\n        }\n        }\n}\n\n/**\n * Returns a sequence of index
ranges of substrings in this char sequence around occurrences of the specified [delimiters].\n *\n * @param
delimiters One or more characters to be used as delimiters.\n *\n * @param startIndex The index to start searching
delimiters from.\n *\n * No range having its start value less than [startIndex] is returned.\n *\n * [startIndex] is coerced to
be non-negative and not greater than length of this string.\n *\n * @param ignoreCase `true` to ignore character case
when matching a delimiter. By default `false`.\n *\n * @param limit The maximum number of substrings to return. Zero
by default means no limit is set.\n *\n */\nprivate fun CharSequence.rangesDelimitedBy(delimiters: CharArray,
startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0):
Sequence<IntRange> {\n    requireNonNegativeLimit(limit)\n    return DelimitedRangesSequence(this,
startIndex, limit, { currentIndex ->\n        indexOfAny(delimiters, currentIndex, ignoreCase = ignoreCase).let { if (it
< 0) null else it to 1 }\n        })\n}\n\n/**\n * Returns a sequence of index ranges of substrings in this char sequence
around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more strings to be used as
delimiters.\n *\n * @param startIndex The index to start searching delimiters from.\n *\n * No range having its start value
less than [startIndex] is returned.\n *\n * [startIndex] is coerced to be non-negative and not greater than length of this
string.\n *\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n *\n *
@param limit The maximum number of substrings to return. Zero by default means no limit is set.\n *\n * To avoid
ambiguous results when strings in [delimiters] have characters in common, this method
proceeds from\n *\n * the beginning to the end of this string, and finds at each position the first element in
[delimiters]\n *\n * that matches this string at that position.\n *\n */\nprivate fun
CharSequence.rangesDelimitedBy(delimiters: Array<out String>, startIndex: Int = 0, ignoreCase: Boolean = false,
limit: Int = 0): Sequence<IntRange> {\n    requireNonNegativeLimit(limit)\n    val delimitersList =
delimiters.asList()\n    return DelimitedRangesSequence(this, startIndex, limit, { currentIndex ->
findAnyOf(delimitersList, currentIndex, ignoreCase = ignoreCase, last = false)?.let { it.first to it.second.length }\n
})\n}\n\ninternal fun requireNonNegativeLimit(limit: Int) =\n    require(limit >= 0) { "Limit must be non-
negative, but was $limit" }\n}\n\n/**\n * Splits this char sequence to a sequence of strings around
occurrences of the specified [delimiters].\n *\n * @param delimiters One or more strings to be used as delimiters.\n *\n *
@param ignoreCase `true` to ignore character
case when matching a delimiter. By default `false`.\n *\n * @param limit The maximum number of substrings to return.
Zero by default means no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters] have
characters in common, this method proceeds from\n *\n * the beginning to the end of this string, and finds at each
position the first element in [delimiters]\n *\n * that matches this string at that position.\n *\n */\npublic fun
CharSequence.splitToSequence(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0):
Sequence<String> =\n    rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it)
}\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiters].\n *\n *
@param delimiters One or more strings to be used as delimiters.\n *\n * @param ignoreCase `true` to ignore character
case when matching a delimiter. By default `false`.\n *\n * @param limit The maximum number of substrings to return.
Zero by default means no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters] have
characters in common, this method proceeds from\n *\n * the beginning to the end of this string, and matches at each
position the first element in [delimiters]\n *\n * that is equal to a delimiter in this instance at that position.\n *\n */\npublic fun
CharSequence.split(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): List<String> {\n    if
(delimiters.size == 1) {\n        val delimiter = delimiters[0]\n        if (!delimiter.isEmpty()) {\n            return
split(delimiter, ignoreCase, limit)\n        }\n    }\n    return rangesDelimitedBy(delimiters, ignoreCase =
ignoreCase, limit = limit).asIterable().map { substring(it) }\n}\n\n/**\n * Splits this char sequence to a sequence of

```

```

strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be
used as delimiters.\n * @param ignoreCase `true` to ignore character
case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to
return.\n */\npublic fun CharSequence.splitToSequence(vararg delimiters: Char, ignoreCase: Boolean = false, limit:
Int = 0): Sequence<String> =\n    rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map {
substring(it) }\n/>\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified
[delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n * @param ignoreCase
`true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum
number of substrings to return.\n */\npublic fun CharSequence.split(vararg delimiters: Char, ignoreCase: Boolean =
false, limit: Int = 0): List<String> {\n    if (delimiters.size == 1) {\n        return split(delimiters[0].toString(),
ignoreCase, limit)\n    }\n    return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit =
limit).asIterable().map
{ substring(it) }\n}\n/>\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified
[delimiter].\n * This is specialized version of split which receives single non-empty delimiter and offers better
performance\n *\n * @param delimiter String used as delimiter\n * @param ignoreCase `true` to ignore character
case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to
return.\n */\nprivate fun CharSequence.split(delimiter: String, ignoreCase: Boolean, limit: Int): List<String> {\n
requireNonNegativeLimit(limit)\n    var currentOffset = 0\n    var nextIndex = indexOf(delimiter, currentOffset,
ignoreCase)\n    if (nextIndex == -1 || limit == 1) {\n        return listOf(this.toString())\n    }\n    val isLimited =
limit > 0\n    val result = ArrayList<String>(if (isLimited) limit.coerceAtMost(10) else 10)\n    do {\n        result.add(substring(currentOffset, nextIndex))\n        currentOffset
= nextIndex + delimiter.length\n        // Do not search for next occurrence if we're reaching limit\n        if (isLimited
&& result.size == limit - 1) break\n        nextIndex = indexOf(delimiter, currentOffset, ignoreCase)\n    } while
(nextIndex != -1)\n    result.add(substring(currentOffset, length))\n    return result\n}\n/>\n/**\n * Splits this char
sequence to a list of strings around matches of the given regular expression.\n *\n * @param limit Non-negative
value specifying the maximum number of substrings to return.\n * Zero by default means no limit is set.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.split(regex: Regex, limit: Int = 0): List<String> =
regex.split(this, limit)\n/>\n/**\n * Splits this char sequence to a sequence of strings around matches of the given
regular expression.\n *\n * @param limit Non-negative value specifying the maximum number of substrings to
return.\n * Zero by default means no limit is set.\n * @sample samples.text.Strings.splitToSequence\n
*/\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun CharSequence.splitToSequence(regex: Regex, limit: Int = 0): Sequence<String> =
regex.splitToSequence(this, limit)\n/>\n/**\n * Splits this char sequence to a sequence of lines delimited by any of the
following character sequences: CRLF, LF or CR.\n *\n * The lines returned do not include terminating line
separators.\n */\npublic fun CharSequence.lineSequence(): Sequence<String> = splitToSequence("\\r\\n", "\\n",
"\\r")\n/>\n/**\n * Splits this char sequence to a list of lines delimited by any of the following character sequences:
CRLF, LF or CR.\n *\n * The lines returned do not include terminating line separators.\n */\npublic fun
CharSequence.lines(): List<String> = lineSequence().toList()\n/>\n/**\n * Returns `true` if the contents of this char
sequence are equal to the contents of the specified [other],\n * i.e. both char sequences contain
the same number of the same characters in the same order.\n *\n * @sample samples.text.Strings.contentEquals\n
*/\n@SinceKotlin("1.5")\npublic expect infix fun CharSequence?.contentEquals(other: CharSequence?):
Boolean\n/>\n/**\n * Returns `true` if the contents of this char sequence are equal to the contents of the specified
[other], optionally ignoring case difference.\n *\n * @param ignoreCase `true` to ignore character case when
comparing contents.\n *\n * @sample samples.text.Strings.contentEquals\n */\n@SinceKotlin("1.5")\npublic
expect fun CharSequence?.contentEquals(other: CharSequence?, ignoreCase: Boolean): Boolean\n/>\ninternal fun
CharSequence?.contentEqualsIgnoreCaseImpl(other: CharSequence?): Boolean {\n    if (this is String && other is
String) {\n        return this.equals(other, ignoreCase = true)\n    }\n    if (this === other) return true\n    if (this ==
null || other == null || this.length != other.length) return false\n    for (i in 0 until length) {\n

```

```

    if (!this[i].equals(other[i], ignoreCase = true)) {\n        return false\n    }\n    return true\n}\n\ninternal
fun CharSequence?.contentEqualsImpl(other: CharSequence?): Boolean {\n    if (this is String && other is String)
{\n        return this == other\n    }\n    if (this === other) return true\n    if (this == null || other == null || this.length
!= other.length) return false\n    for (i in 0 until length) {\n        if (this[i] != other[i]) {\n            return false\n
}\n    }\n    return true\n}\n\n/**\n * Returns `true` if the content of this string is equal to the word `true`, `false`
if it is equal to `false`,\n * and throws an exception otherwise.\n * There is also a lenient version of the
function available on nullable String, [String?.toBoolean].\n * Note that this function is case-sensitive.\n *
@sample samples.text.Strings.toBooleanStrict\n */\n@SinceKotlin("1.5")\npublic fun String.toBooleanStrict():
Boolean = when (this)
{\n    `true` -> true\n    `false` -> false\n    else -> throw IllegalArgumentException("The string doesn't represent
a boolean value: $this")\n}\n\n/**\n * Returns `true` if the content of this string is equal to the word `true`, `false`
if it is equal to `false`,\n * and `null` otherwise.\n * There is also a lenient version of the function available on
nullable String, [String?.toBoolean].\n * Note that this function is case-sensitive.\n *
@sample
samples.text.Strings.toBooleanStrictOrNull\n */\n@SinceKotlin("1.5")\npublic fun
String.toBooleanStrictOrNull(): Boolean? = when (this) {\n    `true` -> true\n    `false` -> false\n    else ->
null\n},"*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n//
Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport
kotlin.jvm.*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic
value class UByteArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: ByteArray) :
Collection<UByte> {\n    /** Creates a new array of the specified [size], with all elements initialized to zero. *\n
public constructor(size: Int) : this(ByteArray(size))\n    /**\n     * Returns the array element at the given [index].
This method can be called using the index operator.\n     * If the [index] is out of bounds of this array, throws
an [IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is unspecified.\n     *\n     * public
operator fun get(index: Int): UByte = storage[index].toUByte()\n     **\n     * Sets the element at the given [index]
to the given [value]. This method can be called using the index operator.\n     * If the [index] is out of bounds
of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is
unspecified.\n
     *\n     * public operator fun set(index: Int, value: UByte) {\n         storage[index] = value.toByte()\n     }\n
}\n\n /**
Returns the number of elements in the array. *\n     * public override val size: Int get() = storage.size\n     **
Creates an iterator over the elements of the array. *\n     * public override operator fun iterator():
kotlin.collections.Iterator<UByte> = Iterator(storage)\n     *\n     @Suppress("DEPRECATION_ERROR")\n     private
class Iterator(private val array: ByteArray) : UByteIterator() {\n         private var index = 0\n         override fun
hasNext() = index < array.size\n         override fun nextUByte() = if (index < array.size) array[index++].toUByte()
else throw NoSuchElementException(index.toString())\n     }\n\n     override fun contains(element: UByte): Boolean
{\n         // TODO: Eliminate this check after KT-30016 gets fixed.\n         // Currently JS BE does not generate
special bridge method for this method.\n         @Suppress("USELESS_CAST")\n         if ((element
as Any?) !is UByte) return false\n         return storage.contains(element.toByte())\n     }\n\n     override fun
containsAll(elements: Collection<UByte>): Boolean {\n         return (elements as Collection<*>).all { it is UByte
&& storage.contains(it.toByte()) }\n     }\n\n     override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n
* Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init]
function.\n * The function [init] is called for each array element sequentially starting from the first one.\n * It
should return the value for an array element given its index.\n
*\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray(size: Int, init: (Int) -> UByte): UByteArray {\n    return UByteArray(ByteArray(size) { index ->
init(index).toByte()
})\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ubyteArrayOf(vararg

```

```

elements: UByte): UByteArray = elements\n", "/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport
kotlin.jvm.*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic value class
UIntArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: IntArray) : Collection<UInt>
{\n\n /** Creates a new array of the specified [size], with all elements initialized to zero. *\n public
constructor(size: Int) : this(IntArray(size))\n\n /**\n * Returns the array element at the given [index]. This
method can be called using the index operator.\n * \n * If the [index] is out of bounds of this array, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n * \n public
operator fun get(index: Int): UInt = storage[index].toInt()\n\n /**\n * Sets the element at the given [index] to
the given [value]. This method can be called using the index operator.\n * \n * If the [index] is out of bounds of
this array, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n\n
*\n public operator fun set(index: Int, value: UInt) {\n storage[index] = value.toInt()\n }\n\n /** Returns
the number of elements in the array. *\n public override val size: Int get() = storage.size\n\n /** Creates an
iterator over the elements of the array. *\n public override operator fun iterator(): kotlin.collections.Iterator<UInt>
= Iterator(storage)\n\n @Suppress("DEPRECATION_ERROR")\n private class Iterator(private val array:
IntArray) : UIntIterator() {\n private var index = 0\n override fun hasNext() = index < array.size\n
override fun nextUInt() = if (index < array.size)
array[index++].toInt() else throw NoSuchElementException(index.toString())\n }\n\n override fun
contains(element: UInt): Boolean {\n // TODO: Eliminate this check after KT-30016 gets fixed.\n //
Currently JS BE does not generate special bridge method for this method.\n
@Suppress("USELESS_CAST")\n if ((element as Any?) !is UInt) return false\n\n return
storage.contains(element.toInt())\n }\n\n override fun containsAll(elements: Collection<UInt>): Boolean {\n
return (elements as Collection<*>).all { it is UInt && storage.contains(it.toInt()) }\n }\n\n override fun
isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each
element is calculated by calling the specified\n * [init] function.\n * \n * The function [init] is called for each array
element sequentially starting from the first one.\n * It should return the value for an array element given its index.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray(size: Int, init: (Int) -> UInt): UIntArray {\n return UIntArray(IntArray(size) { index ->
init(index).toInt()
})\n}\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
uintArrayOf(vararg elements: UInt): UIntArray = elements\n", "/*\n * Copyright 2010-2022 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin\n\nimport kotlin.jvm.*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic
value class ULongArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: LongArray) :
Collection<ULong> {\n\n /** Creates a new array of the specified [size], with all elements initialized to zero. *\n
public constructor(size:
Int) : this(LongArray(size))\n\n /**\n * Returns the array element at the given [index]. This method can be
called using the index operator.\n * \n * If the [index] is out of bounds of this array, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n * \n public
operator fun get(index: Int): ULong = storage[index].toULong()\n\n /**\n * Sets the element at the given
[index] to the given [value]. This method can be called using the index operator.\n * \n * If the [index] is out of
bounds of this array, throws an [IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is
unspecified.\n * \n public operator fun set(index: Int, value: ULong) {\n storage[index] = value.toLong()\n
}\n\n /** Returns the number of elements in the array. *\n public override val size: Int get() = storage.size\n\n
/** Creates an iterator over the elements of the array. *\n

```

```

    public override operator fun iterator(): kotlin.collections.Iterator<ULong> = Iterator(storage)\n\n
@Suppress("DEPRECATION_ERROR")\n    private class Iterator(private val array: LongArray) : ULongIterator()
{\n    private var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextULong() = if
(index < array.size) array[index++].toULong() else throw NoSuchElementException(index.toString())\n    }\n\n
override fun contains(element: ULong): Boolean {\n    // TODO: Eliminate this check after KT-30016 gets
fixed.\n    // Currently JS BE does not generate special bridge method for this method.\n
@Suppress("USELESS_CAST")\n    if ((element as Any?) !is ULong) return false\n\n    return
storage.contains(element.toLong())\n    }\n\n    override fun containsAll(elements: Collection<ULong>): Boolean
{\n    return (elements as Collection<*>).all { it is ULong && storage.contains(it.toLong()) }\n    }\n\n    override
fun
isEmpty(): Boolean = this.storage.size == 0\n\n/**\n * Creates a new array of the specified [size], where each
element is calculated by calling the specified\n * [init] function.\n * The function [init] is called for each array
element sequentially starting from the first one.\n * It should return the value for an array element given its index.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray(size: Int, init: (Int) -> ULong): ULongArray {\n    return ULongArray(LongArray(size) { index ->
init(index).toLong()
})\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ulongArrayOf(vararg elements: ULong): ULongArray = elements\n", "/*\n * Copyright 2010-2022 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file.
DO NOT EDIT!\n\npackage kotlin\n\nimport
kotlin.jvm.*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic value class
UShortArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: ShortArray) :
Collection<UShort> {\n\n    /** Creates a new array of the specified [size], with all elements initialized to zero. *\n
public constructor(size: Int) : this(ShortArray(size))\n\n    /**\n * Returns the array element at the given [index].
This method can be called using the index operator.\n * If the [index] is out of bounds of this array, throws
an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n    public
operator fun get(index: Int): UShort = storage[index].toUShort()\n\n    /**\n * Sets the element at the given
[index] to the given [value]. This method can be called using the index operator.\n * If the [index] is out of
bounds of this array, throws an [IndexOutOfBoundsException]
except in Kotlin/JS\n * where the behavior is unspecified.\n *\n    public operator fun set(index: Int, value:
UShort) {\n    storage[index] = value.toShort()\n    }\n\n    /** Returns the number of elements in the array. *\n
public override val size: Int get() = storage.size\n\n    /** Creates an iterator over the elements of the array. *\n
public override operator fun iterator(): kotlin.collections.Iterator<UShort> = Iterator(storage)\n\n
@Suppress("DEPRECATION_ERROR")\n    private class Iterator(private val array: ShortArray) :
UShortIterator() {\n    private var index = 0\n    override fun hasNext() = index < array.size\n    override fun
nextUShort() = if (index < array.size) array[index++].toUShort() else throw
NoSuchElementException(index.toString())\n    }\n\n    override fun contains(element: UShort): Boolean {\n    //
TODO: Eliminate this check after KT-30016 gets fixed.\n    // Currently JS BE does not generate special
bridge method for this method.\n    @Suppress("USELESS_CAST")\n    if ((element as Any?) !is UShort)
return false\n\n    return storage.contains(element.toShort())\n    }\n\n    override fun containsAll(elements:
Collection<UShort>): Boolean {\n    return (elements as Collection<*>).all { it is UShort &&
storage.contains(it.toShort()) }\n    }\n\n    override fun isEmpty(): Boolean = this.storage.size == 0\n\n/**\n *
Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init]
function.\n * The function [init] is called for each array element sequentially starting from the first one.\n * It
should return the value for an array element given its index.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray(size: Int, init: (Int) -> UShort): UShortArray {\n    return UShortArray(ShortArray(size) { index ->

```



```

init(index).toShort()
})\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ushortArrayOf(vararg elements: UShort): UShortArray = elements\n", /*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("UArraysKt")\n@file:kotlin.jvm.JvmPacka
geName("kotlin.collections.unsigned")\n\npackage kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-
GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the
size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior
is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline operator fun UIntArray.component1(): UInt {\n    return get(0)\n}\n\n/**\n * Returns 1st *element* from the
array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n
* where the behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
ULongArray.component1(): ULong {\n    return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n *
If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.component1(): UByte {\n    return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If
the size of this array is less than 1, throws an [IndexOutOfBoundsException]
except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.component1(): UShort {\n    return get(0)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n *
If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntArray.component2(): UInt {\n    return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If
the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
ULongArray.component2(): ULong {\n    return get(1)\n}\n\n/**\n * Returns 2nd *element*
from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in
Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.component2(): UByte {\n    return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n *
If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.component2(): UShort {\n    return get(1)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n *
If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UIntArray.component3(): UInt {\n    return get(2)\n}\n\n/**\n * Returns 3rd *element* from the
array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n
* where the behavior is unspecified.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun

```

ULongArray.component3(): ULong {\n return get(2)\n}\n\n/\*\*\n \* Returns 3rd \*element\* from the array.\n \* \n \*\n \* If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun

UByteArray.component3(): UByte {\n return get(2)\n}\n\n/\*\*\n \* Returns 3rd \*element\* from the array.\n \* \n \*\n \* If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic

inline operator fun UShortArray.component3(): UShort {\n return get(2)\n}\n\n/\*\*\n \* Returns 4th \*element\* from the array.\n \* \n \*\n \* If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun

UIntArray.component4(): UInt {\n return get(3)\n}\n\n/\*\*\n \* Returns 4th \*element\* from the array.\n \* \n \*\n \* If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic

inline operator fun ULongArray.component4(): ULong {\n return get(3)\n}\n\n/\*\*\n \* Returns 4th \*element\* from the array.\n \* \n \*\n \* If the size of this array is less than 4, throws

an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun

UByteArray.component4(): UByte {\n return get(3)\n}\n\n/\*\*\n \* Returns 4th \*element\* from the array.\n \* \n \*\n \* If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun

UShortArray.component4(): UShort {\n return get(3)\n}\n\n/\*\*\n \* Returns 5th \*element\* from the array.\n \* \n \*\n \* If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun

UIntArray.component5(): UInt {\n return get(4)\n}\n\n/\*\*\n \* Returns

5th \*element\* from the array.\n \* \n \*\n \* If the size of this array is less than 5, throws an

[IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun

ULongArray.component5(): ULong {\n return get(4)\n}\n\n/\*\*\n \* Returns 5th \*element\* from the array.\n \* \n \*\n \* If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun

UByteArray.component5(): UByte {\n return get(4)\n}\n\n/\*\*\n \* Returns 5th \*element\* from the array.\n \* \n \*\n \* If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic

inline operator fun UShortArray.component5(): UShort {\n return get(4)\n}\n\n/\*\*\n \* Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n \* \n \*\n \* @sample samples.collections.Collections.Elements.elementAt\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.elementAt(index: Int):

UInt\n\n/\*\*\n \* Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n \* \n \*\n \* @sample samples.collections.Collections.Elements.elementAt\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.elementAt(index: Int):

ULong\n\n/\*\*\n \* Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n \* \n \*\n \* @sample samples.collections.Collections.Elements.elementAt\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect
fun UByteArray.elementAt(index: Int): UByte\n\n/**\n * Returns an element at the given [index] or throws an
[IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.elementAt(index: Int):
UShort\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the
[index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds
of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n    return if (index >= 0 &&
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n    return if (index >= 0 && index
<= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result
of calling the [defaultValue] function if the [index] is out of bounds of this
array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n    return if (index >= 0 &&
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or
`null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.elementAtOrNull(index: Int): UInt? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.elementAtOrNull(index: Int): ULong? {\n    return this.getOrNull(index)\n}\n\n/**\n *
Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.elementAtOrNull(index: Int): UByte? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.elementAtOrNull(index: Int): UShort? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.find(predicate: (UInt) -> Boolean): UInt? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.find(predicate: (ULong) -> Boolean): ULong? {\n    return firstOrNull(predicate)\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.find(predicate: (UByte) -> Boolean): UByte? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns
the first element matching
the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.find(predicate: (UShort) -> Boolean): UShort? {\n    return firstOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.findLast(predicate: (UInt) -> Boolean): UInt? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.findLast(predicate:
(ULong) -> Boolean): ULong? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching
the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.findLast(predicate: (UByte) -> Boolean): UByte? {\n    return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.findLast(predicate: (UShort) -> Boolean): UShort? {\n    return lastOrNull(predicate)\n}\n\n/**\n *
Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.first(): UInt {\n    return storage.first().toUInt()\n}\n\n/**\n * Returns first element.\n *
@throws [NoSuchElementException] if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.first(): ULong {\n    return storage.first().toULong()\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.first(): UByte {\n    return storage.first().toUByte()\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.first(): UShort {\n    return storage.first().toUShort()\n}\n\n/**\n * Returns the first element matching
the given [predicate].\n * @throws [NoSuchElementException] if no
such element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.first(predicate: (UInt) -> Boolean): UInt {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n *
Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

ULongArray.first(predicate: (ULong) -> Boolean): ULong {\n  for (element in this) if (predicate(element)) return
element\n  throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.first(predicate: (UByte) -> Boolean): UByte {\n  for (element in this) if
(predicate(element)) return element\n  throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.first(predicate: (UShort) -> Boolean): UShort {\n  for (element in this) if (predicate(element)) return
element\n  throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.firstOrNull(): UInt? {\n  return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun ULongArray.firstOrNull(): ULong? {\n  return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first
element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.firstOrNull(): UByte? {\n  return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first
element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.firstOrNull(): UShort? {\n  return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first
element matching the given [predicate], or `null` if element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.firstOrNull(predicate: (UInt) -> Boolean): UInt? {\n  for (element in this) if (predicate(element)) return
element\n  return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.firstOrNull(predicate: (ULong) -> Boolean): ULong? {\n  for (element in this) if (predicate(element))
return element\n  return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if
element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.firstOrNull(predicate: (UByte) -> Boolean): UByte? {\n  for (element in this) if (predicate(element))
return element\n  return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if
element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.firstOrNull(predicate: (UShort) -> Boolean): UShort? {\n  for (element in this) if (predicate(element))
return
element\n  return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.getOrNull(index: Int, defaultValue: (Int) -> UInt): UInt? {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.getOrNull(index: Int, defaultValue: (Int) -> ULong): ULong? {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this

```

```

array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.getOrNull(index: Int, defaultValue: (Int) -> UByte): UByte {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.getOrNull(index: Int, defaultValue: (Int) -> UShort): UShort {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.getOrNull(index: Int): UInt? {\n
return if (index
>= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if
the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.getOrNull(index: Int):
ULong? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.getOrNull(index: Int): UByte?
{\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the
given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UShortArray.getOrNull(index: Int): UShort? {\n    return if (index >= 0 && index <= lastIndex) get(index) else
null\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOf(element: UInt): Int {\n    return storage.indexOf(element.toInt())\n}\n\n/**\n * Returns first
index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.indexOf(element: ULong): Int {\n    return storage.indexOf(element.toLong())\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOf(element: UByte): Int {\n    return storage.indexOf(element.toByte())\n}\n\n/**\n *
Returns first index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOf(element: UShort): Int {\n    return storage.indexOf(element.toShort())\n}\n\n/**\n * Returns
index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOfFirst(predicate: (UInt) -> Boolean): Int {\n    return storage.indexOfFirst { predicate(it.toUInt())
}\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain
such element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.indexOfFirst(predicate: (ULong) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toULong()) }\n}\n\n/**\n *
Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOfFirst(predicate: (UByte) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOfFirst(predicate: (UShort) -> Boolean): Int {\n    return storage.indexOfFirst {

```



```

    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return
element\n    }\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.last(predicate: (UShort) -> Boolean): UShort {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns last index
of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UIntArray.lastIndexOf(element: UInt): Int {\n    return storage.lastIndexOf(element.toInt())\n}\n\n/**\n *
Returns last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.lastIndexOf(element: ULong): Int {\n    return storage.lastIndexOf(element.toLong())\n}\n\n/**\n *
Returns last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.lastIndexOf(element: UByte): Int {\n    return storage.lastIndexOf(element.toByte())\n}\n\n/**\n *
Returns last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.lastIndexOf(element: UShort): Int {\n    return storage.lastIndexOf(element.toShort())\n}\n\n/**\n *
Returns
the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.lastOrNull(): UInt? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n *
@sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.lastOrNull(): ULong? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n *
@sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.lastOrNull(): UByte? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n *
@sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UShortArray.lastOrNull(): UShort? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.lastOrNull(predicate: (UInt) -> Boolean): UInt? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.lastOrNull(predicate: (ULong) -> Boolean): ULong? {\n    for (index in this.indices.reversed())
{\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.lastOrNull(predicate: (UByte) -> Boolean): UByte? {\n    for (index in this.indices.reversed()) {\n

```



```

val element = this[index]\n    if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.lastOrNull(predicate: (UShort) -> Boolean): UShort? {\n    for (index in this.indices.reversed())\n    {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.random(): UInt {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.random(): ULong {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.random(): UByte {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.random(): UShort {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.random(random: Random): UInt {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.random(random: Random): ULong {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.random(random: Random): UByte {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.random(random: Random): UShort {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.randomOrNull(): UInt? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.randomOrNull(): ULong? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.randomOrNull(): UByte? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.randomOrNull(): UShort?

```

```

    { \n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array using the specified
source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun UIntArray.randomOrNull(random: Random): UInt? {\n    if (isEmpty())\n        return null\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
fun ULongArray.randomOrNull(random: Random): ULong? {\n    if (isEmpty())\n        return null\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
fun UByteArray.randomOrNull(random: Random): UByte? {\n    if (isEmpty())\n        return null\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
fun UShortArray.randomOrNull(random: Random): UShort? {\n    if (isEmpty())\n        return null\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or
has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.single(): UInt {\n    return storage.single().toUInt()\n}\n\n/**\n * Returns the single element, or throws an
exception if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.single(): ULong {\n    return storage.single().toULong()\n}\n\n/**\n * Returns the single
element, or throws an exception if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.single(): UByte {\n    return storage.single().toUByte()\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.single(): UShort {\n    return storage.single().toUShort()\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.single(predicate: (UInt) -> Boolean): UInt {\n
    var single: UInt? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if
(found) throw IllegalArgumentException("Array contains more than one matching element.")\n            single =
element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as UInt\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.single(predicate: (ULong) -> Boolean): ULong {\n    var single: ULong? = null\n    var found = false\n
for (element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array
contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as
ULong\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or
more than one matching element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

ByteArray.single(predicate: (Byte) -> Boolean): Byte {
    var single: Byte? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) throw IllegalArgumentException("Array
contains more than one matching element.")
            single = element
            found = true
        }
        if (!found) throw NoSuchElementException("Array contains no element matching the predicate.")
    }
    @Suppress("UNCHECKED_CAST") return single as Byte
}

* Returns the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
UShortArray.single(predicate: (UShort) -> Boolean): UShort {
    var single: UShort? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) throw IllegalArgumentException("Array
contains more than one matching element.")
            single = element
            found = true
        }
        if (!found) throw NoSuchElementException("Array contains no element matching the predicate.")
    }
    @Suppress("UNCHECKED_CAST") return single as UShort
}

* Returns single element, or `null` if
the array is empty or has more than one element.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UIntArray.singleOrNull(): UInt? {
    return if (size == 1) this[0]
        else null
}

* Returns single element, or `null` if the array is empty or has more than one element.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun ULongArray.singleOrNull(): ULong? {
    return if (size == 1) this[0] else null
}

* Returns single element, or `null` if the array is empty or has more
than one element.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun
ByteArray.singleOrNull(): Byte? {
    return if (size == 1) this[0] else null
}

* Returns single element,
or `null` if the array is empty or has more than one element.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UShortArray.singleOrNull(): UShort? {
    return if (size == 1) this[0] else null
}

* Returns the single element matching the given [predicate], or
`null` if element was not found or more than one element was found.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public
inline fun UIntArray.singleOrNull(predicate: (UInt) -> Boolean): UInt? {
    var single: UInt? = null
    var found
= false
    for (element in this) {
        if (predicate(element)) {
            if (found) return null
            single =
element
            found = true
        }
        if (!found) return null
    }
    return single
}

* Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline
fun ULongArray.singleOrNull(predicate: (ULong) -> Boolean): ULong? {
    var single: ULong? = null
    var
found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) return null
            single
= element
            found = true
        }
        if (!found) return null
    }
    return single
}

* Returns the
single element matching the given
[predicate], or `null` if element was not found or more than one element was found.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
ByteArray.singleOrNull(predicate: (Byte) -> Boolean): Byte? {
    var single: Byte? = null
    var found =
false
    for (element in this) {
        if (predicate(element)) {
            if (found) return null
            single =
element
            found = true
        }
        if (!found) return null
    }
    return single
}

* Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline
fun UShortArray.singleOrNull(predicate: (UShort) -> Boolean): UShort? {
    var single: UShort? = null
    var
found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) return null
            single
= element
            found = true
        }
        if (!found) return null
    }
    return single
}

* Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.

* Returns a list containing all elements except first [n] elements.
* @throws IllegalArgumentException if [n] is
negative.
* @sample samples.collections.Collections.Transformations.drop

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UIntArray.drop(n: Int): List<UInt> {

```

```

require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.drop(n: Int): List<ULong> {\n
  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n]
is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.drop(n: Int): List<UByte> {\n
  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n]
is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.drop(n: Int): List<UShort> {\n
  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException
if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.dropLast(n: Int): List<UInt> {\n
  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException
if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.dropLast(n: Int):
List<ULong> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException
if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun UByteArray.dropLast(n: Int): List<UByte> {\n  require(n >= 0) { \"Requested element count $n is less than
zero.\" }\n  return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last
[n] elements.\n * \n * @throws
IllegalArgumentException
if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.dropLast(n: Int):
List<UShort> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.dropLastWhile(predicate: (UInt) -> Boolean):
List<UInt> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index
+ 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements
that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n  for (index in lastIndex downTo 0)
{\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropLastWhile(predicate:
(UByte) -> Boolean): List<UByte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return take(index + 1)\n } \n } \n return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n for (index in lastIndex downTo
0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n } \n } \n return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.dropWhile(predicate: (UInt) -> Boolean): List<UInt> {\n var yielding = false\n val list =
ArrayList<UInt>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n
list.add(item)\n yielding = true\n } \n return list}\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropWhile(predicate: (ULong) -> Boolean): List<ULong> {\n var yielding = false\n val list =
ArrayList<ULong>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item))
{\n list.add(item)\n yielding = true\n } \n return list}\n}\n\n/**\n * Returns a list containing all
elements except
first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropWhile(predicate: (UByte) -> Boolean): List<UByte> {\n var yielding = false\n val list =
ArrayList<UByte>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item))
{\n list.add(item)\n yielding = true\n } \n return list}\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropWhile(predicate: (UShort) -> Boolean): List<UShort> {\n var yielding = false\n val list =
ArrayList<UShort>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item))
{\n list.add(item)\n yielding = true\n } \n return list}\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filter(predicate: (UInt) -> Boolean): List<UInt> {\n return filterTo(ArrayList<UInt>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filter(predicate: (ULong) -> Boolean): List<ULong> {\n return filterTo(ArrayList<ULong>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n *
*\n * @sample samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filter(predicate: (UByte) -> Boolean): List<UByte> {\n return filterTo(ArrayList<UByte>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filter(predicate: (UShort) -> Boolean): List<UShort> {\n    return filterTo(ArrayList<UShort>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.filterIndexed(predicate: (index: Int, UInt) -> Boolean): List<UInt> {\n    return
filterIndexedTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filterIndexed(predicate: (index: Int, ULong) -> Boolean): List<ULong> {\n    return
filterIndexedTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation
on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filterIndexed(predicate: (index: Int, UByte) -> Boolean): List<UByte> {\n    return
filterIndexedTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filterIndexed(predicate: (index: Int, UShort) -> Boolean): List<UShort> {\n    return
filterIndexedTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate]
to the given [destination].\n
 * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterIndexedTo(destination: C, predicate: (index: Int, UInt) -> Boolean): C {
\n    forEachIndexed { index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n
return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <C : MutableCollection<in ULong>> ULongArray.filterIndexedTo(destination: C, predicate: (index: Int,
ULong) -> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterIndexedTo(destination: C, predicate: (index: Int, UByte) ->
Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the
index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n *

```

```

@sample samples.collections.Collections.Filtering.filterIndexedTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterIndexedTo(destination: C, predicate: (index: Int, UShort) ->
Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element))
destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Returns a list containing all elements not
matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filterNot(predicate: (UInt) -> Boolean): List<UInt> {\n  return
filterNotTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filterNot(predicate: (ULong) -> Boolean): List<ULong> {\n  return filterNotTo(ArrayList<ULong>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filterNot(predicate: (UByte) -> Boolean): List<UByte> {\n  return filterNotTo(ArrayList<UByte>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.filterNot(predicate: (UShort) -> Boolean): List<UShort> {\n  return
filterNotTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements not matching the given [predicate]
to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterNotTo(destination: C, predicate: (UInt) -> Boolean): C {\n  for
(element in this) if (!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in ULong>> ULongArray.filterNotTo(destination:
C, predicate: (ULong) -> Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n
return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given
[destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterNotTo(destination: C, predicate: (UByte) -> Boolean): C {\n  for
(element in this) if (!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterNotTo(destination: C, predicate: (UShort) -> Boolean):
C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n *
Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterTo(destination: C, predicate: (UInt) -> Boolean): C {\n  for (element
in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :

```

```

MutableCollection<in ULong>> ULongArray.filterTo(destination: C, predicate: (ULong) -> Boolean): C {\n for
(element in this) if (predicate(element))
    destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate]
to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterTo(destination: C, predicate: (UByte) -> Boolean): C {\n for
(element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterTo(destination: C, predicate: (UShort) -> Boolean): C {\n for
(element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n
* Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: IntRange):
List<UInt> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: IntRange):
List<ULong> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: IntRange):
List<UByte> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: IntRange):
List<UShort> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: Iterable<Int>):
List<UInt> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<UInt>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: Iterable<Int>):
List<ULong> {\n val size = indices.collectionSizeOrDefault(10)\n if (size ==
0) return emptyList()\n val list = ArrayList<ULong>(size)\n for (index in indices) {\n list.add(get(index))\n
}\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: Iterable<Int>):
List<UByte> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<UByte>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: Iterable<Int>):
List<UShort> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<UShort>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n *
Returns an array
containing elements of this array at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices:
Collection<Int>): UIntArray {\n return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sliceArray(indices:
Collection<Int>): ULongArray {\n return ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array

```



containing elements of this array at specified [indices].\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sliceArray(indices:
Collection<Int>): UByteArray {\n    return UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sliceArray(indices:
Collection<Int>): UShortArray {\n
    return UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in
the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.sliceArray(indices: IntRange): UIntArray {\n    return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sliceArray(indices: IntRange):
ULongArray {\n    return ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing
elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sliceArray(indices: IntRange):
UByteArray {\n    return UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing
elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UShortArray.sliceArray(indices: IntRange): UShortArray {\n    return
UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n *
@throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.take(n: Int): List<UInt> {\n
require(n >= 0) { "Requested element count $n is less than zero." }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UInt>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun ULongArray.take(n: Int): List<ULong> {\n    require(n >= 0) { "Requested element count $n is less than
zero." }\n    if (n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n
var count = 0\n    val list = ArrayList<ULong>(n)\n    for (item in this) {\n        list.add(item)\n        if (++count ==
n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.take(n: Int): List<UByte> {\n
require(n >= 0) { "Requested element count $n is less than zero." }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UByte>(n)\n
for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.take(n: Int): List<UShort> {\n
require(n >= 0) { "Requested element count $n is less than zero." }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UShort>(n)\n
for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic

```

```

fun UIntArray.takeLast(n: Int): List<UInt> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    if (n == 0) return emptyList()
    val size = size
    if (n >= size) return toList()
    if (n == 1) return listOf(this[size - 1])
    val list = ArrayList<UInt>(n)
    for (index in size - n until size)
        list.add(this[index])
    return list
}
// Returns a list containing last [n] elements.
// @throws IllegalArgumentException if [n] is negative.
// @sample samples.collections.Collections.Transformations.take

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesnpublic fun ULongArray.takeLast(n: Int): List<ULong>
{
    require(n >= 0) { "Requested element count $n is less than zero." }
    if (n == 0) return emptyList()
    val size = size
    if (n >= size) return toList()
    if (n == 1) return listOf(this[size - 1])
    val list = ArrayList<ULong>(n)
    for (index in size - n until size)
        list.add(this[index])
    return list
}
// Returns a list containing last [n] elements.
// @throws IllegalArgumentException if [n] is negative.
// @sample samples.collections.Collections.Transformations.take

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesnpublic fun UByteArray.takeLast(n: Int): List<UByte>
{
    require(n >= 0) { "Requested element count $n is less than zero." }
    if (n == 0) return emptyList()
    val size = size
    if (n >= size) return toList()
    if (n == 1) return listOf(this[size - 1])
    val list = ArrayList<UByte>(n)
    for (index in size - n until size)
        list.add(this[index])
    return list
}
// Returns a list containing last [n] elements.
// @throws IllegalArgumentException if [n] is negative.
// @sample samples.collections.Collections.Transformations.take

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesnpublic fun UShortArray.takeLast(n: Int): List<UShort>
{
    require(n >= 0) { "Requested element count $n is less than zero." }
    if (n == 0) return emptyList()
    val size = size
    if (n >= size) return toList()
    if (n == 1) return listOf(this[size - 1])
    val list = ArrayList<UShort>(n)
    for (index in size - n until size)
        list.add(this[index])
    return list
}
// Returns a list containing last elements satisfying the given [predicate].
// @sample samples.collections.Collections.Transformations.take

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UIntArray.takeLastWhile(predicate: (UInt) -> Boolean): List<UInt> {
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index]))
            return drop(index + 1)
    }
    return toList()
}
// Returns a list containing last elements satisfying the given [predicate].
// @sample samples.collections.Collections.Transformations.take

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic
inline fun ULongArray.takeLastWhile(predicate: (ULong) -> Boolean): List<ULong> {
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index]))
            return drop(index + 1)
    }
    return toList()
}
// Returns a list containing last elements satisfying the given [predicate].
// @sample samples.collections.Collections.Transformations.take

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UByteArray.takeLastWhile(predicate: (UByte) -> Boolean): List<UByte> {
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index]))
            return drop(index + 1)
    }
    return toList()
}
// Returns a list containing last elements satisfying the given [predicate].
// @sample samples.collections.Collections.Transformations.take

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic
inline fun UShortArray.takeLastWhile(predicate: (UShort) -> Boolean): List<UShort> {
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index]))
            return drop(index + 1)
    }
    return toList()
}
// Returns a list containing first elements satisfying the given [predicate].
// @sample samples.collections.Collections.Transformations.take

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UIntArray.takeWhile(predicate: (UInt) -> Boolean): List<UInt> {
    val list = ArrayList<UInt>()
    for (item in this) {
        if (!predicate(item))
            break
        list.add(item)
    }
    return list
}
// Returns a list

```

```

containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.takeWhile(predicate: (ULong) -> Boolean): List<ULong> {\n val list =
ArrayList<ULong>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n
return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.takeWhile(predicate: (UByte) -> Boolean): List<UByte> {\n val list = ArrayList<UByte>()\n for
(item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.takeWhile(predicate: (UShort) -> Boolean): List<UShort> {\n val list =
ArrayList<UShort>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n
return list\n}\n\n/**\n * Reverses elements in the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements of the array in the
specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param
toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is
less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n storage.reverse(fromIndex, toIndex)\n}\n\n/**\n *
Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range
(inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is
less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n storage.reverse(fromIndex, toIndex)\n}\n\n/**\n *
Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range
(inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n storage.reverse(fromIndex, toIndex)\n}\n\n/**\n *
Reverses elements
of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to
reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    storage.reverse(fromIndex, toIndex)\n}\n\n/**\n *
Returns a list with elements in reversed order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UIntArray.reversed(): List<UInt> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n
list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun ULongArray.reversed(): List<ULong> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n
list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.reversed(): List<UByte> {\n
if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns
a list with elements in reversed order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.reversed(): List<UShort> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n
list.reverse()\n    return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reversedArray(): UIntArray {\n    return UIntArray(storage.reversedArray())\n}\n\n/**\n * Returns an
array
with elements of this array in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reversedArray(): ULongArray {\n    return ULongArray(storage.reversedArray())\n}\n\n/**\n *
Returns an array with elements of this array in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reversedArray(): UByteArray {\n    return UByteArray(storage.reversedArray())\n}\n\n/**\n * Returns
an array with elements of this array in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reversedArray(): UShortArray {\n    return UShortArray(storage.reversedArray())\n}\n\n/**\n *
Randomly shuffles elements in this array in-place.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n/**\n * Randomly shuffles
elements in this array in-place.\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-
place.\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random]
instance as the source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.shuffle(random: Random): Unit
{\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] =
this[j]\n        this[j]
= copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance
as the source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.shuffle(random: Random):
Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] =
this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified
[random] instance as the source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.shuffle(random: Random):

```

```

Unit {
    for (i in lastIndex downTo 1) {
        val j = random.nextInt(i + 1)
        val copy = this[i]
        this[i] =
        this[j]
        this[j] = copy
    }
}

Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness. See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public fun UShortArray.shuffle(random: Random):
Unit {
    for (i in lastIndex downTo 1) {
        val j = random.nextInt(i + 1)
        val copy = this[i]
        this[i] =
        this[j]
        this[j] = copy
    }
}

Sorts elements in the array in-place descending according to their
natural sort order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
UIntArray.sortDescending(): Unit {
    if (size > 1) {
        sort()
        reverse()
    }
}

Sorts elements
in the array in-place descending according to their natural sort order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun ULongArray.sortDescending(): Unit {
    if
(size > 1)
{
        sort()
        reverse()
    }
}

Sorts elements in the array in-place descending according to their
natural sort order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
UByteArray.sortDescending(): Unit {
    if (size > 1) {
        sort()
        reverse()
    }
}

Sorts
elements in the array in-place descending according to their natural sort order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UShortArray.sortDescending(): Unit {
    if
(size > 1) {
        sort()
        reverse()
    }
}

Returns a list of all elements sorted according to their
natural sort order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UIntArray.sorted():
List<UInt> {
    return copyOf().apply { sort() }.asList()
}

Returns a list of all elements sorted
according to their natural sort order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
ULongArray.sorted():
List<ULong> {
    return copyOf().apply { sort() }.asList()
}

Returns a list of all elements sorted
according to their natural sort order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
UByteArray.sorted(): List<UByte> {
    return copyOf().apply { sort() }.asList()
}

Returns a list of all
elements sorted according to their natural sort order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UShortArray.sorted(): List<UShort> {
    return copyOf().apply { sort() }.asList()
}

Returns an array with all elements of this array sorted
according to their natural sort order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
UIntArray.sortedArray(): UIntArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort()
}
}

Returns an array with all elements of this array sorted according to their natural sort order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public
fun ULongArray.sortedArray(): ULongArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort()
}
}

Returns an array with all elements of this array sorted according to their natural sort order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UByteArray.sortedArray(): UByteArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}

Returns an array with all elements
of this array sorted according to their natural sort order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UShortArray.sortedArray(): UShortArray
{
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}

Returns an array with all
elements of this array sorted descending according to their natural sort order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UIntArray.sortedArrayDescending():
UIntArray {
    if (isEmpty()) return this
    return this.copyOf().apply
{
        sortDescending()
    }
}

Returns an array with all elements of this array sorted descending according to
their natural sort order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
ULongArray.sortedArrayDescending(): ULongArray {
    if (isEmpty()) return this
    return this.copyOf().apply {
        sortDescending()
    }
}

Returns an array with all elements of this array sorted descending according to
their natural sort order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun

```

```

UByteArray.sortedArrayDescending(): UByteArray { \n  if (isEmpty()) return this\n  return this.copyOf().apply {
sortDescending() } \n} \n \n /** \n * Returns an array with all elements of this array sorted descending according to
their natural sort order. \n * \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n public fun
UShortArray.sortedArrayDescending(): UShortArray { \n  if (isEmpty()) return this\n  return this.copyOf().apply {
sortDescending() } \n} \n \n /** \n
* Returns a list of all elements sorted descending according to their natural sort order. \n * \n * The sort is _stable_.
It means that equal elements preserve their order relative to each other after sorting. \n
* \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n public fun UIntArray.sortedDescending(): List<UInt>
{ \n  return copyOf().apply { sort() }.reversed() \n} \n \n /** \n * Returns a list of all elements sorted descending
according to their natural sort order. \n * \n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting. \n * \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n public fun
ULongArray.sortedDescending(): List<ULong> { \n  return copyOf().apply { sort() }.reversed() \n} \n \n /** \n *
Returns a list of all elements sorted descending according to their natural sort order. \n * \n * The sort is _stable_. It
means that equal elements preserve their order relative to each other after sorting. \n
* \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n public
fun UByteArray.sortedDescending(): List<UByte> { \n  return copyOf().apply { sort() }.reversed() \n} \n \n /** \n *
Returns a list of all elements sorted descending according to their natural sort order. \n * \n * The sort is _stable_. It
means that equal elements preserve their order relative to each other after sorting. \n
* \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n public fun UShortArray.sortedDescending():
List<UShort> { \n  return copyOf().apply { sort() }.reversed() \n} \n \n /** \n * Returns an array of type [ByteArray],
which is a view of this array where each element is a signed reinterpretation \n * of the corresponding element of this
array. \n * \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
UByteArray.asByteArray(): ByteArray { \n  return storage \n} \n \n /** \n * Returns an array of type [IntArray], which
is a view of this array where each element is a signed reinterpretation \n
* of the corresponding element of this array. \n
* \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
UIntArray.asIntArray(): IntArray { \n  return storage \n} \n \n /** \n * Returns a [List] that wraps the original array. \n
* \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n public expect fun UIntArray.asList():
List<UInt> \n \n /** \n * Returns a [List] that wraps the original array. \n
* \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n public expect fun ULongArray.asList():
List<ULong> \n \n /** \n * Returns a [List] that wraps the original array. \n
* \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n public expect fun UByteArray.asList():
List<UByte> \n \n /** \n * Returns a [List] that wraps the original array. \n
* \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n public expect fun UShortArray.asList():
List<UShort> \n \n /** \n * Returns an array of type [LongArray], which is a view of this array where each element is
a signed reinterpretation \n
* of the corresponding element of this array. \n
* \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
ULongArray.asLongArray(): LongArray { \n  return storage \n} \n \n /** \n * Returns an array of type [ShortArray],
which is a view of this array where each element is a signed reinterpretation \n * of the corresponding element of this
array. \n * \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
UShortArray.asShortArray(): ShortArray { \n  return storage \n} \n \n /** \n * Returns an array of type [UByteArray],
which is a view of this array where each element is an unsigned reinterpretation \n * of the corresponding element of
this array. \n * \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline
fun ByteArray.asUByteArray(): UByteArray { \n  return UByteArray(this) \n} \n \n /** \n * Returns an array of type
[UIntArray], which is a view of this array where
each element is an unsigned reinterpretation \n * of the corresponding element of this array. \n
* \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun

```

```

IntArray.asUIntArray(): UIntArray {
    return UIntArray(this)
}

/**
 * Returns an array of type [UIntArray], which is a view of this array where each element is an unsigned reinterpretation of the corresponding element of this array.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
LongArray.asULongArray(): ULongArray {
    return ULongArray(this)
}

/**
 * Returns an array of type [UShortArray], which is a view of this array where each element is an unsigned reinterpretation of the corresponding element of this array.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
ShortArray.asUShortArray(): UShortArray {
    return UShortArray(this)
}

/**
 * Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
 *
 * @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
 * @SinceKotlin("1.3")
 * @DeprecatedSinceKotlin(hiddenSince = "1.4")
 * @ExperimentalUnsignedTypes
 * public infix fun UIntArray.contentEquals(other: UIntArray): Boolean {
 *     return this.contentEquals(other)
 * }

/**
 * Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
 *
 * @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
 * @SinceKotlin("1.3")
 * @DeprecatedSinceKotlin(hiddenSince = "1.4")
 * @ExperimentalUnsignedTypes
 * public infix fun ULongArray.contentEquals(other: ULongArray): Boolean {
 *     return this.contentEquals(other)
 * }

/**
 * Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
 *
 * @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
 * @SinceKotlin("1.3")
 * @DeprecatedSinceKotlin(hiddenSince = "1.4")
 * @ExperimentalUnsignedTypes
 * public infix fun UByteArray.contentEquals(other: UByteArray): Boolean {
 *     return this.contentEquals(other)
 * }

/**
 * Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
 *
 * @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
 * @SinceKotlin("1.3")
 * @DeprecatedSinceKotlin(hiddenSince = "1.4")
 * @ExperimentalUnsignedTypes
 * public infix fun UShortArray.contentEquals(other: UShortArray): Boolean {
 *     return this.contentEquals(other)
 * }

/**
 * Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
 *
 * @SinceKotlin("1.4")
 * @ExperimentalUnsignedTypes
 * public
 * infix fun UIntArray?.contentEquals(other: UIntArray?): Boolean {
 *     return
 *     this?.storage.contentEquals(other?.storage)
 * }

/**
 * Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
 *
 * @SinceKotlin("1.4")
 * @ExperimentalUnsignedTypes
 * public infix fun ULongArray?.contentEquals(other: ULongArray?): Boolean {
 *     return this?.storage.contentEquals(other?.storage)
 * }

/**
 * Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
 *
 * @SinceKotlin("1.4")
 * @ExperimentalUnsignedTypes
 * public infix fun UByteArray?.contentEquals(other: UByteArray?): Boolean {
 *     return
 *     this?.storage.contentEquals(other?.storage)
 * }

/**
 * Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
 *
 * @SinceKotlin("1.4")
 * @ExperimentalUnsignedTypes
 * public infix fun UShortArray?.contentEquals(other: UShortArray?): Boolean {
 *     return
 *     this?.storage.contentEquals(other?.storage)
 * }

/**
 * Returns a hash code based on the contents of this array as if it is [List].
 *
 * @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
 * @SinceKotlin("1.3")
 * @DeprecatedSinceKotlin(hiddenSince = "1.4")
 * @ExperimentalUnsignedTypes
 * public fun UIntArray.contentHashCode(): Int {
 *     return
 *     this.contentHashCode()
 * }

/**
 * Returns a hash code based on the contents of this array as if it is [List].
 */

```

```
*\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation\nwarning.\n)\n@SinceKotlin(\n1.3\n)\n@DeprecatedSinceKotlin(hiddenSince =\n\n1.4\n)\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentHashCode(): Int {\n    return\nthis.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as\nif it is [List].\n */\n\n*\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation\nwarning.\n)\n@SinceKotlin(\n1.3\n)\n@DeprecatedSinceKotlin(hiddenSince =\n\n1.4\n)\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentHashCode(): Int {\n    return\nthis.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n\n*\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation\nwarning.\n)\n@SinceKotlin(\n1.3\n)\n@DeprecatedSinceKotlin(hiddenSince =\n\n1.4\n)\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentHashCode(): Int {\n    return\nthis.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n\n*\n@SinceKotlin(\n1.4\n)\n@ExperimentalUnsignedTypes\npublic fun UIntArray?.contentHashCode(): Int {\n    return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it\nis [List].\n */\n\n*\n@SinceKotlin(\n1.4\n)\n@ExperimentalUnsignedTypes\npublic\nfun ULongArray?.contentHashCode(): Int {\n    return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a\nhash code based on the contents of this array as if it is [List].\n */\n\n*\n@SinceKotlin(\n1.4\n)\n@ExperimentalUnsignedTypes\npublic fun UByteArray?.contentHashCode(): Int {\n    return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it\nis [List].\n */\n\n*\n@SinceKotlin(\n1.4\n)\n@ExperimentalUnsignedTypes\npublic fun\nUShortArray?.contentHashCode(): Int {\n    return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a string\nrepresentation of the contents of the specified array as if it is [List].\n */\n\n * \n * @sample\nsamples.collections.Arrays.ContentOperations.contentToString\n */\n\n*\n@Deprecated(\nUse Kotlin compiler 1.4 to\navoid deprecation warning.\n)\n@SinceKotlin(\n1.3\n)\n@DeprecatedSinceKotlin(hiddenSince =\n\n1.4\n)\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentToString(): String {\n    return\nthis.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is\n[List].\n */\n\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n\n*\n@Deprecated(\nUse\nKotlin compiler 1.4 to avoid deprecation\nwarning.\n)\n@SinceKotlin(\n1.3\n)\n@DeprecatedSinceKotlin(hiddenSince =\n\n1.4\n)\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentToString(): String {\n    return\nthis.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is\n[List].\n */\n\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n\n*\n@Deprecated(\nUse\nKotlin compiler 1.4 to avoid deprecation\nwarning.\n)\n@SinceKotlin(\n1.3\n)\n@DeprecatedSinceKotlin(hiddenSince =\n\n1.4\n)\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentToString(): String {\n    return\nthis.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as\nif it is [List].\n */\n\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n\n*\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation\nwarning.\n)\n@SinceKotlin(\n1.3\n)\n@DeprecatedSinceKotlin(hiddenSince =\n\n1.4\n)\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentToString(): String {\n    return\nthis.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is\n[List].\n */\n\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n\n*\n@SinceKotlin(\n1.4\n)\n@ExperimentalUnsignedTypes\npublic fun UIntArray?.contentToString(): String {\n    return this?.joinToString(\n",", "\n", "[", "]")\n?: \"null\"\n}\n\n/**\n * Returns a string representation of the contents of\nthe specified array as if it is [List].\n */\n\n * \n * @sample\nsamples.collections.Arrays.ContentOperations.contentToString\n */\n\n*\n@SinceKotlin(\n1.4\n)\n@ExperimentalUnsignedTypes\npublic fun ULongArray?.contentToString(): String
```



```

    {
        return this?.joinToString(", ", "[", "]") ?: "null"
    }
}

Returns a string representation of the contents of the specified array as if it is [List].

@sample
samples.collections.Arrays.ContentOperations.contentToString

@SinceKotlin("1.4")@ExperimentalUnsignedTypes
public fun UByteArray?.contentToString(): String {
    return this?.joinToString(", ", "[", "]") ?: "null"
}

Returns a string representation of the contents of the specified array as if it is [List].

@sample
samples.collections.Arrays.ContentOperations.contentToString

@SinceKotlin("1.4")@ExperimentalUnsignedTypes
public fun UShortArray?.contentToString(): String {
    return this?.joinToString(", ", "[", "]") ?: "null"
}

Copies this array or its subrange into the [destination] array and returns that array. It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.

@param destination the array to copy to.
@param destinationOffset the position in the [destination] array to copy to, 0 by default.
@param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.
@param endIndex the end (exclusive) of the subrange to copy, size of this array by default.

@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.
@throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], or when that index is out of the [destination] array indices range.

@return the [destination] array.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
UIntArray.copyInto(destination: UIntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): UIntArray {
    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)
    return destination
}

Copies this array or its subrange into the [destination] array and returns that array. It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.

@param destination the array to copy to.
@param destinationOffset the position in the [destination] array to copy to, 0 by default.
@param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.
@param endIndex the end (exclusive) of the subrange to copy, size of this array by default.

@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.
@throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], or when that index is out of the [destination] array indices range.

@return the [destination] array.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
ULongArray.copyInto(destination: ULongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ULongArray {
    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)
    return destination
}

Copies this array or its subrange into the [destination] array and returns that array. It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.

@param destination the array to copy to.
@param destinationOffset the position in the [destination] array to copy to, 0 by default.
@param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.
@param endIndex the end (exclusive) of the subrange to copy, size of this array by default.

@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.
@throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], or when that index is out of the [destination] array indices range.

@return the [destination] array.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
UByteArray.copyInto(destination: UByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): UByteArray {
    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)
    return destination
}

Copies this array or its subrange into the [destination] array and returns that array.

```

It's allowed to pass the same array in the [destination] and even

specify the subrange so that it overlaps with the destination range.  
@param destination the array to copy to.  
@param destinationOffset the position in the [destination] array to copy to, 0 by default.  
@param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.  
@param endIndex the end (exclusive) of the subrange to copy, size of this array by default.  
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.  
@throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], or when that index is out of the [destination] array indices range.  
@return the [destination] array.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.copyInto(destination: UShortArray, destinationOffset:
```

```
Int = 0, startIndex: Int = 0, endIndex: Int = size): UShortArray {\n    storage.copyInto(destination.storage,  
destinationOffset, startIndex, endIndex)\n    return destination\n}\n/**\n * Returns new array which is a copy of  
the original array.\n * @sample samples.collections.Arrays.CopyOfOperations.copyOf
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.copyOf(): UIntArray {\n    return UIntArray(storage.copyOf())\n}\n/**\n * Returns new array which is  
a copy of the original array.\n * @sample samples.collections.Arrays.CopyOfOperations.copyOf
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.copyOf(): ULongArray {\n    return ULongArray(storage.copyOf())\n}\n/**\n * Returns new array  
which is a copy of the original array.\n * @sample samples.collections.Arrays.CopyOfOperations.copyOf
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic  
inline fun UByteArray.copyOf(): UByteArray {\n    return UByteArray(storage.copyOf())\n}\n/**\n * Returns  
new array which is a copy of the original array.\n * @sample  
samples.collections.Arrays.CopyOfOperations.copyOf
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.copyOfOf(): UShortArray {\n    return UShortArray(storage.copyOfOf())\n}\n/**\n * Returns new array  
which is a copy of the original array, resized to the given [newSize].  
The copy is either truncated or padded at  
the end with zero values if necessary.  
- If [newSize] is less than the size of the original array, the copy array  
is truncated to the [newSize].  
- If [newSize] is greater than the size of the original array, the extra elements in the  
copy array are filled with zero values.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.copyOfOf(newSize:
```

```
Int): UIntArray {\n    return UIntArray(storage.copyOfOf(newSize))\n}\n/**\n * Returns new array which is a copy  
of the original array, resized to the given [newSize].  
The copy is either truncated or padded at the end with zero  
values if necessary.  
- If [newSize] is less than the size of the original array, the copy array is truncated to the  
[newSize].  
- If [newSize] is greater than the size of the original array, the extra elements in the copy array are  
filled with zero values.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.copyOfOf(newSize: Int): ULongArray {\n    return ULongArray(storage.copyOfOf(newSize))\n}\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].  
The copy is either  
truncated or padded at the end with zero values if necessary.  
- If [newSize] is less than the size of the  
original array, the copy array is truncated
```

```
to the [newSize].  
- If [newSize] is greater than the size of the original array, the extra elements in the copy array  
are filled with zero values.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.copyOfOf(newSize: Int): UByteArray {\n    return UByteArray(storage.copyOfOf(newSize))\n}\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].  
The copy is either  
truncated or padded at the end with zero values if necessary.  
- If [newSize] is less than the size of the
```

original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.copyOf(newSize: Int): UShortArray {\n    return UShortArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.copyOfRange(fromIndex: Int, toIndex: Int): UIntArray {\n    return  
UIntArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.copyOfRange(fromIndex: Int, toIndex: Int): ULongArray {\n    return  
ULongArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws  
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.copyOfRange(fromIndex: Int, toIndex: Int): UByteArray {\n    return  
UByteArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws  
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.copyOfRange(fromIndex: Int, toIndex: Int): UShortArray {\n    return  
UShortArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws  
IndexOutOfBoundsException if [fromIndex] is less than zero  
or [toIndex] is greater than the size of this array.\n * @throws  
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.fill(element: UInt, fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toInt(), fromIndex, toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws  
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws  
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.fill(element: ULong, fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toLong(), fromIndex, toIndex)\n}\n\n/**\n
```

```
 * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws  
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater
```

than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.fill(element: UByte,
fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toByte(), fromIndex, toIndex)\n}\n\n/**\n *
Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range
(inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by
default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less
than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is
greater than [toIndex].\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.fill(element: UShort, fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toShort(),
fromIndex, toIndex)\n}\n\n/**\n * Returns the range of valid indices for the array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.indices: IntRange\n    get()
= storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.indices: IntRange\n    get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.indices: IntRange\n    get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.indices: IntRange\n    get() = storage.indices\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.lastIndex: Int\n    get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.lastIndex: Int\n    get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.lastIndex: Int\n    get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.lastIndex: Int\n    get() =
storage.lastIndex\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline operator fun UIntArray.plus(element: UInt): UIntArray {\n    return UIntArray(storage +
element.toInt())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun ULongArray.plus(element: ULong): ULongArray {\n    return ULongArray(storage +
element.toLong())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UByteArray.plus(element: UByte): UByteArray {\n    return UByteArray(storage +
element.toByte())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline operator fun UShortArray.plus(element: UShort): UShortArray {\n    return UShortArray(storage +
element.toShort())\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun UIntArray.plus(elements: Collection<UInt>): UIntArray {\n    var index = size\n    val result =
storage.copyOfOf(size + elements.size)\n    for (element in elements) result[index++] = element.toInt()\n    return
UIntArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun ULongArray.plus(elements: Collection<ULong>): ULongArray {\n    var index = size\n    val result =
storage.copyOfOf(size + elements.size)\n    for (element in elements) result[index++] = element.toLong()\n    return
ULongArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then
all elements of the given [elements] collection.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun UByteArray.plus(elements:

```

```

Collection<UByte>): UByteArray {
    var index = size
    val result = storage.copyOf(size + elements.size)
    for (element in elements) result[index++] = element.toByte()
    return UByteArray(result)
}

/**
 * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public operator fun UShortArray.plus(elements: Collection<UShort>): UShortArray {
    var index = size
    val result = storage.copyOf(size + elements.size)
    for (element in elements) result[index++] = element.toShort()
    return UShortArray(result)
}

/**
 * Returns an array containing all elements of the original array and then all elements of the given [elements] array.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline operator fun UIntArray.plus(elements: UIntArray): UIntArray {
    return UIntArray(storage + elements.storage)
}

/**
 * Returns an array containing all elements of the original array and then all elements of the given [elements] array.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline operator fun ULongArray.plus(elements: ULongArray): ULongArray {
    return ULongArray(storage + elements.storage)
}

/**
 * Returns an array containing all elements of the original array and then all elements of the given [elements] array.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline operator fun UByteArray.plus(elements: UByteArray): UByteArray {
    return UByteArray(storage + elements.storage)
}

/**
 * Returns an array containing all elements of the original array and then all elements of the given [elements] array.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline operator fun UShortArray.plus(elements: UShortArray): UShortArray {
    return UShortArray(storage + elements.storage)
}

/**
 * Sorts the array in-place.
 * @sample samples.collections.Arrays.Sorting.sortArray
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UIntArray.sort(): Unit {
    if (size > 1) sortArray(this, 0, size)
}

/**
 * Sorts the array in-place.
 * @sample samples.collections.Arrays.Sorting.sortArray
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun ULongArray.sort(): Unit {
    if (size > 1) sortArray(this, 0, size)
}

/**
 * Sorts the array in-place.
 * @sample samples.collections.Arrays.Sorting.sortArray
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UByteArray.sort(): Unit {
    if (size > 1) sortArray(this, 0, size)
}

/**
 * Sorts the array in-place.
 * @sample samples.collections.Arrays.Sorting.sortArray
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UShortArray.sort(): Unit {
    if (size > 1) sortArray(this, 0, size)
}

/**
 * Sorts a range in the array in-place.
 * @param fromIndex the start of the range (inclusive) to sort, 0 by default.
 * @param toIndex the end of the range (exclusive) to sort, size of this array by default.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
 * @sample samples.collections.Arrays.Sorting.sortRangeOfArray
 */
@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public fun UIntArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    sortArray(this, fromIndex, toIndex)
}

/**
 * Sorts a range in the array in-place.
 * @param fromIndex the start of the range (inclusive) to sort, 0 by default.
 * @param toIndex the end of the range (exclusive) to sort, size of this array by default.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
 * @sample samples.collections.Arrays.Sorting.sortRangeOfArray
 */
@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public fun ULongArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    sortArray(this, fromIndex, toIndex)
}

/**
 * Sorts a range in the array in-place.
 * @param fromIndex the start of the range (inclusive) to sort, 0 by default.
 * @param toIndex the end of the range (exclusive) to sort, size of this array
 */

```

by default.\n \* \n \* @throws IndexOutOfBoundsException  
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws  
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \* \n \* @sample  
samples.collections.Arrays.Sorting.sortRangeOfArray\n

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sort(fromIndex: Int = 0,  
toIndex: Int = size): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    sortArray(this,  
fromIndex, toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the  
range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array  
by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater  
than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic  
fun UShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n  
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    sortArray(this, fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their  
natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end  
of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or  
[toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than  
[toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
```

```
UIntArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex,  
toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements  
are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range  
(inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws  
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortDescending(fromIndex:  
Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements  
of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort  
order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range  
(exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is  
greater than the size  
of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortDescending(fromIndex:  
Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements  
of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort  
order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range  
(exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is  
greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortDescending(fromIndex:  
Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex, toIndex)\n}\n\n/**\n * Returns  
an array of type [ByteArray], which is a copy of this array where each element is a signed reinterpretation\n * of the  
corresponding element of this array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.toByteArray(): ByteArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns an array of type  
[IntArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding  
element of this array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.toIntArray(): IntArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns an array of type [LongArray],
```

which is a copy of this array where each element is a signed reinterpretation of the corresponding element of this array.

```

*SinceKotlin("1.3")ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
UByteArray.toLongArray(): LongArray {
    return storage.copyOf()
}

```

Returns an array of type [LongArray], which is a copy of this array where each element is a signed reinterpretation of the corresponding element of this array.

```

*SinceKotlin("1.3")ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
UShortArray.toShortArray(): ShortArray {
    return storage.copyOf()
}

```

Returns a typed object array containing all of the elements of this primitive array.

```

*SinceKotlin("1.3")ExperimentalUnsignedTypes
public fun UIntArray.toTypedArray(): Array<UInt> {
    return Array(size) { index -> this[index] }
}

```

Returns a typed object array containing all of the elements of this primitive array.

```

*SinceKotlin("1.3")ExperimentalUnsignedTypes
public fun
UByteArray.toTypedArray(): Array<UByte> {
    return Array(size) { index -> this[index] }
}

```

Returns a typed object array containing all of the elements of this primitive array.

```

*SinceKotlin("1.3")ExperimentalUnsignedTypes
public fun UShortArray.toTypedArray():
Array<UShort> {
    return Array(size) { index -> this[index] }
}

```

Returns an array of UByte containing all of the elements of this generic array.

```

*SinceKotlin("1.3")ExperimentalUnsignedTypes
public fun
Array<out UByte>.toUByteArray(): UByteArray {
    return UByteArray(size) { index -> this[index] }
}

```

Returns an array of type [UByteArray], which is a copy of this array where each element is an unsigned reinterpretation of the corresponding element of this array.

```

*SinceKotlin("1.3")ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
ByteArray.toUByteArray(): UByteArray {
    return UByteArray(this.copyOf())
}

```

Returns an array of UInt containing all of the elements of this generic array.

```

*SinceKotlin("1.3")ExperimentalUnsignedTypes
public fun Array<out
UInt>.toUIntArray(): UIntArray {
    return UIntArray(size) { index -> this[index] }
}

```

Returns an array of type [UIntArray], which is a copy of this array where each element is an unsigned reinterpretation of the corresponding element of this array.

```

*SinceKotlin("1.3")ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
IntArray.toUIntArray(): UIntArray {
    return UIntArray(this.copyOf())
}

```

Returns an array of ULong containing all of the elements of this generic array.

```

*SinceKotlin("1.3")ExperimentalUnsignedTypes
public fun Array<out ULong>.toULongArray():
ULongArray {
    return ULongArray(size) { index -> this[index] }
}

```

Returns an array of type [ULongArray], which is a copy of this array where each element is an unsigned reinterpretation of the corresponding element of this array.

```

*SinceKotlin("1.3")ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
LongArray.toULongArray(): ULongArray {
    return ULongArray(this.copyOf())
}

```

Returns an array of UShort containing all of the elements of this generic array.

```

*SinceKotlin("1.3")ExperimentalUnsignedTypes
public fun Array<out UShort>.toUShortArray():
UShortArray {
    return UShortArray(size) { index -> this[index] }
}

```

Returns an array of type [UShortArray], which is a copy of this array where each element is an unsigned reinterpretation of the corresponding element of this array.

```

*SinceKotlin("1.3")ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
ShortArray.toUShortArray(): UShortArray {
    return UShortArray(this.copyOf())
}

```

Returns a [Map] where keys are elements from the given array and values are produced by the [valueSelector] function applied to each element. If any two elements are equal, the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

```

\n * @sample samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UIntArray.associateWith(valueSelector: (UInt) -> V): Map<UInt, V> {\n    val result = LinkedHashMap<UInt,
V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a
[Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function
applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
ULongArray.associateWith(valueSelector: (ULong) -> V): Map<ULong, V> {\n    val result =
LinkedHashMap<ULong, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UByteArray.associateWith(valueSelector: (UByte) -> V): Map<UByte, V> {\n    val result =
LinkedHashMap<UByte, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UShortArray.associateWith(valueSelector: (UShort) -> V): Map<UShort, V> {\n    val result =
LinkedHashMap<UShort, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each
element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function
applied to that key.\n * \n * If any
two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M :
MutableMap<in UInt, in V>> UIntArray.associateWithTo(destination: M, valueSelector: (UInt) -> V): M {\n    for
(element in this) {\n        destination.put(element, valueSelector(element))\n    }\n    return destination\n}\n\n/**\n *
Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n *
where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If
any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <V, M : MutableMap<in ULong, in V>> ULongArray.associateWithTo(destination: M, valueSelector: (ULong)
-> V): M {\n    for (element in this) {\n        destination.put(element, valueSelector(element))\n    }\n    return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element
of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied
to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n *
@sample samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M :
MutableMap<in UByte, in V>> UByteArray.associateWithTo(destination: M, valueSelector: (UByte) -> V): M {\n    for
(element in this) {\n        destination.put(element, valueSelector(element))\n    }\n    return
destination\n}\n\n/**\n * Populates

```



and returns the [destination] mutable map with key-value pairs for each element of the given array, \n \* where key is the element itself and value is provided by the [valueSelector] function applied to that key. \n \* \n \* If any two elements are equal, the last one overwrites the former value in the map. \n \* \n \* @sample samples.collections.Collections.Transformations.associateWithTo

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in UShort, in V>> UShortArray.associateWithTo(destination: M, valueSelector: (UShort) -> V): M {\n    for (element in this) {\n        destination.put(element, valueSelector(element))\n    }\n    return destination\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array. \n * \n * @sample samples.collections.Collections.Transformations.flatMap
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.flatMap(transform: (UInt) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array. \n * \n * @sample samples.collections.Collections.Transformations.flatMap
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.flatMap(transform: (ULong) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array. \n * \n * @sample samples.collections.Collections.Transformations.flatMap
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.flatMap(transform: (UByte) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array. \n * \n * @sample samples.collections.Collections.Transformations.flatMap
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.flatMap(transform: (UShort) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element \n * and its index in the original array. \n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.flatMapIndexed(transform: (index: Int, UInt) -> Iterable<R>): List<R> {\n    return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element \n * and its index in the original array. \n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.flatMapIndexed(transform: (index: Int, ULong) -> Iterable<R>): List<R> {\n    return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element \n * and its index in the original array. \n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.flatMapIndexed(transform: (index: Int, UByte) -> Iterable<R>): List<R> {\n    return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element \n * and its index in the original array. \n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed
```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.flatMapIndexed(transform: (index: Int, UShort) -> Iterable<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its
index in the original array, to the given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.flatMapIndexedTo(destination: C, transform: (index: Int, UInt) ->
Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n
destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.flatMapIndexedTo(destination:
C, transform: (index: Int, ULong) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =
transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element\n * and its index in the original
array, to the given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.flatMapIndexedTo(destination: C, transform: (index: Int, UByte) ->
Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n
destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each
element\n * and its index in the original array, to the given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.flatMapIndexedTo(destination: C, transform: (index: Int, UShort) ->
Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n
destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.flatMapTo(destination: C, transform: (UInt) -> Iterable<R>): C {\n    for
(element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.flatMapTo(destination: C, transform: (ULong) -> Iterable<R>): C {\n    for
(element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.flatMapTo(destination: C, transform: (UByte) -> Iterable<R>): C {\n    for
(element in this) {\n        val list =
transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements
yielded from results of [transform] function being invoked on each element of original array, to the given

```

```

[destination].\n * \n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public
inline fun <R, C : MutableCollection<in R>> UShortArray.flatMapTo(destination: C, transform: (UShort) ->
Iterable<R>): C {\n   for (element in this) {\n     val list = transform(element)\n     destination.addAll(list)\n   }\n   return destination\n }\n\n /**\n  * Groups elements of the original array by the key returned by the given
[keySelector] function\n  * applied to each element and returns a map where each group key is associated with a list
of corresponding elements.\n  * \n  * The returned map preserves the entry iteration order of the keys produced from
the original array.\n  * \n  * @sample samples.collections.Collections.Transformations.groupBy\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun <K>
UIntArray.groupBy(keySelector: (UInt) -> K): Map<K, List<UInt>> {\n   return groupByTo(LinkedHashMap<K,
MutableList<UInt>>(), keySelector)\n }\n\n /**\n  * Groups elements of the original array by the key returned by the
given [keySelector] function\n  * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n  * \n  * The returned map preserves the entry iteration order of the keys produced
from the original array.\n  * \n  * @sample samples.collections.Collections.Transformations.groupBy\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun <K>
ULongArray.groupBy(keySelector: (ULong) -> K): Map<K, List<ULong>> {\n   return
groupByTo(LinkedHashMap<K, MutableList<ULong>>(), keySelector)\n }\n\n /**\n  * Groups elements of the
original array by the key returned by the given [keySelector]
function\n  * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n  * \n  * The returned map preserves the entry iteration order of the keys produced from the
original array.\n  * \n  * @sample samples.collections.Collections.Transformations.groupBy\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun <K>
UByteArray.groupBy(keySelector: (UByte) -> K): Map<K, List<UByte>> {\n   return
groupByTo(LinkedHashMap<K, MutableList<UByte>>(), keySelector)\n }\n\n /**\n  * Groups elements of the
original array by the key returned by the given [keySelector] function\n  * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n  * \n  * The returned map preserves the
entry iteration order of the keys produced from the original array.\n  * \n  * @sample
samples.collections.Collections.Transformations.groupBy\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public
inline fun <K> UShortArray.groupBy(keySelector: (UShort) -> K): Map<K, List<UShort>> {\n   return
groupByTo(LinkedHashMap<K, MutableList<UShort>>(), keySelector)\n }\n\n /**\n  * Groups values returned by
the [valueTransform] function applied to each element of the original array\n  * by the key returned by the given
[keySelector] function applied to the element\n  * and returns a map where each group key is associated with a list of
corresponding values.\n  * \n  * The returned map preserves the entry iteration order of the keys produced from the
original array.\n  * \n  * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun <K, V>
UIntArray.groupBy(keySelector: (UInt) -> K, valueTransform: (UInt) -> V): Map<K, List<V>> {\n   return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n }\n\n /**\n  * Groups values
returned by the [valueTransform] function applied to each element of the original array\n  * by the
key returned by the given [keySelector] function applied to the element\n  * and returns a map where each group key
is associated with a list of corresponding values.\n  * \n  * The returned map preserves the entry iteration order of the
keys produced from the original array.\n  * \n  * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun <K, V>
ULongArray.groupBy(keySelector: (ULong) -> K, valueTransform: (ULong) -> V): Map<K, List<V>> {\n   return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n }\n\n /**\n  * Groups values
returned by the [valueTransform] function applied to each element of the original array\n  * by the key returned by
the given [keySelector] function applied to the element\n  * and returns

```

a map where each group key is associated with a list of corresponding values. The returned map preserves the entry iteration order of the keys produced from the original array.

```

@sample
samples.collections.Collections.Transformations.groupByKeysAndValues
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <K, V>
UByteArray.groupBy(keySelector: (UByte) -> K, valueTransform: (UByte) -> V): Map<K, List<V>> {n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)n}n/n/**n * Groups values
returned by the [valueTransform] function applied to each element of the original arrayn * by the key returned by
the given [keySelector] function applied to the elementn * and returns a map where each group key is associated
with a list of corresponding values.n * n * The returned map preserves the entry iteration order of the keys
produced from the original array.n * n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <K, V>
UShortArray.groupBy(keySelector: (UShort) -> K, valueTransform: (UShort) -> V): Map<K, List<V>> {n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)n}n/n/**n * Groups elements
of the original array by the key returned by the given [keySelector] functionn * applied to each element and puts to
the [destination] map each group key associated with a list of corresponding elements.n * n * @return The
[destination] map.n * n * @sample samples.collections.Collections.Transformations.groupBy
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <K, M :
MutableMap<in K, MutableList<UInt>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K): M {n
for (element in this) {n val key = keySelector(element)n val
list = destination.getOrPut(key) { ArrayList<UInt>() }n list.add(element)n }n return
destinationn}n/n/**n * Groups elements of the original array by the key returned by the given [keySelector]
functionn * applied to each element and puts to the [destination] map each group key associated with a list of
corresponding elements.n * n * @return The [destination] map.n * n * @sample
samples.collections.Collections.Transformations.groupBy
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <K, M :
MutableMap<in K, MutableList<ULong>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K):
M {n for (element in this) {n val key = keySelector(element)n val list = destination.getOrPut(key) {
ArrayList<ULong>() }n list.add(element)n }n return destinationn}n/n/**n * Groups elements of the
original array by the key returned by the given [keySelector] functionn * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.n * n *
@return The [destination] map.n * n * @sample samples.collections.Collections.Transformations.groupBy
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <K, M :
MutableMap<in K, MutableList<UByte>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K):
M {n for (element in this) {n val key = keySelector(element)n val list = destination.getOrPut(key) {
ArrayList<UByte>() }n list.add(element)n }n return destinationn}n/n/**n * Groups elements of the
original array by the key returned by the given [keySelector] functionn * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.n * n * @return The
[destination] map.n * n * @sample samples.collections.Collections.Transformations.groupBy
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic
inline fun <K, M : MutableMap<in K, MutableList<UShort>>> UShortArray.groupByTo(destination: M,
keySelector: (UShort) -> K): M {n for (element in this) {n val key = keySelector(element)n val list =
destination.getOrPut(key) { ArrayList<UShort>() }n list.add(element)n }n return destinationn}n/n/**n
* Groups values returned by the [valueTransform] function applied to each element of the original arrayn * by the
key returned by the given [keySelector] function applied to the elementn * and puts to the [destination] map each
group key associated with a list of corresponding values.n * n * @return The [destination] map.n * n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <K, V,

```

`M : MutableMap<in K, MutableList<V>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K, valueTransform: (UInt) -> V): M {`  
for (element in this) {  
val key = keySelector(element)  
val list = destination.getOrPut(key) { ArrayList<V>() }  
list.add(valueTransform(element))  
}  
return destination  
}  
Groups values returned by the [valueTransform] function applied to each element of the original array  
\* by the key returned by the given [keySelector] function applied to the element  
\* and puts to the [destination] map each group key associated with a list of corresponding values.  
\* @return The [destination] map.  
\* @sample samples.collections.Collections.Transformations.groupByKeysAndValues

`*`  
@SinceKotlin("1.3")  
@ExperimentalUnsignedTypes  
@kotlin.internal.InlineOnly  
public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K, valueTransform: (ULong) -> V): M {  
for (element in this) {  
val key = keySelector(element)  
val list = destination.getOrPut(key) { ArrayList<V>() }  
list.add(valueTransform(element))  
}  
return destination  
}  
Groups values returned by the [valueTransform] function applied to each element of the original array  
\* by the key returned by the given [keySelector] function applied to the element  
\* and puts to the [destination] map each group key associated with a list of corresponding values.  
\* @return The [destination] map.  
\* @sample samples.collections.Collections.Transformations.groupByKeysAndValues

`*`  
@SinceKotlin("1.3")  
@ExperimentalUnsignedTypes  
@kotlin.internal.InlineOnly  
public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K, valueTransform: (UByte) -> V): M {  
for (element in this) {  
val key = keySelector(element)  
val list = destination.getOrPut(key) { ArrayList<V>() }  
list.add(valueTransform(element))  
}  
return destination  
}  
Groups values returned by the [valueTransform] function applied to each element of the original array  
\* by the key returned by the given [keySelector] function applied to the element  
\* and puts to the [destination] map each group key associated with a list of corresponding values.  
\* @return The [destination] map.  
\* @sample samples.collections.Collections.Transformations.groupByKeysAndValues

`*`  
@SinceKotlin("1.3")  
@ExperimentalUnsignedTypes  
@kotlin.internal.InlineOnly  
public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K, valueTransform: (UShort) -> V): M {  
for (element in this) {  
val key = keySelector(element)  
val list = destination.getOrPut(key) { ArrayList<V>() }  
list.add(valueTransform(element))  
}  
return destination  
}  
Returns a list containing the results of applying the given [transform] function  
\* to each element in the original array.  
\* @sample samples.collections.Collections.Transformations.map

`*`  
@SinceKotlin("1.3")  
@ExperimentalUnsignedTypes  
@kotlin.internal.InlineOnly  
public inline fun <R> UIntArray.map(transform: (UInt) -> R): List<R> {  
return mapTo(ArrayList<R>(size), transform)  
}  
Returns a list containing the results of applying the given [transform] function  
\* to each element in the original array.  
\* @sample samples.collections.Collections.Transformations.map

`*`  
@SinceKotlin("1.3")  
@ExperimentalUnsignedTypes  
@kotlin.internal.InlineOnly  
public inline fun <R> ULongArray.map(transform: (ULong) -> R): List<R> {  
return mapTo(ArrayList<R>(size), transform)  
}  
Returns a list containing the results of applying the given [transform] function  
\* to each element in the original array.  
\* @sample samples.collections.Collections.Transformations.map

`*`  
@SinceKotlin("1.3")  
@ExperimentalUnsignedTypes  
@kotlin.internal.InlineOnly  
public inline fun <R> UByteArray.map(transform: (UByte) -> R): List<R> {  
return mapTo(ArrayList<R>(size), transform)  
}  
Returns a list containing the results of applying the given [transform] function  
\* to each element in the original array.  
\* @sample samples.collections.Collections.Transformations.map

`*`  
@SinceKotlin("1.3")  
@ExperimentalUnsignedTypes  
@kotlin.internal.InlineOnly  
public inline fun <R> UShortArray.map(transform: (UShort) -> R): List<R> {  
return mapTo(ArrayList<R>(size), transform)  
}  
Returns a list containing the results of applying the given [transform] function  
\* to each

element and its index in the original array.\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
```

```
fun <R> UIntArray.mapIndexed(transform: (index: Int, UInt) -> R): List<R> {\n    return\n    mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the\n * given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function\n * that takes the index of an element and the element itself\n * and returns the result of the transform applied to the\n * element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline\nfun <R> ULongArray.mapIndexed(transform: (index: Int, ULong) -> R): List<R> {\n    return\n    mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the\n * given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function\n * that takes the index of an element and the element itself\n * and returns the result of the transform applied to the\n * element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic\ninline fun <R> UByteArray.mapIndexed(transform: (index: Int, UByte) -> R): List<R> {\n    return\n    mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the\n * given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function\n * that takes the index of an element and the element itself\n * and returns the result of the transform applied to the\n * element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline\nfun <R> UShortArray.mapIndexed(transform: (index: Int, UShort) -> R): List<R> {\n    return\n    mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Applies the given [transform] function to each\n * element and its index in the original array\n * and appends the results to the given [destination].\n * @param\n * [transform] function that takes the index of an element and\n * the element itself\n * and returns the result of the transform applied to the element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UIntArray.mapIndexedTo(destination: C, transform: (index: Int, UInt) -> R): C {\n    var\n    index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element\n * itself\n * and returns the result of the transform applied to the element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.mapIndexedTo(destination: C, transform: (index: Int, ULong) -> R): C {\n    var\n    index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n * Applies the given [transform]\n * function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of\n * the transform applied to the element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.mapIndexedTo(destination: C, transform: (index: Int, UByte) -> R): C {\n    var\n    index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return\n    destination\n}\n\n/**\n * Applies the given [transform] function\n * to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an\n * element and the element itself\n * and returns\n * the result of the transform applied to the element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.mapIndexedTo(destination: C, transform: (index: Int, UShort) -> R): C {\n    var\n    index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return\n    destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and\n * appends the results to the given [destination].\n
```

```

*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.mapTo(destination: C, transform: (UInt) -> R): C {\n  for (item in this)\n  destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic
inline fun <R, C : MutableCollection<in R>> ULongArray.mapTo(destination: C, transform: (ULong) -> R): C {\n
for (item in this)\n  destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element of the original array\n * and appends the results to the given [destination].\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.mapTo(destination: C, transform: (UByte) -> R): C {\n  for (item in this)\n
destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to
each element of the original array\n * and appends the results to the given [destination].\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.mapTo(destination:
C, transform: (UShort) -> R): C {\n  for (item in this)\n  destination.add(transform(item))\n  return
destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an
[IndexValue] containing the index of that element and the element itself.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun UIntArray.withIndex():
Iterable<IndexedValue<UInt>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable]
that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the
element itself.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun ULongArray.withIndex():
Iterable<IndexedValue<ULong>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable]
that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the
element itself.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun UByteArray.withIndex():
Iterable<IndexedValue<UByte>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable]
that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the
element itself.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun UShortArray.withIndex():
Iterable<IndexedValue<UShort>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all
elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.all(predicate: (UInt) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.all(predicate: (ULong) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.all(predicate: (UByte) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.all(predicate: (UShort) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element))
return false\n  return true\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(): Boolean {\n  return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n

```

```

* \n * @sample samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if at least one element matches
the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(predicate: (UInt) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n
return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.any(predicate: (ULong) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
true\n    return false\n}\n\n/**\n * Returns
`true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.any(predicate: (UByte) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
true\n    return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.any(predicate: (UShort) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
true\n    return false\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.count(predicate: (UInt)
-> Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return
count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.count(predicate: (ULong) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.count(predicate: (UByte) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.count(predicate: (UShort)
-> Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return
count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n *
to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n
* @param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.fold(initial: R, operation: (acc: R, UInt) -> R): R {\n    var accumulator = initial\n    for (element in this)
accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n *
\n * Returns the specified [initial] value if the array is empty.\n

```



\* \n \* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.fold(initial: R, operation: (acc: R, ULong) -> R): R {\n  var accumulator = initial\n  for (element in
this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each
element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that
takes current accumulator value and an element, and calculates the next accumulator value.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n\npublic inline fun <R>
UByteArray.fold(initial: R, operation: (acc: R, UByte) -> R): R {\n  var accumulator = initial\n
for (element in this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator
value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R> UShortArray.fold(initial: R, operation: (acc: R, UShort) -> R): R {\n  var accumulator = initial\n
for (element in this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator
value and each element with its index in the original array.\n * \n * Returns the specified [initial]
value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): R {\n  var index = 0\n  var
accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ULongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): R {\n  var index
= 0\n  var accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n
return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left
to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): R {\n  var index = 0\n  var
accumulator = initial\n
for (element in this) accumulator = operation(index++, accumulator, element)\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value
if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself, and calculates the next accumulator value.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): R {\n  var index = 0\n  var
accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n

```

\* to each element and current accumulator value.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.foldRight(initial: R, operation: (UInt, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator =
initial\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is
empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the
next accumulator value.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ULongArray.foldRight(initial: R, operation: (ULong, acc: R) -> R): R {\n    var index = lastIndex\n
var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right
to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is
empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the
next accumulator value.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.foldRight(initial: R, operation: (UByte, acc: R) -> R): R {\n    var index = lastIndex\n    var
accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n
    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation]
from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if
the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and
calculates the next accumulator value.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.foldRight(initial: R, operation: (UShort, acc: R) -> R): R {\n    var index = lastIndex\n    var
accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right
to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the
specified [initial] value if the
array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and
current accumulator value, and calculates the next accumulator value.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.foldRightIndexed(initial: R, operation: (index: Int, UInt, acc: R) -> R): R {\n    var index = lastIndex\n
var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n
--index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n
* \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the
index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator
value.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> ULongArray.foldRightIndexed(initial: R, operation: (index: Int, ULong, acc: R) -> R): R {\n    var index =
lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial]
value and applying [operation] from right to left\n * to each element with its index in the original array and current
accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the
next accumulator value.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>

```

```

ByteArray.foldRightIndexed(initial: R, operation:
(index: Int, UByte, acc: R) -> R): R { \n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0)
{\n    accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.foldRightIndexed(initial: R, operation: (index: Int, UShort, acc: R) -> R): R {\n  var index =
lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Performs the given [action] on each
element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UIntArray.forEach(action: (UInt) -> Unit): Unit {\n  for (element in this) action(element)\n}\n\n/**\n *
Performs the given [action] on each element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.forEach(action: (ULong) -> Unit): Unit {\n  for (element in this) action(element)\n}\n\n/**\n *
Performs the given [action] on each element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.forEach(action: (UByte) -> Unit): Unit {\n  for (element in this) action(element)\n}\n\n/**\n *
Performs the given [action] on each element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UShortArray.forEach(action: (UShort) -> Unit): Unit {\n  for (element in this) action(element)\n}\n\n/**\n *
Performs the given [action] on each element, providing sequential index with the element.\n * @param [action]
function that takes the index of an element and the element itself\n * and performs the action on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.forEachIndexed(action: (index: Int, UInt) -> Unit): Unit {\n  var index = 0\n  for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the action on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.forEachIndexed(action: (index: Int, ULong) -> Unit): Unit {\n  var index
= 0\n  for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element,
providing sequential index with the element.\n * @param [action] function that takes the index of an element and
the element itself\n * and performs the action on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.forEachIndexed(action: (index: Int, UByte) -> Unit): Unit {\n  var index = 0\n  for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the action on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.forEachIndexed(action: (index: Int, UShort) -> Unit): Unit {\n  var index = 0\n  for (item in this)
action(index++, item)\n}\n\n@Deprecated("Use
maxOrNull instead.", ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.max(): UInt? {\n  return maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.max():
ULong? {\n  return maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.",

```

```

ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.max():
UByte? {\n    return maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead."),
ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.max(): UShort? {\n    return maxOrNull()\n}\n\n@Deprecated("Use maxByOrNull instead.",
ReplaceWith("this.maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UIntArray.maxBy(selector: (UInt) -> R): UInt? {\n    return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead."),
ReplaceWith("this.maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> ULongArray.maxBy(selector: (ULong) -> R): ULong? {\n    return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead."),
ReplaceWith("this.maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince
= "1.4", errorSince = "1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UByteArray.maxBy(selector: (UByte) -> R): UByte? {\n    return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead."),
ReplaceWith("this.maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UShortArray.maxBy(selector: (UShort) -> R): UShort? {\n    return
maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> UIntArray.maxByOrNull(selector: (UInt) -> R): UInt? {\n    if (isEmpty()) return
null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var
maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if
(maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.maxByOrNull(selector: (ULong) -> R): ULong? {\n    if (isEmpty()) return null\n    var
maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue =
selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if
(maxValue < v) {\n            maxElem
= e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.maxByOrNull(selector: (UByte) -> R): UByte? {\n    if (isEmpty()) return null\n    var
maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue =
selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if
(maxValue < v) {\n            maxElem
= e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first

```

element yielding the largest value of the given function or `null` if there are no elements.

```

@sample
samples.collections.Collections.Aggregates.maxByOrNull

@SinceKotlin("1.4")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.maxByOrNull(selector: (UShort) -> R): UShort? {
    if (isEmpty()) return null
    var maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue = selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}

Returns the largest value among all values produced by [selector] function applied to each element in the array.
If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
@throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.maxOf(selector: (UInt) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function applied to each element in the array.
If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
@throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.maxOf(selector: (ULong) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function applied to each element in the array.
If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
@throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.maxOf(selector: (UByte) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function applied to each element in the array.
If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
@throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.maxOf(selector: (UShort) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function applied to each element in the array.
If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
@throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.maxOf(selector: (UInt) -> Float): Float {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function applied to each element in the array.
If any of values produced by [selector]

```

```

function is `NaN`, the returned result is `NaN`. \n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.maxOf(selector: (ULong) -> Float): Float {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the
largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If
any of values produced by [selector] function is `NaN`, the returned result is `NaN`. \n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.maxOf(selector: (UByte) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var
maxValue = selector(this[0])\n
    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`. \n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.maxOf(selector: (UShort) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n
var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue =
maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector]
function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is
empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.maxOf(selector: (UInt) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> ULongArray.maxOf(selector: (ULong) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.maxOf(selector: (UByte) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (maxValue < v) {\n
            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.maxOf(selector: (UShort) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (maxValue < v) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.maxOfOrNull(selector: (UInt) -> Double): Double? {\n  if (isEmpty()) return null\n  var maxValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n
  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.maxOfOrNull(selector:
(ULong) -> Double): Double? {\n  if (isEmpty()) return null\n  var maxValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.maxOfOrNull(selector: (UByte) -> Double): Double? {\n  if (isEmpty()) return null\n  var maxValue
= selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue,
v)\n  }\n  return maxValue\n}\n\n/**\n * Returns
the largest value among all values produced by [selector] function\n * applied to each element in the array or `null`
if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.maxOfOrNull(selector: (UShort) -> Double): Double? {\n  if (isEmpty()) return null\n  var
maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue =
maxOf(maxValue, v)\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.maxOfOrNull(selector: (UInt) -> Float): Float? {\n  if (isEmpty()) return null\n  var
maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue =
maxOf(maxValue, v)\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.maxOfOrNull(selector: (ULong) -> Float): Float? {\n  if (isEmpty()) return

```

```

null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values\n * produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n\nByteArray.maxOfOrNull(selector: (UByte) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue =\n    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by\n [selector] function is `NaN`, the returned result is `NaN`.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n\nUShortArray.maxOfOrNull(selector: (UShort) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue =\n    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic\n\ninline fun <R : Comparable<R>> UIntArray.maxOfOrNull(selector: (UInt) -> R): R? {\n    if (isEmpty()) return\n    null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n        (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value\n * among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no\n * elements.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :\n\nComparable<R>> ULongArray.maxOfOrNull(selector: (ULong) -> R): R? {\n    if (isEmpty()) return null\n    var\n    maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the\n * array or `null` if there are no elements.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :\n\nComparable<R>> UByteArray.maxOfOrNull(selector: (UByte) -> R): R? {\n    if (isEmpty()) return null\n    var\n    maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values\n * produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic\n\ninline fun <R : Comparable<R>> UShortArray.maxOfOrNull(selector: (UShort) -> R): R? {\n    if (isEmpty())\n    return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n        (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value\n * according to the provided [comparator]\n * among all values produced by [selector] function applied to each\n * element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\n\nUIntArray.maxOfWith(comparator: Comparator<in R>, selector: (UInt) -> R): R {\n    if (isEmpty()) throw\n    NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v

```



```

= selector(this[i])\n    if (comparator.compare(maxValue, v) < 0) {\n        maxValue = v\n    }\n }\n
return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws\n NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\n ULongArray.maxOfWith(comparator: Comparator<in R>, selector: (ULong) -> R): R {\n    if (isEmpty()) throw\n NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =\n selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return\n maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws\n NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\n UByteArray.maxOfWith(comparator: Comparator<in R>, selector: (UByte) -> R): R {\n    if (isEmpty()) throw\n NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =\n selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return\n maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws\n NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic\n inline fun <R> UShortArray.maxOfWith(comparator: Comparator<in R>, selector: (UShort) -> R): R {\n    if\n (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return\n maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\n UIntArray.maxOfWithOrNull(comparator: Comparator<in R>, selector:\n (UInt) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return\n maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\n ULongArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (ULong) -> R): R? {\n    if (isEmpty())\n return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return\n maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\n UByteArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UByte) -> R): R? {\n    if (isEmpty())\n return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return\n maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]\n function applied to each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R> UShortArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UShort) -> R): R? {\n
if (isEmpty()) return null\n var max = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (comparator.compare(max, v) < 0) {\n max = v\n }\n }\n return
max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxOrNull(): UInt? {\n if
(isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max
= e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic
fun ULongArray.maxOrNull(): ULong? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in
1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest
element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.maxOrNull(): UByte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null`
if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.maxOrNull(): UShort? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex)
{\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n@Deprecated("Use maxWithOrNull
instead.", ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince
= "1.4", errorSince = "1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxWith(comparator:
Comparator<in UInt>): UInt? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull
instead.", ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.maxWith(comparator: Comparator<in ULong>): ULong? {\n return
maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.",
ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.maxWith(comparator: Comparator<in UByte>): UByte? {\n return
maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull
instead.", ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.maxWith(comparator: Comparator<in UShort>): UShort? {\n return
maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxWithOrNull(comparator:
Comparator<in UInt>): UInt? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.maxWithOrNull(comparator: Comparator<in ULong>): ULong? {\n if (isEmpty()) return null\n
var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max =
e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided
[comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.maxWithOrNull(comparator:
Comparator<in UByte>): UByte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.maxWithOrNull(comparator:
Comparator<in UShort>): UShort?
    {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n@Deprecated("Use minOrNull instead.\",
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.min(): UInt?
{\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.\",
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.min():
ULong? {\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.\",
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
    UByteArray.min(): UByte? {\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.\",
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.min():
UShort? {\n    return minOrNull()\n}\n\n@Deprecated("Use minByOrNull instead.\",
ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UIntArray.minBy(selector: (UInt) -> R): UInt? {\n    return
minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.\",
ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
    inline fun <R : Comparable<R>> ULongArray.minBy(selector: (ULong) -> R): ULong? {\n    return
minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.\",
ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UByteArray.minBy(selector: (UByte) -> R): UByte? {\n    return
minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.\",
ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UShortArray.minBy(selector: (UShort) -> R): UShort? {\n    return
minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or
`null`
if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.minByOrNull(selector: (UInt) -> R): UInt? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.minByOrNull(selector:

```

```

(ULong) -> R): ULong? {\n  if (isEmpty()) return null\n  var minElem = this[0]\n  val lastIndex =
this.lastIndex\n  if (lastIndex == 0) return minElem\n  var minValue = selector(minElem)\n  for (i in
1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (minValue > v) {\n      minElem = e\n
minValue = v\n    }\n  }\n  return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value
of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.minByOrNull(selector: (UByte) -> R): UByte? {\n  if (isEmpty()) return null\n
var minElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return minElem\n  var minValue =
selector(minElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (minValue > v) {\n
minElem = e\n    minValue = v\n    }\n  }\n  return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function
or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.minByOrNull(selector: (UShort) -> R): UShort? {\n  if (isEmpty()) return null\n
var minElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return minElem\n  var minValue =
selector(minElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (minValue > v)
{\n      minElem = e\n      minValue = v\n    }\n  }\n  return minElem\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector]
function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`,
the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.minOf(selector: (UInt) -> Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n
var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue =
minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.minOf(selector: (ULong) -> Double): Double {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.minOf(selector: (UByte)
-> Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n
for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.minOf(selector: (UShort) -> Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n
var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue =

```

minOf(minValue, v)\n

}\n return minValue\n}\n\n/\*\*\n \* Returns the smallest value among all values produced by [selector]  
function\n \* applied to each element in the array.\n \* \n \* If any of values produced by [selector] function is `NaN`,  
the returned result is `NaN`.\n \* \n \* @throws NoSuchElementException if the array is empty.\n \*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.minOf(selector: (UInt) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var  
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue =  
minOf(minValue, v)\n }\n return minValue\n}\n\n/\*\*\n \* Returns the smallest value among all values produced  
by [selector] function\n \* applied to each element in the array.\n \* \n \* If any of values produced by [selector]  
function is `NaN`, the

returned result is `NaN`.\n \* \n \* @throws NoSuchElementException if the array is empty.\n \*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.minOf(selector: (ULong) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n  
var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue =  
minOf(minValue, v)\n }\n return minValue\n}\n\n/\*\*\n \* Returns the smallest value among all values produced  
by [selector] function\n \* applied to each element in the array.\n \* \n \* If any of values produced by [selector]  
function is `NaN`, the returned result is `NaN`.\n \* \n \* @throws NoSuchElementException if the array is empty.\n \*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic  
inline fun UByteArray.minOf(selector: (UByte) -> Float): Float {\n if (isEmpty()) throw  
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =  
selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/\*\*\n \* Returns the smallest  
value among all values produced by [selector] function\n \* applied to each element in the array.\n \* \n \* If any of  
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n \* \n \* @throws  
NoSuchElementException if the array is empty.\n \*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.minOf(selector: (UShort) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n  
var minValue = selector(this[0])\n for (i  
in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return  
minValue\n}\n\n/\*\*\n \* Returns the smallest value among all values produced by [selector] function\n \* applied to  
each element in the array.\n \* \n \* @throws NoSuchElementException if the array is empty.\n \*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :  
Comparable<R>> UIntArray.minOf(selector: (UInt) -> R): R {\n if (isEmpty()) throw  
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =  
selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/\*\*\n \* Returns the smallest value among all values produced by [selector] function\n \* applied to each element in the  
array.\n \* \n \* @throws NoSuchElementException  
if the array is empty.\n \*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :  
Comparable<R>> ULongArray.minOf(selector: (ULong) -> R): R {\n if (isEmpty()) throw  
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =  
selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/\*\*\n \* Returns the smallest value among all values produced by [selector] function\n \* applied to each element in the

```

array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.minOf(selector: (UByte)
-> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n
return minValue\n}\n\n**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.minOf(selector: (UShort) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n**\n *
Returns
the smallest value among all values produced by [selector] function\n * applied to each element in the array or
`null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result
is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.minOfOrNull(selector: (UInt) -> Double): Double? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n
}\n return minValue\n}\n\n**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.minOfOrNull(selector: (ULong) -> Double): Double? {\n if (isEmpty()) return null\n
var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue =
minOf(minValue, v)\n }\n return minValue\n}\n\n**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.minOfOrNull(selector: (UByte) -> Double): Double? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n
minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n *
\n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.minOfOrNull(selector: (UShort) -> Double): Double? {\n if (isEmpty()) return null\n var minValue
= selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n
}\n return minValue\n}\n\n**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.minOfOrNull(selector: (UInt) -> Float): Float? {\n if (isEmpty()) return null\n var minValue =

```

```
selector(this[0])\n for (i in 1..lastIndex) {\n     val v = selector(this[i])\n     minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
```

```
inline fun ULongArray.minOfOrNull(selector: (ULong) -> Float): Float? {\n    if (isEmpty()) return null\n    var\n    minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue =\n        minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n * by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of\n * values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

```
UByteArray.minOfOrNull(selector: (UByte) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue =\n    selector(this[0])\n    for
```

```
(i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n }\n return\n minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to\n * each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function\n * is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

```
UShortArray.minOfOrNull(selector: (UShort) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue =\n    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * \n * applied to each element in the array or `null`\n
```

```
if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
```

```
Comparable<R>> UIntArray.minOfOrNull(selector: (UInt) -> R): R? {\n    if (isEmpty()) return null\n    var\n    minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values\n * produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
```

```
Comparable<R>> ULongArray.minOfOrNull(selector: (ULong) -> R): R? {\n    if (isEmpty())\n    return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n        (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value\n * among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no\n * elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
```

```
Comparable<R>> UByteArray.minOfOrNull(selector: (UByte) -> R): R? {\n    if (isEmpty()) return null\n    var\n    minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values\n * produced by [selector] function\n * applied to each element\n
```

```
in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
```

```

Comparable<R>> UShortArray.minOfOrNull(selector: (UShort) -> R): R? {\n  if (isEmpty()) return null\n  var\n  minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n      minValue = v\n    }\n  }\n  return minValue}\n\n/**\n * Returns the smallest value according to the\n provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n *\n * @throws NoSuchElementException if the array is empty.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n<R> UIntArray.minOfWith(comparator: Comparator<in R>, selector: (UInt) -> R): R {\n  if (isEmpty()) throw\n  NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =\n    selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return\n  minValue}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values\n produced by [selector] function applied to each element in the array.\n *\n * @throws NoSuchElementException if\n the array is empty.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\n ULongArray.minOfWith(comparator: Comparator<in R>, selector: (ULong) -> R): R {\n  if (isEmpty()) throw\n  NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return\n  minValue}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among\n all values produced by [selector] function applied to each element in the array.\n *\n * @throws\n NoSuchElementException if the array is empty.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\n UByteArray.minOfWith(comparator: Comparator<in R>, selector: (UByte) -> R): R {\n  if (isEmpty()) throw\n  NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =\n    selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return\n  minValue}\n\n/**\n * Returns the smallest value according to the\n provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n *\n * @throws\n NoSuchElementException if the array is empty.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\n UShortArray.minOfWith(comparator: Comparator<in R>, selector: (UShort) -> R): R {\n  if (isEmpty()) throw\n  NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =\n    selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return\n  minValue}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values\n produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic\n inline fun <R> UIntArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UInt) -> R): R? {\n  if\n  (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =\n    selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return\n  minValue}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values\n produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\n ULongArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (ULong) -> R): R? {\n  if\n  (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =\n    selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return\n  minValue}\n
```



```

minValue}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UByte) -> R): R? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UShort) -> R): R? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minOrNull(): UInt? {\n if
(isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.minOrNull(): ULong? {\n if
(isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min =
e\n }\n return min}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minOrNull(): UByte? {\n if
(isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min =
e\n }\n return min}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minOrNull(): UShort? {\n if
(isEmpty()) return
null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return
min}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.minWith(comparator: Comparator<in UInt>): UInt? {\n return
minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.minWith(comparator: Comparator<in ULong>): ULong? {\n return
minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.minWith(comparator: Comparator<in UByte>): UByte? {\n return
minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.minWith(comparator: Comparator<in UShort>): UShort? {\n return
minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value according to the
provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minWithOrNull(comparator:
Comparator<in UInt>): UInt? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n

```

```

val e = this[i]\n    if (comparator.compare(min, e) > 0) min = e\n
    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided
[comparator] or `null` if there are no elements.\n
*\n@\n@SinceKotlin("1.4")\n@\n@ExperimentalUnsignedTypes\n\npublic fun ULongArray.minWithOrNull(comparator:
Comparator<in ULong>): ULong? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n
    val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the
first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@\n@SinceKotlin("1.4")\n@\n@ExperimentalUnsignedTypes\n\npublic fun UByteArray.minWithOrNull(comparator:
Comparator<in UByte>): UByte? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n
    val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the
first element having
the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@\n@SinceKotlin("1.4")\n@\n@ExperimentalUnsignedTypes\n\npublic fun UShortArray.minWithOrNull(comparator:
Comparator<in UShort>): UShort? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n
    val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns
`true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
UIntArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
ULongArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns
`true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
UByteArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
UShortArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
UIntArray.none(predicate: (UInt) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
ULongArray.none(predicate: (ULong) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
UByteArray.none(predicate: (UByte) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
UShortArray.none(predicate:
(UShort) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n
*\n@\n@SinceKotlin("1.4")\n@\n@ExperimentalUnsignedTypes\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
UIntArray.onEach(action: (UInt) -> Unit): UIntArray {\n    return apply { for (element in this) action(element)
}\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n
*\n@\n@SinceKotlin("1.4")\n@\n@ExperimentalUnsignedTypes\n\n@kotlin.internal.InlineOnly\n\npublic inline fun

```

```

UByteArray.forEach(action: (UByte) -> Unit): UByteArray {
    return apply { for (element in this)
        action(element) }
}

* Performs the given [action] on each element and returns the array itself afterwards.

@SinceKotlin("1.4")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public
inline fun UByteArray.forEach(action: (UByte) -> Unit): UByteArray
    {
        return apply { for (element in this) action(element) }
    }

* Performs the given [action] on each element and returns the array itself afterwards.

@SinceKotlin("1.4")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public inline fun
UShortArray.forEach(action: (UShort) -> Unit): UShortArray {
    return apply { for (element in this)
        action(element) }
}

* Performs the given [action] on each element, providing sequential index with the
element, and returns the array itself afterwards.

@param [action] function that takes the index of an element
and the element itself and performs the action on the element.

@SinceKotlin("1.4")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public inline fun
UIntArray.forEachIndexed(action: (index: Int, UInt) -> Unit): UIntArray {
    return apply {
        forEachIndexed(action) }
}

* Performs the given [action] on each element, providing sequential index
with the element,
* and returns the array itself afterwards.

@param [action] function that takes the index of an element and the
element itself and performs the action on the element.

@SinceKotlin("1.4")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public inline fun
UByteArray.forEachIndexed(action: (index: Int, UByte) -> Unit): UByteArray {
    return apply {
        forEachIndexed(action) }
}

* Performs the given [action] on each element, providing sequential index
with the
element, and returns the array itself afterwards.

@param [action] function that takes the index of an element
and the element itself and performs the action on the element.

@SinceKotlin("1.4")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public inline fun
UShortArray.forEachIndexed(action: (index: Int, UShort) -> Unit): UShortArray {
    return apply {
        forEachIndexed(action) }
}

* Accumulates value starting with the first element and applying [operation]
from left to right to current accumulator value and each element.

* Throws an exception if this array is
empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its
receiver is empty.

@param [operation] function that takes current accumulator value and an element,
and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.reduce

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public
inline fun UIntArray.reduce(operation: (acc: UInt, UInt) -> UInt): UInt {
    if (isEmpty())
        throw
        UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in
        1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

* Accumulates value starting with the first element and applying [operation] from left to right
to current
accumulator value and each element.

* Throws an exception if this array is empty. If the array can be empty
in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes current accumulator value and an element,
and calculates the next
accumulator value.

@sample samples.collections.Collections.Aggregates.reduce

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly@public
inline fun ULongArray.reduce(operation: (acc: ULong, ULong) -> ULong): ULong {
    if (isEmpty())
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return
}

```

accumulator\n}\n\n/\*\*\n \* Accumulates value starting with the first element and applying [operation] from left to right\n \* to current accumulator value and each element.\n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way,\n \* please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n \* \n \* @param [operation] function that takes current accumulator value and an element,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduce\n \*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduce(operation: (acc: UByte, UByte) -> UByte): UByte {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with the first element and applying [operation] from left to right\n \* to current accumulator value and each element.\n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way,\n \* please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n \* \n \* @param [operation] function that takes current accumulator value and an element,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduce\n \*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduce(operation: (acc: UShort, UShort) -> UShort): UShort {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with the first element and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way,\n \* please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduce\n \*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with the first element and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way,\n \* please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduce\n \*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with the first element and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way,\n \* please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduce\n \*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for

(index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with the first element and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way,\n \* please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n \* \n \* @param [operation] function that takes the index of an element,

current accumulator value and the element itself,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduce\n

```
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and
```

calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduceOrNull\n

```
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceIndexedOrNull(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
```

```
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceIndexedOrNull(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
```

```
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceIndexedOrNull(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
```

```
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceIndexedOrNull(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first
```

element and applying [operation] from left to right to current accumulator value and each element. Returns null if the array is empty. @param [operation] function that takes current accumulator value and an element and calculates the next accumulator value. @sample

```

samples.collections.Collections.Aggregates.reduceOrNull
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceOrNull(operation: (acc: UInt, UInt) -> UInt): UInt? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n * Returns null if the array is empty.\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduceOrNull
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceOrNull(operation: (acc: ULong, ULong) -> ULong): ULong? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n * Returns null if the array is empty.\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduceOrNull
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceOrNull(operation: (acc: UByte, UByte) -> UByte): UByte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n * Returns null if the array is empty.\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduceOrNull
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceOrNull(operation: (acc: UShort, UShort) -> UShort): UShort? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value.\n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns null when its receiver is empty.\n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduceRight
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRight(operation: (UInt, acc: UInt) -> UInt): UInt {\n var index = lastIndex\n if (index < 0)\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value.\n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns null when its receiver is empty.\n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next

```

```

accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceRight(operation: (UByte, acc: UByte) -> UByte): UByte {\n  var index = lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the
array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its
receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceRight(operation: (UShort, acc: UShort) -> UShort): UShort {\n  var index = lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index
of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n *
\n * @sample samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceRightIndexed(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt {\n  var index = lastIndex\n
if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]
from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n *
Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceRightIndexedOrNull]
instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an
element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduceRightIndexed(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last

```

element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Throws

an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.reduceRight

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.reduceRightIndexed(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte {\n    var index =  
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var  
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),  
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last  
element and applying [operation]
```

from right to left to each element with its index in the original array and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.reduceRight

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.reduceRightIndexed(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort {\n    var index =  
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var  
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),  
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying  
[operation] from right to left to each element with its index in the original array and current accumulator value.
```

Returns `null` if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.reduceRightOrNull

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.reduceRightIndexedOrNull(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt? {\n    var index =  
lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting
```

with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.reduceRightOrNull

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.reduceRightIndexedOrNull(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong? {\n    var  
index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left
```

to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.reduceRightOrNull

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.reduceRightIndexedOrNull(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte? {\n    var  
index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n
```



```

accumulator = operation(index, get(index), accumulator)\n    --index\n    }\n    return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator
value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceRightIndexedOrNull(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort? {\n    var
index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n    }\n    return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and
current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that
takes
an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRightOrNull(operation: (UInt, acc: UInt) -> UInt):
UInt? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index
>= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and
current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that
takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRightOrNull(operation: (ULong, acc: ULong) ->
ULong): ULong? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n
while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param
[operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceRightOrNull(operation: (UByte, acc: UByte) -> UByte):
UByte? {\n    var index =
lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n
accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value
starting with the last element and applying [operation] from right to left\n * to each element and current accumulator
value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and
current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRightOrNull(operation: (UShort, acc: UShort) ->
UShort): UShort? {\n    var
index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n
accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n * to each element
and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation]
function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param

```

```

[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.runningFold(initial: R, operation: (acc: R, UInt) -> R): List<R> {\n if (isEmpty()) return
listOf(initial)\n
val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n
accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n**\n
* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to
each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.runningFold(initial: R, operation: (acc: R, ULong) -> R): List<R> {\n if (isEmpty())
return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n
for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n
return result\n}\n\n**\n
* Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n
* Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the
previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an
element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.runningFold(initial: R, operation: (acc: R,
UByte) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply {
add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator,
element)\n result.add(accumulator)\n }\n return result\n}\n\n**\n
* Returns a list containing successive
accumulation values generated by applying [operation] from left to right\n * to each element and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.runningFold(initial:
R, operation: (acc: R, UShort) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result =
ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n
accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n**\n
* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to
each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n *
Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the
previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R> UIntArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): List<R> {\n
if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator
= initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n**\n
* Returns a list containing successive accumulation

```

values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.runningFold
*\/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R>
ULongArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): List<R> {n  if
(isEmpty()) return listOf(initial)n  val result = ArrayList<R>(size + 1).apply { add(initial) }n  var accumulator =
initialn  for (index in indices) {n    accumulator = operation(index, accumulator, this[index])n
result.add(accumulator)n  }n  return resultn}n/n/**n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right to each element, its index in the original array and
current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function
should not be mutated; otherwise it would affect the previous value in resulting list.
*\/n * @param [operation] function that takes the index of an element, current accumulator value and the
element itself, and calculates the next accumulator value.
*\/n * @sample
samples.collections.Collections.Aggregates.runningFold
*\/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R>
UByteArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): List<R> {n  if
(isEmpty()) return listOf(initial)n  val result = ArrayList<R>(size + 1).apply { add(initial) }n  var accumulator =
initialn  for (index in indices) {n    accumulator = operation(index, accumulator, this[index])n
result.add(accumulator)n  }n  return resultn}n/n/**n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right to each element, its index in the original array and
current accumulator value that starts with [initial] value. Note
that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous
value in resulting list.
*\/n * @param [operation] function that takes the index of an element, current accumulator
value and the element itself, and calculates the next accumulator value.
*\/n * @sample
samples.collections.Collections.Aggregates.runningFold
*\/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R>
UShortArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): List<R> {n  if
(isEmpty()) return listOf(initial)n  val result = ArrayList<R>(size + 1).apply { add(initial) }n  var accumulator =
initialn  for (index in indices) {n    accumulator = operation(index, accumulator, this[index])n
result.add(accumulator)n  }n  return resultn}n/n/**n * Returns a list containing successive accumulation
values generated by applying [operation] from left to
right to each element and current accumulator value that starts with the first element of this array. Note
that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous
value in resulting list.
*\/n * @param [operation] function that takes current accumulator value and an element,
and calculates the next accumulator value.
*\/n * @sample
samples.collections.Collections.Aggregates.runningReduce
*\/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UIntArray.runningReduce(operation: (acc: UInt, UInt) -> UInt): List<UInt> {n  if (isEmpty()) return
emptyList()n  var accumulator = this[0]n  val result = ArrayList<UInt>(size).apply { add(accumulator) }n  for
(index in 1 until size) {n    accumulator = operation(accumulator, this[index])n    result.add(accumulator)n
}n  return resultn}n/n/**n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right to each element and current accumulator value that
starts with the first element of this array. Note that `acc` value passed to [operation] function should not be
mutated; otherwise it would affect the previous value in resulting list.
*\/n * @param [operation] function that
takes current accumulator value and an element, and calculates the next accumulator value.
*\/n * @sample
samples.collections.Collections.Aggregates.runningReduce

```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.runningReduce(operation: (acc: ULong, ULong) -> ULong): List<ULong> {\n  if (isEmpty()) return
emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<ULong>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.runningReduce(operation: (acc: UByte, UByte) -> UByte): List<UByte> {\n  if (isEmpty()) return
emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<UByte>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.runningReduce(operation: (acc: UShort, UShort) -> UShort): List<UShort> {\n  if (isEmpty()) return
emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<UShort>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.runningReduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): List<UInt> {\n  if (isEmpty()) return
emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<UInt>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.runningReduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): List<ULong> {\n  if (isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<ULong>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator =

```

```

operation(index, accumulator, this[index])\n    result.add(accumulator)\n    }\n    return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n *
to each element, its index in the original array and current accumulator value that starts with the first element of this
array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would
affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element,
current accumulator value\n * and the element itself, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.runningReduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): List<UByte> {\n    if
(isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UByte>(size).apply {
add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n
        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n
* @param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.runningReduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): List<UShort> {\n    if
(isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UShort>(size).apply {
add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n
        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation]
function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.scan(initial: R, operation: (acc: R, UInt) -> R):
List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator
value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.scan(initial: R, operation: (acc: R, ULong) -> R):
List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator
value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic

```

```

inline fun <R> UByteArray.scan(initial: R, operation: (acc: R, UByte) -> R): List<R> {
    return runningFold(initial, operation)
}

/**
 * Returns a list containing successive accumulation values generated by
 * applying [operation] from left to right to each element and current accumulator value that starts with [initial]
 * value.
 * Note that `acc` value passed to [operation] function should not be mutated; otherwise it would
 * affect the previous value in resulting list.
 * @param [operation] function that takes current accumulator value
 * and an element, and calculates the next accumulator value.
 * @sample
 * samples.collections.Collections.Aggregates.scan
 */
@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public inline fun <R> UShortArray.scan(initial: R, operation: (acc: R,
    UShort) -> R): List<R> {
    return runningFold(initial, operation)
}

/**
 * Returns a list containing
 * successive accumulation values generated by applying [operation] from left to right to each element, its index in
 * the original array and current accumulator value that starts with [initial] value.
 * Note that `acc` value passed
 * to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
 * @param [operation] function that takes the index of an element, current accumulator value
 * and the element
 * itself, and calculates the next accumulator value.
 * @sample
 * samples.collections.Collections.Aggregates.scan
 */
@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public inline fun <R> UIntArray.scanIndexed(initial: R, operation: (index: Int, acc: R,
    UInt) -> R): List<R> {
    return runningFoldIndexed(initial, operation)
}

/**
 * Returns a list containing successive accumulation values generated by applying [operation] from left to right
 * to each element, its index in the original array and current accumulator value that starts with [initial] value.
 * Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the
 * previous value in resulting list.
 * @param [operation] function that takes the index of an element, current
 * accumulator value
 * and the element itself, and calculates the next accumulator value.
 * @sample
 * samples.collections.Collections.Aggregates.scan
 */
@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public inline fun <R> ULongArray.scanIndexed(initial: R, operation: (index: Int, acc:
    R, ULong) -> R): List<R> {
    return runningFoldIndexed(initial, operation)
}

/**
 * Returns a list
 * containing successive accumulation values generated
 * by applying [operation] from left to right to each element, its index in the original array and current accumulator
 * value that starts with [initial] value.
 * Note that `acc` value passed to [operation] function should not be
 * mutated; otherwise it would affect the previous value in resulting list.
 * @param [operation] function that
 * takes the index of an element, current accumulator value
 * and the element itself, and calculates the next
 * accumulator value.
 * @sample
 * samples.collections.Collections.Aggregates.scan
 */
@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public inline fun <R> UByteArray.scanIndexed(initial: R, operation: (index: Int, acc:
    R, UByte) -> R): List<R> {
    return runningFoldIndexed(initial, operation)
}

/**
 * Returns a list containing
 * successive accumulation values generated by applying [operation] from left to right to each element, its index
 * in the original array and current accumulator value that starts with [initial] value.
 * Note that `acc` value
 * passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting
 * list.
 * @param [operation] function that takes the index of an element, current accumulator value
 * and the
 * element itself, and calculates the next accumulator value.
 * @sample
 * samples.collections.Collections.Aggregates.scan
 */
@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public inline fun <R> UShortArray.scanIndexed(initial: R, operation: (index: Int, acc:
    R, UShort) -> R): List<R> {
    return runningFoldIndexed(initial, operation)
}

/**
 * Returns the sum of all
 * values produced by [selector] function applied to each element in the array.
 * @Deprecated("Use sumOf
 * instead.", ReplaceWith("this.sumOf(selector)"))
 * @DeprecatedSinceKotlin(warningSince

```

```

= \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.sumBy(selector: (UInt) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\",
ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince =
\"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.sumBy(selector: (ULong) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum
+= selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\",
ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince
= \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.sumBy(selector: (UByte) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum
+= selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\",
ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince =
\"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.sumBy(selector: (UShort) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n
sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\",
ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince
= \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.sumByDouble(selector: (UInt) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\",
ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince =
\"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.sumByDouble(selector: (ULong) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\",
ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince
= \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.sumByDouble(selector: (UByte) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\",
ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince =
\"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.sumByDouble(selector: (UShort) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\",
ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince =
\"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.sumOf(selector: (UInt) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for
(element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.sumOf(selector: (UInt) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for
(element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumOf(selector:

```

```

(ULong) -> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfDouble")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector:
(UByte) -> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfDouble")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumOf(selector:
(UShort) -> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfInt")\n
@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumOf(selector: (UInt) -
> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfInt")\n
@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.sumOf(selector: (ULong) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this)
{\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfInt")\n
@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector:
(UByte) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n
return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in
the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfInt")\n
@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.sumOf(selector: (UShort) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this)
{\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfLong")\n
@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumOf(selector: (UInt)
-> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n    sum += selector(element)\n  }\n
return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfLong")

```



```

\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumOf(selector:
(ULong) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfLong")
\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector:
(UByte) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element
in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfLong")
\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumOf(selector:
(UShort) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfUInt")\n
\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inline
Only\npublic
inline fun UIntArray.sumOf(selector: (UInt) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfUInt")\n
\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inline
Only\npublic inline fun ULongArray.sumOf(selector: (ULong) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n
for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfUInt")\n
\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inline
Only\npublic
inline fun UByteArray.sumOf(selector: (UByte) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfUInt")\n
\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inline
Only\npublic inline fun UShortArray.sumOf(selector: (UShort) -> UInt): UInt {\n    var sum: UInt =
0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the
sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfULong\
")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inli
neOnly\npublic inline fun UIntArray.sumOf(selector: (UInt) -> ULong): ULong {\n    var sum: ULong =
0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n

```

```

*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfULong\
")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inli
neOnly\npublic
inline fun ULongArray.sumOf(selector: (ULong) -> ULong): ULong {\n    var sum: ULong = 0.toULong()\n    for
(element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfULong\
")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inli
neOnly\npublic inline fun UByteArray.sumOf(selector: (UByte) -> ULong): ULong {\n    var sum: ULong =
0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns
the sum of all values
produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfULong\
")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inli
neOnly\npublic inline fun UShortArray.sumOf(selector: (UShort) -> ULong): ULong {\n    var sum: ULong =
0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns a
list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Array<out
R>): List<Pair<UInt, R>> {\n    return zip(other) { t1, t2 ->
t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the
same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other:
Array<out R>): List<Pair<ULong, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other: Array<out
R>): List<Pair<UByte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n
* The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other:
Array<out R>): List<Pair<UShort, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
values built from the elements of `this` array and the [other] array with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n
*\n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UIntArray.zip(other: Array<out R>, transform: (a: UInt, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>

```

```

ULongArray.zip(other: Array<out R>, transform: (a: ULong, b: R) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n
 * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UByteArray.zip(other: Array<out R>, transform: (a: UByte, b: R) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n
 * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UShortArray.zip(other: Array<out R>, transform: (a: UShort, b: R) -> V): List<V> {\n
  val size = minOf(size, other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n
list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of pairs built from the elements
of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n
 * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other:
Iterable<R>): List<Pair<UInt, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n
 * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other:
Iterable<R>): List<Pair<ULong, R>> {\n
  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this`
collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n
 * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other:
Iterable<R>): List<Pair<UByte, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n
 * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other:
Iterable<R>): List<Pair<UShort, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
values built from the elements of `this` array and
the [other] collection with the same index\n * using the provided [transform] function applied to each pair of
elements.\n * The returned list has length of the shortest collection.\n
 * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UIntArray.zip(other: Iterable<R>, transform: (a: UInt, b: R) -> V): List<V> {\n  val arraySize = size\n  val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other) {\n
if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n
 * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
ULongArray.zip(other: Iterable<R>, transform: (a: ULong, b: R) -> V): List<V> {\n  val arraySize = size\n  val
list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other)

```

```

{\n    if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the\n * shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>\n    UByteArray.zip(other: Iterable<R>,\n        transform: (a: UByte, b: R) -> V): List<V> {\n    val arraySize = size\n    val list =\n        ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n        if (i >= arraySize) break\n            list.add(transform(this[i++], element))\n        }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the\n * provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest\n * collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>\n    UShortArray.zip(other: Iterable<R>,\n        transform: (a: UShort, b: R) -> V): List<V> {\n    val arraySize = size\n    val\n        list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in\n        other) {\n        if (i >= arraySize) break\n            list.add(transform(this[i++], element))\n        }\n    return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The\n * returned list has length of the shortest collection.\n * \n * @sample\n        samples.collections.Iterables.Operations.zipIterable\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.zip(other: UIntArray):\n    List<Pair<UInt, UInt>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from\n * the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest\n * collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.zip(other: ULongArray):\n    List<Pair<ULong, ULong>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns\n * a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list\n * has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.zip(other: UByteArray):\n    List<Pair<UByte, UByte>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built\n * from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the\n * shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.zip(other: UShortArray):\n    List<Pair<UShort, UShort>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built\n * from the elements of `this` array and the [other] array with the same index\n * using the provided [transform]\n * function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample\n        samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>\n    UIntArray.zip(other: UIntArray,\n        transform: (a: UInt, b: UInt) -> V): List<V> {\n    val size = minOf(size,\n        other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array\n * with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned\n * list has length of the shortest array.\n * \n * @sample\n        samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>\n    ULongArray.zip(other: ULongArray,\n        transform: (a: ULong, b: ULong) -> V): List<V> {\n    val size = minOf(size,\n        other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array\n * with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned

```

```

list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UByteArray.zip(other: UByteArray, transform: (a: UByte, b: UByte) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list
of values built from the elements of `this` array and the [other] array with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UShortArray.zip(other: UShortArray, transform: (a: UShort, b: UShort) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedT
ypes::class)\npublic fun Array<out UInt>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum
+= element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Array<out ULong>.sum(): ULong {\n    var sum: ULong = 0uL\n    for (element in this)
{\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Array<out UByte>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Array<out UShort>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
elements in the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.sum(): UInt {\n    return storage.sum().toUInt()\n}\n\n/**\n * Returns the sum of all elements in the
array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.sum(): ULong {\n    return storage.sum().toULong()\n}\n\n/**\n * Returns the sum of all elements in
the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UByteArray.sum(): UInt {\n    return sumOf { it.toUInt() }\n}\n\n/**\n * Returns the sum of all elements in the
array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.sum(): UInt {\n    return sumOf { it.toUInt() }\n}\n\n"/**\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("UCollectionsKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an array of UByte containing all of the
elements of this collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Collection<UByte>.toUByteArray(): UByteArray {\n    val result = UByteArray(size)\n    var index = 0\n    for
(element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of UInt containing
all of the elements of this collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Collection<UInt>.toUIntArray(): UIntArray {\n    val result = UIntArray(size)\n
var index = 0\n    for (element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an
array of ULong containing all of the elements of this collection.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Collection<ULong>.toULongArray():
ULongArray {\n    val result = ULongArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] =
element\n    return result\n}\n\n/**\n * Returns an array of UShort containing all of the elements of this collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Collection<UShort>.toUShortArray():
UShortArray {\n    val result = UShortArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] =
element\n    return result\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedT
ypes::class)\npublic fun Iterable<UInt>.sum():
    UInt {\n        var sum: UInt = 0u\n        for (element in this) {\n            sum += element\n        }\n        return sum\n    }\n\n/**\n *
Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Iterable<ULong>.sum(): ULong {\n    var sum: ULong = 0uL\n    for (element in this) {\n
        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Iterable<UByte>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n
        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Iterable<UShort>.sum(): UInt {\n
    var sum: UInt = 0u\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n"/*\n * Copyright
2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("UComparisonsKt")\n\npackage
kotlin.comparisons\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns the
greater of two values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UInt, b:
UInt): UInt {\n    return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: ULong,
b: ULong): ULong {\n    return
if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UByte,
b: UByte): UByte {\n    return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UShort,
b: UShort): UShort {\n    return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun maxOf(a: UInt, b: UInt, c: UInt): UInt {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns
the greater of three values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun maxOf(a: ULong, b: ULong, c: ULong): ULong {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n *
Returns the greater of three values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun maxOf(a: UByte, b: UByte, c: UByte): UByte {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n *
Returns the greater of three values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun maxOf(a: UShort, b: UShort, c: UShort): UShort {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n *
Returns the greater of the given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
maxOf(a: UInt, vararg other: UInt): UInt {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return
max\n}\n\n/**\n * Returns the greater of the given values.\n

```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: ULong, vararg other: ULong):
ULong {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns the greater
of the
given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UByte, vararg
other: UByte): UByte {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/**\n *
Returns the greater of the given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
maxOf(a: UShort, vararg other: UShort): UShort {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n
return max\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: UInt, b:
UInt): UInt {\n    return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: ULong,
b: ULong): ULong {\n    return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
fun minOf(a: UByte, b: UByte): UByte {\n    return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two
values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
minOf(a: UShort, b: UShort): UShort {\n    return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of three
values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun minOf(a: UInt, b: UInt, c: UInt): UInt {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns
the smaller of three values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun minOf(a: ULong, b: ULong, c: ULong): ULong {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n *
Returns the smaller of three values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun minOf(a: UByte, b: UByte,
c: UByte): UByte {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun minOf(a: UShort, b: UShort, c: UShort): UShort {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n *
Returns the smaller of the given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
minOf(a: UInt, vararg other: UInt): UInt {\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return
min\n}\n\n/**\n * Returns the smaller of the given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: ULong, vararg other: ULong):
ULong {\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return min\n}\n\n/**\n * Returns the smaller
of the given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UByte,
vararg other: UByte): UByte {\n    var min = a\n    for (e
in other) min = minOf(min, e)\n    return min\n}\n\n/**\n * Returns the smaller of the given values.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UShort, vararg other: UShort):
UShort {\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return min\n}\n\n"/*\n * Copyright 2010-
2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("URangesKt")\n\npackage
kotlin.ranges\n\n/\n\nNOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n\n See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\nimport kotlin.random.*\n\n/**\n * Returns a
random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public
inline fun UIntRange.random(): UInt {\n    return random(Random)\n}\n\n/**\n * Returns a random element from
this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n

```

```

*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange.random(): ULong {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UIntRange.random(random: Random): UInt {\n    try {\n        return random.nextUInt(this)\n    } catch(e: IllegalArgumentException) {\n        throw NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun ULongRange.random(random: Random): ULong {\n    try {\n        return random.nextULong(this)\n    } catch(e: IllegalArgumentException) {\n        throw NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range, or `null` if this range is empty.\n */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UIntRange.randomOrNull(): UInt? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range, or `null` if this range is empty.\n */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange.randomOrNull(): ULong? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\npublic fun UIntRange.randomOrNull(random: Random): UInt? {\n    if (isEmpty())\n        return null\n    return random.nextUInt(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\npublic fun ULongRange.randomOrNull(random: Random): ULong? {\n    if (isEmpty())\n        return null\n    return random.nextULong(this)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntRange.contains(element: UInt?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongRange.contains(element: ULong?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun UIntRange.contains(value: UByte): Boolean {\n    return contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun ULongRange.contains(value: UByte): Boolean {\n    return contains(value.toULong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun ULongRange.contains(value: UInt): Boolean {\n    return contains(value.toULong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun UIntRange.contains(value: ULong): Boolean {\n    return (value shr UInt.SIZE_BITS) == 0uL && contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun

```



```

UIntRange.contains(value: UShort): Boolean { \n    return contains(value.toUInt())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
ULongRange.contains(value: UShort): Boolean { \n    return contains(value.toULong())\n}\n\n/**\n * Returns a
progression
from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal
to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UByte.downTo(to: UByte): UIntProgression { \n    return UIntProgression.fromClosedRange(this.toUInt(),
to.toUInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -
1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value
the returned progression is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UInt.downTo(to: UInt): UIntProgression { \n    return UIntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n *
Returns a progression from this value down to the specified [to] value with the
step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this`
value the returned progression is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
ULong.downTo(to: ULong): ULongProgression { \n    return ULongProgression.fromClosedRange(this, to, -
1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n *
The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the
returned progression is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UShort.downTo(to: UShort): UIntProgression { \n    return UIntProgression.fromClosedRange(this.toUInt(),
to.toUInt(), -1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the
same step.\n * \n *\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
fun UIntProgression.reversed(): UIntProgression { \n    return UIntProgression.fromClosedRange(last, first, -
step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same
step.\n * \n *\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULongProgression.reversed(): ULongProgression { \n    return ULongProgression.fromClosedRange(last, first, -
step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UIntProgression.step(step: Int): UIntProgression { \n    checkStepIsPositive(step > 0, step)\n    return
UIntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression
that goes over the same range with the given step.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
ULongProgression.step(step: Long): ULongProgression { \n    checkStepIsPositive(step > 0, step)\n    return
ULongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a range
from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this`
value, then the returned range is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UByte.until(to: UByte): UIntRange { \n    if (to <= UByte.MIN_VALUE) return UIntRange.EMPTY\n    return
this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to]
value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun UInt.until(to:
UInt): UIntRange { \n    if (to <= UInt.MIN_VALUE)
return UIntRange.EMPTY\n    return this .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to
but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned

```

```

range is empty.\n *^n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
infix fun ULong.until(to: ULong): ULongRange {\n    if (to <= ULong.MIN_VALUE) return
ULongRange.EMPTY\n    return this .. (to - 1u).toULong()\n}\n\n/**\n * Returns a range from this value up to but
excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned
range is empty.\n *^n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
infix fun UShort.until(to: UShort): UIntRange {\n    if (to <= UShort.MIN_VALUE) return UIntRange.EMPTY\n
return this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Ensures that this value is not less than the specified
[minimumValue].\n
 * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n *
\n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*^n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UInt.coerceAtLeast(minimumValue: UInt): UInt {\n    return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value
if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*^n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULong.coerceAtLeast(minimumValue: ULong): ULong {\n    return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value
if it's greater than or
equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*^n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UByte.coerceAtLeast(minimumValue: UByte): UByte {\n    return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value
if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*^n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UShort.coerceAtLeast(minimumValue: UShort): UShort {\n    return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue]
otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*^n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UInt.coerceAtMost(maximumValue: UInt): UInt {\n    return if (this > maximumValue) maximumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*^n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULong.coerceAtMost(maximumValue: ULong): ULong {\n    return if (this > maximumValue) maximumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*^n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UByte.coerceAtMost(maximumValue: UByte): UByte {\n    return if (this > maximumValue) maximumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*^n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UShort.coerceAtMost(maximumValue: UShort): UShort {\n    return if (this > maximumValue) maximumValue

```

```

else this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n
 * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
 [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
 samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
 UInt.coerceIn(minimumValue: UInt, maximumValue: UInt): UInt {\n if (minimumValue > maximumValue)
 throw IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
 minimum $minimumValue.")\n if (this < minimumValue) return minimumValue\n if (this > maximumValue)
 return maximumValue\n return this\n}\n\n/**\n * Ensures that this value lies in the specified range
 [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
 is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
 samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
 ULong.coerceIn(minimumValue: ULong, maximumValue: ULong): ULong {\n if (minimumValue
 > maximumValue) throw IllegalArgumentException("Cannot coerce value to an empty range: maximum
 $maximumValue is less than minimum $minimumValue.")\n if (this < minimumValue) return minimumValue\n
 if (this > maximumValue) return maximumValue\n return this\n}\n\n/**\n * Ensures that this value lies in the
 specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or
 [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
 [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
 UByte.coerceIn(minimumValue: UByte, maximumValue: UByte): UByte {\n if (minimumValue >
 maximumValue) throw IllegalArgumentException("Cannot coerce value to an empty range: maximum
 $maximumValue is less than minimum $minimumValue.")\n if (this < minimumValue) return minimumValue\n
 if (this
 > maximumValue) return maximumValue\n return this\n}\n\n/**\n * Ensures that this value lies in the specified
 range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this
 value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n *
 @sample samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
 UShort.coerceIn(minimumValue: UShort, maximumValue: UShort): UShort {\n if (minimumValue >
 maximumValue) throw IllegalArgumentException("Cannot coerce value to an empty range: maximum
 $maximumValue is less than minimum $minimumValue.")\n if (this < minimumValue) return minimumValue\n
 if (this > maximumValue) return maximumValue\n return this\n}\n\n/**\n * Ensures that this value lies in the
 specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is
 less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample
 samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
 UInt.coerceIn(range: ClosedRange<UInt>): UInt {\n if (range is ClosedFloatingPointRange) {\n return
 this.coerceIn<UInt>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to
 an empty range: $range.")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -
 > range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n
 * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or
 `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample
 samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
 fun ULong.coerceIn(range: ClosedRange<ULong>): ULong {\n if (range is ClosedFloatingPointRange) {\n
 return this.coerceIn<ULong>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException("Cannot

```

coerce value to an empty range: \$range.)\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n", /\*\n \* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

```
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("USequencesKt")\n\npackage
```

```
kotlin.sequences\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
```

```
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n
```

```
* Returns the sum of all elements in the sequence.\n * The operation is _terminal_.
```

```
*\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Sequence<UInt>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/*\n * Returns the sum of all elements in the sequence.\n * The operation is _terminal_.
```

```
*\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Sequence<ULong>.sum(): ULong {\n var sum: ULong = 0uL\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/*\n * Returns the sum of all elements in the sequence.\n * The operation is _terminal_.
```

```
*\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Sequence<UByte>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/*\n * Returns the sum of all elements in the sequence.\n * The operation is _terminal_.
```

```
*\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Sequence<UShort>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
```

```
*\n\npackage kotlin\n\npublic expect open class Error : Throwable {\n constructor()\n constructor(message: String?)\n constructor(message: String?, cause: Throwable?)\n constructor(cause: Throwable?)\n}\n\npublic expect open class Exception : Throwable {\n constructor()\n constructor(message: String?)\n constructor(message: String?,
```

```
cause: Throwable?)\n constructor(cause: Throwable?)\n}\n\npublic expect open class RuntimeException :
```

```
Exception {\n constructor()\n constructor(message: String?)\n constructor(message: String?, cause:
```

```
Throwable?)\n constructor(cause: Throwable?)\n}\n\npublic expect open class IllegalArgumentException :
```

```
RuntimeException {\n constructor()\n constructor(message: String?)\n constructor(message: String?, cause:
```

```
Throwable?)\n constructor(cause: Throwable?)\n}\n\npublic expect open class IllegalStateException :
```

```
RuntimeException {\n constructor()\n constructor(message: String?)\n constructor(message: String?, cause:
```

```
Throwable?)\n constructor(cause: Throwable?)\n}\n\npublic expect open class IndexOutOfBoundsException :
```

```
RuntimeException {\n constructor()\n constructor(message: String?)\n}\n\npublic expect open class
```

```
ConcurrentModificationException : RuntimeException {\n constructor()\n constructor(message: String?)\n
```

```
@Deprecated("The constructor
```

```
is not supported on all platforms and will be removed from kotlin-stdlib-common soon.", level =
```

```
DeprecationLevel.ERROR)\n constructor(message: String?, cause: Throwable?)\n @Deprecated("The
```

```
constructor is not supported on all platforms and will be removed from kotlin-stdlib-common soon.", level =
```

```
DeprecationLevel.ERROR)\n constructor(cause: Throwable?)\n}\n\npublic expect open class
```

```
UnsupportedOperationException : RuntimeException {\n constructor()\n constructor(message: String?)\n
```

```
constructor(message: String?, cause: Throwable?)\n constructor(cause: Throwable?)\n}\n\npublic expect open
```

```
class NumberFormatException : IllegalArgumentException {\n constructor()\n constructor(message:
```

```
String?)\n}\n\npublic expect open class NullPointerException : RuntimeException {\n constructor()\n
```

```
constructor(message: String?)\n}\n\npublic expect open class ClassCastException : RuntimeException {\n
```

```
constructor()\n constructor(message: String?)\n}\n\npublic
```

```

expect open class AssertionError : Error {
    constructor()
    constructor(message: Any?)
}

public expect open class NoSuchElementException : RuntimeException {
    constructor()
    constructor(message: String?)
}

@SinceKotlin("1.3")
public expect open class ArithmeticException : RuntimeException {
    constructor()
    constructor(message: String?)
}

@Deprecated("This exception type is not supposed to be thrown or caught in common code and will be removed from kotlin-stdlib-common soon.", level = DeprecationLevel.ERROR)
public expect open class NoWhenBranchMatchedException : RuntimeException {
    constructor()
    constructor(message: String?)
    constructor(message: String?, cause: Throwable?)
    constructor(cause: Throwable?)
}

@Deprecated("This exception type is not supposed to be thrown or caught in common code and will be removed from kotlin-stdlib-common soon.", level = DeprecationLevel.ERROR)
public expect class UninitializedPropertyAccessException : RuntimeException {
    constructor()
    constructor(message: String?)
    constructor(message: String?, cause: Throwable?)
    constructor(cause: Throwable?)
}

/**
 * Thrown after invocation of a function or property that was expected to return `Nothing`, but returned something instead.
 */
@SinceKotlin("1.4")
@PublishedApi
internal class KotlinNothingValueException : RuntimeException {
    constructor() : super()
    constructor(message: String?) : super(message)
    constructor(message: String?, cause: Throwable?) : super(message, cause)
    constructor(cause: Throwable?) : super(cause)
}

/**
 * Returns the detailed description of this throwable with its stack trace.
 *
 * The detailed description includes:
 *
 * - the short description (see [Throwable.toString]) of this throwable;
 *
 * - the complete stack trace;
 *
 * - detailed descriptions of the exceptions that were [suppressed][suppressedExceptions] in order to deliver this exception;
 *
 * - the detailed description of each throwable in the [Throwable.cause] chain.
 */
@SinceKotlin("1.4")
public expect fun Throwable.stackTraceToString(): String

/**
 * Prints the [detailed description][Throwable.stackTraceToString] of this throwable to the standard output or standard error output.
 */
@SinceKotlin("1.4")
@Suppress("EXTENSION_SHADOWED_BY_MEMBER")
public expect fun Throwable.printStackTrace(): Unit

/**
 * When supported by the platform, adds the specified exception to the list of exceptions that were
 * suppressed in order to deliver this exception.
 */
@SinceKotlin("1.4")
@Suppress("EXTENSION_SHADOWED_BY_MEMBER")
public expect fun Throwable.addSuppressed(exception: Throwable)

/**
 * Returns a list of all exceptions that were suppressed in order to deliver this exception.
 *
 * The list can be empty:
 *
 * - if no exceptions were suppressed;
 *
 * - if the platform doesn't support suppressed exceptions;
 *
 * - if this [Throwable] instance has disabled the suppression.
 */
@SinceKotlin("1.4")
public expect val Throwable.suppressedExceptions: List<Throwable>

/*
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.js
import kotlin.annotation.AnnotationTarget

/**
 * Gives a declaration (a function, a property or a class) specific name in JavaScript.
 *
 * @Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)
 * @OptionalExpectation
 */
public expect annotation class JsName(val name: String)

/**
 * Marks experimental JS export annotations.
 *
 * Note that behavior of these annotations will likely be changed in the future.
 *
 * Usages of such annotations will be reported as warnings unless an explicit opt-in with
 * the [OptIn] annotation, e.g.
 *
 * @OptIn(ExperimentalJsExport::class),
 * or with the -opt-in=kotlin.js.ExperimentalJsExport
 * compiler option is given.
 */
@RequiresOptIn(level = RequiresOptIn.Level.WARNING)
@MustBeDocumented
@Retention(AnnotationRetention.BINARY)
@SinceKotlin("1.4")
public annotation class ExperimentalJsExport

/**
 * Exports top-level declaration on JS platform.
 *
 * Compiled module exposes declarations that are marked with this annotation without name mangling.
 *
 * This annotation can be applied to either files or top-level declarations.
 *
 * It is currently prohibited to export the following kinds of declarations:
 *
 * * `expect` declarations
 *
 * * inline functions with reified type parameters
 *
 * * suspend functions
 *
 * * secondary constructors without `@JsName`
 *
 * * extension properties
 *
 * * enum classes
 *
 * * annotation classes
 *
 * Signatures of exported declarations must only contain "exportable" types:
 *
 * * `dynamic`, `Any`, `String`, `Boolean`, `Byte`, `Short`, `Int`, `Float`,

```

```

`Double`\n * * `BooleanArray`,
`ByteArray`, `ShortArray`, `IntArray`, `FloatArray`, `DoubleArray`\n * * `Array<exportable-type>`\n * *
Function types with exportable parameters and return types\n * * `external` or `@JsExport` classes and interfaces\n
* * Nullable counterparts of types above\n * * Unit return type. Must not be nullable\n *\n * This annotation is
experimental, meaning that restrictions mentioned above are subject to change.\n
*\n @ExperimentalJsExport\n @Retention(AnnotationRetention.BINARY)\n @Target(CLASS, PROPERTY,
FUNCTION, FILE)\n @SinceKotlin("1.4")\n @OptionalExpectation\n public expect annotation class
JsExport(),"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n @npackage kotlin.io\n\n/** Prints the line separator to the standard output stream. *\n public expect fun
println()\n\n/** Prints the given [message]
and the line separator to the standard output stream. *\n public expect fun println(message: Any?)\n\n/** Prints the
given [message] to the standard output stream. *\n public expect fun print(message: Any?)\n\n/**\n * Reads a line
of input from the standard input stream and returns it,\n * or throws a [RuntimeException] if EOF has already been
reached when [readln] is called.\n *\n * LF or CRLF is treated as the line terminator. Line terminator is not included
in the returned string.\n *\n * Currently this function is not supported in Kotlin/JS and throws
[UnsupportedOperationException].\n *\n @SinceKotlin("1.6")\n public expect fun readln(): String\n\n/**\n *
Reads a line of input from the standard input stream and returns it,\n * or return `null` if EOF has already been
reached when [readlnOrNull] is called.\n *\n * LF or CRLF is treated as the line terminator. Line terminator is not
included in the returned string.\n *\n * Currently this function is not supported in Kotlin/JS and throws
[UnsupportedOperationException].\n *\n @SinceKotlin("1.6")\n public expect fun readlnOrNull():
String?\n\ninternal class ReadAfterEOFException(message: String?) : RuntimeException(message)\n\n\ninternal
expect interface Serializable\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n @npackage kotlin.collections\n\nimport kotlin.internal.PlatformDependent\n\n/**\n *
Classes that inherit from this interface can be represented as a sequence of elements that can\n * be iterated over.\n *
@param T the type of element being iterated over. The iterator is covariant in its element type.\n *\n public interface
Iterable<out T> {\n // **\n * Returns an iterator over the elements of this object.\n *\n public operator fun
iterator(): Iterator<T>\n}\n\n/**\n * Classes that inherit from this interface can be represented
as a sequence of elements that can\n * be iterated over and that supports removing elements during iteration.\n *\n
@param T the type of element being iterated over. The mutable iterator is invariant in its element type.\n *\n public
interface MutableIterable<out T> : Iterable<T> {\n // **\n * Returns an iterator over the elements of this
sequence that supports removing elements during iteration.\n *\n override fun iterator():
MutableIterator<T>\n}\n\n/**\n * A generic collection of elements. Methods in this interface support only read-only
access to the collection;\n * read/write access is supported through the [MutableCollection] interface.\n * @param E
the type of elements contained in the collection. The collection is covariant in its element type.\n *\n public interface
Collection<out E> : Iterable<E> {\n // Query Operations\n // **\n * Returns the size of the collection.\n *\n public
val size: Int\n\n // **\n * Returns `true` if the collection is
empty (contains no elements), `false` otherwise.\n *\n public fun isEmpty(): Boolean\n\n // **\n * Checks if
the specified element is contained in this collection.\n *\n public operator fun contains(element:
@UnsafeVariance E): Boolean\n\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n // **\n *
Checks if all elements in the specified collection are contained in this collection.\n *\n public fun
containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n}\n\n/**\n * A generic collection of elements
that supports adding and removing elements.\n *\n @param E the type of elements contained in the collection. The
mutable collection is invariant in its element type.\n *\n public interface MutableCollection<E> : Collection<E>,
MutableIterable<E> {\n // Query Operations\n override fun iterator(): MutableIterator<E>\n\n // Modification
Operations\n // **\n * Adds the specified element to the collection.\n *\n

```

```

* @return `true` if the element has been added, `false` if the collection does not support duplicates\n
* and the element is already contained in the collection.\n
*/\n
public fun add(element: E): Boolean\n
/**\n
* Removes a single instance of the specified element from this\n
* collection, if it is present.\n
*\n
* @return\n
`true` if the element has been successfully removed; `false` if it was not present in the collection.\n
*/\n
public fun remove(element: E): Boolean\n
// Bulk Modification Operations\n
/**\n
* Adds all of the elements of\n
the specified collection to this collection.\n
*\n
* @return `true` if any of the specified elements was added to\n
the collection, `false` if the collection was not modified.\n
*/\n
public fun addAll(elements: Collection<E>):\n
Boolean\n
/**\n
* Removes all of this collection's elements that are also contained in the specified\n
collection.\n
*\n
* @return `true` if any of\n
the specified elements was removed from the collection, `false` if the collection was not modified.\n
*/\n
public fun removeAll(elements: Collection<E>): Boolean\n
/**\n
* Retains only the elements in this collection that\n
are contained in the specified collection.\n
*\n
* @return `true` if any element was removed from the\n
collection, `false` if the collection was not modified.\n
*/\n
public fun retainAll(elements: Collection<E>):\n
Boolean\n
/**\n
* Removes all elements from this collection.\n
*/\n
public fun clear(): Unit\n
}\n
/**\n
* A generic ordered collection of elements. Methods in this interface support only read-only access to the list;\n
* read/write access is supported through the [MutableList] interface.\n
* @param E the type of elements contained in\n
the list. The list is covariant in its element type.\n
*/\n
public interface List<out E> : Collection<E> {\n
// Query\n
Operations\n
override val size: Int\n
override fun isEmpty():\n
Boolean\n
override fun contains(element: @UnsafeVariance E): Boolean\n
override fun iterator():\n
Iterator<E>\n
// Bulk Operations\n
override fun containsAll(elements: Collection<@UnsafeVariance E>):\n
Boolean\n
// Positional Access Operations\n
/**\n
* Returns the element at the specified index in the list.\n
*/\n
public operator fun get(index: Int): E\n
// Search Operations\n
/**\n
* Returns the index of the first\n
occurrence of the specified element in the list, or -1 if the specified\n
* element is not contained in the list.\n
*/\n
public fun indexOf(element: @UnsafeVariance E): Int\n
/**\n
* Returns the index of the last\n
occurrence of the specified element in the list, or -1 if the specified\n
* element is not contained in the list.\n
*/\n
public fun lastIndexOf(element: @UnsafeVariance E): Int\n
// List Iterators\n
/**\n
* Returns a list\n
iterator over the elements in this list (in proper sequence).\n
*/\n
public fun listIterator(): ListIterator<E>\n
/**\n
* Returns a list iterator over the elements in this list\n
(in proper sequence), starting at the specified [index].\n
*/\n
public fun listIterator(index: Int):\n
ListIterator<E>\n
// View\n
/**\n
* Returns a view of the portion of this list between the specified\n
[fromIndex] (inclusive) and [toIndex] (exclusive).\n
* The returned list is backed by this list, so non-structural\n
changes in the returned list are reflected in this list, and vice-versa.\n
*\n
* Structural changes in the base list\n
make the behavior of the view undefined.\n
*/\n
public fun subList(fromIndex: Int, toIndex: Int):\n
List<E>\n
}\n
/**\n
* A generic ordered collection of elements that supports adding and removing elements.\n
* @param E the type of elements contained in the list. The mutable list is invariant in its element type.\n
*/\n
public interface MutableList<E> : List<E>, MutableCollection<E> {\n
// Modification Operations\n
/**\n
* Adds the specified element to the end of this list.\n
*\n
* @return\n
`true` because the list is always modified as the result of this operation.\n
*/\n
override fun add(element: E):\n
Boolean\n
override fun remove(element: E): Boolean\n
// Bulk Modification Operations\n
/**\n
* Adds\n
all of the elements of the specified collection to the end of this list.\n
*\n
* The elements are appended in the\n
order they appear in the [elements] collection.\n
*\n
* @return `true` if the list was changed as the result of the\n
operation.\n
*/\n
override fun addAll(elements: Collection<E>): Boolean\n
/**\n
* Inserts all of the\n
elements of the specified collection [elements] into this list at the specified [index].\n
*\n
* @return `true` if the\n
list was changed as the result of the operation.\n
*/\n
public fun addAll(index: Int, elements: Collection<E>):\n
Boolean\n
override fun removeAll(elements:\n
Collection<E>): Boolean\n
override fun retainAll(elements: Collection<E>): Boolean\n
override fun clear():\n
Unit\n
// Positional Access Operations\n
/**\n
* Replaces the element at the specified position in this list\n
with the specified element.\n
*\n
* @return the element previously at the specified position.\n
*/\n
public

```

```

operator fun set(index: Int, element: E): E\n\n /**\n * Inserts an element into the list at the specified [index].\n *\n public fun add(index: Int, element: E): Unit\n\n /**\n * Removes an element at the specified [index] from\n the list.\n *\n * @return the element that has been removed.\n *\n public fun removeAt(index: Int): E\n\n // List Iterators\n override fun listIterator(): MutableListIterator<E>\n\n override fun listIterator(index: Int):\n MutableListIterator<E>\n\n // View\n override fun subList(fromIndex: Int, toIndex: Int):\n MutableList<E>\n\n }\n\n /**\n * A generic\n unordered collection of elements that does not support duplicate elements.\n * Methods in this interface support\n only read-only access to the set;\n * read/write access is supported through the [MutableSet] interface.\n * @param\n E the type of elements contained in the set. The set is covariant in its element type.\n *\n public interface Set<out E>\n : Collection<E> {\n // Query Operations\n\n override val size: Int\n\n override fun isEmpty(): Boolean\n\n override fun contains(element: @UnsafeVariance E): Boolean\n\n override fun iterator(): Iterator<E>\n\n // Bulk\n Operations\n\n override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n\n }\n\n /**\n * A\n generic unordered collection of elements that does not support duplicate elements, and supports\n * adding and\n removing elements.\n * @param E the type of elements contained in the set. The mutable set is invariant in its\n element type.\n *\n public interface MutableSet<E> : Set<E>, MutableCollection<E> {\n\n // Query Operations\n\n override fun iterator(): MutableIterator<E>\n\n // Modification Operations\n\n /**\n * Adds the specified element to the set.\n *\n * @return `true` if the element has been added, `false` if the\n element is already contained in the set.\n *\n override fun add(element: E): Boolean\n\n override fun\n remove(element: E): Boolean\n\n // Bulk Modification Operations\n\n override fun addAll(elements:\n Collection<E>): Boolean\n\n override fun removeAll(elements: Collection<E>): Boolean\n\n override fun\n retainAll(elements: Collection<E>): Boolean\n\n override fun clear(): Unit\n\n }\n\n /**\n * A collection that holds\n pairs of objects (keys and values) and supports efficiently retrieving\n * the value corresponding to each key. Map\n keys are unique; the map holds only one value for each key.\n * Methods in this interface support only read-only\n access to the map; read-write access is supported through\n * the [MutableMap] interface.\n * @param\n K the type of map keys. The map is invariant in its key type, as it\n * can accept key as a parameter (of\n [containsKey] for example) and return it in [keys] set.\n * @param V the type of map values. The map is covariant\n in its value type.\n *\n public interface Map<K, out V> {\n // Query Operations\n\n /**\n * Returns the number\n of key/value pairs in the map.\n *\n public val size: Int\n\n /**\n * Returns `true` if the map is empty\n (contains no elements), `false` otherwise.\n *\n public fun isEmpty(): Boolean\n\n /**\n * Returns `true` if\n the map contains the specified [key].\n *\n public fun containsKey(key: K): Boolean\n\n /**\n * Returns\n `true` if the map maps one or more keys to the specified [value].\n *\n public fun containsValue(value:\n @UnsafeVariance V): Boolean\n\n /**\n * Returns the value corresponding to the given [key], or `null` if such\n a key is not present in the map.\n *\n public operator\n fun get(key: K): V?\n\n /**\n * Returns the value corresponding to the given [key], or [defaultValue] if such a\n key is not present in the map.\n *\n *\n * @since JDK 1.8\n *\n @SinceKotlin("1.1")\n\n @PlatformDependent\n\n public fun getOrDefault(key: K, defaultValue: @UnsafeVariance V): V {\n // See\n default implementation in JDK sources\n\n throw NotImplementedError()\n }\n\n // Views\n\n /**\n * Returns a read-only [Set] of all keys in this map.\n *\n public val keys: Set<K>\n\n /**\n * Returns a read-\n only [Collection] of all values in this map. Note that this collection may contain duplicate values.\n *\n public\n val values: Collection<V>\n\n /**\n * Returns a read-only [Set] of all key/value pairs in this map.\n *\n public\n val entries: Set<Map.Entry<K, V>>\n\n /**\n * Represents a key/value pair held by a [Map].\n *\n public\n interface Entry<out K, out V> {\n\n /**\n * Returns the key of this key/value pair.\n *\n public\n val key: K\n\n /**\n * Returns the value of\n this key/value pair.\n *\n public\n val value: V\n\n }\n\n }\n\n /**\n * A modifiable collection that holds pairs\n of objects (keys and values) and supports efficiently retrieving\n * the value corresponding to each key. Map\n keys are unique; the map holds only one value for each key.\n * @param K the type of map keys. The map is invariant in\n its key type.\n * @param V the type of map values. The mutable map is invariant in its value type.\n *\n public\n interface MutableMap<K, V> : Map<K, V> {\n // Modification Operations\n\n /**\n * Associates the specified

```



```

[value] with the specified [key] in the map.\n * \n * @return the previous value associated with the key, or
`null` if the key was not present in the map.\n * \n public fun put(key: K, value: V): V?\n\n /** \n *
Removes the specified key and its corresponding value from
this map.\n * \n * @return the previous value associated with the key, or `null` if the key was not present in the
map.\n * \n public fun remove(key: K): V?\n\n /** \n * Removes the entry for the specified key only if it is
mapped to the specified value.\n * \n * @return true if entry was removed\n * \n @SinceKotlin("1.1")\n
@PlatformDependent\n public fun remove(key: K, value: V): Boolean {\n // See default implementation in
JDK sources\n return true\n }\n\n // Bulk Modification Operations\n /** \n * Updates this map with
key/value pairs from the specified map [from].\n * \n public fun putAll(from: Map<out K, V>): Unit\n\n /** \n
* Removes all elements from this map.\n * \n public fun clear(): Unit\n\n // Views\n /** \n * Returns a
[MutableSet] of all keys in this map.\n * \n override val keys: MutableSet<K>\n\n /** \n * Returns a
[MutableCollection] of all values in this map.

Note that this collection may contain duplicate values.\n * \n override val values: MutableCollection<V>\n\n
/** \n * Returns a [MutableSet] of all key/value pairs in this map.\n * \n override val entries:
MutableSet<MutableMap.MutableEntry<K, V>>\n\n /** \n * Represents a key/value pair held by a
[MutableMap].\n * \n public interface MutableEntry<K, V> : Map.Entry<K, V> {\n /** \n * Changes
the value associated with the key of this entry.\n * \n * @return the previous value corresponding to the
key.\n * \n public fun setValue(newValue: V): V\n }\n\n\n"/\n * Copyright 2010-2022 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n * \n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin.collections\n\n/** An iterator over a sequence of values of type `Byte`. */\npublic abstract
class ByteIterator : Iterator<Byte> {\n override final fun next() = nextByte()\n\n /** Returns the next value in
the sequence without boxing. */\n public abstract fun nextByte(): Byte\n}\n\n/** An iterator over a sequence of
values of type `Char`. */\npublic abstract class CharIterator : Iterator<Char> {\n override final fun next() =
nextChar()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextChar():
Char\n}\n\n/** An iterator over a sequence of values of type `Short`. */\npublic abstract class ShortIterator :
Iterator<Short> {\n override final fun next() = nextShort()\n\n /** Returns the next value in the sequence without
boxing. */\n public abstract fun nextShort(): Short\n}\n\n/** An iterator over a sequence of values of type `Int`.
*/\npublic abstract class IntIterator : Iterator<Int> {\n override final fun next() = nextInt()\n\n /** Returns the
next value in the sequence without boxing. */\n public
abstract fun nextInt(): Int\n}\n\n/** An iterator over a sequence of values of type `Long`. */\npublic abstract class
LongIterator : Iterator<Long> {\n override final fun next() = nextLong()\n\n /** Returns the next value in the
sequence without boxing. */\n public abstract fun nextLong(): Long\n}\n\n/** An iterator over a sequence of
values of type `Float`. */\npublic abstract class FloatIterator : Iterator<Float> {\n override final fun next() =
nextFloat()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextFloat():
Float\n}\n\n/** An iterator over a sequence of values of type `Double`. */\npublic abstract class DoubleIterator :
Iterator<Double> {\n override final fun next() = nextDouble()\n\n /** Returns the next value in the sequence
without boxing. */\n public abstract fun nextDouble(): Double\n}\n\n/** An iterator over a sequence of values of
type `Boolean`. */\npublic abstract class BooleanIterator : Iterator<Boolean>
{\n override final fun next() = nextBoolean()\n\n /** Returns the next value in the sequence without boxing. */\n
public abstract fun nextBoolean(): Boolean\n}\n\n"/\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n * \n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin.ranges\n\n/** An iterator over a progression of values of type `Char`. */\n * @property step the number by
which the value is incremented on each step.\n * \ninternal class CharProgressionIterator(first: Char, last: Char, val
step: Int) : CharIterator() {\n private val finalElement: Int = last.code\n private var hasNext: Boolean = if (step >
0) first <= last else first >= last\n private var next: Int = if (hasNext) first.code else finalElement\n\n override fun
hasNext(): Boolean = hasNext\n\n override fun nextChar(): Char {\n

```

```

        val value = next\n        if (value == finalElement) {\n            if (!hasNext) throw
kotlin.NoSuchElementException()\n            hasNext = false\n        }\n        else {\n            next += step\n        }\n    return value.toChar()\n    }\n}\n\n/**\n * An iterator over a progression of values of type `Int`.\n * @property step
the number by which the value is incremented on each step.\n */\ninternal class IntProgressionIterator(first: Int, last:
Int, val step: Int) : IntIterator() {\n    private val finalElement: Int = last\n    private var hasNext: Boolean = if (step >
0) first <= last else first >= last\n    private var next: Int = if (hasNext) first else finalElement\n\n    override fun
hasNext(): Boolean = hasNext\n\n    override fun nextInt(): Int {\n        val value = next\n        if (value ==
finalElement) {\n            if (!hasNext) throw kotlin.NoSuchElementException()\n            hasNext = false\n        }\n        else {\n            next += step\n        }\n    }\n    return value\n}\n}\n\n/**\n * An iterator over a progression of values of type `Long`.\n * @property
step the number by which the value is incremented on each step.\n */\ninternal class LongProgressionIterator(first:
Long, last: Long, val step: Long) : LongIterator() {\n    private val finalElement: Long = last\n    private var
hasNext: Boolean = if (step > 0) first <= last else first >= last\n    private var next: Long = if (hasNext) first else
finalElement\n\n    override fun hasNext(): Boolean = hasNext\n\n    override fun nextLong(): Long {\n        val
value = next\n        if (value == finalElement) {\n            if (!hasNext) throw kotlin.NoSuchElementException()\n           
hasNext = false\n        }\n        else {\n            next += step\n        }\n        return value\n    }\n}\n}\n\n","/*\n *
Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found
in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\nimport
kotlin.internal.getProgressionLastElement\n\n/**\n * A progression of values of type `Char`.\n */\npublic open class
CharProgression\n    internal constructor\n        (\n            start: Char,\n            endInclusive: Char,\n            step: Int\n        ) : Iterable<Char> {\n    init {\n        if (step == 0) throw kotlin.IllegalArgumentException("\u0027Step must be non-
zero.\u0027")\n        if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException("\u0027Step must be greater than
Int.MIN_VALUE to avoid overflow on negation.\u0027")\n    }\n\n    /**\n     * The first element in the progression.\n     */\n    public val first: Char = start\n\n    /**\n     * The last element in the progression.\n     */\n    public val last:
Char = getProgressionLastElement(start.code, endInclusive.code, step).toChar()\n\n    /**\n     * The step of the
progression.\n     */\n    public val step: Int
= step\n\n    override fun iterator(): CharIterator = CharProgressionIterator(first, last, step)\n\n    /**\n     * Checks if
the progression is empty.\n     */\n    * Progression with a positive step is empty if its first element is greater than the
last element.\n     * Progression with a negative step is empty if its first element is less than the last element.\n     */\n    public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n    override fun equals(other:
Any?): Boolean =\n        other is CharProgression && (isEmpty() && other.isEmpty()) ||\n        first == other.first
&& last == other.last && step == other.step\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 *
(31 * first.code + last.code) + step)\n\n    override fun toString(): String = if (step > 0) \"\$first..\$last step \$step\" else
\"\$first downTo \$last step \${-step}\"\n\n    companion object {\n        /**\n         * Creates CharProgression within
the specified bounds
of a closed range.\n         */\n        * The progression starts with the [rangeStart] value and goes toward the
[rangeEnd] value not excluding it, with the specified [step].\n         * In order to go backwards the [step] must be
negative.\n         */\n        * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n         */\n        public fun fromClosedRange(rangeStart: Char, rangeEnd: Char, step: Int): CharProgression =
CharProgression(rangeStart, rangeEnd, step)\n    }\n}\n\n/**\n * A progression of values of type `Int`.\n */\npublic
open class IntProgression\n    internal constructor\n        (\n            start: Int,\n            endInclusive: Int,\n            step:
Int\n        ) : Iterable<Int> {\n    init {\n        if (step == 0) throw kotlin.IllegalArgumentException("\u0027Step must be non-
zero.\u0027")\n        if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException("\u0027Step must be greater than
Int.MIN_VALUE to avoid overflow on negation.\u0027")\n    }\n\n    /**\n     * The first element in the progression.\n     */\n    public val first: Int = start\n\n    /**\n     * The last element in
the progression.\n     */\n    public val last: Int = getProgressionLastElement(start, endInclusive, step)\n\n    /**\n     *
The step of the progression.\n     */\n    public val step: Int = step\n\n    override fun iterator(): IntIterator =

```

```

IntProgressionIterator(first, last, step)\n\n /**\n * Checks if the progression is empty.\n *\n * Progression
with a positive step is empty if its first element is greater than the last element.\n * Progression with a negative
step is empty if its first element is less than the last element.\n *\n public open fun isEmpty(): Boolean = if
(step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n other is IntProgression
&& (isEmpty() && other.isEmpty()) ||\n first == other.first && last == other.last && step == other.step)\n\n
override fun hashCode():
Int =\n if (isEmpty()) -1 else (31 * (31 * first + last) + step)\n\n override fun toString(): String = if (step > 0)
\"$first..$last step $step\" else \"$first downTo $last step ${-step}\"
companion object {\n /**\n *
Creates IntProgression within the specified bounds of a closed range.\n *\n * The progression starts with
the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n *\n In
order to go backwards the [step] must be negative.\n *\n * [step] must be greater than `Int.MIN_VALUE`
and not equal to zero.\n *\n public fun fromClosedRange(rangeStart: Int, rangeEnd: Int, step: Int):
IntProgression = IntProgression(rangeStart, rangeEnd, step)\n }\n\n/**\n * A progression of values of type
`Long`.\n *\npublic open class LongProgression\n internal constructor\n (\n start: Long,\n
endInclusive: Long,\n
step: Long\n ): Iterable<Long> {\n init {\n if (step == 0L) throw kotlin.IllegalArgumentException(\"Step
must be non-zero.\")\n if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be
greater than Long.MIN_VALUE to avoid overflow on negation.\")\n }\n\n /**\n * The first element in the
progression.\n *\n public val first: Long = start\n\n /**\n * The last element in the progression.\n *\n
public val last: Long = getProgressionLastElement(start, endInclusive, step)\n\n /**\n * The step of the
progression.\n *\n public val step: Long = step\n\n override fun iterator(): LongIterator =
LongProgressionIterator(first, last, step)\n\n /**\n * Checks if the progression is empty.\n *\n *
Progression with a positive step is empty if its first element is greater than the last element.\n * Progression with a
negative step is empty if its first element is less than the last element.\n
*\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun
equals(other: Any?): Boolean =\n other is LongProgression && (isEmpty() && other.isEmpty()) ||\n first ==
other.first && last == other.last && step == other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1
else (31 * (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))) + (step xor (step ushr 32))).toInt()\n\n override
fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"
companion object {\n /**\n * Creates LongProgression within the specified bounds of a closed range.\n
*\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it,
with the specified [step].\n *\n In order to go backwards the [step] must be negative.\n *\n * [step] must
be greater than `Long.MIN_VALUE`
and not equal to zero.\n *\n public fun fromClosedRange(rangeStart: Long, rangeEnd: Long, step: Long):
LongProgression = LongProgression(rangeStart, rangeEnd, step)\n }\n\n\"/>\n\n/**\n * Copyright 2010-2019
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\npackage kotlin.ranges\n\n/**\n *
Represents a range of values (for example, numbers or characters).\n * See the [Kotlin language
documentation](https://kotlinlang.org/docs/reference/ranges.html) for more information.\n *\npublic interface
ClosedRange<T: Comparable<T>> {\n /**\n * The minimum value in the range.\n *\n public val start:
T\n\n /**\n * The maximum value in the range (inclusive).\n *\n public val endInclusive: T\n\n /**\n *
Checks whether the specified [value] belongs to the range.\n *\n public operator fun contains(value:
T): Boolean = value >= start && value <= endInclusive\n\n /**\n * Checks whether the range is empty.\n *\n
* The range is empty if its start value is greater than the end value.\n *\n public fun isEmpty(): Boolean =
start > endInclusive\n }\n\n\"/>\n\n/**\n * Copyright 2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License,
Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may
obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by
applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\"

```

```

BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the
License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage
kotlin\n\n/**\n * The type with only one value: the `Unit` object. This type corresponds to the
`void` type in Java.\n */\npublic object Unit {\n    override fun toString() = \"kotlin.Unit\"\n},\"/>\n * Copyright
2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may
not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n *
http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing,
software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language
governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.annotation\n\nimport
kotlin.annotation.AnnotationTarget.\n\n/**\n * Contains the list of code elements which are the possible annotation
targets\n */\npublic enum class AnnotationTarget {\n    /** Class, interface or object, annotation class is also
included\n\n    */\n    CLASS,\n    /** Annotation class only\n    */\n    ANNOTATION_CLASS,\n    /** Generic type parameter\n    */\n    TYPE_PARAMETER,\n    /** Property\n    */\n    PROPERTY,\n    /** Field, including property's backing field\n    */\n    FIELD,\n    /** Local variable\n    */\n    LOCAL_VARIABLE,\n    /** Value parameter of a function or a constructor\n    */\n    VALUE_PARAMETER,\n    /** Constructor only (primary or secondary)\n    */\n    CONSTRUCTOR,\n    /**
Function (constructors are not included)\n    */\n    FUNCTION,\n    /** Property getter only\n    */\n    PROPERTY_GETTER,\n    /** Property setter only\n    */\n    PROPERTY_SETTER,\n    /** Type usage\n    */\n    TYPE,\n    /** Any expression\n    */\n    EXPRESSION,\n    /** File\n    */\n    FILE,\n    /** Type alias\n    */\n    TYPEALIAS\n}\n\n/**\n * Contains the list of possible annotation's retentions.\n *\n * Determines how an annotation is stored in binary output.\n */\npublic enum class AnnotationRetention {\n    /**
Annotation isn't stored in binary
output\n    */\n    SOURCE,\n    /** Annotation is stored in binary output, but invisible for reflection\n    */\n    BINARY,\n    /** Annotation is stored in binary output and visible for reflection (default retention)\n    */\n    RUNTIME\n}\n\n/**\n * This meta-annotation indicates the kinds of code elements which are possible targets of an annotation.\n *\n * If
the target meta-annotation is not present on an annotation declaration, the annotation is applicable to the following
elements:\n * [CLASS], [PROPERTY], [FIELD], [LOCAL_VARIABLE], [VALUE_PARAMETER],
[CONSTRUCTOR], [FUNCTION], [PROPERTY_GETTER], [PROPERTY_SETTER].\n *\n * @property
allowedTargets list of allowed annotation targets\n\n    */\n    @Target(AnnotationTarget.ANNOTATION_CLASS)\n    @MustBeDocumented\n    public annotation class
Target(vararg val allowedTargets: AnnotationTarget)\n\n    /**\n     * This meta-annotation determines whether an
annotation is stored in binary output and visible for reflection. By default, both are true.\n     *\n     * @property value
necessary annotation retention (RUNTIME, BINARY or SOURCE)\n\n    */\n    @Target(AnnotationTarget.ANNOTATION_CLASS)\n    public annotation class Retention(val value:
AnnotationRetention = AnnotationRetention.RUNTIME)\n\n    /**\n     * This meta-annotation determines that an
annotation is applicable twice or more on a single code element\n\n    */\n    @Target(AnnotationTarget.ANNOTATION_CLASS)\n    public annotation class Repeatable\n\n    /**\n     * This
meta-annotation determines that an annotation is a part of public API and therefore should be included in the
generated\n     * documentation for the element to which the annotation is applied.\n\n    */\n    @Target(AnnotationTarget.ANNOTATION_CLASS)\n    public annotation class MustBeDocumented\n},\"/>\n * Copyright
2010-2016 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may
not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n *
http://www.apache.org/licenses/LICENSE-2.0\n *\n *
Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed
on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied.\n * See the License for the specific language governing permissions and\n * limitations under the
License.\n */\n\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding type parameter is not used for

```

unsafe operations such as casts or 'is' checks\n \* That means it's completely safe to use generic types as argument for such parameter.\n

```
*\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class PureReifiable\n\n/**\n * Specifies that the corresponding built-in method exists depending on platform.\n * Current implementation for JVM looks whether method with same JVM descriptor exists in the module JDK.\n * For example MutableMap.remove(K, V) available only if corresponding\n * method 'java/util/Map.remove(Ljava/lang/Object;Ljava/lang/Object;)Z'
```

is defined in JDK (i.e. for major versions >= 8)\n

```
*\n@Target(AnnotationTarget.FUNCTION)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class PlatformDependent\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.internal\n\n// a mod b (in arithmetical sense)\nprivate fun mod(a: Int, b: Int): Int {\n    val mod = a % b\n    return if (mod >= 0) mod else mod + b\n}\n\nprivate fun mod(a: Long, b: Long): Long {\n    val mod = a % b\n    return if (mod >= 0) mod else mod + b\n}\n\n// (a - b) mod c\nprivate fun differenceModulo(a: Int, b: Int, c: Int): Int {\n    return mod(mod(a, c) - mod(b, c), c)\n}\n\nprivate fun differenceModulo(a: Long, b: Long, c: Long): Long {\n    return mod(mod(a, c) - mod(b, c), c)\n}\n\n/**\n * Calculates the final element of a bounded
```

arithmetic progression, i.e. the last element of the progression which is in the range\n \* from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n \* [step].\n \* No validation on passed parameters is performed. The given parameters should satisfy the condition:\n \* - either `step > 0` and `start <= end`,\n \* - or `step < 0` and `start >= end`.\n \* @param start first element of the progression\n \* @param end ending bound for the progression\n \* @param step increment, or difference of successive elements in the progression\n \* @return the final element of the progression\n \* @suppress\n \*/\n@PublishedApi\ninternal fun getProgressionLastElement(start: Int, end: Int, step: Int): Int = when {\n step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n step < 0 -> if (start <= end) end else end + differenceModulo(start, end, -step)\n else -> throw kotlin.IllegalArgumentException("Step is zero.")\n}\n

\* Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n \* from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n \* [step].\n \* No validation on passed parameters is performed. The given parameters should satisfy the condition:\n \* - either `step > 0` and `start <= end`,\n \* - or `step < 0` and `start >= end`.\n \* @param start first element of the progression\n \* @param end ending bound for the progression\n \* @param step increment, or difference of successive elements in the progression\n \* @return the final element of the progression\n \*

```
@suppress\n */\n@PublishedApi\ninternal fun getProgressionLastElement(start: Long, end: Long, step: Long): Long = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n    step < 0 -> if (start <= end) end else end + differenceModulo(start, end, -step)\n    else -> throw
```

```
kotlin.IllegalArgumentException("Step is zero.")\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@JsName("arrayIterator")\ninternal fun arrayIterator(array: dynamic, type: String?) = when (type) {\n    null -> {\n        val arr: Array<dynamic> = array\n        object : Iterator<dynamic> {\n            var index = 0\n            override fun hasNext() = index < arr.size\n            override fun next() = if (index < arr.size) arr[index++] else throw NoSuchElementException("$index")\n        }\n    }\n    "BooleanArray" -> booleanArrayIterator(array)\n    "ByteArray" -> byteArrayIterator(array)\n    "ShortArray" -> shortArrayIterator(array)\n    "CharArray" -> charArrayIterator(array)\n    "IntArray" -> intArrayIterator(array)\n    "LongArray" -> longArrayIterator(array)\n    "FloatArray" -> floatArrayIterator(array)\n}
```

```
\n    "DoubleArray" -> doubleArrayIterator(array)\n    else -> throw IllegalStateException("Unsupported type argument for arrayIterator: $type")\n}\n\n@JsName("booleanArrayIterator")\ninternal fun booleanArrayIterator(array: BooleanArray) = object : BooleanIterator() {\n    var index = 0\n    override fun
```

```

hasNext() = index < array.size\n  override fun nextBoolean() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("byteArrayIterator")\ninternal fun byteArrayIterator(array:
ByteArray) = object : ByteIterator() {\n  var index = 0\n  override fun hasNext() = index < array.size\n  override
fun nextByte() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("shortArrayIterator")\ninternal fun
shortArrayIterator(array: ShortArray) = object : ShortIterator() {\n  var index = 0\n  override fun hasNext() =
index < array.size\n  override fun nextShort()
= if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("charArrayIterator")\ninternal fun charArrayIterator(array:
CharArray) = object : CharIterator() {\n  var index = 0\n  override fun hasNext() = index < array.size\n  override
fun nextChar() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("intArrayIterator")\ninternal fun intArrayIterator(array:
IntArray) = object : IntIterator() {\n  var index = 0\n  override fun hasNext() = index < array.size\n  override fun
nextInt() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("floatArrayIterator")\ninternal fun
floatArrayIterator(array: FloatArray) = object : FloatIterator() {\n  var index = 0\n  override fun hasNext() = index
< array.size\n  override fun nextFloat() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("doubleArrayIterator")\ninternal
fun doubleArrayIterator(array: DoubleArray) = object : DoubleIterator() {\n  var index = 0\n  override fun
hasNext() = index < array.size\n  override fun nextDouble() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("longArrayIterator")\ninternal fun longArrayIterator(array:
LongArray) = object : LongIterator() {\n  var index = 0\n  override fun hasNext() = index < array.size\n
override fun nextLong() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("PropertyMetadata")\ninternal class
PropertyMetadata(@JsName("callableName") val name:
String)\n\n@JsName("noWhenBranchMatched")\ninternal fun noWhenBranchMatched(): Nothing = throw
NoWhenBranchMatchedException()\n\n@JsName("subSequence")\ninternal fun subSequence(c: CharSequence,
startIndex: Int, endIndex: Int): CharSequence {\n  if (c is String) {\n    return c.substring(startIndex,
endIndex)\n  } else {\n    return c.asDynamic().`subSequence_vux9f0$`(startIndex, endIndex)\n
}\n}\n\n@JsName("captureStack")\ninternal fun captureStack(@Suppress("UNUSED_PARAMETER")
baseClass: JsClass<in Throwable>, instance: Throwable) {\n  if (js("Error").captureStackTrace) {\n    // Using
uncropped stack traces due to KT-37563.\n    // Precise stack traces are implemented in JS IR compiler and
stdlib\n    js("Error").captureStackTrace(instance);\n  } else {\n    instance.asDynamic().stack = js("new
Error()").stack;\n  }\n}\n\n@JsName("newThrowable")\ninternal fun newThrowable(message: String?, cause:
Throwable?): Throwable {\n  val throwable = js("new Error()")\n  throwable.message = if (jsTypeOf(message)
== "undefined") {\n    if (cause != null) cause.toString() else null\n  } else {\n    message\n  }\n
throwable.cause = cause\n  throwable.name = "Throwable"\n  return
throwable\n}\n\n@JsName("BoxedChar")\ninternal
class BoxedChar(val c: Int) : Comparable<Int> {\n  override fun equals(other: Any?): Boolean {\n    return
other is BoxedChar && c == other.c\n  }\n\n  override fun hashCode(): Int {\n    return c\n  }\n\n  override
fun toString(): String {\n    return js("this.c").unsafeCast<Char>().toString()\n  }\n\n  override fun
compareTo(other: Int): Int {\n    return js("this.c - other").unsafeCast<Int>()\n  }\n}\n\n
@JsName("valueOf")\n  public fun valueOf(): Int {\n    return c\n
}\n}\n\n@kotlin.internal.InlineOnly\ninternal inline fun <T> concat(args: Array<T>): T {\n  val typed =
js("Array")(args.size)\n  for (i in args.indices) {\n    val arr = args[i]\n    if (arr !is Array<*>) {\n
typed[i] = js("[]").slice.call(arr)\n    } else {\n    typed[i] = arr\n    }\n  }\n  return
js("[]").concat.apply(js("[]"), typed);\n}\n\n/** Concat regular Array's and TypedArray's into an Array.\n
*/\n\n@PublishedApi\n@JsName("arrayConcat")\n@Suppress("UNUSED_PARAMETER")\ninternal

```

```

fun <T> arrayConcat(a: T, b: T): T {
    return concat(js("arguments"))
}

/** Concat primitive arrays. Main
use: prepare vararg arguments.
 * For compatibility with 1.1.0 the arguments may be a mixture of Array's and
TypedArray's.
 * If the first argument is TypedArray (Byte-, Short-, Char-, Int-, Float-, and DoubleArray)
returns a TypedArray, otherwise an Array.
 * If the first argument has the $type$ property (Boolean-, Char-, and
LongArray) copy its value to result.$type$.
 * If the first argument is a regular Array without the $type$ property
default to arrayConcat.

*/
@PublishedApi
@JsName("primitiveArrayConcat")
@Suppress("UNUSED_PARAMETER")
internal fun <T> primitiveArrayConcat(a: T, b: T): T {
    val args: Array<T> = js("arguments")
    if (a is Array<*> &&
a.asDynamic().`$type$` === undefined) {
        return concat(args)
    } else {
        var size = 0
        for (i in args.indices) {
            size += args[i].asDynamic().length as Int
        }
        val result = js("new
a.constructor(size)")
        kotlin.copyArrayType(a, result)
        size = 0
        for (i in args.indices) {
            val
arr = args[i].asDynamic()
            for (j in 0 until arr.length) {
                result[size++] = arr[j]
            }
        }
        return result
    }
}

@JsName("booleanArrayOf")
internal fun booleanArrayOf() =
withType("BooleanArray", js("[].slice.call(arguments)"))

@JsName("charArrayOf") // The arguments have
to be slice'd here because of Rhino (see KT-16974)
internal fun charArrayOf() = withType("CharArray", js("new
Uint16Array([].slice.call(arguments)"))

@JsName("longArrayOf")
internal fun longArrayOf() =
withType("LongArray",
js("[].slice.call(arguments)"))

@JsName("withType")
@kotlin.internal.InlineOnly
internal inline fun
withType(type: String, array: dynamic):
dynamic {
    array.`$type$` = type
    return array
}

/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.
 */
package kotlin.js

/** Function corresponding to JavaScript's
`typeof` operator
 */
@kotlin.internal.InlineOnly
@Suppress("UNUSED_PARAMETER")
public inline fun
jsTypeOf(a: Any?): String = js("typeof a")

/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.
 */
@file:Suppress("UNUSED_PARAMETER",
"NOTHING_TO_INLINE")
package kotlin

/** Returns an empty array of the specified type [T].
 */
public inline fun <T> emptyArray(): Array<T> = js("[]")

public fun <T> arrayOf(vararg
elements: T): Array<T> = definedExternally

public fun doubleArrayOf(vararg elements: Double): DoubleArray = definedExternally

public fun floatArrayOf(vararg elements: Float): FloatArray = definedExternally

public fun longArrayOf(vararg
elements: Long): LongArray = definedExternally

public fun intArrayOf(vararg elements: Int):
IntArray = definedExternally

public fun charArrayOf(vararg elements: Char): CharArray =
definedExternally

public fun shortArrayOf(vararg elements: Short): ShortArray =
definedExternally

public fun byteArrayOf(vararg elements: Byte): ByteArray =
definedExternally

public fun booleanArrayOf(vararg elements: Boolean): BooleanArray =
definedExternally

/** Creates a new instance of the [Lazy] that uses the specified initialization function
[initializer].
 */
public actual fun <T> lazy(initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)

/** Creates a new instance of the [Lazy] that uses
the specified initialization function [initializer].
 */
public actual fun <T> lazy(mode: LazyThreadSafetyMode, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)

/** Creates
a new instance of the [Lazy] that uses the specified initialization function [initializer].
 */
public actual fun <T> lazy(lock: Any?, initializer: () -> T): Lazy<T> =
UnsafeLazyImpl(initializer)

internal fun fillFrom(src: dynamic, dst: dynamic): dynamic {
    val srcLen: Int =
src.length
    val dstLen: Int = dst.length
    var index: Int = 0
    while (index < srcLen && index < dstLen)
dst[index] = src[index++]
    return dst
}

internal fun arrayCopyResize(source: dynamic, newSize: Int,
defaultValue: Any?): dynamic {
    val result = source.slice(0, newSize)
    copyArrayType(source, result)
    var
index: Int = source.length
    if (newSize > index) {
        result.length = newSize
    }
}

```

```

    while (index < newSize) result[index++] = defaultValue\n    }\n    return result\n}\n\ninternal fun <T>
arrayPlusCollection(array: dynamic, collection: Collection<T>): dynamic {\n    val result = array.slice()\n
result.length += collection.size\n    copyArrayType(array, result)\n    var index: Int = array.length\n    for (element in
collection) result[index++] = element\n    return result\n}\n\ninternal fun <T> fillFromCollection(dst: dynamic,
startIndex: Int, collection: Collection<T>): dynamic {\n    var index = startIndex\n    for (element in collection)
dst[index++] = element\n    return dst\n}\n\ninternal inline fun copyArrayType(from: dynamic, to: dynamic) {\n    if
(from.`$type$` !== undefined) {\n        to.`$type$` = from.`$type$`\n    }\n}\n\ninternal inline fun jsIsType(obj:
dynamic, jsClass: dynamic) = js("Kotlin").isType(obj, jsClass)", /*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by
the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Creates
a Char with the specified [code].\n */\n * @sample samples.text.Chars.charFromCode\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
actual inline fun Char(code: UShort): Char {\n    return code.toInt().toChar()\n}\n", /*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport
kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@SinceKotlin("1.3")\n@JsName("CoroutineImpl")\n\ninternal
abstract class CoroutineImpl(private val resultContinuation: Continuation<Any?>) : Continuation<Any?>
{\n    protected var state = 0\n    protected var exceptionState = 0\n    protected var result: Any? = null\n    protected
var exception:
Throwable? = null\n    protected var finallyPath: Array<Int>? = null\n\n    public override val context:
CoroutineContext = resultContinuation.context\n\n    private var intercepted_: Continuation<Any?>? = null\n\n    public
fun intercepted(): Continuation<Any?> =\n        intercepted_\n        ?:\n    (context[ContinuationInterceptor]?.interceptContinuation(this) ?: this)\n        .also { intercepted_ = it }\n\n    override fun resumeWith(result: Result<Any?>) {\n        var current = this\n        var currentResult: Any? =
result.getOrNull()\n        var currentException: Throwable? = result.exceptionOrNull()\n        // This loop unrolls
recursion in current.resumeWith(param) to make saner and shorter stack traces on resume\n        while (true) {\n
            with(current) {\n                val completion = resultContinuation\n                // Set result and exception
fields in
the current continuation\n                if (currentException == null) {\n
                    this.result = currentResult\n                } else {\n                    state = exceptionState\n
                    exception =
currentException\n                }\n                try {\n                    val outcome = doResume()\n                    if (outcome
=== COROUTINE_SUSPENDED) return\n                    currentResult = outcome\n                    currentException =
null\n                } catch (exception: dynamic) { // Catch all exceptions\n                    currentResult = null\n
                    currentException = exception.unsafeCast<Throwable>()\n                }\n                releaseIntercepted() // this state
machine instance is terminating\n                if (completion is CoroutineImpl) {\n                    // unrolling recursion
via loop\n                    current = completion\n                } else {\n                    // top-level completion reached --
invoke and return\n                    currentException?.let {\n
                        completion.resumeWithException(it)\n                    } ?: completion.resume(currentResult)\n
                }\n                return\n            }\n        }\n        }\n        }\n        }\n        private fun releaseIntercepted() {\n            val intercepted =
intercepted_\n            if (intercepted != null && intercepted !== this) {\n
                context[ContinuationInterceptor]!!.releaseInterceptedContinuation(intercepted)\n            }\n            this.intercepted_ =
CompletedContinuation // just in case\n        }\n\n        protected abstract fun doResume(): Any?\n}\n\ninternal object
CompletedContinuation : Continuation<Any?> {\n    override val context: CoroutineContext\n        get() =
error("This continuation is already complete")\n\n    override fun resumeWith(result: Result<Any?>) {\n
        error("This continuation is already complete")\n    }\n\n    override fun toString(): String = "This continuation
is already complete"\n}\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n@file:Suppress("UNCHECKED_CAST",
"RedundantVisibilityModifier")\n\npackage kotlin\n\nimport kotlin.contracts.*\nimport

```



```

kotlin.internal.InlineOnly\nimport kotlin.jvm.JvmField\nimport kotlin.jvm.JvmInline\nimport
kotlin.jvm.JvmName\n\n/**\n * A discriminated union that encapsulates a successful outcome with a value of type
[T]\n * or a failure with an arbitrary [Throwable] exception.\n *^\n@SinceKotlin("1.3")\n@JvmInline\npublic
value class Result<out T> @PublishedApi internal constructor(\n @PublishedApi\n internal val value: Any?)\n :
Serializable {\n // discovery\n\n /**\n * Returns `true` if this instance represents a successful outcome.\n *
In this case [isFailure] returns `false`.\n *^\n public val isSuccess: Boolean get() = value !is Failure\n\n /**\n
* Returns `true` if this instance represents
a failed outcome.\n * In this case [isSuccess] returns `false`.\n *^\n public val isFailure: Boolean get() =
value is Failure\n\n // value & exception retrieval\n\n /**\n * Returns the encapsulated value if this instance
represents [success][Result.isSuccess] or `null`\n * if it is [failure][Result.isFailure].\n *^\n * This function is
a shorthand for `getOrElse { null }` (see [getOrElse]) or\n * `fold(onSuccess = { it }, onFailure = { null })` (see
[fold]).\n *^\n @InlineOnly\n public inline fun getOrNull(): T? =\n when {\n isFailure -> null\n
else -> value as T\n }\n\n /**\n * Returns the encapsulated [Throwable] exception if this instance
represents [failure][isFailure] or `null`\n * if it is [success][isSuccess].\n *^\n * This function is a shorthand
for `fold(onSuccess = { null }, onFailure = { it })` (see [fold]).\n *^\n public fun exceptionOrNull(): Throwable?
=\n
when (value) {\n is Failure -> value.exception\n else -> null\n }\n\n /**\n * Returns a string
`Success(v)` if this instance represents [success][Result.isSuccess]\n * where `v` is a string representation of the
value or a string `Failure(x)` if\n * it is [failure][isFailure] where `x` is a string representation of the exception.\n
*^\n public override fun toString(): String =\n when (value) {\n is Failure -> value.toString() //
`Failure($exception)`\n else -> `Success($value)`\n }\n\n // companion with constructors\n\n /**\n
* Companion object for [Result] class that contains its constructor functions\n * [success] and [failure].\n *^\n
public companion object {\n /**\n * Returns an instance that encapsulates the given [value] as successful
value.\n *^\n @Suppress("INAPPLICABLE_JVM_NAME")\n @InlineOnly\n
@JvmName("success")\n
public inline fun <T> success(value: T): Result<T> =\n Result(value)\n\n /**\n * Returns an
instance that encapsulates the given [Throwable] [exception] as failure.\n *^\n
@Suppress("INAPPLICABLE_JVM_NAME")\n @InlineOnly\n @JvmName("failure")\n public
inline fun <T> failure(exception: Throwable): Result<T> =\n Result(createFailure(exception))\n }\n\n
internal class Failure(\n @JvmField\n val exception: Throwable\n ): Serializable {\n override fun
equals(other: Any?): Boolean = other is Failure && exception == other.exception\n override fun hashCode():
Int = exception.hashCode()\n override fun toString(): String = `Failure($exception)`\n }\n\n\n/**\n *
Creates an instance of internal marker [Result.Failure] class to\n * make sure that this class is not exposed in ABI.\n
*^\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun createFailure(exception: Throwable):
Any =\n Result.Failure(exception)\n\n/**\n * Throws exception if the result is failure. This internal function
minimizes\n * inlined bytecode for [getOrThrow] and makes sure that in the future we can\n * add some exception-
augmenting logic here (if needed).\n *^\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun
Result<*>.throwOnFailure() {\n if (value is Result.Failure) throw value.exception\n}\n\n/**\n * Calls the
specified function [block] and returns its encapsulated result if invocation was successful,\n * catching any
[Throwable] exception that was thrown from the [block] function execution and encapsulating it as a failure.\n
*^\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R> runCatching(block: () -> R): Result<R> {\n
return try {\n Result.success(block())\n } catch (e: Throwable) {\n Result.failure(e)\n }\n}\n\n/**\n *
Calls the specified function [block] with `this` value as its receiver and returns its encapsulated result if invocation
was successful,\n * catching any [Throwable] exception that was thrown from the [block] function execution and
encapsulating it as a failure.\n *^\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T, R>
T.runCatching(block: T.() -> R): Result<R> {\n return try {\n Result.success(block())\n } catch (e:
Throwable) {\n Result.failure(e)\n }\n}\n\n// -- extensions ---\n\n/**\n * Returns the encapsulated value if this
instance represents [success][Result.isSuccess] or throws the encapsulated [Throwable] exception\n * if it is

```

```

[failure][Result.isFailure].\n *\n * This function is a shorthand for `getOrElse { throw it }` (see [getOrElse]).\n
*\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T> Result<T>.getOrThrow(): T {\n
throwOnFailure()\n    return value as T\n}\n\n/**\n * Returns the encapsulated value if this instance represents
[success][Result.isSuccess] or the\n * result of [onFailure] function for the encapsulated [Throwable] exception
if it is [failure][Result.isFailure].\n *\n * Note, that this function rethrows any [Throwable] exception thrown by
[onFailure] function.\n *\n * This function is a shorthand for `fold(onSuccess = { it }, onFailure = onFailure)` (see
[fold]).\n *\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R> Result<T>.getOrElse(onFailure:
(exception: Throwable) -> R): R {\n    contract {\n        callsInPlace(onFailure,
InvocationKind.AT_MOST_ONCE)\n    }\n    return when (val exception = exceptionOrNull()) {\n        null ->
value as T\n        else -> onFailure(exception)\n    }\n}\n\n/**\n * Returns the encapsulated value if this instance
represents [success][Result.isSuccess] or the\n * [defaultValue] if it is [failure][Result.isFailure].\n *\n * This
function is a shorthand for `getOrElse { defaultValue }` (see [getOrElse]).\n
*\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R> Result<T>.getOrDefault(defaultValue: R):
R {\n    if (isFailure) return defaultValue\n
    return value as T\n}\n\n/**\n * Returns the result of [onSuccess] for the encapsulated value if this instance
represents [success][Result.isSuccess]\n * or the result of [onFailure] function for the encapsulated [Throwable]
exception if it is [failure][Result.isFailure].\n *\n * Note, that this function rethrows any [Throwable] exception
thrown by [onSuccess] or by [onFailure] function.\n *\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun
<R, T> Result<T>.fold(\n    onSuccess: (value: T) -> R,\n    onFailure: (exception: Throwable) -> R)\n: R {\n    contract {\n        callsInPlace(onSuccess, InvocationKind.AT_MOST_ONCE)\n        callsInPlace(onFailure,
InvocationKind.AT_MOST_ONCE)\n    }\n    return when (val exception = exceptionOrNull()) {\n        null ->
onSuccess(value as T)\n        else -> onFailure(exception)\n    }\n}\n\n// transformation\n\n/**\n * Returns the
encapsulated result of the given [transform] function applied to the encapsulated value\n * if this
instance represents [success][Result.isSuccess] or the\n * original encapsulated [Throwable] exception if it is
[failure][Result.isFailure].\n *\n * Note, that this function rethrows any [Throwable] exception thrown by
[transform] function.\n * See [mapCatching] for an alternative that encapsulates exceptions.\n
*\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T> Result<T>.map(transform: (value: T) -> R):
Result<R> {\n    contract {\n        callsInPlace(transform, InvocationKind.AT_MOST_ONCE)\n    }\n    return when
{\n        isSuccess -> Result.success(transform(value as T))\n        else -> Result(value)\n    }\n}\n\n/**\n * Returns
the encapsulated result of the given [transform] function applied to the encapsulated value\n * if this instance
represents [success][Result.isSuccess] or the\n * original encapsulated [Throwable] exception if it is
[failure][Result.isFailure].\n *\n * This function catches any [Throwable] exception thrown by [transform] function
and encapsulates
it as a failure.\n * See [map] for an alternative that rethrows exceptions from `transform` function.\n
*\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T> Result<T>.mapCatching(transform: (value: T) -
> R): Result<R> {\n    return when {\n        isSuccess -> runCatching { transform(value as T) }\n        else ->
Result(value)\n    }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the
encapsulated [Throwable] exception\n * if this instance represents [failure][Result.isFailure] or the\n * original
encapsulated value if it is [success][Result.isSuccess].\n *\n * Note, that this function rethrows any [Throwable]
exception thrown by [transform] function.\n * See [recoverCatching] for an alternative that encapsulates
exceptions.\n *\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R> Result<T>.recover(transform:
(exception: Throwable) -> R): Result<R> {\n    contract {\n        callsInPlace(transform,
InvocationKind.AT_MOST_ONCE)\n    }\n    return when (val exception = exceptionOrNull()) {\n        null -> this\n        else ->
Result.success(transform(exception))\n    }\n}\n\n/**\n * Returns the encapsulated result of the given [transform]
function applied to the encapsulated [Throwable] exception\n * if this instance represents [failure][Result.isFailure]
or the\n * original encapsulated value if it is [success][Result.isSuccess].\n *\n * This function catches any
[Throwable] exception thrown by [transform] function and encapsulates it as a failure.\n * See [recover] for an

```

```

alternative that rethrows exceptions.\n *\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R>
Result<T>.recoverCatching(transform: (exception: Throwable) -> R): Result<R> {\n    return when (val exception =
exceptionOrNull()) {\n        null -> this\n        else -> runCatching { transform(exception) }\n    }\n}\n\n// "peek"
onto value/exception and pipe\n\n/**\n * Performs the given [action] on the encapsulated
[Throwable] exception if this instance represents [failure][Result.isFailure].\n * Returns the original `Result`
unchanged.\n *\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T> Result<T>.onFailure(action:
(exception: Throwable) -> Unit): Result<T> {\n    contract {\n        callsInPlace(action,
InvocationKind.AT_MOST_ONCE)\n    }\n    exceptionOrNull()?.let { action(it) }\n    return this\n}\n\n/**\n * Performs the given [action] on the encapsulated value if this instance represents [success][Result.isSuccess].\n * Returns the original `Result` unchanged.\n *\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T>
Result<T>.onSuccess(action: (value: T) -> Unit): Result<T> {\n    contract {\n        callsInPlace(action,
InvocationKind.AT_MOST_ONCE)\n    }\n    if (isSuccess) action(value as T)\n    return this\n}\n\n// -----
--\n", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this
source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\npackage
kotlin.coroutines\n\nimport kotlin.contracts.*\nimport kotlin.coroutines.intrinsics.*\nimport
kotlin.internal.InlineOnly\n\n/**\n * Interface representing a continuation after a suspension point that returns a
value of type `T`.\n *\n@SinceKotlin("1.3")\npublic interface Continuation<in T> {\n    /**\n     * The context of
the coroutine that corresponds to this continuation.\n     *\n     * public val context: CoroutineContext\n     *\n     * Resumes the execution of the corresponding coroutine passing a successful or failed [result] as the\n     * return
value of the last suspension point.\n     *\n     * public fun resumeWith(result: Result<T>)\n     *\n     * Classes and
interfaces marked with this annotation are restricted when used as receivers for extension\n     * `suspend` functions.
These `suspend` extensions can only invoke other member or extension `suspend` functions on this particular\n     * receiver and are restricted from calling arbitrary suspension functions.\n     *\n     *\n@SinceKotlin("1.3")\n@Target(AnnotationTarget.CLASS)\n@Retention(AnnotationRetention.BINARY)\npublic
annotation class RestrictsSuspension\n\n/**\n * Resumes the execution of the corresponding coroutine passing
[value] as the return value of the last suspension point.\n *\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline
fun <T> Continuation<T>.resume(value: T): Unit =\n    resumeWith(Result.success(value))\n\n/**\n * Resumes the
execution of the corresponding coroutine so that the [exception] is re-thrown right after the\n * last suspension
point.\n *\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline fun <T>
Continuation<T>.resumeWithException(exception: Throwable): Unit =\n    resumeWith(Result.failure(exception))\n\n/**\n * Creates a [Continuation] instance with the given [context] and
implementation of [resumeWith] method.\n *\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline fun <T>
Continuation(\n    context: CoroutineContext,\n    crossinline resumeWith: (Result<T>) -> Unit):
Continuation<T> =\n    object : Continuation<T> {\n        override val context: CoroutineContext\n            get() =
context\n        override fun resumeWith(result: Result<T>) =\n            resumeWith(result)\n    }\n\n/**\n * Creates
a coroutine without a receiver and with result type [T].\n * This function creates a new, fresh instance of
suspendable computation every time it is invoked.\n * To start executing the created coroutine, invoke
`resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when the
coroutine completes with a result or an exception.\n * Subsequent invocation of any resume function on the resulting
continuation will produce an [IllegalStateException].\n *\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <T> (suspend () ->
T).createCoroutine(\n    completion: Continuation<T>): Continuation<Unit>
=\n    SafeContinuation(createCoroutineUnintercepted(completion).intercepted(),
COROUTINE_SUSPENDED)\n\n/**\n * Creates a coroutine with receiver type [R] and result type [T].\n * This
function creates a new, fresh instance of suspendable computation every time it is invoked.\n * To start
executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The
[completion] continuation is invoked when the coroutine completes with a result or an exception.\n * Subsequent

```

invocation of any resume function on the resulting continuation will produce an [IllegalStateException].

```

* \n @SinceKotlin("1.3") \n @Suppress("UNCHECKED_CAST") \n public fun <R, T> (suspend R.() ->
T).createCoroutine(\n receiver: R, \n completion: Continuation<T> \n): Continuation<Unit> = \n
SafeContinuation(createCoroutineUnintercepted(receiver, completion).intercepted(),
COROUTINE_SUSPENDED) \n \n /** \n * Starts a coroutine without a receiver and with result type [T]. \n * This
function creates and starts a new, fresh instance of suspendable computation every time it is invoked. \n * The
[completion] continuation is invoked when the coroutine completes with a result or an exception. \n
* \n @SinceKotlin("1.3") \n @Suppress("UNCHECKED_CAST") \n public fun <T> (suspend () ->
T).startCoroutine(\n completion: Continuation<T> \n) { \n
createCoroutineUnintercepted(completion).intercepted().resume(Unit) \n } \n \n /** \n * Starts a coroutine with receiver
type [R] and result type [T]. \n * This function creates and starts a new, fresh instance of suspendable computation
every time it is invoked. \n * The [completion] continuation is invoked when the coroutine completes with a result or
an exception. \n * \n @SinceKotlin("1.3") \n @Suppress("UNCHECKED_CAST") \n public fun <R, T> (suspend
R.() -> T).startCoroutine(\n receiver: R, \n completion: Continuation<T> \n) { \n
createCoroutineUnintercepted(receiver, completion).intercepted().resume(Unit) \n } \n \n /** \n * Obtains
the current continuation instance inside suspend functions and suspends \n * the currently running coroutine. \n * \n *
In this function both [Continuation.resume] and [Continuation.resumeWithException] can be used either
synchronously in \n * the same stack-frame where the suspension function is run or asynchronously later in the same
thread or \n * from a different thread of execution. Subsequent invocation of any resume function will produce an
[IllegalStateException]. \n * \n @SinceKotlin("1.3") \n @InlineOnly \n public suspend inline fun <T>
suspendCoroutine(crossinline block: (Continuation<T>) -> Unit): T { \n contract { callsInPlace(block,
InvocationKind.EXACTLY_ONCE) } \n return suspendCoroutineUninterceptedOrReturn { c: Continuation<T> -
-> \n val safe = SafeContinuation(c.intercepted()) \n block(safe) \n safe.getOrThrow() \n } \n } \n \n /** \n *
Returns the context of the current coroutine. \n
* \n @SinceKotlin("1.3") \n @Suppress("WRONG_MODIFIER_TARGET") \n @InlineOnly \n public
suspend inline val coroutineContext: CoroutineContext \n get() { \n throw
NotImplementedError("Implemented as intrinsic") \n } \n ", "/* \n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file. \n * \n \n package kotlin.coroutines.intrinsics \n \n import
kotlin.coroutines.* \n import kotlin.internal.InlineOnly \n \n /** \n * Starts an unintercepted coroutine without a receiver
and with result type [T] and executes it until its first suspension. \n * Returns the result of the coroutine or throws its
exception if it does not suspend or [COROUTINE_SUSPENDED] if it suspends. \n * In the latter case, the
[completion] continuation is invoked when the coroutine completes with a result or an exception. \n * \n * The
coroutine is started directly in the invoker's thread without going through the [ContinuationInterceptor] that might \n
* be present in
the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation \n * context
is established. \n * \n * This function is designed to be used from inside of
[suspendCoroutineUninterceptedOrReturn] to resume the execution of the suspended \n * coroutine using a reference
to the suspending function. \n * \n @SinceKotlin("1.3") \n @InlineOnly \n public actual inline fun <T> (suspend () ->
T).startCoroutineUninterceptedOrReturn(\n completion: Continuation<T> \n): Any? =
this.asDynamic()(completion, false) \n \n /** \n * Starts an unintercepted coroutine with receiver type [R] and result
type [T] and executes it until its first suspension. \n * Returns the result of the coroutine or throws its exception if
it does not suspend or [COROUTINE_SUSPENDED] if it suspends. \n * In the latter case, the [completion]
continuation is invoked when the coroutine completes with a result or an exception. \n * \n * The coroutine is started
directly in the invoker's thread without
going through the [ContinuationInterceptor] that might \n * be present in the completion's [CoroutineContext]. It is
the invoker's responsibility to ensure that a proper invocation \n * context is established. \n * \n * This function is
designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of the

```

suspended\n \* coroutine using a reference to the suspending function.\n

```

*\n@SinceKotlin("1.3")\n@InlineOnly\npublic actual inline fun <R, T> (suspend R.() ->
T).startCoroutineUninterceptedOrReturn(\n receiver: R,\n completion: Continuation<T>\n): Any? =
this.asDynamic()(receiver, completion, false)\n\n@InlineOnly\ninternal actual inline fun <R, P, T> (suspend R.(P) -
> T).startCoroutineUninterceptedOrReturn(\n receiver: R,\n param: P,\n completion: Continuation<T>\n):
Any? = this.asDynamic()(receiver, param, completion, false)\n\n/**\n * Creates unintercepted coroutine without
receiver and with result type [T].\n * This function creates
a new, fresh instance of suspendable computation every time it is invoked.\n *\n * To start executing the created
coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is
invoked when coroutine completes with result or exception.\n *\n * This function returns unintercepted
continuation.\n * Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going
through the\n * [ContinuationInterceptor] that might be present in the completion's [CoroutineContext].\n * It is the
invoker's responsibility to ensure that a proper invocation context is established.\n * Note that [completion] of this
function may get invoked in an arbitrary context.\n *\n * [Continuation.intercepted] can be used to acquire the
intercepted continuation.\n * Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of\n
* both the coroutine and [completion] happens in the invocation context established
by\n * [ContinuationInterceptor].\n *\n * Repeated invocation of any resume function on the resulting continuation
corrupts the\n * state machine of the coroutine and may result in arbitrary behaviour or exception.\n
*/\n\n@SinceKotlin("1.3")\npublic actual fun <T> (suspend () -> T).createCoroutineUnintercepted(\n completion:
Continuation<T>\n): Continuation<Unit> =\n // Kotlin/JS suspend lambdas have an extra parameter `suspended`\n
if (this.asDynamic().length == 2) {\n // When `suspended` is true the continuation is created, but not
executed\n this.asDynamic()(completion, true)\n } else {\n
createCoroutineFromSuspendFunction(completion) {\n this.asDynamic()(completion)\n }\n }\n\n/**\n * Creates unintercepted coroutine with receiver type [R] and result type [T].\n * This function creates a new, fresh
instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine,
invoke `resume(Unit)`
on the returned [Continuation] instance.\n * The [completion] continuation is invoked when coroutine completes
with result or exception.\n *\n * This function returns unintercepted continuation.\n * Invocation of `resume(Unit)`
starts coroutine immediately in the invoker's call stack without going through the\n * [ContinuationInterceptor] that
might be present in the completion's [CoroutineContext].\n * It is the invoker's responsibility to ensure that a proper
invocation context is established.\n * Note that [completion] of this function may get invoked in an arbitrary
context.\n *\n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\n * Invocation of
`resume(Unit)` on intercepted continuation guarantees that execution of\n * both the coroutine and [completion]
happens in the invocation context established by\n * [ContinuationInterceptor].\n *\n * Repeated invocation of any
resume function on the resulting continuation corrupts the\n * state machine of
the coroutine and may result in arbitrary behaviour or exception.\n */\n\n@SinceKotlin("1.3")\npublic actual fun
<R, T> (suspend R.() -> T).createCoroutineUnintercepted(\n receiver: R,\n completion: Continuation<T>\n):
Continuation<Unit> =\n // Kotlin/JS suspend lambdas have an extra parameter `suspended`\n if
(this.asDynamic().length == 3) {\n // When `suspended` is true the continuation is created, but not executed\n
this.asDynamic()(receiver, completion, true)\n } else {\n createCoroutineFromSuspendFunction(completion)
{\n this.asDynamic()(receiver, completion)\n }\n }\n\n/**\n * Intercepts this continuation with
[ContinuationInterceptor].\n *\n * This function shall be used on the immediate result of
[createCoroutineUnintercepted] or [suspendCoroutineUninterceptedOrReturn],\n * in which case it checks for
[ContinuationInterceptor] in the continuation's [context][Continuation.context],\n * invokes
[ContinuationInterceptor.interceptContinuation],
caches and returns the result.\n *\n * If this function is invoked on other [Continuation] instances it returns `this`
continuation unchanged.\n */\n\n@SinceKotlin("1.3")\npublic actual fun <T> Continuation<T>.intercepted():
Continuation<T> =\n (this as? CoroutineImpl)?.intercepted() ?: this\n\nprivate inline fun <T>

```

```

createCoroutineFromSuspendFunction(\n completion: Continuation<T>,\n crossinline block: () -> Any?)\n):
Continuation<Unit> {\n @Suppress(\\"UNCHECKED_CAST\")\n return object : CoroutineImpl(completion as
Continuation<Any?>) {\n override fun doResume(): Any? {\n exception?.let { throw it }\n return
block()\n }\n }\n}\n",/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n// Mirrors signature from JS IR BE\n\n// Used for
js.translator/testData/box/number/mulInt32.kt\n\n@library\n\n@JsName(\\"imulEmulated\")\n\n@Suppress(\\"UNUSED_P
ARAMETER\")\n\ninternal fun imul(x: Int, y: Int): Int =
definedExternally\n\n\n@Suppress(\\"NOTHING_TO_INLINE\")\n\ninternal inline fun isArrayish(o: dynamic) =
js(\\"Kotlin\").isArrayish(o)\n",/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\n\n// NOTE: Do not author your exceptions as they are written in
this file, instead use this template:\n\n/*\n\npublic open class MyException : Exception {\n constructor() : super()\n
constructor(message: String?) : super(message)\n constructor(message: String?, cause: Throwable?) :
super(message, cause)\n constructor(cause: Throwable?) : super(cause)\n}\n*/\n\n\n// TODO: remove primary
constructors, make all secondary KT-22055\n\n\n@Suppress(\\"USELESS_ELVIS_RIGHT_IS_NULL\")\n\npublic
actual open class Error actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?
: null) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n
actual constructor(cause: Throwable?) : this(undefin
ed,
cause)\n}\n\n\n@Suppress(\\"USELESS_ELVIS_RIGHT_IS_NULL\")\n\npublic actual open class Exception actual
constructor(message: String?, cause: Throwable?) : Throwable(message, cause ? : null) {\n actual constructor()
: this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause:
Throwable?) : this(undefin
ed, cause)\n}\n\n\npublic actual open class RuntimeException actual constructor(message:
String?, cause: Throwable?) : Exception(message, cause) {\n actual constructor() : this(null, null)\n actual
constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefin
ed,
cause)\n}\n\n\npublic actual open
class IllegalArgumentException actual constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message:
String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefin
ed, cause)\n}\n\n\npublic actual
open class IllegalStateException actual constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message:
String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefin
ed, cause)\n}\n\n\npublic actual
open class IndexOutOfBoundsException actual constructor(message: String?) : RuntimeException(message) {\n
actual constructor() : this(null)\n}\n\n\npublic actual open class ConcurrentModificationException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() :
this(null, null)\n actual
constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefin
ed,
cause)\n}\n\n\npublic actual open class UnsupportedOperationException actual constructor(message: String?, cause:
Throwable?) : RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual
constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefin
ed,
cause)\n}\n\n\n\npublic actual open class NumberFormatException actual constructor(message: String?) :
IllegalArgumentException(message) {\n actual constructor() : this(null)\n}\n\n\n\npublic actual open class
NullPointerException actual constructor(message: String?) : RuntimeException(message) {\n actual constructor() :
this(null)\n}\n\n\n\npublic actual open class ClassCastException actual constructor(message: String?) :
RuntimeException(message) {\n actual constructor() : this(null)\n}\n\n\n\npublic actual open class
AssertionError\n\n@SinceKotlin(\\"1.4\")\n\nconstructor(message:
String?, cause: Throwable?) : Error(message, cause) {\n actual constructor() : this(null)\n constructor(message:
String?) : this(message, null)\n actual constructor(message: Any?) : this(message.toString(), message as?

```

```

Throwable)\n}\n\npublic actual open class NoSuchElementException actual constructor(message: String?) :
RuntimeException(message) {\n  actual constructor() : this(null)\n}\n\n@SinceKotlin("1.3")\npublic actual open
class ArithmeticException actual constructor(message: String?) : RuntimeException(message) {\n  actual
constructor() : this(null)\n}\n\npublic actual open class NoWhenBranchMatchedException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n  actual constructor() :
this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual constructor(cause:
Throwable?) : this(undefiend, cause)\n}\n\npublic actual open class UninitializedPropertyAccessException
actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n  actual
constructor() : this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual
constructor(cause: Throwable?) : this(undefiend, cause)\n}\n\n", /*\n * Copyright 2010-2019 JetBrains s.r.o. Use of
this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n\n@file:Suppress("UNUSED_PARAMETER")\n\npackage kotlin.js\n\n@kotlin.internal.InlineOnly\n\ninternal
inline fun jsDeleteProperty(obj: Any, property: Any) {\n  js("delete
obj[property]")\n}\n\n@kotlin.internal.InlineOnly\n\ninternal inline fun jsBitwiseOr(lhs: Any?, rhs: Any?): Int =\n
js("lhs | rhs").unsafeCast<Int>()", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\npackage
kotlin.math\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the
sign of the result is undefined.\n *\n\n@SinceKotlin("1.2")\n\npublic actual fun Double.withSign(sign: Double):
Double {\n  val thisSignBit = js("Kotlin").doubleSignBit(this).unsafeCast<Int>()\n  val newSignBit =
js("Kotlin").doubleSignBit(sign).unsafeCast<Int>()\n  return if (thisSignBit == newSignBit) this else -
this\n}\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n *
according to the IEEE 754 floating-point "double format" bit layout.\n
*\n\n@SinceKotlin("1.2")\n\n@library("doubleToBits")\n\npublic actual fun Double.toBits(): Long =
definedExternally\n\n/**\n * Returns a bit representation
of the specified floating-point value as [Long]\n * according to the IEEE 754 floating-point "double format" bit
layout,\n * preserving `NaN` values exact layout.\n
*\n\n@SinceKotlin("1.2")\n\n@library("doubleToRawBits")\n\npublic actual fun Double.toRawBits(): Long =
definedExternally\n\n/**\n * Returns the [Double] value corresponding to a given bit representation.\n
*\n\n@SinceKotlin("1.2")\n\n@kotlin.internal.InlineOnly\n\npublic actual inline fun Double.Companion.fromBits(bits:
Long): Double = js("Kotlin").doubleFromBits(bits).unsafeCast<Double>()\n\n/**\n * Returns a bit representation
of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point "single format" bit
layout.\n *\n * Note that in Kotlin/JS [Float] range is wider than "single format" bit layout can represent,\n *
so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\n
*\n\n@SinceKotlin("1.2")\n\n@library("floatToBits")\n\npublic
actual fun Float.toBits(): Int = definedExternally\n\n/**\n * Returns a bit representation of the specified floating-
point value as [Int]\n * according to the IEEE 754 floating-point "single format" bit layout,\n * preserving `NaN`
values exact layout.\n *\n * Note that in Kotlin/JS [Float] range is wider than "single format" bit layout can
represent,\n * so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and
back.\n *\n\n@SinceKotlin("1.2")\n\n@library("floatToRawBits")\n\npublic actual fun Float.toRawBits(): Int =
definedExternally\n\n/**\n * Returns the [Float] value corresponding to a given bit representation.\n
*\n\n@SinceKotlin("1.2")\n\n@kotlin.internal.InlineOnly\n\npublic actual inline fun Float.Companion.fromBits(bits:
Int): Float =
js("Kotlin").floatFromBits(bits).unsafeCast<Float>()\n\n\n@Suppress("NOTHING_TO_INLINE")\n\ninternal
inline fun Long(low: Int, high: Int) = js("Kotlin").Long.fromBits(low, high).unsafeCast<Long>()\n\ninternal

```

```

inline val Long.low: Int get() = this.asDynamic().getLowBits().unsafeCast<Int>()\n
internal inline val Long.high: Int get() = this.asDynamic().getHighBits().unsafeCast<Int>()\n
"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\nimport kotlin.reflect.KClass\n\n@PublishedApi\ninternal fun <T : Annotation> KClass<*>.findAssociatedObject(@Suppress("UNUSED_PARAMETER") annotationClass: KClass<T>): Any? {\n
// This API is not supported in js-v1. Return `null` to be source-compatible with js-ir.\n
return null\n}\n"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.text\n\n/**\n * Returns a string representation of this [Long] value in the specified [radix].\n
* @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n
*/\n\n@SinceKotlin("1.2")\npublic actual fun Long.toString(radix: Int): String = asDynamic().toString(checkRadix(radix))\n"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n/\n/\n// 1343 ranges totally\nprivate object Category {\n
val decodedRangeStart: IntArray\n
val decodedRangeCategory: IntArray\n\n
init {\n
val toBase64 = "\n
ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/\n
val fromBase64 = IntArray(128)\n
for (i in toBase64.indices) {\n
fromBase64[toBase64[i].code] = i\n
}\n\n
// rangeStartDiff.length = 1482\n
val rangeStartDiff = "\n
gBCFEDCKKCDaDDaDBhBCEEDDDDDDEDXBHYBH5BRwBGDCHDCIDFHDCHFDCDEIRTEE7BGHDDJICBbSEMOfGERwDEDDDDDECEFCRBjBhFDcYFFCCzBvBjBBFC3B0hDBmBDGpBDDcTBjBEECLGDFCLDCgBBKVKEDiDDHCFECECKCEODBeBc5CLBOKhBJDDDDWEBHFCFCPBZDEL1BVBSLPBgBB2BDBDICFBHKCKCPDBHEDWBHEDDDDEDEDIBDGDCCKCGDDDDCGECCWBFMDDCEDDDCHDDHKDDDBKDBHFCWBFGBDDDFEDBPDDKCHBGDCHEDWBFGBDCEDEDBHDDGDCKCGJEGDBFDDFDDDDDDMEFDBFDCGBOKDFDFDCGFCXBQDDDDDBEGEDFDDKHBHDDGFCXBKBFCEFCFCHCHECKDNCCFCoBEDECFDDDDHDCKJBGDCSDYBJEhBFDDDEBIGKDCMuBFHEBGBIBKcKbFBFBXEIFJDFDGCKCEgBBDPEDGKKGECIBkBEObDFLbKBBIBEFCECIBrBCEBEGDBKGGDDDDDDCHDENDCFEKDDIBDDFrBCDpKBECGEECPBBEChBBECGEECPB5BBECjCCDJUDQKG2CCGDsTCRBaCDrCDDIHNBEDLSDCJSCMLFCM0BBDHGFLBFDDKKGGEFDDDBKGjBB1BHfChBDFmCKfDDDDDDCGDCFDKcFLsBEaGKBDiBXDDD1BDGDEIGJEKGGHGBGCMF/BEBvBCEDDFHEKHkJJDDDeDDGDkSbFEDCIEkBIICCFDKDDKeGcJHrBCDIIDBNBHEBEFDBFsB/BNBiBIB6BBF1EIiDJGCGCIIIIGCGCIIIIOCIIIIIIDFEDDBFEDDDDEBDIFDDFEDBLFGCEEICFBjCDEDCLDKBFBKCCGDDKDDNDgBQNEBDMPPFFDEDEBFFHECEBEEDFBEDDQjBCEDEFFC CJHBeEEfsIIEUCHCxCBeZoBGICZLV8BuCW3FBjB2BIvDB4HOesBFcFKQgJjEW/BEgBCiIwBVCGnBCgBBpDvBBuBEDBHEFGCCjDCGEDCFCFIBDDF4BHCObXJHBHBHBHBHBHBHBgBCECGHGEDI FBKCEDMEtBaB5CM2GaMEDDCKCGFCJEDFDDDC2CDDDB6CDCFrBB+CDEKgBkBMQfBKeIBPgBKnbPgKguGgC9vUDVB3jBD3BJoBGCsIBDQKCUuBDDKcCCmCKCGIXJCNC/BBHGKDECEVFBEMCEEbqBDDGDFDXDCEBDGEG0BEICyBQCICKGSGDEBKcICXLCLbDDBvBDECCDNCKEFCfJKFBpBFEDCJDBICCKCEQBGDDByBEDCEFBYDcLEDDCKGCGGJHBHBrBBEJDEwCjBIDCKGk9KMxExBEggCgoGuLCqDmBHMFFCKBNBFBIsDQRrLCQgCC2BoBMCCQGEQDCQDDDDDFDGDECEEFBnEEBFEDCKCDCaDDaDBfCKBtBCfDGCGCFEDDDDCHECKDC\n\n
val diff = decodeVarLenBase64(rangeStartDiff, fromBase64, 1342)\n
val start = IntArray(diff.size + 1)\n
for (i in diff.indices) {\n
start[i + 1] = start[i] + diff[i]\n
}\n
decodedRangeStart = start\n\n
// rangeCategory.length = 2033\n
val rangeCategory = "\n
PsY44a41W54UYJZYB14W7XC15WZPsYa84bl9Zw8b85Lr7C44brlerrYBZBCZCiBiBiBhCiiBhChiBhiCBhhChiCihBhChCChiBhChiCIBCFhjCiBiBihDhiBhCCihBiBhCCFCEbEbEb7EbGhCk7BixRkiCi4BRbh4BhRhCBRBCiiBBcIBChiZBCBCiBcGHhChCiBRBxxEYc40Rx8c6RGUm4GRFRFYRQZ44acG4wRYFEFGJYIIIGFIYGwcGmkEmcGFJfJ8cYxwFGFGRFGFRJFGkkcYkxRm6aFGEgmmEmEGRYRFGxxYFRFRFRGQGIFmIFIGIooGF

```



GFGYJ4EFmoIRFlxRlXRFRFxIRxIFlIRxmFIGxxIoxRomFRIRxIFlmGRJFaL86F4mRxmGoRFRFRFRFlIRxGIGR  
xmGxmGmxRxGRFIRRjmmFIIGYRmmIRfIIIRFRFRFlIRFxxGFIGmmRoxImxRFRlIGmxRJ4aRFGxmIoRFlxRlXR  
FRFlIRFxxGIImoGmmRxoIxoIGRmmIRxIFlmGRJ8FLRxmFFRFlIRIIRxxFIRlRxlFRFRFRooGRlooRomRxFRIR  
JLc8aRmoIoGFIIIRFRFRlmgmoIoORGRGRxmGFRlIGmxRJRYL8lGooYfIIIRFRFRFRmlIIXGooRGRIRlxFG  
RxlFRGIFIIIRFlmGIGxIoRomF8xRxxFIILFGRJLcFxmIoRFRFRFxIRFRxxGxxIoOGmmRRIRJxxIoYRFIIIG  
RaFEGYJYRxlFRFRFIRFIIGlRfxEGRJRFRfcY84c8mGcJL8G1WIFFRFGIGmmYFGRGRcGc88RYcYRFIIGI  
GmmIomGFJYFooGmlFIIGmmFIFIFGFmoIGIomFJIm8cBhRRxxBC4ECFRFRFIRFRFRFRFRFRFIRFRFRFRFR  
FRGYLRfCRBCxxUF8YFMF1WRFYKFRFRFRGFRGYRFRFRlIRGRFmmIGlooGGY44E46FmxRJRLRY44  
U44GmmQRJRFEFRFGFGRFRFxmgmoIoOGmoIoXRxIoGIGRxxcx4YJFRFRFRFRJLRcFmmIomRx4YFoGG  
mRomIGIGmxRJRJRJEYRgmmHRGIFmIGmIoOGFRJYcGcRmmIFomGmmIomGmlFJFmoGooGGIRYFIIIG  
RYJRfJFEYCRBRBYRgyGIGFGFIIGomGFRCECECEGRGhCCiBCBCRBCBCBCRBCxBCBCRCD CDCD  
CiiRBj7CbCiiRBj7b7iCiiRxiCBRbCbBxxCiiRBj7bRMQUY9+V9+VYtOQMY9eY43X44Z1WY54XYMQQRER  
LZ12ELZ12RERaRGHGHR88B88BihBhiChhC8hcZbc8BB8CBCFi8cihBZBC8Z8CLKhCKr8cRZcZc88ZcZc85  
Z8ZcZc1WcZc1WcZcZcZcRcRLcLcZcZcZc1WlCZ1WZ1WZcZ1WZ1WZ1WZcZcRcRcBRcixBBCiBBihC  
CEBhCCchCGhCRY44LCiRRxxCFRkYRGFRFRFRFRFRFRFRFRFRFRGY9eY49eY44U49e49e1WYeyUY04VY  
48cRcRcRcRcRs4Y48EIK1Wc1W12U2cKGooUE88KqqEl4c8RFxxGm7bkkFUF4kEkFRFRFx8cLcFcRcRLcLc  
LcLcLcFcFRFEFRcRFEYFEYFJRhClmHnnYG4EhCEGFkGyRbEbhCCiBECiBhCk7bhCIBihCiBBCBhCRhiBh  
hCCRhiFkkCFIIGIIGIFooGmlcGRL88aRFYRIFIGRYJRGFY14FGJFGYFGIRYFRGIFmoIGIGIYxEJRyfMEFJ  
FRFGmoImoIGRFGFmIRJRYFEFCloGIFmlGmlFGFlmGFRlIEYFomGo4YIkEoGRFRFRFRFRFRFCbECk7bRCFo  
oG4oGRJRFRFRFRFTSFRFRCRCRIGFZFRFRlxFFbRF2VRFRRFRF6cRGY41WRG40UX1W44V24Y44X33Y44R  
44U1WY50Z5R46YRFRFxQY44a41W54UYJZYB14W7XC15WZ12YYFEFEFRFRFRFlxRIIRxxa65b86axcZc  
RQcR\n\n

```
decodedRangeCategory = decodeVarLenBase64(rangeCategory,
fromBase64, 1343)\n }\n}\n\nprivate fun categoryValueFrom(code: Int, ch: Int): Int {\n return when {\n code < 0x20 -> code\n code < 0x400 -> if ((ch and 1) == 1) code shr 5 else code and 0x1f\n else ->\n when (ch % 3) {\n 2 -> code shr 10\n 1 -> (code shr 5) and 0x1f\n else -> code and 0x1f\n }\n }\n}\n}\n\n/**\n * Returns the Unicode general category of this character as an Int.\n */\ninternal fun Char.getCategoryValue(): Int {\n val ch = this.code\n val index = binarySearchRange(Category.decodedRangeStart, ch)\n val start = Category.decodedRangeStart[index]\n val code = Category.decodedRangeCategory[index]\n val value = categoryValueFrom(code, ch - start)\n return if (value == 17) CharCategory.UNASSIGNED.value else value\n }\n}\n\ninternal fun decodeVarLenBase64(base64: String, fromBase64: IntArray, resultLength: Int): IntArray {\n val result = IntArray(resultLength)\n var index = 0\n var int = 0\n var shift = 0\n for (char in base64) {\n val sixBit = fromBase64[char.code]\n int = int or ((sixBit and 0x1f) shl shift)\n if (sixBit < 0x20) {\n result[index++] = int\n int = 0\n shift = 0\n } else {\n shift += 5\n }\n }\n return result\n }\n\n"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/\n/\nNOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n/\nSee: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n/\n\nimport kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Reverses elements in the list in-place.\n */\npublic actual fun <T> MutableList<T>.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n }\n\n"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/\n/\nNOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n/\nSee: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n/\n/\n/\n37 ranges totally\n\nprivate object Digit {\n internal val rangeStart = intArrayOf(\n 0x0030, 0x0660, 0x06f0, 0x07c0, 0x0966, 0x09e6, 0x0a66,
```

```

0x0ae6, 0x0b66, 0x0be6, 0x0c66, 0x0ce6, 0x0d66, 0x0de6, 0x0e50, 0x0ed0, 0x0f20, 0x1040, 0x1090, 0x17e0, \n
  0x1810, 0x1946, 0x19d0, 0x1a80, 0x1a90, 0x1b50, 0x1bb0, 0x1c40, 0x1c50, 0xa620,
  0xa8d0, 0xa900, 0xa9d0, 0xa9f0, 0xaa50, 0xabf0, 0xff10, \n  )\n}\n\n/**\n * Returns the index of the largest
element in [array] smaller or equal to the specified [needle],\n * or -1 if [needle] is smaller than the smallest element
in [array].\n */\ninternal fun binarySearchRange(array: IntArray, needle: Int): Int {\n  var bottom = 0\n  var top =
array.size - 1\n  var middle = -1\n  var value = 0\n  while (bottom <= top) {\n    middle = (bottom + top) / 2\n    value = array[middle]\n    if (needle > value)\n      bottom = middle + 1\n    else if (needle == value)\n      return middle\n    else\n      top = middle - 1\n  }\n  return middle - (if (needle < value) 1 else
0)\n}\n\n/**\n * Returns an integer from 0..9 indicating the digit this character represents,\n * or -1 if this character
is not a digit.\n */\ninternal fun Char.digitToIntImpl(): Int {\n  val ch = this.code\n  val index =
binarySearchRange(Digit.rangeStart, ch)\n  val diff = ch - Digit.rangeStart[index]\n  return if (diff < 10) diff else -1\n}\n\n/**\n * Returns `true` if this
character is a digit.\n */\ninternal fun Char.isDigitImpl(): Boolean {\n  return digitToIntImpl() >= 0\n}\n", "/*\n *
Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n/\n\n// 222 ranges totally\nprivate object Letter {\n  val decodedRangeStart: IntArray\n  val decodedRangeLength: IntArray\n  val decodedRangeCategory: IntArray\n  \n  init {\n    val toBase64 =
\"ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/\n\" val fromBase64 =
IntArray(128)\n    for (i in toBase64.indices) {\n      fromBase64[toBase64[i].code]
= i\n    }\n    \n    // rangeStartDiff.length = 356\n    val rangeStartDiff =
\"hCgBpCQGYHZH5BRpBPPPPPRMP5BPPICPP6BkEPPPPcXPzBvBrB3BOiDoBHwD+E3DauCnFmBmB2D
6E1BIBTiBmBIBP5BhBiBrBvBjBqBnBPRtBiCmCtBIB0BmB5BiB7BmBgEmChBZgCoEoGVpBSfRhBPqKQ2B
wBYoFgB4CJuTiEvBuCuDrF5DgEgFIJ1DgFmBQtBsBRGsB+BPiBID1EIjDPRPPPPPPPPPGQSQS/DxENVNU+
B9zCwBwBPPCkDPNnBPqDYY1R8B7FkFgTgwGgwUwmBgKwBuBScmEP/BPPPPPrBP8B7F1B/ErBqC6B7B
iBmBfQsBUwCw/KwqIwLwETPcPjQgJxFgBIBsD\"\n    val diff = decodeVarLenBase64(rangeStartDiff,
fromBase64, 222)\n    val start = IntArray(diff.size)\n    for (i in diff.indices) {\n      if (i == 0) start[i] =
diff[i]\n      else start[i] = start[i - 1] + diff[i]\n    }\n    decodedRangeStart = start\n    \n    //
rangeLength.length = 328\n    val rangeLength =
\"aaMBXHYH5BRpBPPPPPRMP5BPPICPPzBDOOPPcXPzBvBjB3BOhDmBBpB7DoDYxB+EiBP1DoExBkB
QhBekBPmBgBhBctBiBMWOOXhCsBpBkBUV3Ba4BkB0DICgBXgBtD4FSdBfPhBPpKP0BvBXjEQ2CGsT8Dh
BtCqDpFvD1D3E0IrD2EkBJrBDOBsB+BPiBIB1EIjDPPPPPPPPPPPGPPMNLsBNPNPKCvBvBPPCkDPBmBPh
DXXgD4B6FzEgDguG9vUtkB9JcuBSckEP/BPPPPPPBPf4FrBjEhBpC3B5BKaWPrBOWck/KsCuLqDHPbPxPsFt
EaaqDL\"\n    \n    decodedRangeLength = decodeVarLenBase64(rangeLength, fromBase64, 222)\n    \n    //
rangeCategory.length = 959\n    val rangeCategory =
\"GFjgggUHGFFZZZmzpz5qB6s6020B60ptltB6smt2sB60mz22B1+vv+8BZZ5s2850BW5q1ymtB506smzBF3q1
q1qB1q1q1+Bgii4wDTm74g3KigxqM60q1q1Bq1o1q1BF1qlrqrBZ2q5wprBGFZWWZGHFsjiioLowgmOowjkw
CkgoiIk7ligGogioBkwkiYkzj2oNoi+sbkwj04DghhkQ8wgiYkgoioDsgnkwC4gikQ//v+85BkwvoIsgoyI4ygu0whiw
Eowri4CoghsJowgqYowgm4DkwgsY/nwnzPowhmYkg6wI8yggZswikwHgXgmIoxgqYkwgk4DkxgmIkgoioBsgsso
BgzygYl8g9gL8g9ki0wgwJoxgkoC0wgioFkw/wI0w53iF4gioYowjmgBHGq1qkgwBF1q1q8qBHwghuIwghyKk0go
QkwgoQk3goQHGFHkyg0pBgxj6IoinkxDswno7Ikwhz9Bo0gioB8z48Rwli0xN0mpjoX8w78pDwltoqKHFGGwwg
sIHFH3q1q16BFHWFZ1q10q1B2qlwq1B1q10q1B2q1yq1B6q1gq1Biq1qhxBir1qp1Bqt1q1qB1g1q1+B//3q16B///q
1qBH/qlq9Bholq9B1i00a1q10qD1op1HkwmgEigy6Cptogq1Bix01kDq7/j00B2qgoBWGFm1lz50B6s5q1+BG
WhggzhwBFFhgk4/Bo2jigE8wguI8wguI8wgugUog1qoB4qjmIwwi2KkgYHHH4IBgiFWkgIWOghssMmz5smrBZ
3q1y50B5sm7gzBtz1smzB5smz50BqzqtmbZ5sgzqzBF2/9//5BowgoIwmnkzPkwgk4C8ys65BkgoqI0wgy6FghquZ0
2giY0ghiIsgH24B4ghsQ8QF/v1q1OFs0O8iCHHF1qggz/B8wg6Izvnv//B08QgohsjK0QGfK7hsQ4gB\"\n

```

```

    decodedRangeCategory = decodeVarLenBase64(rangeCategory, fromBase64, 222)\n    }\n}\n\n/**\n * Returns
`true` if this character is a letter.\n */\ninternal fun Char.isLetterImpl(): Boolean {\n    return getLetterType() !=
0\n}\n\n/**\n * Returns `true` if this character is a lower case letter, or it has contributory property
`Other_Lowercase`.\n */\ninternal fun Char.isLowerCaseImpl(): Boolean {\n    return getLetterType() == 1 ||
code.isOtherLowercase()\n}\n\n/**\n * Returns `true` if this character is an upper case letter, or it has contributory
property `Other_Uppercase`.\n */\ninternal fun Char.isUpperCaseImpl(): Boolean {\n    return getLetterType() == 2
|| code.isOtherUppercase()\n}\n\n/**\n * Returns\n * - `1` if the character is a lower case letter,\n * - `2` if the character is an upper case letter,\n * - `3`
if the character is a letter but not a lower or upper case letter,\n * - `0` otherwise.\n */\nprivate fun
Char.getLetterType(): Int {\n    val ch = this.code\n    val index = binarySearchRange(Letter.decodedRangeStart,
ch)\n    val rangeStart = Letter.decodedRangeStart[index]\n    val rangeEnd = rangeStart +
Letter.decodedRangeLength[index] - 1\n    val code = Letter.decodedRangeCategory[index]\n    if (ch > rangeEnd)
{\n        return 0\n    }\n    val lastTwoBits = code and 0x3\n    if (lastTwoBits == 0) { // gap pattern\n        var
shift = 2\n        var threshold = rangeStart\n        for (i in 0..1) {\n            threshold += (code shr shift) and 0x7f\n
            if (threshold > ch) {\n                return 3\n            }\n            shift += 7\n            threshold += (code shr shift) and
0x7f\n            if (threshold > ch) {\n                return 0\n            }\n            shift += 7\n        }\n        return 3\n    }\n    if (code <= 0x7) {\n        return
lastTwoBits\n    }\n    val distance = (ch - rangeStart)\n    val shift = if (code <= 0x1f) distance % 2 else distance\n
return (code shr (2 * shift)) and 0x3\n}\n\n"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\npackage kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the
GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\nprivate object
OtherLowercase {\n    internal val otherLowerStart = intArrayOf(\n        0x00aa, 0x00ba, 0x02b0, 0x02c0, 0x02e0,
0x0345, 0x037a, 0x1d2c, 0x1d78, 0x1d9b, 0x2071, 0x207f, 0x2090, 0x2170, 0x24d0, 0x2c7c, 0xa69c, 0xa770,
0xa7f8, 0xab5c, \n    )\n    internal val otherLowerLength = intArrayOf(\n
        1, 1, 9, 2, 5, 1, 1, 63, 1, 37, 1, 1, 13, 16, 26, 2, 2, 1, 2, 4, \n    )\n}\n\ninternal fun Int.isOtherLowercase():
Boolean {\n    val index = binarySearchRange(OtherLowercase.otherLowerStart, this)\n    return index >= 0 && this
< OtherLowercase.otherLowerStart[index] + OtherLowercase.otherLowerLength[index]\n}\n\n"/*\n * Copyright
2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.text\n\n/\n//
NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\ninternal fun Int.isOtherUppercase(): Boolean
{\n    return this in 0x2160..0x216f\n        || this in 0x24b6..0x24cf\n}\n\n"/*\n * Copyright 2010-2021 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.text\n\n/\n// NOTE: THIS FILE
IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\nimport kotlin.js.*\n\n/**\n * Returns a
character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char
sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun
CharSequence.elementAt(index: Int): Char {\n    return elementAtOrElse(index) { throw
IndexOutOfBoundsException("index: $index, length: $length") }\n}\n\n"/*\n * Copyright 2010-2021 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.text\n\n/\n// NOTE: THIS FILE IS
AUTO-GENERATED by the GenerateUnicodeData.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\n4 ranges totally\n\ninternal fun Char.titlecaseCharImpl(): Char {\n    val code = this.code\n    // Letters repeating <Lu,
Lt, Ll> sequence and code of the Lt is a multiple of 3, e.g. <\u01c4, \u01c5, \u01c6>\n    if (code in 0x01c4..0x01cc
|| code in 0x01f1..0x01f3) {\n        return (3 * ((code + 1) / 3)).toChar()\n    }\n    // Lower case letters whose title

```

```

case mapping equivalent is equal to the original letter\n  if (code in 0x10d0..0x10fa || code in 0x10fd..0x10ff) {\n
  return this\n  }\n  return uppercaseChar()\n}", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *^\n\npackage kotlin.collections\n\n/\n\n// NOTE: THIS FILE IS AUTO-
GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport
kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.elementAt(index: Int):
UInt {\n  return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n
}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.elementAt(index: Int):
ULong {\n  return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n
}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException]
if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.elementAt(index: Int):
UByte {\n  return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n
}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UShortArray.elementAt(index: Int):
UShort {\n  return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n
}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.asList(): List<UInt> {\n
return object : AbstractList<UInt>(),
RandomAccess {\n  override val size: Int get() = this@asList.size\n  override fun isEmpty(): Boolean =
this@asList.isEmpty()\n  override fun contains(element: UInt): Boolean = this@asList.contains(element)\n
override fun get(index: Int): UInt {\n    AbstractList.checkElementIndex(index, size)\n    return
this@asList[index]\n  }\n  override fun indexOf(element: UInt): Int {\n    @Suppress("USELESS_CAST")\n    if ((element as Any?) !is UInt) return -1\n    return
this@asList.indexOf(element)\n  }\n  override fun lastIndexOf(element: UInt): Int {\n    @Suppress("USELESS_CAST")\n    if ((element as Any?) !is UInt) return -1\n    return
this@asList.lastIndexOf(element)\n  }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.asList(): List<ULong>
{\n  return
object : AbstractList<ULong>(), RandomAccess {\n  override val size: Int get() = this@asList.size\n
override fun isEmpty(): Boolean = this@asList.isEmpty()\n  override fun contains(element: ULong): Boolean =
this@asList.contains(element)\n  override fun get(index: Int): ULong {\n    AbstractList.checkElementIndex(index, size)\n    return this@asList[index]\n  }\n  override fun
indexOf(element: ULong): Int {\n    @Suppress("USELESS_CAST")\n    if ((element as Any?) !is
ULong) return -1\n    return this@asList.indexOf(element)\n  }\n  override fun lastIndexOf(element:
ULong): Int {\n    @Suppress("USELESS_CAST")\n    if ((element as Any?) !is ULong) return -1\n    return
this@asList.lastIndexOf(element)\n  }\n}\n\n/**\n * Returns a [List] that wraps the original
array.\n *^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.asList():
List<UByte> {\n  return object : AbstractList<UByte>(), RandomAccess {\n  override val size: Int get() =
this@asList.size\n  override fun isEmpty(): Boolean = this@asList.isEmpty()\n  override fun

```

```
contains(element: UByte): Boolean = this@asList.contains(element)\n    override fun get(index: Int): UByte {\n        AbstractList.checkElementIndex(index, size)\n        return this@asList[index]\n    }\n    override fun\n    indexOf(element: UByte): Int {\n        @Suppress("USELESS_CAST")\n        if ((element as Any?) !=\n        UByte) return -1\n        return this@asList.indexOf(element)\n    }\n    override fun lastIndexOf(element:\n    UByte): Int {\n        @Suppress("USELESS_CAST")\n        if ((element as Any?) != UByte) return -1\n        return this@asList.lastIndexOf(element)\n    }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n *\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic\nactual fun UShortArray.asList(): List<UShort> {\n    return object : AbstractList<UShort>(), RandomAccess {\n        override val size: Int get() = this@asList.size\n        override fun isEmpty(): Boolean = this@asList.isEmpty()\n        override fun contains(element: UShort): Boolean = this@asList.contains(element)\n        override fun get(index:\n        Int): UShort {\n            AbstractList.checkElementIndex(index, size)\n            return this@asList[index]\n        }\n        override fun indexOf(element: UShort): Int {\n            @Suppress("USELESS_CAST")\n            if ((element as\n            Any?) != UShort) return -1\n            return this@asList.indexOf(element)\n        }\n        override fun\n        lastIndexOf(element: UShort): Int {\n            @Suppress("USELESS_CAST")\n            if ((element as Any?) !=\n            UShort) return -1\n            return this@asList.lastIndexOf(element)\n        }\n    }\n}\n\n"/\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the\n GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n// 9 ranges\n totally\n/**\n * Returns `true` if this character is a whitespace.\n */\n\ninternal fun Char.isWhitespaceImpl(): Boolean\n{\n    val ch = this.code\n    return ch in 0x0009..0x000d\n        || ch in 0x001c..0x0020\n        || ch == 0x00a0\n        || ch > 0x1000 && (\n            ch == 0x1680\n            || ch in 0x2000..0x200a\n            || ch == 0x2028\n            || ch == 0x2029\n            || ch == 0x202f\n            || ch == 0x205f\n            || ch == 0x3000\n        )\n}\n\n"/\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache\n 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n\npublic actual fun interface\n Comparator<T> {\n    @JsName("compare")\n    public actual fun compare(a: T, b: T): Int\n}\n\n"/\n * Copyright\n 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed\n by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport\n kotlin.annotation.AnnotationTarget.*\n\n@Target(FUNCTION)\n@Deprecated("Use inline extension function with\n body using dynamic")\npublic annotation class nativeGetter\n\n@Target(FUNCTION)\n@Deprecated("Use inline\n extension function with body using dynamic")\npublic annotation class\n nativeSetter\n\n@Target(FUNCTION)\n@Deprecated("Use inline extension function with body using\n dynamic")\npublic annotation class nativeInvoke\n\n@Target(CLASS, FUNCTION, PROPERTY)\n\ninternal\n annotation class library(public val name: String = "")\n\n@Target(CLASS)\n\ninternal\n annotation class marker\n\n/**\n * Gives a declaration (a function, a property or a class) specific name in\n JavaScript.\n */\n * This may be useful in the following cases:\n * * There are two functions for which the\n compiler gives same name in JavaScript, you can\n * mark one with `@JsName(...)` to prevent the compiler from\n reporting error.\n * * You are writing a JavaScript library in Kotlin. The compiler produces mangled names\n * for functions with parameters, which is unnatural for usual JavaScript developer.\n * You can put `@JsName(...)`\n * on functions you want to be available from JavaScript.\n * * For some reason you want to rename declaration, e.g.\n there's common term in JavaScript\n * for a concept provided by the declaration, which is uncommon in Kotlin.\n */\n * Example:\n */\n * ```\n kotlin\n * class Person(val name: String) {\n *     fun hello() {\n *         println("Hello\n * $name!")\n *     }\n * }\n * @JsName("helloWithGreeting")\n * fun hello(greeting: String) {\n *     println("$greeting $name!")\n * }\n * }\n *```\n */\n * @property\n name the name which compiler uses both for declaration itself and for all references to the declaration.\n * It's\n required to denote a valid JavaScript identifier.\n */\n\n\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR,
```

PROPERTY\_GETTER, PROPERTY\_SETTER)\npublic actual annotation class JsName(actual val name: String)\n\n/\*\n \* Denotes an `external` declaration that must be imported from native JavaScript library.\n \*\n \* The compiler produces the code relevant for the target module system, for example, in case of CommonJS,\n \* it will import the declaration via the `require(...)` function.\n \*\n \* The annotation can be used on top-level external declarations (classes, properties, functions) and files.\n \* In case of file (which can't be `external`) the following rule applies: all the declarations in\n\n \* the file must be `external`. By applying `@JsModule(...)` on a file you tell the compiler to import a JavaScript object\n \* that contain all the declarations from the file.\n \*\n \* Example:\n \*\n \* ``` kotlin\n \* @JsModule("jquery")\n \* external abstract class JQuery() {\n \* // some declarations here\n \* }\n \*\n \* @JsModule("jquery")\n \* external fun JQuery(element: Element): JQuery\n \* ```\n \*\n \* @property import name of a module to import declaration from.\n \* It is not interpreted by the Kotlin compiler, it's passed as is directly to the target module system.\n \*\n \* @see JsNonModule\n\n\*/\n\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\npublic annotation class JsModule(val import: String)\n\n/\*\n \* Denotes an `external` declaration that can be used without module system.\n \*\n \* By default, an `external` declaration is available regardless your target module system.\n \*\n \* However, by applying [JsModule] annotation you can make a\n\n \* declaration unavailable to \*plain\* module system.\n \*\n \* Some JavaScript libraries are distributed both as a standalone downloadable piece of JavaScript and as a module available\n \* as an npm package.\n \*\n \* To tell the Kotlin compiler to accept both cases, you can augment [JsModule] with the `@JsNonModule` annotation.\n \*\n \* For example:\n \*\n \* ``` kotlin\n \* @JsModule("jquery")\n \* @JsNonModule\n \* @JsName("\$")\n \* external abstract class JQuery()\n \* {\n \* // some declarations here\n \* }\n \*\n \* @JsModule("jquery")\n \* @JsNonModule\n \* @JsName("\$")\n \* external fun JQuery(element: Element): JQuery\n \* ```\n \*\n \* @see JsModule\n\n\*/\n\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\npublic annotation class JsNonModule\n\n/\*\n \* Adds prefix to `external` declarations in a source file.\n \*\n \* JavaScript does not have concept of packages (namespaces). They are usually emulated by nested objects.\n \*\n \* The compiler turns references to `external` declarations\n\n \* either to plain unprefixed names (in case of \*plain\* modules)\n \* or to plain imports.\n \*\n \* However, if a JavaScript library provides its declarations in packages, you won't be satisfied with this.\n \*\n \* You can tell the compiler to generate additional prefix before references to `external` declarations using the `@JsQualifier(...)`\n \* annotation.\n \*\n \* Note that a file marked with the `@JsQualifier(...)` annotation can't contain non-`external` declarations.\n \*\n \* Example:\n \*\n \* ``` kotlin\n \* @file:JsQualifier("my.jsPackageName")\n \* package some.kotlinPackage\n \* external fun foo(x: Int)\n \* external fun bar(): String\n \* ```\n \*\n \* @property value the qualifier to add to the declarations in the generated code.\n \* It must be a sequence of valid JavaScript identifiers separated by the `.`\n \* character.\n \* Examples of valid qualifiers are: `foo`, `bar.Baz`, `\_.\$.f`.\n \*\n \* @see JsModule\n\n\*/\n\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.FILE)\npublic annotation class JsQualifier(val value: String)\n\n/\*\n \* Exports top-level declaration on JS platform.\n \*\n \* Compiled module exposes declarations that are marked with this annotation without name mangling.\n \*\n \* This annotation can be applied to either files or top-level declarations.\n \*\n \* It is currently prohibited to export the following kinds of declarations:\n \*\n \* \* `expect` declarations\n \* \* inline functions with reified type parameters\n \* \* suspend functions\n \* \* secondary constructors without `@JsName`\n \* \* extension properties\n \* \* enum classes\n \* \* annotation classes\n \*\n \* Signatures of exported declarations must only contain `exportable` types:\n \*\n \* \* `dynamic`, `Any`, `String`, `Boolean`, `Byte`, `Short`, `Int`, `Float`, `Double`\n \* \* `BooleanArray`, `ByteArray`, `ShortArray`, `IntArray`, `FloatArray`, `DoubleArray`\n \* \* `Array<exportable-type>`\n \* \* Function types with exportable parameters and return types\n \*\n \* \* `external` or `@JsExport` classes and interfaces\n \* \* Nullable counterparts of types above\n \* \* Unit return type. Must not be nullable\n \*\n \* This annotation is experimental, meaning that restrictions mentioned above are subject to change.\n\n\*/\n\n@ExperimentalJsExport\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\n@SinceKotlin("1.3")\npublic actual annotation class JsExport\n\n/\*\n \* \*/

Forces a top-level property to be initialized eagerly, opposed to lazily on the first access to file and/or property.  
\*  
@ExperimentalStdlibApi  
@Retention(AnnotationRetention.BINARY)  
@Target(AnnotationTarget.PROPERTY)  
@SinceKotlin("1.6")  
@Deprecated("This annotation is a temporal migration assistance and may be removed in the future releases, please consider filing an issue about the case where it is needed")  
public annotation class EagerInitialization  
", /\*  
\* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.

\* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.  
\*  
package kotlin.jvm  
// these are used in common generated code in stdlib  
// TODO: find how to deprecate these ones  
@Target(AnnotationTarget.FIELD)  
@Retention(AnnotationRetention.SOURCE)  
public actual annotation class Volatile  
@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY\_GETTER,

AnnotationTarget.PROPERTY\_SETTER)  
@Retention(AnnotationRetention.SOURCE)  
public actual annotation class Synchronized  
", /\*  
\* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.  
\* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.  
\*  
package kotlin.collections  
/\*\*  
\* Provides a skeletal implementation of the [MutableCollection] interface.  
\*  
\* @param E the type of elements contained in the collection. The collection is invariant in its element type.

\*  
public actual abstract class AbstractMutableCollection<E> protected actual constructor() :  
AbstractCollection<E>(), MutableCollection<E> {  
 actual abstract override fun add(element: E): Boolean  
 actual override fun remove(element: E): Boolean {  
 checkIsMutable()  
 val iterator = iterator()  
 while (iterator.hasNext()) {  
 if (iterator.next() == element) {  
 iterator.remove()  
 return true  
 }  
 }  
 return false  
 }  
 actual override fun addAll(elements: Collection<E>): Boolean {  
 checkIsMutable()  
 var modified = false  
 for (element in elements) {  
 if (add(element))  
 modified = true  
 }  
 return modified  
 }  
 actual override fun removeAll(elements: Collection<E>): Boolean {  
 checkIsMutable()  
 return (this as MutableIterable<E>).removeAll { it in elements }  
 }  
 actual override fun retainAll(elements:

Collection<E>): Boolean {  
 checkIsMutable()  
 return (this as MutableIterable<E>).removeAll { it !in elements }  
 }  
 actual override fun clear(): Unit {  
 checkIsMutable()  
 val iterator = this.iterator()  
 while (iterator.hasNext()) {  
 iterator.next()  
 iterator.remove()  
 }  
 }

@Deprecated("Provided so that subclasses inherit this function", level = DeprecationLevel.HIDDEN)

@JsName("toJSON")  
protected fun toJSON(): Any = this.toArray()  
/\*\*  
\* This method is called every time when a mutating method is called on this mutable collection.  
\* Mutable collections that are built (frozen) must throw `UnsupportedOperationException`.  
\*  
internal open fun checkIsMutable(): Unit {  
}  
", /\*  
\* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.  
\* Use of this source code is governed by the Apache 2.0 license that can be

found in the license/LICENSE.txt file.  
\*  
package kotlin.collections  
/\*\*  
\* Provides a skeletal implementation of the [MutableList] interface.  
\*  
\* @param E the type of elements contained in the list. The list is invariant in its element type.

\*  
public actual abstract class AbstractMutableList<E> protected actual constructor() :

AbstractMutableCollection<E>(), MutableList<E> {  
 protected var modCount: Int = 0  
 abstract override fun add(index: Int, element: E): Unit  
 abstract override fun removeAt(index: Int): E  
 abstract override fun set(index: Int, element: E): E  
 /\*\*  
 \* Adds the specified element to the end of this list.  
 \*  
 \* @return `true` because the list is always modified as the result of this operation.  
 \*  
 actual override fun add(element: E): Boolean {  
 checkIsMutable()  
 add(size, element)  
 return true  
 }

actual override fun addAll(index: Int, elements: Collection<E>): Boolean {

AbstractList.checkPositionIndex(index, size)  
checkIsMutable()  
var \_index = index  
var changed = false  
for (e in elements) {  
 add(\_index++, e)  
 changed = true  
}  
return changed  
}  
actual override fun clear() {  
 checkIsMutable()  
 removeRange(0, size)  
}  
actual





```

contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n * Based
on GWT AbstractMap\n * Copyright 2007 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a
skeletal implementation of the [MutableMap] interface.\n */\n * The implementor is required to implement [entries]
property, which should return mutable set of map entries, and [put] function.\n */\n * @param K the type of map
keys. The map is invariant in its key type.\n */\n * @param V the type of map values. The map is invariant in its value
type.\n */\n\npublic actual abstract class AbstractMutableMap<K, V> protected actual constructor() : AbstractMap<K,
V>(), MutableMap<K, V> {\n\n    /**\n     * A mutable [Map.Entry] shared by several [Map] implementations.\n
*/\n     internal open class SimpleEntry<K, V>(override val key: K, value: V) : MutableMap.MutableEntry<K, V>
{\n     constructor(entry: Map.Entry<K, V>) : this(entry.key, entry.value)\n     private var _value = value\n\n
override val value: V get() = _value\n\n     override fun setValue(newValue: V): V {\n
        // Should check if the map containing this entry is mutable.\n     // However, to not increase entry
memory footprint it might be worthwhile not to check it here and\n     // force subclasses that implement
`build()` (freezing) operation to implement their own `MutableEntry`.\n\n
this@AbstractMutableMap.checkIsMutable()\n     val oldValue = this._value\n     this._value = newValue\n\n
return oldValue\n     }\n\n     override fun hashCode(): Int = entryHashCode(this)\n     override fun
toString(): String = entryToString(this)\n     override fun equals(other: Any?): Boolean = entryEquals(this,
other)\n     }\n\n     // intermediate abstract class to workaround KT-43321\n     internal abstract class
AbstractEntrySet<E : Map.Entry<K, V>, K, V> : AbstractMutableSet<E>() {\n     final override fun
contains(element: E): Boolean = containsEntry(element)\n     abstract fun containsEntry(element: Map.Entry<K,
V>): Boolean\n\n     final override fun remove(element: E): Boolean = removeEntry(element)\n     abstract fun
removeEntry(element: Map.Entry<K, V>): Boolean\n     }\n\n     actual override fun clear() {\n     entries.clear()\n
}\n\n     private var _keys: MutableSet<K>? = null\n     actual override val keys: MutableSet<K>\n     get() {\n
if (_keys == null) {\n         _keys = object : AbstractMutableSet<K>() {\n         override fun
add(element: K): Boolean = throw UnsupportedOperationException("Add is not supported on keys")\n\n
override fun clear() {\n             this@AbstractMutableMap.clear()\n         }\n\n         override
operator fun contains(element: K): Boolean = containsKey(element)\n\n         override operator fun iterator():
MutableIterator<K> {\n             val entryIterator = entries.iterator()\n             return object :
MutableIterator<K> {\n\n                 override fun hasNext(): Boolean = entryIterator.hasNext()\n\n                 override fun next(): K =
entryIterator.next().key\n\n                 override fun remove() = entryIterator.remove()\n             }\n         }\n\n         override fun remove(element: K): Boolean {\n             checkIsMutable()\n             if (containsKey(element)) {\n                 this@AbstractMutableMap.remove(element)\n                 return true\n             }\n             return false\n         }\n\n         override val size: Int get() =
this@AbstractMutableMap.size\n\n         override fun checkIsMutable(): Unit =
this@AbstractMutableMap.checkIsMutable()\n     }\n     }\n     return _keys!!\n     }\n\n     actual
abstract override fun put(key: K, value: V): V?\n     actual override fun putAll(from:
Map<out K, V>)\n     checkIsMutable()\n     for ((key, value) in from) {\n     put(key, value)\n     }\n
}\n\n     private var _values: MutableCollection<V>? = null\n     actual override val values: MutableCollection<V>\n
get() {\n     if (_values == null) {\n         _values = object : AbstractMutableCollection<V>() {\n
override fun add(element: V): Boolean = throw UnsupportedOperationException("Add is not supported on
values")\n\n         override fun clear() = this@AbstractMutableMap.clear()\n\n         override operator
fun contains(element: V): Boolean = containsValue(element)\n\n         override operator fun iterator():
MutableIterator<V> {\n             val entryIterator = entries.iterator()\n             return object :
MutableIterator<V> {\n\n                 override fun hasNext(): Boolean = entryIterator.hasNext()\n\n
override fun

```

```

next(): V = entryIterator.next().value\n                override fun remove() = entryIterator.remove()\n    }\n        }\n            override val size: Int get() = this@AbstractMutableMap.size\noverride fun checkIsMutable(): Unit = this@AbstractMutableMap.checkIsMutable()\n        }\n    }\nreturn _values!!\n    }\n\n actual override fun remove(key: K): V? {\n    checkIsMutable()\n    val iter =\nentries.iterator()\n    while (iter.hasNext()) {\n        val entry = iter.next()\n        val k = entry.key\n        if\n(key == k) {\n            val value = entry.value\n            iter.remove()\n            return value\n        }\n    }\n    return null\n}\n\n /**\n * This method is called every time when a mutating method is called on\nthis mutable map.\n * Mutable maps that are built (frozen) must throw `UnsupportedOperationException`.\n\n */\n\n internal open fun checkIsMutable(): Unit {\n}\n\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin\nProgramming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be\nfound in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal\nimplementation of the [MutableSet] interface.\n */\n * @param E the type of elements contained in the set. The set is\ninvariant in its element type.\n */\n\npublic actual abstract class AbstractMutableSet<E> protected actual constructor()\n: AbstractMutableCollection<E>(), MutableSet<E> {\n\n    /**\n     * Compares this set with another set instance\nwith the unordered structural equality.\n     *\n     * @return `true`, if [other] instance is a [Set] of the same size, all\nelements of which are contained in this set.\n     */\n\n    override fun equals(other: Any?): Boolean {\n        if (other\n=== this) return true\n        if (other !is\nSet<*>) return false\n        return AbstractSet.setEquals(this, other)\n    }\n\n    /**\n     * Returns the hash code\nvalue for this set.\n     */\n\n    override fun hashCode(): Int = AbstractSet.unorderedHashCode(this)\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is\ngoverned by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage\nkotlin.collections\n\n/**\n * Provides a [MutableList] implementation, which uses a resizable array as its backing\nstorage.\n */\n * This implementation doesn't provide a way to manage capacity, as backing JS array is\nresizeable\nitself.\n * There is no speed advantage to pre-allocating array sizes in JavaScript, so this\nimplementation does not\ninclude any of the\n * capacity and \"growth increment\" concepts.\n */\n\npublic actual open class ArrayList<E>\ninternal constructor(private var array: Array<Any?>) : AbstractMutableList<E>(),\nMutableList<E>,\nRandomAccess {\n    private var isReadOnly: Boolean = false\n\n    /**\n     * Creates an empty [ArrayList].\n     */\n\n    public actual constructor() : this(emptyArray()) {\n}\n\n    /**\n     * Creates an empty [ArrayList].\n     */\n\n    @param initialCapacity initial capacity (ignored)\n     */\n\n    public actual constructor(initialCapacity: Int) :\nthis(emptyArray()) {\n}\n\n    /**\n     * Creates an [ArrayList] filled from the [elements] collection.\n     */\n\n    public\nactual constructor(elements: Collection<E>) : this(elements.toArray<Any?>()) {\n}\n\n    @PublishedApi\ninternal fun build(): List<E> {\n    checkIsMutable()\n    isReadOnly = true\n    return this\n}\n\n /**\nDoes nothing in this ArrayList implementation.\n     */\n\n    public actual fun trimToSize() {\n}\n\n    /**\nDoes nothing in\nthis ArrayList implementation.\n     */\n\n    public actual fun ensureCapacity(minCapacity: Int) {\n}\n\n    actual override\nval size: Int get() = array.size\n\n    @Suppress(\"UNCHECKED_CAST\")\n\n    actual override fun get(index: Int): E = array[rangeCheck(index)] as E\n\n    actual override fun set(index: Int,\nelement: E): E {\n    checkIsMutable()\n    rangeCheck(index)\n\n    @Suppress(\"UNCHECKED_CAST\")\n    return array[index].apply { array[index] = element } as E\n}\n\n    actual override fun add(element: E): Boolean\n{\n    checkIsMutable()\n    array.asDynamic().push(element)\n    modCount++\n    return true\n}\n\n    actual override fun add(index: Int, element: E): Unit {\n    checkIsMutable()\n    array.asDynamic().splice(insertionRangeCheck(index), 0, element)\n    modCount++\n}\n\n    actual override\nfun addAll(elements: Collection<E>): Boolean {\n    checkIsMutable()\n    if (elements.isEmpty()) return\nfalse\n\n    array += elements.toArray<Any?>()\n    modCount++\n    return true\n}\n\n    actual\noverride fun addAll(index: Int, elements: Collection<E>): Boolean {\n    checkIsMutable()\n    insertionRangeCheck(index)\n\n    if (index == size) return addAll(elements)\n    if\n(elements.isEmpty()) return false\n    when (index) {\n        size -> return addAll(elements)\n        0 -> array\n= elements.toArray<Any?>() + array\n        else -> array = array.copyOfRange(0,\nindex).asDynamic().concat(elements.toArray<Any?>(), array.copyOfRange(index, size))\n}\n}\n}

```

```

modCount++\n    return true\n }\n\n actual override fun removeAt(index: Int): E {\n    checkIsMutable()\n    rangeCheck(index)\n    modCount++\n    return if (index == lastIndex)\n        array.asDynamic().pop()\n    else\n        array.asDynamic().splice(index, 1)[0]\n }\n\n actual override fun remove(element: E): Boolean {\n    checkIsMutable()\n    for (index in array.indices) {\n        if (array[index] == element) {\n            array.asDynamic().splice(index, 1)\n            modCount++\n            return true\n        }\n    }\n    return false\n }\n\n override fun removeRange(fromIndex: Int, toIndex: Int) {\n    checkIsMutable()\n    modCount++\n    array.asDynamic().splice(fromIndex, toIndex - fromIndex)\n }\n\n actual override fun clear() {\n    checkIsMutable()\n    array = emptyArray()\n    modCount++\n }\n\n\n actual override fun indexOf(element: E): Int = array.indexOf(element)\n\n actual override fun lastIndexOf(element: E): Int = array.lastIndexOf(element)\n\n override fun toString() = arrayToString(array)\n\n @Suppress("UNCHECKED_CAST")\n override fun <T> toArray(array: Array<T>): Array<T> {\n    if (array.size < size) {\n        return toArray() as Array<T>\n    }\n    (this.array as Array<T>).copyInto(array)\n    if (array.size > size) {\n        array[size] = null as T // null-terminate\n    }\n    return array\n }\n\n override fun toArray(): Array<Any?> {\n    return js("[ ]").slice.call(array)\n }\n\n\n internal override fun checkIsMutable() {\n    if (isReadOnly) throw UnsupportedOperationException()\n }\n\n\n private fun rangeCheck(index: Int) = index.apply {\n    AbstractList.checkElementIndex(index, size)\n }\n\n\n private fun insertionRangeCheck(index: Int) = index.apply {\n    AbstractList.checkPositionIndex(index, size)\n }\n}", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n\ninternal fun <T> sortArrayWith(array: Array<out T>, comparison: (T, T) -> Int) {\n    if (getStableSortingIsSupported()) {\n        array.asDynamic().sort(comparison)\n    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, Comparator(comparison))\n    }\n}\n\n\ninternal fun <T> sortArrayWith(array: Array<out T>, comparator: Comparator<in T>) {\n    if (getStableSortingIsSupported()) {\n        val comparison = { a: T, b: T -> comparator.compare(a, b) }\n        array.asDynamic().sort(comparison)\n    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, comparator)\n    }\n}\n\n\ninternal fun <T> sortArrayWith(array: Array<out T>, fromIndex: Int, toIndex: Int, comparator: Comparator<in T>) {\n    if (fromIndex < toIndex - 1) {\n        mergeSort(array.unsafeCast<Array<T>>(), fromIndex, toIndex - 1, comparator)\n    }\n}\n\n\ninternal fun <T : Comparable<T>> sortArray(array: Array<out T>) {\n    if (getStableSortingIsSupported()) {\n        val comparison = { a: T, b: T -> a.compareTo(b) }\n        array.asDynamic().sort(comparison)\n    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, naturalOrder())\n    }\n}\n\n\nprivate var _stableSortingIsSupported: Boolean? = null\n\nprivate fun getStableSortingIsSupported(): Boolean {\n    {\n        _stableSortingIsSupported?.let { return it }\n        _stableSortingIsSupported = false\n\n        val array = js("[ ]").unsafeCast<Array<Int>>()\n        // known implementations may use stable sort for arrays of up to 512 elements\n        // so we create slightly more elements to test stability\n        for (index in 0 until 600)\n            array.asDynamic().push(index)\n        val comparison = { a: Int, b: Int -> (a and 3) - (b and 3) }\n        array.asDynamic().sort(comparison)\n        for (index in 1 until array.size) {\n            val a = array[index - 1]\n            val b = array[index]\n            if ((a and 3) == (b and 3) && a >= b) return false\n        }\n        _stableSortingIsSupported = true\n    }\n    return true\n}\n\n\nprivate fun <T> mergeSort(array: Array<T>, start: Int, endInclusive: Int, comparator: Comparator<in T>) {\n    val buffer = arrayOfNulls<Any?>(array.size).unsafeCast<Array<T>>()\n    val result = mergeSort(array, buffer, start, endInclusive, comparator)\n    if (result !== array) {\n        for (i in start..endInclusive) array[i] = result[i]\n    }\n}\n\n\n// Both start and end are inclusive indices.\n\nprivate fun <T> mergeSort(array: Array<T>, buffer: Array<T>, start: Int, end: Int, comparator: Comparator<in T>): Array<T> {\n    if (start == end) {\n        return array\n    }\n    val median = (start + end) / 2\n    val left = mergeSort(array, buffer, start, median, comparator)\n    val right = mergeSort(array, buffer, median + 1, end, comparator)\n    val target = if (left === buffer) array else buffer\n    // Merge.\n    var leftIndex = start\n    var rightIndex = median + 1\n    for (i

```

```

in start..end) {\n    when {\n        leftIndex <= median && rightIndex <= end -> {\n            val leftValue =
left[leftIndex]\n            val rightValue = right[rightIndex]\n            if (comparator.compare(leftValue,
rightValue) <= 0) {\n                target[i] = leftValue\n                leftIndex++\n            } else {\n
target[i]
= rightValue\n                rightIndex++\n            }\n        }\n        leftIndex <= median -> {\n
target[i] = left[leftIndex]\n                leftIndex++\n            }\n        else /* rightIndex <= end */ -> {\n
target[i] = right[rightIndex]\n                rightIndex++\n            }\n        }\n        Unit // TODO: Fix KT-31506\n    }\n    }\n
}\n\n    return target\n}", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage
kotlin.collections\n\n\n@OptIn(ExperimentalUnsignedTypes::class)\n@SinceKotlin("1.3")\n@kotlin.js.JsName("
contentDeepHashCodeImpl")\n\ninternal fun <T> Array<out T>?.contentDeepHashCodeImpl(): Int {\n    if (this ==
null) return 0\n    var result = 1\n    for (element in this) {\n        val elementHash = when {\n            element
== null -> 0\n            isArrayish(element) -> (element.unsafeCast<Array<*>()).contentDeepHashCodeImpl()\n\n
            element is UByteArray -> element.contentHashCode()\n            element is UShortArray ->
element.contentHashCode()\n            element is UIntArray -> element.contentHashCode()\n            element is
ULongArray -> element.contentHashCode()\n\n            else -> element.hashCode()\n        }\n\n        result = 31 * result + elementHash\n    }\n    return result\n}", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n\ninterface
EqualityComparator {\n    /**\n     * Subclasses must override to return a value indicating\n     * whether or not two
keys or values are equal.\n     */\n    abstract fun equals(value1: Any?, value2: Any?): Boolean\n\n    /**\n     * Subclasses must override to return the hash code of a given key.\n     */\n    abstract fun
getHashCode(value: Any?): Int\n\n    object HashCode : EqualityComparator {\n        override fun equals(value1:
Any?, value2: Any?): Boolean = value1 == value2\n        override fun getHashCode(value: Any?): Int =
value?.hashCode() ?: 0\n    }\n}", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n/*\n * Based on GWT AbstractHashMap\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based
implementation of the [MutableMap] interface.\n * This implementation makes no guarantees regarding the
order of enumeration of [keys], [values] and [entries] collections.\n */\n\n// Classes that extend HashMap and
implement `build()`
(freezing) operation\n// have to make sure mutating methods check `checkIsMutable`.\n\npublic actual open class
HashMap<K, V> : AbstractMutableMap<K, V>, MutableMap<K, V> {\n    private inner class EntrySet :
AbstractEntrySet<MutableEntry<K, V>, K, V>() {\n        override fun add(element: MutableEntry<K, V>):
Boolean = throw UnsupportedOperationException("Add is not supported on entries")\n        override fun clear()
{\n            this@HashMap.clear()\n        }\n        override fun containsEntry(element: Map.Entry<K, V>): Boolean
= this@HashMap.containsEntry(element)\n        override operator fun iterator():
MutableIterator<MutableEntry<K, V>> = internalMap.iterator()\n        override fun removeEntry(element:
Map.Entry<K, V>): Boolean {\n            if (contains(element)) {\n                this@HashMap.remove(element.key)\n
                return true\n            }\n            return false\n        }\n        override val size: Int get() =
this@HashMap.size\n    }\n\n    /**\n     * Internal implementation of the map: either string-based or hashcode-based.\n     */\n    private
val internalMap: InternalMap<K, V>\n    private val equality: EqualityComparator\n\n    internal
constructor(internalMap: InternalMap<K, V>) : super() {\n        this.internalMap = internalMap\n        this.equality =
internalMap.equality\n    }\n\n    /**\n     * Constructs an empty [HashMap] instance.\n     */\n    actual constructor()
: this(InternalHashCodeMap(EqualityComparator.HashCode))\n\n    /**\n     * Constructs an empty [HashMap]
instance.\n     */\n    @param initialCapacity the initial capacity (ignored)\n     * @param loadFactor the load

```

```

factor (ignored)\n * \n * @throws IllegalArgumentException if the initial capacity or load factor are negative\n
*\n actual constructor(initialCapacity: Int, loadFactor: Float) : this() {\n // This implementation of HashMap
has no need of load factors or capacities.\n require(initialCapacity
>= 0) { \"Negative initial capacity: $initialCapacity\" }\n require(loadFactor >= 0) { \"Non-positive load factor:
$loadFactor\" }\n }\n\n actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n /**\n *
Constructs an instance of [HashMap] filled with the contents of the specified [original] map.\n *\n actual
constructor(original: Map<out K, V>) : this() {\n this.putAll(original)\n }\n\n actual override fun clear() {\n
internalMap.clear()\n// structureChanged(this)\n }\n\n actual override fun containsKey(key: K): Boolean
= internalMap.containsKey()\n\n actual override fun containsValue(value: V): Boolean = internalMap.any {
equality.equals(it.value, value) }\n\n private var _entries: MutableSet<MutableMap.MutableEntry<K, V>>? =
null\n actual override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n get() {\n if
(_entries == null) {\n _entries
= createEntrySet()\n }\n return _entries!!\n }\n\n internal open fun createEntrySet():
MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n actual override operator fun get(key: K): V? =
internalMap.get(key)\n\n actual override fun put(key: K, value: V): V? = internalMap.put(key, value)\n\n actual
override fun remove(key: K): V? = internalMap.remove(key)\n\n actual override val size: Int get() =
internalMap.size\n}\n\n/**\n * Constructs the specialized implementation of [HashMap] with [String] keys, which
stores the keys as properties of\n * JS object without hashing them.\n *\n\npublic fun <V> stringMapOf(vararg pairs:
Pair<String, V>): HashMap<String, V> {\n return HashMap<String,
V>(InternalStringMap(EqualityComparator.HashCode)).apply { putAll(pairs) }\n}\n\n\", \"/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found
in the license/LICENSE.txt file.\n *\n\n*\n * Based on GWT HashSet\n * Copyright 2008 Google Inc.\n
*\n\npackage kotlin.collections\n\n/**\n * The implementation of the [MutableSet] interface, backed by a
[HashMap] instance.\n *\n\n// Classes that extend HashSet and implement `build()` (freezing) operation\n// have to
make sure mutating methods check `checkIsMutable`.\n\npublic actual open class HashSet<E> :
AbstractMutableSet<E>, MutableSet<E> {\n\n internal val map: HashMap<E, Any>\n\n /**\n * Constructs a
new empty [HashSet].\n *\n actual constructor() {\n map = HashMap<E, Any>()\n }\n\n /**\n *
Constructs a new [HashSet] filled with the elements of the specified collection.\n *\n actual
constructor(elements: Collection<E>) {\n map = HashMap<E, Any>(elements.size)\n addAll(elements)\n
}\n\n /**\n * Constructs a new empty [HashSet].\n *\n * @param initialCapacity the initial capacity
(ignored)\n * @param
loadFactor the load factor (ignored)\n * \n * @throws IllegalArgumentException if the initial capacity or
load factor are negative\n *\n actual constructor(initialCapacity: Int, loadFactor: Float) {\n map =
HashMap<E, Any>(initialCapacity, loadFactor)\n }\n\n actual constructor(initialCapacity: Int) :
this(initialCapacity, 0.0f)\n\n /**\n * Protected constructor to specify the underlying map. This is used by\n *
LinkedHashSet.\n *\n * @param map underlying map to use.\n *\n internal constructor(map: HashMap<E,
Any>) {\n this.map = map\n }\n\n actual override fun add(element: E): Boolean {\n val old =
map.put(element, this)\n return old == null\n }\n\n actual override fun clear() {\n map.clear()\n
}\n\n//
public override fun clone(): Any {\n// return HashSet<E>(this)\n// }\n\n actual override operator fun
contains(element: E): Boolean = map.containsKey(element)\n\n actual
override fun isEmpty(): Boolean = map.isEmpty()\n\n actual override fun iterator(): MutableIterator<E> =
map.keys.iterator()\n\n actual override fun remove(element: E): Boolean = map.remove(element) != null\n\n
actual override val size: Int get() = map.size\n}\n\n}\n\n/**\n * Creates a new instance of the specialized
implementation of [HashSet] with the specified [String] elements,\n * which elements the keys as properties of JS
object without hashing them.\n *\n\npublic fun stringSetOf(vararg elements: String): HashSet<String> {\n return
HashSet(stringMapOf<Any>()).apply { addAll(elements) }\n}\n\n\", \"/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that

```

```

can be found in the license/LICENSE.txt file.\n */\n\n * Based on GWT InternalHashMap\n * Copyright
2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport
kotlin.collections.MutableMap.MutableEntry\nimport kotlin.collections.AbstractMutableMap.SimpleEntry\n\n/**\n
 * A simple wrapper around JavaScriptObject to provide [java.util.Map]-like semantics for any\n * key type.\n *\n
 * Implementation notes:\n *\n * A key's hashCode is the index in backingMap which should contain that
key. Since several keys may\n * have the same hash, each value in hashCodeMap is actually an array containing all
entries whose\n * keys share the same hash.\n */\n\ninternal class InternalHashMap<K, V>(override val equality:
EqualityComparator) : InternalMap<K, V> {\n\n    private var backingMap: dynamic = createJsMap()\n    override
var size: Int = 0\n    private set\n\n    override fun put(key: K, value: V): V? {\n        val hashCode =
equality.getHashCode(key)\n        val chainOrEntry = getChainOrEntryOrNull(hashCode)\n        if (chainOrEntry
== null) {\n            // This is a new chain, put it to the map.\n            backingMap[hashCode] = SimpleEntry(key,
value)\n        } else {\n
            if (chainOrEntry !is Array<*>) {\n                // It is an entry\n                val entry: SimpleEntry<K, V> =
chainOrEntry\n                if (equality.equals(entry.key, key)) {\n                    return entry.setValue(value)\n
                } else {\n                    backingMap[hashCode] = arrayOf(entry, SimpleEntry(key, value))\n                    size++\n
                    return null\n                } else {\n                    // Chain already exists, perhaps key also exists.\n
                    val chain: Array<MutableEntry<K, V>> = chainOrEntry\n                    val entry = chain.findEntryInChain(key)\n
                    if (entry != null) {\n                        return entry.setValue(value)\n                    }\n
                    chain.asDynamic().push(SimpleEntry(key, value))\n                    }\n                    size++\n                    structureChanged(host)\n
                    return null\n                }\n                override fun remove(key: K): V? {\n                    val hashCode = equality.getHashCode(key)\n
                    val chainOrEntry = getChainOrEntryOrNull(hashCode) ?: return null\n                    if (chainOrEntry !is Array<*>) {\n
                        val entry: MutableEntry<K, V> = chainOrEntry\n                        if (equality.equals(entry.key, key)) {\n
                            jsDeleteProperty(backingMap, hashCode)\n                            size--\n                            return entry.value\n                        } else {\n
                            return null\n                        }\n                    } else {\n                        val chain: Array<MutableEntry<K, V>> = chainOrEntry\n
                        for (index in chain.indices) {\n                            val entry = chain[index]\n                            if (equality.equals(key, entry.key)) {\n
                                if (chain.size == 1) {\n                                    chain.asDynamic().length = 0\n                                    // remove the whole
array\n                                    jsDeleteProperty(backingMap, hashCode)\n                                } else {\n                                    // splice out
the entry we're removing\n                                    chain.asDynamic().splice(index,
1)\n                                }\n                                size--\n                                structureChanged(host)\n                                return entry.value\n
                            }\n                            }\n                            return null\n                        }\n                    }\n                    override fun clear() {\n                        backingMap = createJsMap()\n
                        size = 0\n                    }\n                    override fun contains(key: K): Boolean = getEntry(key) != null\n\n                    override fun get(key: K):
V? = getEntry(key)?.value\n\n                    private fun getEntry(key: K): MutableEntry<K, V>? {\n                        val chainOrEntry =
getChainOrEntryOrNull(equality.getHashCode(key)) ?: return null\n                        if (chainOrEntry !is Array<*>) {\n
                            val entry: MutableEntry<K, V> = chainOrEntry\n                            if (equality.equals(entry.key, key)) {\n                                return
entry\n                            } else {\n                                return null\n                            }\n                        } else {\n                            val chain: Array<MutableEntry<K,
V>> = chainOrEntry\n                            return chain.findEntryInChain(key)\n                        }\n                    }\n                    private fun
Array<MutableEntry<K, V>>.findEntryInChain(key: K): MutableEntry<K, V>? =\n                        firstOrNull { entry ->
equality.equals(entry.key, key) }\n\n                    override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n\n                        return object : MutableIterator<MutableEntry<K, V>> {\n
                            var state = -1 // -1 not ready, 0 - ready, 1 -
done\n                            val keys: Array<String> = js("Object").keys(backingMap)\n                            var keyIndex = -1\n\n                            var chainOrEntry: dynamic = null\n                            var isChain = false\n                            var itemIndex = -1\n                            var lastEntry:
MutableEntry<K, V>? = null\n\n                            private fun computeNext(): Int {\n                                if (chainOrEntry != null &&
isChain) {\n                                    val chainSize: Int = chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>().size\n
                                    if (++itemIndex < chainSize)\n                                        return 0\n                                }\n                                if (++keyIndex < keys.size)\n
                                    {\n                                        chainOrEntry
= backingMap[keys[keyIndex]]\n                                        isChain = chainOrEntry is Array<*>\n                                        itemIndex = 0\n
                                        return 0\n                                    } else {\n                                        chainOrEntry = null\n                                        return 1\n                                    }\n
                                }\n                                override fun hasNext(): Boolean {\n                                    if (state == -1)\n                                        state = computeNext()\n
                                }\n                            }\n                        }\n                    }\n                }\n            }\n        }\n    }\n}

```

```

return state == 0\n        }\n        override fun next(): MutableEntry<K, V> {\n            if (!hasNext())\n                throw NoSuchElementException()\n                val lastEntry = if (isChain) {\n                    chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>()[itemIndex]\n                } else {\n                    chainOrEntry.unsafeCast<MutableEntry<K, V>>()\n                }\n                this.lastEntry = lastEntry\n                state = -1\n                return lastEntry\n            }\n            override fun remove() {\n                checkNotNull(lastEntry)\n                this@InternalHashMap.remove(lastEntry!!.key)\n                lastEntry =\n                null\n                // the chain being iterated just got modified by InternalHashMap.remove\n                itemIndex--\n            }\n        }\n        private fun getChainOrEntryOrNull(hashCode: Int): dynamic {\n            val\n            chainOrEntry = backingMap[hashCode]\n            return if (chainOrEntry === undefined) null else chainOrEntry\n        }\n    }\n    /**\n     * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n     * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n     */\n    package kotlin.collections\n    /**\n     * The common interface of [InternalStringMap] and\n     * [InternalHashMap].\n     */\n    internal interface InternalMap<K, V> :  
    MutableIterable<MutableMap.MutableEntry<K, V>> {\n        val equality: EqualityComparator\n        val size: Int\n        operator fun contains(key: K): Boolean\n        operator fun get(key: K): V?\n        fun put(key: K, value: V): V?\n        fun remove(key: K): V?\n        fun clear():  
    Unit\n        fun createJsMap(): dynamic {\n            val result = js("Object.create(null)")\n            // force to switch object  
            representation to dictionary mode\n            result["foo"] = 1\n            jsDeleteProperty(result, "foo")\n            return  
            result\n        }\n    }\n    /**\n     * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n     * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n     */\n    /**\n     * Based on GWT InternalStringMap\n     * Copyright 2008 Google Inc.\n     */\n    package  
    kotlin.collections\n    import kotlin.collections.MutableMap.MutableEntry\n    /**\n     * A simple wrapper around  
    JavaScript Map for key type is string.\n     * Though this map is instantiated only with K=String, the K type is not  
    fixed to String statically,\n     * because we want to have it erased to Any? in order not to  
    generate type-safe override bridges for [get], [contains], [remove] etc, if they ever are generated.\n     */\n    internal  
    class InternalStringMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n        private var  
        backingMap: dynamic = createJsMap()\n        override var size: Int = 0\n        private set\n        /**\n         * A mod  
        count to track 'value' replacements in map to ensure that the 'value' that we have in the\n         * iterator entry is  
        guaranteed to be still correct.\n         * This is to optimize for the common scenario where the values are not modified  
        during\n         * iterations where the entries are never stale.\n         */\n        private var valueMod: Int = 0\n        override  
        operator fun contains(key: K): Boolean {\n            if (key !is String) return false\n            return backingMap[key] !==  
            undefined\n        }\n        override operator fun get(key: K): V? {\n            if (key !is String) return null\n            val value =  
            backingMap[key]\n            return if (value  
            !==  
            undefined) value.unsafeCast<V>() else null\n        }\n        override fun put(key: K, value: V): V? {\n            require(key is String)\n            val oldValue = backingMap[key]\n            backingMap[key] = value\n            if (oldValue  
            ===  
            undefined) {\n                size++\n                structureChanged(host)\n                return null\n            } else {\n                valueMod++\n                return oldValue.unsafeCast<V>()\n            }\n        }\n        override fun remove(key: K): V? {\n            if (key !is String) return null\n            val value = backingMap[key]\n            if (value !==  
            undefined) {\n                jsDeleteProperty(backingMap, key)\n                size--\n                structureChanged(host)\n                return  
                value.unsafeCast<V>()\n            } else {\n                valueMod++\n                return null\n            }\n        }\n        override fun  
        clear() {\n            backingMap = createJsMap()\n            size = 0\n        }\n        override fun iterator():  
        MutableIterator<MutableEntry<K, V>> {\n            return object : MutableIterator<MutableEntry<K, V>> {\n                private val keys: Array<String> =  
                js("Object").keys(backingMap)\n                private val iterator = keys.iterator()\n                private var lastKey: String? =  
                null\n                override fun hasNext(): Boolean = iterator.hasNext()\n                override fun next():  
                MutableEntry<K, V> {\n                    val key = iterator.next()\n                    lastKey = key\n                    @Suppress("UNCHECKED_CAST")\n                    return newMapEntry(key as K)\n                }\n                override  
                fun remove() {\n                    @Suppress("UNCHECKED_CAST")\n
```

```

this@InternalStringMap.remove(checkNotNull(lastKey) as K)\n        }\n        }\n        }\n        private fun
newMapEntry(key: K): MutableEntry<K, V> = object : MutableEntry<K, V> {\n        override val key: K get() =
key\n        override val value: V get() = this@InternalStringMap[key].unsafeCast<V>()\n        override fun
setValue(newValue:
V): V = this@InternalStringMap.put(key, newValue).unsafeCast<V>()\n        override fun hashCode(): Int =
AbstractMap.entryHashCode(this)\n        override fun toString(): String = AbstractMap.entryToString(this)\n
override fun equals(other: Any?): Boolean = AbstractMap.entryEquals(this, other)\n        }\n        }\n        }\n        /*\n        * Copyright
2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n        * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n        */\n        * Based on GWT
LinkedHashMap\n        * Copyright 2008 Google Inc.\n        */\n        package kotlin.collections\n        import
kotlin.collections.MutableMap.MutableEntry\n        /**\n        * Hash table based implementation of the [MutableMap]
interface, which additionally preserves the insertion order\n        * of entries during the iteration.\n        * The insertion
order is preserved by maintaining a doubly-linked list of all of its entries.\n        */\n        public actual open class
LinkedHashMap<K, V> : HashMap<K,
V>, MutableMap<K, V> {\n        /**\n        * The entry we use includes next/prev pointers for a doubly-linked
circular\n        * list with a head node. This reduces the special cases we have to deal with\n        * in the list
operations.\n        * Note that we duplicate the key from the underlying hash map so we can find\n        * the eldest
entry. The alternative would have been to modify HashMap so more\n        * of the code was directly usable here, but
this would have added some\n        * overhead to HashMap, or to reimplement most of the HashMap code here with\n
        * small modifications. Paying a small storage cost only if you use\n        * LinkedHashMap and minimizing code size
seemed like a better tradeoff\n        */\n        private inner class ChainEntry<K, V>(key: K, value: V) :
AbstractMutableMap.SimpleEntry<K, V>(key, value) {\n        internal var next: ChainEntry<K, V>? = null\n
internal var prev: ChainEntry<K, V>? = null\n        override fun setValue(newValue: V): V {\n
                this@LinkedHashMap.checkIsMutable()\n                return super.setValue(newValue)\n        }\n        }\n
private inner class EntrySet : AbstractEntrySet<MutableEntry<K, V>, K, V>() {\n        private inner class
EntryIterator : MutableIterator<MutableEntry<K, V>> {\n        // The last entry that was returned from this
iterator.\n        private var last: ChainEntry<K, V>? = null\n        // The next entry to return from this
iterator.\n        private var next: ChainEntry<K, V>? = null\n        init {\n        next = head\n//
recordLastKnownStructure(map, this)\n        }\n        override fun hasNext(): Boolean {\n        return
next != null\n        }\n        override fun next(): MutableEntry<K, V> {\n//
checkStructuralChange(map, this)\n        if (!hasNext()) throw NoSuchElementException()\n        val
current = next!!\n        last = current\n        next = current.next.takeIf { it != head }\n        return current\n        }\n        override fun remove()
{\n        check(last != null)\n        this@EntrySet.checkIsMutable()\n//
checkStructuralChange(map, this)\n        last!!.remove()\n        map.remove(last!!.key)\n//
recordLastKnownStructure(map, this)\n        last = null\n        }\n        }\n        override fun add(element:
MutableEntry<K, V>): Boolean = throw UnsupportedOperationException("Add is not supported on entries")\n
override fun clear() {\n        this@LinkedHashMap.clear()\n        }\n        override fun containsEntry(element:
Map.Entry<K, V>): Boolean = this@LinkedHashMap.containsEntry(element)\n        override operator fun
iterator(): MutableIterator<MutableEntry<K, V>> = EntryIterator()\n        override fun removeEntry(element:
Map.Entry<K, V>): Boolean {\n        checkIsMutable()\n
                if (contains(element)) {\n        this@LinkedHashMap.remove(element.key)\n        return true\n
                }\n        return false\n        }\n        override val size: Int get() = this@LinkedHashMap.size\n        override
fun checkIsMutable(): Unit = this@LinkedHashMap.checkIsMutable()\n        }\n        }\n        /**\n        * The head of the insert
order chain, which is a doubly-linked circular\n        * list.\n        * The most recently inserted node is at the end of the
chain, ie.\n        * chain.prev.\n        */\n        private var head: ChainEntry<K, V>? = null\n        /**\n        * Add this node to
the end of the chain.\n        */\n        private fun ChainEntry<K, V>.addToEnd() {\n        // This entry is not in the list.\n
check(next == null && prev == null)\n        val _head = head\n        if (_head == null) {\n        head = this\n

```



```

        next = this\n        prev = this\n    } else {\n        // Chain is valid.\n        val _tail =
checkNotNull(_head.prev)\n
        // Update me.\n        prev = _tail\n        next = _head\n        // Update my new siblings: current head
and old tail\n        _head.prev = this\n        _tail.next = this\n    }\n}\n\n /**\n * Remove this node from
the chain it is a part of.\n */\n private fun ChainEntry<K, V>.remove() {\n    if (this.next === this) {\n
// if this is single element, remove head\n        head = null\n    } else {\n        if (head === this) {\n            //
if this is first element, move head to next\n            head = next\n        }\n        next!!.prev = prev\n
prev!!.next = next\n    }\n    next = null\n    prev = null\n }\n\n /**\n * The hashmap that keeps track of
our entries and the chain. Note that we\n * duplicate the key here to eliminate changes to HashMap and minimize
the\n * code here, at the expense of additional space.\n */\n private
val map: HashMap<K, ChainEntry<K, V>>\n private var isReadOnly: Boolean = false\n\n /**\n *
Constructs an empty [LinkedHashMap] instance.\n */\n actual constructor() : super() {\n    map =
HashMap<K, ChainEntry<K, V>>()\n }\n\n internal constructor(backingMap: HashMap<K, Any>) : super() {\n
    @Suppress("UNCHECKED_CAST") // expected to work due to erasure\n    map = backingMap as
HashMap<K, ChainEntry<K, V>>\n }\n\n /**\n * Constructs an empty [LinkedHashMap] instance.\n */\n
* @param initialCapacity the initial capacity (ignored)\n * @param loadFactor the load factor (ignored)\n
*\n * @throws IllegalArgumentException if the initial capacity or load factor are negative\n */\n actual
constructor(initialCapacity: Int, loadFactor: Float) : super(initialCapacity, loadFactor) {\n    map = HashMap<K,
ChainEntry<K, V>>()\n }\n\n actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n
/**\n * Constructs an instance of [LinkedHashMap] filled with the contents of the specified [original] map.\n
*\n * actual constructor(original: Map<out K, V>) {\n    map = HashMap<K, ChainEntry<K, V>>()\n
this.putAll(original)\n }\n\n @PublishedApi\n internal fun build(): Map<K, V> {\n    checkIsMutable()\n
isReadOnly = true\n    return this\n }\n\n actual override fun clear() {\n    checkIsMutable()\n
map.clear()\n    head = null\n }\n\n // override fun clone(): Any {\n //    return LinkedHashMap(this)\n //
}\n\n actual override fun containsKey(key: K): Boolean = map.containsKey(key)\n\n actual override fun
containsValue(value: V): Boolean {\n    var node: ChainEntry<K, V> = head ?: return false\n    do {\n        if
(node.value == value) {\n            return true\n        }\n        node = node.next!!\n    } while (node !==
head)\n    return false\n }\n\n\n    internal override fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n actual
override operator fun get(key: K): V? = map.get(key)?.value\n\n actual override fun put(key: K, value: V): V? {\n
    checkIsMutable()\n    val old = map.get(key)\n    if (old == null) {\n        val newEntry =
ChainEntry(key, value)\n        map.put(key, newEntry)\n        newEntry.addToEnd()\n        return null\n
    } else {\n        return old.setValue(value)\n    }\n}\n\n actual override fun remove(key: K): V? {\n
    checkIsMutable()\n    val entry = map.remove(key)\n    if (entry != null) {\n        entry.remove()\n
return entry.value\n    }\n    return null\n }\n\n actual override val size: Int get() = map.size\n\n internal
override fun checkIsMutable() {\n    if (isReadOnly) throw UnsupportedOperationException()\n }\n}\n\n /**\n *
Constructs the specialized implementation
of [LinkedHashMap] with [String] keys, which stores the keys as properties of\n * JS object without hashing
them.\n */\n public fun <V> linkedStringMapOf(vararg pairs: Pair<String, V>): LinkedHashMap<String, V> {\n
return LinkedHashMap<String, V>(stringMapOf<Any>()).apply { putAll(pairs) }\n}\n\n", /*\n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n /*\n * Based on GWT LinkedHashMap\n
*\n * Copyright 2008 Google Inc.\n */\n\n package kotlin.collections\n\n /**\n * The implementation of the [MutableSet]
interface, backed by a [LinkedHashMap] instance.\n */\n\n * This implementation preserves the insertion order of
elements during the iteration.\n */\n public actual open class LinkedHashMap<E> : HashSet<E>, MutableSet<E>
{\n\n    internal constructor(map: LinkedHashMap<E, Any>) : super(map)\n\n /**\n * Constructs a new empty
[LinkedHashSet].\n */\n actual constructor() : super(LinkedHashMap<E, Any>())\n\n /**\n * Constructs a
new [LinkedHashSet] filled with the elements of the specified collection.\n */\n actual constructor(elements:

```

```

Collection<E> : super(LinkedHashMap<E, Any>()) {\n    addAll(elements)\n } \n\n /**\n * Constructs a
new empty [LinkedHashSet].\n * \n * @param initialCapacity the initial capacity (ignored)\n * @param
loadFactor the load factor (ignored)\n * \n * @throws IllegalArgumentException if the initial capacity or
load factor are negative\n * \n actual constructor(initialCapacity: Int, loadFactor: Float) :
super(LinkedHashMap<E, Any>(initialCapacity, loadFactor))\n\n actual constructor(initialCapacity: Int) :
this(initialCapacity, 0.0f)\n\n @PublishedApi\n internal fun build(): Set<E> {\n    (map as
LinkedHashMap<E, Any>).build()\n    return this\n } \n\n internal override fun checkIsMutable():
Unit = map.checkIsMutable()\n\n// public override fun clone(): Any {\n//    return LinkedHashSet(this)\n//
}\n\n}\n\n/**\n * Creates a new instance of the specialized implementation of [LinkedHashSet] with the specified
[String] elements,\n * which elements the keys as properties of JS object without hashing them.\n * \n\npublic fun
linkedStringSetOf(vararg elements: String): LinkedHashSet<String> {\n    return
LinkedHashSet(linkedStringMapOf<Any>()).apply { addAll(elements) }\n}\n\n", /*\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n * \n\npackage kotlin\n\nimport
kotlin.contracts.*\n\n\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@Deprecated(\"Synchronization on any
object is not supported in Kotlin/JS\",
ReplaceWith(\"run(block)\"))\n@kotlin.internal.InlineOnly\n@Suppress(\"UNUSED_PARAMETER\")\npublic
inline fun <R>
synchronized(lock: Any, block: () -> R): R {\n    contract {\n    callsInPlace(block,
InvocationKind.EXACTLY_ONCE)\n } \n    return block()\n}\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n * \n\npackage kotlin.io\n\ninternal abstract class BaseOutput {\n
open fun println() {\n    print(\"\\n\")\n } \n\n open fun println(message: Any?) {\n    print(message)\n
println()\n } \n\n abstract fun print(message: Any?)\n\n open fun flush() { }\n\n\n/** JsName used to make the
declaration available outside of module to test it *\n\n@JsName(\"NodeJsOutput\")\n\ninternal class NodeJsOutput(val
outputStream: dynamic) : BaseOutput() {\n    override fun print(message: Any?) {\n    // TODO: Using local
variable because of bug in block decomposition lowering in IR backend\n    val messageString =
String(message)\n    outputStream.write(messageString)\n } \n\n}\n\n\n/** JsName used to make the declaration
available outside of module to test it *\n\n@JsName(\"OutputToConsoleLog\")\n\ninternal class OutputToConsoleLog
: BaseOutput() {\n    override fun print(message: Any?) {\n    console.log(message)\n } \n\n override fun
println(message: Any?) {\n    console.log(message)\n } \n\n override fun println() {\n    console.log(\"\\n\")\n
}\n\n}\n\n\n/** JsName used to make the declaration available outside of module to test it and use at try.kotl.in
*\n\n@JsName(\"BufferedOutput\")\n\ninternal open class BufferedOutput : BaseOutput() {\n    var buffer = \"\"\n\n
override fun print(message: Any?) {\n    buffer += String(message)\n } \n\n override fun flush() {\n    buffer
= \"\"\n } \n\n}\n\n\n/** JsName used to make the declaration available outside of module to test it
*\n\n@JsName(\"BufferedOutputToConsoleLog\")\n\ninternal class BufferedOutputToConsoleLog :
BufferedOutput() {\n    override fun print(message: Any?) {\n    var s = String(message)\n    val i =
s.nativeLastIndexOf(\"\\n\", 0)\n    if (i >= 0) {\n    buffer += s.substring(0, i)\n    flush()\n    s =
s.substring(i + 1)\n } \n    buffer += s\n } \n\n override fun flush() {\n    console.log(buffer)\n    buffer
= \"\"\n } \n\n}\n\n\n/** JsName used to make the declaration available outside of module to test it and use at
try.kotl.in *\n\n@JsName(\"output\")\n\ninternal var output = run {\n    val isNode: Boolean = js(\"typeof process !==
'undefined' && process.versions && !process.versions.node\")\n    if (isNode) NodeJsOutput(js(\"process.stdout\"))
else BufferedOutputToConsoleLog()\n}\n\n\n@kotlin.internal.InlineOnly\nprivate inline fun String(value: Any?):
String = js(\"String\")(value)\n\n\n/** Prints the line separator to the standard output stream. *\n\npublic actual fun
println() {\n    output.println()\n}\n\n\n/** Prints the
given [message] and the line separator to the standard output stream. *\n\npublic actual fun println(message: Any?)
{\n    output.println(message)\n}\n\n\n/** Prints the given [message] to the standard output stream. *\n\npublic actual
fun print(message: Any?) {\n    output.print(message)\n}\n\n\n@SinceKotlin(\"1.6\")\npublic actual fun readln():

```

```

String = throw UnsupportedOperationException("readln is not supported in
Kotlin/JS")\n\n@SinceKotlin("1.6")\npublic actual fun readlnOrNull(): String? = throw
UnsupportedOperationException("readlnOrNull is not supported in Kotlin/JS"), /*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport
kotlin.coroutines.intrinsics.CoroutineSingletons.*\nimport
kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal
actual
class SafeContinuation<in T>\n\ninternal actual constructor(\n    private val delegate: Continuation<T>,\n    initialResult: Any?\n) : Continuation<T> {\n    @PublishedApi\n    internal actual constructor(delegate:
Continuation<T>) : this(delegate, UNDECIDED)\n\n    public actual override val context: CoroutineContext\n    get() = delegate.context\n\n    private var result: Any? = initialResult\n\n    public actual override fun
resumeWith(result: Result<T>) {\n        val cur = this.result\n        when {\n            cur === UNDECIDED -> {\n
                this.result = result.value\n            }\n            cur === COROUTINE_SUSPENDED -> {\n                this.result =
RESUMED\n                delegate.resumeWith(result)\n            }\n            else -> throw
IllegalStateException("Already resumed")\n        }\n    }\n\n    @PublishedApi\n    internal actual fun
getOrThrow(): Any? {\n        if (result === UNDECIDED) {\n            result = COROUTINE_SUSPENDED\n
            return COROUTINE_SUSPENDED\n        }\n        val result = this.result\n        return when {\n            result ===
RESUMED -> COROUTINE_SUSPENDED // already called continuation, indicate COROUTINE_SUSPENDED
upstream\n            result is Result.Failure -> throw result.exception\n            else -> result // either
COROUTINE_SUSPENDED or data\n        }\n    }\n}\n\n", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.coroutines.cancellation\n\n@SinceKotlin("1.4")\npublic actual open class CancellationException :
IllegalStateException {\n    actual constructor() : super()\n    actual constructor(message: String?) : super(message)\n
    constructor(message: String?, cause: Throwable?) : super(message, cause)\n    constructor(cause: Throwable?) :
super(cause)\n}\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.js.internal\n\nimport
kotlin.coroutines.Continuation\nimport
kotlin.coroutines.EmptyCoroutineContext\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal val
EmptyContinuation = Continuation<Any?>(EmptyCoroutineContext) { result ->\n    result.getOrThrow()\n}\n\n", /*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.js\n\n/**\n * Exposes the [Date API](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Date) to Kotlin.\n
*/\n\n@Suppress("NOT_DOCUMENTED")\npublic external class Date() {\n    public constructor(milliseconds:
Number)\n\n    public constructor(dateString: String)\n\n    public constructor(year:
Int, month: Int)\n\n    public constructor(year: Int, month: Int, day: Int)\n\n    public constructor(year: Int, month:
Int, day: Int, hour: Int)\n\n    public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int)\n\n    public
constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int)\n\n    public constructor(year: Int,
month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number)\n\n    public fun getDate(): Int\n\n    public
fun getDay(): Int\n\n    public fun getFullYear(): Int\n\n    public fun getHours(): Int\n\n    public fun
getMilliseconds(): Int\n\n    public fun getMinutes(): Int\n\n    public fun getMonth(): Int\n\n    public fun
getSeconds(): Int\n\n    public fun getTime(): Double\n\n    public fun getTimezoneOffset(): Int\n\n    public fun
getUTCDate(): Int\n\n    public fun getUTCDay(): Int\n\n    public fun getUTCFullYear(): Int\n\n    public fun
getUTCHours(): Int\n\n    public fun getUTCMilliseconds():

```

```
Int\n\n public fun getUTCMinutes(): Int\n\n public fun getUTCMonth(): Int\n\n public fun getUTCSeconds():  
Int\n\n public fun toDateString(): String\n\n public fun toISOString(): String\n\n public fun toJSON(): Json\n\n public fun toLocaleDateString(locales: Array<String> = definedExternally, options: LocaleOptions =  
definedExternally): String\n\n public fun toLocaleDateString(locales: String, options: LocaleOptions =  
definedExternally): String\n\n public fun toLocaleString(locales: Array<String> = definedExternally, options:  
LocaleOptions = definedExternally): String\n\n public fun toLocaleString(locales: String, options: LocaleOptions  
= definedExternally): String\n\n public fun toLocaleTimeString(locales: Array<String> = definedExternally,  
options: LocaleOptions = definedExternally): String\n\n public fun toLocaleTimeString(locales: String, options:  
LocaleOptions = definedExternally): String\n\n public fun toTimeString(): String\n\n public  
fun toUTCString(): String\n\n public companion object {\n public fun now(): Double\n\n public fun  
parse(dateString: String): Double\n\n public fun UTC(year: Int, month: Int): Double\n\n public fun  
UTC(year: Int, month: Int, day: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int):  
Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int): Double\n\n public fun  
UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int): Double\n\n public fun UTC(year: Int,  
month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number): Double\n }  
\n\n public interface  
LocaleOptions {\n public var localeMatcher: String?\n\n public var timeZone: String?\n\n public var  
hour12: Boolean?\n\n public var formatMatcher: String?\n\n public var weekday: String?\n\n public var  
era: String?\n\n public var year: String?\n\n  
public var month: String?\n\n public var day: String?\n\n public var hour: String?\n\n public var  
minute: String?\n\n public var second: String?\n\n public var timeZoneName: String? }\n}\n\npublic  
inline fun dateLocaleOptions(init: Date.LocaleOptions.() -> Unit): Date.LocaleOptions {\n val result = js(\n"new  
Object()\").unsafeCast<Date.LocaleOptions>()\n init(result)\n return result\n},"/*\n * Copyright 2010-2020  
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the  
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport  
org.w3c.dom.Document\nimport org.w3c.dom.Element\nimport  
kotlin.internal.LowPriorityInOverloadResolution\nimport kotlin.dom.appendChild as  
newAppendElement\nimport kotlin.dom.createElement as newCreateElement\n\n/**\n * Creates a new element  
with the specified [name].\n */\n * The element is initialized  
with the specified [init] function.\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \n"This  
API is moved to another package, use 'kotlinx.dom.createElement' instead.\n",\n\n replaceWith =  
ReplaceWith(\n"this.createElement(name, init)\n"),  
"\nkotlinx.dom.createElement()\n)\n\n@DeprecatedSinceKotlin(warningSince = \n"1.4", errorSince = \n"1.6")\n\npublic  
inline fun Document.createElement(name: String, noinline init: Element.() -> Unit): Element =  
this.newCreateElement(name, init)\n\n/**\n * Appends a newly created element with the specified [name] to this  
element.\n */\n * The element is initialized with the specified [init] function.\n */\n\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \n"This API is moved to another package,  
use 'kotlinx.dom.appendChild' instead.\n",\n\n replaceWith = ReplaceWith(\n"this.appendChild(name, init)\n"),  
"\nkotlinx.dom.appendChild()\n)\n\n@DeprecatedSinceKotlin(warningSince = \n"1.4", errorSince = \n"1.6")\n\npublic  
inline fun Element.appendChild(name:  
String, noinline init: Element.() -> Unit): Element = this.newAppendElement(name, init)\n\n/**\n * Copyright  
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed  
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport  
org.w3c.dom.Element\nimport kotlin.internal.LowPriorityInOverloadResolution\nimport kotlin.dom.addClass as  
newAddClass\nimport kotlin.dom.hasClass as newHasClass\nimport kotlin.dom.removeClass as  
newRemoveClass\n\n/**\n * Returns true if the element has the given CSS class style in its 'class' attribute  
*/\n\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \n"This API is moved to another package,  
use 'kotlinx.dom.hasClass' instead.\n",\n\n replaceWith = ReplaceWith(\n"this.hasClass(cssClass)\n"),  
"\nkotlinx.dom.hasClass()\n)\n\n@DeprecatedSinceKotlin(warningSince = \n"1.4", errorSince = \n"1.6")\n\ninline fun
```

Element.hasClass(cssClass:

```
String): Boolean = this.newHasClass(cssClass)\n\n/**\n * Adds CSS class to element. Has no effect if all specified\n classes are already in class attribute of the element\n *\n * @return true if at least one class has been added\n *\n * @LowPriorityInOverloadResolution\n * @Deprecated(\n  message = \"This API is moved to another package,\n use 'kotlinx.dom.addClass' instead.\",\n  replaceWith = ReplaceWith(\"this.addClass(cssClasses)\",\n \"kotlinx.dom.addClass\")\n)\n\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\n\ninline fun\n Element.addClass(vararg cssClasses: String): Boolean = this.newAddClass(*cssClasses)\n\n/**\n * Removes all\n [cssClasses] from element. Has no effect if all specified classes are missing in class attribute of the element\n *\n * @return true if at least one class has been removed\n *\n * @LowPriorityInOverloadResolution\n * @Deprecated(\n  message = \"This API is moved to another package, use 'kotlinx.dom.removeClass' instead.\",\n  replaceWith\n  = ReplaceWith(\"this.removeClass(cssClasses)\",\n \"kotlinx.dom.removeClass\")\n)\n\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\n\ninline\n fun Element.removeClass(vararg cssClasses: String): Boolean = this.newRemoveClass(*cssClasses)"/>\n\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n *\n * package\n kotlin.dom\n *\n * import org.w3c.dom.Element\n *\n * import org.w3c.dom.Node\n *\n * import\n kotlin.internal.LowPriorityInOverloadResolution\n *\n * import kotlinx.dom.isElement as newIsElement\n *\n * import\n kotlin.dom.isText as newIsText\n\n/**\n * Gets a value indicating whether this node is a TEXT_NODE or a\n CDATA_SECTION_NODE.\n *\n * @LowPriorityInOverloadResolution\n * @Deprecated(\n  message = \"This API\n is moved to another package, use 'kotlinx.dom.isText' instead.\",\n  replaceWith = ReplaceWith(\"this.isText\",\n \"kotlinx.dom.isText\")\n)\n\n@DeprecatedSinceKotlin(warningSince\n = \"1.4\", errorSince = \"1.6\")\n\npublic val Node.isText: Boolean\n  inline get() = this.newIsText\n\n/**\n * Gets a\n value indicating whether this node is an [Element].\n *\n * @LowPriorityInOverloadResolution\n * @Deprecated(\n  message = \"This API is moved to another package, use 'kotlinx.dom.isElement' instead.\",\n  replaceWith =\n  ReplaceWith(\"this.isElement\", \"kotlinx.dom.isElement\")\n)\n\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\n\npublic val Node.isElement: Boolean\n  inline get() = this.newIsElement"/>\n\n * Copyright\n 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed\n by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n *\n * package\n org.w3c.dom.events\n *\n * public fun\n EventListener(handler: (Event) -> Unit): EventListener =\n EventListenerHandler(handler)\n\nprivate class\n EventListenerHandler(private val handler: (Event) ->\n Unit) : EventListener {\n  public override fun\n  handleEvent(event: Event) {\n    handler(event)\n  }\n\n  public\n  override fun\n  toString(): String = \"EventListenerHandler($handler)\"/>\n\n * Copyright\n 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0\n license that can be found in the license/LICENSE.txt file.\n *\n *\n * package\n org.w3c.dom\n *\n * public\n external interface\n ItemArrayLike<out T> {\n  val length: Int\n  fun item(index: Int): T?\n\n/**\n * Returns the view of this\n `ItemArrayLike<T>` collection as `List<T>`\n *\n * @public fun\n <T> ItemArrayLike<T>.asList(): List<T> = object :\n AbstractList<T>() {\n  override val\n  size: Int get() = this@asList.length\n\n  override fun\n  get(index: Int): T = when\n  (index) {\n    in 0..lastIndex -> this@asList.item(index).unsafeCast<T>()\n    else -> throw\n    IndexOutOfBoundsException(\"index $index is not in range [0..$lastIndex]\")\n  }\n}\n\n/**\n * Copyright\n 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code\n is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n *\n * package\n kotlin.dom\n *\n * import\n org.w3c.dom.Element\n *\n * import\n org.w3c.dom.Node\n *\n * import\n kotlin.internal.LowPriorityInOverloadResolution\n *\n * import\n kotlinx.dom.appendText as newAppendText\n *\n * import\n kotlinx.dom.clear as newClear\n\n/**\n * Removes all the children from this node.\n *\n * @LowPriorityInOverloadResolution\n * @Deprecated(\n  message = \"This API is moved to another package,\n use 'kotlinx.dom.clear' instead.\",\n  replaceWith = ReplaceWith(\"this.clear()\",\n \"kotlinx.dom.clear\")\n)\n\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\n\npublic inline fun\n Node.clear() = this.newClear()\n\n/**\n * Creates text node and append it to the element.\n *\n * @return this
```

```

element\n *\n@LowPriorityInOverloadResolution\n@Deprecated(\n  message = \"This API is moved to another
package,
use 'kotlinx.dom.appendText' instead.\",\n  replaceWith = ReplaceWith(\"this.appendText(text)\",
\"kotlinx.dom.appendText(\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\ninline fun
Element.appendText(text: String): Element = this.newAppendText(text)\n\", /*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n *\npackage kotlin.js\n\n**\n * Reinterprets this value
as a value of the [dynamic type](/docs/reference/dynamic-type.html).\n *\n@kotlin.internal.InlineOnly\npublic
inline fun Any?.asDynamic(): dynamic = this\n\n**\n * Reinterprets this value as a value of the specified type [T]
without any actual type checking.\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T> Any?.unsafeCast():
@kotlin.internal.NoInfer T = this.asDynamic()\n\n**\n * Reinterprets this `dynamic` value as a value of
the specified type [T] without any actual type checking.\n
*\n@kotlin.internal.DynamicExtension\n@JsName(\"unsafeCastDynamic\")\n@kotlin.internal.InlineOnly\npublic
inline fun <T> dynamic.unsafeCast(): @kotlin.internal.NoInfer T = this\n\n**\n * Allows to iterate this `dynamic`
object in the following cases:\n * - when it has an `iterator` function,\n * - when it is an array\n * - when it is an
instance of [kotlin.collections.Iterable]\n *\n@kotlin.internal.DynamicExtension\npublic operator fun
dynamic.iterator(): Iterator<dynamic> {\n  val r: Any? = this\n  return when {\n    this[\"iterator\"] != null -
>\n    this[\"iterator\"]()\n    isArrayish(r) ->\n    r.unsafeCast<Array<*>>().iterator()\n    else ->\n    (r as Iterable<*>).iterator()\n  }\n}\n\", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt
file.\n *\n\n// a package is omitted to get declarations directly under the
module\n\n@JsName(\"throwNPE\")\ninternal fun throwNPE(message: String) {\n  throw
NullPointerException(message)\n}\n\n@JsName(\"throwCCE\")\ninternal fun throwCCE() {\n  throw
ClassCastException(\"Illegal cast\")\n}\n\n@JsName(\"throwISE\")\ninternal fun throwISE(message: String) {\n
throw IllegalStateException(message)\n}\n\n@JsName(\"throwUPAE\")\ninternal fun throwUPAE(propertyName:
String) {\n  throw UninitializedPropertyAccessException(\"lateinit property ${propertyName} has not been
initialized\")\n}\n\", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
*\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\npackage kotlin.collections\n\n**\n * Groups elements from the [Grouping] source by key and counts elements
in each group.\n *\n * @return a [Map] associating the key of
each group with the count of elements in the group.\n *\n * @sample
samples.collections.Grouping.groupingByEachCount\n *\n@SinceKotlin(\"1.1\")\npublic actual fun <T, K>
Grouping<T, K>.eachCount(): Map<K, Int> =\n  fold(0) { acc, _ -> acc + 1 }\n\n**\n * Groups elements from
the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each
group.\n *\n * @return a [Map] associating the key of each group with the count of element in the group.\n
*\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Grouping<T, K>.eachSumOf(valueSelector: (T) -> Int):
Map<K, Int> =\n  fold(0) { acc, e -> acc + valueSelector(e) }\n\n**\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmName(\"GroupingKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
kotlin.collections\n\n**\n
*\n * Represents a source of elements with a [keyOf] function, which can be applied to each element to get its key.\n
*\n * A [Grouping] structure serves as an intermediate step in group-and-fold operations:\n * they group elements by
their keys and then fold each group with some aggregating operation.\n *\n * It is created by attaching `keySelector:
(T) -> K` function to a source of elements.\n * To get an instance of [Grouping] use one of `groupingBy` extension
functions:\n * - [Iterable.groupingBy]\n * - [Sequence.groupingBy]\n * - [Array.groupingBy]\n * -
[CharSequence.groupingBy]\n *\n * For the list of group-and-fold operations available, see the [extension

```

```

functions](#extension-functions) for `Grouping`.
\n *
\n@SinceKotlin("1.1")
\npublic interface Grouping<T, out K>
{
\n    /** Returns an [Iterator] over the elements of the source of this grouping. */
\n    fun sourceIterator():
\n    Iterator<T>
\n    /** Extracts the key of an [element]. */
\n    fun keyOf(element: T): K
\n}
\n/**
\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group
\n sequentially,
\n * passing the previously accumulated value and the current element as arguments, and stores the
\n results in a new map.
\n * The key for each element is provided by the [Grouping.keyOf] function.
\n *
\n * @param operation function is invoked on each element with the following parameters:
\n * - `key`: the key of the
\n group this element belongs to;
\n * - `accumulator`: the current value of the accumulator of the group, can be `null`
\n if it's the first `element` encountered in the group;
\n * - `element`: the element from the source being aggregated;
\n * - `first`: indicates whether it's the first `element` encountered in the group.
\n *
\n * @return a [Map] associating
\n the key of each group with the result of aggregation of the group elements.
\n *
\n * @sample
\n samples.collections.Grouping.aggregateByRadix
\n *
\n@SinceKotlin("1.1")
\npublic inline fun <T, K, R>
\nGrouping<T,
\n    K>.aggregate(
\n    operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R): Map<K, R> {
\n    return
\n    aggregateTo(mutableMapOf<K, R>(), operation)
\n}
\n/**
\n * Groups elements from the [Grouping] source by key
\n and applies [operation] to the elements of each group sequentially,
\n * passing the previously accumulated value and
\n the current element as arguments,
\n * and stores the results in the given [destination] map.
\n * The key for each
\n element is provided by the [Grouping.keyOf] function.
\n *
\n * @param operation a function that is invoked on each
\n element with the following parameters:
\n * - `key`: the key of the group this element belongs to;
\n * -
\n `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element`
\n encountered
\n in the group;
\n * - `element`: the element from the source being aggregated;
\n * - `first`: indicates whether it's the
\n first `element` encountered in the group.
\n *
\n * If the [destination] map
\n already has a value corresponding to some key,
\n * then the elements being aggregated for that key are never
\n considered as `first`.
\n *
\n * @return the [destination] map associating the key of each group with the result of
\n aggregation of the group elements.
\n *
\n * @sample samples.collections.Grouping.aggregateByRadixTo
\n *
\n@SinceKotlin("1.1")
\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T,
\n    K>.aggregateTo(
\n    destination: M,
\n    operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R): M
\n{
\n    for (e in this.sourceIterator()) {
\n        val key = keyOf(e)
\n        val accumulator = destination[key]
\n        destination[key] = operation(key, accumulator, e, accumulator == null && !destination.containsKey(key))
\n    }
\n    return destination
\n}
\n/**
\n * Groups elements from the [Grouping] source by key and applies [operation] to the
\n elements of each group sequentially,
\n * passing the previously accumulated value and the current element as
\n arguments,
\n * and stores the results in a new map.
\n * An initial value of accumulator is provided by [initialValueSelector]
\n function.
\n *
\n * @param initialValueSelector a function that provides an initial value of accumulator for each
\n group.
\n * It's invoked with parameters:
\n * - `key`: the key of the group;
\n * - `element`: the first element being
\n encountered in that group.
\n *
\n * @param operation a function that is invoked on each element with the following
\n parameters:
\n * - `key`: the key of the group this element belongs to;
\n * - `accumulator`: the current value of the
\n accumulator of the group;
\n * - `element`: the element from the source being accumulated.
\n *
\n * @return a [Map]
\n associating the key of each group with the result of accumulating the group elements.
\n *
\n * @sample
\n samples.collections.Grouping.foldByEvenLengthWithComputedInitialValue
\n *
\n@SinceKotlin("1.1")
\npublic
\ninline fun <T, K, R> Grouping<T, K>.fold(
\n    initialValueSelector: (key: K, element: T) -> R,
\n    operation: (key: K, accumulator: R, element: T) -> R): Map<K, R> =
\n    @Suppress("UNCHECKED_CAST")
\n    aggregate { key, acc, e, first -> operation(key, if (first)
\n        initialValueSelector(key, e) else acc as R, e) }
\n}
\n/**
\n * Groups elements from the [Grouping] source by key and
\n applies [operation] to the elements of each group sequentially,
\n * passing the previously accumulated value and the
\n current element as arguments,
\n * and stores the results in the given [destination] map.
\n * An initial value of
\n accumulator is provided by [initialValueSelector] function.
\n *
\n * @param initialValueSelector a function that
\n provides an initial value of accumulator for each group.
\n * It's invoked with parameters:
\n * - `key`: the key of the

```

group;\n \* - `element`: the first element being encountered in that group.\n \*\n \* If the [destination] map already has a value corresponding to some key, that value is used as an initial value of\n \* the accumulator for that group and the [initialValueSelector]

function is not called for that group.\n \*\n \* @param operation a function that is invoked on each element with the following parameters:\n \* - `key`: the key of the group this element belongs to;\n \* - `accumulator`: the current value of the accumulator of the group;\n \* - `element`: the element from the source being accumulated.\n \*\n \*

@return the [destination] map associating the key of each group with the result of accumulating the group elements.\n \*\n \* @sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValueTo\n \*\n \*/\n@SinceKotlin("1.1")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n destination: M,\n initialValueSelector: (key: K, element: T) -> R,\n operation: (key: K, accumulator: R, element: T) -> R\n): M =\n @Suppress("UNCHECKED\_CAST")\n aggregateTo(destination) { key, acc, e, first ->

operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\n\n\n\*\*\n \* Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n \* passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n \* An initial value of accumulator is the same [initialValue] for each group.\n \*\n \*

@param operation a function that is invoked on each element with the following parameters:\n \* - `accumulator`: the current value of the accumulator of the group;\n \* - `element`: the element from the source being accumulated.\n \*\n \* @return a [Map] associating the key of each group with the result of accumulating the group elements.\n \*\n \* @sample

samples.collections.Grouping.foldByEvenLengthWithConstantInitialValue\n \*\n \*/\n@SinceKotlin("1.1")\npublic inline fun <T, K, R> Grouping<T, K>.fold(\n initialValue: R,\n operation: (accumulator: R, element: T) -> R\n): Map<K, R> =\n @Suppress("UNCHECKED\_CAST")\n aggregate { \_, acc, e, first -> operation(if (first) initialValue else

acc as R, e) }\n\n\n\*\*\n \* Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n \* passing the previously accumulated value and the current element as arguments,\n \* and stores the results in the given [destination] map.\n \* An initial value of accumulator is the same [initialValue] for each group.\n \*\n \* If the [destination] map already has a value corresponding to the key of some group,\n \* that value is used as an initial value of the accumulator for that group.\n \*\n \* @param operation a function that is invoked on each element with the following parameters:\n \* - `accumulator`: the current value of the accumulator of the group;\n \* - `element`: the element from the source being accumulated.\n \*\n \* @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n \*\n \*

@sample samples.collections.Grouping.foldByEvenLengthWithConstantInitialValueTo\n

\*/\n@SinceKotlin("1.1")\npublic

inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n destination: M,\n initialValue: R,\n operation: (accumulator: R, element: T) -> R\n): M =\n @Suppress("UNCHECKED\_CAST")\n

aggregateTo(destination) { \_, acc, e, first -> operation(if (first) initialValue else acc as R, e) }\n\n\n\*\*\n \* Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group\n \* sequentially starting from the second element of the group,\n \* passing the previously accumulated value and the current element as arguments,\n \* and stores the results in a new map.\n \* An initial value of accumulator is the first element of the group.\n \*\n \* @param operation a function that is invoked on each subsequent element of the group with the following parameters:\n \* - `key`: the key of the group this element belongs to;\n \* - `accumulator`: the current value of the accumulator of the group;\n \* - `element`: the element

from the source being accumulated.\n \*\n \* @return a [Map] associating the key of each group with the result of accumulating the group elements.\n \*\n \* @sample samples.collections.Grouping.reduceByMaxVowels\n

\*/\n@SinceKotlin("1.1")\npublic inline fun <S, T : S, K> Grouping<T, K>.reduce(\n operation: (key: K, accumulator: S, element: T) -> S\n): Map<K, S> =\n aggregate { key, acc, e, first ->\n @Suppress("UNCHECKED\_CAST")\n if (first) e else operation(key, acc as S, e)\n }\n\n\n\*\*\n \* Groups

elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group\n \* sequentially starting from the second element of the group,\n \* passing the previously accumulated value and the



current element as arguments, and stores the results in the given [destination] map. An initial value of accumulator is the first element of the group. If the [destination] map already has a value corresponding to the key of some group,

that value is used as an initial value of the accumulator for that group and the first element of that group is also subjected to the [operation]. @param operation a function that is invoked on each subsequent element of the group with the following parameters: - `accumulator`: the current value of the accumulator of the group; - `element`: the element from the source being folded; @return the [destination] map associating the key of each group with the result of accumulating the group elements. @sample

```
samples.collections.Grouping.reduceByMaxVowelsTo  
@SinceKotlin("1.1")  
public inline fun <S, T : S, K, M : MutableMap<in K, S>> Grouping<T, K>.reduceTo( destination: M,  
operation: (key: K, accumulator: S,  
element: T) -> S): M = aggregateTo(destination) { key, acc, e, first ->
```

```
@Suppress("UNCHECKED_CAST")  
if (first) e else operation(key, acc as S, e)  
} Groups elements from the [Grouping] source
```

by key and counts elements in each group to the given [destination] map. If the [destination] map already has a value corresponding to the key of some group, that value is used as an initial value of the counter for that group. @return the [destination] map associating the key of each group with the count of elements in the group. @sample

```
samples.collections.Grouping.groupingByEachCount  
@SinceKotlin("1.1")  
public fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachCountTo(destination: M): M =
```

```
foldTo(destination, 0) { acc, _ -> acc + 1 } Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each group to the given [destination] map.
```

If the [destination] map already has a value corresponding to the key of some group, that value is used as an initial value of the sum for that group. @return the [destination] map associating the

key of each group with the sum of elements in the group. @SinceKotlin("1.1")

```
public inline fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachSumOfTo(destination: M, valueSelector: (T) -> Int): M =
```

```
foldTo(destination, 0) { acc, e -> acc + valueSelector(e) } // TODO: sum by long and by double overloads  
public inline fun <T, K, M : MutableMap<in K, Long>> Grouping<T,
```

```
K>.sumEachByLongTo(destination: M, valueSelector: (T) -> Long): M = foldTo(destination, 0L) { acc, e -> acc + valueSelector(e) }  
public inline fun <T, K> Grouping<T, K>.sumEachByLong(valueSelector: (T) -> Long): Map<K, Long> =
```

```
fold(0L) { acc, e -> acc + valueSelector(e) }  
public inline fun <T, K, M :
```

```
MutableMap<in K, Double>> Grouping<T, K>.sumEachByDoubleTo(destination: M, valueSelector: (T) -> Double): M =
```

```
foldTo(destination, 0.0) { acc, e -> acc + valueSelector(e) }  
public inline fun <T, K> Grouping<T, K>.sumEachByDouble(valueSelector: (T) -> Double):
```

```
Map<K, Double> = fold(0.0) { acc, e -> acc + valueSelector(e) }  
/*  
 * Copyright 2010-2021
```

```
JetBrains s.r.o. and Kotlin Programming Language contributors.  
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.  
 */  
package
```

```
kotlin.js  
@Retention(AnnotationRetention.BINARY)  
@Target(AnnotationTarget.FUNCTION,
```

```
AnnotationTarget.PROPERTY)  
internal annotation class JsNativeImplementation(val implementation:
```

```
String)  
/*  
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.  
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.  
 */  
package kotlin.js  
/*  
 * An interface for indexing access to a collection of key-value pairs, where type of key is [String] and type of value is [Any?][Any].  
 */  
public external interface Json {  
    /**  
     * Calls to the function will be translated to indexing operation (square
```

```
brackets) on the receiver with [propertyName] as the argument.  
 * E.g. for next code:  
 * ``kotlin  
 * fun test(j: Json, p: String) = j["prop"] + j.get(p)  
 * ``  
 * will be generated:  
 * ``js  
 * function test(j, p) {  
 *     return j["prop"] + j[p];  
 * }  
 * ``  
 * @ operator fun get(propertyName: String): Any?  
 * Calls of the function will be translated to an assignment of [value] to the receiver indexed (with square brackets/index operation) with [propertyName].  
 * E.g. for the following code:  
 * ``kotlin  
 * fun test(j: Json, p: String, newValue: Any) {  
 *     j["prop"] = 1  
 *     j.set(p, newValue)  
 * }
```

```
``
```

```
 * ``  
 * ``js  
 * function test(j, p) {  
 *     return j["prop"] + j[p];  
 * }  
 * ``
```

```
 * ``
```

```
 * E.g. for the following code:
```

```
 * ``kotlin  
 * fun test(j: Json, p: String, newValue: Any) {  
 *     j["prop"] = 1  
 *     j.set(p, newValue)  
 * }
```

```

* } \n * ``\n * \n * will be generated:\n * ``js\n * function test(j, p, newValue) {\n * j["prop"] =
1;\n * j[p] = newValue;\n * }\n * }\n * ``\n * \n operator fun set(propertyName: String, value:
Any?): Unit\n}\n\n/**\n * Returns a simple JavaScript object (as [Json]) using provided key-value pairs as names
and values of its properties.\n */\npublic fun json(vararg pairs: Pair<String, Any?>): Json {\n val res: dynamic =
js("{}")\n for ((name, value) in pairs) {\n res[name] = value\n }\n return res\n}\n\n/**\n * Adds key-
value pairs from [other] to [this].\n * Returns the original receiver.\n */\npublic fun Json.add(other: Json): Json {\n
val keys: Array<String> = js("Object").keys(other)\n for (key in keys) {\n if
(other.asDynamic().hasOwnProperty(key)) {\n this[key] = other[key];\n }\n }\n return
this\n}\n\n/**\n * Exposes the JavaScript [JSON object](https://developer.mozilla.org/en-
US/docs/Web/JavaScript/Reference/Global_Objects/JSON) to Kotlin.\n
*\n@Suppress("NOT_DOCUMENTED")\npublic external object JSON {\n public fun stringify(o: Any?):
String\n public fun stringify(o: Any?, replacer: ((key: String,
value: Any?) -> Any?): String\n public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? =
definedExternally, space: Int): String\n public fun stringify(o: Any?, replacer: ((key: String, value: Any?) ->
Any?)? = definedExternally, space: String): String\n public fun stringify(o: Any?, replacer: Array<String>):
String\n public fun stringify(o: Any?, replacer: Array<String>, space: Int): String\n public fun stringify(o: Any?,
replacer: Array<String>, space: String): String\n\n public fun <T> parse(text: String): T\n public fun <T>
parse(text: String, reviver: ((key: String, value: Any?) -> Any?): T)\n}\n\n"/*\n * Copyright 2010-2021 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.math\n\nimport
kotlin.internal.InlineOnly\nimport kotlin.js.JsMath as nativeMath\n\n// region =====
Double Math =====\n\n/** Computes the sine of the angle [x]
given in radians.\n * \n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sin(x: Double): Double =
nativeMath.sin(x)\n\n/** Computes the cosine of the angle [x] given in radians.\n * \n * Special cases:\n * -
`cos(NaN|+Inf|-Inf)` is `NaN`\n * \n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun cos(x: Double):
Double = nativeMath.cos(x)\n\n/** Computes the tangent of the angle [x] given in radians.\n * \n * Special cases:\n
* - `tan(NaN|+Inf|-Inf)` is `NaN`\n * \n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun tan(x:
Double): Double = nativeMath.tan(x)\n\n/** Computes the arc sine of the value [x];\n * the returned value is an
angle in the range from `-PI/2` to `PI/2` radians.\n * \n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1`
or x is `NaN`\n * \n@SinceKotlin("1.2")\n@InlineOnly\npublic
actual inline fun asin(x: Double): Double = nativeMath.asin(x)\n\n/** Computes the arc cosine of the value
[x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n * \n * Special cases:\n * - `acos(x)`
is `NaN`, when `abs(x) > 1` or x is `NaN`\n * \n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun
acos(x: Double): Double = nativeMath.acos(x)\n\n/** Computes the arc tangent of the value [x];\n * the returned
value is an angle in the range from `-PI/2` to `PI/2` radians.\n * \n * Special cases:\n * - `atan(NaN)` is `NaN`\n
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atan(x: Double): Double =
nativeMath.atan(x)\n\n/** Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the
rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle
in the range from `-PI` to `PI` radians.\n * \n * Special cases:\n *
- `atan2(0.0, 0.0)` is `0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0, x)` is
`-0.0` for `x > 0` and `-PI` for `x < 0`\n * - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for
`-Inf < y < 0`\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n * - `atan2(y, 0.0)` is
`PI/2` for `y > 0` and
`-PI/2` for `y < 0`\n * - `atan2(+Inf, x)` is `PI/2` for finite `x` y\n * - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n * -
`atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n * \n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun
atan2(y: Double, x: Double): Double = nativeMath.atan2(y, x)\n\n/** Computes the hyperbolic sine of the value
[x].\n * \n * Special cases:\n * - `sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is `+Inf`\n * - `sinh(-Inf)` is
`-Inf`\n * \n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sinh(x: Double): Double =

```

`nativeMath.sinh(x)` Computes the hyperbolic cosine of the value `[x]`.  
 Special cases:  
`cosh(NaN)` is `NaN`  
`cosh(+Inf)` is `+Inf`  
`cosh(-Inf)` is `-Inf`  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline fun cosh(x: Double): Double =`  
`nativeMath.cosh(x)` Computes the hyperbolic tangent of the value `[x]`.  
 Special cases:  
`tanh(NaN)` is `NaN`  
`tanh(+Inf)` is `1.0`  
`tanh(-Inf)` is `-1.0`  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline fun tanh(x: Double): Double =`  
`nativeMath.tanh(x)` Computes the inverse hyperbolic sine of the value `[x]`.  
 The returned value is `y` such that `sinh(y) == x`.  
 Special cases:  
`asinh(NaN)` is `NaN`  
`asinh(+Inf)` is `+Inf`  
`asinh(-Inf)` is `-Inf`  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline fun asinh(x: Double): Double =`  
`nativeMath.asinh(x)` Computes the inverse hyperbolic cosine of the value `[x]`.  
 The returned value is positive `y` such that `cosh(y) == x`.  
 Special cases:  
`acosh(NaN)` is `NaN`  
`acosh(x)` is `NaN` when `x < 1`  
`acosh(+Inf)` is `+Inf`  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline fun acosh(x: Double): Double =`  
`nativeMath.acosh(x)` Computes the inverse hyperbolic tangent of the value `[x]`.  
 The returned value is `y` such that `tanh(y) == x`.  
 Special cases:  
`atanh(NaN)` is `NaN`  
`atanh(x)` is `NaN` when `x > 1` or `x < -1`  
`atanh(1.0)` is `+Inf`  
`atanh(-1.0)` is `-Inf`  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline fun atanh(x: Double): Double =`  
`nativeMath.atanh(x)` Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.  
 Special cases:  
 - returns `+Inf` if any of arguments is infinite  
 - returns `NaN` if any of arguments is `NaN` and the other is not infinite  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline fun hypot(x: Double, y: Double): Double =`  
`nativeMath.hypot(x, y)` Computes the positive square root of the value `[x]`.  
 Special cases:  
`sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline fun sqrt(x: Double): Double =`  
`nativeMath.sqrt(x)` Computes Euler's number `e` raised to the power of the value `[x]`.  
 Special cases:  
`exp(NaN)` is `NaN`  
`exp(+Inf)` is `+Inf`  
`exp(-Inf)` is `0.0`  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline fun exp(x: Double): Double =`  
`nativeMath.exp(x)` Computes `exp(x) - 1`.  
 This function can be implemented to produce more precise result for `[x]` near zero.  
 Special cases:  
`expm1(NaN)` is `NaN`  
`expm1(+Inf)` is `+Inf`  
`expm1(-Inf)` is `-1.0`  
`@see [exp]` function.  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline fun expm1(x: Double): Double =`  
`nativeMath.expm1(x)` Computes the logarithm of the value `[x]` to the given `[base]`.  
 Special cases:  
`log(x, b)` is `NaN` if either `x` or `b` are `NaN`  
`log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`  
`log(+Inf, +Inf)` is `NaN`  
`log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`  
`log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`  
 See also logarithm functions for common fixed bases: `[ln]`, `[log10]` and `[log2]`.  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual fun log(x: Double, base: Double): Double {`  
 if (base <= 0.0 || base == 1.0) return Double.NaN  
 return  
`nativeMath.log(x) / nativeMath.log(base)}`  
`nativeMath.log(x)` Computes the natural logarithm (base `E`) of the value `[x]`.  
 Special cases:  
`ln(NaN)` is `NaN`  
`ln(x)` is `NaN` when `x < 0.0`  
`ln(+Inf)` is `+Inf`  
`ln(0.0)` is `-Inf`  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline fun ln(x: Double): Double =`  
`nativeMath.log(x)` Computes the common logarithm (base 10) of the value `[x]`.  
`@see [ln]` function for special cases.  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline fun log10(x: Double): Double =`  
`nativeMath.log10(x)` Computes the binary logarithm (base 2) of the value `[x]`.  
`@see [ln]` function for special cases.  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline fun log2(x: Double): Double =`  
`nativeMath.log2(x)` Computes `ln(x + 1)`.  
 This function can be implemented to produce more precise result for `[x]` near zero.  
 Special cases:  
`ln1p(NaN)` is `NaN`  
`ln1p(x)` is `NaN` where `x < -1.0`  
`ln1p(-1.0)` is `-Inf`  
`ln1p(+Inf)` is `+Inf`  
`@see [ln]` function  
`@see [expm1]` function  
`@SinceKotlin("1.2")`  
`@InlineOnly`  
`public actual inline fun ln1p(x: Double): Double =`  
`nativeMath.log1p(x)` Rounds the given value `[x]` to an integer towards positive infinity.  
`@return the`

smallest double value that is greater

than or equal to the given value [x] and is a mathematical integer.  
Special cases:  $\text{ceil}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.

```
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun ceil(x: Double): Double =
```

```
nativeMath.ceil(x)\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n * @return the largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.\n * Special cases:  $\text{ceil}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.
```

```
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun floor(x: Double): Double =
```

```
nativeMath.floor(x)\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n * @return the value [x] having its fractional part truncated.\n * Special cases:  $\text{floor}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.
```

```
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun truncate(x: Double): Double =
```

```
nativeMath.trunc(x)\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n * Special cases:  $\text{truncate}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.
```

```
*\n@SinceKotlin("1.2")\npublic actual fun round(x: Double): Double {\n    if (x % 0.5 != 0.0) {\n        return nativeMath.round(x)\n    }\n    val floor = floor(x)\n    return if (floor % 2 == 0.0) floor else ceil(x)\n}\n\n/**\n * Returns the absolute value of the given value [x].\n * Special cases:  $\text{abs}(\text{NaN})$  is  $\text{NaN}$ \n * @see absoluteValue extension property for [Double]
```

```
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun abs(x: Double): Double =
```

```
nativeMath.abs(x)\n\n/**\n * Returns the sign of the given value [x]:  $-1.0$  if the value is negative,  $0$  if the value is zero,  $1.0$  if
```

```
the value is positive\n * Special case:  $\text{sign}(\text{NaN})$  is  $\text{NaN}$ 
```

```
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sign(x: Double): Double =
```

```
nativeMath.sign(x)\n\n/**\n * Returns the smaller of two values.\n * If either value is  $\text{NaN}$ , then the result is  $\text{NaN}$ .
```

```
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun min(a: Double, b: Double): Double =
```

```
nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n * If either value is  $\text{NaN}$ , then the result is  $\text{NaN}$ .
```

```
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun max(a: Double, b: Double): Double =
```

```
nativeMath.max(a, b)\n\n// extensions\n\n/**\n * Raises this value to the power [x].\n * Special cases:  $\text{pow}(0.0)$  is  $1.0$ ,  $\text{pow}(1.0) == b$ ,  $\text{pow}(\text{NaN})$  is  $\text{NaN}$ ,  $\text{NaN}.\text{pow}(x)$  is  $\text{NaN}$  for  $x != 0.0$ ,  $\text{pow}(\text{Inf})$  is  $\text{NaN}$  for  $\text{abs}(b) == 1.0$ ,  $\text{pow}(x)$  is  $\text{NaN}$  for  $b < 0$  and  $x$  is finite and not an integer
```

```
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic
```

```
actual inline fun Double.pow(x: Double): Double = nativeMath.pow(this, x)\n\n/**\n * Raises this value to the integer power [n].\n * See the other overload of [pow] for details.
```

```
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Double.pow(n: Int): Double =
```

```
nativeMath.pow(this, n.toDouble())\n\n/**\n * Returns the absolute value of this value.\n * Special cases:  $\text{NaN}.\text{absoluteValue}$  is  $\text{NaN}$ \n * @see abs function
```

```
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline val Double.absoluteValue: Double get() = nativeMath.abs(this)\n\n/**\n * Returns the sign of this value:  $-1.0$  if the value is negative,  $0$  if the value is zero,  $1.0$  if the value is positive
```

```
*\n * Special case:  $\text{NaN}.\text{sign}$  is  $\text{NaN}$ 
```

```
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline val Double.sign: Double get() = nativeMath.sign(this)\n\n/**\n * Returns this value with the sign bit same as
```

```
of the [sign] value.
```

```
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Double.withSign(sign: Int): Double = this.withSign(sign.toDouble())\n\n/**\n * Returns the ulp (unit in the last place) of this value.\n * An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.
```

```
*\n * Special Cases:  $\text{NaN}.\text{ulp}$  is  $\text{NaN}$ ,  $x.\text{ulp}$  is  $+\text{Inf}$  when  $x$  is  $+\text{Inf}$  or  $-\text{Inf}$ ,  $0.0.\text{ulp}$  is
```

```
 $\text{Double}.\text{MIN\_VALUE}$ 
```

```
*\n@SinceKotlin("1.2")\npublic actual val Double.ulp: Double get() = when {\n    this < 0 -> (-this).ulp\n    this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n    this ==
```

```
Double.MAX_VALUE -> this - this.nextDown()\n    else -> this.nextUp() - this\n}\n\n/**\n * Returns the [Double] value nearest to this value in direction of positive infinity.
```

```
*\n@SinceKotlin("1.2")\npublic actual fun
```

```

Double.nextUp(): Double = when {
    this.isNaN() || this == Double.POSITIVE_INFINITY -> this
    this == 0.0 -> Double.MIN_VALUE
    else -> Double.fromBits(this.toRawBits() + if (this > 0) 1 else -1)
}
Returns the [Double] value nearest to this value in direction of negative infinity.

@SinceKotlin("1.2")
public actual fun Double.nextDown(): Double = when {
    this.isNaN() || this == Double.NEGATIVE_INFINITY -> this
    this == 0.0 -> -Double.MIN_VALUE
    else -> Double.fromBits(this.toRawBits() + if (this > 0) -1 else 1)
}
Returns the [Double] value nearest to this value in direction from this value towards the value [to].
Special cases:
    - `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`
    - `x.nextTowards(x) == x`

@SinceKotlin("1.2")
public actual fun Double.nextTowards(to: Double): Double = when {
    this.isNaN() || to.isNaN() -> Double.NaN
    to == this -> to
    to > this -> this.nextUp()
    else /* to < this */ -> this.nextDown()
}
Rounds this [Double] value to the nearest integer and converts the result to [Int].
Ties are rounded towards positive infinity.
Special cases:
    - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`
    - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`
    - @throws IllegalArgumentException when this value is `NaN`

@SinceKotlin("1.2")
public actual fun Double.roundToInt(): Int = when {
    isNaN() -> throw IllegalArgumentException("Cannot round NaN value.")
    this > Int.MAX_VALUE -> Int.MAX_VALUE
    this < Int.MIN_VALUE -> Int.MIN_VALUE
    else -> nativeMath.round(this).toInt()
}
Rounds this [Double] value to the nearest integer and converts the result to [Long].
Ties are rounded towards positive infinity.
Special cases:
    - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`
    - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`
    - @throws IllegalArgumentException when this value is `NaN`

@SinceKotlin("1.2")
public actual fun Double.roundToLong(): Long = when {
    isNaN() -> throw IllegalArgumentException("Cannot round NaN value.")
    this > Long.MAX_VALUE -> Long.MAX_VALUE
    this < Long.MIN_VALUE -> Long.MIN_VALUE
    else -> nativeMath.round(this).toLong()
}
// endregion
// endregion

===== Float Math =====
Computes the sine of the angle [x] given in radians.
Special cases:
    - `sin(NaN|+Inf|-Inf)` is `NaN`

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun sin(x: Float): Float = nativeMath.sin(x.toDouble()).toFloat()
Computes the cosine of the angle [x] given in radians.
Special cases:
    - `cos(NaN|+Inf|-Inf)` is `NaN`

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun cos(x: Float): Float = nativeMath.cos(x.toDouble()).toFloat()
Computes the tangent of the angle [x] given in radians.
Special cases:
    - `tan(NaN|+Inf|-Inf)` is `NaN`

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun tan(x: Float): Float = nativeMath.tan(x.toDouble()).toFloat()
Computes the arc sine of the value [x]; the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.
Special cases:
    - `asin(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun asin(x: Float): Float = nativeMath.asin(x.toDouble()).toFloat()
Computes the arc cosine of the value [x]; the returned value is an angle in the range from  $0.0$  to  $\pi$  radians.
Special cases:
    - `acos(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun acos(x: Float): Float = nativeMath.acos(x.toDouble()).toFloat()
Computes the arc tangent of the value [x]; the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.
Special cases:
    - `atan(NaN)` is `NaN`

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun atan(x: Float): Float = nativeMath.atan(x.toDouble()).toFloat()
Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond to the rectangular coordinates `(x, y)` by computing the arc tangent of the value  $y / x$ ; the returned value is an angle in the range from  $-\pi$  to  $\pi$  radians.
Special cases:
    - `atan2(0.0, 0.0)` is  $0.0$ 
    - `atan2(0.0, x)` is  $0.0$  for  $x > 0$  and  $\pi$  for  $x < 0$ 
    - `atan2(-0.0, x)` is  $-0.0$  for  $x > 0$  and  $-\pi$  for  $x < 0$ 
    - `atan2(y, +Inf)` is  $0.0$  for  $0 < y < +Inf$  and  $-0.0$  for  $-Inf < y < 0$ 
    - `atan2(y, -Inf)` is  $\pi$  for  $0 < y < +Inf$  and  $-\pi$  for  $-Inf < y < 0$ 
    - `atan2(y, 0.0)` is  $\pi/2$  for  $y > 0$  and  $-\pi/2$  for  $y < 0$ 

```

`atan2(+Inf, x)` is  $\text{PI}/2$  for finite `x` `atan2(-Inf, x)` is  $-\text{PI}/2$  for finite `x` `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN` `@SinceKotlin("1.2")@InlineOnly@public`  
`actual inline fun atan2(y: Float, x: Float): Float = nativeMath.atan2(y.toDouble(), x.toDouble()).toFloat()`  
 Computes the hyperbolic sine of the value `[x]`  
 Special cases: `sinh(NaN)` is `NaN` `sinh(+Inf)` is `+Inf` `sinh(-Inf)` is `-Inf`  
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun sinh(x: Float): Float = nativeMath.sinh(x.toDouble()).toFloat()`  
 Computes the hyperbolic cosine of the value `[x]`  
 Special cases: `cosh(NaN)` is `NaN` `cosh(+Inf|-Inf)` is `+Inf`  
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun cosh(x: Float): Float = nativeMath.cosh(x.toDouble()).toFloat()`  
 Computes the hyperbolic tangent of the value `[x]`  
 Special cases: `tanh(NaN)` is `NaN` `tanh(+Inf)` is `1.0` `tanh(-Inf)` is `-1.0`  
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun tanh(x: Float): Float = nativeMath.tanh(x.toDouble()).toFloat()`  
 Computes the inverse hyperbolic sine of the value `[x]`  
 The returned value is `y` such that `sinh(y) == x`  
 Special cases: `asinh(NaN)` is `NaN` `asinh(+Inf)` is `+Inf` `asinh(-Inf)` is `-Inf`  
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun asinh(x: Float): Float = nativeMath.asinh(x.toDouble()).toFloat()`  
 Computes the inverse hyperbolic cosine of the value `[x]`  
 The returned value is positive `y` such that `cosh(y) == x`  
 Special cases: `acosh(NaN)` is `NaN` `acosh(x)` is `NaN` when `x < 1` `acosh(+Inf)` is `+Inf`  
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun acosh(x: Float): Float = nativeMath.acosh(x.toDouble()).toFloat()`  
 Computes the inverse hyperbolic tangent of the value `[x]`  
 The returned value is `y` such that `tanh(y) == x`  
 Special cases: `atanh(NaN)` is `NaN` `atanh(x)` is `NaN` when `x > 1` or `x < -1` `atanh(1.0)` is `+Inf` `atanh(-1.0)` is `-Inf`  
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun atanh(x: Float): Float = nativeMath.atanh(x.toDouble()).toFloat()`  
 Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.  
 Special cases: returns `+Inf` if any of arguments is infinite returns `NaN` if any of arguments is `NaN` and the other is not infinite  
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun hypot(x: Float, y: Float): Float = nativeMath.hypot(x.toDouble(), y.toDouble()).toFloat()`  
 Computes the positive square root of the value `[x]`  
 Special cases: `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`  
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun sqrt(x: Float): Float = nativeMath.sqrt(x.toDouble()).toFloat()`  
 Computes Euler's number `e` raised to the power of the value `[x]`  
 Special cases: `exp(NaN)` is `NaN` `exp(+Inf)` is `+Inf` `exp(-Inf)` is `0.0`  
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun exp(x: Float): Float = nativeMath.exp(x.toDouble()).toFloat()`  
 Computes `exp(x) - 1`  
 This function can be implemented to produce more precise result for `[x]` near zero.  
 Special cases: `expm1(NaN)` is `NaN` `expm1(+Inf)` is `+Inf` `expm1(-Inf)` is `-1.0`  
`@see [exp] function.`  
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun expm1(x: Float): Float = nativeMath.expm1(x.toDouble()).toFloat()`  
 Computes the logarithm of the value `[x]` to the given `[base]`  
 Special cases: `log(x, b)` is `NaN` if either `x` or `b` are `NaN` `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0` `log(+Inf, +Inf)` is `NaN` `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1` `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`  
 See also logarithm functions for common fixed bases: `[ln]`, `[log10]` and `[log2]`.  
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun log(x: Float, base: Float): Float = log(x.toDouble(), base.toDouble()).toFloat()`  
 Computes the natural logarithm (base `E`) of the value `[x]`  
 Special cases: `ln(NaN)` is `NaN` `ln(x)` is `NaN` when `x < 0.0` `ln(+Inf)` is `+Inf` `ln(0.0)` is `-Inf`  
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun ln(x: Float): Float = nativeMath.log(x.toDouble()).toFloat()`  
 Computes the common logarithm (base 10) of the value `[x]`  
`@see [ln] function for special cases.`  
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun log10(x: Float): Float = nativeMath.log10(x.toDouble()).toFloat()`  
 Computes the binary logarithm (base 2) of the

value [x].  
`@see [ln] function for special cases.`  
`Since Kotlin("1.2")`  
`InlineOnly`  
`public actual inline fun log2(x: Float): Float = nativeMath.log2(x.toDouble()).toFloat()`  
`Computes  $\ln(a + 1)$ .`  
This function can be implemented to produce more precise result for [x] near zero.  
`Special cases:`  
 `$\ln(\text{NaN})$  is  $\text{NaN}$`   
 `$\ln(x)$  is  $\text{NaN}$  where  $x < -1.0$`   
 `$\ln(-1.0)$  is  $-\text{Inf}$`   
 `$\ln(+\text{Inf})$  is  $+\text{Inf}$`   
`@see [ln] function`  
`@see [expm1] function`  
`Since Kotlin("1.2")`  
`InlineOnly`  
`public actual inline fun ln1p(x: Float): Float = nativeMath.log1p(x.toDouble()).toFloat()`  
Rounds the given value [x] to an integer towards positive infinity.  
`@return the smallest Float value that is greater than or equal to the given value [x] and is a mathematical integer.`  
`Special cases:`  
 `$\text{ceil}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.`  
`Since Kotlin("1.2")`  
`InlineOnly`  
`public actual inline fun ceil(x: Float): Float = nativeMath.ceil(x.toDouble()).toFloat()`  
Rounds the given value [x] to an integer towards negative infinity.  
`@return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.`  
`Special cases:`  
 `$\text{floor}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.`  
`Since Kotlin("1.2")`  
`InlineOnly`  
`public actual inline fun floor(x: Float): Float = nativeMath.floor(x.toDouble()).toFloat()`  
Rounds the given value [x] to an integer towards zero.  
`@return the value [x] having its fractional part truncated.`  
`Special cases:`  
 `$\text{truncate}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.`  
`Since Kotlin("1.2")`  
`InlineOnly`  
`public actual inline fun truncate(x: Float): Float = truncate(x.toDouble()).toFloat()`  
Rounds the given value [x] towards the closest integer with ties rounded towards even integer.  
`Special cases:`  
 `$\text{round}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.`  
`Since Kotlin("1.2")`  
`InlineOnly`  
`public actual inline fun round(x: Float): Float = round(x.toDouble()).toFloat()`  
Returns the absolute value of the given value [x].  
`Special cases:`  
 `$\text{abs}(\text{NaN})$  is  $\text{NaN}$`   
`@see absoluteValue extension property for [Float]`  
`Since Kotlin("1.2")`  
`InlineOnly`  
`public actual inline fun abs(x: Float): Float = nativeMath.abs(x.toDouble()).toFloat()`  
Returns the sign of the given value [x]:  
 `$-1.0$  if the value is negative,`  
`zero if the value is zero,`  
 `$1.0$  if the value is positive`  
`Special case:`  
 `$\text{sign}(\text{NaN})$  is  $\text{NaN}$`   
`Since Kotlin("1.2")`  
`InlineOnly`  
`public actual inline fun sign(x: Float): Float = nativeMath.sign(x.toDouble()).toFloat()`  
Returns the smaller of two values.  
`If either value is  $\text{NaN}$ , then the result is  $\text{NaN}$ .`  
`Since Kotlin("1.2")`  
`InlineOnly`  
`public actual inline fun min(a: Float, b: Float): Float = nativeMath.min(a, b)`  
Returns the greater of two values.  
`If either value is  $\text{NaN}$ , then the result is  $\text{NaN}$ .`  
`Since Kotlin("1.2")`  
`InlineOnly`  
`public actual inline fun max(a: Float, b: Float): Float = nativeMath.max(a, b)`  
// extensions  
Raises this value to the power [x].  
`Special cases:`  
 `$b.\text{pow}(0.0)$  is  $1.0$`   
 `$b.\text{pow}(1.0) == b$`   
 `$b.\text{pow}(\text{NaN})$  is  $\text{NaN}$`   
 `$\text{NaN}.\text{pow}(x)$  is  $\text{NaN}$  for  $x \neq 0.0$`   
 `$b.\text{pow}(\text{Inf})$  is  $\text{NaN}$  for  $\text{abs}(b) == 1.0$`   
 `$b.\text{pow}(x)$  is  $\text{NaN}$  for  $b < 0$  and  $x$  is finite and not an integer`  
`Since Kotlin("1.2")`  
`InlineOnly`  
`public actual inline fun Float.pow(x: Float): Float = nativeMath.pow(this.toDouble(), x.toDouble()).toFloat()`  
Raises this value to the integer power [n].  
`See the other overload of [pow] for details.`  
`Since Kotlin("1.2")`  
`InlineOnly`  
`public actual inline fun Float.pow(n: Int): Float = nativeMath.pow(this.toDouble(), n.toDouble()).toFloat()`  
Returns the absolute value of this value.  
`Special cases:`  
 `$\text{NaN}.\text{absoluteValue}$  is  $\text{NaN}$`   
`@see abs function`  
`Since Kotlin("1.2")`  
`InlineOnly`  
`public actual inline val Float.absoluteValue: Float get() = nativeMath.abs(this.toDouble()).toFloat()`  
Returns the sign of this value:  
 `$-1.0$  if the value is negative,`  
`zero if the value is zero,`  
 `$1.0$  if the value is positive`  
`Special case:`  
 `$\text{NaN}.\text{sign}$  is  $\text{NaN}$`   
`Since Kotlin("1.2")`  
`InlineOnly`  
`public actual inline val Float.sign: Float get() = nativeMath.sign(this.toDouble()).toFloat()`  
Returns this value with the sign bit same as of the [sign] value.  
`If [sign] is  $\text{NaN}$  the sign of the result is undefined.`  
`Since Kotlin("1.2")`  
`InlineOnly`  
`public actual inline fun Float.withSign(sign: Float): Float =`





```

actual fun Float.isInfinite(): Boolean = this == Float.POSITIVE_INFINITY || this ==
Float.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns
`false` otherwise (for `NaN` and infinity arguments).\n */\npublic actual fun Double.isFinite(): Boolean =
!isInfinite() && !isNaN()\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns `false` otherwise (for `NaN` and infinity
arguments).\n */\npublic actual fun Float.isFinite(): Boolean = !isInfinite() && !isNaN()\n\n\n/**\n * Counts the
number of set bits in the binary representation of this [Int] number.\n\n*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.countOneBits(): Int {\n // Hacker's Delight 5-1 algorithm\n var v = this\n v = (v and 0x55555555) +
(v.ushr(1) and 0x55555555)\n v = (v and 0x33333333) + (v.ushr(2) and 0x33333333)\n v = (v and 0x0F0F0F0F)
+ (v.ushr(4) and 0x0F0F0F0F)\n v = (v and 0x00FF00FF) + (v.ushr(8) and 0x00FF00FF)\n v = (v and
0x0000FFFF) + (v.ushr(16))\n return v\n}\n\n/**\n * Counts the number of consecutive most significant bits that
are zero in the binary representation of this [Int] number.\n\n*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
actual inline fun Int.countLeadingZeroBits(): Int = JsMath.clz32(this)\n\n/**\n * Counts the number of consecutive
least significant bits that are zero in the binary representation of this [Int] number.\n\n*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.countTrailingZeroBits(): Int =\n // Hacker's Delight 5-4 algorithm for expressing countTrailingZeroBits with
countLeadingZeroBits\n Int.SIZE_BITS - (this or -this).inv().countLeadingZeroBits()\n\n/**\n * Returns a
number having a single bit set in the position of the most significant set bit of this [Int] number,\n * or zero, if this
number is zero.\n\n*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.takeHighestOneBit(): Int =\n if (this == 0) 0 else 1.shl(Int.SIZE_BITS - 1 - countLeadingZeroBits())\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Int] number,\n *
or zero, if this number is zero.\n\n*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.takeLowestOneBit(): Int =\n // Hacker's Delight 2-1 algorithm for isolating rightmost 1-bit\n this and -
this\n\n/**\n * Rotates the binary representation of this [Int] number left by the specified [bitCount] number of
bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the
right side.\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit
count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [Int.SIZE_BITS] (32)
returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n\n*/\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.rotateLeft(bitCount: Int): Int =\n shl(bitCount) or ushr(Int.SIZE_BITS - bitCount)\n\n/**\n * Rotates the binary representation of this [Int] number right by the specified [bitCount] number of bits.\n * The
least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n
*\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns
the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n\n*/\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.rotateRight(bitCount: Int): Int =\n shl(Int.SIZE_BITS - bitCount) or ushr(bitCount)\n\n/**\n * Counts the
number of set bits in the binary representation of this [Long] number.\n\n*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.countOneBits(): Int =\n high.countOneBits() + low.countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Long]
number.\n\n*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.countLeadingZeroBits(): Int =\n when (val high = this.high) {\n 0 -> Int.SIZE_BITS +
low.countLeadingZeroBits()\n else -> high.countLeadingZeroBits()\n }\n\n/**\n * Counts the number of

```

```

consecutive least significant bits that are zero in the binary representation of this [Long] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.countTrailingZeroBits(): Int =\n    when (val low = this.low) {\n        0 -> Int.SIZE_BITS +
high.countTrailingZeroBits()\n        else -> low.countTrailingZeroBits()\n    }\n\n/**\n * Returns a number having a
single bit set in the position of the most significant set bit of this [Long] number,\n * or zero, if this number is
zero.\n */\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
actual fun Long.takeHighestOneBit(): Long =\n    when (val high = this.high) {\n        0 ->
Long(low.takeHighestOneBit(), 0)\n        else -> Long(0, high.takeHighestOneBit())\n    }\n\n/**\n * Returns a
number having a single bit set in the position of the least significant set bit of this [Long] number,\n * or zero, if this
number is zero.\n */\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.takeLowestOneBit(): Long =\n    when (val low = this.low) {\n        0 -> Long(0, high.takeLowestOneBit())\n
        else -> Long(low.takeLowestOneBit(), 0)\n    }\n\n/**\n * Rotates the binary representation of this [Long]
number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side
reenter the number as the least significant bits on the right side.\n * Rotating the number left by a negative bit
count is the same as
rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by
a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateLeft(n) ==
number.rotateLeft(n % 64)`\n
*/\n*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.rotateLeft(bitCount: Int): Long {\n    if ((bitCount and 31) != 0) {\n        val low = this.low\n        val high =
this.high\n        val newLow = low.shl(bitCount) or high.ushr(-bitCount)\n        val newHigh = high.shl(bitCount) or
low.ushr(-bitCount)\n        return if ((bitCount and 32) == 0) Long(newLow, newHigh) else Long(newHigh,
newLow)\n    } else {\n        return if ((bitCount and 32) == 0) this else Long(high, low)\n    }\n}\n\n/**\n *
Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\n * The
least significant bits pushed out from the right side reenter the number as the
most significant bits on the left side.\n * Rotating the number right by a negative bit count is the same as
rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a
multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) ==
number.rotateRight(n % 64)`\n
*/\n*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
actual inline fun Long.rotateRight(bitCount: Int): Long = rotateLeft(-bitCount)\n", "/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\nimport
kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Exposes the JavaScript [Promise
object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Promise) to Kotlin.\n
*/\n*\n@Suppress("NOT_DOCUMENTED")\npublic open external class Promise<out T>(executor: (resolve: (T) ->
Unit, reject: (Throwable) -> Unit) -> Unit) {\n    @LowPriorityInOverloadResolution\n    public open fun <S>
then(onFulfilled: ((T) -> S)?): Promise<S>\n\n    @LowPriorityInOverloadResolution\n    public open fun <S>
then(onFulfilled: ((T) -> S)?, onRejected: ((Throwable) -> S)?): Promise<S>\n\n    public open fun <S>
catch(onRejected: (Throwable) -> S): Promise<S>\n\n    public open fun finally(onFinally: () -> Unit):
Promise<T>\n\n    companion object {\n        public fun <S> all(promise: Array<out Promise<S>>):
Promise<Array<out S>>\n\n        public fun <S> race(promise: Array<out Promise<S>>): Promise<S>\n\n        public fun reject(e: Throwable): Promise<Nothing>\n\n        public fun <S> resolve(e: S): Promise<S>\n        public
fun <S> resolve(e: Promise<S>): Promise<S>\n    }\n}\n\n// It's workaround for KT-19672 since we can fix it
properly until KT-11265 isn't fixed.\n\ninline
fun <T, S> Promise<Promise<T>>.then(\n    noinline onFulfilled: ((T) -> S)?\n): Promise<S> {\n    return
this.unsafeCast<Promise<T>>().then(onFulfilled)\n}\n\ninline fun <T, S> Promise<Promise<T>>.then(\n    noinline
onFulfilled: ((T) -> S)?,\n    noinline onRejected: ((Throwable) -> S)?\n): Promise<S> {\n    return

```

```

this.unsafeCast<Promise<T>>().then(onFulfilled, onRejected)\n}\n", /*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\nimport
kotlin.math.pow\n\ninternal actual fun defaultPlatformRandom(): Random =\n    Random(js(Math.random() *
Math.pow(2, 32)) | 0).unsafeCast<Int>()\n\nprivate val INV_2_26: Double = 2.0.pow(-26)\nprivate val
INV_2_53: Double = 2.0.pow(-53)\n\ninternal actual fun doubleFromParts(hi26: Int, low27: Int): Double =\n    hi26 *
INV_2_26 + low27 * INV_2_53", /*\n
* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.reflect\n\nimport findAssociatedObject\n\n/**\n * The experimental marker for associated objects API.\n */\n
* Any usage of a declaration annotated with `@ExperimentalAssociatedObjects` must be accepted either by\n *
annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalAssociatedObjects::class)`,\n * or by
using the compiler argument `-opt-in=kotlin.reflect.ExperimentalAssociatedObjects`.\n */\n\n@RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n@Retention(value = AnnotationRetention.BINARY)\n\npublic annotation class
ExperimentalAssociatedObjects\n\n/**\n * Makes the annotated annotation class an associated object key.\n */\n *
An associated object key annotation should have single [KClass] parameter.\n * When applied to a class with
reference
to an object declaration as an argument, it binds\n * the object to the class, making this binding discoverable at
runtime using [findAssociatedObject].\n
*/\n\n@ExperimentalAssociatedObjects\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.A
NNOTATION_CLASS)\n\npublic annotation class AssociatedObjectKey\n\n/**\n * If [T] is an
@[AssociatedObjectKey]-annotated annotation class and [this] class is annotated with @[T](`S::class`),\n * returns
object `S`.\n * Otherwise returns `null`.\n */\n\n@ExperimentalAssociatedObjects\n\npublic inline fun <reified T :
Annotation> KClass<*>.findAssociatedObject(): Any? =\n    this.findAssociatedObject(T::class)", /*\n * Copyright
2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport
getKClass\n\nimport kotlin.reflect.KClass\n\nimport kotlin.reflect.js.internal.KClassImpl\n\n/**\n
* Represents the constructor of a class. Instances of `JsClass` can be passed to JavaScript APIs that expect a
constructor reference.\n */\n\nexternal interface JsClass<T : Any> {\n    /**\n     * Returns the unqualified name of the
class represented by this instance.\n     */\n    val name: String\n}\n\n/**\n * Obtains a constructor reference for the
given `KClass`.\n */\n\nval <T : Any> KClass<T>.js: JsClass<T>\n    get() = (this as KClassImpl<T>).jClass\n\n/**\n
* Obtains a `KClass` instance for the given constructor reference.\n */\n\nval <T : Any> JsClass<T>.kotlin:
KClass<T>\n    get() = getKClass(this)\n", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal abstract
class KClassImpl<T : Any>(\n    internal open val jClass: JsClass<T>\n) : KClass<T>\n
{\n\n    override val qualifiedName: String?\n        get() = TODO()\n\n    override fun equals(other: Any?): Boolean
{\n        return other is KClassImpl<*> && jClass == other.jClass\n    }\n\n    // TODO: use FQN\n    override fun
hashCode(): Int = simpleName?.hashCode() ?: 0\n\n    override fun toString(): String {\n        // TODO: use FQN\n
return "\"class $simpleName\"\n    }\n}\n\ninternal class SimpleKClassImpl<T : Any>(jClass: JsClass<T>) :
KClassImpl<T>(jClass) {\n    override val simpleName: String? =
jClass.asDynamic().$metadata$.simpleName.unsafeCast<String?>()\n\n    override fun isInstance(value: Any?):
Boolean {\n        return jsIsType(value, jClass)\n    }\n}\n\ninternal class PrimitiveKClassImpl<T : Any>(\n
jClass: JsClass<T>,\n    private val givenSimpleName: String,\n    private val isInstanceFunction: (Any?) ->
Boolean\n) : KClassImpl<T>(jClass) {\n    override fun equals(other: Any?): Boolean {\n        if (other !is
PrimitiveKClassImpl<*>) return
false\n        return super.equals(other) && givenSimpleName == other.givenSimpleName\n    }\n\n    override val
simpleName: String? get() = givenSimpleName\n\n    override fun isInstance(value: Any?): Boolean {\n        return

```

```

isInstanceFunction(value)\n }]\n\ninternal object NothingKClassImpl : KClassImpl<Nothing>(js("Object\
{
    override val simpleName: String = "Nothing"\n\n    override fun isInstance(value: Any?): Boolean = false\n\n
    override val jClass: JsClass<Nothing>\n        get() = throw UnsupportedOperationException("There's no native JS
class for Nothing type")\n\n    override fun equals(other: Any?): Boolean = other === this\n\n    override fun
hashCode(): Int = 0\n}\n\ninternal class ErrorKClass : KClass<Nothing> {\n    override val simpleName: String?
get() = error("Unknown simpleName for ErrorKClass")\n    override val qualifiedName: String? get() =
error("Unknown qualifiedName for ErrorKClass")\n\n    override fun isInstance(value: Any?): Boolean
= error("Can's check isInstance on ErrorKClass")\n\n    override fun equals(other: Any?): Boolean = other ===
this\n\n    override fun hashCode(): Int = 0\n}"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\ninternal actual inline val
KClass<*>.qualifiedOrSimpleName: String?\n    get() = simpleName"/*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under
the module\n\n// TODO: Remove once JsReflectionAPICallChecker supports more reflection
types\n@file:Suppress("Unsupported")\n\nimport kotlin.reflect.*\nimport
kotlin.reflect.js.internal.*\n\n@JsName("createKType")\n\ninternal
fun createKType(\n    classifier: KClassifier,\n    arguments: Array<KTypeProjection>,\n    isMarkedNullable:
Boolean)\n    =\n        KTypeImpl(classifier, arguments.asList(),
isMarkedNullable)\n\n@JsName("createDynamicKType")\n\ninternal fun createDynamicKType(): KType =
DynamicKType\n\n@JsName("markKTypeNullable")\n\ninternal fun markKTypeNullable(kType: KType) =
KTypeImpl(kType.classifier!!, kType.arguments, true)\n\n@JsName("createKTypeParameter")\n\ninternal fun
createKTypeParameter(\n    name: String,\n    upperBounds: Array<KType>,\n    variance: String)\n    :
KTypeParameter {\n        val kVariance = when (variance) {\n            "in" -> KVariance.IN\n            "out" ->
KVariance.OUT\n            else -> KVariance.INVARIANT\n        }\n\n        return KTypeParameterImpl(name,
upperBounds.asList(), kVariance, false)\n    }\n\n@JsName("getStarKTypeProjection")\n\ninternal fun
getStarKTypeProjection(): KTypeProjection =\n    KTypeProjection.STAR\n\n@JsName("createCovariantKTypeProjection")\n\ninternal fun
createCovariantKTypeProjection(type: KType): KTypeProjection =\n    KTypeProjection.covariant(type)\n\n@JsName("createInvariantKTypeProjection")\n\ninternal fun
createInvariantKTypeProjection(type: KType): KTypeProjection =\n    KTypeProjection.invariant(type)\n\n@JsName("createContravariantKTypeProjection")\n\ninternal fun
createContravariantKTypeProjection(type: KType): KTypeProjection =\n    KTypeProjection.contravariant(type)"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal class
KTypeImpl(\n    override val classifier: KClassifier,\n    override val arguments: List<KTypeProjection>,\n    override val isMarkedNullable: Boolean)\n    : KType {\n        override fun equals(other: Any?): Boolean =\n            other
is KTypeImpl &&\n                classifier
== other.classifier && arguments == other.arguments && isMarkedNullable == other.isMarkedNullable\n\n        override fun hashCode(): Int =\n            (classifier.hashCode() * 31 + arguments.hashCode()) * 31 +
isMarkedNullable.hashCode()\n\n        override fun toString(): String {\n            val kClass = (classifier as? KClass<*>)\n\n            val classifierName = when {\n                kClass == null -> classifier.toString()\n                kClass.simpleName != null
-> kClass.simpleName\n                else -> "(non-denotable type)"\n            }\n\n            val args =\n                if
(arguments.isEmpty()) ""\n                else arguments.toString("\n", "\n", "<", ">")\n\n            val nullable = if
(isMarkedNullable) "?" else ""\n\n            return classifierName + args + nullable\n        }\n    }\n\ninternal object
DynamicKType : KType {\n    override val classifier: KClassifier? = null\n    override val arguments:
List<KTypeProjection> = emptyList()\n    override val isMarkedNullable: Boolean = false\n}

```

```

    override fun toString(): String = "\dynamic"\n}\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal
data class KTypeParameterImpl(\n    override val name: String,\n    override val upperBounds: List<KType>,\n    override val variance: KVariance,\n    override val isReified: Boolean\n) : KTypeParameter {\n    override fun
toString(): String = name\n}", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport
kotlin.js.JsClass\n\n@JsName("PrimitiveClasses")\n\ninternal object PrimitiveClasses {\n
@JsName("anyClass")\n    val anyClass = PrimitiveKClassImpl(js("Object").unsafeCast<JsClass<Any>>(),
    "Any", { it is Any })\n\n    @JsName("numberClass")\n    val numberClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Number>>(), "Number", { it is Number })\n\n
@JsName("nothingClass")\n    val nothingClass = NothingKClassImpl\n\n    @JsName("booleanClass")\n    val
booleanClass = PrimitiveKClassImpl(js("Boolean").unsafeCast<JsClass<Boolean>>(), "Boolean", { it is Boolean
})\n\n    @JsName("byteClass")\n    val byteClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Byte>>(), "Byte", { it is Byte })\n\n
@JsName("shortClass")\n    val shortClass = PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Short>>(),
    "Short", { it is Short })\n\n    @JsName("intClass")\n    val intClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Int>>(), "Int", { it is Int })\n\n
@JsName("floatClass")\n    val floatClass = PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Float>>(),
    "Float", { it is Float })\n\n    @JsName("doubleClass")\n    val doubleClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Double>>(), "Double", { it is Double })\n\n
@JsName("arrayClass")\n    val arrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<Array<*>>>(), "Array", { it is Array<*> })\n\n
@JsName("stringClass")\n    val stringClass = PrimitiveKClassImpl(js("String").unsafeCast<JsClass<String>>(),
    "String", { it is String })\n\n    @JsName("throwableClass")\n    val throwableClass =
PrimitiveKClassImpl(js("Error").unsafeCast<JsClass<Throwable>>(), "Throwable", { it is Throwable })\n\n
@JsName("booleanArrayClass")\n    val booleanArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<BooleanArray>>(), "BooleanArray", { it is BooleanArray
})\n\n    @JsName("charArrayClass")\n    val charArrayClass =
PrimitiveKClassImpl(js("Uint16Array").unsafeCast<JsClass<CharArray>>(), "CharArray", { it is CharArray
})\n\n
@JsName("byteArrayClass")\n    val byteArrayClass =
PrimitiveKClassImpl(js("Int8Array").unsafeCast<JsClass<ByteArray>>(), "ByteArray", { it is ByteArray })\n\n
@JsName("shortArrayClass")\n    val shortArrayClass =
PrimitiveKClassImpl(js("Int16Array").unsafeCast<JsClass<ShortArray>>(), "ShortArray", { it is ShortArray
})\n\n    @JsName("intArrayClass")\n    val intArrayClass =
PrimitiveKClassImpl(js("Int32Array").unsafeCast<JsClass<IntArray>>(), "IntArray", { it is IntArray })\n\n
@JsName("longArrayClass")\n    val longArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<LongArray>>(), "LongArray", { it is LongArray })\n\n
@JsName("floatArrayClass")\n    val floatArrayClass =
PrimitiveKClassImpl(js("Float32Array").unsafeCast<JsClass<FloatArray>>(), "FloatArray", { it is FloatArray
})\n\n    @JsName("doubleArrayClass")\n    val doubleArrayClass =
PrimitiveKClassImpl(js("Float64Array").unsafeCast<JsClass<DoubleArray>>(), "DoubleArray",
    { it is DoubleArray })\n\n    @JsName("functionClass")\n    fun functionClass(arity: Int): KClassImpl<Any> {\n
return functionClasses.get(arity) ?: run {\n        val result =
PrimitiveKClassImpl(js("Function").unsafeCast<JsClass<Any>>(), "Function$arity",\n
        { jsTypeOf(it) === "function" && it.asDynamic().length === arity })\n        functionClasses.asDynamic()[arity]

```

```

= result\n      result\n      }\n      }\n\nprivate val functionClasses =
arrayOfNulls<KClassImpl<Any>>(0),"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the module\n\nimport
kotlin.reflect.*\nimport kotlin.reflect.js.internal.*\n\n@JsName("getKClass")\ninternal fun <T : Any>
getKClass(jClass: Any /* JsClass<T>
| Array<JsClass<T>> */): KClass<T> {\n    return if (js("Array").isArray(jClass)) {\n
getKClassM(jClass.unsafeCast<Array<JsClass<T>>>())\n    } else {\n
getKClass1(jClass.unsafeCast<JsClass<T>>())\n    }\n}\n\n@JsName("getKClassM")\ninternal fun <T : Any>
getKClassM(jClasses: Array<JsClass<T>>): KClass<T> = when (jClasses.size) {\n    1 ->
getKClass1(jClasses[0])\n    0 -> NothingKClassImpl.unsafeCast<KClass<T>>()\n    else ->
ErrorKClass().unsafeCast<KClass<T>>()\n}\n\n@JsName("getKClassFromExpression")\ninternal fun <T : Any>
getKClassFromExpression(e: T): KClass<T> =\n    when (jsTypeOf(e)) {\n        "string" ->
PrimitiveClasses.stringClass\n        "number" -> if (jsBitwiseOr(e, 0).asDynamic() === e)
PrimitiveClasses.intClass else PrimitiveClasses.doubleClass\n        "boolean" -> PrimitiveClasses.booleanClass\n
        "function" -> PrimitiveClasses.functionClass(e.asDynamic().length)\n        else -> {\n            when {\n                e
is BooleanArray
                -> PrimitiveClasses.booleanArrayClass\n                e is CharArray -> PrimitiveClasses.charArrayClass\n
                e is ByteArray -> PrimitiveClasses.byteArrayClass\n                e is ShortArray -> PrimitiveClasses.shortArrayClass\n
                e is IntArray -> PrimitiveClasses.intArrayClass\n                e is LongArray ->
PrimitiveClasses.longArrayClass\n                e is FloatArray -> PrimitiveClasses.floatArrayClass\n                e is
DoubleArray -> PrimitiveClasses.doubleArrayClass\n                e is KClass<*> -> KClass::class\n                e is
Array<*> -> PrimitiveClasses.arrayClass\n                else -> {\n                    val constructor =
js("Object").getPrototypeOf(e).constructor\n                    when {\n                        constructor === js("Object") ->
PrimitiveClasses.anyClass\n                        constructor === js("Error") -> PrimitiveClasses.throwableClass\n
                        else -> {\n                            val jsClass: JsClass<T> = constructor\n                            getKClass1(jsClass)\n                            }\n                        }\n                    }\n                }\n            }\n        }\n    }\n}\n\n@JsName("getKClass1")\ninternal fun <T :
Any> getKClass1(jClass: JsClass<T>): KClass<T> {\n    if (jClass === js("String")) return
PrimitiveClasses.stringClass.unsafeCast<KClass<T>>()\n    val metadata = jClass.asDynamic().`$metadata$\`\n\n
return if (metadata != null) {\n        if (metadata.`$kClass$\` == null) {\n            val kClass =
SimpleKClassImpl(jClass)\n            metadata.`$kClass$\` = kClass\n            kClass\n        } else {\n
metadata.`$kClass$\`\n        }\n    } else {\n        SimpleKClassImpl(jClass)\n    }\n}\n}"/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.js\n\n/**\n * Exposes the JavaScript [RegExp]
object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/RegExp) to Kotlin.\n
*/\n\n@Suppress("NOT_DOCUMENTED")\npublic external class RegExp(pattern: String, flags: String? =
definedExternally) {\n\n    public fun test(str: String): Boolean\n\n    public fun exec(str: String): RegExpMatch?\n\n
    public override fun toString(): String\n\n    /**\n     * The lastIndex is a read/write integer property of regular
expressions that specifies the index at which to start the next match.\n     */\n    public var lastIndex: Int\n\n    public
val global: Boolean\n\n    public val ignoreCase: Boolean\n\n    public val multiline: Boolean\n}\n\n/**\n * Resets the
regular expression so that subsequent [RegExp.test] and [RegExp.exec] calls will match starting with the beginning
of the input string.\n */\n\npublic fun RegExp.reset() {\n    lastIndex = 0\n}\n\n// TODO: Inherit from array or
introduce asArray() extension\n\n/**\n * Represents the return value of [RegExp.exec].\n */\n\n@Suppress("NOT_DOCUMENTED")\npublic external
interface RegExpMatch {\n    public val index: Int\n    public val input: String\n    public val length: Int\n}\n\n/**\n * Returns the entire text matched by [RegExp.exec] if the [index] parameter is 0, or the text matched by the

```

```

capturing parenthesis\n * at the given index.\n *\npublic inline operator fun RegExpMatch.get(index: Int): String? =
asDynamic()[index]\n\n/**\n * Converts the result of [RegExp.exec] to an array where the first element contains the
entire matched text and each subsequent\n * element is the text matched by each capturing parenthesis.\n *\npublic
inline fun RegExpMatch.asArray(): Array<out String?> = unsafeCast<Array<out String?>>()\n","/*\n * Copyright
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\npackage
kotlin.sequences\n\ninternal actual class ConstrainedOnceSequence<T> actual constructor(sequence:
Sequence<T>) : Sequence<T> {\n    private var sequenceRef: Sequence<T>? = sequence\n\n    actual override fun
iterator(): Iterator<T> {\n        val sequence = sequenceRef ?: throw IllegalStateException("This sequence can be
consumed only once.")\n        sequenceRef = null\n        return sequence.iterator()\n    }\n}\n","/*\n * Copyright
2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\npackage
kotlin.text\n\n@SinceKotlin("1.5")\npublic actual enum class CharCategory(internal val value: Int, public actual
val code: String) {\n    /**\n     * General category \"Cn\" in the Unicode specification.\n     *\n     UNASSIGNED(0,
\"Cn\"),\n\n    /**\n     * General category \"Lu\" in the Unicode specification.\n     *\n     UPPERCASE_LETTER(1,
\"Lu\"),\n\n    /**\n     * General category \"Ll\" in the Unicode specification.\n     *\n     LOWERCASE_LETTER(2,
\"Ll\"),\n\n    /**\n     * General category \"Lt\" in the Unicode specification.\n     *\n     TITLECASE_LETTER(3,
\"Lt\"),\n\n    /**\n     * General category \"Lm\" in the Unicode specification.\n     *\n     MODIFIER_LETTER(4,
\"Lm\"),\n\n    /**\n     * General category \"Lo\" in the Unicode specification.\n     *\n     OTHER_LETTER(5,
\"Lo\"),\n\n    /**\n     * General category \"Mn\" in the Unicode specification.\n     *\n     NON_SPACING_MARK(6,
\"Mn\"),\n\n    /**\n     * General category \"Me\" in the Unicode specification.\n     *\n     ENCLOSING_MARK(7,
\"Me\"),\n\n    /**\n     * General category \"Mc\" in the Unicode specification.\n     *\n     COMBINING_SPACING_MARK(8,
\"Mc\"),\n\n    /**\n     * General category \"Nd\" in the Unicode
specification.\n     *\n     DECIMAL_DIGIT_NUMBER(9, \"Nd\"),\n\n    /**\n     * General category \"NI\" in the
Unicode specification.\n     *\n     LETTER_NUMBER(10, \"NI\"),\n\n    /**\n     * General category \"No\" in the Unicode
specification.\n     *\n     OTHER_NUMBER(11, \"No\"),\n\n    /**\n     * General category \"Zs\" in the Unicode
specification.\n     *\n     SPACE_SEPARATOR(12, \"Zs\"),\n\n    /**\n     * General category \"Zl\" in the Unicode
specification.\n     *\n     LINE_SEPARATOR(13, \"Zl\"),\n\n    /**\n     * General category \"Zp\" in the Unicode
specification.\n     *\n     PARAGRAPH_SEPARATOR(14, \"Zp\"),\n\n    /**\n     * General category \"Cc\" in the Unicode
specification.\n     *\n     CONTROL(15, \"Cc\"),\n\n    /**\n     * General category \"Cf\" in the Unicode
specification.\n     *\n     FORMAT(16, \"Cf\"),\n\n    /**\n     * General category \"Co\" in the Unicode
specification.\n     *\n     PRIVATE_USE(18, \"Co\"),\n\n    /**\n     * General category \"Cs\" in the Unicode
specification.\n     *\n     SURROGATE(19, \"Cs\"),\n\n    /**\n     * General category \"Pd\" in
the Unicode specification.\n     *\n     DASH_PUNCTUATION(20, \"Pd\"),\n\n    /**\n     * General category \"Ps\" in
the Unicode specification.\n     *\n     START_PUNCTUATION(21, \"Ps\"),\n\n    /**\n     * General category
\"Pe\" in the Unicode specification.\n     *\n     END_PUNCTUATION(22, \"Pe\"),\n\n    /**\n     * General category
\"Pc\" in the Unicode specification.\n     *\n     CONNECTOR_PUNCTUATION(23, \"Pc\"),\n\n    /**\n     *
General category \"Po\" in the Unicode specification.\n     *\n     OTHER_PUNCTUATION(24, \"Po\"),\n\n    /**\n     *
General category \"Sm\" in the Unicode specification.\n     *\n     MATH_SYMBOL(25, \"Sm\"),\n\n    /**\n     *
General category \"Sc\" in the Unicode specification.\n     *\n     CURRENCY_SYMBOL(26, \"Sc\"),\n\n    /**\n     *
General category \"Sk\" in the Unicode specification.\n     *\n     MODIFIER_SYMBOL(27, \"Sk\"),\n\n    /**\n     *
General category \"So\" in the Unicode specification.\n     *\n     OTHER_SYMBOL(28, \"So\"),\n\n    /**\n     *
General category \"Pi\" in the Unicode specification.\n     *\n     INITIAL_QUOTE_PUNCTUATION(29, \"Pi\"),\n\n    /**\n     *
General category \"Pf\" in the Unicode
specification.\n     *\n     FINAL_QUOTE_PUNCTUATION(30, \"Pf\"),\n\n    /**\n     * Returns `true` if [char]
character belongs to this category.\n     *\n     public actual operator fun contains(char: Char): Boolean =

```

```

char.getCategoryValue() == this.value\n\n companion object {\n    internal fun valueOf(category: Int):
CharCategory =\n        when (category) {\n            in 0..16 -> values()[category]\n            in 18..30 ->
values()[category - 1]\n            else -> throw IllegalArgumentException("Category #\$category is not defined.")\n
        }\n    }\n}\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
 */\n\npackage
kotlin.text\n\n/**\n * The exception thrown when a character encoding or decoding error occurs.\n
 */\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual open class
CharacterCodingException(message: String?) : Exception(message) {\n    actual constructor() : this(null)\n}\n", "/*\n
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.text\n\n/**\n * A mutable sequence of characters.\n */\n * String builder can be used to efficiently perform
multiple string manipulation operations.\n */\n\npublic actual class StringBuilder actual constructor(content: String) :
Appendable, CharSequence {\n    /**\n     * Constructs an empty string builder with the specified initial [capacity].\n
 */\n     * In Kotlin/JS implementation of StringBuilder the initial capacity has no effect on the
further performance of operations.\n     */\n     actual constructor(capacity: Int) : this() {\n     }\n     /** Constructs a
string builder that contains the same characters as the specified [content] char sequence. */\n     actual
constructor(content: CharSequence) : this(content.toString()) {\n     }\n     /** Constructs an empty string builder. */\n
actual constructor() : this("")\n     private var string: String = if (content != undefined) content else ""\n     actual
override val length: Int\n     get() = string.asDynamic().length\n     actual override fun get(index: Int): Char
=\n     string.getOrNull(index) { throw IndexOutOfBoundsException("index: \$index, length: \$length") }\n     actual
override fun subSequence(startIndex: Int, endIndex: Int): CharSequence = string.substring(startIndex,
endIndex)\n     actual override fun append(value: Char): StringBuilder {\n     string += value\n     return this\n
}\n     actual override fun append(value: CharSequence?):
StringBuilder {\n     string += value.toString()\n     return this\n     }\n     actual override fun append(value:
CharSequence?, startIndex: Int, endIndex: Int): StringBuilder =\n     this.appendRange(value ?: "null", startIndex,
endIndex)\n     /**\n     * Reverses the contents of this string builder and returns this instance.\n     */\n     *
Surrogate pairs included in this string builder are treated as single characters.\n     * Therefore, the order of the high-
low surrogates is never reversed.\n     * Note that the reverse operation may produce new surrogate pairs that
were unpaired low-surrogates and high-surrogates before the operation.\n     * For example, reversing
`"\uDC00\uD800"` produces `"\uD800\uDC00"` which is a valid surrogate pair.\n     */\n     actual fun
reverse(): StringBuilder {\n     var reversed = ""\n     var index = string.length - 1\n     while (index >= 0) {\n
        val low = string[index--]\n         if (low.isLowSurrogate())
&& index >= 0) {\n             val high = string[index--]\n             if (high.isHighSurrogate()) {\n
                reversed = reversed + high + low\n            } else {\n                reversed = reversed + low + high\n
            }\n        } else {\n            reversed += low\n        }\n     }\n     string = reversed\n     return this\n
}\n     /**\n     * Appends the string representation of the specified object [value] to this string builder and returns this
instance.\n     */\n     * The overall effect is exactly as if the [value] were converted to a string by the
`value.toString()` method,\n     * and then that string was appended to this string builder.\n     */\n     actual fun
append(value: Any?): StringBuilder {\n     string += value.toString()\n     return this\n     }\n     /**\n     *
Appends the string representation of the specified boolean [value] to this string builder and returns this instance.\n
     */\n     * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()`
method,\n     * and then that string was appended to this string builder.\n     */\n     @SinceKotlin("1.3")\n     actual
fun append(value: Boolean): StringBuilder {\n     string += value\n     return this\n     }\n     /**\n     * Appends
characters in the specified character array [value] to this string builder and returns this instance.\n     */\n     *
Characters are appended in order, starting at the index 0.\n     */\n     @SinceKotlin("1.4")\n     @WasExperimental(ExperimentalStdlibApi::class)\n     actual fun append(value: CharArray): StringBuilder {\n
string += value.concatToString()\n     return this\n     }\n     @Deprecated("Provided for binary compatibility.",

```



```

level = DeprecationLevel.HIDDEN)\n fun append(value: String): StringBuilder = append(value)\n\n /**\n *
Appends the specified string [value] to this string builder and returns
this instance.\n * If [value] is `null`, then the four characters `null` are appended.\n */
@SinceKotlin("1.3")\n actual fun append(value: String?): StringBuilder {\n this.string += value ?: "null"\n
return this\n }\n\n /**\n * Returns the current capacity of this string builder.\n * The capacity is the
maximum length this string builder can have before an allocation occurs.\n * In Kotlin/JS implementation
of StringBuilder the value returned from this method may not indicate the actual size of the backing storage.\n
*/\n @SinceKotlin("1.3")\n// @ExperimentalStdlibApi\n @Deprecated("Obtaining StringBuilder capacity is
not supported in JS and common code.", level = DeprecationLevel.ERROR)\n actual fun capacity(): Int =
length\n\n /**\n * Ensures that the capacity of this string builder is at least equal to the specified
[minimumCapacity].\n * If the current capacity
is less than the [minimumCapacity], a new backing storage is allocated with greater capacity.\n * Otherwise, this
method takes no action and simply returns.\n * In Kotlin/JS implementation of StringBuilder the size of the
backing storage is not extended to comply the given [minimumCapacity],\n * thus calling this method has no
effect on the further performance of operations.\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun ensureCapacity(minimumCapacity: Int) {\n
}\n\n /**\n * Returns the index within this string builder of the first occurrence of the specified [string].\n *
Returns -1 if the specified [string] does not occur in this string builder.\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun indexOf(string: String): Int =
this.string.asDynamic().indexOf(string)\n\n /**\n * Returns the index within this string builder of
the first occurrence of the specified [string],\n * starting at the specified [startIndex].\n * Returns -1 if
the specified [string] does not occur in this string builder starting at the specified [startIndex].\n */\n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun indexOf(string: String,
startIndex: Int): Int = this.string.asDynamic().indexOf(string, startIndex)\n\n /**\n * Returns the index within
this string builder of the last occurrence of the specified [string].\n * The last occurrence of empty string `""` is
considered to be at the index equal to `this.length`.\n * Returns -1 if the specified [string] does not occur
in this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n
actual fun lastIndexOf(string: String): Int = this.string.asDynamic().lastIndexOf(string)\n\n /**\n * Returns the
index within this string builder of the
last occurrence of the specified [string],\n * starting from the specified [startIndex] toward the beginning.\n *
Returns -1 if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n
*/\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun
lastIndexOf(string: String, startIndex: Int): Int {\n if (string.isEmpty() && startIndex < 0) return -1\n return
this.string.asDynamic().lastIndexOf(string, startIndex)\n }\n\n /**\n * Inserts the string representation of the
specified boolean [value] into this string builder at the specified [index] and returns this instance.\n * The
overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n * and then
that string was inserted into this string builder at the specified [index].\n * @throws
IndexOutOfBoundsException if [index] is less than zero
or greater than the length of this string builder.\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun insert(index: Int, value: Boolean): StringBuilder
{\n AbstractList.checkPositionIndex(index, length)\n string = string.substring(0, index) + value +
string.substring(index)\n return this\n }\n\n /**\n * Inserts the specified character [value] into this string
builder at the specified [index] and returns this instance.\n * @throws IndexOutOfBoundsException if
[index] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun insert(index: Int, value: Char): StringBuilder {\n
AbstractList.checkPositionIndex(index, length)\n string = string.substring(0, index) + value +
string.substring(index)\n return this\n }\n\n /**\n * Inserts characters in

```

```

the specified character array [value] into this string builder at the specified [index] and returns this instance.\n *\n
 * The inserted characters go in same order as in the [value] character array, starting at [index].\n *\n
 * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
 */\n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun insert(index: Int,
value: CharArray): String Builder {\n     AbstractList.checkPositionIndex(index, length)\n\n     string =
string.substring(0, index) + value.concatToString() + string.substring(index)\n     return this\n }\n\n /**\n
 * Inserts characters in the specified character sequence [value] into this string builder at the specified [index] and
returns this instance.\n *\n
 * The inserted characters go in the same order as in the [value] character sequence,
starting at [index].\n *\n
 * @param
index the position in this string builder to insert at.\n *\n
 * @param value the character sequence from which
characters are inserted. If [value] is `null`, then the four characters `\\null` are inserted.\n *\n
 * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n *\n
 */\n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun insert(index: Int, value:
CharSequence?): String Builder {\n     AbstractList.checkPositionIndex(index, length)\n\n     string =
string.substring(0, index) + value.toString() + string.substring(index)\n     return this\n }\n\n /**\n
 * Inserts the string representation of the specified object [value] into this string builder at the specified [index] and returns
this instance.\n *\n
 * The overall effect is exactly as if the [value] were converted to a string by the
`value.toString()` method,\n *\n
 * and then that string was inserted
into this string builder at the specified [index].\n *\n
 * @throws IndexOutOfBoundsException if [index] is less
than zero or greater than the length of this string builder.\n *\n
 */\n
@SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun insert(index: Int, value: Any?): String Builder {\n
    AbstractList.checkPositionIndex(index, length)\n\n     string = string.substring(0, index) + value.toString() +
string.substring(index)\n     return this\n }\n\n @Deprecated("Provided for binary compatibility.", level =
DeprecationLevel.HIDDEN)\n fun insert(index: Int, value: String): String Builder = insert(index, value)\n\n /**\n
 * Inserts the string [value] into this string builder at the specified [index] and returns this instance.\n *\n
 * If
[value] is `null`, then the four characters `\\null` are inserted.\n *\n
 * @throws IndexOutOfBoundsException
if [index] is less than zero or greater than the length
of this string builder.\n *\n
 */\n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n
actual fun insert(index: Int, value: String?): String Builder {\n     AbstractList.checkPositionIndex(index,
length)\n\n     val toInsert = value ?: "\\null"\n     this.string = this.string.substring(0, index) + toInsert +
this.string.substring(index)\n     return this\n }\n\n /**\n
 * Sets the length of this string builder to the
specified [newLength].\n *\n
 * If the [newLength] is less than the current length, it is changed to the specified
[newLength].\n *\n
 * Otherwise, null characters `\\u0000` are appended to this string builder until its length is less
than the [newLength].\n *\n
 * Note that in Kotlin/JS [set] operator function has non-constant execution time
complexity.\n *\n
 * Therefore, increasing length of this string builder and then updating each character by index may
slow down your program.\n *\n
 * @throws
IndexOutOfBoundsException or [IllegalArgumentException] if [newLength] is less than zero.\n *\n
 */\n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun setLength(newLength:
Int) {\n     if (newLength < 0) {\n         throw IllegalArgumentException("Negative new length:
$newLength.")\n     }\n\n     if (newLength <= length) {\n         string = string.substring(0, newLength)\n     }
else {\n         for (i in length until newLength) {\n             string += "\\u0000"\n         }\n     }\n\n /**\n
 * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the
[length] (exclusive).\n *\n
 * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater
than the length of this string builder.\n *\n
 */\n
@SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun substring(startIndex: Int):
String {\n     AbstractList.checkPositionIndex(startIndex, length)\n\n     return string.substring(startIndex)\n
}\n\n /**\n
 * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and
up to the [endIndex] (exclusive).\n *\n
 * @throws IndexOutOfBoundsException or

```

```

[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when
`startIndex > endIndex`.
 *^ @SinceKotlin("1.4") @WasExperimental(ExperimentalStdlibApi::class)
 actual fun substring(startIndex: Int, endIndex: Int): String {
    AbstractList.checkBoundsIndexes(startIndex,
endIndex, length)
    return string.substring(startIndex, endIndex)
 }
 /**
  * Attempts to reduce
storage used for this string builder.
 * If the backing storage of this string builder is larger than necessary
to hold its current contents,
 * then it may be resized to become more
space efficient.
 * Calling this method may, but is not required to, affect the value of the [capacity] property.
 * In Kotlin/JS implementation of StringBuilder the size of the backing storage is always equal to the length of
the string builder.
 *^ @SinceKotlin("1.4") @WasExperimental(ExperimentalStdlibApi::class)
 actual fun trimToSize() {}
 override fun toString(): String = string
 /**
  * Clears the content of
this string builder making it empty and returns this instance.
 * @sample
samples.text.Strings.clearStringBuilder
 *^ @SinceKotlin("1.3") public fun clear(): StringBuilder {
    string = ""
    return this
 }
 /**
  * Sets the character at the specified [index] to the specified
[value].
 * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.
 *^ @SinceKotlin("1.4") @WasExperimental(ExperimentalStdlibApi::class)
 public operator fun set(index: Int, value: Char) {
    AbstractList.checkElementIndex(index, length)
    string = string.substring(0, index) + value + string.substring(index + 1)
 }
 /**
  * Replaces characters in
the specified range of this string builder with characters in the specified string [value] and returns this instance.
 * @param startIndex the beginning (inclusive) of the range to replace.
 * @param endIndex the end
(exclusive) of the range to replace.
 * @param value the string to replace with.
 * @throws
IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length
of this string builder, or `startIndex > endIndex`.
 *^ @SinceKotlin("1.4")
 @WasExperimental(ExperimentalStdlibApi::class) public fun setRange(startIndex: Int, endIndex: Int, value:
String): StringBuilder {
    checkReplaceRange(startIndex, endIndex, length)
    this.string = this.string.substring(0, startIndex) + value + this.string.substring(endIndex)
    return this
 }
 private fun checkReplaceRange(startIndex: Int, endIndex: Int, length: Int) {
    if (startIndex < 0 ||
startIndex > length) {
        throw IndexOutOfBoundsException("startIndex: $startIndex, length: $length")
    }
    if (startIndex > endIndex) {
        throw IllegalArgumentException("startIndex($startIndex) >
endIndex($endIndex)")
    }
 }
 /**
  * Removes the character at the specified [index] from this string
builder and returns this instance.
 * If the `Char` at the specified [index] is part of a supplementary code
point, this method does not remove the entire supplementary character.
 * @param index the index of
`Char` to remove.
 * @throws IndexOutOfBoundsException if [index] is out of bounds of this string
builder.
 *^ @SinceKotlin("1.4")
 @WasExperimental(ExperimentalStdlibApi::class) public fun deleteAt(index: Int): StringBuilder {
    AbstractList.checkElementIndex(index, length)
    string = string.substring(0, index) + string.substring(index +
1)
    return this
 }
 /**
  * Removes characters in the specified range from this string builder and
returns this instance.
 * @param startIndex the beginning (inclusive) of the range to remove.
 *
 @param endIndex the end (exclusive) of the range to remove.
 * @throws IndexOutOfBoundsException
or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex >
endIndex`.
 *^ @SinceKotlin("1.4") @WasExperimental(ExperimentalStdlibApi::class) public fun
deleteRange(startIndex: Int, endIndex: Int): StringBuilder {
    checkReplaceRange(startIndex, endIndex,
length)
    string = string.substring(0, startIndex) + string.substring(endIndex)
    return this
 }
 /**
  * Copies characters from this string builder into the [destination] character
array.
 * @param destination the array to copy to.
 * @param destinationOffset the position in the
array to copy to, 0 by default.
 * @param startIndex the beginning (inclusive) of the range to copy, 0 by
default.
 * @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.
 * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is
out of range of this string builder indices or when `startIndex > endIndex`.
 * @throws

```

```

IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified
[destinationOffset],\n * or when that index is out of the [destination] array indices range.\n */\n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public
fun toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length)
{\n    AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n
AbstractList.checkBoundsIndexes(destinationOffset, destinationOffset + endIndex - startIndex, destination.size)\n\n
    var dstIndex = destinationOffset\n    for (index in startIndex until endIndex) {\n        destination[dstIndex++]
= string[index]\n    }\n\n    /**\n * Appends characters in a subarray of the specified character array
[value] to this string builder and returns this instance.\n * Characters are appended in order, starting at
specified [startIndex].\n * @param value the array from which characters are appended.\n * @param
startIndex the beginning (inclusive) of the subarray to append.\n * @param endIndex the end (exclusive) of the
subarray to append.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException]
when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n
*/\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun
appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder {\n    string +=
value.concatToString(startIndex, endIndex)\n    return this\n }\n\n /**\n * Appends a subsequence of the
specified character sequence [value] to this string builder and returns this instance.\n * @param value the
character sequence from which a subsequence is appended.\n * @param startIndex the beginning (inclusive) of
the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n * @
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of the [value] character sequence indices or when `startIndex > endIndex`.\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n public fun appendRange(value: CharSequence, startIndex:
Int, endIndex: Int): StringBuilder {\n    val stringCsq = value.toString()\n
AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)\n\n    string +=
stringCsq.substring(startIndex, endIndex)\n    return this\n }\n\n /**\n * Inserts characters in a subarray of
the specified character array [value] into this string builder at the specified [index] and returns this instance.\n
* The inserted characters go in same order as in the [value] array, starting at [index].\n * @param index
the position in this string builder to insert at.\n * @param value the array from which characters are inserted.\n
* @param startIndex the beginning (inclusive) of the subarray to insert.\n * @param endIndex the end (exclusive)
of the subarray to insert.\n * @throws IndexOutOfBoundsException
or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when
`startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the
length of this string builder.\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n public fun insertRange(index: Int, value: CharArray,
startIndex: Int, endIndex: Int): StringBuilder {\n    AbstractList.checkPositionIndex(index, this.length)\n\n
string = string.substring(0, index) + value.concatToString(startIndex, endIndex) + string.substring(index)\n
return this\n }\n\n /**\n * Inserts characters in a subsequence of the specified character sequence [value] into
this string builder at the specified [index] and returns this instance.\n * The inserted characters go in the
same order as in the [value] character sequence, starting at [index].\n * @param index the position
in this string builder to insert at.\n * @param value the character sequence from which a subsequence is
inserted.\n * @param startIndex the beginning (inclusive) of the subsequence to insert.\n * @param endIndex
the end (exclusive) of the subsequence to insert.\n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence
indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or
greater than the length of this string builder.\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n public fun insertRange(index: Int, value: CharSequence,
startIndex: Int, endIndex: Int): StringBuilder {\n    AbstractList.checkPositionIndex(index, length)\n\n    val
stringCsq = value.toString()\n    AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)\n\n

```

```

string =
    string.substring(0, index) + stringCsq.substring(startIndex, endIndex) + string.substring(index)\n    return this\n
}\n}\n\n\n\n\n\n * Clears the content of this string builder making it empty and returns this instance.\n * \n * @sample
samples.text.Strings.clearStringBuilder\n
*\n@SinceKotlin("1.3")\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER",
"NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.clear(): StringBuilder = this.clear()\n\n\n\n *
Sets the character at the specified [index] to the specified [value].\n * \n * @throws IndexOutOfBoundsException if
[index] is out of bounds of this string builder.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline operator fun
StringBuilder.set(index: Int, value: Char) = this.set(index, value)\n\n\n\n * Replaces characters in the specified
range of this string builder with characters in the specified string [value]
and returns this instance.\n * \n * @param startIndex the beginning (inclusive) of the range to replace.\n * @param
endIndex the end (exclusive) of the range to replace.\n * @param value the string to replace with.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length
of this string builder, or `startIndex > endIndex`.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder =\n    this.setRange(startIndex,
endIndex, value)\n\n\n\n * Removes the character at the specified [index] from this string builder and returns this
instance.\n * \n * If the `Char` at the specified [index] is part of a supplementary code point, this method does not
remove the entire supplementary character.\n * \n * @param index the index of
`Char` to remove.\n * \n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.deleteAt(index:
Int): StringBuilder = this.deleteAt(index)\n\n\n\n * Removes characters in the specified range from this string
builder and returns this instance.\n * \n * @param startIndex the beginning (inclusive) of the range to remove.\n *
@param endIndex the end (exclusive) of the range to remove.\n * \n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex >
endIndex`.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder
= this.deleteRange(startIndex, endIndex)\n\n\n\n * Copies characters from this string builder into the [destination]
character array.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n
* @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.\n * \n *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of this string builder indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException
when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when
that index is out of the [destination] array indices range.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE",
"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun
StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =
this.length) =\n    this.toCharArray(destination, destinationOffset, startIndex, endIndex)\n\n\n\n * Appends
characters in a subarray of the specified character array [value] to this string builder and returns this instance.\n * \n *
Characters are appended in order, starting at specified [startIndex].\n * \n * @param value the array from which

```

characters are appended.\n \* @param startIndex the beginning (inclusive) of the subarray to append.\n \* @param endIndex the end (exclusive) of the subarray to append.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER",
"NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.appendRange(value: CharArray, startIndex:
Int, endIndex: Int): StringBuilder =\n    this.appendRange(value, startIndex, endIndex)\n\n/**\n * Appends a
subsequence of the specified character sequence [value] to this string builder and returns this instance.\n * \n *
@param value the character sequence from which a subsequence is appended.\n * @param startIndex the beginning
(inclusive) of the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n
*\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out
of range of the [value] character sequence indices or when `startIndex > endIndex`.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
StringBuilder.appendRange(value: CharSequence, startIndex: Int, endIndex:
Int): StringBuilder =\n    this.appendRange(value, startIndex, endIndex)\n\n/**\n * Inserts characters in a subarray
of the specified character array [value] into this string builder at the specified [index] and returns this instance.\n
*\n * The inserted characters go in same order as in the [value] array, starting at [index].\n * \n * @param index the
position in this string builder to insert at.\n * @param value the array from which characters are inserted.\n *
@param startIndex the beginning (inclusive) of the subarray to insert.\n * @param endIndex the end (exclusive) of
the subarray to insert.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when
[startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n *
@throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER",
"NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.insertRange(index: Int, value: CharArray,
startIndex: Int, endIndex: Int): StringBuilder =\n    this.insertRange(index, value, startIndex, endIndex)\n\n/**\n *
Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified
[index] and returns this instance.\n * \n * The inserted characters go in the same order as in the [value] character
sequence, starting at [index].\n * \n * @param index the position in this string builder to insert at.\n * @param value
the character sequence from which a subsequence is inserted.\n * @param startIndex the beginning (inclusive) of the
subsequence to insert.\n * @param endIndex the end (exclusive) of the subsequence to insert.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the
[value] character sequence indices or when `startIndex >
endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this
string builder.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
StringBuilder.insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder =\n\n
this.insertRange(index, value, startIndex, endIndex)\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n * \n * \n * @package kotlin.text\n\n/**\n * Returns `true` if the content of this
string is equal to the word `true`, ignoring case, and `false` otherwise.\n * \n * \n * @Deprecated("Use Kotlin compiler
1.4 to avoid deprecation warning.")\n * @DeprecatedSinceKotlin(hiddenSince =
"1.4")\n * @kotlin.internal.InlineOnly\n * \n * \n * public actual
inline fun String.toBoolean(): Boolean = this.toBoolean()\n\n/**\n * Returns `true` if this string is not `null` and its
content is equal to the word `true`, ignoring case, and `false` otherwise.\n * \n * \n * There are also strict versions of the

```

function available on non-nullable String, [toBooleanStrict] and [toBooleanStrictOrNull].\n

```

*\n@SinceKotlin("1.4")\npublic actual fun String?.toBoolean(): Boolean = this != null && this.lowercase() ==
"true"\n\n/**\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun
String.toByte(): Byte = toByteOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a signed [Byte]
number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\npublic
actual fun String.toByte(radix: Int): Byte = toByteOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the
string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n */\npublic actual fun String.toShort(): Short = toShortOrNull() ?:
numberFormatError(this)\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun
String.toShort(radix: Int): Short = toShortOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as
an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n */\npublic actual fun String.toInt(): Int = toIntOrNull() ?:
numberFormatError(this)\n\n/**\n * Parses the
string as an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to
number conversion.\n */\npublic actual fun String.toInt(radix: Int): Int = toIntOrNull(radix) ?:
numberFormatError(this)\n\n/**\n * Parses the string as a [Long] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun
String.toLong(): Long = toLongOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Long]
number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\npublic actual fun String.toLong(radix: Int): Long = toLongOrNull(radix) ?: numberFormatError(this)\n\n/**\n *
Parses the string
as a [Double] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n */\npublic actual fun String.toDouble(): Double =
+(this.asDynamic()).unsafeCast<Double>().also {\n    if (it.isNaN() && !this.isNaN() || it == 0.0 &&
this.isBlank())\n        numberFormatError(this)\n}\n\n/**\n * Parses the string as a [Float] number and returns the
result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloat(): Float =
toDouble().unsafeCast<Float>()\n\n/**\n * Parses the string as a [Double] number and returns the result\n * or `null`
if the string is not a valid representation of a number.\n */\npublic actual fun String.toDoubleOrNull(): Double? =
+(this.asDynamic()).unsafeCast<Double>().takeIf {\n    !(it.isNaN() && !this.isNaN() || it == 0.0 &&
this.isBlank())\n}\n\n/**\n * Parses the string as a [Float] number
and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloatOrNull(): Float? =
toDoubleOrNull().unsafeCast<Float?>()\n\n/**\n * Returns a string representation of this [Byte] value in the
specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string
conversion.\n */\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual inline fun Byte.toString(radix:
Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Short] value in the
specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string
conversion.\n */\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual inline fun Short.toString(radix:
Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Int] value in the specified

```

```

[radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string
conversion.\n *\n @SinceKotlin("1.2")\npublic actual fun Int.toString(radix: Int): String =
asDynamic().toString(checkRadix(radix))\n\nprivate fun String.isNaN(): Boolean = when (this.lowercase()) {\n
\n"nan", "+nan", "-nan" -> true\n else -> false\n}\n\n/**\n * Checks whether the given [radix] is valid radix for
string to number and number to string conversion.\n *\n @PublishedApi\ninternal actual fun checkRadix(radix: Int):
Int {\n if (radix !in 2..36) {\n throw IllegalArgumentException("\radix $radix was not in valid range 2..36")\n
}\n return radix\n}\n\ninternal actual fun digitOf(char: Char, radix: Int): Int = when {\n char >= '0' && char <=
'9' -> char - '0'\n char >= 'A' && char <= 'Z' -> char - 'A' + 10\n char >= 'a' && char <= 'z' -> char - 'a' + 10\n
char < '\u0080' -> -1\n char >= '\uFF21' && char <= '\uFF3A' -> char - '\uFF21'
+ 10 // full-width latin capital letter\n char >= '\uFF41' && char <= '\uFF5A' -> char - '\uFF41' + 10 // full-width
latin small letter\n else -> char.digitToIntImpl()\n}.let { if (it >= radix) -1 else it }\n", /*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n package kotlin.text\nimport
kotlin.js.RegExp\n\n/**\n * Provides enumeration values to use to set regular expression options.\n *\n public actual
enum class RegexOptions(val value: String) {\n /** Enables case-insensitive matching. *\n
IGNORE_CASE("i"),\n /** Enables multiline mode.\n *\n * In multiline mode the expressions `^` and `$`
match just after or just before,\n *\n * respectively, a line terminator or the end of the input sequence. *\n
MULTILINE("m")\n}\n\nprivate fun Iterable<RegexOption>.toFlags(prepend: String): String
= joinToString("\", prefix = prepend) { it.value }\n\n/**\n * Represents the results from a single capturing group
within a [MatchResult] of [Regex].\n *\n * @param value The value of captured group.\n *\n public actual data
class MatchGroup(actual val value: String)\n\n/**\n * Represents a compiled regular expression.\n *\n * Provides
functions to match strings in text with a pattern, replace the found occurrences and split text around matches.\n *\n *
For pattern syntax reference see [MDN RegExp](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/RegExp#Special_characters_meaning_in_regular_expressions)\n
*\n * and
[http://www.w3schools.com/jsref/jsref_obj_regexp.asp](https://www.w3schools.com/jsref/jsref_obj_regexp.asp).\n
*\n * Note that `RegExp` objects under the hood are constructed with [the `u`
flag](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/RegExp/unicode)\n *\n * that
enables Unicode-related features in regular
expressions. This also makes the pattern syntax more strict,\n *\n * for example, prohibiting unnecessary escape
sequences.\n *\n * @constructor Creates a regular expression from the specified [pattern] string and the specified set
of [options].\n *\n public actual class Regex actual constructor(pattern: String, options: Set<RegexOption>) {\n\n
/** Creates a regular expression from the specified [pattern] string and the specified single [option]. *\n public
actual constructor(pattern: String, option: RegexOption) : this(pattern, setOf(option))\n\n /** Creates a regular
expression from the specified [pattern] string and the default options. *\n public actual constructor(pattern:
String) : this(pattern, emptySet())\n\n /** The pattern string of this regular expression. *\n public actual val
pattern: String = pattern\n\n /** The set of options that were used to create this regular expression. *\n public
actual val options: Set<RegexOption> = options.toSet()\n
private val nativePattern: RegExp = RegExp(pattern, options.toFlags("gu"))\n private var nativeStickyPattern:
RegExp? = null\n private fun initStickyPattern(): RegExp =\n nativeStickyPattern ?: RegExp(pattern,
options.toFlags("yu")).also { nativeStickyPattern = it }\n\n private var nativeMatchesEntirePattern: RegExp? =
null\n private fun initMatchesEntirePattern(): RegExp =\n nativeMatchesEntirePattern ?: run {\n if
(pattern.startsWith('^') && pattern.endsWith('$'))\n nativePattern\n else\n return
RegExp("\^${pattern.trimStart('^').trimEnd('$')}\$", options.toFlags("gu"))\n }.also {\n
nativeMatchesEntirePattern = it }\n\n /** Indicates whether the regular expression matches the entire [input].
*\n public actual infix fun matches(input: CharSequence): Boolean {\n nativePattern.reset()\n val match
= nativePattern.exec(input.toString())\n return match != null && match.index

```



```

== 0 && nativePattern.lastIndex == input.length\n } \n\n /** Indicates whether the regular expression can find at
least one match in the specified [input]. *\n public actual fun containsMatchIn(input: CharSequence): Boolean {\n
    nativePattern.reset()\n    return nativePattern.test(input.toString())\n } \n\n @SinceKotlin("1.5")\n
@ExperimentalStdlibApi\n public actual fun matchesAt(input: CharSequence, index: Int): Boolean {\n    if
(index < 0 || index > input.length) {\n        throw IndexOutOfBoundsException("index out of bounds: $index,
input length: ${input.length}")\n    }\n    val pattern = initStickyPattern()\n    pattern.lastIndex = index\n
return pattern.test(input.toString())\n } \n\n /**\n * Returns the first match of a regular expression in the
[input], beginning at the specified [startIndex].\n * \n * @param startIndex An index to start search with, by
default 0. Must be not less than zero and
not greater than `input.length()`\n * @return An instance of [MatchResult] if match was found or `null`
otherwise.\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the length of
the [input] char sequence.\n * @sample samples.text.Regexps.find\n */\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n public actual fun find(input:
CharSequence, startIndex: Int = 0): MatchResult? {\n    if (startIndex < 0 || startIndex > input.length) {\n
throw IndexOutOfBoundsException("Start index out of bounds: $startIndex, input length: ${input.length}")\n
}\n    return nativePattern.findNext(input.toString(), startIndex, nativePattern)\n } \n\n /**\n * Returns a
sequence of all occurrences of a regular expression within the [input] string, beginning at the specified
[startIndex].\n * \n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the
length of the
[input] char sequence.\n * \n * @sample samples.text.Regexps.findAll\n */\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n public actual fun findAll(input:
CharSequence, startIndex: Int = 0): Sequence<MatchResult> {\n    if (startIndex < 0 || startIndex > input.length)
{\n        throw IndexOutOfBoundsException("Start index out of bounds: $startIndex, input length:
${input.length}")\n    }\n    return generateSequence({ find(input, startIndex) }, { match -> match.next() })\n
}\n\n /**\n * Attempts to match the entire [input] CharSequence against the pattern.\n * \n * @return An
instance of [MatchResult] if the entire input matches or `null` otherwise.\n */\n public actual fun
matchEntire(input: CharSequence): MatchResult? =\n    initMatchesEntirePattern().findNext(input.toString(), 0,
nativePattern)\n\n @SinceKotlin("1.5")\n @ExperimentalStdlibApi\n public actual fun matchAt(input:
CharSequence, index: Int):
MatchResult? {\n    if (index < 0 || index > input.length) {\n        throw IndexOutOfBoundsException("index
out of bounds: $index, input length: ${input.length}")\n    }\n    return
initStickyPattern().findNext(input.toString(), index, nativePattern)\n } \n\n\n /**\n * Replaces all occurrences
of this regular expression in the specified [input] string with specified [replacement] expression.\n * \n * The
replacement string may contain references to the captured groups during a match. Occurrences of `index`\n * in
the replacement string will be substituted with the subsequences corresponding to the captured groups with the
specified index.\n * The first digit after '$' is always treated as part of group reference. Subsequent digits are
incorporated\n * into `index` only if they would form a valid group reference. Only the digits '0'..'9' are considered
as potential components\n * of the group reference. Note that indexes of captured
groups start from 1, and the group with index 0 is the whole match.\n * \n * Backslash character '\\' can be used
to include the succeeding character as a literal in the replacement string, e.g, '\\$` or '\\\\\\`. \n *
[Regex.escapeReplacement] can be used if [replacement] have to be treated as a literal string.\n * \n * Note that
referring named capturing groups by name is currently not supported in Kotlin/JS.\n * However, you can still
refer them by index.\n * \n * @param input the char sequence to find matches of this regular expression in\n
* @param replacement the expression to replace found matches with\n * @return the result of replacing each
occurrence of this regular expression in [input] with the result of evaluating the [replacement] expression\n *
@throws RuntimeException if [replacement] expression is malformed, or capturing group with specified `name` or
`index` does not exist\n */\n public actual fun replace(input: CharSequence,

```

```

replacement: String): String {
    if (!replacement.contains("\\\\") && !replacement.contains('$')) {
        return input.toString().nativeReplace(nativePattern, replacement)
    }
    return replace(input) {
        substituteGroupRefs(it, replacement)
    }
}

/**
 * Replaces all occurrences of this regular expression in
the specified [input] string with the result of
 * the given function [transform] that takes [MatchResult] and
returns a string to be used as a
 * replacement for that match.
 */
public actual fun replace(input:
CharSequence, transform: (MatchResult) -> CharSequence): String {
    var match = find(input)
    if (match
== null) return input.toString()
    var lastStart = 0
    val length = input.length
    val sb =
StringBuilder(length)
    do {
        val foundMatch = match!!
        sb.append(input, lastStart,
foundMatch.range.start)
        sb.append(transform(foundMatch))
        lastStart = foundMatch.range.endInclusive + 1
        match = foundMatch.next()
    } while (lastStart
< length && match != null)
    if (lastStart < length) {
        sb.append(input, lastStart, length)
    }
    return sb.toString()
}

/**
 * Replaces the first occurrence of this regular expression in the specified
[input] string with specified [replacement] expression.
 * The replacement string may contain references to
the captured groups during a match. Occurrences of ` $index `
 * in the replacement string will be substituted with
the subsequences corresponding to the captured groups with the specified index.
 * The first digit after '$' is
always treated as part of group reference. Subsequent digits are incorporated
 * into `index` only if they would
form a valid group reference. Only the digits '0'..'9' are considered as potential components
 * of the group
reference. Note that indexes
of captured groups start from 1, and the group with index 0 is the whole match.
 * Backslash character '\\'
can be used to include the succeeding character as a literal in the replacement string, e.g, '\\$` or '\\\\`.
 * [Regex.escapeReplacement] can be used if [replacement] have to be treated as a literal string.
 * Note that
referring named capturing groups by name is not supported currently in Kotlin/JS.
 * However, you can still
refer them by index.
 * @param input the char sequence to find a match of this regular expression in
 * @param replacement the expression to replace the found match with
 * @return the result of replacing the first
occurrence of this regular expression in [input] with the result of evaluating the [replacement] expression
 * @throws RuntimeException if [replacement] expression is malformed, or capturing group with specified `name` or
`index` does not exist
 */
public actual fun
replaceFirst(input: CharSequence, replacement: String): String {
    if (!replacement.contains("\\\\") &&
!replacement.contains('$')) {
        val nonGlobalOptions = options.toFlags("u")
        return
input.toString().nativeReplace(RegExp(pattern, nonGlobalOptions), replacement)
    }
    val match =
find(input) ?: return input.toString()
    return buildString {
        append(input.substring(0,
match.range.first))
        append(substituteGroupRefs(match, replacement))
        append(input.substring(match.range.last + 1, input.length))
    }
}

/**
 * Splits the [input]
CharSequence to a list of strings around matches of this regular expression.
 * @param limit Non-negative
value specifying the maximum number of substrings the string can be split to.
 * Zero by default means no limit
is set.
 * @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
 */
public actual fun
split(input:
CharSequence, limit: Int = 0): List<String> {
    requireNonNegativeLimit(limit)
    val matches =
findAll(input).let { if (limit == 0) it else it.take(limit - 1) }
    val result = mutableListOf<String>()
    var
lastStart = 0
    for (match in matches) {
        result.add(input.subSequence(lastStart,
match.range.start).toString())
        lastStart = match.range.endInclusive + 1
    }
    result.add(input.subSequence(lastStart, input.length).toString())
    return result
}

/**
 * Splits the
[input] CharSequence to a sequence of strings around matches of this regular expression.
 * @param limit
Non-negative value specifying the maximum number of substrings the string can be split to.
 * Zero by default
means no limit is set.
 * @sample samples.text.Regexps.splitToSequence
 * @SinceKotlin("1.6")
 * @WasExperimental(ExperimentalStdlibApi::class)
 * @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
 */

```

```

    public actual fun splitToSequence(input: CharSequence, limit: Int = 0): Sequence<String> {
        requireNonNegativeLimit(limit)
        return sequence {
            var match = find(input)
            if (match == null || limit == 1) {
                yield(input.toString())
                return@sequence
            }
            var nextStart = 0
            var splitCount = 0
            do {
                val foundMatch = match!!
                yield(input.substring(nextStart, foundMatch.range.first))
                nextStart = foundMatch.range.endInclusive + 1
                match = foundMatch.next()
            } while (++splitCount != limit - 1 && match != null)
            yield(input.substring(nextStart, input.length))
        }
    }
}

/**
 * Returns the string representation of this regular expression, namely the [pattern] of this regular expression
 *
 * Note that another regular expression constructed from the same pattern string may have different [options]
 * and may match strings differently.
 */
public override fun toString(): String = nativePattern.toString()

actual companion object {
    /**
     * Returns a regular expression that matches the specified [literal] string literally.
     * No characters of that string will have special meaning when searching for an occurrence of the regular expression.
     */
    public actual fun fromLiteral(literal: String): Regex = Regex(escape(literal))

    /**
     * Returns a regular expression pattern string that matches the specified [literal] string literally.
     * No characters of that string will have special meaning when searching for an occurrence of the regular expression.
     */
    public actual fun escape(literal: String): String = literal.nativeReplace(patternEscape, "\\|\\$&")

    /**
     * Returns a literal replacement expression for the specified [literal] string.
     * No characters of that string will have special meaning when it is used as a replacement string in [Regex.replace] function.
     */
    public actual fun escapeReplacement(literal: String): String = literal.nativeReplace(replacementEscape, "\\|\\$&")

    private val patternEscape = Regex("\\|\\[\\^$*+?.()\\[\\]{}\\]\\|\\\"|'")
    private val replacementEscape = Regex("\\|\\\"|'")
    internal fun nativeEscapeReplacement(literal: String): String = literal.nativeReplace(nativeReplacementEscape, "\\$\\$\\$")
    private val nativeReplacementEscape = Regex("\\|\\\"|'")

    private fun Regex.findNext(input: String, from: Int, nextPattern: Regex): MatchResult? {
        this.lastIndex = from
        val match = exec(input)
        if (match == null) return null
        val range = match.index..lastIndex - 1
        return object : MatchResult {
            override val range: IntRange = range
            override val value: String = match[0]!!
            override val groups: MatchGroupCollection = object : MatchGroupCollection, AbstractCollection<MatchGroup?>() {
                override val size: Int = match.length
                override fun iterator(): Iterator<MatchGroup?> = indices.asSequence().map { this[it] }.iterator()
                override fun get(index: Int): MatchGroup? = match[index]?.let { MatchGroup(it) }
            }
            private var groupValues_: List<String?> = null
            override val groupValues: List<String> = get()
            if (groupValues_ == null) {
                groupValues_ = object : AbstractList<String>() {
                    override val size: Int = match.length
                    override fun get(index: Int): String = match[index] ?: ""
                }
            }
            override fun next(): MatchResult? = nextPattern.findNext(input, if (range.isEmpty()) advanceToNextCharacter(range.start) else range.endInclusive + 1, nextPattern)
            private fun advanceToNextCharacter(index: Int): Int {
                if (index < input.lastIndex) {
                    val code1 = input.asDynamic().charCodeAt(index).unsafeCast<Int>()
                    if (code1 in 0xD800..0xDBFF) {
                        val code2 = input.asDynamic().charCodeAt(index + 1).unsafeCast<Int>()
                        if (code2 in 0xDC00..0xDFFF) {
                            return index + 2
                        }
                    }
                }
                return index + 1
            }
        }
    }

    private fun substituteGroupRefs(match: MatchResult, replacement: String): String {
        var index = 0
        val result = StringBuilder(replacement.length)
        while (index < replacement.length) {
            val char = replacement[index++]
            if (char == "\\|") {
                if (index == replacement.length) {
                    throw IllegalArgumentException("The Char to be escaped is missing")
                }
                result.append(replacement[index++])
            } else if (char == "$") {
                if (index == replacement.length) {
                    throw IllegalArgumentException("Capturing group index is

```

```

missing')\n\n        if (replacement[index] == '{')\n            throw IllegalArgumentException("Named capturing
group reference currently is not supported")\n\n        if (replacement[index] !in '0'..'9')\n            throw
IllegalArgumentException("Invalid capturing group reference")\n\n        val endIndex =
replacement.readGroupIndex(index, match.groupValues.size)\n        val groupIndex =
replacement.substring(index, endIndex).toInt()\n        if (groupIndex >= match.groupValues.size)\n            throw IndexOutOfBoundsException("Group with index $groupIndex does not exist")\n\n        result.append(match.groupValues[groupIndex])\n        index = endIndex\n    } else {\n        result.append(char)\n    }\n}\nreturn
result.toString()\n}\n\nprivate fun String.readGroupIndex(startIndex: Int, groupCount: Int): Int {\n    // at least one
digit after '$' is always captured\n    var index = startIndex + 1\n    var groupIndex = this[startIndex] - '0'\n    //
capture the largest valid group index\n    while (index < length && this[index] in '0'..'9') {\n        val newGroupIndex
= (groupIndex * 10) + (this[index] - '0')\n        if (newGroupIndex in 0 until groupCount) {\n            groupIndex =
newGroupIndex\n            index++\n        } else {\n            break\n        }\n    }\n    return index\n}", /*\n * Copyright
2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n @file:kotlin.jvm.JvmMultifileClass\n @file:kotlin.jvm.JvmName("StringsKt")\n @file:Suppress("EXTENSI
ON_SHADOWED_BY_MEMBER")\n\npackage
kotlin.text\nimport kotlin.contracts.*\n\n/**\n * A mutable sequence of characters.\n * \n * String builder can be
used to efficiently perform multiple string manipulation operations.\n * \n * expect class StringBuilder : Appendable,
CharSequence {\n    /** Constructs an empty string builder. */\n    constructor()\n\n    /** Constructs an empty string
builder with the specified initial [capacity]. */\n    constructor(capacity: Int)\n\n    /** Constructs a string builder that
contains the same characters as the specified [content] char sequence. */\n    constructor(content: CharSequence)\n\n
    /** Constructs a string builder that contains the same characters as the specified [content] string. */\n
    @SinceKotlin("1.3")\n    @ExperimentalStdlibApi\n    constructor(content: String)\n\n    override val length:
Int\n\n    override operator fun get(index: Int): Char\n\n    override fun subSequence(startIndex:
Int, endIndex: Int): CharSequence\n\n    override fun append(value: Char): StringBuilder\n\n    override fun
append(value: CharSequence?): StringBuilder\n\n    override fun append(value: CharSequence?, startIndex: Int,
endIndex: Int): StringBuilder\n\n    /**\n     * Reverses the contents of this string builder and returns this instance.\n
     * \n     * Surrogate pairs included in this string builder are treated as single characters.\n     * \n     * Therefore, the order of
the high-low surrogates is never reversed.\n     * \n     * Note that the reverse operation may produce new surrogate
pairs that were unpaired low-surrogates and high-surrogates before the operation.\n     * \n     * For example, reversing
`"\uDC00\uD800"` produces `"\uD800\uDC00"` which is a valid surrogate pair.\n     * \n     * fun reverse():
StringBuilder\n\n     /**\n     * Appends the string representation of the specified object [value] to this string builder
and returns this instance.\n     * \n     * The overall
effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n     * \n     * and then that
string was appended to this string builder.\n     * \n     * fun append(value: Any?): StringBuilder\n\n     /**\n     *
Appends the string representation of the specified boolean [value] to this string builder and returns this instance.\n
     * \n     * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n
     * \n     * and then that string was appended to this string builder.\n     * \n     * @SinceKotlin("1.3")\n     fun
append(value: Boolean): StringBuilder\n\n     /**\n     * Appends characters in the specified character array [value] to this
string builder and returns this instance.\n     * \n     * Characters are appended in order, starting at the index 0.\n     * \n
     * @SinceKotlin("1.4")\n     @WasExperimental(ExperimentalStdlibApi::class)\n     fun append(value: CharArray):
StringBuilder\n\n     /**\n     * Appends the
specified string [value] to this string builder and returns this instance.\n     * \n     * If [value] is `null`, then the four
characters `"\u0000\u0000\u0000\u0000"` are appended.\n     * \n     * @SinceKotlin("1.3")\n     fun append(value: String?):
StringBuilder\n\n     /**\n     * Returns the current capacity of this string builder.\n     * \n     * The capacity is the
maximum length this string builder can have before an allocation occurs.\n     * \n     * @SinceKotlin("1.3")\n    @ExperimentalStdlibApi\n    @Deprecated("Obtaining StringBuilder capacity is not supported in JS and common

```

```

code.\", level = DeprecationLevel.ERROR)\n fun capacity(): Int\n\n /**\n * Ensures that the capacity of this
string builder is at least equal to the specified [minimumCapacity].\n *\n * If the current capacity is less than
the [minimumCapacity], a new backing storage is allocated with greater capacity.\n * Otherwise, this method
takes no action and simply returns.\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun ensureCapacity(minimumCapacity: Int)\n\n /**\n * Returns the index within this string builder of the first occurrence of the specified [string].\n *\n * Returns -1 if the specified [string] does not occur in this string builder.\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun indexOf(string: String): Int\n\n /**\n * Returns the
index within this string builder of the first occurrence of the specified [string],\n * starting at the specified
[startIndex].\n *\n * Returns -1 if the specified [string] does not occur in this string builder starting at the
specified [startIndex].\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n
fun indexOf(string: String, startIndex: Int): Int\n\n /**\n * Returns the index within this string builder of the last
occurrence of the specified [string].\n *\n * The last occurrence of empty string ```` is considered to be at the index equal to `this.length`.\n *\n * Returns
-1 if the specified [string] does not occur in this string builder.\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun lastIndexOf(string: String): Int\n\n /**\n * Returns
the index within this string builder of the last occurrence of the specified [string],\n * starting from the specified
[startIndex] toward the beginning.\n *\n * Returns -1 if the specified [string] does not occur in this string
builder starting at the specified [startIndex].\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun lastIndexOf(string: String, startIndex: Int): Int\n\n\n /**\n * Inserts the string representation of the specified boolean [value] into this string builder at the specified
[index] and returns this instance.\n *\n * The overall effect is exactly as
if the [value] were converted to a string by the `value.toString()` method,\n * and then that string was inserted
into this string builder at the specified [index].\n *\n * @throws IndexOutOfBoundsException if [index] is less
than zero or greater than the length of this string builder.\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: Boolean): StringBuilder\n\n\n /**\n * Inserts the specified character [value] into this string builder at the specified [index] and returns this
instance.\n *\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of
this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun
insert(index: Int, value: Char): StringBuilder\n\n\n /**\n * Inserts characters in the specified character array
[value] into this string builder at the specified [index] and returns this
instance.\n *\n * The inserted characters go in same order as in the [value] character array, starting at
[index].\n *\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of
this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun
insert(index: Int, value: CharArray): StringBuilder\n\n\n /**\n * Inserts characters in the specified character
sequence [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted
characters go in the same order as in the [value] character sequence, starting at [index].\n *\n * @param index
the position in this string builder to insert at.\n * @param value the character sequence from which characters are
inserted. If [value] is `null`, then the four characters ``null`` are inserted.\n *\n * @throws
IndexOutOfBoundsException if [index] is less than zero or greater
than the length of this string builder.\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: CharSequence?):
StringBuilder\n\n\n /**\n * Inserts the string representation of the specified object [value] into this string builder
at the specified [index] and returns this instance.\n *\n * The overall effect is exactly as if the [value] were
converted to a string by the `value.toString()` method,\n * and then that string was inserted into this string builder
at the specified [index].\n *\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater
than the length of this string builder.\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: Any?): StringBuilder\n\n\n /**\n

```

```

    * Inserts the string [value] into this string builder at the specified [index] and returns this instance.\n    * If
[value]
is `null`, then the four characters `"\u0000\u0000\u0000\u0000"` are inserted.\n    * @throws IndexOutOfBoundsException if
[index] is less than zero or greater than the length of this string builder.\n    * \n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: String?): StringBuilder\n
/**\n    * Sets the length of this string builder to the specified [newLength].\n    * If the [newLength] is less
than the current length, it is changed to the specified [newLength].\n    * Otherwise, null characters `'\u0000'` are
appended to this string builder until its length is less than the [newLength].\n    * Note that in Kotlin/JS [set]
operator function has non-constant execution time complexity.\n    * Therefore, increasing length of this string
builder and then updating each character by index may slow down your program.\n    * \n    * @throws
IndexOutOfBoundsException or [IllegalArgumentException] if [newLength]
is less than zero.\n    * \n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun
setLength(newLength: Int)\n /**\n    * Returns a new [String] that contains characters in this string builder at
[startIndex] (inclusive) and up to the [length] (exclusive).\n    * \n    * @throws IndexOutOfBoundsException if
[startIndex] is less than zero or greater than the length of this string builder.\n    * \n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun substring(startIndex: Int): String\n /**\n    * Returns
a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [endIndex]
(exclusive).\n    * \n    * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex]
or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n    * \n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n
fun substring(startIndex: Int, endIndex: Int): String\n /**\n    * Attempts to reduce storage used for this string
builder.\n    * If the backing storage of this string builder is larger than necessary to hold its current
contents,\n    * then it may be resized to become more space efficient.\n    * Calling this method may, but is not
required to, affect the value of the [capacity] property.\n    * \n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun trimToSize()\n /**\n    * Clears the content of this
string builder making it empty and returns this instance.\n    * \n @sample samples.text.Strings.clearStringBuilder\n
*\n @SinceKotlin("1.3")\n public expect fun StringBuilder.clear(): StringBuilder\n /**\n    * Sets the character at
the specified [index] to the specified [value].\n    * \n    * @throws IndexOutOfBoundsException if [index] is out of
bounds of this string builder.\n
*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public
expect operator fun StringBuilder.set(index: Int, value: Char)\n /**\n    * Replaces characters in the specified range
of this string builder with characters in the specified string [value] and returns this instance.\n    * \n    * @param
startIndex the beginning (inclusive) of the range to replace.\n    * @param endIndex the end (exclusive) of the range to
replace.\n    * @param value the string to replace with.\n    * \n    * @throws IndexOutOfBoundsException or
[IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or
`startIndex > endIndex`.\n    * \n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public
expect fun StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): String\n /**\n    * Removes
the character at the specified [index] from this string builder and returns this instance.\n    * \n    * If the `Char` at
the specified [index] is part of a supplementary code point, this method
does not remove the entire supplementary character.\n    * \n    * @param index the index of `Char` to remove.\n    * \n
    * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n
*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public expect fun
StringBuilder.deleteAt(index: Int): String\n /**\n    * Removes characters in the specified range from this
string builder and returns this instance.\n    * \n    * @param startIndex the beginning (inclusive) of the range to
remove.\n    * @param endIndex the end (exclusive) of the range to remove.\n    * \n    * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder
indices or when `startIndex > endIndex`.\n
*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public expect fun

```

`StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder`  
Copies characters from this string builder into the [destination] character array.  
@param destination the array to copy to.  
@param destinationOffset the position in the array to copy to, 0 by default.  
@param startIndex the beginning (inclusive) of the range to copy, 0 by default.  
@param endIndex the end (exclusive) of the range to copy, length of this string builder by default.  
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.  
@throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], or when that index is out of the [destination] array indices range.

`StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length): CharArray`  
Appends characters in a subarray of the specified character array [value] to this string builder and returns this instance.  
Characters are appended in order, starting at specified [startIndex].  
@param value the array from which characters are appended.  
@param startIndex the beginning (inclusive) of the subarray to append.  
@param endIndex the end (exclusive) of the subarray to append.  
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.

`StringBuilder.appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder`  
Appends a subsequence of the specified character sequence [value] to this string builder and returns this instance.  
@param value the character sequence from which a subsequence is appended.  
@param startIndex the beginning (inclusive) of the subsequence to append.  
@param endIndex the end (exclusive) of the subsequence to append.  
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.

`StringBuilder.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder`  
Inserts characters in a subarray of the specified character array [value] into this string builder at the specified [index] and returns this instance.  
The inserted characters go in same order as in the [value] array, starting at [index].  
@param index the position in this string builder to insert at.  
@param value the array from which characters are inserted.  
@param startIndex the beginning (inclusive) of the subarray to insert.  
@param endIndex the end (exclusive) of the subarray to insert.  
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.  
@throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.

`StringBuilder.insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder`  
Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified [index] and returns this instance.  
The inserted characters go in the same order as in the [value] character sequence, starting at [index].  
@param index the position in this string builder to insert at.  
@param value the character sequence from which a subsequence is inserted.  
@param startIndex the beginning (inclusive) of the subsequence to insert.  
@param endIndex the end (exclusive) of the subsequence to insert.  
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.  
@throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.

`StringBuilder.insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder`  
@Suppress("EXTENSION\_SHADOWED\_BY\_MEMBER")  
@Deprecated("Use

```

append(value: Any?) instead", ReplaceWith("append(value = obj)"),
DeprecationLevel.WARNING)\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.append(obj: Any?):
StringBuilder = this.append(obj)\n\n/**\n * Builds new string by populating newly created [StringBuilder] using
provided [builderAction]\n
 * and then converting it to [String].\n *\n@kotlin.internal.InlineOnly\npublic inline fun buildString(builderAction:
StringBuilder.() -> Unit): String {\n    contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE)
}\n    return StringBuilder().apply(builderAction).toString()\n}\n\n/**\n * Builds new string by populating newly
created [StringBuilder] initialized with the given [capacity]\n * using provided [builderAction] and then converting
it to [String].\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun buildString(capacity: Int,
builderAction: StringBuilder.() -> Unit): String {\n    contract { callsInPlace(builderAction,
InvocationKind.EXACTLY_ONCE) }\n    return
StringBuilder(capacity).apply(builderAction).toString()\n}\n\n/**\n * Appends all arguments to the given
StringBuilder.\n *\npublic fun StringBuilder.append(vararg value: String?): StringBuilder {\n    for (item in
value)\n        append(item)\n    return this\n}\n\n/**\n * Appends
all arguments to the given StringBuilder.\n *\npublic fun StringBuilder.append(vararg value: Any?): StringBuilder
{\n    for (item in value)\n        append(item)\n    return this\n}\n\n/**\n * Appends a line feed character (`\n`) to this
StringBuilder. *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
StringBuilder.appendLine(): StringBuilder = append("\n")\n\n/**\n * Appends [value] to this [StringBuilder], followed
by a line feed character (`\n`). *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
StringBuilder.appendLine(value: CharSequence?): StringBuilder = append(value).appendLine()\n\n/**\n * Appends
[value] to this [StringBuilder], followed by a line feed character (`\n`).
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value:
String?): StringBuilder = append(value).appendLine()\n\n/**\n * Appends [value] to this [StringBuilder], followed by a
line feed character (`\n`). *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic
inline fun StringBuilder.appendLine(value: Any?): StringBuilder = append(value).appendLine()\n\n/**\n * Appends
[value] to this [StringBuilder], followed by a line feed character (`\n`).
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value:
CharArray): StringBuilder = append(value).appendLine()\n\n/**\n * Appends [value] to this [StringBuilder], followed
by a line feed character (`\n`). *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
StringBuilder.appendLine(value: Char): StringBuilder = append(value).appendLine()\n\n/**\n * Appends [value] to this
[StringBuilder], followed by a line feed character (`\n`).
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value:
Boolean): StringBuilder = append(value).appendLine()\n\n"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source
code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\npackage
kotlin.text\nimport kotlin.js.RegExp\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun
String.nativeIndexOf(ch: Char, fromIndex: Int): Int = nativeIndexOf(ch.toString(),
fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeLastIndexOf(ch: Char,
fromIndex: Int): Int = nativeLastIndexOf(ch.toString(), fromIndex)\n\n/**\n * Returns `true` if this string starts with
the specified prefix.\n *\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return
nativeStartsWith(prefix, 0)\n    else\n        return regionMatches(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n *
Returns `true` if a substring of this string starting at the specified offset [startIndex] starts with the specified prefix.\n
*\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun String.startsWith(prefix: String, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n    if
(!ignoreCase)\n        return nativeStartsWith(prefix, startIndex)\n    else\n        return regionMatches(startIndex,
prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this string ends with the specified suffix.\n
*\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun

```



```

String.endsWith(suffix: String, ignoreCase: Boolean = false): Boolean {
    if (!ignoreCase)
        return nativeEndsWith(suffix)
    else
        return regionMatches(length - suffix.length, suffix, 0, suffix.length, ignoreCase)
}
@Deprecated("Use Regex.matches() instead",
ReplaceWith("regex.toRegex().matches(this)"))
@DeprecatedSinceKotlin(warningSince = "1.6")
public fun String.matches(regex: String): Boolean {
    @Suppress("DEPRECATION")
    val result = this.match(regex)
    return result != null
}
&& result.size != 0
}
/**
 * Returns `true` if this string is empty or consists solely of whitespace characters.
 */
@sample samples.text.Strings.stringIsBlank
*/
public actual fun CharSequence.isBlank(): Boolean = length == 0 || indices.all { this[it].isWhitespace() }
}
/**
 * Returns `true` if this string is equal to [other], optionally ignoring character case.
 */
* Two strings are considered to be equal if they have the same length and the same character at the same index.
* If [ignoreCase] is true, the result of `Char.toUpperCaseChar().toLowerCaseChar()` on each character is compared.
*/
* @param ignoreCase `true` to ignore character case when comparing strings. By default `false`.
*/
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun String?.equals(other: String?, ignoreCase: Boolean = false): Boolean {
    if (this == null) return other == null
    if (other == null) return false
    if (!ignoreCase) return this == other
    if (this.length != other.length) return false
    for (index in 0 until this.length) {
        val thisChar = this[index]
        val otherChar = other[index]
        if (!thisChar.equals(otherChar, ignoreCase))
            return false
    }
    return true
}
}
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun CharSequence.regionMatches(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean = false): Boolean =
    regionMatchesImpl(thisOffset, other, otherOffset, length, ignoreCase)
}
}
/**
 * Returns a copy of this string having its first letter titlecased using the rules of the default locale, or the original string if it's empty or already starts with a title case letter.
 */
* The title case of a character is usually the same as its upper case with several exceptions.
* The particular list of characters with the special title case form depends on the underlying platform.
*/
* @sample samples.text.Strings.capitalize
*/
@Deprecated("Use replaceFirstChar instead.", ReplaceWith("replaceFirstChar { if (it.isLowerCase()) it.titlecase() else it.toString() }"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public actual fun String.capitalize(): String {
    return if (isEmpty()) substring(0, 1).uppercase() + substring(1) else this
}
}
/**
 * Returns a copy of this string having its first letter lowercased using the rules of the default locale, or the original string if it's empty or already starts with a lower case letter.
 */
* @sample samples.text.Strings.decitalize
*/
@Deprecated("Use replaceFirstChar instead.",
ReplaceWith("replaceFirstChar { it.lowercase() }"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public actual fun String.decitalize(): String {
    return if (isEmpty()) substring(0, 1).lowercase() + substring(1) else this
}
}
}
/**
 * Returns a string containing this char sequence repeated [n] times.
 */
* @throws [IllegalArgumentException]
when n < 0
*/
* @sample samples.text.Strings.repeat
*/
public actual fun CharSequence.repeat(n: Int): String {
    require(n >= 0) { "Count 'n' must be non-negative, but was $n." }
    return when (n) {
        0 -> ""
        1 -> this.toString()
        else -> {
            var result = ""
            if (!isEmpty()) {
                var s = this.toString()
                var count = n
                while (true) {
                    if ((count and 1) == 1) {
                        result += s
                    }
                    count = count ushr 1
                    if (count == 0) {
                        break
                    }
                    s += s
                }
            }
            return result
        }
    }
}
}
}
}
/**
 * Returns a new string obtained by replacing all occurrences of the [oldValue] substring in this string with the specified [newValue] string.
 */
* @sample samples.text.Strings.replace
*/
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =
    nativeReplace(Regex(Regex.escape(oldValue)), if (ignoreCase) "gui" else "gu"),
    Regex.nativeEscapeReplacement(newValue))
}
}
}
/**
 * Returns a new string with all occurrences of [oldChar] replaced with [newChar].
 */
* @sample samples.text.Strings.replace
*/
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun

```

```

String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n
nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) \"gui\" else \"gu\"),
newChar.toString())\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual
fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n
nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) \"ui\" else \"u\"),
Regex.nativeEscapeReplacement(newValue))\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGU
MENTS\")\npublic
actual fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n
nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) \"ui\" else \"u\"),
newChar.toString())\n\n\"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/** Returns the negative [size] if [throwOnMalformed] is
false, throws [CharacterCodingException] otherwise. */\nprivate fun malformed(size: Int, index: Int,
throwOnMalformed: Boolean): Int {\n    if (throwOnMalformed) throw CharacterCodingException(\"Malformed
sequence starting at ${index - 1}\")\n    return -size\n}\n\n/** Returns code point corresponding to UTF-16
surrogate pair,\n * where the first of the pair is the [high] and the second
is in the [string] at the [index].\n * Returns zero if the pair is malformed and [throwOnMalformed] is false.\n *
*\n * @throws CharacterCodingException if the pair is malformed and [throwOnMalformed] is true.\n */\nprivate fun
codePointFromSurrogate(string: String, high: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n
if (high !in 0xD800..0xDBFF || index >= endIndex) {\n    return malformed(0, index, throwOnMalformed)\n }
\n    val low = string[index].code\n    if (low !in 0xDC00..0xDFFF) {\n        return malformed(0, index,
throwOnMalformed)\n    }\n    return 0x10000 + ((high and 0x3FF) shl 10) or (low and 0x3FF)\n}\n\n/** Returns
code point corresponding to UTF-8 sequence of two bytes,\n * where the first byte of the sequence is the
[byte1] and the second byte is in the [bytes] array at the [index].\n * Returns zero if the sequence is malformed
and [throwOnMalformed] is false.\n *
*\n * @throws CharacterCodingException if the sequence of two bytes is
malformed and [throwOnMalformed] is true.\n */\nprivate fun codePointFrom2(bytes: ByteArray, byte1: Int, index:
Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n    if (byte1 and 0x1E == 0 || index >= endIndex) {\n
return malformed(0, index, throwOnMalformed)\n }
\n    val byte2 = bytes[index].toInt()\n    if (byte2 and 0xC0 !=
0x80) {\n        return malformed(0, index, throwOnMalformed)\n    }\n    return (byte1 shl 6) xor byte2 xor
0xF8\n}\n\n/** Returns code point corresponding to UTF-8 sequence of three bytes,\n * where the first byte of
the sequence is the [byte1] and the others are in the [bytes] array starting from the [index].\n * Returns a non-
positive value indicating number of bytes from [bytes] included in malformed sequence\n * if the sequence is
malformed and [throwOnMalformed] is false.\n *
*\n * @throws CharacterCodingException if the sequence of three
bytes is malformed and [throwOnMalformed] is true.\n */\nprivate fun codePointFrom3(bytes: ByteArray,
byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n    if (index >= endIndex) {\n        return
malformed(0, index, throwOnMalformed)\n    }\n    val byte2 = bytes[index].toInt()\n    if (byte1 and 0xF == 0)
{\n        if (byte2 and 0xE0 != 0xA0) {\n            // Non-shortest form\n            return malformed(0, index,
throwOnMalformed)\n        }\n    } else if (byte1 and 0xF == 0xD) {\n        if (byte2 and 0xE0 != 0x80) {\n            //
Surrogate code point\n            return malformed(0, index, throwOnMalformed)\n        }\n    } else if (byte2 and 0xC0
!= 0x80) {\n        return malformed(0, index, throwOnMalformed)\n    }\n    if (index + 1 == endIndex) {\n
return malformed(1, index, throwOnMalformed)\n }
\n    val byte3 = bytes[index + 1].toInt()\n    if (byte3 and
0xC0 != 0x80) {\n        return malformed(1, index, throwOnMalformed)\n    }\n    return (byte1 shl 12) xor (byte2
shl 6) xor byte3 xor -0x1E080\n}\n\n/** Returns code point
corresponding to UTF-8 sequence of four bytes,\n * where the first byte of the sequence is the [byte1] and the
others are in the [bytes] array starting from the [index].\n * Returns a non-positive value indicating number of bytes
from [bytes] included in malformed sequence\n * if the sequence is malformed and [throwOnMalformed] is false.\n
*\n * @throws CharacterCodingException if the sequence of four bytes is malformed and [throwOnMalformed] is
true.\n */\nprivate fun codePointFrom4(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed:

```

```

Boolean): Int {\n  if (index >= endIndex) {\n    malformed(0, index, throwOnMalformed)\n  }\n  val byte2 =
bytes[index].toInt()\n  if (byte1 and 0xF == 0x0) {\n    if (byte2 and 0xF0 <= 0x80) {\n      // Non-shortest
form\n      return malformed(0, index, throwOnMalformed)\n    } else if (byte1 and 0xF == 0x4) {\n
if (byte2 and 0xF0 != 0x80) {\n      // Out of Unicode code points
domain (larger than U+10FFFF)\n      return malformed(0, index, throwOnMalformed)\n    } else if
(byte1 and 0xF > 0x4) {\n      return malformed(0, index, throwOnMalformed)\n    } else if (byte2 and 0xC0 !=
0x80) {\n      return malformed(0, index, throwOnMalformed)\n    }\n    if (index + 1 == endIndex) {\n      return
malformed(1, index, throwOnMalformed)\n    }\n    val byte3 = bytes[index + 1].toInt()\n    if (byte3 and 0xC0 !=
0x80) {\n      return malformed(1, index, throwOnMalformed)\n    }\n    if (index + 2 == endIndex) {\n      return
malformed(2, index, throwOnMalformed)\n    }\n    val byte4 = bytes[index + 2].toInt()\n    if (byte4 and 0xC0 !=
0x80) {\n      return malformed(2, index, throwOnMalformed)\n    }\n    return (byte1 shl 18) xor (byte2 shl 12) xor
(byte3 shl 6) xor byte4 xor 0x381F80\n  }\n\n/**\n * Maximum number of bytes needed to encode a single char.\n
*\n * Code points in `0..0x7F` are encoded in a single byte.\n * Code
points in `0x80..0x7FF` are encoded in two bytes.\n * Code points in `0x800..0xD7FF` or in `0xE000..0xFFFF` are
encoded in three bytes.\n * Surrogate code points in `0xD800..0xDFFF` are not Unicode scalar values, therefore
aren't encoded.\n * Code points in `0x10000..0x10FFFF` are represented by a pair of surrogate `Char`'s and are
encoded in four bytes.\n */\nprivate const val MAX_BYTES_PER_CHAR = 3\n\n/**\n * The byte sequence a
malformed UTF-16 char sequence is replaced by.\n */\nprivate val REPLACEMENT_BYTE_SEQUENCE:
ByteArray = byteArrayOf(0xEF.toByte(), 0xBF.toByte(), 0xBD.toByte())\n\n/**\n * Encodes the [string] using
UTF-8 and returns the resulting [ByteArray].\n *\n * @param string the string to encode.\n * @param startIndex the
start offset (inclusive) of the substring to encode.\n * @param endIndex the end offset (exclusive) of the substring
to encode.\n * @param throwOnMalformed whether to throw on malformed char sequence or replace by the
[REPLACEMENT_BYTE_SEQUENCE].\n *\n * @throws CharacterCodingException if the char sequence is malformed and
[throwOnMalformed] is true.\n */\n\ninternal fun encodeUtf8(string: String, startIndex: Int, endIndex: Int,
throwOnMalformed: Boolean): ByteArray
{\n  require(startIndex >= 0 && endIndex <= string.length && startIndex <= endIndex)\n  val bytes =
ByteArray((endIndex - startIndex) * MAX_BYTES_PER_CHAR)\n  var byteIndex = 0\n  var charIndex =
startIndex\n  while (charIndex < endIndex) {\n    val code = string[charIndex++].code\n    when {\n
code < 0x80 ->\n      bytes[byteIndex++] = code.toByte()\n      code < 0x800 -> {\n
bytes[byteIndex++] = ((code shr 6) or 0xC0).toByte()\n      bytes[byteIndex++] = ((code and 0x3F) or
0x80).toByte()\n      }\n      code < 0xD800 || code >= 0xE000 -> {\n      bytes[byteIndex++] = ((code
shr 12) or 0xE0).toByte()\n      bytes[byteIndex++] = (((code shr 6) and 0x3F) or 0x80).toByte()\n
      bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\n      }\n      else -> { // Surrogate char
value\n      val codePoint = codePointFromSurrogate(string, code, charIndex, endIndex,
throwOnMalformed)\n      if (codePoint <= 0) {\n      bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[0]\n      bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[1]\n      bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[2]\n      } else {\n      bytes[byteIndex++] = ((codePoint shr
18) or 0xF0).toByte()\n      bytes[byteIndex++] = (((codePoint shr 12) and 0x3F) or 0x80).toByte()\n
      bytes[byteIndex++] = (((codePoint shr 6) and 0x3F) or 0x80).toByte()\n      bytes[byteIndex++] =
((codePoint and 0x3F) or 0x80).toByte()\n      charIndex++\n      }\n      }\n      }\n      }\n\n
return if (bytes.size == byteIndex) bytes
else bytes.copyOf(byteIndex)\n}\n\n/**\n * The character a malformed UTF-8 byte sequence is replaced by.\n
*/\nprivate const val REPLACEMENT_CHAR = "\\uFFFD"\n\n/**\n * Decodes the UTF-8 [bytes] array and returns
the resulting [String].\n *\n * @param bytes the byte array to decode.\n * @param startIndex the start offset
(inclusive) of the array to be decoded.\n * @param endIndex the end offset (exclusive) of the array to be encoded.\n
*\n * @param throwOnMalformed whether to throw on malformed byte sequence or replace by the
[REPLACEMENT_CHAR].\n *\n * @throws CharacterCodingException if the array is malformed UTF-8 byte

```

```

sequence and [throwOnMalformed] is true.\n */\ninternal fun decodeUtf8(bytes: ByteArray, startIndex: Int,
endIndex: Int, throwOnMalformed: Boolean): String {\n    require(startIndex >= 0 && endIndex <= bytes.size &&
startIndex <= endIndex)\n    var byteIndex = startIndex\n    val stringBuilder = StringBuilder()\n    while
(byteIndex < endIndex) {\n        val byte
= bytes[byteIndex++].toInt()\n        when {\n            byte >= 0 -> {\n                stringBuilder.append(byte.toChar())\n
                byte shr 5 == -2 -> {\n                    val code = codePointFrom2(bytes, byte, byteIndex, endIndex,
throwOnMalformed)\n                    if (code <= 0) {\n                        stringBuilder.append(REPLACEMENT_CHAR)\n
                    byteIndex += -code\n                    } else {\n                        stringBuilder.append(code.toChar())\n
byteIndex += 1\n                    }\n                }\n                byte shr 4 == -2 -> {\n                    val code = codePointFrom3(bytes,
byte, byteIndex, endIndex, throwOnMalformed)\n                    if (code <= 0) {\n
stringBuilder.append(REPLACEMENT_CHAR)\n                    byteIndex += -code\n                    } else {\n
stringBuilder.append(code.toChar())\n                    byteIndex += 2\n                    }\n                }\n                byte shr 3 == -2 -
> {\n
                    val code = codePointFrom4(bytes, byte, byteIndex, endIndex, throwOnMalformed)\n                    if (code <= 0)
{\n                        stringBuilder.append(REPLACEMENT_CHAR)\n                        byteIndex += -code\n                    } else
{\n                        val high = (code - 0x10000) shr 10 or 0xD800\n                        val low = (code and 0x3FF) or
0xDC00\n                        stringBuilder.append(high.toChar())\n                        stringBuilder.append(low.toChar())\n
byteIndex += 3\n                    }\n                }\n                else -> {\n                    malformed(0, byteIndex,
throwOnMalformed)\n                    stringBuilder.append(REPLACEMENT_CHAR)\n                    }\n                }\n            }\n
return stringBuilder.toString()\n}"/\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Returns the detailed description of this throwable with its stack trace.\n * The detailed description includes:\n * - the short description (see [Throwable.toString]) of this throwable;\n * - the complete stack trace;\n * - detailed
descriptions of the exceptions that were [suppressed][suppressedExceptions] in order to deliver this exception;\n * -
the detailed description of each throwable in the [Throwable.cause] chain.\n */\n@SinceKotlin("1.4")\npublic
actual fun Throwable.stackTraceToString(): String = ExceptionTraceBuilder().buildFor(this)\n\n/**\n * Prints the
[detailed description][Throwable.stackTraceToString] of this throwable to console error output.\n */\n@SinceKotlin("1.4")\npublic actual fun Throwable.printStackTrace() {\n
console.error(this.stackTraceToString())\n}\n\n/**\n * Adds the specified exception to the list of exceptions that
were\n * suppressed in order to deliver this exception.\n */\n@SinceKotlin("1.4")\npublic actual fun
Throwable.addSuppressed(exception:
Throwable) {\n    if (this !== exception) {\n        val suppressed =
this.asDynamic()._suppressed.unsafeCast<MutableList<Throwable>?>()\n        if (suppressed == null) {\n
this.asDynamic()._suppressed = mutableListOf(exception)\n        } else {\n            suppressed.add(exception)\n
}\n    }\n}\n\n/**\n * Returns a list of all exceptions that were suppressed in order to deliver this exception.\n */\n@SinceKotlin("1.4")\npublic actual val Throwable.suppressedExceptions: List<Throwable>\n    get() {\n
return this.asDynamic()._suppressed?.unsafeCast<List<Throwable>>() ?: emptyList()\n    }\n\nprivate class
ExceptionTraceBuilder {\n    private val target = StringBuilder()\n    private val visited = arrayOf<Throwable>()\n
private var topStack: String = ""\n    private var topStackStart: Int = 0\n    fun buildFor(exception: Throwable):
String {\n        exception.dumpFullTrace("", "")\n        return target.toString()\n    }\n\n    private fun
hasSeen(exception: Throwable): Boolean = visited.any { it === exception }\n    private fun
Throwable.dumpFullTrace(indent: String, qualifier: String) {\n        this.dumpSelfTrace(indent, qualifier) ||
return\n        var cause = this.cause\n        while (cause != null) {\n            cause.dumpSelfTrace(indent, "Caused
by: ") || return\n            cause = cause.cause\n        }\n    }\n\n    private fun Throwable.dumpSelfTrace(indent:
String, qualifier: String): Boolean {\n        target.append(indent).append(qualifier)\n        val shortInfo =
this.toString()\n        if (hasSeen(this)) {\n            target.append("[CIRCULAR REFERENCE, SEE ABOVE:
").append(shortInfo).append("\\n")\n            return false\n        }\n        visited.asDynamic().push(this)\n        var

```

```

stack = this.asDynamic().stack as String?
if (stack != null) {
    val stackStart = stack.indexOf(shortInfo).let { if (it < 0) 0 else it + shortInfo.length }
    if (stackStart == 0) target.append(shortInfo).append("\n")
    if (topStack.isEmpty()) {
        topStack = stack
        topStackStart = stackStart
    } else {
        stack = dropCommonFrames(stack, stackStart)
    }
    if (indent.isNotEmpty()) {
        // indent stack, but avoid indenting exception message lines
        val messageLines = if (stackStart == 0) 0 else 1 + shortInfo.count { c -> c == '\n' }
        stack.lineSequence().forEachIndexed { index: Int, line: String ->
            if (index >= messageLines) target.append(indent)
            target.append(line).append("\n")
        }
    } else {
        target.append(stack).append("\n")
    }
    if (suppressed.isNotEmpty()) {
        target.append(shortInfo).append("\n")
        val suppressed = suppressedExceptions
        if (suppressed.isNotEmpty()) {
            val suppressedIndent = indent + "  "
            for (s in suppressed) {
                s.dumpFullTrace(suppressedIndent, "Suppressed: ")
            }
            return true
        }
    }
}

private fun dropCommonFrames(stack: String, stackStart: Int): String {
    var commonFrames: Int = 0
    var lastBreak: Int = 0
    var preLastBreak: Int = 0
    for (pos in 0 until minOf(topStack.length - topStackStart, stack.length - stackStart)) {
        val c = stack[stack.lastIndex - pos]
        if (c != topStack[topStack.lastIndex - pos]) {
            break
        }
        if (c == '\n') {
            commonFrames += 1
            preLastBreak = lastBreak
            lastBreak = pos
        }
    }
    if (commonFrames <= 1) return stack
    while (preLastBreak > 0 && stack[stack.lastIndex - (preLastBreak - 1)] == ' ') {
        preLastBreak -= 1
    }
    // leave 1 common frame to ease matching with the top exception
    return stack.dropLast(preLastBreak) + "... and ${commonFrames - 1} more common stack frames skipped"
}

/*
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.time
import kotlin.js.json
import kotlin.math.*
internal actual inline val durationAssertionsEnabled: Boolean get() = true
internal actual fun formatToExactDecimals(value: Double, decimals: Int): String {
    val rounded = if (decimals == 0) {
        value
    } else {
        val pow = 10.0.pow(decimals)
        JsMath.round(abs(value) * pow) / pow * sign(value)
    }
    return if (abs(rounded) < 1e21) {
        // toFixed switches to scientific format after 1e21
        rounded.asDynamic().toFixed(decimals).unsafeCast<String>()
    } else {
        // toPrecision outputs the specified number of digits, but only for positive numbers
        val positive = abs(rounded)
        val positiveString = positive.asDynamic().toPrecision(ceil(log10(positive)) + decimals).unsafeCast<String>()
        if (rounded < 0) "-" + positiveString else positiveString
    }
}
internal actual fun formatUpToDecimals(value: Double, decimals: Int): String {
    return value.asDynamic().toLocaleString("en-us", json("maximumFractionDigits" to decimals)).unsafeCast<String>()
}

/*
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.time
@SinceKotlin("1.6")
@WasExperimental(ExperimentalTime::class)
public actual enum class DurationUnit(internal val scale: Double) {
    /**
     * Time unit representing one nanosecond, which is 1/1000 of a microsecond.
     */
    NANOSECONDS(1e0),
    /**
     * Time unit representing one microsecond, which is 1/1000 of a millisecond.
     */
    MICROSECONDS(1e3),
    /**
     * Time unit representing one millisecond, which is 1/1000 of a second.
     */
    MILLISECONDS(1e6),
    /**
     * Time unit representing one second.
     */
    SECONDS(1e9),
    /**
     * Time unit representing one minute.
     */
    MINUTES(60e9),
    /**
     * Time unit representing one hour.
     */
    HOURS(3600e9),
    /**
     * Time unit representing one day, which is always equal to 24 hours.
     */
    DAYS(86400e9)
}
internal actual fun convertDurationUnit(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double {
    val sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)
    return when {
        sourceCompareTarget > 0 -> value *

```

```

(sourceUnit.scale / targetUnit.scale)\n    sourceCompareTarget < 0 -> value / (targetUnit.scale /
sourceUnit.scale)\n    else -> value\n
}\n}\n\n@SinceKotlin("1.5")\ninternal actual fun convertDurationUnitOverflow(value: Long, sourceUnit:
DurationUnit, targetUnit: DurationUnit): Long {\n    val sourceCompareTarget =
sourceUnit.scale.compareTo(targetUnit.scale)\n    return when {\n        sourceCompareTarget > 0 -> value *
(sourceUnit.scale / targetUnit.scale).toLong()\n        sourceCompareTarget < 0 -> value / (targetUnit.scale /
sourceUnit.scale).toLong()\n        else -> value\n    }\n}\n}\n\n@SinceKotlin("1.5")\ninternal actual fun
convertDurationUnit(value: Long, sourceUnit: DurationUnit, targetUnit: DurationUnit): Long {\n    val
sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)\n    return when {\n
sourceCompareTarget > 0 -> {\n        val scale = (sourceUnit.scale / targetUnit.scale).toLong()\n        val result
= value * scale\n        when {\n            result / scale == value -> result\n            value > 0 ->
Long.MAX_VALUE\n            else -> Long.MIN_VALUE\n        }\n    }\n    sourceCompareTarget < 0 -> value / (targetUnit.scale / sourceUnit.scale).toLong()\n
else -> value\n }\n}\n\n"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport org.w3c.performance.GlobalPerformance\nimport
org.w3c.performance.Performance\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal actual object
MonotonicTimeSource : TimeSource {\n    private val actualSource: TimeSource = run {\n        val isNode:
Boolean = js("typeof process !== 'undefined' && process.versions && !process.versions.node")\n        if
(isNode)\n            HrTimeSource(js("process").unsafeCast<Process>())\n        else\n            js("self").unsafeCast<GlobalPerformance?>()?.performance?.let(::PerformanceTimeSource)\n        ?:
DateNowTimeSource\n    }\n\n    override fun markNow(): TimeMark = actualSource.markNow()\n}\n\ninternal external interface Process
{\n    fun hrtime(time: Array<Double> = definedExternally):
Array<Double>\n}\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal class HrTimeSource(val process:
Process) : TimeSource {\n    override fun markNow(): TimeMark = object : TimeMark() {\n        val startedAt =
process.hrtime()\n        override fun elapsedNow(): Duration =\n            process.hrtime(startedAt).let { (seconds,
nanos) -> seconds.toDuration(DurationUnit.SECONDS) + nanos.toDuration(DurationUnit.NANOSECONDS) }\n    }\n\n    override fun toString(): String =
\n    }\n}\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal class
PerformanceTimeSource(val performance: Performance) : AbstractDoubleTimeSource(unit =
DurationUnit.MILLISECONDS) {\n    override fun read(): Double = performance.now()\n    override fun toString():
String =\n    }\n}\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal
object DateNowTimeSource : AbstractDoubleTimeSource(unit = DurationUnit.MILLISECONDS) {\n    override
fun read(): Double = kotlin.js.Date.now()\n    override fun toString(): String =\n    }\n}\n\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlinx.dom\n\nimport org.w3c.dom.*\nimport kotlin.contracts.*\n\n/*\n * Creates a new element with the
specified [name].\n * *\n * The element is initialized with the specified [init] function.\n */\n\n@SinceKotlin("1.4")\npublic fun Document.createElement(name: String, init: Element.() -> Unit): Element {\n
    contract { callsInPlace(init, InvocationKind.EXACTLY_ONCE) }\n    return
createElement(name).apply(init)\n}\n\n"/*\n * Appends a newly created element with the specified [name] to this
element.\n *\n * The element is initialized with the specified [init] function.\n */\n\n@SinceKotlin("1.4")\npublic fun
Element.appendChild(name: String, init: Element.() -> Unit): Element {\n    contract { callsInPlace(init,
InvocationKind.EXACTLY_ONCE) }\n    return ownerDocument!!.createElement(name, init).also {
appendChild(it) }\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the

```

license/LICENSE.txt file.\n \*/\n\npackage kotlinx.dom\n\nimport org.w3c.dom.\*\n\n/\*\* Returns true if the element has the given CSS class style in its 'class' attribute \*/\n@SinceKotlin("1.4")\nfun Element.hasClass(cssClass: String): Boolean = className.matches("\\\\\\"(\\^.\*\\|s+)\$cssClass(\\|s+.\*)"\\.toRegex())\n\n/\*\*\n \* Adds CSS class to element. Has no effect if all specified classes are already in class attribute of the element\n \*/\n \* @return true if at least one class has

been added\n \*/\n@SinceKotlin("1.4")\nfun Element.addClass(vararg cssClasses: String): Boolean {\n val missingClasses = cssClasses.filterNot { hasClass(it) }\n if (missingClasses.isNotEmpty()) {\n val presentClasses = className.trim()\n className = buildString {\n append(presentClasses)\n if (!presentClasses.isEmpty()) {\n append(" ")\n }\n missingClasses.joinTo(this, " ")\n }\n return true\n }\n return false\n}\n\n/\*\*\n \* Removes all [cssClasses] from element. Has no effect if all specified classes are missing in class attribute of the element\n \*/\n \* @return true if at least one class has been removed\n \*/\n@SinceKotlin("1.4")\nfun Element.removeClass(vararg cssClasses: String): Boolean {\n if (cssClasses.any { hasClass(it) }) {\n val toBeRemoved = cssClasses.toSet()\n className = className.trim().split("\\\\|s+\\.toRegex()).filter { it !in toBeRemoved }.joinToString("\\|")\n return true\n }\n return false\n}\n\n"/\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

\*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage kotlinx.text\n\n/\*\*\n \* Converts the string into a regular expression [Regex] with the default options.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(): Regex = Regex(this)\n\n/\*\*\n \* Converts the string into a regular expression [Regex] with the specified single [option].\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(option: RegexOption): Regex = Regex(this, option)\n\n/\*\*\n \* Converts the string into a regular expression [Regex] with the specified set of [options].\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(options: Set<RegexOption>): Regex = Regex(this, options)\n\n"/\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

\*/\n\npackage kotlinx.dom\n\nimport org.w3c.dom.\*\n\n/\*\*\n \* Gets a value indicating whether this node is a TEXT\_NODE or a CDATA\_SECTION\_NODE.\n \*/\n@SinceKotlin("1.4")\npublic val Node.isText: Boolean\nget() = nodeType == Node.TEXT\_NODE || nodeType == Node.CDATA\_SECTION\_NODE\n\n/\*\*\n \* Gets a value indicating whether this node is an [Element].\n \*/\n@SinceKotlin("1.4")\npublic val Node.isElement: Boolean\nget() = nodeType == Node.ELEMENT\_NODE\n\n"/\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

\*/\n\npackage kotlinx.dom\n\nimport org.w3c.dom.\*\n\n/\*\*\n \* Removes all the children from this node. \*/\n@SinceKotlin("1.4")\npublic fun Node.clear() {\n while (hasChildNodes()) {\n removeChild(firstChild!)\n }\n}\n\n/\*\*\n \* Creates text node and append it to the element.\n \*/\n \* @return this element\n \*/\n@SinceKotlin("1.4")\nfun Element.appendChild(text: String): Element {\n appendChild(ownerDocument!!.createTextNode(text))\n return this\n}\n\n"/\*\n \* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

\*/\n\npackage org.w3c.dom\n\n@Deprecated("Use UnionMessagePortOrWindowProxy instead.", ReplaceWith("UnionMessagePortOrWindowProxy"))\ntypealias UnionMessagePortOrWindow = UnionMessagePortOrWindowProxy\n\n@Deprecated("Use `as` instead.", ReplaceWith("`as`"))\nvar HTMLLinkElement.as\_ get() = `as`\n set(value) {\n `as` = value\n }\n\n@Deprecated("Use `is` instead.", ReplaceWith("`is`"))\nvar

ElementCreationOptions.is\_ get() = `is`\n set(value) {\n `is` = value\n }\n\n"/\*\n \* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage

```

org.khronos.webgl\n\nimport kotlin.js.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\npublic external
interface WebGLContextAttributes {\n    var alpha: Boolean? /* = true */\n        get() = definedExternally\n
set(value) = definedExternally\n    var depth: Boolean? /* = true */\n        get() = definedExternally\n        set(value)
= definedExternally\n    var stencil: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var antialias: Boolean? /* = true */\n        get() = definedExternally\n        set(value)
= definedExternally\n    var premultipliedAlpha: Boolean? /* = true */\n        get() = definedExternally\n
set(value) = definedExternally\n    var preserveDrawingBuffer: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var preferLowPowerToHighPerformance: Boolean? /* =
false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var failIfMajorPerformanceCaveat:
Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun WebGLContextAttributes(alpha:
Boolean? = true, depth: Boolean? = true, stencil: Boolean? = false, antialias: Boolean? = true, premultipliedAlpha:
Boolean? = true, preserveDrawingBuffer: Boolean? = false, preferLowPowerToHighPerformance: Boolean? = false,
failIfMajorPerformanceCaveat: Boolean? = false): WebGLContextAttributes {\n
    val o = js(\"({})\")\n    o[\"alpha\"] = alpha\n    o[\"depth\"] = depth\n    o[\"stencil\"] = stencil\n    o[\"antialias\"] =
antialias\n    o[\"premultipliedAlpha\"] = premultipliedAlpha\n    o[\"preserveDrawingBuffer\"] =
preserveDrawingBuffer\n    o[\"preferLowPowerToHighPerformance\"] = preferLowPowerToHighPerformance\n
    o[\"failIfMajorPerformanceCaveat\"] = failIfMajorPerformanceCaveat\n    return o\n}\n\npublic external abstract
class WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLBuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLBuffer) to Kotlin\n */\n\npublic external
abstract class WebGLBuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLFramebuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLFramebuffer) to Kotlin\n */\n\npublic
external abstract class WebGLFramebuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLProgram](https://developer.mozilla.org/en/docs/Web/API/WebGLProgram) to Kotlin\n */\n\npublic external
abstract class WebGLProgram
: WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLRenderbuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderbuffer) to Kotlin\n */\n\npublic
external abstract class WebGLRenderbuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLShader](https://developer.mozilla.org/en/docs/Web/API/WebGLShader) to Kotlin\n */\n\npublic external
abstract class WebGLShader : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLTexture](https://developer.mozilla.org/en/docs/Web/API/WebGLTexture) to Kotlin\n */\n\npublic external
abstract class WebGLTexture : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLUniformLocation](https://developer.mozilla.org/en/docs/Web/API/WebGLUniformLocation) to Kotlin\n
*/\n\npublic external abstract class WebGLUniformLocation\n\n/**\n * Exposes the JavaScript
[WebGLActiveInfo](https://developer.mozilla.org/en/docs/Web/API/WebGLActiveInfo) to Kotlin\n */\n\npublic
external abstract class WebGLActiveInfo {\n    open val size: Int\n    open val type: Int\n
    open val name: String\n}\n\n/**\n * Exposes the JavaScript
[WebGLShaderPrecisionFormat](https://developer.mozilla.org/en/docs/Web/API/WebGLShaderPrecisionFormat) to
Kotlin\n */\n\npublic external abstract class WebGLShaderPrecisionFormat {\n    open val rangeMin: Int\n    open val
rangeMax: Int\n    open val precision:
Int\n}\n\n\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
WebGLRenderingContextBase {\n    val canvas: HTMLCanvasElement\n    val drawingBufferWidth: Int\n    val
drawingBufferHeight: Int\n    fun getContextAttributes(): WebGLContextAttributes?\n    fun isContextLost():
Boolean\n    fun getSupportedExtensions(): Array<String>?\n    fun getExtension(name: String): dynamic\n    fun
activeTexture(texture: Int)\n    fun attachShader(program: WebGLProgram?, shader: WebGLShader?)\n    fun
bindAttribLocation(program: WebGLProgram?, index: Int, name: String)\n    fun bindBuffer(target: Int, buffer:
WebGLBuffer?)\n    fun bindFramebuffer(target: Int,

```



```

framebuffer: WebGLFramebuffer?)\n fun bindRenderbuffer(target: Int, renderbuffer: WebGLRenderbuffer?)\n
fun bindTexture(target: Int, texture: WebGLTexture?)\n fun blendColor(red: Float, green: Float, blue: Float, alpha:
Float)\n fun blendEquation(mode: Int)\n fun blendEquationSeparate(modeRGB: Int, modeAlpha: Int)\n fun
blendFunc(sfactor: Int, dfactor: Int)\n fun blendFuncSeparate(srcRGB: Int, dstRGB: Int, srcAlpha: Int, dstAlpha:
Int)\n fun bufferData(target: Int, size: Int, usage: Int)\n fun bufferData(target: Int, data: BufferDataSource?,
usage: Int)\n fun bufferSubData(target: Int, offset: Int, data: BufferDataSource?)\n fun
checkFramebufferStatus(target: Int): Int\n fun clear(mask: Int)\n fun clearColor(red: Float, green: Float, blue:
Float, alpha: Float)\n fun clearDepth(depth: Float)\n fun clearStencil(s: Int)\n fun colorMask(red: Boolean,
green: Boolean, blue: Boolean, alpha: Boolean)\n fun compileShader(shader: WebGLShader?)\n
fun compressedTexImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, data:
ArrayBufferView)\n fun compressedTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int,
height: Int, format: Int, data: ArrayBufferView)\n fun copyTexImage2D(target: Int, level: Int, internalformat: Int,
x: Int, y: Int, width: Int, height: Int, border: Int)\n fun copyTexSubImage2D(target: Int, level: Int, xoffset: Int,
yoffset: Int, x: Int, y: Int, width: Int, height: Int)\n fun createBuffer(): WebGLBuffer?\n fun createFramebuffer():
WebGLFramebuffer?\n fun createProgram(): WebGLProgram?\n fun createRenderbuffer():
WebGLRenderbuffer?\n fun createShader(type: Int): WebGLShader?\n fun createTexture(): WebGLTexture?\n
fun cullFace(mode: Int)\n fun deleteBuffer(buffer: WebGLBuffer?)\n fun deleteFramebuffer(framebuffer:
WebGLFramebuffer?)\n fun deleteProgram(program: WebGLProgram?)\n fun deleteRenderbuffer(renderbuffer:
WebGLRenderbuffer?)\n fun deleteShader(shader: WebGLShader?)\n fun deleteTexture(texture:
WebGLTexture?)\n fun depthFunc(func: Int)\n fun depthMask(flag: Boolean)\n fun depthRange(zNear: Float,
zFar: Float)\n fun detachShader(program: WebGLProgram?, shader: WebGLShader?)\n fun disable(cap: Int)\n
fun disableVertexArray(index: Int)\n fun drawArrays(mode: Int, first: Int, count: Int)\n fun
drawElements(mode: Int, count: Int, type: Int, offset: Int)\n fun enable(cap: Int)\n fun
enableVertexArray(index: Int)\n fun finish()\n fun flush()\n fun framebufferRenderbuffer(target: Int,
attachment: Int, renderbuffertarget: Int, renderbuffer: WebGLRenderbuffer?)\n fun framebufferTexture2D(target:
Int, attachment: Int, textarget: Int, texture: WebGLTexture?, level: Int)\n fun frontFace(mode: Int)\n fun
generateMipmap(target: Int)\n fun getActiveAttrib(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n
fun getActiveUniform(program:
WebGLProgram?, index: Int): WebGLActiveInfo?\n fun getAttachedShaders(program: WebGLProgram?):
Array<WebGLShader?>\n fun getAttribLocation(program: WebGLProgram?, name: String): Int\n fun
getBufferParameter(target: Int, pname: Int): Any?\n fun getParameter(pname: Int): Any?\n fun getError(): Int\n
fun getFramebufferAttachmentParameter(target: Int, attachment: Int, pname: Int): Any?\n fun
getProgramParameter(program: WebGLProgram?, pname: Int): Any?\n fun getProgramInfoLog(program:
WebGLProgram?): String?\n fun getRenderbufferParameter(target: Int, pname: Int): Any?\n fun
getShaderParameter(shader: WebGLShader?, pname: Int): Any?\n fun getShaderPrecisionFormat(shader: Int,
precisiontype: Int): WebGLShaderPrecisionFormat?\n fun getShaderInfoLog(shader: WebGLShader?): String?\n
fun getShaderSource(shader: WebGLShader?): String?\n fun getTexParameter(target: Int, pname: Int): Any?\n
fun getUniform(program: WebGLProgram?,
location: WebGLUniformLocation?): Any?\n fun getUniformLocation(program: WebGLProgram?, name:
String): WebGLUniformLocation?\n fun getVertexAttrib(index: Int, pname: Int): Any?\n fun
getVertexAttribOffset(index: Int, pname: Int): Int\n fun hint(target: Int, mode: Int)\n fun isBuffer(buffer:
WebGLBuffer?): Boolean\n fun isEnabled(cap: Int): Boolean\n fun isFramebuffer(framebuffer:
WebGLFramebuffer?): Boolean\n fun isProgram(program: WebGLProgram?): Boolean\n fun
isRenderbuffer(renderbuffer: WebGLRenderbuffer?): Boolean\n fun isShader(shader: WebGLShader?): Boolean\n
fun isTexture(texture: WebGLTexture?): Boolean\n fun lineWidth(width: Float)\n fun linkProgram(program:
WebGLProgram?)\n fun pixelStorei(pname: Int, param: Int)\n fun polygonOffset(factor: Float, units: Float)\n
fun readPixels(x: Int, y: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun
renderbufferStorage(target: Int, internalformat: Int,

```

```

width: Int, height: Int)\n fun sampleCoverage(value: Float, invert: Boolean)\n fun scissor(x: Int, y: Int, width:
Int, height: Int)\n fun shaderSource(shader: WebGLShader?, source: String)\n fun stencilFunc(func: Int, ref: Int,
mask: Int)\n fun stencilFuncSeparate(face: Int, func: Int, ref: Int, mask: Int)\n fun stencilMask(mask: Int)\n fun
stencilMaskSeparate(face: Int, mask: Int)\n fun stencilOp(fail: Int, zfail: Int, zpass: Int)\n fun
stencilOpSeparate(face: Int, fail: Int, zfail: Int, zpass: Int)\n fun texImage2D(target: Int, level: Int, internalformat:
Int, width: Int, height: Int, border: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun texImage2D(target:
Int, level: Int, internalformat: Int, format: Int, type: Int, source: TexImageSource?)\n fun texParameterf(target: Int,
pname: Int, param: Float)\n fun texParameteri(target: Int, pname: Int, param: Int)\n fun texSubImage2D(target:
Int, level: Int, xoffset: Int, yoffset: Int,
width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun texSubImage2D(target: Int, level:
Int, xoffset: Int, yoffset: Int, format: Int, type: Int, source: TexImageSource?)\n fun uniform1f(location:
WebGLUniformLocation?, x: Float)\n fun uniform1fv(location: WebGLUniformLocation?, v: Float32Array)\n
fun uniform1fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform1i(location:
WebGLUniformLocation?, x: Int)\n fun uniform1iv(location: WebGLUniformLocation?, v: Int32Array)\n fun
uniform1iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun uniform2f(location:
WebGLUniformLocation?, x: Float, y: Float)\n fun uniform2fv(location: WebGLUniformLocation?, v:
Float32Array)\n fun uniform2fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun
uniform2i(location: WebGLUniformLocation?, x: Int, y: Int)\n fun uniform2iv(location:
WebGLUniformLocation?, v: Int32Array)\n fun uniform2iv(location: WebGLUniformLocation?,
v: Array<Int>)\n fun uniform3f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float)\n fun
uniform3fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform3fv(location:
WebGLUniformLocation?, v: Array<Float>)\n fun uniform3i(location: WebGLUniformLocation?, x: Int, y: Int, z:
Int)\n fun uniform3iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform3iv(location:
WebGLUniformLocation?, v: Array<Int>)\n fun uniform4f(location: WebGLUniformLocation?, x: Float, y: Float,
z: Float, w: Float)\n fun uniform4fv(location: WebGLUniformLocation?, v: Float32Array)\n fun
uniform4fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform4i(location:
WebGLUniformLocation?, x: Int, y: Int, z: Int, w: Int)\n fun uniform4iv(location: WebGLUniformLocation?, v:
Int32Array)\n fun uniform4iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun
uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n
fun uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun
uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun
uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun
uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun
uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun
useProgram(program: WebGLProgram?)\n fun validateProgram(program: WebGLProgram?)\n fun
vertexAttrib1f(index: Int, x: Float)\n fun vertexAttrib1fv(index: Int, values: dynamic)\n fun
vertexAttrib2f(index: Int, x: Float, y: Float)\n fun vertexAttrib2fv(index: Int, values: dynamic)\n fun
vertexAttrib3f(index: Int, x: Float, y: Float, z: Float)\n fun vertexAttrib3fv(index: Int, values: dynamic)\n fun
vertexAttrib4f(index: Int, x: Float, y: Float, z: Float, w: Float)\n
fun vertexAttrib4fv(index: Int, values: dynamic)\n fun vertexAttribPointer(index: Int, size: Int, type: Int,
normalized: Boolean, stride: Int, offset: Int)\n fun viewport(x: Int, y: Int, width: Int, height: Int)\n\n companion
object {\n val DEPTH_BUFFER_BIT: Int\n val STENCIL_BUFFER_BIT: Int\n val
COLOR_BUFFER_BIT: Int\n val POINTS: Int\n val LINES: Int\n val LINE_LOOP: Int\n val
LINE_STRIP: Int\n val TRIANGLES: Int\n val TRIANGLE_STRIP: Int\n val TRIANGLE_FAN:
Int\n val ZERO: Int\n val ONE: Int\n val SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR:
Int\n val SRC_ALPHA: Int\n val ONE_MINUS_SRC_ALPHA: Int\n val DST_ALPHA: Int\n val
ONE_MINUS_DST_ALPHA: Int\n val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n
val SRC_ALPHA_SATURATE: Int\n val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val

```

BLEND\_EQUATION\_RGB: Int\n
     val BLEND\_EQUATION\_ALPHA: Int\n    val FUNC\_SUBTRACT: Int\n    val  
 FUNC\_REVERSE\_SUBTRACT: Int\n    val BLEND\_DST\_RGB: Int\n    val BLEND\_SRC\_RGB: Int\n
 val BLEND\_DST\_ALPHA: Int\n    val BLEND\_SRC\_ALPHA: Int\n    val CONSTANT\_COLOR: Int\n
 val ONE\_MINUS\_CONSTANT\_COLOR: Int\n    val CONSTANT\_ALPHA: Int\n    val  
 ONE\_MINUS\_CONSTANT\_ALPHA: Int\n    val BLEND\_COLOR: Int\n    val ARRAY\_BUFFER: Int\n
 val ELEMENT\_ARRAY\_BUFFER: Int\n    val ARRAY\_BUFFER\_BINDING: Int\n    val  
 ELEMENT\_ARRAY\_BUFFER\_BINDING: Int\n    val STREAM\_DRAW: Int\n    val STATIC\_DRAW: Int\n
     val DYNAMIC\_DRAW: Int\n    val BUFFER\_SIZE: Int\n    val BUFFER\_USAGE: Int\n    val  
 CURRENT\_VERTEX\_ATTRIB: Int\n    val FRONT: Int\n    val BACK: Int\n    val FRONT\_AND\_BACK:  
 Int\n    val CULL\_FACE: Int\n    val BLEND: Int\n    val DITHER: Int\n    val STENCIL\_TEST: Int\n
 val DEPTH\_TEST: Int\n    val  
 SCISSOR\_TEST: Int\n    val POLYGON\_OFFSET\_FILL: Int\n    val SAMPLE\_ALPHA\_TO\_COVERAGE:  
 Int\n    val SAMPLE\_COVERAGE: Int\n    val NO\_ERROR: Int\n    val INVALID\_ENUM: Int\n    val  
 INVALID\_VALUE: Int\n    val INVALID\_OPERATION: Int\n    val OUT\_OF\_MEMORY: Int\n    val CW:  
 Int\n    val CCW: Int\n    val LINE\_WIDTH: Int\n    val ALIASED\_POINT\_SIZE\_RANGE: Int\n    val  
 ALIASED\_LINE\_WIDTH\_RANGE: Int\n    val CULL\_FACE\_MODE: Int\n    val FRONT\_FACE: Int\n
 val DEPTH\_RANGE: Int\n    val DEPTH\_WRITEMASK: Int\n    val DEPTH\_CLEAR\_VALUE: Int\n    val  
 DEPTH\_FUNC: Int\n    val STENCIL\_CLEAR\_VALUE: Int\n    val STENCIL\_FUNC: Int\n    val  
 STENCIL\_FAIL: Int\n    val STENCIL\_PASS\_DEPTH\_FAIL: Int\n    val STENCIL\_PASS\_DEPTH\_PASS:  
 Int\n    val STENCIL\_REF: Int\n    val STENCIL\_VALUE\_MASK: Int\n    val STENCIL\_WRITEMASK:  
 Int\n    val STENCIL\_BACK\_FUNC: Int\n    val STENCIL\_BACK\_FAIL: Int\n
     val STENCIL\_BACK\_PASS\_DEPTH\_FAIL: Int\n    val STENCIL\_BACK\_PASS\_DEPTH\_PASS: Int\n
 val STENCIL\_BACK\_REF: Int\n    val STENCIL\_BACK\_VALUE\_MASK: Int\n    val  
 STENCIL\_BACK\_WRITEMASK: Int\n    val VIEWPORT: Int\n    val SCISSOR\_BOX: Int\n    val  
 COLOR\_CLEAR\_VALUE: Int\n    val COLOR\_WRITEMASK: Int\n    val UNPACK\_ALIGNMENT: Int\n
 val PACK\_ALIGNMENT: Int\n    val MAX\_TEXTURE\_SIZE: Int\n    val MAX\_VIEWPORT\_DIMS: Int\n
     val SUBPIXEL\_BITS: Int\n    val RED\_BITS: Int\n    val GREEN\_BITS: Int\n    val BLUE\_BITS: Int\n
     val ALPHA\_BITS: Int\n    val DEPTH\_BITS: Int\n    val STENCIL\_BITS: Int\n    val  
 POLYGON\_OFFSET\_UNITS: Int\n    val POLYGON\_OFFSET\_FACTOR: Int\n    val  
 TEXTURE\_BINDING\_2D: Int\n    val SAMPLE\_BUFFERS: Int\n    val SAMPLES: Int\n    val  
 SAMPLE\_COVERAGE\_VALUE: Int\n    val SAMPLE\_COVERAGE\_INVERT: Int\n    val  
 COMPRESSED\_TEXTURE\_FORMATS: Int\n    val DONT\_CARE:  
 Int\n    val FASTEST: Int\n    val NICEST: Int\n    val GENERATE\_MIPMAP\_HINT: Int\n    val BYTE:  
 Int\n    val UNSIGNED\_BYTE: Int\n    val SHORT: Int\n    val UNSIGNED\_SHORT: Int\n    val INT:  
 Int\n    val UNSIGNED\_INT: Int\n    val FLOAT: Int\n    val DEPTH\_COMPONENT: Int\n    val  
 ALPHA: Int\n    val RGB: Int\n    val RGBA: Int\n    val LUMINANCE: Int\n    val  
 LUMINANCE\_ALPHA: Int\n    val UNSIGNED\_SHORT\_4\_4\_4\_4: Int\n    val  
 UNSIGNED\_SHORT\_5\_5\_5\_1: Int\n    val UNSIGNED\_SHORT\_5\_6\_5: Int\n    val  
 FRAGMENT\_SHADER: Int\n    val VERTEX\_SHADER: Int\n    val MAX\_VERTEX\_ATTRIBS: Int\n
 val MAX\_VERTEX\_UNIFORM\_VECTORS: Int\n    val MAX\_VARYING\_VECTORS: Int\n    val  
 MAX\_COMBINED\_TEXTURE\_IMAGE\_UNITS: Int\n    val MAX\_VERTEX\_TEXTURE\_IMAGE\_UNITS:  
 Int\n    val MAX\_TEXTURE\_IMAGE\_UNITS: Int\n    val MAX\_FRAGMENT\_UNIFORM\_VECTORS: Int\n
     val SHADER\_TYPE: Int\n    val DELETE\_STATUS:  
 Int\n    val LINK\_STATUS: Int\n    val VALIDATE\_STATUS: Int\n    val ATTACHED\_SHADERS: Int\n
     val ACTIVE\_UNIFORMS: Int\n    val ACTIVE\_ATTRIBUTES: Int\n    val  
 SHADING\_LANGUAGE\_VERSION: Int\n    val CURRENT\_PROGRAM: Int\n    val NEVER: Int\n    val  
 LESS: Int\n    val EQUAL: Int\n    val LEQUAL: Int\n    val GREATER: Int\n    val NOTEQUAL: Int\n

val GEQUAL: Int\n     val ALWAYS: Int\n     val KEEP: Int\n     val REPLACE: Int\n     val INCR: Int\n  
 val DECR: Int\n     val INVERT: Int\n     val INCR\_WRAP: Int\n     val DECR\_WRAP: Int\n     val  
 VENDOR: Int\n     val RENDERER: Int\n     val VERSION: Int\n     val NEAREST: Int\n     val LINEAR:  
 Int\n     val NEAREST\_MIPMAP\_NEAREST: Int\n     val LINEAR\_MIPMAP\_NEAREST: Int\n     val  
 NEAREST\_MIPMAP\_LINEAR: Int\n     val LINEAR\_MIPMAP\_LINEAR: Int\n     val  
 TEXTURE\_MAG\_FILTER: Int\n     val TEXTURE\_MIN\_FILTER: Int\n  
    val TEXTURE\_WRAP\_S: Int\n     val TEXTURE\_WRAP\_T: Int\n     val TEXTURE\_2D: Int\n     val  
 TEXTURE: Int\n     val TEXTURE\_CUBE\_MAP: Int\n     val TEXTURE\_BINDING\_CUBE\_MAP: Int\n  
 val TEXTURE\_CUBE\_MAP\_POSITIVE\_X: Int\n     val TEXTURE\_CUBE\_MAP\_NEGATIVE\_X: Int\n     val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_Y: Int\n     val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Y: Int\n     val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_Z: Int\n     val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Z: Int\n     val  
 MAX\_CUBE\_MAP\_TEXTURE\_SIZE: Int\n     val TEXTURE0: Int\n     val TEXTURE1: Int\n     val  
 TEXTURE2: Int\n     val TEXTURE3: Int\n     val TEXTURE4: Int\n     val TEXTURE5: Int\n     val  
 TEXTURE6: Int\n     val TEXTURE7: Int\n     val TEXTURE8: Int\n     val TEXTURE9: Int\n     val  
 TEXTURE10: Int\n     val TEXTURE11: Int\n     val TEXTURE12: Int\n     val TEXTURE13: Int\n     val  
 TEXTURE14: Int\n     val TEXTURE15: Int\n     val TEXTURE16: Int\n     val TEXTURE17:  
 Int\n     val TEXTURE18: Int\n     val TEXTURE19: Int\n     val TEXTURE20: Int\n     val TEXTURE21:  
 Int\n     val TEXTURE22: Int\n     val TEXTURE23: Int\n     val TEXTURE24: Int\n     val TEXTURE25:  
 Int\n     val TEXTURE26: Int\n     val TEXTURE27: Int\n     val TEXTURE28: Int\n     val TEXTURE29:  
 Int\n     val TEXTURE30: Int\n     val TEXTURE31: Int\n     val ACTIVE\_TEXTURE: Int\n     val  
 REPEAT: Int\n     val CLAMP\_TO\_EDGE: Int\n     val MIRRORED\_REPEAT: Int\n     val FLOAT\_VEC2:  
 Int\n     val FLOAT\_VEC3: Int\n     val FLOAT\_VEC4: Int\n     val INT\_VEC2: Int\n     val INT\_VEC3:  
 Int\n     val INT\_VEC4: Int\n     val BOOL: Int\n     val BOOL\_VEC2: Int\n     val BOOL\_VEC3: Int\n  
 val BOOL\_VEC4: Int\n     val FLOAT\_MAT2: Int\n     val FLOAT\_MAT3: Int\n     val FLOAT\_MAT4: Int\n  
    val SAMPLER\_2D: Int\n     val SAMPLER\_CUBE: Int\n     val VERTEX\_ATTRIB\_ARRAY\_ENABLED:  
 Int\n  
    val VERTEX\_ATTRIB\_ARRAY\_SIZE: Int\n     val VERTEX\_ATTRIB\_ARRAY\_STRIDE: Int\n     val  
 VERTEX\_ATTRIB\_ARRAY\_TYPE: Int\n     val VERTEX\_ATTRIB\_ARRAY\_NORMALIZED: Int\n     val  
 VERTEX\_ATTRIB\_ARRAY\_POINTER: Int\n     val VERTEX\_ATTRIB\_ARRAY\_BUFFER\_BINDING: Int\n  
    val IMPLEMENTATION\_COLOR\_READ\_TYPE: Int\n     val  
 IMPLEMENTATION\_COLOR\_READ\_FORMAT: Int\n     val COMPILE\_STATUS: Int\n     val  
 LOW\_FLOAT: Int\n     val MEDIUM\_FLOAT: Int\n     val HIGH\_FLOAT: Int\n     val LOW\_INT: Int\n  
 val MEDIUM\_INT: Int\n     val HIGH\_INT: Int\n     val FRAMEBUFFER: Int\n     val RENDERBUFFER:  
 Int\n     val RGBA4: Int\n     val RGB5\_A1: Int\n     val RGB565: Int\n     val DEPTH\_COMPONENT16:  
 Int\n     val STENCIL\_INDEX: Int\n     val STENCIL\_INDEX8: Int\n     val DEPTH\_STENCIL: Int\n     val  
 RENDERBUFFER\_WIDTH: Int\n     val RENDERBUFFER\_HEIGHT: Int\n     val  
 RENDERBUFFER\_INTERNAL\_FORMAT: Int\n     val RENDERBUFFER\_RED\_SIZE:  
 Int\n     val RENDERBUFFER\_GREEN\_SIZE: Int\n     val RENDERBUFFER\_BLUE\_SIZE: Int\n     val  
 RENDERBUFFER\_ALPHA\_SIZE: Int\n     val RENDERBUFFER\_DEPTH\_SIZE: Int\n     val  
 RENDERBUFFER\_STENCIL\_SIZE: Int\n     val FRAMEBUFFER\_ATTACHMENT\_OBJECT\_TYPE: Int\n  
 val FRAMEBUFFER\_ATTACHMENT\_OBJECT\_NAME: Int\n     val  
 FRAMEBUFFER\_ATTACHMENT\_TEXTURE\_LEVEL: Int\n     val  
 FRAMEBUFFER\_ATTACHMENT\_TEXTURE\_CUBE\_MAP\_FACE: Int\n     val COLOR\_ATTACHMENT0:  
 Int\n     val DEPTH\_ATTACHMENT: Int\n     val STENCIL\_ATTACHMENT: Int\n     val  
 DEPTH\_STENCIL\_ATTACHMENT: Int\n     val NONE: Int\n     val FRAMEBUFFER\_COMPLETE: Int\n  
 val FRAMEBUFFER\_INCOMPLETE\_ATTACHMENT: Int\n     val  
 FRAMEBUFFER\_INCOMPLETE\_MISSING\_ATTACHMENT: Int\n     val  
 FRAMEBUFFER\_INCOMPLETE\_DIMENSIONS: Int\n     val FRAMEBUFFER\_UNSUPPORTED: Int\n

```

val FRAMEBUFFER_BINDING: Int\n    val RENDERBUFFER_BINDING: Int\n    val
MAX_RENDERBUFFER_SIZE: Int\n    val INVALID_FRAMEBUFFER_OPERATION:
Int\n    val UNPACK_FLIP_Y_WEBGL: Int\n    val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n
val CONTEXT_LOST_WEBGL: Int\n    val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n
val BROWSER_DEFAULT_WEBGL: Int\n } }\n\n**\n * Exposes the JavaScript
[WebGLRenderingContext](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderingContext) to Kotlin\n
*\npublic external abstract class WebGLRenderingContext : WebGLRenderingContextBase, RenderingContext {\n
companion object {\n    val DEPTH_BUFFER_BIT: Int\n    val STENCIL_BUFFER_BIT: Int\n    val
COLOR_BUFFER_BIT: Int\n    val POINTS: Int\n    val LINES: Int\n    val LINE_LOOP: Int\n    val
LINE_STRIP: Int\n    val TRIANGLES: Int\n    val TRIANGLE_STRIP: Int\n    val TRIANGLE_FAN:
Int\n    val ZERO: Int\n    val ONE: Int\n    val SRC_COLOR: Int\n    val ONE_MINUS_SRC_COLOR:
Int\n    val SRC_ALPHA: Int\n    val ONE_MINUS_SRC_ALPHA:
Int\n    val DST_ALPHA: Int\n    val ONE_MINUS_DST_ALPHA: Int\n    val DST_COLOR: Int\n    val
ONE_MINUS_DST_COLOR: Int\n    val SRC_ALPHA_SATURATE: Int\n    val FUNC_ADD: Int\n    val
BLEND_EQUATION: Int\n    val BLEND_EQUATION_RGB: Int\n    val BLEND_EQUATION_ALPHA:
Int\n    val FUNC_SUBTRACT: Int\n    val FUNC_REVERSE_SUBTRACT: Int\n    val
BLEND_DST_RGB: Int\n    val BLEND_SRC_RGB: Int\n    val BLEND_DST_ALPHA: Int\n    val
BLEND_SRC_ALPHA: Int\n    val CONSTANT_COLOR: Int\n    val ONE_MINUS_CONSTANT_COLOR:
Int\n    val CONSTANT_ALPHA: Int\n    val ONE_MINUS_CONSTANT_ALPHA: Int\n    val
BLEND_COLOR: Int\n    val ARRAY_BUFFER: Int\n    val ELEMENT_ARRAY_BUFFER: Int\n    val
ARRAY_BUFFER_BINDING: Int\n    val ELEMENT_ARRAY_BUFFER_BINDING: Int\n    val
STREAM_DRAW: Int\n    val STATIC_DRAW: Int\n    val DYNAMIC_DRAW: Int\n    val
BUFFER_SIZE: Int\n    val BUFFER_USAGE:
Int\n    val CURRENT_VERTEX_ATTRIB: Int\n    val FRONT: Int\n    val BACK: Int\n    val
FRONT_AND_BACK: Int\n    val CULL_FACE: Int\n    val BLEND: Int\n    val DITHER: Int\n    val
STENCIL_TEST: Int\n    val DEPTH_TEST: Int\n    val SCISSOR_TEST: Int\n    val
POLYGON_OFFSET_FILL: Int\n    val SAMPLE_ALPHA_TO_COVERAGE: Int\n    val
SAMPLE_COVERAGE: Int\n    val NO_ERROR: Int\n    val INVALID_ENUM: Int\n    val
INVALID_VALUE: Int\n    val INVALID_OPERATION: Int\n    val OUT_OF_MEMORY: Int\n    val CW:
Int\n    val CCW: Int\n    val LINE_WIDTH: Int\n    val ALIASED_POINT_SIZE_RANGE: Int\n    val
ALIASED_LINE_WIDTH_RANGE: Int\n    val CULL_FACE_MODE: Int\n    val FRONT_FACE: Int\n
val DEPTH_RANGE: Int\n    val DEPTH_WRITEMASK: Int\n    val DEPTH_CLEAR_VALUE: Int\n    val
DEPTH_FUNC: Int\n    val STENCIL_CLEAR_VALUE: Int\n    val STENCIL_FUNC: Int\n    val
STENCIL_FAIL:
Int\n    val STENCIL_PASS_DEPTH_FAIL: Int\n    val STENCIL_PASS_DEPTH_PASS: Int\n    val
STENCIL_REF: Int\n    val STENCIL_VALUE_MASK: Int\n    val STENCIL_WRITEMASK: Int\n    val
STENCIL_BACK_FUNC: Int\n    val STENCIL_BACK_FAIL: Int\n    val
STENCIL_BACK_PASS_DEPTH_FAIL: Int\n    val STENCIL_BACK_PASS_DEPTH_PASS: Int\n    val
STENCIL_BACK_REF: Int\n    val STENCIL_BACK_VALUE_MASK: Int\n    val
STENCIL_BACK_WRITEMASK: Int\n    val VIEWPORT: Int\n    val SCISSOR_BOX: Int\n    val
COLOR_CLEAR_VALUE: Int\n    val COLOR_WRITEMASK: Int\n    val UNPACK_ALIGNMENT: Int\n
val PACK_ALIGNMENT: Int\n    val MAX_TEXTURE_SIZE: Int\n    val MAX_VIEWPORT_DIMS: Int\n
val SUBPIXEL_BITS: Int\n    val RED_BITS: Int\n    val GREEN_BITS: Int\n    val BLUE_BITS: Int\n
val ALPHA_BITS: Int\n    val DEPTH_BITS: Int\n    val STENCIL_BITS: Int\n    val
POLYGON_OFFSET_UNITS: Int\n
    val POLYGON_OFFSET_FACTOR: Int\n    val TEXTURE_BINDING_2D: Int\n    val
SAMPLE_BUFFERS: Int\n    val SAMPLES: Int\n    val SAMPLE_COVERAGE_VALUE: Int\n    val
SAMPLE_COVERAGE_INVERT: Int\n    val COMPRESSED_TEXTURE_FORMATS: Int\n    val

```

DONT\_CARE: Int\n
val FASTEST: Int\n
val NICEST: Int\n
val GENERATE\_MIPMAP\_HINT: Int\n
val BYTE: Int\n
val UNSIGNED\_BYTE: Int\n
val SHORT: Int\n
val UNSIGNED\_SHORT: Int\n
val INT: Int\n
val UNSIGNED\_INT: Int\n
val FLOAT: Int\n
val DEPTH\_COMPONENT: Int\n
val ALPHA: Int\n
val RGB: Int\n
val RGBA: Int\n
val LUMINANCE: Int\n
val LUMINANCE\_ALPHA: Int\n
val UNSIGNED\_SHORT\_4\_4\_4\_4: Int\n
val UNSIGNED\_SHORT\_5\_5\_5\_1: Int\n
val UNSIGNED\_SHORT\_5\_6\_5: Int\n
val FRAGMENT\_SHADER: Int\n
val VERTEX\_SHADER: Int\n
val MAX\_VERTEX\_ATTRIBS: Int\n
val MAX\_VERTEX\_UNIFORM\_VECTORS: Int\n
val MAX\_VARYING\_VECTORS: Int\n
val MAX\_COMBINED\_TEXTURE\_IMAGE\_UNITS: Int\n
val MAX\_VERTEX\_TEXTURE\_IMAGE\_UNITS: Int\n
val MAX\_TEXTURE\_IMAGE\_UNITS: Int\n
val MAX\_FRAGMENT\_UNIFORM\_VECTORS: Int\n
val SHADER\_TYPE: Int\n
val DELETE\_STATUS: Int\n
val LINK\_STATUS: Int\n
val VALIDATE\_STATUS: Int\n
val ATTACHED\_SHADERS: Int\n
val ACTIVE\_UNIFORMS: Int\n
val ACTIVE\_ATTRIBUTES: Int\n
val SHADING\_LANGUAGE\_VERSION: Int\n
val CURRENT\_PROGRAM: Int\n
val NEVER: Int\n
val LESS: Int\n
val EQUAL: Int\n
val LEQUAL: Int\n
val GREATER: Int\n
val NOTEQUAL: Int\n
val GEQUAL: Int\n
val ALWAYS: Int\n
val KEEP: Int\n
val REPLACE: Int\n
val INCR: Int\n
val DECR: Int\n
val INVERT: Int\n
val INCR\_WRAP: Int\n
val DECR\_WRAP: Int\n
val VENDOR: Int\n
val RENDERER: Int\n
val VERSION: Int\n
val NEAREST: Int\n
val LINEAR: Int\n
val NEAREST\_MIPMAP\_NEAREST: Int\n
val LINEAR\_MIPMAP\_NEAREST: Int\n
val NEAREST\_MIPMAP\_LINEAR: Int\n
val LINEAR\_MIPMAP\_LINEAR: Int\n
val TEXTURE\_MAG\_FILTER: Int\n
val TEXTURE\_MIN\_FILTER: Int\n
val TEXTURE\_WRAP\_S: Int\n
val TEXTURE\_WRAP\_T: Int\n
val TEXTURE\_2D: Int\n
val TEXTURE: Int\n
val TEXTURE\_CUBE\_MAP: Int\n
val TEXTURE\_BINDING\_CUBE\_MAP: Int\n
val TEXTURE\_CUBE\_MAP\_POSITIVE\_X: Int\n
val TEXTURE\_CUBE\_MAP\_NEGATIVE\_X: Int\n
val TEXTURE\_CUBE\_MAP\_POSITIVE\_Y: Int\n
val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Y: Int\n
val TEXTURE\_CUBE\_MAP\_POSITIVE\_Z: Int\n
val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Z: Int\n
val MAX\_CUBE\_MAP\_TEXTURE\_SIZE: Int\n
val TEXTURE0: Int\n
val TEXTURE1: Int\n
val TEXTURE2: Int\n
val TEXTURE3: Int\n
val TEXTURE4: Int\n
val TEXTURE5: Int\n
val TEXTURE6: Int\n
val TEXTURE7: Int\n
val TEXTURE8: Int\n
val TEXTURE9: Int\n
val TEXTURE10: Int\n
val TEXTURE11: Int\n
val TEXTURE12: Int\n
val TEXTURE13: Int\n
val TEXTURE14: Int\n
val TEXTURE15: Int\n
val TEXTURE16: Int\n
val TEXTURE17: Int\n
val TEXTURE18: Int\n
val TEXTURE19: Int\n
val TEXTURE20: Int\n
val TEXTURE21: Int\n
val TEXTURE22: Int\n
val TEXTURE23: Int\n
val TEXTURE24: Int\n
val TEXTURE25: Int\n
val TEXTURE26: Int\n
val TEXTURE27: Int\n
val TEXTURE28: Int\n
val TEXTURE29: Int\n
val TEXTURE30: Int\n
val TEXTURE31: Int\n
val ACTIVE\_TEXTURE: Int\n
val REPEAT: Int\n
val CLAMP\_TO\_EDGE: Int\n
val MIRRORED\_REPEAT: Int\n
val FLOAT\_VEC2: Int\n
val FLOAT\_VEC3: Int\n
val FLOAT\_VEC4: Int\n
val INT\_VEC2: Int\n
val INT\_VEC3: Int\n
val INT\_VEC4: Int\n
val BOOL: Int\n
val BOOL\_VEC2: Int\n
val BOOL\_VEC3: Int\n
val BOOL\_VEC4: Int\n
val FLOAT\_MAT2: Int\n
val FLOAT\_MAT3: Int\n
val FLOAT\_MAT4: Int\n
val SAMPLER\_2D: Int\n
val SAMPLER\_CUBE: Int\n
val VERTEX\_ATTRIB\_ARRAY\_ENABLED: Int\n
val VERTEX\_ATTRIB\_ARRAY\_SIZE: Int\n
val VERTEX\_ATTRIB\_ARRAY\_STRIDE: Int\n
val VERTEX\_ATTRIB\_ARRAY\_TYPE: Int\n
val VERTEX\_ATTRIB\_ARRAY\_NORMALIZED: Int\n
val VERTEX\_ATTRIB\_ARRAY\_POINTER: Int\n
val VERTEX\_ATTRIB\_ARRAY\_BUFFER\_BINDING: Int\n
val IMPLEMENTATION\_COLOR\_READ\_TYPE: Int\n
val IMPLEMENTATION\_COLOR\_READ\_FORMAT: Int\n
val COMPILE\_STATUS: Int\n
val LOW\_FLOAT: Int\n
val MEDIUM\_FLOAT: Int\n
val HIGH\_FLOAT: Int\n
val LOW\_INT: Int\n
val MEDIUM\_INT: Int\n
val HIGH\_INT: Int\n
val FRAMEBUFFER: Int\n
val RENDERBUFFER:

```

Int\n    val RGBA4: Int\n    val RGB5_A1: Int\n    val RGB565: Int\n    val
DEPTH_COMPONENT16: Int\n    val STENCIL_INDEX: Int\n    val STENCIL_INDEX8: Int\n    val
DEPTH_STENCIL: Int\n    val RENDERBUFFER_WIDTH: Int\n    val RENDERBUFFER_HEIGHT: Int\n
    val RENDERBUFFER_INTERNAL_FORMAT: Int\n    val RENDERBUFFER_RED_SIZE: Int\n    val
RENDERBUFFER_GREEN_SIZE: Int\n    val RENDERBUFFER_BLUE_SIZE: Int\n    val
RENDERBUFFER_ALPHA_SIZE: Int\n    val RENDERBUFFER_DEPTH_SIZE: Int\n    val
RENDERBUFFER_STENCIL_SIZE: Int\n    val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n
val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n    val
FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n    val
FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n    val COLOR_ATTACHMENT0:
Int\n    val DEPTH_ATTACHMENT: Int\n    val STENCIL_ATTACHMENT: Int\n    val
DEPTH_STENCIL_ATTACHMENT: Int\n    val NONE: Int\n    val FRAMEBUFFER_COMPLETE: Int\n
val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n    val
FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT:
Int\n    val FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n    val
FRAMEBUFFER_UNSUPPORTED: Int\n    val FRAMEBUFFER_BINDING: Int\n    val
RENDERBUFFER_BINDING: Int\n    val MAX_RENDERBUFFER_SIZE: Int\n    val
INVALID_FRAMEBUFFER_OPERATION: Int\n    val UNPACK_FLIP_Y_WEBGL: Int\n    val
UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n    val CONTEXT_LOST_WEBGL: Int\n    val
UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n    val BROWSER_DEFAULT_WEBGL: Int\n
}\n}\n\n/**\n * Exposes the JavaScript
[WebGLContextEvent](https://developer.mozilla.org/en/docs/Web/API/WebGLContextEvent) to Kotlin\n
*/\npublic external open class WebGLContextEvent(type: String, eventInit: WebGLContextEventInit =
definedExternally) : Event {\n    open val statusMessage: String\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external
interface WebGLContextEventInit : EventInit {\n    var statusMessage: String? /* = "" */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun
WebGLContextEventInit(statusMessage: String? = "", bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): WebGLContextEventInit {\n    val o = js("{}")\n    o["statusMessage"] =
statusMessage\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n    o["composed"] = composed\n
return o\n}\n\n/**\n * Exposes the JavaScript
[ArrayBuffer](https://developer.mozilla.org/en/docs/Web/API/ArrayBuffer) to Kotlin\n
*/\npublic external open
class ArrayBuffer(length: Int) : BufferDataSource {\n    open val byteLength: Int\n    fun slice(begin: Int, end: Int =
definedExternally): ArrayBuffer\n\n    companion object {\n        fun isView(value: Any?): Boolean\n    }\n}\n\n/**\n
* Exposes the JavaScript [ArrayBufferView](https://developer.mozilla.org/en/docs/Web/API/ArrayBufferView) to
Kotlin\n
*/\npublic external interface ArrayBufferView : BufferDataSource {\n    val buffer: ArrayBuffer\n    val
byteOffset: Int\n    val byteLength: Int\n}\n\n/**\n * Exposes the JavaScript
[Int8Array](https://developer.mozilla.org/en/docs/Web/API/Int8Array) to Kotlin\n
*/\npublic external open class
Int8Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Int8Array)\n    constructor(array:
Array<Byte>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int =
definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset: Int\n
override val byteLength: Int\n    fun set(array: Int8Array, offset: Int = definedExternally)\n    fun set(array:
Array<Byte>, offset: Int = definedExternally)\n    fun subarray(start: Int, end: Int): Int8Array\n\n    companion
object {\n

```

```

        val BYTES_PER_ELEMENT: Int\n    }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int8Array.get(index: Int):
Byte = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int8Array.set(index: Int,
value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Uint8Array](https://developer.mozilla.org/en/docs/Web/API/Uint8Array) to Kotlin\n */\npublic external open class
Uint8Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Uint8Array)\n
constructor(array: Array<Byte>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset:
Int\n    override val byteLength: Int\n    fun set(array: Uint8Array, offset: Int = definedExternally)\n    fun
set(array: Array<Byte>, offset: Int = definedExternally)\n    fun subarray(start: Int, end: Int): Uint8Array\n\n
companion object {\n    val BYTES_PER_ELEMENT: Int\n
}\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8Array.get(index: Int):
Byte = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8Array.set(index: Int,
value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Uint8ClampedArray](https://developer.mozilla.org/en/docs/Web/API/Uint8ClampedArray) to Kotlin\n */\npublic
external open class Uint8ClampedArray : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array:
Uint8ClampedArray)\n    constructor(array: Array<Byte>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int =
definedExternally, length: Int = definedExternally)\n    open val length: Int\n    override val
buffer: ArrayBuffer\n    override val byteOffset: Int\n    override val byteLength: Int\n    fun set(array:
Uint8ClampedArray, offset: Int = definedExternally)\n    fun set(array: Array<Byte>, offset: Int =
definedExternally)\n    fun subarray(start: Int, end: Int): Uint8ClampedArray\n\n    companion object {\n    val
BYTES_PER_ELEMENT: Int\n    }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
Uint8ClampedArray.get(index: Int): Byte = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
Uint8ClampedArray.set(index: Int, value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Int16Array](https://developer.mozilla.org/en/docs/Web/API/Int16Array) to Kotlin\n */\npublic external open class
Int16Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Int16Array)\n
constructor(array:
Array<Short>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int =
definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset: Int\n
override val byteLength: Int\n    fun set(array: Int16Array, offset: Int = definedExternally)\n    fun set(array:
Array<Short>, offset: Int = definedExternally)\n    fun subarray(start: Int, end: Int): Int16Array\n\n    companion
object {\n    val BYTES_PER_ELEMENT: Int\n    }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int16Array.get(index: Int):
Short = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int16Array.set(index: Int,
value: Short) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Uint16Array](https://developer.mozilla.org/en/docs/Web/API/Uint16Array) to Kotlin\n */\npublic
external open class Uint16Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array:
Uint16Array)\n    constructor(array: Array<Short>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int =
definedExternally, length: Int = definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n
override val byteOffset: Int\n    override val byteLength: Int\n    fun set(array: Uint16Array, offset: Int =
definedExternally)\n    fun set(array: Array<Short>, offset: Int = definedExternally)\n    fun subarray(start: Int, end:
Int): Uint16Array\n\n    companion object {\n    val BYTES_PER_ELEMENT: Int\n
}
```



```

}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint16Array.get(index: Int):
Short = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint16Array.set(index: Int,
value: Short) { asDynamic()[index]
= value }\n\n/**\n * Exposes the JavaScript
[Int32Array](https://developer.mozilla.org/en/docs/Web/API/Int32Array) to Kotlin\n *\n\npublic external open class
Int32Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Int32Array)\n
constructor(array: Array<Int>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n
override val byteLength: Int\n  fun set(array: Int32Array, offset: Int = definedExternally)\n  fun set(array:
Array<Int>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Int32Array\n\n  companion object
{\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int32Array.get(index: Int): Int
= asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int32Array.set(index: Int,
value: Int) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Uint32Array](https://developer.mozilla.org/en/docs/Web/API/Uint32Array) to Kotlin\n *\n\npublic external open
class Uint32Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Uint32Array)\n
constructor(array: Array<Int>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n
override val byteLength: Int\n  fun set(array: Uint32Array, offset: Int = definedExternally)\n  fun set(array:
Array<Int>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Uint32Array\n\n  companion
object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic
inline operator fun Uint32Array.get(index: Int): Int =
asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint32Array.set(index: Int,
value: Int) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Float32Array](https://developer.mozilla.org/en/docs/Web/API/Float32Array) to Kotlin\n *\n\npublic external open
class Float32Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Float32Array)\n
constructor(array: Array<Float>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Float32Array, offset: Int = definedExternally)\n  fun
set(array: Array<Float>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Float32Array\n\n
companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float32Array.get(index: Int):
Float = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float32Array.set(index: Int,
value: Float) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Float64Array](https://developer.mozilla.org/en/docs/Web/API/Float64Array) to Kotlin\n *\n\npublic external open
class Float64Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Float64Array)\n
constructor(array: Array<Double>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array:
Float64Array, offset: Int = definedExternally)\n  fun set(array: Array<Double>, offset: Int = definedExternally)\n
fun subarray(start: Int, end: Int): Float64Array\n\n  companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}

```

```

    }
}
@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline operator fun Float64Array.get(index: Int):
Double = asDynamic()[index]
@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline operator fun Float64Array.set(index: Int,
value: Double) { asDynamic()[index] = value }
/** Exposes the JavaScript
[DataView](https://developer.mozilla.org/en/docs/Web/API/DataView) to Kotlin
*/
public external open class
DataView(buffer: ArrayBuffer, byteOffset: Int = definedExternally, byteLength: Int = definedExternally) :
ArrayBufferView {
    override val buffer: ArrayBuffer
    override val byteOffset: Int
    override val
byteLength: Int
    fun getInt8(byteOffset:
Int): Byte
    fun getUInt8(byteOffset: Int): Byte
    fun getInt16(byteOffset: Int, littleEndian: Boolean =
definedExternally): Short
    fun getUInt16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short
    fun getInt32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int
    fun getUInt32(byteOffset: Int,
littleEndian: Boolean = definedExternally): Int
    fun getFloat32(byteOffset: Int, littleEndian: Boolean =
definedExternally): Float
    fun getFloat64(byteOffset: Int, littleEndian: Boolean = definedExternally): Double
    fun setInt8(byteOffset: Int, value: Byte)
    fun setUInt8(byteOffset: Int, value: Byte)
    fun setInt16(byteOffset:
Int, value: Short, littleEndian: Boolean = definedExternally)
    fun setUInt16(byteOffset: Int, value: Short,
littleEndian: Boolean = definedExternally)
    fun setInt32(byteOffset: Int, value: Int, littleEndian: Boolean =
definedExternally)
    fun setUInt32(byteOffset: Int, value: Int, littleEndian:
Boolean = definedExternally)
    fun setFloat32(byteOffset: Int, value: Float, littleEndian: Boolean =
definedExternally)
    fun setFloat64(byteOffset: Int, value: Double, littleEndian: Boolean =
definedExternally)
}
public external interface BufferDataSource
public external interface
TexImageSource
/** Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
*/
NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!
See github.com/kotlin/dukat for
details
package org.w3c.dom.clipboard
import kotlin.js.*
import org.khronos.webgl.*
import
org.w3c.dom.*
import org.w3c.dom.events.*
public external interface ClipboardEventInit : EventInit {
    var
clipboardData: DataTransfer? /* = null */
    get() = definedExternally
    set(value) =
definedExternally
}
@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public
inline fun ClipboardEventInit(clipboardData: DataTransfer? = null, bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): ClipboardEventInit {
    val o = js("{}")
    o["clipboardData"] = clipboardData
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}
/** Exposes the JavaScript
[ClipboardEvent](https://developer.mozilla.org/en/docs/Web/API/ClipboardEvent) to Kotlin
*/
public external
open class ClipboardEvent(type: String, eventInitDict: ClipboardEventInit = definedExternally) : Event {
    open
val clipboardData: DataTransfer?
    companion object {
        val NONE: Short
        val
CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}
/** Exposes the JavaScript [Clipboard](https://developer.mozilla.org/en/docs/Web/API/Clipboard) to
Kotlin
*/
public external
abstract class Clipboard : EventTarget {
    fun read(): Promise<DataTransfer>
    fun readText():
Promise<String>
    fun write(data: DataTransfer): Promise<Unit>
    fun writeText(data: String):
Promise<Unit>
}
public external interface ClipboardPermissionDescriptor {
    var allowWithoutGesture:
Boolean? /* = false */
    get() = definedExternally
    set(value) =
definedExternally
}
@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun
ClipboardPermissionDescriptor(allowWithoutGesture: Boolean? = false): ClipboardPermissionDescriptor {
    val
o = js("{}")
    o["allowWithoutGesture"] = allowWithoutGesture
    return o
}
/** Copyright 2010-
2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the

```

Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See github.com/kotlin/dukat

```

for details\n\npackage org.w3c.dom.css\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\n\npublic external abstract class MediaList : ItemArrayLike<String> {\n    open var mediaText: String\n    fun appendMedium(medium: String)\n    fun deleteMedium(medium: String)\n    override fun item(index: Int): String?\n}\n\n@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun MediaList.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [StyleSheet](https://developer.mozilla.org/en/docs/Web/API/StyleSheet) to Kotlin\n *\n\npublic external abstract class StyleSheet {\n    open val type: String\n    open val href: String?\n    open val ownerNode: UnionElementOrProcessingInstruction?\n    open val parentStyleSheet: StyleSheet?\n    open val title: String?\n    open val media: MediaList\n    open var disabled: Boolean\n}\n\n/**\n * Exposes the JavaScript [CSSStyleSheet](https://developer.mozilla.org/en/docs/Web/API/CSSStyleSheet) to Kotlin\n *\n\npublic external abstract class CSSStyleSheet : StyleSheet {\n    open val ownerRule: CSSRule?\n    open val cssRules: CSSRuleList\n    fun insertRule(rule: String, index: Int): Int\n    fun deleteRule(index: Int)\n}\n\n/**\n * Exposes the JavaScript [StyleSheetList](https://developer.mozilla.org/en/docs/Web/API/StyleSheetList) to Kotlin\n *\n\npublic external abstract class StyleSheetList : ItemArrayLike<StyleSheet> {\n    override fun item(index: Int): StyleSheet?\n}\n\n@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun StyleSheetList.get(index: Int): StyleSheet? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [LinkStyle](https://developer.mozilla.org/en/docs/Web/API/LinkStyle) to Kotlin\n *\n\npublic external interface LinkStyle {\n    val sheet: StyleSheet?\n    get() = definedExternally\n}\n\n/**\n * Exposes the JavaScript [CSSRuleList](https://developer.mozilla.org/en/docs/Web/API/CSSRuleList) to Kotlin\n *\n\npublic external abstract class CSSRuleList : ItemArrayLike<CSSRule> {\n    override fun item(index: Int): CSSRule?\n}\n\n@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun CSSRuleList.get(index: Int): CSSRule? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [CSSRule](https://developer.mozilla.org/en/docs/Web/API/CSSRule) to Kotlin\n *\n\npublic external abstract class CSSRule {\n    open val type: Short\n    open var cssText: String\n    open val parentRule: CSSRule?\n    open val parentStyleSheet: CSSStyleSheet?\n\n    companion object {\n        val STYLE_RULE: Short\n        val CHARSET_RULE: Short\n        val IMPORT_RULE: Short\n        val MEDIA_RULE: Short\n        val FONT_FACE_RULE: Short\n        val PAGE_RULE: Short\n        val MARGIN_RULE: Short\n        val NAMESPACE_RULE: Short\n    }\n}\n\n/**\n * Exposes the JavaScript [CSSStyleRule](https://developer.mozilla.org/en/docs/Web/API/CSSStyleRule) to Kotlin\n *\n\npublic external abstract class CSSStyleRule : CSSRule {\n    open var selectorText: String\n    open val style: CSSStyleDeclaration\n\n    companion object {\n        val STYLE_RULE: Short\n        val CHARSET_RULE: Short\n        val IMPORT_RULE: Short\n        val MEDIA_RULE: Short\n        val FONT_FACE_RULE: Short\n        val PAGE_RULE: Short\n        val MARGIN_RULE: Short\n        val NAMESPACE_RULE: Short\n    }\n}\n\npublic external abstract class CSSImportRule : CSSRule {\n    open val href: String\n    open val media: MediaList\n    open val styleSheet: CSSStyleSheet\n\n    companion object {\n        val STYLE_RULE: Short\n        val CHARSET_RULE: Short\n        val IMPORT_RULE: Short\n        val MEDIA_RULE: Short\n        val FONT_FACE_RULE: Short\n        val PAGE_RULE: Short\n        val MARGIN_RULE: Short\n        val NAMESPACE_RULE: Short\n    }\n}\n\n/**\n * Exposes the JavaScript [CSSGroupingRule](https://developer.mozilla.org/en/docs/Web/API/CSSGroupingRule) to Kotlin\n *\n\npublic external abstract class CSSGroupingRule : CSSRule {\n    open val cssRules: CSSRuleList\n    fun insertRule(rule: String, index: Int): Int\n    fun deleteRule(index: Int)\n\n    companion object {\n        val STYLE_RULE: Short\n        val CHARSET_RULE: Short\n        val IMPORT_RULE: Short\n        val

```

```

MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val
MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n } \n \n /** \n * Exposes the JavaScript
[CSSMediaRule](https://developer.mozilla.org/en/docs/Web/API/CSSMediaRule) to Kotlin \n * \n public external
abstract class CSSMediaRule : CSSGroupingRule { \n    open val media: MediaList \n \n    companion object { \n
val STYLE_RULE: Short\n    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val
MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n
    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n } \n \n \n /** \n * Exposes the JavaScript
[CSSPageRule](https://developer.mozilla.org/en/docs/Web/API/CSSPageRule) to Kotlin \n * \n public external
abstract class CSSPageRule : CSSGroupingRule { \n    open var selectorText: String \n    open val style:
CSSStyleDeclaration \n \n    companion object { \n    val STYLE_RULE: Short\n    val CHARSET_RULE:
Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n
    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n
} \n \n \n public external abstract class CSSMarginRule : CSSRule { \n    open val name: String \n    open val style:
CSSStyleDeclaration \n \n    companion object { \n    val STYLE_RULE: Short\n    val CHARSET_RULE:
Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n
    val PAGE_RULE: Short\n    val MARGIN_RULE:
Short\n    val NAMESPACE_RULE: Short\n } \n \n \n /** \n * Exposes the JavaScript
[CSSNamespaceRule](https://developer.mozilla.org/en/docs/Web/API/CSSNamespaceRule) to Kotlin \n * \n public
external abstract class CSSNamespaceRule : CSSRule { \n    open val namespaceURI: String \n    open val prefix:
String \n \n    companion object { \n    val STYLE_RULE: Short\n    val CHARSET_RULE: Short\n    val
IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val
PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n } \n \n \n /** \n *
Exposes the JavaScript
[CSSStyleDeclaration](https://developer.mozilla.org/en/docs/Web/API/CSSStyleDeclaration) to Kotlin \n * \n public
external abstract class CSSStyleDeclaration : ItemArrayLike<String> { \n    open var cssText: String \n    open val
parentRule: CSSRule? \n    open var cssFloat: String \n    open var alignContent: String \n    open var alignItems:
String \n    open
var alignSelf: String \n    open var animation: String \n    open var animationDelay: String \n    open var
animationDirection: String \n    open var animationDuration: String \n    open var animationFillMode: String \n    open
var animationIterationCount: String \n    open var animationName: String \n    open var animationPlayState: String \n
open var animationTimingFunction: String \n    open var backfaceVisibility: String \n    open var background:
String \n    open var backgroundAttachment: String \n    open var backgroundClip: String \n    open var
backgroundColor: String \n    open var backgroundImage: String \n    open var backgroundOrigin: String \n    open var
backgroundPosition: String \n    open var backgroundRepeat: String \n    open var backgroundSize: String \n    open
var border: String \n    open var borderBottom: String \n    open var borderBottomColor: String \n    open var
borderBottomLeftRadius: String \n    open var borderBottomRightRadius: String \n    open var borderBottomStyle:
String \n
    open var borderBottomWidth: String \n    open var borderCollapse: String \n    open var borderColor: String \n
open var borderImage: String \n    open var borderImageOutset: String \n    open var borderImageRepeat: String \n
open var borderImageSlice: String \n    open var borderImageSource: String \n    open var borderImageWidth:
String \n    open var borderLeft: String \n    open var borderLeftColor: String \n    open var borderLeftStyle: String \n
open var borderLeftWidth: String \n    open var borderRadius: String \n    open var borderRight: String \n    open var
borderRightColor: String \n    open var borderRightStyle: String \n    open var borderRightWidth: String \n    open var
borderSpacing: String \n    open var borderStyle: String \n    open var borderTop: String \n    open var
borderTopColor: String \n    open var borderTopLeftRadius: String \n    open var borderTopRightRadius: String \n
open var borderTopStyle: String \n    open var borderTopWidth: String \n    open var borderWidth:
String \n    open var bottom: String \n    open var boxDecorationBreak: String \n    open var boxShadow: String \n
open var boxSizing: String \n    open var breakAfter: String \n    open var breakBefore: String \n    open var

```

breakInside: String\n open var captionSide: String\n open var clear: String\n open var clip: String\n open var color: String\n open var columnCount: String\n open var columnFill: String\n open var columnGap: String\n open var columnRule: String\n open var columnRuleColor: String\n open var columnRuleStyle: String\n open var columnRuleWidth: String\n open var columnSpan: String\n open var columnWidth: String\n open var columns: String\n open var content: String\n open var counterIncrement: String\n open var counterReset: String\n open var cursor: String\n open var direction: String\n open var display: String\n open var emptyCells: String\n open var filter: String\n open var flex: String\n open var flexBasis: String\n open var flexDirection: String\n open var flexFlow: String\n open var flexGrow: String\n open var flexShrink: String\n open var flexWrap: String\n open var font: String\n open var fontFamily: String\n open var fontFeatureSettings: String\n open var fontKerning: String\n open var fontLanguageOverride: String\n open var fontSize: String\n open var fontSizeAdjust: String\n open var fontStretch: String\n open var fontStyle: String\n open var fontSynthesis: String\n open var fontVariant: String\n open var fontVariantAlternates: String\n open var fontVariantCaps: String\n open var fontVariantEastAsian: String\n open var fontVariantLigatures: String\n open var fontVariantNumeric: String\n open var fontVariantPosition: String\n open var fontWeight: String\n open var hangingPunctuation: String\n open var height: String\n open var hyphens: String\n open var imageOrientation: String\n open var imageRendering: String\n open var imageResolution: String\n open var imeMode: String\n open var justifyContent: String\n open var left: String\n open var letterSpacing: String\n open var lineBreak: String\n open var lineHeight: String\n open var listStyle: String\n open var listStyleImage: String\n open var listStylePosition: String\n open var listStyleType: String\n open var margin: String\n open var marginBottom: String\n open var marginLeft: String\n open var marginRight: String\n open var marginTop: String\n open var mark: String\n open var markAfter: String\n open var markBefore: String\n open var marks: String\n open var marqueeDirection: String\n open var marqueePlayCount: String\n open var marqueeSpeed: String\n open var marqueeStyle: String\n open var mask: String\n open var maskType: String\n open var maxHeight: String\n open var maxWidth: String\n open var minHeight: String\n open var minWidth: String\n open var navDown: String\n open var navIndex: String\n open var navLeft: String\n open var navRight: String\n open var navUp: String\n open var objectFit: String\n open var objectPosition: String\n open var opacity: String\n open var order: String\n open var orphans: String\n open var outline: String\n open var outlineColor: String\n open var outlineOffset: String\n open var outlineStyle: String\n open var outlineWidth: String\n open var overflowWrap: String\n open var overflowX: String\n open var overflowY: String\n open var padding: String\n open var paddingBottom: String\n open var paddingLeft: String\n open var paddingRight: String\n open var paddingTop: String\n open var pageBreakAfter: String\n open var pageBreakBefore: String\n open var pageBreakInside: String\n open var perspective: String\n open var perspectiveOrigin: String\n open var phonemes: String\n open var position: String\n open var quotes: String\n open var resize: String\n open var rest: String\n open var restAfter: String\n open var restBefore: String\n open var right: String\n open var tabSize: String\n open var tableLayout: String\n open var textAlign: String\n open var textAlignLast: String\n open var textCombineUpright: String\n open var textDecoration: String\n open var textDecorationColor: String\n open var textDecorationLine: String\n open var textDecorationStyle: String\n open var textIndent: String\n open var textJustify: String\n open var textOrientation: String\n open var textOverflow: String\n open var textShadow: String\n open var textTransform: String\n open var textUnderlinePosition: String\n open var top: String\n open var transform: String\n open var transformOrigin: String\n open var transformStyle: String\n open var transition: String\n open var transitionDelay: String\n open var transitionDuration: String\n open var transitionProperty: String\n open var transitionTimingFunction: String\n open var unicodeBidi: String\n open var verticalAlign: String\n open var visibility: String\n open var voiceBalance: String\n open var voiceDuration: String\n open var voicePitch: String\n open var voicePitchRange: String\n open var voiceRate: String\n open var voiceStress: String\n open var voiceVolume: String\n open var whiteSpace: String\n open var widows: String\n open var width: String\n open var

```

wordBreak: String\n  open var wordSpacing: String\n  open var wordWrap: String\n  open var writingMode:
String\n  open var zIndex: String\n  open var _dashed_attribute: String\n  open var _camel_cased_attribute:
String\n  open var _webkit_cased_attribute: String\n  fun getPropertyValue(property: String): String\n  fun
getPropertyPriority(property: String): String\n  fun setProperty(property: String, value: String,
priority: String = definedExternally)\n  fun setPropertyValue(property: String, value: String)\n  fun
setPropertyPriority(property: String, priority: String)\n  fun removeProperty(property: String): String\n  override
fun item(index: Int): String\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
CSSStyleDeclaration.get(index: Int): String? = asDynamic()[index]\n\npublic external interface
ElementCSSInlineStyle {\n  val style: CSSStyleDeclaration\n}\n\n/**\n * Exposes the JavaScript
[CSS](https://developer.mozilla.org/en/docs/Web/API/CSS) to Kotlin\n */\npublic external abstract class CSS {\n
companion object {\n  fun escape(ident: String): String\n }\n}\n\npublic external interface
UnionElementOrProcessingInstruction, \"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in
the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See
github.com/kotlin/dukat for details\n\npackage org.w3c.dom.encryptedmedia\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes the JavaScript
[MediaKeySystemConfiguration](https://developer.mozilla.org/en/docs/Web/API/MediaKeySystemConfiguration)
to Kotlin\n */\npublic external interface MediaKeySystemConfiguration {\n  var label: String? /* = \"\" */\n
get() = definedExternally\n  set(value) = definedExternally\n  var initDataTypes: Array<String>? /* = arrayOf()
*/\n  get() = definedExternally\n  set(value) = definedExternally\n  var audioCapabilities:
Array<MediaKeySystemMediaCapability>? /* = arrayOf() */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var videoCapabilities: Array<MediaKeySystemMediaCapability>? /* = arrayOf() */\n
get() = definedExternally\n
set(value) = definedExternally\n  var distinctiveIdentifier: MediaKeysRequirement? /* =
MediaKeysRequirement.OPTIONAL */\n  get() = definedExternally\n  set(value) = definedExternally\n
var persistentState: MediaKeysRequirement? /* = MediaKeysRequirement.OPTIONAL */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var sessionTypes: Array<String>?\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaKeySystemConfiguration(label:
String? = \"\", initDataTypes: Array<String>? = arrayOf(), audioCapabilities:
Array<MediaKeySystemMediaCapability>? = arrayOf(), videoCapabilities:
Array<MediaKeySystemMediaCapability>? = arrayOf(), distinctiveIdentifier: MediaKeysRequirement? =
MediaKeysRequirement.OPTIONAL, persistentState: MediaKeysRequirement? =
MediaKeysRequirement.OPTIONAL, sessionTypes: Array<String>?
= undefined): MediaKeySystemConfiguration {\n  val o = js(\"({})\")\n  o[\"label\"] = label\n
o[\"initDataTypes\"] = initDataTypes\n  o[\"audioCapabilities\"] = audioCapabilities\n  o[\"videoCapabilities\"] =
videoCapabilities\n  o[\"distinctiveIdentifier\"] = distinctiveIdentifier\n  o[\"persistentState\"] = persistentState\n
o[\"sessionTypes\"] = sessionTypes\n  return o\n}\n\npublic external interface MediaKeySystemMediaCapability
{\n  var contentType: String? /* = \"\" */\n  get() = definedExternally\n  set(value) = definedExternally\n
var robustness: String? /* = \"\" */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
MediaKeySystemMediaCapability(contentType: String? = \"\", robustness: String? = \"\"):
MediaKeySystemMediaCapability {\n  val o = js(\"({})\")\n  o[\"contentType\"] = contentType\n
o[\"robustness\"] = robustness\n  return o\n}\n\n/**\n * Exposes the JavaScript
[MediaKeySystemAccess](https://developer.mozilla.org/en/docs/Web/API/MediaKeySystemAccess) to Kotlin\n
*/\npublic external abstract class MediaKeySystemAccess {\n  open val keySystem: String\n  fun

```

```

getConfiguration(): MediaKeySystemConfiguration\n fun createMediaKeys(): Promise<MediaKeys>\n}\n\n/**\n
* Exposes the JavaScript [MediaKeys](https://developer.mozilla.org/en/docs/Web/API/MediaKeys) to Kotlin\n
*\n\npublic external abstract class MediaKeys {\n fun createSession(sessionType: MediaKeySessionType =
definedExternally): MediaKeySession\n fun setServerCertificate(serverCertificate: dynamic):
Promise<Boolean>\n}\n\n/**\n
* Exposes the JavaScript
[MediaKeySession](https://developer.mozilla.org/en/docs/Web/API/MediaKeySession) to Kotlin\n *\n\npublic
external abstract class MediaKeySession : EventTarget {\n open val sessionId: String\n open val expiration:
Double\n open val closed:
Promise<Unit>\n open val keyStatuses: MediaKeyStatusMap\n open var onkeystatuseschange: ((Event) ->
dynamic)?\n open var onmessage: ((MessageEvent) -> dynamic)?\n fun generateRequest(initDataType: String,
initData: dynamic): Promise<Unit>\n fun load(sessionId: String): Promise<Boolean>\n fun update(response:
dynamic): Promise<Unit>\n fun close(): Promise<Unit>\n fun remove(): Promise<Unit>\n}\n\n/**\n
* Exposes the JavaScript
the JavaScript [MediaKeyStatusMap](https://developer.mozilla.org/en/docs/Web/API/MediaKeyStatusMap) to
Kotlin\n *\n\npublic external abstract class MediaKeyStatusMap {\n open val size: Int\n fun has(keyId: dynamic):
Boolean\n fun get(keyId: dynamic): Any?\n}\n\n/**\n
* Exposes the JavaScript
[MediaKeyMessageEvent](https://developer.mozilla.org/en/docs/Web/API/MediaKeyMessageEvent) to Kotlin\n
*\n\npublic external open class MediaKeyMessageEvent(type: String, eventInitDict: MediaKeyMessageEventInit) :
Event {\n open val messageType: MediaKeyMessageType\n
open val message: ArrayBuffer\n\n companion object {\n val NONE: Short\n val
CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface MediaKeyMessageEventInit : EventInit {\n var messageType:
MediaKeyMessageType\n var message: ArrayBuffer?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
MediaKeyMessageEventInit(messageType: MediaKeyMessageType?, message: ArrayBuffer?, bubbles: Boolean? =
false, cancelable: Boolean? = false, composed: Boolean? = false): MediaKeyMessageEventInit {\n val o =
js(\"({})\")\n o[\"messageType\"] = messageType\n o[\"message\"] = message\n o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n\npublic external open class
MediaEncryptedEvent(type: String, eventInitDict: MediaEncryptedEventInit = definedExternally) : Event {\n
open val initDataType: String\n open val initData: ArrayBuffer?\n\n companion object {\n val NONE:
Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE:
Short\n }\n}\n\npublic external interface MediaEncryptedEventInit : EventInit {\n var initDataType: String? /* =
\"\" */\n get() = definedExternally\n set(value) = definedExternally\n var initData: ArrayBuffer? /* = null
*/\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
MediaEncryptedEventInit(initDataType: String? = \"\", initData: ArrayBuffer? = null, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): MediaEncryptedEventInit {\n val o = js(\"({})\")\n
o[\"initDataType\"] = initDataType\n o[\"initData\"] = initData\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"]
=
cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface MediaKeysRequirement {\n companion object\n}\n\n\npublic inline val
MediaKeysRequirement.Companion.REQUIRED: MediaKeysRequirement get() =
\"required\".asDynamic().unsafeCast<MediaKeysRequirement>()\n\n\npublic inline val
MediaKeysRequirement.Companion.OPTIONAL: MediaKeysRequirement get() =
\"optional\".asDynamic().unsafeCast<MediaKeysRequirement>()\n\n\npublic inline val
MediaKeysRequirement.Companion.NOT_ALLOWED: MediaKeysRequirement get() = \"not-
allowed\".asDynamic().unsafeCast<MediaKeysRequirement>()\n\n/* please, don't implement this interface!

```

```

*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface MediaKeySessionType {\n  companion object\n}\n\npublic inline val
MediaKeySessionType.Companion.TEMPORARY: MediaKeySessionType get() =
"temporary".asDynamic().unsafeCast<MediaKeySessionType>()\n\npublic
inline val MediaKeySessionType.Companion.PERSISTENT_LICENSE: MediaKeySessionType get() =
"persistent-license".asDynamic().unsafeCast<MediaKeySessionType>()\n\n/* please, don't implement this
interface! */\n*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic
external interface MediaKeyStatus {\n  companion object\n}\n\npublic inline val
MediaKeyStatus.Companion.USABLE: MediaKeyStatus get() =
"usable".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.EXPIRED: MediaKeyStatus get() =
"expired".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.RELEASED: MediaKeyStatus get() =
"released".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.OUTPUT_RESTRICTED: MediaKeyStatus get() = "output-
restricted".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.OUTPUT_DOWNSCALED:
MediaKeyStatus get() = "output-downscaled".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.STATUS_PENDING: MediaKeyStatus get() = "status-
pending".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.INTERNAL_ERROR: MediaKeyStatus get() = "internal-
error".asDynamic().unsafeCast<MediaKeyStatus>()\n\n/* please, don't implement this interface!
*/\n*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface MediaKeyMessageType {\n  companion object\n}\n\npublic inline val
MediaKeyMessageType.Companion.LICENSE_REQUEST: MediaKeyMessageType get() = "license-
request".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val
MediaKeyMessageType.Companion.LICENSE_RENEWAL: MediaKeyMessageType get() = "license-
renewal".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val
MediaKeyMessageType.Companion.LICENSE_RELEASE: MediaKeyMessageType
get() = "license-release".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val
MediaKeyMessageType.Companion.INDIVIDUALIZATION_REQUEST: MediaKeyMessageType get() =
"individualization-request".asDynamic().unsafeCast<MediaKeyMessageType>())"/*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage
org.w3c.dom.events\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\n\n/**\n * Exposes
the JavaScript [UIEvent](https://developer.mozilla.org/en/docs/Web/API/UIEvent) to Kotlin\n */\n\npublic external
open class UIEvent(type: String, eventInitDict: UIEventInit = definedExternally) : Event {\n  open val view:
Window?\n  open val detail: Int\n\n  companion object {\n    val NONE: Short\n
val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface UIEventInit : EventInit {\n  var view: Window? /* = null */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var detail: Int? /* = 0 */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun UIEventInit(view: Window? = null,
detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): UIEventInit
{\n  val o = js("{}")\n  o["view"] = view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[FocusEvent](https://developer.mozilla.org/en/docs/Web/API/FocusEvent) to Kotlin\n */\n\npublic external open class

```



```

FocusEvent(type:
String, eventInitDict: FocusEventInit = definedExternally) : UIEvent {\n  open val relatedTarget:
EventTarget?\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val
AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n\n\npublic external interface FocusEventInit :
UIEventInit {\n  var relatedTarget: EventTarget? /* = null */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\\",
\\"INVISIBLE_MEMBER\\")\n@kotlin.internal.InlineOnly\npublic inline fun FocusEventInit(relatedTarget:
EventTarget? = null, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? =
false, composed: Boolean? = false): FocusEventInit {\n  val o = js(\\"({})\\")\n  o[\\"relatedTarget\\"] =
relatedTarget\n  o[\\"view\\"] = view\n  o[\\"detail\\"] = detail\n  o[\\"bubbles\\"] = bubbles\n  o[\\"cancelable\\"] =
cancelable\n  o[\\"composed\\"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript [MouseEvent](https://developer.mozilla.org/en/docs/Web/API/MouseEvent) to Kotlin\n */\n\npublic external open class MouseEvent(type: String, eventInitDict: MouseEventInit = definedExternally) :
UIEvent, UnionElementOrMouseEvent {\n  open val screenX: Int\n  open val screenY: Int\n  open val clientX:
Int\n  open val clientY: Int\n  open val ctrlKey: Boolean\n  open val shiftKey: Boolean\n  open val altKey:
Boolean\n  open val metaKey: Boolean\n  open val button: Short\n  open val buttons: Short\n  open val
relatedTarget: EventTarget?\n  open val region: String?\n  open val pageX: Double\n  open val pageY: Double\n
open val x: Double\n  open val y: Double\n  open val offsetX: Double\n  open val offsetY: Double\n  fun
getModifierState(keyArg: String): Boolean\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n\n\npublic
external interface MouseEventInit : EventModifierInit {\n  var screenX: Int? /* = 0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n  var screenY: Int? /* = 0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n  var clientX: Int? /* = 0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n  var clientY: Int? /* = 0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n  var button: Short? /* = 0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n  var buttons: Short? /* = 0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n  var relatedTarget: EventTarget? /* = null */\n    get()
= definedExternally\n    set(value) = definedExternally\n  var region: String? /* = null */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\\",
\\"INVISIBLE_MEMBER\\")\n@kotlin.internal.InlineOnly\npublic inline fun MouseEventInit(screenX: Int? = 0,
screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget:
EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean?
= false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false,
modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false,
modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false,
modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MouseEventInit {\n  val o =
js(\\"({})\\")\n  o[\\"screenX\\"] = screenX\n  o[\\"screenY\\"] = screenY\n  o[\\"clientX\\"] = clientX\n  o[\\"clientY\\"]
= clientY\n  o[\\"button\\"] = button\n  o[\\"buttons\\"] = buttons\n  o[\\"relatedTarget\\"] = relatedTarget\n  o[\\"region\\"] =
region\n  o[\\"ctrlKey\\"] = ctrlKey\n  o[\\"shiftKey\\"] = shiftKey\n  o[\\"altKey\\"] = altKey\n  o[\\"metaKey\\"] =
metaKey\n  o[\\"modifierAltGraph\\"] = modifierAltGraph\n  o[\\"modifierCapsLock\\"] = modifierCapsLock\n
o[\\"modifierFn\\"] = modifierFn\n  o[\\"modifierFnLock\\"] = modifierFnLock\n  o[\\"modifierHyper\\"] =
modifierHyper\n  o[\\"modifierNumLock\\"] = modifierNumLock\n  o[\\"modifierScrollLock\\"] =
modifierScrollLock\n  o[\\"modifierSuper\\"] = modifierSuper\n  o[\\"modifierSymbol\\"] = modifierSymbol\n
o[\\"modifierSymbolLock\\"] = modifierSymbolLock\n  o[\\"view\\"] = view\n  o[\\"detail\\"] = detail\n
o[\\"bubbles\\"] = bubbles\n  o[\\"cancelable\\"] = cancelable\n  o[\\"composed\\"] = composed\n  return

```

```

o\n}\n\npublic external interface EventModifierInit : UIEventInit {\n  var ctrlKey: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var shiftKey: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var altKey: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var metaKey: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var modifierAltGraph: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var modifierCapsLock: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var modifierFn: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var modifierFnLock: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var modifierHyper: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var modifierNumLock: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var modifierScrollLock: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var modifierSuper: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var modifierSymbol: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var modifierSymbolLock: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun EventModifierInit(ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): EventModifierInit {\n  val o = js(\"({})\")\n  o[\"ctrlKey\"] = ctrlKey\n  o[\"shiftKey\"] = shiftKey\n  o[\"altKey\"] = altKey\n  o[\"metaKey\"] = metaKey\n  o[\"modifierAltGraph\"] = modifierAltGraph\n  o[\"modifierCapsLock\"] = modifierCapsLock\n  o[\"modifierFn\"] = modifierFn\n  o[\"modifierFnLock\"] = modifierFnLock\n  o[\"modifierHyper\"] = modifierHyper\n  o[\"modifierNumLock\"] = modifierNumLock\n  o[\"modifierScrollLock\"] = modifierScrollLock\n  o[\"modifierSuper\"] = modifierSuper\n  o[\"modifierSymbol\"] = modifierSymbol\n  o[\"modifierSymbolLock\"] = modifierSymbolLock\n  o[\"view\"] = view\n  o[\"detail\"] = detail\n  o[\"bubbles\"] = bubbles\n  o[\"cancelable\"] = cancelable\n  o[\"composed\"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript [WheelEvent](https://developer.mozilla.org/en/docs/Web/API/WheelEvent) to Kotlin\n */\npublic external open class WheelEvent(type: String, eventInitDict: WheelEventInit = definedExternally) : MouseEvent {\n  open val deltaX: Double\n  open val deltaY: Double\n  open val deltaZ: Double\n  open val deltaMode: Int\n  companion object {\n    val DOM_DELTA_PIXEL: Int\n    val DOM_DELTA_LINE: Int\n    val DOM_DELTA_PAGE: Int\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface WheelEventInit : MouseEventInit {\n  var deltaX: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) = definedExternally\n  var deltaY: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) = definedExternally\n  var deltaZ: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) = definedExternally\n  var deltaMode: Int? /* = 0 */\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun WheelEventInit(deltaX: Double? = 0.0, deltaY: Double? = 0.0, deltaZ: Double? = 0.0, deltaMode: Int? = 0, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false,

```

```

modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false,
modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): WheelEventInit {
    val o = js("{}")
    o["deltaX"] = deltaX
    o["deltaY"] = deltaY
    o["deltaZ"] = deltaZ
    o["deltaMode"] = deltaMode
    o["screenX"] = screenX
    o["screenY"] =
screenY
    o["clientX"] = clientX
    o["clientY"] = clientY
    o["button"] = button
    o["buttons"] =
buttons
    o["relatedTarget"] = relatedTarget
    o["region"] = region
    o["ctrlKey"] = ctrlKey
    o["shiftKey"] = shiftKey
    o["altKey"] = altKey
    o["metaKey"] = metaKey
    o["modifierAltGraph"] =
modifierAltGraph
    o["modifierCapsLock"] = modifierCapsLock
    o["modifierFn"] = modifierFn
    o["modifierFnLock"] = modifierFnLock
    o["modifierHyper"] = modifierHyper
    o["modifierNumLock"]
= modifierNumLock
    o["modifierScrollLock"] = modifierScrollLock
    o["modifierSuper"] =
modifierSuper
    o["modifierSymbol"] = modifierSymbol
    o["modifierSymbolLock"] =
modifierSymbolLock
    o["view"] = view
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

/** Exposes the JavaScript
[InputEvent](https://developer.mozilla.org/en/docs/Web/API/InputEvent) to Kotlin
*/
public external open class
InputEvent(type: String, eventInitDict: InputEventInit = definedExternally) : UIEvent {
    open val data: String
    open val isComposing: Boolean

    companion object {
        val NONE: Short
        val
CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }

    public external interface InputEventInit : UIEventInit {
        var data: String? /* = "" */
        get() =
definedExternally
        set(value) = definedExternally

        var isComposing: Boolean? /* = false */
        get() = definedExternally
        set(value) =
definedExternally
    }

    @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
    @kotlin.internal.InlineOnly
    public inline fun InputEventInit(data: String? = "",
isComposing: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): InputEventInit {
        val o = js("{}")
        o["data"] = data
        o["isComposing"] = isComposing
        o["view"] = view
        o["detail"] = detail
        o["bubbles"] = bubbles
        o["cancelable"] = cancelable
        o["composed"] = composed
        return o
    }

    /** Exposes the JavaScript
[KeyboardEvent](https://developer.mozilla.org/en/docs/Web/API/KeyboardEvent) to Kotlin
*/
    public external
open class KeyboardEvent(type: String, eventInitDict: KeyboardEventInit = definedExternally) : UIEvent {
        open val key: String
        open val
code: String
        open val location: Int
        open val ctrlKey: Boolean
        open val shiftKey: Boolean
        open val
altKey: Boolean
        open val metaKey: Boolean
        open val repeat: Boolean
        open val isComposing: Boolean
        open val charCode: Int
        open val keyCode: Int
        open val which: Int
        fun getModifierState(keyArg:
String): Boolean

        companion object {
            val DOM_KEY_LOCATION_STANDARD: Int
            val
DOM_KEY_LOCATION_LEFT: Int
            val DOM_KEY_LOCATION_RIGHT: Int
            val
DOM_KEY_LOCATION_NUMPAD: Int
            val NONE: Short
            val CAPTURING_PHASE: Short
            val
AT_TARGET: Short
            val BUBBLING_PHASE: Short
        }

        public external interface
KeyboardEventInit : EventModifierInit {
            var key: String? /* = "" */
            get() = definedExternally
            set(value) = definedExternally

            var code: String? /* = "" */
            get() = definedExternally
            set(value) =
definedExternally

            var location:
Int? /* = 0 */
            get() = definedExternally
            set(value) = definedExternally

            var repeat: Boolean? /* =
false */
            get() = definedExternally
            set(value) = definedExternally

            var isComposing: Boolean? /* =
false */
            get() = definedExternally
            set(value) =
definedExternally
        }

        @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
        @kotlin.internal.InlineOnly
        public inline fun KeyboardEventInit(key: String? = "",
code: String? = "", location: Int? = 0, repeat: Boolean? = false, isComposing: Boolean? = false, ctrlKey: Boolean?
= false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph:

```

```

Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? =
false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock:
Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): KeyboardEventInit {
    val o = js("{}")
    o["key"] = key
    o["code"] = code
    o["location"] = location
    o["repeat"] = repeat
    o["isComposing"] = isComposing
    o["ctrlKey"] = ctrlKey
    o["shiftKey"] = shiftKey
    o["altKey"] = altKey
    o["metaKey"] = metaKey
    o["modifierAltGraph"] = modifierAltGraph
    o["modifierCapsLock"] = modifierCapsLock
    o["modifierFn"] = modifierFn
    o["modifierFnLock"] = modifierFnLock
    o["modifierHyper"] = modifierHyper
    o["modifierNumLock"] = modifierNumLock
    o["modifierScrollLock"] = modifierScrollLock
    o["modifierSuper"] = modifierSuper
    o["modifierSymbol"] = modifierSymbol
    o["modifierSymbolLock"] = modifierSymbolLock
    o["view"] = view
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

/** Exposes the JavaScript [CompositionEvent](https://developer.mozilla.org/en/docs/Web/API/CompositionEvent) to Kotlin
 *
 * @public external open class CompositionEvent(type: String, eventInitDict: CompositionEventInit = definedExternally) :
 *
 * UIEvent {
 *     open val data: String
 *     companion object {
 *         val NONE: Short
 *         val CAPTURING_PHASE: Short
 *         val AT_TARGET: Short
 *         val BUBBLING_PHASE: Short
 *     }
 * }

 * @public external interface CompositionEventInit : UIEventInit {
 *     var data: String? /* = "" */
 *     get() = definedExternally
 *     set(value) = definedExternally
 * }

 * @Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
 * @kotlin.internal.InlineOnly
 * @public inline fun CompositionEventInit(data: String? = "", view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CompositionEventInit {
 *     val o = js("{}")
 *     o["data"] = data
 *     o["view"] = view
 *     o["detail"] = detail
 *     o["bubbles"] = bubbles
 *     o["cancelable"] = cancelable
 *     o["composed"] = composed
 *     return o
 * }

 * /** Exposes the JavaScript [Event](https://developer.mozilla.org/en/docs/Web/API/Event) to Kotlin
 *
 * @public external open class Event(type: String, eventInitDict: EventInit = definedExternally) {
 *     open val type: String
 *     open val target: EventTarget?
 *     open val currentTarget: EventTarget?
 *     open val eventPhase: Short
 *     open val bubbles: Boolean
 *     open val cancelable: Boolean
 *     open val defaultPrevented: Boolean
 *     open val composed: Boolean
 *     open val isTrusted: Boolean
 *     open val timeStamp: Number
 *     fun composedPath(): Array<EventTarget>
 *     fun stopPropagation()
 *     fun stopImmediatePropagation()
 *     fun preventDefault()
 *     fun initEvent(type: String, bubbles: Boolean, cancelable: Boolean)
 * }

 * companion object {
 *     val NONE: Short
 *     val CAPTURING_PHASE: Short
 *     val AT_TARGET: Short
 *     val BUBBLING_PHASE: Short
 * }

 * /** Exposes the JavaScript [EventTarget](https://developer.mozilla.org/en/docs/Web/API/EventTarget) to Kotlin
 *
 * @public external abstract class EventTarget {
 *     fun addEventListener(type: String, callback: EventListener?, options: dynamic = definedExternally)
 *     fun addEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic = definedExternally)
 *     fun removeEventListener(type: String, callback: EventListener?, options: dynamic = definedExternally)
 *     fun removeEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic = definedExternally)
 *     fun dispatchEvent(event: Event): Boolean
 * }

 * /** Exposes the JavaScript [EventListener](https://developer.mozilla.org/en/docs/Web/API/EventListener) to Kotlin
 *
 * @public external interface EventListener {
 *     fun handleEvent(event: Event)
 * }

 * * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 * * // NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!
 * * // See github.com/kotlin/dukat for details
 *
 * @package org.w3c.dom
 * @import kotlin.js
 * @import org.khronos.webgl
 * @import org.w3c.dom.clipboard
 * @import org.w3c.dom.css
 * @import org.w3c.dom.encryptedmedia
 * @import org.w3c.dom.events
 * @import org.w3c.dom.mediacapture
 * @import org.w3c.dom.mediasource
 * @import org.w3c.dom.pointerevents

```

```

org.w3c.dom.svg.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.performance.*\nimport
org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external abstract class HTMLAllCollection {\n  open val
length: Int\n  fun item(nameOrIndex: String = definedExternally): UnionElementOrHTMLCollection?\n  fun
namedItem(name: String): UnionElementOrHTMLCollection?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLAllCollection.get(index: Int): Element? =
asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLAllCollection.get(name: String): UnionElementOrHTMLCollection? = asDynamic()[name]\n\n**\n *
Exposes the JavaScript
[HTMLFormControlsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLFormControlsCollection)
to Kotlin\n *^\npublic external abstract class HTMLFormControlsCollection : HTMLCollection\n\n**\n * Exposes
the JavaScript [RadioNodeList](https://developer.mozilla.org/en/docs/Web/API/RadioNodeList) to Kotlin\n
*^\npublic external abstract class RadioNodeList : NodeList, UnionElementOrRadioNodeList {\n  open var value:
String\n}\n\n**\n * Exposes the JavaScript
[HTMLOptionsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionsCollection) to Kotlin\n
*^\npublic
external abstract class HTMLOptionsCollection : HTMLCollection {\n  override var length: Int\n  open var
selectedIndex: Int\n  fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic =
definedExternally)\n  fun remove(index: Int)\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLOptionsCollection.set(index: Int, option: HTMLOptionElement?) { asDynamic()[index] = option }\n\n**\n *
Exposes the JavaScript [HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to
Kotlin\n *^\npublic external abstract class HTMLInputElement : Element, GlobalEventHandlers,
DocumentAndElementEventHandlers, ElementContentEditable, ElementCSSInlineStyle {\n  open var title:
String\n  open var lang: String\n  open var translate: Boolean\n  open var dir: String\n  open val dataset:
DOMStringMap\n  open var hidden: Boolean\n  open var tabIndex: Int\n  open var accessKey: String\n
  open val accessKeyLabel: String\n  open var draggable: Boolean\n  open val dropzone: DOMTokenList\n
  open var contextMenu: HTMLMenuElement?\n  open var spellcheck: Boolean\n  open var innerText: String\n
  open val offsetParent: Element?\n  open val offsetTop: Int\n  open val offsetLeft: Int\n  open val offsetWidth:
Int\n  open val offsetHeight: Int\n  fun click()\n  fun focus()\n  fun blur()\n  fun forceSpellCheck()\n}\n
companion object {\n  val ELEMENT_NODE: Short\n  val ATTRIBUTE_NODE: Short\n  val
TEXT_NODE: Short\n  val CDATA_SECTION_NODE: Short\n  val ENTITY_REFERENCE_NODE:
Short\n  val ENTITY_NODE: Short\n  val PROCESSING_INSTRUCTION_NODE: Short\n  val
COMMENT_NODE: Short\n  val DOCUMENT_NODE: Short\n  val DOCUMENT_TYPE_NODE: Short\n
  val DOCUMENT_FRAGMENT_NODE: Short\n  val NOTATION_NODE: Short\n  val
DOCUMENT_POSITION_DISCONNECTED: Short\n  val DOCUMENT_POSITION_PRECEDING:
Short\n  val DOCUMENT_POSITION_FOLLOWING: Short\n  val
DOCUMENT_POSITION_CONTAINS: Short\n  val DOCUMENT_POSITION_CONTAINED_BY: Short\n
  val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n}\n}\n\n**\n * Exposes the
JavaScript [HTMLUnknownElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUnknownElement) to
Kotlin\n *^\npublic external abstract class HTMLUnknownElement : HTMLInputElement {\n  companion object {\n
val ELEMENT_NODE: Short\n  val ATTRIBUTE_NODE: Short\n  val TEXT_NODE: Short\n  val
CDATA_SECTION_NODE: Short\n  val ENTITY_REFERENCE_NODE: Short\n  val ENTITY_NODE:
Short\n  val PROCESSING_INSTRUCTION_NODE: Short\n  val COMMENT_NODE: Short\n  val
DOCUMENT_NODE: Short\n  val DOCUMENT_TYPE_NODE: Short\n  val
DOCUMENT_FRAGMENT_NODE: Short\n  val NOTATION_NODE: Short\n  val
DOCUMENT_POSITION_DISCONNECTED: Short\n  val DOCUMENT_POSITION_PRECEDING:

```

```

Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val
DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n
    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the
JavaScript [DOMStringMap](https://developer.mozilla.org/en/docs/Web/API/DOMStringMap) to Kotlin\n
*\n\npublic external abstract class DOMStringMap\n\n@Suppress(\n"INVISIBLE_REFERENCE",
\n"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun DOMStringMap.get(name:
String): String? = asDynamic()[name]\n\n@Suppress(\n"INVISIBLE_REFERENCE",
\n"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun DOMStringMap.set(name:
String, value: String) { asDynamic()[name] = value }\n\n\n/**\n * Exposes the JavaScript
[HTMLHtmlElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHtmlElement) to Kotlin\n
*\n\npublic external abstract class HTMLHtmlElement : HTMLElement {\n    open var version: String\n\n    companion
object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n\n/**\n * Exposes the JavaScript
[HTMLHeadElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadElement) to Kotlin\n
*\n\npublic external abstract class HTMLHeadElement : HTMLElement {\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n\n/**\n * Exposes the JavaScript
[HTMLTitleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTitleElement) to Kotlin\n
*\n\npublic external abstract class HTMLTitleElement : HTMLElement {\n    open var text: String\n\n    companion object
{\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n\n/**\n * Exposes the JavaScript
[HTMLBaseElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBaseElement) to Kotlin\n
*\n\npublic external abstract class HTMLBaseElement : HTMLElement {\n    open var href: String\n    open var target:
String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n

```

```

    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLLinkElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLinkElement) to Kotlin \n * \n public
external abstract class HTMLLinkElement : HTMLElement, LinkStyle { \n
    open var href: String \n    open var crossOrigin: String? \n    open var rel: String \n    open var `as`:
RequestDestination \n    open val relList: DOMTokenList \n    open var media: String \n    open var nonce: String \n
    open var hreflang: String \n    open var type: String \n    open val sizes: DOMTokenList \n    open var referrerPolicy:
String \n    open var charset: String \n    open var rev: String \n    open var target: String \n    open var scope: String \n
    open var workerType: WorkerType \n \n    companion object { \n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED:
Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n        val
DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLMetaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMetaElement) to Kotlin \n * \n public
external abstract class HTMLMetaElement : HTMLElement { \n    open var name: String \n    open var httpEquiv:
String \n    open var content: String \n    open var scheme: String \n \n    companion object { \n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLStyleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLStyleElement) to Kotlin \n * \n public
external abstract class HTMLStyleElement : HTMLElement, LinkStyle { \n    open var media: String \n    open var
nonce: String \n    open var type: String \n \n    companion object { \n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLBodyElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBodyElement) to Kotlin \n * \n public
external abstract class HTMLBodyElement : HTMLElement, WindowEventHandlers { \n    open var text: String \n

```

```

open var link: String\n open var vLink: String\n open var aLink: String\n open var bgColor: String\n open
var background: String\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE:
Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLHeadingElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadingElement) to Kotlin\n
*\npublic external abstract class HTMLHeadingElement : HTMLElement {\n open var align: String\n\n
companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE:
Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLParagraphElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParagraphElement) to Kotlin\n
*\npublic external abstract class HTMLParagraphElement : HTMLElement {\n open var align: String\n\n
companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE:
Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLHRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHRElement) to Kotlin\n *\npublic
external abstract class HTMLHRElement : HTMLElement {\n open var align: String\n open var color: String\n
open var noShade: Boolean\n open var size: String\n open var width: String\n\n
companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLPreElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPreElement) to Kotlin\n *\npublic

```



```

external abstract class HTMLPreElement : HTMLInputElement {
    open var width: Int
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/** Exposes the JavaScript [HTMLQuoteElement](https://developer.mozilla.org/en/docs/Web/API/HTMLQuoteElement) to Kotlin */
@public
external abstract class HTMLQuoteElement : HTMLInputElement {
    open var cite: String
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/** Exposes the JavaScript [HTMLListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLListElement) to Kotlin */
@public
external abstract class HTMLListElement : HTMLInputElement {
    open var reversed: Boolean
    open var start: Int
    open var type: String
    open var compact: Boolean
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/** Exposes the JavaScript [HTMLListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLListElement) to Kotlin */
@public
external abstract class HTMLListElement : HTMLInputElement {
    open var compact: Boolean
    open var type: String
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/** Exposes the JavaScript [HTMLListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLListElement) to Kotlin */
@public
external abstract class HTMLListElement : HTMLInputElement {
    open var value: Int
    open var type: String
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE:

```

```

Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLDListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDListElement)
to Kotlin\n *\npublic external abstract class HTMLDListElement : HTMLElement {\n    open var compact:
Boolean\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLDivElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDivElement) to Kotlin\n *\npublic
external abstract class HTMLDivElement : HTMLElement {\n    open var align: String\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLAnchorElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAnchorElement) to Kotlin\n
*\npublic external abstract class HTMLAnchorElement : HTMLElement, HTMLHyperlinkElementUtils {\n    open
var target: String\n    open var download: String\n    open var ping: String\n    open var rel: String\n    open val
relList: DOMTokenList\n    open var hreflang: String\n    open var type: String\n    open var text: String\n    open
var referrerPolicy: String\n    open var coords: String\n    open var charset: String\n    open var name: String\n
open var rev: String\n    open var shape: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLDataElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataElement) to Kotlin\n *\npublic
external abstract class HTMLDataElement : HTMLElement {\n    open var value: String\n\n    companion object {\n

```

```

    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE:
Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLTimeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTimeElement) to Kotlin \n * \n public
external abstract class HTMLTimeElement : HTMLInputElement { \n    open var dateTime: String \n \n    companion
object { \n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE:
Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLSpanElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSpanElement) to Kotlin \n * \n public
external abstract class HTMLSpanElement : HTMLInputElement { \n    companion object { \n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLBRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBRElement) to Kotlin \n * \n public
external abstract class HTMLBRElement : HTMLInputElement { \n    open var clear: String \n \n    companion object { \n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLHyperlinkElementUtils](https://developer.mozilla.org/en/docs/Web/API/HTMLHyperlinkElementUtils) to
Kotlin \n * \n public external interface HTMLHyperlinkElementUtils { \n    var href: String\n    val origin: String\n
var protocol: String\n    var username: String\n    var password: String\n    var host: String\n    var hostname:
String\n    var port: String\n    var pathname: String\n    var search: String\n    var hash: String \n} \n \n /** \n * Exposes
the JavaScript [HTMLModElement](https://developer.mozilla.org/en/docs/Web/API/HTMLModElement) to
Kotlin \n * \n public

```

```

external abstract class HTMLModElement : HTMLElement {
    open var cite: String
    open var dateTime: String
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/** Exposes the JavaScript [HTMLPictureElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPictureElement) to Kotlin */
public external abstract class HTMLPictureElement : HTMLElement {
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/** Exposes the JavaScript [HTMLSourceElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSourceElement) to Kotlin */
public external abstract class HTMLSourceElement : HTMLElement {
    open var src: String
    open var type: String
    open var srcset: String
    open var sizes: String
    open var media: String
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/** Exposes the JavaScript [HTMLImageElement](https://developer.mozilla.org/en/docs/Web/API/HTMLImageElement) to Kotlin */
public external abstract class HTMLImageElement : HTMLElement, HTMLORSVGImageElement,
    TexImageSource {
    open var alt: String
    open var src: String
    open var srcset: String
    open var sizes: String
    open var crossOrigin: String?
    open var useMap: String
    open var isMap: Boolean
    open var width: Int
    open var height: Int
    open val naturalWidth: Int
    open val naturalHeight: Int
    open val complete: Boolean
    open val currentSrc: String
    open var referrerPolicy: String
    open var name: String
    open var lowsrc: String
    open var align: String
    open var hspace: Int
    open var vspace: Int
    open var longDesc: String
    open var border: String
    open val x: Int
    open val y: Int
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
    }
}

```

```

DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLIFrameElement](https://developer.mozilla.org/en/docs/Web/API/HTMLIFrameElement) to Kotlin\n
*\npublic external abstract class HTMLIFrameElement : HTMLInputElement {\n    open var src: String\n    open var
srcdoc: String\n    open var name: String\n    open val sandbox: DOMTokenList\n
    open var allowFullscreen: Boolean\n    open var allowUserMedia: Boolean\n    open var width: String\n    open
var height: String\n    open var referrerPolicy: String\n    open val contentDocument: Document?\n    open val
contentWindow: Window?\n    open var align: String\n    open var scrolling: String\n    open var frameborder:
String\n    open var longDesc: String\n    open var marginHeight: String\n    open var marginWidth: String\n    fun
getSVGDocument(): Document?\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n
        val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING:
Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n        val
DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLEmbedElement](https://developer.mozilla.org/en/docs/Web/API/HTMLEmbedElement) to Kotlin\n
*\npublic external abstract class HTMLEmbedElement : HTMLInputElement {\n    open var src: String\n    open var
type: String\n    open var width: String\n    open var height: String\n    open var align: String\n    open var name:
String\n    fun getSVGDocument(): Document?\n\n    companion object {\n        val ELEMENT_NODE: Short\n
        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE:
Short\n        val DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n
        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val
DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes
the JavaScript [HTMLObjectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLObjectElement) to
Kotlin\n
*\npublic external abstract class HTMLObjectElement : HTMLInputElement {\n    open var data: String\n
    open var type: String\n    open var typeMustMatch: Boolean\n    open var name: String\n    open var useMap:
String\n    open val form: HTMLFormElement?\n    open var width: String\n    open var height: String\n    open val
contentDocument: Document?\n    open val contentWindow: Window?\n    open val willValidate:
Boolean\n    open val validity: ValidityState\n    open val validationMessage: String\n    open var align: String\n
    open var archive: String\n    open var code: String\n    open var declare: Boolean\n    open var hspace: Int\n
    open var standby: String\n    open var vspace: Int\n    open var codeBase: String\n    open var codeType: String\n
    open var border: String\n    fun getSVGDocument(): Document?\n    fun checkValidity(): Boolean\n    fun
reportValidity(): Boolean\n    fun setCustomValidity(error: String)\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val

```

DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val  
DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n  
val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING:  
Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val  
DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n  
val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}\n\n/\*\*\n \* Exposes the  
JavaScript [HTMLParamElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParamElement) to  
Kotlin\n \*/\npublic external abstract class HTMLParamElement : HTMLInputElement {\n open var name: String\n  
open var value: String\n open var type: String\n open var valueType: String\n\n companion object {\n val  
ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val  
CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE:  
Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val  
DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE:  
Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val  
DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n  
val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n  
val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val  
DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}\n\n/\*\*\n \* Exposes the JavaScript  
[HTMLVideoElement](https://developer.mozilla.org/en/docs/Web/API/HTMLVideoElement) to Kotlin\n \*/\npublic  
external abstract class HTMLVideoElement : HTMLMediaElement, CanvasImageSource, TexImageSource {\n  
open var width: Int\n open var height: Int\n open val videoWidth: Int\n open val videoHeight: Int\n open var  
poster: String\n open var playsInline: Boolean\n\n companion object {\n val NETWORK\_EMPTY: Short\n  
val NETWORK\_IDLE: Short\n val NETWORK\_LOADING: Short\n val NETWORK\_NO\_SOURCE:  
Short\n val HAVE\_NOTHING:  
Short\n val HAVE\_METADATA: Short\n val HAVE\_CURRENT\_DATA: Short\n val  
HAVE\_FUTURE\_DATA: Short\n val HAVE\_ENOUGH\_DATA: Short\n val ELEMENT\_NODE: Short\n  
val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n  
val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val  
PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val  
DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val  
DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val  
DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n  
val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n  
val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val  
DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}\n\n/\*\*\n \* Exposes the JavaScript  
[HTMLAudioElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAudioElement)  
to Kotlin\n \*/\npublic external abstract class HTMLAudioElement : HTMLMediaElement {\n companion object  
{\n val NETWORK\_EMPTY: Short\n val NETWORK\_IDLE: Short\n val NETWORK\_LOADING:  
Short\n val NETWORK\_NO\_SOURCE: Short\n val HAVE\_NOTHING: Short\n val  
HAVE\_METADATA: Short\n val HAVE\_CURRENT\_DATA: Short\n val HAVE\_FUTURE\_DATA:  
Short\n val HAVE\_ENOUGH\_DATA: Short\n val ELEMENT\_NODE: Short\n val  
ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val  
ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val  
PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val  
DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val  
DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val  
DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING:

```

Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val
DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n
    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the
JavaScript [HTMLTrackElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTrackElement) to Kotlin\n
*\npublic external abstract class HTMLTrackElement : HTMLElement {\n    open var kind: String\n    open var src:
String\n    open var srclang: String\n    open var label: String\n    open var default: Boolean\n    open val readyState:
Short\n    open val track: TextTrack\n\n    companion object {\n        val NONE: Short\n        val LOADING: Short\n
        val LOADED: Short\n        val ERROR: Short\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE:
Short\n        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val
DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val
NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val
DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [HTMLMediaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMediaElement) to
Kotlin\n
*\npublic external abstract class HTMLMediaElement : HTMLElement {\n    open val error:
MediaError?\n    open var src: String\n    open var srcObject: MediaProvider?\n    open val currentSrc: String\n
open var crossOrigin: String?\n    open val networkState: Short\n    open var preload: String\n    open val buffered:
TimeRanges\n    open val readyState:
Short\n    open val seeking: Boolean\n    open var currentTime: Double\n    open val duration: Double\n    open val
paused: Boolean\n    open var defaultPlaybackRate: Double\n    open var playbackRate: Double\n    open val played:
TimeRanges\n    open val seekable: TimeRanges\n    open val ended: Boolean\n    open var autoplay: Boolean\n
open var loop: Boolean\n    open var controls: Boolean\n    open var volume: Double\n    open var muted: Boolean\n
open var defaultMuted: Boolean\n    open val audioTracks: AudioTrackList\n    open val videoTracks:
VideoTrackList\n    open val textTracks: TextTrackList\n    open val mediaKeys: MediaKeys?\n    open var
onencrypted: ((Event) -> dynamic)?\n    open var onwaitingforkey: ((Event) -> dynamic)?\n    fun load()\n    fun
canPlayType(type: String): CanPlayTypeResult\n    fun fastSeek(time: Double)\n    fun getStartDate(): dynamic\n
fun play(): Promise<Unit>\n    fun pause()\n    fun addTextTrack(kind: TextTrackKind, label: String
= definedExternally, language: String = definedExternally): TextTrack\n    fun setMediaKeys(mediaKeys:
MediaKeys?): Promise<Unit>\n\n    companion object {\n        val NETWORK_EMPTY: Short\n        val
NETWORK_IDLE: Short\n        val NETWORK_LOADING: Short\n        val NETWORK_NO_SOURCE: Short\n
        val HAVE_NOTHING: Short\n        val HAVE_METADATA: Short\n        val HAVE_CURRENT_DATA:
Short\n        val HAVE_FUTURE_DATA: Short\n        val HAVE_ENOUGH_DATA: Short\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING:
Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val
DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the
JavaScript [MediaError](https://developer.mozilla.org/en/docs/Web/API/MediaError) to Kotlin\n
*\npublic external
abstract class MediaError {\n    open val code: Short\n\n    companion object {\n        val
MEDIA_ERR_ABORTED: Short\n        val MEDIA_ERR_NETWORK: Short\n        val MEDIA_ERR_DECODE:

```

```

Short\n    val MEDIA_ERR_SRC_NOT_SUPPORTED: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[AudioTrackList](https://developer.mozilla.org/en/docs/Web/API/AudioTrackList) to Kotlin\n *\npublic external
abstract class AudioTrackList : EventTarget {\n    open val length: Int\n    open var onchange: ((Event) ->
dynamic)?\n    open var onaddtrack: ((TrackEvent) -> dynamic)?\n    open var onremovetrack: ((TrackEvent) ->
dynamic)?\n
    fun getTrackById(id: String): AudioTrack?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun AudioTrackList.get(index:
Int): AudioTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[AudioTrack](https://developer.mozilla.org/en/docs/Web/API/AudioTrack) to Kotlin\n *\npublic external abstract
class AudioTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n    open val id: String\n    open val kind:
String\n    open val label: String\n    open val language: String\n    open var enabled: Boolean\n    open val
sourceBuffer: SourceBuffer?\n}\n\n/**\n * Exposes the JavaScript
[VideoTrackList](https://developer.mozilla.org/en/docs/Web/API/VideoTrackList) to Kotlin\n *\npublic external
abstract class VideoTrackList : EventTarget {\n    open val length: Int\n    open val selectedIndex: Int\n    open var
onchange: ((Event) -> dynamic)?\n    open var onaddtrack: ((TrackEvent) -> dynamic)?\n    open var
onremovetrack:
((TrackEvent) -> dynamic)?\n    fun getTrackById(id: String):
VideoTrack?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun VideoTrackList.get(index:
Int): VideoTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[VideoTrack](https://developer.mozilla.org/en/docs/Web/API/VideoTrack) to Kotlin\n *\npublic external abstract
class VideoTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n    open val id: String\n    open val kind:
String\n    open val label: String\n    open val language: String\n    open var selected: Boolean\n    open val
sourceBuffer: SourceBuffer?\n}\n\npublic external abstract class TextTrackList : EventTarget {\n    open val length:
Int\n    open var onchange: ((Event) -> dynamic)?\n    open var onaddtrack: ((TrackEvent) -> dynamic)?\n    open
var onremovetrack: ((TrackEvent) -> dynamic)?\n    fun getTrackById(id: String):
TextTrack?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic
inline operator fun TextTrackList.get(index: Int): TextTrack? = asDynamic()[index]\n\n/**\n * Exposes the
JavaScript [TextTrack](https://developer.mozilla.org/en/docs/Web/API/TextTrack) to Kotlin\n *\npublic external
abstract class TextTrack : EventTarget, UnionAudioTrackOrTextTrackOrVideoTrack {\n    open val kind:
TextTrackKind\n    open val label: String\n    open val language: String\n    open val id: String\n    open val
inBandMetadataTrackDispatchType: String\n    open var mode: TextTrackMode\n    open val cues:
TextTrackCueList?\n    open val activeCues: TextTrackCueList?\n    open var oncuechange: ((Event) ->
dynamic)?\n    open val sourceBuffer: SourceBuffer?\n    fun addCue(cue: TextTrackCue)\n    fun removeCue(cue:
TextTrackCue)\n}\n\npublic external abstract class TextTrackCueList {\n    open val length: Int\n    fun
getCueById(id: String): TextTrackCue?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic
inline operator fun TextTrackCueList.get(index: Int): TextTrackCue? = asDynamic()[index]\n\n/**\n * Exposes the
JavaScript [TextTrackCue](https://developer.mozilla.org/en/docs/Web/API/TextTrackCue) to Kotlin\n *\npublic
external abstract class TextTrackCue : EventTarget {\n    open val track: TextTrack?\n    open var id: String\n
open var startTime: Double\n    open var endTime: Double\n    open var pauseOnExit: Boolean\n    open var
onenter: ((Event) -> dynamic)?\n    open var onexit: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript
[TimeRanges](https://developer.mozilla.org/en/docs/Web/API/TimeRanges) to Kotlin\n *\npublic external abstract
class TimeRanges {\n    open val length: Int\n    fun start(index: Int): Double\n    fun end(index: Int):
Double\n}\n\n/**\n * Exposes the JavaScript
[TrackEvent](https://developer.mozilla.org/en/docs/Web/API/TrackEvent) to Kotlin\n *\npublic external open class
TrackEvent(type: String, eventInitDict: TrackEventInit

```



```

= definedExternally) : Event {\n  open val track: UnionAudioTrackOrTextTrackOrVideoTrack?\n\n  companion
object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n  }\n\n\npublic external interface TrackEventInit : EventInit {\n  var track:
UnionAudioTrackOrTextTrackOrVideoTrack? /* = null */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun TrackEventInit(track:
UnionAudioTrackOrTextTrackOrVideoTrack? = null, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): TrackEventInit {\n  val o = js(\"({})\")\n  o[\"track\"] = track\n  o[\"bubbles\"] =
bubbles\n  o[\"cancelable\"] = cancelable\n  o[\"composed\"] = composed\n  return o\n}\n\n/**\n * Exposes the
JavaScript [HTMLMapElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMapElement)
to Kotlin\n * \n\npublic external abstract class HTMLMapElement : HTMLElement {\n  open var name: String\n
open val areas: HTMLCollection\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n\n\n/**\n * Exposes the JavaScript
[HTMLAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAreaElement)
to Kotlin\n * \n\npublic external abstract class HTMLAreaElement : HTMLElement, HTMLHyperlinkElementUtils
{\n  open var alt: String\n  open var coords: String\n  open var shape: String\n  open var target: String\n
open var download: String\n  open var ping: String\n  open var rel: String\n  open val relList: DOMTokenList\n
open var referrerPolicy: String\n  open var noHref: Boolean\n\n  companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n
    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING:
Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val
DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n\n\n/**\n * Exposes the JavaScript
[HTMLTableElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableElement) to Kotlin\n * \n\npublic
external abstract class HTMLTableElement : HTMLElement {\n  open var caption:
HTMLTableCaptionElement?\n  open var tHead: HTMLTableSectionElement?\n  open var tFoot:
HTMLTableSectionElement?\n  open val tBodies: HTMLCollection\n  open val rows: HTMLCollection\n
open var align: String\n  open var border: String\n  open var frame: String\n  open var rules: String\n
open var summary: String\n  open var width: String\n  open var bgColor: String\n  open var cellPadding: String\n
open var cellSpacing: String\n  fun createCaption(): HTMLTableCaptionElement\n  fun deleteCaption()\n
    fun createTHead(): HTMLTableSectionElement\n  fun deleteTHead()\n  fun createTFoot():
HTMLTableSectionElement\n  fun deleteTFoot()\n  fun createTBody(): HTMLTableSectionElement\n  fun
insertRow(index: Int = definedExternally): HTMLTableRowElement\n  fun deleteRow(index: Int)\n\n
companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val
TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:

```

```
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY:
```

```
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
```

```
[HTMLTableCaptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCaptionElement) to
```

```
Kotlin\n * public external abstract class HTMLTableCaptionElement : HTMLElement {\n    open var align: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
```

```
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
```

```
[HTMLTableColElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableColElement) to Kotlin\n
```

```
* public external abstract class HTMLTableColElement : HTMLElement {\n    open var span: Int\n    open var align: String\n    open var ch: String\n    open var chOff: String\n    open var vAlign: String\n    open var width: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED:
```

```
Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val
```

```
DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val
```

```
DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
```

```
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
```

```
[HTMLTableSectionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableSectionElement) to
```

```
Kotlin\n * public external abstract class HTMLTableSectionElement : HTMLElement {\n    open val rows: HTMLCollection\n    open var align: String\n    open var ch: String\n    open var chOff: String\n    open var vAlign: String\n    fun insertRow(index: Int = definedExternally): HTMLElement\n    fun deleteRow(index: Int)\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
```

```
[HTMLTableRowElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableRowElement) to Kotlin\n
```

```
* public external abstract class HTMLTableRowElement : HTMLElement {\n    open val rowIndex: Int\n    open
```

```

val sectionRowIndex: Int\n open val cells: HTMLCollection\n open var align: String\n open var ch: String\n
open var chOff: String\n open var vAlign: String\n open var bgColor: String\n fun insertCell(index: Int =
definedExternally):
    HTMLElement\n fun deleteCell(index: Int)\n\n companion object {\n val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableCellElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCellElement) to Kotlin\n
*\npublic external
abstract class HTMLTableCellElement : HTMLElement {\n open var colSpan: Int\n open var rowSpan: Int\n
open var headers: String\n open val cellIndex: Int\n open var scope: String\n open var abbr: String\n open var
align: String\n open var axis: String\n open var height: String\n open var width: String\n open var ch:
String\n open var chOff: String\n open var noWrap: Boolean\n open var vAlign: String\n open var bgColor:
String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n
val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING:
Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val
DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLFormElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFormElement) to Kotlin\n
*\npublic external abstract class HTMLFormElement : HTMLElement {\n open var acceptCharset: String\n open var
action: String\n open var autocomplete: String\n open var enctype: String\n open var encoding: String\n open
var method: String\n open var name: String\n open var noValidate: Boolean\n open var target: String\n open
val elements: HTMLFormControlsCollection\n open val length: Int\n fun submit()\n fun reset()\n fun
checkValidity(): Boolean\n fun reportValidity(): Boolean\n\n companion object {\n val ELEMENT_NODE:
Short\n val ATTRIBUTE_NODE:
Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
}\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLFormElement.get(index: Int): Element? =

```

```

asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun
HTMLFormElement.get(name: String): UnionElementOrRadioNodeList? = asDynamic()[name]\n\n/**\n *
Exposes the JavaScript
[HTMLLabelElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLabelElement) to Kotlin\n\n */\n\npublic
external abstract class HTMLLabelElement : HTMLInputElement {\n\n    open val form: HTMLFormElement?\n\n    open
var htmlFor: String\n\n    open val control: HTMLInputElement?\n\n\n    companion object {\n\n        val ELEMENT_NODE:
Short\n\n        val ATTRIBUTE_NODE: Short\n\n        val TEXT_NODE: Short\n\n        val CDATA_SECTION_NODE:
Short\n\n        val ENTITY_REFERENCE_NODE: Short\n\n        val ENTITY_NODE: Short\n\n        val
PROCESSING_INSTRUCTION_NODE: Short\n\n        val COMMENT_NODE: Short\n\n        val
DOCUMENT_NODE: Short\n\n        val DOCUMENT_TYPE_NODE: Short\n\n        val
DOCUMENT_FRAGMENT_NODE: Short\n\n        val NOTATION_NODE: Short\n\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n\n        val DOCUMENT_POSITION_PRECEDING: Short\n\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n\n
        val DOCUMENT_POSITION_CONTAINS: Short\n\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n\n    }\n\n}\n\n\n/**\n * Exposes
the JavaScript [HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to
Kotlin\n\n */\n\npublic external abstract class HTMLInputElement : HTMLInputElement {\n\n    open var accept: String\n
open var alt: String\n\n    open var autocomplete: String\n\n    open var autofocus: Boolean\n\n    open var
defaultChecked: Boolean\n\n    open var checked: Boolean\n\n    open var dirName: String\n\n    open var disabled:
Boolean\n\n    open val form: HTMLFormElement?\n\n    open val files: FileList?\n\n    open var formAction: String\n
open var formEnctype: String\n\n    open var formMethod: String\n\n    open var formNoValidate: Boolean\n\n    open var
formTarget: String\n\n    open var height: Int\n\n    open var indeterminate: Boolean\n\n    open var inputMode: String\n
open val list: HTMLInputElement?\n\n    open var
max: String\n\n    open var maxLength: Int\n\n    open var min: String\n\n    open var minLength: Int\n\n    open var
multiple: Boolean\n\n    open var name: String\n\n    open var pattern: String\n\n    open var placeholder: String\n\n
open var readOnly: Boolean\n\n    open var required: Boolean\n\n    open var size: Int\n\n    open var src: String\n\n
open var step: String\n\n    open var type: String\n\n    open var defaultValue: String\n\n    open var value: String\n\n
open var valueAsDate: dynamic\n\n    open var valueAsNumber: Double\n\n    open var width: Int\n\n    open val willValidate:
Boolean\n\n    open val validity: ValidityState\n\n    open val validationMessage: String\n\n    open val labels: NodeList\n
open var selectionStart: Int?\n\n    open var selectionEnd: Int?\n\n    open var selectionDirection: String?\n\n    open var
align: String\n\n    open var useMap: String\n\n    fun stepUp(n: Int = definedExternally)\n\n    fun stepDown(n: Int =
definedExternally)\n\n    fun checkValidity(): Boolean\n\n    fun reportValidity():
Boolean\n\n    fun setCustomValidity(error: String)\n\n    fun select()\n\n    fun setRangeText(replacement: String)\n
fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally)\n
fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally)\n\n\n    companion object {\n\n        val
ELEMENT_NODE: Short\n\n        val ATTRIBUTE_NODE: Short\n\n        val TEXT_NODE: Short\n\n        val
CDATA_SECTION_NODE: Short\n\n        val ENTITY_REFERENCE_NODE: Short\n\n        val ENTITY_NODE:
Short\n\n        val PROCESSING_INSTRUCTION_NODE: Short\n\n        val COMMENT_NODE: Short\n\n        val
DOCUMENT_NODE: Short\n\n        val DOCUMENT_TYPE_NODE: Short\n\n        val
DOCUMENT_FRAGMENT_NODE: Short\n\n        val NOTATION_NODE: Short\n\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n\n        val DOCUMENT_POSITION_PRECEDING: Short\n\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n\n        val DOCUMENT_POSITION_CONTAINS: Short\n\n
        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n\n    }\n\n}\n\n\n/**\n * Exposes
the JavaScript [HTMLButtonElement](https://developer.mozilla.org/en/docs/Web/API/HTMLButtonElement) to
Kotlin\n\n */\n\npublic external abstract class HTMLButtonElement : HTMLInputElement {\n\n    open var autofocus:
Boolean\n\n    open var disabled: Boolean\n\n    open val form: HTMLFormElement?\n\n    open var formAction: String\n

```

```

    open var formEnctype: String\n    open var formMethod: String\n    open var formNoValidate: Boolean\n    open
var formTarget: String\n    open var name: String\n    open var type: String\n    open var value: String\n    open var
menu: HTMLMenuElement?\n    open val willValidate: Boolean\n    open val validity: ValidityState\n    open val
validationMessage: String\n    open val labels: NodeList\n    fun checkValidity(): Boolean\n    fun reportValidity():
Boolean\n    fun setCustomValidity(error: String)\n\n    companion object {\n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n\n\n    * Exposes the JavaScript
[HTMLSelectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSelectElement) to Kotlin\n    *^\n\npublic
external abstract class HTMLSelectElement : HTMLElement, ItemArrayLike<Element> {\n    open var
autocomplete: String\n
    open var autofocus: Boolean\n    open var disabled: Boolean\n    open val form: HTMLFormElement?\n    open
var multiple: Boolean\n    open var name: String\n    open var required: Boolean\n    open var size: Int\n    open val
type: String\n    open val options: HTMLOptionsCollection\n    override var length: Int\n    open val
selectedOptions: HTMLCollection\n    open var selectedIndex: Int\n    open var value: String\n    open val
willValidate: Boolean\n    open val validity: ValidityState\n    open val validationMessage: String\n    open val
labels: NodeList\n    fun namedItem(name: String): HTMLOptionElement?\n    fun add(element:
UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally)\n    fun
remove(index: Int)\n    fun checkValidity(): Boolean\n    fun reportValidity(): Boolean\n    fun
setCustomValidity(error: String)\n    override fun item(index: Int): Element?\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n\n\n    @Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n    @kotlin.internal.InlineOnly\n    npublic inline operator fun
HTMLSelectElement.get(index: Int): Element? =
asDynamic()[index]\n\n\n    @Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n    @kotlin.internal.InlineOnly\n    npublic inline operator fun
HTMLSelectElement.set(index:
Int, option: HTMLOptionElement?) { asDynamic()[index] = option }\n\n\n    * Exposes the JavaScript
[HTMLDataListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataListElement) to Kotlin\n    *^\n\npublic
external abstract class HTMLDataListElement : HTMLElement {\n    open val options:
HTMLCollection\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val

```

```

PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptGroupElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptGroupElement) to Kotlin\n
*\n\npublic external abstract class HTMLOptGroupElement : HTMLInputElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n    open var disabled: Boolean\n    open var label:
String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS:
Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionElement) to Kotlin\n
*\n\npublic external abstract class HTMLOptionElement : HTMLInputElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n    open var disabled: Boolean\n    open var form:
HTMLFormElement?\n    open var label: String\n    open var defaultSelected: Boolean\n    open var selected:
Boolean\n    open var value: String\n    open var text: String\n    open val index: Int\n\n    companion object {\n
val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n
        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE:
Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTextAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTextAreaElement) to Kotlin\n
*\n\npublic external abstract class HTMLTextAreaElement : HTMLInputElement {\n    open var autocomplete: String\n
open var autofocus: Boolean\n    open var cols: Int\n    open var dirName: String\n    open var disabled: Boolean\n
open val form: HTMLFormElement?\n    open var inputMode: String\n    open var maxLength: Int\n    open var
minLength: Int\n    open var name:
String\n    open var placeholder: String\n    open var readOnly: Boolean\n    open var required: Boolean\n    open
var rows: Int\n    open var wrap: String\n    open val type: String\n    open var defaultValue: String\n    open var
value: String\n    open val textLength: Int\n    open val willValidate: Boolean\n    open val validity: ValidityState\n
open val validationMessage: String\n    open val labels: NodeList\n    open var selectionStart: Int?\n    open var
selectionEnd: Int?\n    open var selectionDirection: String?\n    fun checkValidity(): Boolean\n    fun
reportValidity(): Boolean\n    fun setCustomValidity(error: String)\n    fun select()\n    fun
setRangeText(replacement: String)\n    fun setRangeText(replacement: String, start: Int, end: Int, selectionMode:
SelectionMode = definedExternally)\n    fun setSelectionRange(start: Int, end: Int, direction: String =
definedExternally)\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n

```



```

DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n } \n \n /** \n * Exposes the JavaScript
[HTMLMeterElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMeterElement) to Kotlin \n * \n public
external abstract class HTMLMeterElement : HTMLElement { \n    open var value: Double \n    open var min:
Double \n    open var max: Double \n    open var low: Double \n    open
    var high: Double \n    open var optimum: Double \n    open val labels: NodeList \n \n    companion object { \n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n } \n \n /** \n * Exposes the JavaScript
[HTMLFieldSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFieldSetElement) to Kotlin \n
* \n public external abstract class HTMLFieldSetElement : HTMLElement { \n    open var disabled: Boolean \n
open val form: HTMLFormElement? \n    open var name: String \n    open val type: String \n    open val elements:
HTMLCollection \n    open val willValidate: Boolean \n    open val validity: ValidityState \n    open val
validationMessage: String \n    fun checkValidity(): Boolean \n    fun reportValidity(): Boolean \n    fun
setCustomValidity(error: String) \n \n    companion object { \n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING:
Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val
DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n } \n \n /** \n * Exposes the
JavaScript [HTMLLegendElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLegendElement) to
Kotlin \n * \n public external abstract class HTMLLegendElement : HTMLElement { \n    open val form:
HTMLFormElement? \n    open var align: String \n \n    companion object { \n        val ELEMENT_NODE: Short\n
        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED:
Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n        val
DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n } \n \n /** \n * Exposes the JavaScript
[ValidityState](https://developer.mozilla.org/en/docs/Web/API/ValidityState) to Kotlin \n * \n public external
abstract class ValidityState { \n    open val valueMissing: Boolean \n    open val typeMismatch: Boolean \n    open val

```



```

patternMismatch: Boolean\n open val tooLong: Boolean\n open val tooShort: Boolean\n open val
rangeUnderflow: Boolean\n open val rangeOverflow: Boolean\n open val stepMismatch: Boolean\n open val
badInput: Boolean\n open val customError: Boolean\n open val valid: Boolean\n}\n\n**\n * Exposes the
JavaScript [HTMLDetailsElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDetailsElement) to
Kotlin\n */\npublic external
abstract class HTMLDetailsElement : HTMLElement {\n open var open: Boolean\n\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class
HTMLMenuItem : HTMLElement {\n open var type: String\n open var label: String\n open var
compact: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE:
Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class
HTMLMenuItemElement : HTMLElement {\n open var type: String\n open var label: String\n open var icon:
String\n open var disabled: Boolean\n open var
checked: Boolean\n open var radiogroup: String\n open var default: Boolean\n\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external open class
RelatedEvent(type: String, eventInitDict: RelatedEventInit = definedExternally) : Event {\n open val
relatedTarget: EventTarget?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE:
Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface
RelatedEventInit : EventInit {\n var relatedTarget: EventTarget? /* = null */\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun RelatedEventInit(relatedTarget:
EventTarget? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
RelatedEventInit {\n val o = js("{}")\n o["relatedTarget"] = relatedTarget\n o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n o["composed"] = composed\n return o\n}\n\n**\n * Exposes the JavaScript
[HTMLDialogElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDialogElement) to Kotlin\n

```

```

*\npublic external abstract class HTMLDialogElement
: HTMLElement {\n  open var open: Boolean\n  open var returnValue: String\n  fun show(anchor:
UnionElementOrMouseEvent = definedExternally)\n  fun showModal(anchor: UnionElementOrMouseEvent =
definedExternally)\n  fun close(returnValue: String = definedExternally)\n\n  companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n
    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the
JavaScript [HTMLScriptElement](https://developer.mozilla.org/en/docs/Web/API/HTMLScriptElement) to Kotlin\n
*\npublic external abstract class HTMLScriptElement : HTMLElement, HTMLOrSVGScriptElement {\n  open
var src: String\n  open var type: String\n  open var charset: String\n  open var async: Boolean\n  open var defer:
Boolean\n  open var crossOrigin: String?\n  open var text: String\n  open var nonce: String\n  open var event:
String\n  open var htmlFor: String?\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE:
Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n
val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes
the JavaScript [HTMLTemplateElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTemplateElement)
to Kotlin\n
*\npublic external abstract class HTMLTemplateElement : HTMLElement {\n  open val content:
DocumentFragment\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE:
Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE:
Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[HTMLSlotElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSlotElement) to Kotlin\n
*\npublic external abstract class HTMLSlotElement : HTMLElement {\n  open var name: String\n  fun
assignedNodes(options: AssignedNodesOptions = definedExternally): Array<Node>\n\n  companion object {\n
val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n
    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE:
Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n

```

```

    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n\npublic external interface
AssignedNodesOptions { \n    var flatten: Boolean? /* = false */ \n    get() = definedExternally \n    set(value) =
definedExternally \n} \n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n\n@kotlin.internal.InlineOnly \n\npublic inline fun AssignedNodesOptions(flatten:
Boolean? = false): AssignedNodesOptions { \n    val o = js("{}") \n    o["flatten"] = flatten \n    return
o \n} \n\n/** \n * Exposes the JavaScript
[HTMLCanvasElement](https://developer.mozilla.org/en/docs/Web/API/HTMLCanvasElement)
to Kotlin \n * \n\npublic external abstract class HTMLCanvasElement : HTMLElement, CanvasImageSource,
TexImageSource { \n    open var width: Int \n    open var height: Int \n    fun getContext(contextId: String, vararg
arguments: Any?): RenderingContext? \n    fun toDataURL(type: String = definedExternally, quality: Any? =
definedExternally): String \n    fun toBlob(_callback: (Blob?) -> Unit, type: String = definedExternally, quality:
Any? = definedExternally) \n\n    companion object { \n        val ELEMENT_NODE: Short \n        val
ATTRIBUTE_NODE: Short \n        val TEXT_NODE: Short \n        val CDATA_SECTION_NODE: Short \n        val
ENTITY_REFERENCE_NODE: Short \n        val ENTITY_NODE: Short \n        val
PROCESSING_INSTRUCTION_NODE: Short \n        val COMMENT_NODE: Short \n        val
DOCUMENT_NODE: Short \n        val DOCUMENT_TYPE_NODE: Short \n        val
DOCUMENT_FRAGMENT_NODE: Short \n        val NOTATION_NODE: Short \n        val
DOCUMENT_POSITION_DISCONNECTED:
Short \n        val DOCUMENT_POSITION_PRECEDING: Short \n        val
DOCUMENT_POSITION_FOLLOWING: Short \n        val DOCUMENT_POSITION_CONTAINS: Short \n
val DOCUMENT_POSITION_CONTAINED_BY: Short \n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n    } \n} \n\npublic external interface
CanvasRenderingContext2DSettings { \n    var alpha: Boolean? /* = true */ \n    get() = definedExternally \n
set(value) = definedExternally \n} \n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n\n@kotlin.internal.InlineOnly \n\npublic inline fun
CanvasRenderingContext2DSettings(alpha: Boolean? = true): CanvasRenderingContext2DSettings { \n    val o =
js("{}") \n    o["alpha"] = alpha \n    return o \n} \n\n/** \n * Exposes the JavaScript
[CanvasRenderingContext2D](https://developer.mozilla.org/en/docs/Web/API/CanvasRenderingContext2D) to
Kotlin \n * \n\npublic external abstract class CanvasRenderingContext2D : CanvasState, CanvasTransform,
CanvasCompositing, CanvasImageSmoothing,
CanvasFillStrokeStyles, CanvasShadowStyles, CanvasFilters, CanvasRect, CanvasDrawPath, CanvasUserInterface,
CanvasText, CanvasDrawImage, CanvasHitRegion, CanvasImageData, CanvasPathDrawingStyles,
CanvasTextDrawingStyles, CanvasPath, RenderingContext { \n    open val canvas:
HTMLCanvasElement \n} \n\npublic external interface CanvasState { \n    fun save() \n    fun restore() \n} \n\npublic
external interface CanvasTransform { \n    fun scale(x: Double, y: Double) \n    fun rotate(angle: Double) \n    fun
translate(x: Double, y: Double) \n    fun transform(a: Double, b: Double, c: Double, d: Double, e: Double, f:
Double) \n    fun getTransform(): DOMMatrix \n    fun setTransform(a: Double, b: Double, c: Double, d: Double, e:
Double, f: Double) \n    fun setTransform(transform: dynamic = definedExternally) \n    fun
resetTransform() \n} \n\npublic external interface CanvasCompositing { \n    var globalAlpha: Double \n    var
globalCompositeOperation: String \n} \n\npublic external interface CanvasImageSmoothing
{ \n    var imageSmoothingEnabled: Boolean \n    var imageSmoothingQuality:
ImageSmoothingQuality \n} \n\npublic external interface CanvasFillStrokeStyles { \n    var strokeStyle: dynamic \n
get() = definedExternally \n    set(value) = definedExternally \n    var fillStyle: dynamic \n    get() =
definedExternally \n    set(value) = definedExternally \n    fun createLinearGradient(x0: Double, y0: Double, x1:
Double, y1: Double): CanvasGradient \n    fun createRadialGradient(x0: Double, y0: Double, r0: Double, x1:
Double, y1: Double, r1: Double): CanvasGradient \n    fun createPattern(image: CanvasImageSource, repetition:

```

```

String): CanvasPattern?}\n\npublic external interface CanvasShadowStyles {\n    var shadowOffsetX: Double\n    var shadowOffsetY: Double\n    var shadowBlur: Double\n    var shadowColor: String\n}\n\npublic external interface CanvasFilters {\n    var filter: String\n}\n\npublic external interface CanvasRect {\n    fun clearRect(x: Double, y: Double, w: Double, h: Double)\n    fun fillRect(x: Double, y: Double, w: Double, h: Double)\n    fun strokeRect(x: Double, y: Double, w: Double, h: Double)\n}\n\npublic external interface CanvasDrawPath {\n    fun beginPath()\n    fun fill(fillRule: CanvasFillRule = definedExternally)\n    fun fill(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n    fun stroke()\n    fun stroke(path: Path2D)\n    fun clip(fillRule: CanvasFillRule = definedExternally)\n    fun clip(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n    fun resetClip()\n    fun isPointInPath(x: Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n    fun isPointInPath(path: Path2D, x: Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n    fun isPointInStroke(x: Double, y: Double): Boolean\n    fun isPointInStroke(path: Path2D, x: Double, y: Double): Boolean\n}\n\npublic external interface CanvasUserInterface {\n    fun drawFocusIfNeeded(element: Element)\n    fun drawFocusIfNeeded(path: Path2D, element: Element)\n    fun scrollPathIntoView()\n    fun scrollPathIntoView(path: Path2D)\n}\n\npublic external interface CanvasText {\n    fun fillText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally)\n    fun strokeText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally)\n    fun measureText(text: String): TextMetrics\n}\n\npublic external interface CanvasDrawImage {\n    fun drawImage(image: CanvasImageSource, dx: Double, dy: Double)\n    fun drawImage(image: CanvasImageSource, dx: Double, dy: Double, dw: Double, dh: Double)\n    fun drawImage(image: CanvasImageSource, sx: Double, sy: Double, sw: Double, sh: Double, dx: Double, dy: Double, dw: Double, dh: Double)\n}\n\npublic external interface CanvasHitRegion {\n    fun addHitRegion(options: HitRegionOptions = definedExternally)\n    fun removeHitRegion(id: String)\n    fun clearHitRegions()\n}\n\npublic external interface CanvasImageData {\n    fun createImageData(sw: Double, sh: Double): ImageData\n    fun createImageData(imagedata: ImageData): ImageData\n    fun getImageData(sx: Double, sy: Double, sw: Double, sh: Double): ImageData\n    fun putImageData(imagedata: ImageData, dx: Double, dy: Double)\n    fun putImageData(imagedata: ImageData, dx: Double, dy: Double, dirtyX: Double, dirtyY: Double, dirtyWidth: Double, dirtyHeight: Double)\n}\n\npublic external interface CanvasPathDrawingStyles {\n    var lineWidth: Double\n    var lineCap: CanvasLineCap\n    var lineJoin: CanvasLineJoin\n    var miterLimit: Double\n    var lineDashOffset: Double\n    fun setLineDash(segments: Array<Double>)\n    fun getLineDash(): Array<Double>\n}\n\npublic external interface CanvasTextDrawingStyles {\n    var font: String\n    var textAlign: CanvasTextAlign\n    var textBaseline: CanvasTextBaseline\n    var direction: CanvasDirection\n}\n\npublic external interface CanvasPath {\n    fun closePath()\n    fun moveTo(x: Double, y: Double)\n    fun lineTo(x: Double, y: Double)\n    fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double)\n    fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double)\n    fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double)\n    fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double)\n    fun rect(x: Double, y: Double, w: Double, h: Double)\n    fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally)\n    fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [CanvasGradient](https://developer.mozilla.org/en/docs/Web/API/CanvasGradient) to Kotlin\n */\n\npublic external abstract class CanvasGradient {\n    fun addColorStop(offset: Double, color: String)\n}\n\n/**\n * Exposes the JavaScript [CanvasPattern](https://developer.mozilla.org/en/docs/Web/API/CanvasPattern) to Kotlin\n */\n\npublic external abstract class CanvasPattern {\n    fun setTransform(transform: dynamic = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [TextMetrics](https://developer.mozilla.org/en/docs/Web/API/TextMetrics) to Kotlin\n */\n\npublic external abstract class TextMetrics {\n    open val width: Double\n    open val actualBoundingBoxLeft: Double\n    open val actualBoundingBoxRight: Double\n    open val fontBoundingBoxAscent: Double\n    open val

```

```

fontBoundingBoxDescent: Double\n    open val actualBoundingBoxAscent: Double\n    open val
actualBoundingBoxDescent: Double\n    open val emHeightAscent: Double\n    open val emHeightDescent:
Double\n    open val hangingBaseline: Double\n    open val alphabeticBaseline: Double\n    open val
ideographicBaseline: Double\n}\n\npublic external interface HitRegionOptions {\n    var path: Path2D? /* = null
*/\n    get()
= definedExternally\n    set(value) = definedExternally\n    var fillRule: CanvasFillRule? /* =
CanvasFillRule.NONZERO */\n    get() = definedExternally\n    set(value) = definedExternally\n    var id:
String? /* = \"\" */\n    get() = definedExternally\n    set(value) = definedExternally\n    var parentID: String? /*
= null */\n    get() = definedExternally\n    set(value) = definedExternally\n    var cursor: String? /* = \"inherit\"
*/\n    get() = definedExternally\n    set(value) = definedExternally\n    var control: Element? /* = null */\n
get() = definedExternally\n    set(value) = definedExternally\n    var label: String? /* = null */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var role: String? /* = null */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun HitRegionOptions(path:
Path2D? = null, fillRule: CanvasFillRule? = CanvasFillRule.NONZERO, id: String? = \"\", parentID: String? =
null, cursor: String? = \"inherit\", control: Element? = null, label: String? = null, role: String? = null):
HitRegionOptions {\n    val o = js(\"({})\")\n    o[\"path\"] = path\n    o[\"fillRule\"] = fillRule\n    o[\"id\"] = id\n
o[\"parentID\"] = parentID\n    o[\"cursor\"] = cursor\n    o[\"control\"] = control\n    o[\"label\"] = label\n
o[\"role\"] = role\n    return o\n}\n\n/**\n * Exposes the JavaScript
[ImageData](https://developer.mozilla.org/en/docs/Web/API/ImageData) to Kotlin\n */\n\npublic external open class
ImageData : ImageBitmapSource, TexImageSource {\n    constructor(sw: Int, sh: Int)\n    constructor(data:
Uint8ClampedArray, sw: Int, sh: Int = definedExternally)\n    open val width: Int\n    open val height: Int\n    open
val data: Uint8ClampedArray\n}\n\n/**\n * Exposes the JavaScript
[Path2D](https://developer.mozilla.org/en/docs/Web/API/Path2D)
to Kotlin\n */\n\npublic external open class Path2D() : CanvasPath {\n    constructor(path: Path2D)\n
constructor(paths: Array<Path2D>, fillRule: CanvasFillRule = definedExternally)\n    constructor(d: String)\n    fun
addPath(path: Path2D, transform: dynamic = definedExternally)\n    override fun closePath()\n    override fun
moveTo(x: Double, y: Double)\n    override fun lineTo(x: Double, y: Double)\n    override fun
quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double)\n    override fun bezierCurveTo(cp1x: Double,
cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double)\n    override fun arcTo(x1: Double, y1: Double,
x2: Double, y2: Double, radius: Double)\n    override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double,
radiusX: Double, radiusY: Double, rotation: Double)\n    override fun rect(x: Double, y: Double, w: Double, h:
Double)\n    override fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double,
anticlockwise:
Boolean /* = definedExternally */) \n    override fun ellipse(x: Double, y: Double, radiusX: Double, radiusY:
Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally
*/)\n}\n\n/**\n * Exposes the JavaScript
[ImageBitmapRenderingContext](https://developer.mozilla.org/en/docs/Web/API/ImageBitmapRenderingContext)
to Kotlin\n */\n\npublic external abstract class ImageBitmapRenderingContext {\n    open val canvas:
HTMLCanvasElement\n    fun transferFromImageBitmap(bitmap: ImageBitmap?)\n}\n\npublic external interface
ImageBitmapRenderingContextSettings {\n    var alpha: Boolean? /* = true */\n    get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
ImageBitmapRenderingContextSettings(alpha: Boolean? = true): ImageBitmapRenderingContextSettings {\n    val o
= js(\"({})\")\n    o[\"alpha\"] = alpha\n    return o\n}\n\n/**\n * Exposes the JavaScript
[CustomElementRegistry](https://developer.mozilla.org/en/docs/Web/API/CustomElementRegistry) to Kotlin\n
*/\n\npublic external abstract class CustomElementRegistry {\n    fun define(name: String, constructor: () -> dynamic,

```

```

options: ElementDefinitionOptions = definedExternally)\n fun get(name: String): Any?\n fun
whenDefined(name: String): Promise<Unit>\n\n\npublic external interface ElementDefinitionOptions {\n var
extends: String?\n get() = definedExternally\n set(value) =
definedExternally\n\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\npublic inline fun ElementDefinitionOptions(extends:
String? = undefined): ElementDefinitionOptions {\n val o = js(\"({})\")\n o[\"extends\"] = extends\n return
o\n\n\npublic external interface ElementContentEditable {\n var contentEditable: String\n val
isContentEditable: Boolean\n\n\n/**\n * Exposes the JavaScript
[DataTransfer](https://developer.mozilla.org/en/docs/Web/API/DataTransfer)
to Kotlin\n */\n\npublic external abstract class DataTransfer {\n open var dropEffect: String\n open var
effectAllowed: String\n open val items: DataTransferItemList\n open val types: Array<out String>\n open val
files: FileList\n fun setDragImage(image: Element, x: Int, y: Int)\n fun getData(format: String): String\n fun
setData(format: String, data: String)\n fun clearData(format: String = definedExternally)\n\n\n/**\n * Exposes
the JavaScript [DataTransferItemList](https://developer.mozilla.org/en/docs/Web/API/DataTransferItemList) to
Kotlin\n */\n\npublic external abstract class DataTransferItemList {\n open val length: Int\n fun add(data: String,
type: String): DataTransferItem?\n fun add(data: File): DataTransferItem?\n fun remove(index: Int)\n fun
clear()\n\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\npublic inline operator fun
DataTransferItemList.get(index:
Int): DataTransferItem? = asDynamic()[index]\n\n\n/**\n * Exposes the JavaScript
[DataTransferItem](https://developer.mozilla.org/en/docs/Web/API/DataTransferItem) to Kotlin\n */\n\npublic
external abstract class DataTransferItem {\n open val kind: String\n open val type: String\n fun
getAsString(_callback: ((String) -> Unit)?)\n fun getAsFile(): File?\n\n\n/**\n * Exposes the JavaScript
[DragEvent](https://developer.mozilla.org/en/docs/Web/API/TouchEvent) to Kotlin\n */\n\npublic external open class
DragEvent(type: String, eventInitDict: DragEventInit = definedExternally) : MouseEvent {\n open val
dataTransfer: DataTransfer?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE:
Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n\n\npublic external interface
DragEventInit : MouseEventInit {\n var dataTransfer: DataTransfer? /* = null */\n get() = definedExternally\n
set(value) = definedExternally\n\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\npublic inline fun DragEventInit(dataTransfer:
DataTransfer? = null, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0,
buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey:
Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false,
modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false,
modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): DragEventInit {\n val o = js(\"({})\")\n o[\"dataTransfer\"]
= dataTransfer\n o[\"screenX\"] = screenX\n o[\"screenY\"] = screenY\n o[\"clientX\"] = clientX\n
o[\"clientY\"] = clientY\n o[\"button\"] = button\n o[\"buttons\"] = buttons\n o[\"relatedTarget\"] =
relatedTarget\n o[\"region\"] = region\n o[\"ctrlKey\"] = ctrlKey\n o[\"shiftKey\"] = shiftKey\n o[\"altKey\"]
= altKey\n o[\"metaKey\"] = metaKey\n o[\"modifierAltGraph\"] = modifierAltGraph\n
o[\"modifierCapsLock\"] = modifierCapsLock\n o[\"modifierFn\"] = modifierFn\n o[\"modifierFnLock\"] =
modifierFnLock\n o[\"modifierHyper\"] = modifierHyper\n o[\"modifierNumLock\"] = modifierNumLock\n
o[\"modifierScrollLock\"] = modifierScrollLock\n o[\"modifierSuper\"] = modifierSuper\n
o[\"modifierSymbol\"] = modifierSymbol\n o[\"modifierSymbolLock\"] = modifierSymbolLock\n o[\"view\"] =
view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] =
composed\n return

```

```

o\n}\n\n/**\n * Exposes the JavaScript [Window](https://developer.mozilla.org/en/docs/Web/API/Window) to
Kotlin\n *\npublic external abstract class Window : EventTarget, GlobalEventHandlers, WindowEventHandlers,
WindowOrWorkerGlobalScope, WindowSessionStorage, WindowLocalStorage, GlobalPerformance,
UnionMessagePortOrWindowProxy {\n  open val window: Window\n  open val self: Window\n  open val
document: Document\n  open var name: String\n  open val location: Location\n  open val history: History\n
open val customElements: CustomElementRegistry\n  open val locationbar: BarProp\n  open val menubar:
BarProp\n  open val personalbar: BarProp\n  open val scrollbars: BarProp\n  open val statusbar: BarProp\n
open val toolbar: BarProp\n  open var status: String\n  open val closed: Boolean\n  open val frames: Window\n
open val length: Int\n  open val top: Window\n  open var opener: Any?\n  open val parent: Window\n  open val
frameElement: Element?\n
  open val navigator: Navigator\n  open val applicationCache: ApplicationCache\n  open val external: External\n
open val screen: Screen\n  open val innerWidth: Int\n  open val innerHeight: Int\n  open val scrollX: Double\n
open val pageXOffset: Double\n  open val scrollY: Double\n  open val pageYOffset: Double\n  open val
screenX: Int\n  open val screenY: Int\n  open val outerWidth: Int\n  open val outerHeight: Int\n  open val
devicePixelRatio: Double\n  fun close()\n  fun stop()\n  fun focus()\n  fun blur()\n  fun open(url: String =
definedExternally, target: String = definedExternally, features: String = definedExternally): Window?\n  fun
alert()\n  fun alert(message: String)\n  fun confirm(message: String = definedExternally): Boolean\n  fun
prompt(message: String = definedExternally, default: String = definedExternally): String?\n  fun print()\n  fun
requestAnimationFrame(callback: (Double) -> Unit): Int\n  fun cancelAnimationFrame(handle:
  Int)\n  fun postMessage(message: Any?, targetOrigin: String, transfer: Array<dynamic> = definedExternally)\n
fun captureEvents()\n  fun releaseEvents()\n  fun matchMedia(query: String): MediaQueryList\n  fun moveTo(x:
Int, y: Int)\n  fun moveBy(x: Int, y: Int)\n  fun resizeTo(x: Int, y: Int)\n  fun resizeBy(x: Int, y: Int)\n  fun
scroll(options: ScrollToOptions = definedExternally)\n  fun scroll(x: Double, y: Double)\n  fun scrollTo(options:
ScrollToOptions = definedExternally)\n  fun scrollTo(x: Double, y: Double)\n  fun scrollBy(options:
ScrollToOptions = definedExternally)\n  fun scrollBy(x: Double, y: Double)\n  fun getComputedStyle(elt:
Element, pseudoElt: String? = definedExternally):
  CSSStyleDeclaration\n}\n\n@Suppress("\nINVISIBLE_REFERENCE",
\nINVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Window.get(name: String):
dynamic = asDynamic()[name]\n\npublic external abstract class BarProp {\n  open val visible:
  Boolean\n}\n\n/**\n * Exposes the JavaScript [History](https://developer.mozilla.org/en/docs/Web/API/History) to
Kotlin\n *\npublic external abstract class History {\n  open val length: Int\n  open var scrollRestoration:
  ScrollRestoration\n  open val state: Any?\n  fun go(delta: Int = definedExternally)\n  fun back()\n  fun
  forward()\n  fun pushState(data: Any?, title: String, url: String? = definedExternally)\n  fun replaceState(data:
  Any?, title: String, url: String? = definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[Location](https://developer.mozilla.org/en/docs/Web/API/Location) to Kotlin\n *\npublic external abstract class
Location {\n  open var href: String\n  open val origin: String\n  open var protocol: String\n  open var host:
  String\n  open var hostname: String\n  open var port: String\n  open var pathname: String\n  open var search:
  String\n  open var hash: String\n  open val ancestorOrigins: Array<out String>\n  fun assign(url:
  String)\n  fun replace(url: String)\n  fun reload()\n}\n\n/**\n * Exposes the JavaScript
[PopStateEvent](https://developer.mozilla.org/en/docs/Web/API/PopStateEvent) to Kotlin\n *\npublic external
open class PopStateEvent(type: String, eventInitDict: PopStateEventInit = definedExternally) : Event {\n  open val
  state: Any?\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val
    AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface PopStateEventInit
: EventInit {\n  var state: Any? /* = null */\n  get() = definedExternally\n  set(value) =
  definedExternally\n}\n\n@Suppress("\nINVISIBLE_REFERENCE",
\nINVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun PopStateEventInit(state: Any? = null,
  bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PopStateEventInit {\n  val o
  = js("\n({})")\n  o["state"] = state\n  o["bubbles"] = bubbles\n

```

```

    o["cancelable"] = cancelable\n    o["composed"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[HashChangeEvent](https://developer.mozilla.org/en/docs/Web/API/HashChangeEvent) to Kotlin\n *\npublic
external open class HashChangeEvent(type: String, eventInitDict: HashChangeEventInit = definedExternally) :
Event {\n    open val oldURL: String\n    open val newURL: String\n\n    companion object {\n        val NONE:
Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE:
Short\n    }\n}\n\npublic external interface HashChangeEventInit : EventInit {\n    var oldURL: String? /* = "" */\n    get() = definedExternally\n    set(value) = definedExternally\n    var newURL: String? /* = "" */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun HashChangeEventInit(oldURL:
String?
= "", newURL: String? = "", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): HashChangeEventInit {\n    val o = js("{}")\n    o["oldURL"] = oldURL\n    o["newURL"] =
newURL\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n    o["composed"] = composed\n    return
o\n}\n\n/**\n * Exposes the JavaScript
[PageTransitionEvent](https://developer.mozilla.org/en/docs/Web/API/PageTransitionEvent) to Kotlin\n *\npublic
external open class PageTransitionEvent(type: String, eventInitDict: PageTransitionEventInit = definedExternally) :
Event {\n    open val persisted: Boolean\n\n    companion object {\n        val NONE: Short\n        val
CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface PageTransitionEventInit : EventInit {\n    var persisted: Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun PageTransitionEventInit(persisted:
Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
PageTransitionEventInit {\n    val o = js("{}")\n    o["persisted"] = persisted\n    o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n    o["composed"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[BeforeUnloadEvent](https://developer.mozilla.org/en/docs/Web/API/BeforeUnloadEvent) to Kotlin\n *\npublic
external open class BeforeUnloadEvent : Event {\n    var returnValue: String\n\n    companion object {\n        val
NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n}\n\npublic external abstract class ApplicationCache : EventTarget {\n    open
val status: Short\n    open var onchecking: ((Event) -> dynamic)?\n    open var onerror: ((Event) -> dynamic)?\n
    open var onnoupdate: ((Event) -> dynamic)?\n    open var ondownloading: ((Event) -> dynamic)?\n    open var
onprogress: ((ProgressEvent) -> dynamic)?\n    open var onupdateready: ((Event) -> dynamic)?\n    open var
oncached: ((Event) -> dynamic)?\n    open var onobsolete: ((Event) -> dynamic)?\n    fun update()\n    fun abort()\n
fun swapCache()\n\n    companion object {\n        val UNCACHED: Short\n        val IDLE: Short\n        val
CHECKING: Short\n        val DOWNLOADING: Short\n        val UPDATEREADY: Short\n        val OBSOLETE:
Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[NavigatorOnLine](https://developer.mozilla.org/en/docs/Web/API/NavigatorOnLine) to Kotlin\n *\npublic
external interface NavigatorOnLine {\n    val onLine: Boolean\n}\n\n/**\n * Exposes the JavaScript
[ErrorEvent](https://developer.mozilla.org/en/docs/Web/API/ErrorEvent) to Kotlin\n *\npublic external open class
ErrorEvent(type: String, eventInitDict: ErrorEventInit = definedExternally)
: Event {\n    open val message: String\n    open val filename: String\n    open val lineno: Int\n    open val colno:
Int\n    open val error: Any?\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE:
Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface
ErrorEventInit : EventInit {\n    var message: String? /* = "" */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var filename: String? /* = "" */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var lineno: Int? /* = 0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var colno: Int? /* = 0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var error: Any? /* = null */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",

```



```

\ "INVISIBLE_MEMBER" )\n@kotlin.internal.InlineOnly\npublic
inline fun ErrorEventInit(message: String? = "", filename: String? = "", lineno: Int? = 0, colno: Int? = 0, error:
Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ErrorEventInit
{\n val o = js("{}")\n o["message"] = message\n o["filename"] = filename\n o["lineno"] = lineno\n
o["colno"] = colno\n o["error"] = error\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n
o["composed"] = composed\n return o\n}\n\n**\n * Exposes the JavaScript
[PromiseRejectionEvent](https://developer.mozilla.org/en/docs/Web/API/PromiseRejectionEvent) to Kotlin\n
*\npublic external open class PromiseRejectionEvent(type: String, eventInitDict: PromiseRejectionEventInit) :
Event {\n open val promise: Promise<Any?>\n open val reason: Any?\n\n companion object {\n val
NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val
BUBBLING_PHASE:
Short\n }\n}\n\npublic external interface PromiseRejectionEventInit : EventInit {\n var promise:
Promise<Any?>?\n var reason: Any?
get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
\ "INVISIBLE_MEMBER" )\n@kotlin.internal.InlineOnly\npublic inline fun PromiseRejectionEventInit(promise:
Promise<Any?>?, reason: Any? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): PromiseRejectionEventInit {\n val o = js("{}")\n o["promise"] = promise\n
o["reason"] = reason\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] =
composed\n return o\n}\n\n**\n * Exposes the JavaScript
[GlobalEventHandlers](https://developer.mozilla.org/en/docs/Web/API/GlobalEventHandlers) to Kotlin\n
*\npublic external interface GlobalEventHandlers {\n var onabort: ((Event) -> dynamic)?\n get() =
definedExternally\n set(value)
= definedExternally\n var onblur: ((FocusEvent) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var oncancel: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var oncanplay: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var oncanplaythrough: ((Event) -> dynamic)?\n get() = definedExternally\n set(value)
= definedExternally\n var onchange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var onclick: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var onclose: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) =
definedExternally\n var oncontextmenu: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n
set(value) = definedExternally\n var oncuechange:
((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondblclick:
((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondrag:
((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondragend:
((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var
ondragenter: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n
var ondragexit: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n
var ondragleave: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n
var ondragover: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n
var ondragstart: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n set(value) = definedExternally\n var ondrop: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n set(value) = definedExternally\n var ondurationchange: ((Event) -> dynamic)?\n
get() = definedExternally\n set(value) = definedExternally\n var onemptied: ((Event) -> dynamic)?\n
get() = definedExternally\n set(value) = definedExternally\n var onended: ((Event) -> dynamic)?\n get() =
definedExternally\n set(value) = definedExternally\n var onerror: ((dynamic, String, Int, Int, Any?) ->
dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onfocus: ((FocusEvent) ->
dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oninput: ((InputEvent) ->
dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oninvalid: ((Event) ->

```

```

dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onkeydown: ((KeyboardEvent) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onkeypress: ((KeyboardEvent) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var onkeyup: ((KeyboardEvent) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var onload: ((Event) -> dynamic)?\n    get()
= definedExternally\n    set(value) = definedExternally\n    var onloadeddata: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onloadedmetadata: ((Event) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var onloadend: ((Event) -> dynamic)?\n    get()
= definedExternally\n    set(value) = definedExternally\n    var onloadstart: ((ProgressEvent) -> dynamic)?\n
get() = definedExternally\n    set(value)
= definedExternally\n    var onmousedown: ((MouseEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onmouseenter: ((MouseEvent) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onmouseleave: ((MouseEvent) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var onmousemove: ((MouseEvent) ->
dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onmouseout:
((MouseEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onmouseover: ((MouseEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onmouseup: ((MouseEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onwheel: ((WheelEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n
    var onpause: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onplay: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onplaying: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onprogress: ((ProgressEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onratechange: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onreset: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onresize: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onscroll: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onseeked: ((Event) -> dynamic)?\n    get()
= definedExternally\n    set(value) = definedExternally\n    var onseeking: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onselect: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onshow: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onstalled: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onsubmit: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onsuspend: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var ontimeupdate: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var ontoggle: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n
    var onvolumechange: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onwaiting: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var ongotpointercapture: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onlostpointercapture: ((PointerEvent) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onpointerdown: ((PointerEvent) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var onpointermove: ((PointerEvent) ->
dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onpointerup:
((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onpointercancel: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n

```

```

var onpointerover: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n var onpointerout: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n var onpointerenter: ((PointerEvent) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n var onpointerleave: ((PointerEvent) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n\n\n**\n * Exposes the JavaScript
[WindowEventHandlers](https://developer.mozilla.org/en/docs/Web/API/WindowEventHandlers) to Kotlin\n
*\npublic external interface WindowEventHandlers {\n var onafterprint: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n var onbeforeprint: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n var onbeforeunload: ((BeforeUnloadEvent)
-> String?)?\n    get() = definedExternally\n    set(value) = definedExternally\n var onhashchange:
((HashChangeEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n var
onlanguagechange: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onmessage: ((MessageEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n var onoffline: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n var ononline: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n var onpagehide: ((PageTransitionEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n var onpageshow: ((PageTransitionEvent) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n var onpopstate: ((PopStateEvent)
-> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n var onrejectionhandled:
((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n var onstorage:
((StorageEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n var
onunhandledrejection: ((PromiseRejectionEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n var onunload: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\npublic external interface DocumentAndElementEventHandlers {\n var oncopy:
((ClipboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n var oncut:
((ClipboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n var
onpaste: ((ClipboardEvent) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n}\n\n**\n * Exposes the JavaScript
[WindowOrWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WindowOrWorkerGlobalScope)
to Kotlin\n *\npublic external interface WindowOrWorkerGlobalScope {\n val origin: String\n val caches:
CacheStorage\n fun btoa(data: String): String\n fun atob(data: String): String\n fun setTimeout(handler:
dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n fun clearTimeout(handle: Int =
definedExternally)\n fun setInterval(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?):
Int\n fun clearInterval(handle: Int = definedExternally)\n fun createImageBitmap(image: ImageBitmapSource,
options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n fun createImageBitmap(image:
ImageBitmapSource, sx: Int, sy: Int, sw: Int, sh: Int, options: ImageBitmapOptions = definedExternally):
Promise<ImageBitmap>\n fun fetch(input: dynamic,
init: RequestInit = definedExternally): Promise<Response>\n}\n\n**\n * Exposes the JavaScript
[Navigator](https://developer.mozilla.org/en/docs/Web/API/Navigator) to Kotlin\n *\npublic external abstract class
Navigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorContentUtils, NavigatorCookies,
NavigatorPlugins, NavigatorConcurrentHardware {\n open val clipboard: Clipboard\n open val mediaDevices:
MediaDevices\n open val maxTouchPoints: Int\n open val serviceWorker: ServiceWorkerContainer\n fun
requestMediaKeySystemAccess(keySystem: String, supportedConfigurations:
Array<MediaKeySystemConfiguration>): Promise<MediaKeySystemAccess>\n fun getUserMedia(constraints:
MediaStreamConstraints, successCallback: (MediaStream) -> Unit, errorCallback: (dynamic) -> Unit)\n fun
vibrate(pattern: dynamic): Boolean\n}\n\n**\n * Exposes the JavaScript
[NavigatorID](https://developer.mozilla.org/en/docs/Web/API/NavigatorID) to Kotlin\n *\npublic external interface

```

```

NavigatorID {\n  val appCodeName: String\n  val appName: String\n  val appVersion: String\n  val platform:
String\n  val product: String\n  val productSub: String\n  val userAgent: String\n  val vendor: String\n  val
vendorSub: String\n  val oscpu: String\n  fun taintEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorLanguage](https://developer.mozilla.org/en/docs/Web/API/NavigatorLanguage) to Kotlin\n */\npublic
external interface NavigatorLanguage {\n  val language: String\n  val languages: Array<out String>\n}\n\npublic
external interface NavigatorContentUtils {\n  fun registerProtocolHandler(scheme: String, url: String, title:
String)\n  fun registerContentHandler(mimeType: String, url: String, title: String)\n  fun
isProtocolHandlerRegistered(scheme: String, url: String): String\n  fun isContentHandlerRegistered(mimeType:
String, url: String): String\n  fun unregisterProtocolHandler(scheme: String, url: String)\n  fun
unregisterContentHandler(mimeType:
String, url: String)\n}\n\npublic external interface NavigatorCookies {\n  val cookieEnabled: Boolean\n}\n\n/**\n
* Exposes the JavaScript [NavigatorPlugins](https://developer.mozilla.org/en/docs/Web/API/NavigatorPlugins) to
Kotlin\n */\npublic external interface NavigatorPlugins {\n  val plugins: PluginArray\n  val mimeTypes:
MimeTypeArray\n  fun javaEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[PluginArray](https://developer.mozilla.org/en/docs/Web/API/PluginArray) to Kotlin\n */\npublic external abstract
class PluginArray : ItemArrayLike<Plugin> {\n  fun refresh(reload: Boolean = definedExternally)\n  override fun
item(index: Int): Plugin?\n  fun namedItem(name: String):
Plugin?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun PluginArray.get(index: Int):
Plugin? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
inline operator fun PluginArray.get(name: String): Plugin? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MimeTypeArray](https://developer.mozilla.org/en/docs/Web/API/MimeTypeArray) to Kotlin\n */\npublic external
abstract class MimeTypeArray : ItemArrayLike<MimeType> {\n  override fun item(index: Int): MimeType?\n
fun namedItem(name: String): MimeType?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun MimeTypeArray.get(index:
Int): MimeType? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun MimeTypeArray.get(name:
String): MimeType? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[Plugin](https://developer.mozilla.org/en/docs/Web/API/Plugin) to Kotlin\n */\npublic external abstract class Plugin
: ItemArrayLike<MimeType> {\n  open val name: String\n  open val description: String\n  open
val filename: String\n  override fun item(index: Int): MimeType?\n  fun namedItem(name: String):
MimeType?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Plugin.get(index: Int):
MimeType? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Plugin.get(name: String):
MimeType? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MimeType](https://developer.mozilla.org/en/docs/Web/API/MimeType) to Kotlin\n */\npublic external abstract
class MimeType {\n  open val type: String\n  open val description: String\n  open val suffixes: String\n  open
val enabledPlugin: Plugin\n}\n\n/**\n * Exposes the JavaScript
[ImageBitmap](https://developer.mozilla.org/en/docs/Web/API/ImageBitmap) to Kotlin\n */\npublic external
abstract class ImageBitmap : CanvasImageSource, TexImageSource {\n  open val width: Int\n  open val height:
Int\n  fun close()\n}\n\npublic external interface ImageBitmapOptions {\n  var imageOrientation:
ImageOrientation? /* = ImageOrientation.NONE */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var premultiplyAlpha: PremultiplyAlpha? /* = PremultiplyAlpha.DEFAULT */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var colorSpaceConversion: ColorSpaceConversion? /* =
ColorSpaceConversion.DEFAULT */\n  get() = definedExternally\n  set(value) = definedExternally\n  var
resizeWidth: Int?\n  get() = definedExternally\n  set(value) = definedExternally\n  var resizeHeight: Int?\n
}

```

```

    get() = definedExternally\n    set(value) = definedExternally\n    var resizeMode: ResizeQuality? /* =
ResizeQuality.LOW */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
ImageBitmapOptions(imageOrientation:
ImageOrientation? = ImageOrientation.NONE, premultiplyAlpha: PremultiplyAlpha? =
PremultiplyAlpha.DEFAULT, colorSpaceConversion: ColorSpaceConversion? =
ColorSpaceConversion.DEFAULT, resizeMode: Int? = undefined, resizeMode: Int? = undefined, resizeMode:
ResizeQuality? = ResizeQuality.LOW): ImageBitmapOptions {\n    val o = js(\"({})\")\n    o[\"imageOrientation\"] =
imageOrientation\n    o[\"premultiplyAlpha\"] = premultiplyAlpha\n    o[\"colorSpaceConversion\"] =
colorSpaceConversion\n    o[\"resizeWidth\"] = resizeMode\n    o[\"resizeHeight\"] = resizeMode\n
o[\"resizeQuality\"] = resizeMode\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MessageEvent](https://developer.mozilla.org/en/docs/Web/API/MessageEvent) to Kotlin\n */\npublic external open
class MessageEvent(type: String, eventInitDict: MessageEventInit = definedExternally) : Event {\n    open val data:
Any?\n    open val origin: String\n    open val lastEventId: String\n
    open val source: UnionMessagePortOrWindowProxy?\n    open val ports: Array<out MessagePort>\n    fun
initMessageEvent(type: String, bubbles: Boolean, cancelable: Boolean, data: Any?, origin: String, lastEventId:
String, source: UnionMessagePortOrWindowProxy?, ports: Array<MessagePort>)\n\n    companion object {\n
val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface MessageEventInit : EventInit {\n    var data: Any?
/* = null */\n    get() = definedExternally\n    set(value) = definedExternally\n    var origin: String? /* = \"\" */\n
get() = definedExternally\n    set(value) = definedExternally\n    var lastEventId: String? /* = \"\" */\n
get() = definedExternally\n    set(value) = definedExternally\n    var source: UnionMessagePortOrWindowProxy?
/* = null */\n    get() = definedExternally\n    set(value) = definedExternally\n    var ports:
Array<MessagePort>? /* = arrayOf() */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MessageEventInit(data: Any? = null,
origin: String? = \"\", lastEventId: String? = \"\", source: UnionMessagePortOrWindowProxy? = null, ports:
Array<MessagePort>? = arrayOf(), bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): MessageEventInit {\n    val o = js(\"({})\")\n    o[\"data\"] = data\n    o[\"origin\"] = origin\n
o[\"lastEventId\"] = lastEventId\n    o[\"source\"] = source\n    o[\"ports\"] = ports\n    o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[EventSource](https://developer.mozilla.org/en/docs/Web/API/EventSource) to Kotlin\n */\npublic external open
class EventSource(url: String, eventSourceInitDict: EventSourceInit
= definedExternally) : EventTarget {\n    open val url: String\n    open val withCredentials: Boolean\n    open val
readyState: Short\n    var onopen: ((Event) -> dynamic)?\n    var onmessage: ((MessageEvent) -> dynamic)?\n    var
onerror: ((Event) -> dynamic)?\n    fun close()\n\n    companion object {\n        val CONNECTING: Short\n        val
OPEN: Short\n        val CLOSED: Short\n    }\n}\n\npublic external interface EventSourceInit {\n    var
withCredentials: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun EventSourceInit(withCredentials:
Boolean? = false): EventSourceInit {\n    val o = js(\"({})\")\n    o[\"withCredentials\"] = withCredentials\n    return
o\n}\n\n/**\n * Exposes the JavaScript [WebSocket](https://developer.mozilla.org/en/docs/Web/API/WebSocket) to
Kotlin\n */\npublic external open class WebSocket(url:
String, protocols: dynamic = definedExternally) : EventTarget {\n    open val url: String\n    open val readyState:
Short\n    open val bufferedAmount: Number\n    var onopen: ((Event) -> dynamic)?\n    var onerror: ((Event) ->
dynamic)?\n    var onclose: ((Event) -> dynamic)?\n    open val extensions: String\n    open val protocol: String\n
var onmessage: ((MessageEvent) -> dynamic)?\n    var binaryType: BinaryType\n    fun close(code: Short =

```

```

definedExternally, reason: String = definedExternally)\n fun send(data: String)\n fun send(data: Blob)\n fun
send(data: ArrayBuffer)\n fun send(data: ArrayBufferView)\n\n companion object {\n val CONNECTING:
Short\n val OPEN: Short\n val CLOSING: Short\n val CLOSED: Short\n }\n}\n\n/**\n * Exposes the
JavaScript [CloseEvent](https://developer.mozilla.org/en/docs/Web/API/CloseEvent) to Kotlin\n *\npublic external
open class CloseEvent(type: String, eventInitDict: CloseEventInit = definedExternally)
: Event {\n open val wasClean: Boolean\n open val code: Short\n open val reason: String\n\n companion
object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val
BUBBLING_PHASE: Short\n }\n}\n\npublic external interface CloseEventInit : EventInit {\n var wasClean:
Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var code: Short? /*
= 0 */\n get() = definedExternally\n set(value) = definedExternally\n var reason: String? /* = "" */\n
get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun CloseEventInit(wasClean: Boolean? =
false, code: Short? = 0, reason: String? = "", bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): CloseEventInit {\n val o = js("{})\n o["wasClean"]
= wasClean\n o["code"] = code\n o["reason"] = reason\n o["bubbles"] = bubbles\n o["cancelable"] =
cancelable\n o["composed"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[MessageChannel](https://developer.mozilla.org/en/docs/Web/API/MessageChannel) to Kotlin\n *\npublic external
open class MessageChannel {\n open val port1: MessagePort\n open val port2: MessagePort\n}\n\n/**\n *
Exposes the JavaScript [MessagePort](https://developer.mozilla.org/en/docs/Web/API/MessagePort) to Kotlin\n
*\npublic external abstract class MessagePort : EventTarget, UnionMessagePortOrWindowProxy,
UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n open var onmessage:
((MessageEvent) -> dynamic)?\n fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally)\n fun start()\n fun close()\n}\n\n/**\n * Exposes the JavaScript
[BroadcastChannel](https://developer.mozilla.org/en/docs/Web/API/BroadcastChannel)
to Kotlin\n *\npublic external open class BroadcastChannel(name: String) : EventTarget {\n open val name:
String\n var onmessage: ((MessageEvent) -> dynamic)?\n fun postMessage(message: Any?)\n fun
close()\n}\n\n/**\n * Exposes the JavaScript
[WorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WorkerGlobalScope) to Kotlin\n *\npublic
external abstract class WorkerGlobalScope : EventTarget, WindowOrWorkerGlobalScope, GlobalPerformance {\n
open val self: WorkerGlobalScope\n open val location: WorkerLocation\n open val navigator:
WorkerNavigator\n open var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n open var
onlanguagechange: ((Event) -> dynamic)?\n open var onoffline: ((Event) -> dynamic)?\n open var online:
((Event) -> dynamic)?\n open var onrejectionhandled: ((Event) -> dynamic)?\n open var onunhandledrejection:
((PromiseRejectionEvent) -> dynamic)?\n fun importScripts(vararg urls: String)\n}\n\n/**\n * Exposes
the JavaScript
[DedicatedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/DedicatedWorkerGlobalScope) to
Kotlin\n *\npublic external abstract class DedicatedWorkerGlobalScope : WorkerGlobalScope {\n open var
onmessage: ((MessageEvent) -> dynamic)?\n fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally)\n fun close()\n}\n\n/**\n * Exposes the JavaScript
[SharedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/SharedWorkerGlobalScope) to
Kotlin\n *\npublic external abstract class SharedWorkerGlobalScope : WorkerGlobalScope {\n open val name:
String\n open val applicationCache: ApplicationCache\n open var onconnect: ((Event) -> dynamic)?\n fun
close()\n}\n\n/**\n * Exposes the JavaScript
[AbstractWorker](https://developer.mozilla.org/en/docs/Web/API/AbstractWorker) to Kotlin\n *\npublic external
interface AbstractWorker {\n var onerror: ((Event) -> dynamic)?\n get() = definedExternally\n set(value)
= definedExternally\n}\n\n/**\n * Exposes the JavaScript
[Worker](https://developer.mozilla.org/en/docs/Web/API/Worker) to Kotlin\n *\npublic external open class
Worker(scriptURL: String, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n var

```

```

onmessage: ((MessageEvent) -> dynamic)?\n  override var onerror: ((Event) -> dynamic)?\n  fun terminate()\n  fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\npublic external interface
WorkerOptions {\n  var type: WorkerType? /* = WorkerType.CLASSIC */\n  get() = definedExternally\n  set(value) = definedExternally\n  var credentials: RequestCredentials? /* = RequestCredentials.OMIT */\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun WorkerOptions(type: WorkerType? =
WorkerType.CLASSIC, credentials: RequestCredentials?
= RequestCredentials.OMIT): WorkerOptions {\n  val o = js(\"({})\")\n  o[\"type\"] = type\n  o[\"credentials\"]
= credentials\n  return o\n}\n\n/**\n * Exposes the JavaScript
[SharedWorker](https://developer.mozilla.org/en/docs/Web/API/SharedWorker) to Kotlin\n */\npublic external open
class SharedWorker(scriptURL: String, name: String = definedExternally, options: WorkerOptions =
definedExternally) : EventTarget, AbstractWorker {\n  open val port: MessagePort\n  override var onerror:
((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript
[NavigatorConcurrentHardware](https://developer.mozilla.org/en/docs/Web/API/NavigatorConcurrentHardware) to
Kotlin\n */\npublic external interface NavigatorConcurrentHardware {\n  val hardwareConcurrency:
Number\n}\n\n/**\n * Exposes the JavaScript
[WorkerNavigator](https://developer.mozilla.org/en/docs/Web/API/WorkerNavigator) to Kotlin\n */\npublic
external abstract class WorkerNavigator : NavigatorID, NavigatorLanguage, NavigatorOnLine,
NavigatorConcurrentHardware {\n  open val serviceWorker: ServiceWorkerContainer\n}\n\n/**\n * Exposes the
JavaScript [WorkerLocation](https://developer.mozilla.org/en/docs/Web/API/WorkerLocation) to Kotlin\n */\n
public external abstract class WorkerLocation {\n  open val href: String\n  open val origin: String\n  open val
protocol: String\n  open val host: String\n  open val hostname: String\n  open val port: String\n  open val
pathname: String\n  open val search: String\n  open val hash: String\n}\n\n/**\n * Exposes the JavaScript
[Storage](https://developer.mozilla.org/en/docs/Web/API/Storage) to Kotlin\n */\npublic external abstract class
Storage {\n  open val length: Int\n  fun key(index: Int): String?\n  fun removeItem(key: String)\n  fun clear()\n
fun getItem(key: String): String?\n  fun setItem(key: String, value:
String)\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
Storage.get(key: String): String? = asDynamic()[key]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Storage.set(key: String, value:
String) { asDynamic()[key] = value }\n\n/**\n * Exposes the JavaScript
[WindowSessionStorage](https://developer.mozilla.org/en/docs/Web/API/WindowSessionStorage) to Kotlin\n */\n
public external interface WindowSessionStorage {\n  val sessionStorage: Storage\n}\n\n/**\n * Exposes the
JavaScript [WindowLocalStorage](https://developer.mozilla.org/en/docs/Web/API/WindowLocalStorage) to
Kotlin\n */\npublic external interface WindowLocalStorage {\n  val localStorage: Storage\n}\n\n/**\n * Exposes
the JavaScript [StorageEvent](https://developer.mozilla.org/en/docs/Web/API/StorageEvent) to Kotlin\n */\n
public external open class StorageEvent(type: String, eventInitDict: StorageEventInit = definedExternally) : Event {\n
  open val key: String?\n  open val oldValue: String?\n  open val newValue:
String?\n  open val url: String\n  open val storageArea: Storage?\n\n  companion object {\n    val NONE:
Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE:
Short\n  }\n}\n\npublic external interface StorageEventInit : EventInit {\n  var key: String? /* = null */\n  get()
= definedExternally\n  set(value) = definedExternally\n  var oldValue: String? /* = null */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var newValue: String? /* = null */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var url: String? /* = \"\" */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var storageArea: Storage? /* = null */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun StorageEventInit(key:

```

```

String? = null, oldValue: String? = null, newValue: String? = null, url: String? = "\", storageArea: Storage? = null,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): StorageEventInit {
    val o = js("{}")
    o["key"] = key
    o["oldValue"] = oldValue
    o["newValue"] = newValue
    o["url"] = url
    o["storageArea"] = storageArea
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

public external abstract class HTMLAppletElement :
HTMLInputElement {
    open var align: String
    open var alt: String
    open var archive: String
    open var code: String
    open var codeBase: String
    open var height: String
    open var hspace: Int
    open var name: String
    open var _object: String
    open var vspace: Int
    open var width: String

    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/**
 * Exposes the JavaScript [HTMLMarqueeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMarqueeElement) to Kotlin
 */
public external abstract class HTMLMarqueeElement : HTMLInputElement {
    open var behavior: String
    open var bgColor: String
    open var direction: String
    open var height: String
    open var hspace: Int
    open var loop: Int
    open var scrollAmount: Int
    open var scrollDelay: Int
    open var trueSpeed: Boolean
    open var vspace: Int
    open var width: String
    open var onbounce: ((Event) -> dynamic)?
    open var onfinish: ((Event) -> dynamic)?
    open var onstart: ((Event) -> dynamic)?
    fun start()
    fun stop()

    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/**
 * Exposes the JavaScript [HTMLFrameSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFrameSetElement) to Kotlin
 */
public external abstract class HTMLFrameSetElement : HTMLInputElement, WindowEventHandlers {
    open var cols: String
    open var rows: String

    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

public external abstract class HTMLFrameElement : HTMLInputElement {
    open var name: String
    open var scrolling: String
    open var src: String
    open var frameBorder: String
    open var longDesc: String
    open var noResize: Boolean
    open val contentDocument: Document?
    open val contentWindow: Window?
    open var marginHeight: String
    open

```



```

var marginWidth: String\n\n companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE:
Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } }\n\npublic external abstract class
HTMLDirectoryElement : HTMLElement {\n    open var compact: Boolean\n\n    companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED:
Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val
DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } }\n\n/**\n * Exposes the JavaScript
[HTMLFontElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFontElement) to Kotlin\n *\npublic
external abstract class HTMLFontElement : HTMLElement {\n    open var color: String\n    open var face: String\n
open var size: String\n\n    companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n
    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val
DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } }\n\npublic external
interface External {\n    fun AddSearchProvider()\n    fun IsSearchProviderInstalled()\n}\n\npublic external interface
EventInit {\n    var bubbles: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var cancelable: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var composed: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun EventInit(bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): EventInit {\n    val o = js(\"({})\")\n    o[\"bubbles\"] =
bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the
JavaScript [CustomEvent](https://developer.mozilla.org/en/docs/Web/API/CustomEvent) to Kotlin\n *\npublic
external open class CustomEvent(type: String, eventInitDict: CustomEventInit = definedExternally) : Event {\n
    open val detail: Any?\n    fun initCustomEvent(type: String, bubbles: Boolean, cancelable: Boolean, detail:
Any?)\n\n    companion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val
AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n } }\n\npublic external interface CustomEventInit :
EventInit {\n    var detail: Any? /* = null */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",

```

```

\ "INVISIBLE_MEMBER" \n @kotlin.internal.InlineOnly \n public
inline fun CustomEventInit(detail: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): CustomEventInit { \n val o = js("{}") \n o["detail"] = detail \n o["bubbles"] = bubbles \n
o["cancelable"] = cancelable \n o["composed"] = composed \n return o \n } \n \n public external interface
EventListenerOptions { \n var capture: Boolean? /* = false */ \n get() = definedExternally \n set(value) =
definedExternally \n } \n \n @Suppress("INVISIBLE_REFERENCE",
\ "INVISIBLE_MEMBER" \n @kotlin.internal.InlineOnly \n public inline fun EventListenerOptions(capture:
Boolean? = false): EventListenerOptions { \n val o = js("{}") \n o["capture"] = capture \n return
o \n } \n \n public external interface AddEventListenerOptions : EventListenerOptions { \n var passive: Boolean? /* =
false */ \n get() = definedExternally \n set(value) = definedExternally \n var once: Boolean? /* = false */ \n
get() = definedExternally \n
set(value) = definedExternally \n } \n \n @Suppress("INVISIBLE_REFERENCE",
\ "INVISIBLE_MEMBER" \n @kotlin.internal.InlineOnly \n public inline fun AddEventListenerOptions(passive:
Boolean? = false, once: Boolean? = false, capture: Boolean? = false): AddEventListenerOptions { \n val o =
js("{}") \n o["passive"] = passive \n o["once"] = once \n o["capture"] = capture \n return o \n } \n \n public
external interface NonElementParentNode { \n fun getElementById(elementId: String): Element? \n } \n \n /** \n *
Exposes the JavaScript
[DocumentOrShadowRoot](https://developer.mozilla.org/en/docs/Web/API/DocumentOrShadowRoot) to Kotlin \n
*/ \n public external interface DocumentOrShadowRoot { \n val fullscreenElement: Element? \n get() =
definedExternally \n } \n \n /** \n * Exposes the JavaScript
[ParentNode](https://developer.mozilla.org/en/docs/Web/API/ParentNode) to Kotlin \n */ \n public external interface
ParentNode { \n val children: HTMLCollection \n val firstElementChild:
Element? \n get() = definedExternally \n val lastElementChild: Element? \n get() = definedExternally \n
val childElementCount: Int \n fun prepend(vararg nodes: dynamic) \n fun append(vararg nodes: dynamic) \n fun
querySelector(selectors: String): Element? \n fun querySelectorAll(selectors: String): NodeList \n } \n \n /** \n *
Exposes the JavaScript
[NonDocumentTypeChildNode](https://developer.mozilla.org/en/docs/Web/API/NonDocumentTypeChildNode) to
Kotlin \n */ \n public external interface NonDocumentTypeChildNode { \n val previousElementSibling: Element? \n
get() = definedExternally \n val nextElementSibling: Element? \n get() = definedExternally \n } \n \n /** \n *
Exposes the JavaScript [ChildNode](https://developer.mozilla.org/en/docs/Web/API/ChildNode) to Kotlin \n
*/ \n public external interface ChildNode { \n fun before(vararg nodes: dynamic) \n fun after(vararg nodes:
dynamic) \n fun replaceWith(vararg nodes: dynamic) \n fun remove() \n } \n \n /** \n *
Exposes the JavaScript [Slotable](https://developer.mozilla.org/en/docs/Web/API/Slotable) to Kotlin \n */ \n public
external interface Slotable { \n val assignedSlot: HTMLSlotElement? \n get() = definedExternally \n } \n \n /** \n *
Exposes the JavaScript [NodeList](https://developer.mozilla.org/en/docs/Web/API/NodeList) to Kotlin \n */ \n public
external abstract class NodeList : ItemArrayLike<Node> { \n override fun item(index: Int):
Node? \n } \n \n @Suppress("INVISIBLE_REFERENCE",
\ "INVISIBLE_MEMBER" \n @kotlin.internal.InlineOnly \n public inline operator fun NodeList.get(index: Int):
Node? = asDynamic()[index] \n \n /** \n * Exposes the JavaScript
[HTMLCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLCollection) to Kotlin \n */ \n public
external abstract class HTMLCollection : ItemArrayLike<Element>, UnionElementOrHTMLCollection { \n
override fun item(index: Int): Element? \n fun namedItem(name: String):
Element? \n } \n \n @Suppress("INVISIBLE_REFERENCE",
\ "INVISIBLE_MEMBER" \n @kotlin.internal.InlineOnly \n public
inline operator fun HTMLCollection.get(index: Int): Element? =
asDynamic()[index] \n \n @Suppress("INVISIBLE_REFERENCE",
\ "INVISIBLE_MEMBER" \n @kotlin.internal.InlineOnly \n public inline operator fun HTMLCollection.get(name:
String): Element? = asDynamic()[name] \n \n /** \n * Exposes the JavaScript

```

```

[MutationObserver](https://developer.mozilla.org/en/docs/Web/API/MutationObserver) to Kotlin\n *\npublic
external open class MutationObserver(callback: (Array<MutationRecord>, MutationObserver) -> Unit) {\n fun
observe(target: Node, options: MutationObserverInit = definedExternally)\n fun disconnect()\n fun
takeRecords(): Array<MutationRecord>\n}\n\n/**\n * Exposes the JavaScript
[MutationObserverInit](https://developer.mozilla.org/en/docs/Web/API/MutationObserverInit) to Kotlin\n
*\npublic external interface MutationObserverInit {\n var childList: Boolean? /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n
var attributes: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var
characterData: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var subtree:
Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var
attributeOldValue: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var
characterDataOldValue: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var
attributeFilter: Array<String>?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MutationObserverInit(childList:
Boolean? = false, attributes: Boolean? = undefined, characterData: Boolean? = undefined, subtree: Boolean? = false,
attributeOldValue: Boolean? = undefined, characterDataOldValue:
Boolean? = undefined, attributeFilter: Array<String>? = undefined): MutationObserverInit {\n val o =
js(\"({})\")\n o[\"childList\"] = childList\n o[\"attributes\"] = attributes\n o[\"characterData\"] =
characterData\n o[\"subtree\"] = subtree\n o[\"attributeOldValue\"] = attributeOldValue\n
o[\"characterDataOldValue\"] = characterDataOldValue\n o[\"attributeFilter\"] = attributeFilter\n return
o\n}\n\n/**\n * Exposes the JavaScript
[MutationRecord](https://developer.mozilla.org/en/docs/Web/API/MutationRecord) to Kotlin\n *\npublic external
abstract class MutationRecord {\n open val type: String\n open val target: Node\n open val addedNodes:
NodeList\n open val removedNodes: NodeList\n open val previousSibling: Node?\n open val nextSibling:
Node?\n open val attributeName: String?\n open val attributeNamespace: String?\n open val oldValue:
String?\n}\n\n/**\n * Exposes the JavaScript [Node](https://developer.mozilla.org/en/docs/Web/API/Node)
to Kotlin\n *\npublic external abstract class Node : EventTarget {\n open val nodeType: Short\n open val
nodeName: String\n open val baseURI: String\n open val isConnected: Boolean\n open val ownerDocument:
Document?\n open val parentNode: Node?\n open val parentElement: Element?\n open val childNodes:
NodeList\n open val firstChild: Node?\n open val lastChild: Node?\n open val previousSibling: Node?\n
open val nextSibling: Node?\n open var nodeValue: String?\n open var textContent: String?\n fun
getRootNode(options: GetRootNodeOptions = definedExternally): Node\n fun hasChildNodes(): Boolean\n fun
normalize()\n fun cloneNode(deep: Boolean = definedExternally): Node\n fun isEqualNode(otherNode: Node?):
Boolean\n fun isSameNode(otherNode: Node?): Boolean\n fun compareDocumentPosition(other: Node): Short\n
fun contains(other: Node?): Boolean\n fun lookupPrefix(namespace: String?): String?\n fun
lookupNamespaceURI(prefix: String?): String?\n fun isDefaultNamespace(namespace: String?): Boolean\n fun
insertBefore(node: Node, child: Node?): Node\n fun appendChild(node: Node): Node\n fun replaceChild(node:
Node, child: Node): Node\n fun removeChild(child: Node): Node\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n

```

```

val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n\npublic external interface
GetRootNodeOptions {\n var composed: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun GetRootNodeOptions(composed:
Boolean? = false): GetRootNodeOptions {\n val o = js(\"({})\")\n o[\"composed\"] = composed\n return
o\n}\n\n/**\n * Exposes the JavaScript [Document](https://developer.mozilla.org/en/docs/Web/API/Document) to
Kotlin\n */\npublic external open class Document : Node, GlobalEventHandlers,
DocumentAndElementEventHandlers, NonElementParentNode, DocumentOrShadowRoot, ParentNode,
GeometryUtils {\n open val implementation: DOMImplementation\n open val URL: String\n open val
documentURI: String\n open val origin: String\n open val compatMode: String\n open val characterSet:
String\n open val
charset: String\n open val inputEncoding: String\n open val contentType: String\n open val doctype:
DocumentType?\n open val documentElement: Element?\n open val location: Location?\n var domain:
String\n open val referrer: String\n var cookie: String\n open val lastModified: String\n open val readyState:
DocumentReadyState\n var title: String\n var dir: String\n var body: HTMLElement?\n open val head:
HTMLHeadElement?\n open val images: HTMLCollection\n open val embeds: HTMLCollection\n open val
plugins: HTMLCollection\n open val links: HTMLCollection\n open val forms: HTMLCollection\n open val
scripts: HTMLCollection\n open val currentScript: HTMLScriptElement?\n open val defaultView:
Window?\n open val activeElement: Element?\n var designMode: String\n var onreadystatechange: ((Event) ->
dynamic)?\n var fgColor: String\n var linkColor: String\n var vlinkColor: String\n var alinkColor: String\n
var bgColor: String\n open val anchors: HTMLCollection\n open val applets: HTMLCollection\n open val
all: HTMLAllCollection\n open val scrollingElement: Element?\n open val styleSheets: StyleSheetList\n open
val rootElement: SVGSVGElement?\n open val fullscreenEnabled: Boolean\n open val fullscreen: Boolean\n
var onfullscreenchange: ((Event) -> dynamic)?\n var onfullscreenerror: ((Event) -> dynamic)?\n override var
onabort: ((Event) -> dynamic)?\n override var onblur: ((FocusEvent) -> dynamic)?\n override var oncancel:
((Event) -> dynamic)?\n override var oncanplay: ((Event) -> dynamic)?\n override var oncanplaythrough:
((Event) -> dynamic)?\n override var onchange: ((Event) -> dynamic)?\n override var onclick: ((MouseEvent) ->
dynamic)?\n override var onclose: ((Event) -> dynamic)?\n override var oncontextmenu: ((MouseEvent) ->
dynamic)?\n override var oncuechange: ((Event) -> dynamic)?\n override var ondblclick: ((MouseEvent)
-> dynamic)?\n override var ondrag: ((DragEvent) -> dynamic)?\n override var ondragend: ((DragEvent) ->
dynamic)?\n override var ondragenter: ((DragEvent) -> dynamic)?\n override var ondragexit: ((DragEvent) ->
dynamic)?\n override var ondragleave: ((DragEvent) -> dynamic)?\n override var ondragover: ((DragEvent) ->
dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop: ((DragEvent) ->
dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied: ((Event) ->
dynamic)?\n override var onended: ((Event) -> dynamic)?\n override var onerror: ((dynamic, String, Int, Int,
Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput: ((InputEvent) ->
dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var onkeydown: ((KeyboardEvent) ->
dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onkeyup:
((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override var onloadeddata:
((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var onloadend:
((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) -> dynamic)?\n override var onmousedown:
((MouseEvent) -> dynamic)?\n override var onmouseenter: ((MouseEvent) -> dynamic)?\n override var
onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove: ((MouseEvent) -> dynamic)?\n
override var onmouseout: ((MouseEvent) -> dynamic)?\n override var onmouseover: ((MouseEvent) ->
dynamic)?\n override var onmouseup: ((MouseEvent) -> dynamic)?\n override var onwheel: ((WheelEvent) ->
dynamic)?\n override var onpause: ((Event) -> dynamic)?\n override var onplay: ((Event) -> dynamic)?\n
override var onplaying: ((Event) -> dynamic)?\n override var onprogress: ((ProgressEvent) -> dynamic)?\n
override var onratechange:

```

```

((Event) -> dynamic)?\n  override var onreset: ((Event) -> dynamic)?\n  override var onresize: ((Event) ->
dynamic)?\n  override var onscroll: ((Event) -> dynamic)?\n  override var onseeked: ((Event) -> dynamic)?\n
override var onseeking: ((Event) -> dynamic)?\n  override var onselect: ((Event) -> dynamic)?\n  override var
onshow: ((Event) -> dynamic)?\n  override var onstalled: ((Event) -> dynamic)?\n  override var onsubmit:
((Event) -> dynamic)?\n  override var onsuspend: ((Event) -> dynamic)?\n  override var ontimeupdate: ((Event) -
> dynamic)?\n  override var ontoggle: ((Event) -> dynamic)?\n  override var onvolumechange: ((Event) ->
dynamic)?\n  override var onwaiting: ((Event) -> dynamic)?\n  override var ongotpointercapture: ((PointerEvent)
-> dynamic)?\n  override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n  override var onpointerdown:
((PointerEvent) -> dynamic)?\n  override var onpointermove: ((PointerEvent) -> dynamic)?\n
  override var onpointerup: ((PointerEvent) -> dynamic)?\n  override var onpointercancel: ((PointerEvent) ->
dynamic)?\n  override var onpointerover: ((PointerEvent) -> dynamic)?\n  override var onpointerout:
((PointerEvent) -> dynamic)?\n  override var onpointerenter: ((PointerEvent) -> dynamic)?\n  override var
onpointerleave: ((PointerEvent) -> dynamic)?\n  override var oncopy: ((ClipboardEvent) -> dynamic)?\n  override
var oncut: ((ClipboardEvent) -> dynamic)?\n  override var onpaste: ((ClipboardEvent) -> dynamic)?\n  override
val fullscreenElement: Element?\n  override val children: HTMLCollection\n  override val firstElementChild:
Element?\n  override val lastElementChild: Element?\n  override val childElementCount: Int\n  fun
getElementsByTagName(qualifiedName: String): HTMLCollection\n  fun
getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n  fun
getElementsByClassName(classNames: String): HTMLCollection\n  fun createElement(localName:
String, options: ElementCreationOptions = definedExternally): Element\n  fun createElementNS(namespace:
String?, qualifiedName: String, options: ElementCreationOptions = definedExternally): Element\n  fun
createDocumentFragment(): DocumentFragment\n  fun createTextNode(data: String): Text\n  fun
createCDATASection(data: String): CDATASection\n  fun createComment(data: String): Comment\n  fun
createProcessingInstruction(target: String, data: String): ProcessingInstruction\n  fun importNode(node: Node,
deep: Boolean = definedExternally): Node\n  fun adoptNode(node: Node): Node\n  fun
createAttribute(localName: String): Attr\n  fun createAttributeNS(namespace: String?, qualifiedName: String):
Attr\n  fun createEvent(`interface`: String): Event\n  fun createRange(): Range\n  fun createNodeIterator(root:
Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): NodeIterator\n  fun
createNodeIterator(root: Node, whatToShow:
Int = definedExternally, filter: ((Node) -> Short)? = definedExternally): NodeIterator\n  fun
createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally):
TreeWalker\n  fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)?
= definedExternally): TreeWalker\n  fun getElementsByName(elementName: String): NodeList\n  fun open(type:
String = definedExternally, replace: String = definedExternally): Document\n  fun open(url: String, name: String,
features: String): Window\n  fun close()\n  fun write(vararg text: String)\n  fun writeln(vararg text: String)\n
fun hasFocus(): Boolean\n  fun execCommand(commandId: String, showUI: Boolean = definedExternally, value:
String = definedExternally): Boolean\n  fun queryCommandEnabled(commandId: String): Boolean\n  fun
queryCommandIndeterm(commandId: String): Boolean\n  fun queryCommandState(commandId: String):
Boolean\n  fun queryCommandSupported(commandId:
String): Boolean\n  fun queryCommandValue(commandId: String): String\n  fun clear()\n  fun
captureEvents()\n  fun releaseEvents()\n  fun elementFromPoint(x: Double, y: Double): Element?\n  fun
elementsFromPoint(x: Double, y: Double): Array<Element>\n  fun caretPositionFromPoint(x: Double, y: Double):
CaretPosition?\n  fun createTouch(view: Window, target: EventTarget, identifier: Int, pageX: Int, pageY: Int,
screenX: Int, screenY: Int): Touch\n  fun createTouchList(vararg touches: Touch): TouchList\n  fun
exitFullscreen(): Promise<Unit>\n  override fun getElementById(elementId: String): Element?\n  override fun
prepend(vararg nodes: dynamic)\n  override fun append(vararg nodes: dynamic)\n  override fun
querySelector(selectors: String): Element?\n  override fun querySelectorAll(selectors: String): NodeList\n
override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n  override

```

```

fun convertQuadFromNode(quad:
    dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n    override
fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* =
    definedExternally */): DOMQuad\n    override fun convertPointFromNode(point: DOMPointInit, from: dynamic,
    options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n    companion object {\n        val
    ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
    CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
    Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
    DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
    DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
    DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING:
    Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n        val
    DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
    DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
    }\n\n    @Suppress(\"INVISIBLE_REFERENCE\",
    \"INVISIBLE_MEMBER\")\n    @kotlin.internal.InlineOnly\n    public inline operator fun Document.get(name: String):
    dynamic = asDynamic()[name]\n\n    /**\n     * Exposes the JavaScript
    [XMLDocument](https://developer.mozilla.org/en/docs/Web/API/XMLDocument) to Kotlin\n     *\n     public external
    open class XMLDocument : Document {\n        companion object {\n            val ELEMENT_NODE: Short\n            val
            ATTRIBUTE_NODE: Short\n            val TEXT_NODE: Short\n            val CDATA_SECTION_NODE: Short\n            val
            ENTITY_REFERENCE_NODE: Short\n            val ENTITY_NODE: Short\n            val
            PROCESSING_INSTRUCTION_NODE: Short\n            val COMMENT_NODE: Short\n            val
            DOCUMENT_NODE: Short\n            val DOCUMENT_TYPE_NODE: Short\n            val
            DOCUMENT_FRAGMENT_NODE: Short\n            val NOTATION_NODE: Short\n
            val DOCUMENT_POSITION_DISCONNECTED: Short\n            val DOCUMENT_POSITION_PRECEDING:
            Short\n            val DOCUMENT_POSITION_FOLLOWING: Short\n            val
            DOCUMENT_POSITION_CONTAINS: Short\n            val DOCUMENT_POSITION_CONTAINED_BY: Short\n
            val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n        }\n    }\n\n    public external interface
    ElementCreationOptions {\n        var `is`: String?\n        get() = definedExternally\n        set(value) =
        definedExternally\n    }\n\n    @Suppress(\"INVISIBLE_REFERENCE\",
    \"INVISIBLE_MEMBER\")\n    @kotlin.internal.InlineOnly\n    public inline fun ElementCreationOptions(`is`: String?
    = undefined): ElementCreationOptions {\n        val o = js(\"({})\")\n        o[\"is\"] = `is`\n        return o\n    }\n\n    /**\n     *
    Exposes the JavaScript
    [DOMImplementation](https://developer.mozilla.org/en/docs/Web/API/DOMImplementation) to Kotlin\n     *\n     public external
    abstract class DOMImplementation {\n        fun createDocumentType(qualifiedName: String,
        publicId: String, systemId: String):
        DocumentType\n        fun createDocument(namespace: String?, qualifiedName: String, doctype: DocumentType? =
        definedExternally): XMLDocument\n        fun createHTMLDocument(title: String = definedExternally): Document\n
        fun hasFeature(): Boolean\n    }\n\n    /**\n     * Exposes the JavaScript
    [DocumentType](https://developer.mozilla.org/en/docs/Web/API/DocumentType) to Kotlin\n     *\n     public external
    abstract class DocumentType : Node, ChildNode {\n        open val name: String\n        open val publicId: String\n        open
        val systemId: String\n\n        companion object {\n            val ELEMENT_NODE: Short\n            val ATTRIBUTE_NODE:
            Short\n            val TEXT_NODE: Short\n            val CDATA_SECTION_NODE: Short\n            val
            ENTITY_REFERENCE_NODE: Short\n            val ENTITY_NODE: Short\n            val
            PROCESSING_INSTRUCTION_NODE: Short\n            val COMMENT_NODE: Short\n            val
            DOCUMENT_NODE: Short\n            val DOCUMENT_TYPE_NODE: Short\n            val
            DOCUMENT_FRAGMENT_NODE: Short\n            val NOTATION_NODE: Short\n            val

```

```

DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[DocumentFragment](https://developer.mozilla.org/en/docs/Web/API/DocumentFragment) to Kotlin \n * \n public
external open class DocumentFragment : Node, NonElementParentNode, ParentNode { \n    override val children:
HTMLCollection \n    override val firstElementChild: Element? \n    override val lastElementChild: Element? \n
    override val childElementCount: Int \n    override fun getElementById(elementId: String): Element? \n    override fun
prepend(vararg nodes: dynamic) \n    override fun append(vararg nodes: dynamic) \n    override fun
querySelector(selectors: String): Element? \n    override fun querySelectorAll(selectors: String): NodeList \n \n
companion
    object { \n        val ELEMENT_NODE: Short \n        val ATTRIBUTE_NODE: Short \n        val TEXT_NODE:
Short \n        val CDATA_SECTION_NODE: Short \n        val ENTITY_REFERENCE_NODE: Short \n        val
ENTITY_NODE: Short \n        val PROCESSING_INSTRUCTION_NODE: Short \n        val COMMENT_NODE:
Short \n        val DOCUMENT_NODE: Short \n        val DOCUMENT_TYPE_NODE: Short \n        val
DOCUMENT_FRAGMENT_NODE: Short \n        val NOTATION_NODE: Short \n        val
DOCUMENT_POSITION_DISCONNECTED: Short \n        val DOCUMENT_POSITION_PRECEDING: Short \n
        val DOCUMENT_POSITION_FOLLOWING: Short \n        val DOCUMENT_POSITION_CONTAINS: Short \n
        val DOCUMENT_POSITION_CONTAINED_BY: Short \n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n    } \n} \n \n /** \n * Exposes the JavaScript
[ShadowRoot](https://developer.mozilla.org/en/docs/Web/API/ShadowRoot) to Kotlin \n * \n public external open
class ShadowRoot : DocumentFragment, DocumentOrShadowRoot { \n    open val mode: ShadowRootMode \n
    open val host: Element \n    override val fullscreenElement: Element? \n \n    companion object { \n        val
ELEMENT_NODE: Short \n        val ATTRIBUTE_NODE: Short \n        val TEXT_NODE: Short \n        val
CDATA_SECTION_NODE: Short \n        val ENTITY_REFERENCE_NODE: Short \n        val ENTITY_NODE:
Short \n        val PROCESSING_INSTRUCTION_NODE: Short \n        val COMMENT_NODE: Short \n        val
DOCUMENT_NODE: Short \n        val DOCUMENT_TYPE_NODE: Short \n        val
DOCUMENT_FRAGMENT_NODE: Short \n        val NOTATION_NODE: Short \n        val
DOCUMENT_POSITION_DISCONNECTED: Short \n        val DOCUMENT_POSITION_PRECEDING: Short \n
        val DOCUMENT_POSITION_FOLLOWING: Short \n        val DOCUMENT_POSITION_CONTAINS: Short \n
        val DOCUMENT_POSITION_CONTAINED_BY: Short \n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n    } \n} \n \n /** \n * Exposes the JavaScript
[Element](https://developer.mozilla.org/en/docs/Web/API/Element) to Kotlin \n * \n public external abstract
class Element : Node, ParentNode, NonDocumentTypeChildNode, ChildNode, Slotable, GeometryUtils,
UnionElementOrHTMLCollection, UnionElementOrRadioNodeList, UnionElementOrMouseEvent,
UnionElementOrProcessingInstruction { \n    open val namespaceURI: String? \n    open val prefix: String? \n    open
val localName: String \n    open val tagName: String \n    open var id: String \n    open var className: String \n    open
val classList: DOMTokenList \n    open var slot: String \n    open val attributes: NamedNodeMap \n    open val
shadowRoot: ShadowRoot? \n    open var scrollTop: Double \n    open var scrollLeft: Double \n    open val
scrollWidth: Int \n    open val scrollHeight: Int \n    open val clientTop: Int \n    open val clientLeft: Int \n    open val
clientWidth: Int \n    open val clientHeight: Int \n    open var innerHTML: String \n    open var outerHTML: String \n
    fun hasAttributes(): Boolean \n    fun getAttributeNames(): Array<String> \n    fun getAttribute(qualifiedName:
String): String? \n
        fun getAttributeNS(namespace: String?, localName: String): String? \n    fun setAttribute(qualifiedName: String,
value: String) \n    fun setAttributeNS(namespace: String?, qualifiedName: String, value: String) \n    fun
removeAttribute(qualifiedName: String) \n    fun removeAttributeNS(namespace: String?, localName: String) \n
    fun hasAttribute(qualifiedName: String): Boolean \n    fun hasAttributeNS(namespace: String?, localName: String):
Boolean \n    fun getAttributeNode(qualifiedName: String): Attr? \n    fun getAttributeNodeNS(namespace: String?,

```

```

localName: String): Attr? \n fun setAttributeNode(attr: Attr): Attr? \n fun setAttributeNodeNS(attr: Attr): Attr? \n
fun removeAttributeNode(attr: Attr): Attr \n fun attachShadow(init: ShadowRootInit): ShadowRoot \n fun
closest(selectors: String): Element? \n fun matches(selectors: String): Boolean \n fun
webkitMatchesSelector(selectors: String): Boolean \n fun getElementsByTagName(qualifiedName: String):
HTMLCollection \n
fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection \n fun
getElementsByTagName(className: String): HTMLCollection \n fun insertAdjacentElement(where: String,
element: Element): Element? \n fun insertAdjacentText(where: String, data: String) \n fun getClientRects():
Array<DOMRect> \n fun getBoundingClientRect(): DOMRect \n fun scrollIntoView() \n fun
scrollIntoView(arg: dynamic) \n fun scroll(options: ScrollToOptions = definedExternally) \n fun scroll(x: Double,
y: Double) \n fun scrollTo(options: ScrollToOptions = definedExternally) \n fun scrollTo(x: Double, y: Double) \n
fun scrollBy(options: ScrollToOptions = definedExternally) \n fun scrollBy(x: Double, y: Double) \n fun
insertAdjacentHTML(position: String, text: String) \n fun setPointerCapture(pointerId: Int) \n fun
releasePointerCapture(pointerId: Int) \n fun hasPointerCapture(pointerId: Int): Boolean \n fun requestFullscreen():
Promise<Unit> \n \n companion
object { \n val ELEMENT_NODE: Short \n val ATTRIBUTE_NODE: Short \n val TEXT_NODE:
Short \n val CDATA_SECTION_NODE: Short \n val ENTITY_REFERENCE_NODE: Short \n val
ENTITY_NODE: Short \n val PROCESSING_INSTRUCTION_NODE: Short \n val COMMENT_NODE:
Short \n val DOCUMENT_NODE: Short \n val DOCUMENT_TYPE_NODE: Short \n val
DOCUMENT_FRAGMENT_NODE: Short \n val NOTATION_NODE: Short \n val
DOCUMENT_POSITION_DISCONNECTED: Short \n val DOCUMENT_POSITION_PRECEDING: Short \n
val DOCUMENT_POSITION_FOLLOWING: Short \n val DOCUMENT_POSITION_CONTAINS: Short \n
val DOCUMENT_POSITION_CONTAINED_BY: Short \n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n } \n } \n \n public external interface
ShadowRootInit { \n var mode: ShadowRootMode? \n } \n \n @Suppress(\\"INVISIBLE_REFERENCE\\",
\\"INVISIBLE_MEMBER\\") \n @kotlin.internal.InlineOnly \n public inline fun ShadowRootInit(mode:
ShadowRootMode?): ShadowRootInit
{ \n val o = js(\\"({})\\") \n o[\\"mode\\"] = mode \n return o \n } \n \n /** \n * Exposes the JavaScript
[NamedNodeMap](https://developer.mozilla.org/en/docs/Web/API/NamedNodeMap) to Kotlin \n * \n public external
abstract class NamedNodeMap : ItemArrayLike<Attr> { \n fun getNamedItemNS(namespace: String?, localName:
String): Attr? \n fun setNamedItem(attr: Attr): Attr? \n fun setNamedItemNS(attr: Attr): Attr? \n fun
removeNamedItem(qualifiedName: String): Attr \n fun removeNamedItemNS(namespace: String?, localName:
String): Attr \n override fun item(index: Int): Attr? \n fun getNamedItem(qualifiedName: String):
Attr? \n } \n \n @Suppress(\\"INVISIBLE_REFERENCE\\",
\\"INVISIBLE_MEMBER\\") \n @kotlin.internal.InlineOnly \n public inline operator fun NamedNodeMap.get(index:
Int): Attr? = asDynamic()[index] \n \n @Suppress(\\"INVISIBLE_REFERENCE\\",
\\"INVISIBLE_MEMBER\\") \n @kotlin.internal.InlineOnly \n public inline operator fun
NamedNodeMap.get(qualifiedName: String): Attr? = asDynamic()[qualifiedName] \n \n /** \n * Exposes the JavaScript [Attr](https://developer.mozilla.org/en/docs/Web/API/Attr) to Kotlin \n * \n public external
abstract class Attr : Node { \n open val namespaceURI: String? \n open val prefix: String? \n open val
localName: String \n open val name: String \n open var value: String \n open val ownerElement: Element? \n
open val specified: Boolean \n \n companion object { \n val ELEMENT_NODE: Short \n val
ATTRIBUTE_NODE: Short \n val TEXT_NODE: Short \n val CDATA_SECTION_NODE: Short \n val
ENTITY_REFERENCE_NODE: Short \n val ENTITY_NODE: Short \n val
PROCESSING_INSTRUCTION_NODE: Short \n val COMMENT_NODE: Short \n val
DOCUMENT_NODE: Short \n val DOCUMENT_TYPE_NODE: Short \n val
DOCUMENT_FRAGMENT_NODE: Short \n val NOTATION_NODE: Short \n val
DOCUMENT_POSITION_DISCONNECTED: Short \n val DOCUMENT_POSITION_PRECEDING: Short \n

```



```

    val DOCUMENT_POSITION_FOLLOWING:
Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val
DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[CharacterData](https://developer.mozilla.org/en/docs/Web/API/CharacterData) to Kotlin\n *\npublic external
abstract class CharacterData : Node, NonDocumentTypeChildNode, ChildNode {\n    open var data: String\n    open
val length: Int\n    fun substringData(offset: Int, count: Int): String\n    fun appendData(data: String)\n    fun
insertData(offset: Int, data: String)\n    fun deleteData(offset: Int, count: Int)\n    fun replaceData(offset: Int, count:
Int, data: String)\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[Text](https://developer.mozilla.org/en/docs/Web/API/Text) to Kotlin\n *\npublic external open class Text(data:
String = definedExternally) : CharacterData, Slotable, GeometryUtils {\n    open val wholeText: String\n    override
val assignedSlot: HTMLSlotElement?\n    override val previousElementSibling: Element?\n    override val
nextElementSibling: Element?\n    fun splitText(offset: Int): Text\n    override fun getBoxQuads(options:
BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n
    override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n    override fun convertRectFromNode(rect: DOMRectReadOnly, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n    override fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n    override fun before(vararg nodes: dynamic)\n    override fun after(vararg
nodes: dynamic)\n    override fun replaceWith(vararg nodes: dynamic)\n    override fun remove()\n\n    companion
object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE:
Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[CDATASection](https://developer.mozilla.org/en/docs/Web/API/CDATASection) to Kotlin\n *\npublic external
open class CDATASection : Text {\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE:
Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n
        val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:

```

```

Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [ProcessingInstruction](https://developer.mozilla.org/en/docs/Web/API/ProcessingInstruction) to
Kotlin\n\n *\n\npublic external abstract class ProcessingInstruction : CharacterData, LinkStyle,
UnionElementOrProcessingInstruction {\n    open val target: String\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n
        val DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val
NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val
DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [Comment](https://developer.mozilla.org/en/docs/Web/API/Comment) to Kotlin\n\n *\n\npublic external
open class Comment(data: String = definedExternally) : CharacterData {\n    override val previousElementSibling:
Element?\n    override val nextElementSibling: Element?\n    override fun before(vararg nodes: dynamic)\n
override fun after(vararg nodes: dynamic)\n    override fun replaceWith(vararg nodes: dynamic)\n    override fun
remove()\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[Range](https://developer.mozilla.org/en/docs/Web/API/Range) to Kotlin\n\n *\n\npublic external open class Range {\n
    open val startContainer: Node\n    open val startOffset: Int\n    open val endContainer: Node\n    open val
endOffset: Int\n    open val collapsed: Boolean\n
    open val commonAncestorContainer: Node\n    fun setStart(node: Node, offset: Int)\n    fun setEnd(node: Node,
offset: Int)\n    fun setStartBefore(node: Node)\n    fun setStartAfter(node: Node)\n    fun setEndBefore(node:
Node)\n    fun setEndAfter(node: Node)\n    fun collapse(toStart: Boolean = definedExternally)\n    fun
selectNode(node: Node)\n    fun selectNodeContents(node: Node)\n    fun compareBoundaryPoints(how: Short,
sourceRange: Range): Short\n    fun deleteContents()\n    fun extractContents(): DocumentFragment\n    fun
cloneContents(): DocumentFragment\n    fun insertNode(node: Node)\n    fun surroundContents(newParent: Node)\n
    fun cloneRange(): Range\n    fun detach()\n    fun isPointInRange(node: Node, offset: Int): Boolean\n    fun
comparePoint(node: Node, offset: Int): Short\n    fun intersectsNode(node: Node): Boolean\n    fun getClientRects():
Array<DOMRect>\n    fun getBoundingClientRect(): DOMRect\n    fun createContextualFragment(fragment:
String): DocumentFragment\n\n    companion object {\n        val START_TO_START: Short\n        val START_TO_END: Short\n        val
END_TO_END: Short\n        val END_TO_START: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[NodeIterator](https://developer.mozilla.org/en/docs/Web/API/NodeIterator) to Kotlin\n\n *\n\npublic external abstract
class NodeIterator {\n    open val root: Node\n    open val referenceNode: Node\n    open val
pointerBeforeReferenceNode: Boolean\n    open val whatToShow: Int\n    open val filter: NodeFilter?\n    fun
nextNode(): Node?\n    fun previousNode(): Node?\n    fun detach()\n}\n\n/**\n * Exposes the JavaScript
[TreeWalker](https://developer.mozilla.org/en/docs/Web/API/TreeWalker) to Kotlin\n\n *\n\npublic external abstract
class TreeWalker {\n    open val root: Node\n    open val whatToShow: Int\n    open val filter: NodeFilter?\n    open

```

```

var currentNode: Node\n fun parentNode(): Node?\n fun firstChild(): Node?\n fun lastChild(): Node?\n fun
previousSibling():
Node?\n fun nextSibling(): Node?\n fun previousNode(): Node?\n fun nextNode(): Node?\n}\n\n/**\n *
Exposes the JavaScript [NodeFilter](https://developer.mozilla.org/en/docs/Web/API/NodeFilter) to Kotlin\n
*\n@\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface NodeFilter {\n
fun acceptNode(node: Node): Short\n\n companion object {\n val FILTER_ACCEPT: Short\n val
FILTER_REJECT: Short\n val FILTER_SKIP: Short\n val SHOW_ALL: Int\n val
SHOW_ELEMENT: Int\n val SHOW_ATTRIBUTE: Int\n val SHOW_TEXT: Int\n val
SHOW_CDATA_SECTION: Int\n val SHOW_ENTITY_REFERENCE: Int\n val SHOW_ENTITY: Int\n
val SHOW_PROCESSING_INSTRUCTION: Int\n val SHOW_COMMENT: Int\n val
SHOW_DOCUMENT: Int\n val SHOW_DOCUMENT_TYPE: Int\n val
SHOW_DOCUMENT_FRAGMENT: Int\n val SHOW_NOTATION: Int\n }\n}\n\n/**\n * Exposes the
JavaScript [DOMTokenList](https://developer.mozilla.org/en/docs/Web/API/DOMTokenList)
to Kotlin\n *\npublic external abstract class DOMTokenList : ItemArrayLike<String> {\n open var value:
String\n fun contains(token: String): Boolean\n fun add(vararg tokens: String)\n fun remove(vararg tokens:
String)\n fun toggle(token: String, force: Boolean = definedExternally): Boolean\n fun replace(token: String,
newToken: String)\n fun supports(token: String): Boolean\n override fun item(index: Int):
String?\n}\n\n@\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMTokenList.get(index:
Int): String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DOMPointReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMPointReadOnly) to Kotlin\n *\npublic
external open class DOMPointReadOnly(x: Double, y: Double, z: Double, w: Double) {\n open val x: Double\n
open val y: Double\n open val z: Double\n open val w: Double\n fun matrixTransform(matrix:
DOMMatrixReadOnly): DOMPoint}\n\n/**\n * Exposes the JavaScript
[DOMPoint](https://developer.mozilla.org/en/docs/Web/API/DOMPoint) to Kotlin\n *\npublic external open class
DOMPoint : DOMPointReadOnly {\n constructor(point: DOMPointInit)\n constructor(x: Double =
definedExternally, y: Double = definedExternally, z: Double = definedExternally, w: Double = definedExternally)\n
override var x: Double\n override var y: Double\n override var z: Double\n override var w:
Double}\n\n/**\n * Exposes the JavaScript
[DOMPointInit](https://developer.mozilla.org/en/docs/Web/API/DOMPointInit) to Kotlin\n *\npublic external
interface DOMPointInit {\n var x: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =
definedExternally\n var y: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =
definedExternally\n var z: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =
definedExternally\n
var w: Double? /* = 1.0 */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun DOMPointInit(x: Double? = 0.0, y:
Double? = 0.0, z: Double? = 0.0, w: Double? = 1.0): DOMPointInit {\n val o = js("{}")\n o["x"] = x\n
o["y"] = y\n o["z"] = z\n o["w"] = w\n return o}\n\n/**\n * Exposes the JavaScript
[DOMRect](https://developer.mozilla.org/en/docs/Web/API/DOMRect) to Kotlin\n *\npublic external open class
DOMRect(x: Double = definedExternally, y: Double = definedExternally, width: Double = definedExternally,
height: Double = definedExternally) : DOMRectReadOnly {\n override var x: Double\n override var y: Double\n
override var width: Double\n override var height: Double}\n\n/**\n * Exposes the JavaScript
[DOMRectReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMRectReadOnly) to Kotlin\n *\npublic
external
open class DOMRectReadOnly(x: Double, y: Double, width: Double, height: Double) {\n open val x: Double\n
open val y: Double\n open val width: Double\n open val height: Double\n open val top: Double\n open val
right: Double\n open val bottom: Double\n open val left: Double}\n\npublic external interface DOMRectInit

```

```

{\n  var x: Double? /* = 0.0 */\n    get() = definedExternally\n    set(value) = definedExternally\n  var y:
Double? /* = 0.0 */\n    get() = definedExternally\n    set(value) = definedExternally\n  var width: Double? /*
= 0.0 */\n    get() = definedExternally\n    set(value) = definedExternally\n  var height: Double? /* = 0.0 */\n
    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun DOMRectInit(x: Double? = 0.0, y:
Double? = 0.0, width: Double? = 0.0, height: Double? = 0.0): DOMRectInit
{\n  val o = js("{}")\n  o["x"] = x\n  o["y"] = y\n  o["width"] = width\n  o["height"] = height\n
return o}\n\npublic external interface DOMRectList : ItemArrayLike<DOMRect> {\n  override fun item(index:
Int): DOMRect?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMRectList.get(index: Int):
DOMRect? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DOMQuad](https://developer.mozilla.org/en/docs/Web/API/DOMQuad) to Kotlin\n */\npublic external open class
DOMQuad {\n  constructor(p1: DOMPointInit = definedExternally, p2: DOMPointInit = definedExternally, p3:
DOMPointInit = definedExternally, p4: DOMPointInit = definedExternally)\n  constructor(rect: DOMRectInit)\n
open val p1: DOMPoint\n  open val p2: DOMPoint\n  open val p3: DOMPoint\n  open val p4: DOMPoint\n
open val bounds: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript
[DOMMatrixReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMMatrixReadOnly)
to Kotlin\n */\npublic external open class DOMMatrixReadOnly(numberSequence: Array<Double>) {\n  open val
a: Double\n  open val b: Double\n  open val c: Double\n  open val d: Double\n  open val e: Double\n  open val
f: Double\n  open val m11: Double\n  open val m12: Double\n  open val m13: Double\n  open val m14:
Double\n  open val m21: Double\n  open val m22: Double\n  open val m23: Double\n  open val m24: Double\n
open val m31: Double\n  open val m32: Double\n  open val m33: Double\n  open val m34: Double\n  open val
m41: Double\n  open val m42: Double\n  open val m43: Double\n  open val m44: Double\n  open val is2D:
Boolean\n  open val isIdentity: Boolean\n  fun translate(tx: Double, ty: Double, tz: Double = definedExternally):
DOMMatrix\n  fun scale(scale: Double, originX: Double = definedExternally, originY: Double =
definedExternally): DOMMatrix\n  fun scale3d(scale: Double,
originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally):
DOMMatrix\n  fun scaleNonUniform(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double =
definedExternally, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double =
definedExternally): DOMMatrix\n  fun rotate(angle: Double, originX: Double = definedExternally, originY:
Double = definedExternally): DOMMatrix\n  fun rotateFromVector(x: Double, y: Double): DOMMatrix\n  fun
rotateAxisAngle(x: Double, y: Double, z: Double, angle: Double): DOMMatrix\n  fun skewX(sx: Double):
DOMMatrix\n  fun skewY(sy: Double): DOMMatrix\n  fun multiply(other: DOMMatrix): DOMMatrix\n  fun
flipX(): DOMMatrix\n  fun flipY(): DOMMatrix\n  fun inverse(): DOMMatrix\n  fun transformPoint(point:
DOMPointInit = definedExternally): DOMPoint\n  fun toFloat32Array(): Float32Array\n  fun toFloat64Array():
Float64Array\n}\n\n/**\n *
Exposes the JavaScript [DOMMatrix](https://developer.mozilla.org/en/docs/Web/API/DOMMatrix) to Kotlin\n
*/\npublic external open class DOMMatrix() : DOMMatrixReadOnly {\n  constructor(transformList: String)\n
constructor(other: DOMMatrixReadOnly)\n  constructor(array32: Float32Array)\n  constructor(array64:
Float64Array)\n  constructor(numberSequence: Array<Double>)\n  override var a: Double\n  override var b:
Double\n  override var c: Double\n  override var d: Double\n  override var e: Double\n  override var f:
Double\n  override var m11: Double\n  override var m12: Double\n  override var m13: Double\n  override var
m14: Double\n  override var m21: Double\n  override var m22: Double\n  override var m23: Double\n  override
var m24: Double\n  override var m31: Double\n  override var m32: Double\n  override var m33: Double\n
override var m34: Double\n  override var m41: Double\n  override var m42: Double\n  override var m43:
Double\n
  override var m44: Double\n  fun multiplySelf(other: DOMMatrix): DOMMatrix\n  fun preMultiplySelf(other:
DOMMatrix): DOMMatrix\n  fun translateSelf(tx: Double, ty: Double, tz: Double = definedExternally):

```

```

DOMMatrix\n fun scaleSelf(scale: Double, originX: Double = definedExternally, originY: Double =
definedExternally): DOMMatrix\n fun scale3dSelf(scale: Double, originX: Double = definedExternally, originY:
Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n fun
scaleNonUniformSelf(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally,
originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally):
DOMMatrix\n fun rotateSelf(angle: Double, originX: Double = definedExternally, originY: Double =
definedExternally): DOMMatrix\n fun rotateFromVectorSelf(x: Double, y: Double): DOMMatrix\n fun
rotateAxisAngleSelf(x: Double, y: Double, z: Double, angle: Double):
DOMMatrix\n fun skewXSelf(sx: Double): DOMMatrix\n fun skewYSelf(sy: Double): DOMMatrix\n fun
invertSelf(): DOMMatrix\n fun setMatrixValue(transformList: String): DOMMatrix\n}\n\npublic external
interface ScrollOptions {\n var behavior: ScrollBehavior? /* = ScrollBehavior.AUTO */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ScrollOptions(behavior:
ScrollBehavior? = ScrollBehavior.AUTO): ScrollOptions {\n val o = js("{}")\n o["behavior"] = behavior\n
return o}\n}\n\n/**\n * Exposes the JavaScript
[ScrollToOptions](https://developer.mozilla.org/en/docs/Web/API/ScrollToOptions) to Kotlin\n */\npublic external
interface ScrollToOptions : ScrollOptions {\n var left: Double?\n get() = definedExternally\n set(value) =
definedExternally\n var top: Double?\n get() = definedExternally\n set(value)
= definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ScrollToOptions(left: Double? =
undefined, top: Double? = undefined, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollToOptions {\n
val o = js("{}")\n o["left"] = left\n o["top"] = top\n o["behavior"] = behavior\n return o}\n}\n\n/**\n *
Exposes the JavaScript [MediaQueryList](https://developer.mozilla.org/en/docs/Web/API/MediaQueryList) to
Kotlin\n */\npublic external abstract class MediaQueryList : EventTarget {\n open val media: String\n open val
matches: Boolean\n open var onchange: ((Event) -> dynamic)?\n fun addListener(listener: EventListener?)\n
fun addListener(listener: ((Event) -> Unit)?)\n fun removeListener(listener: EventListener?)\n fun
removeListener(listener: ((Event) -> Unit)?)\n}\n}\n\n/**\n * Exposes the JavaScript
[MediaQueryListEvent](https://developer.mozilla.org/en/docs/Web/API/MediaQueryListEvent)
to Kotlin\n */\npublic external open class MediaQueryListEvent(type: String, eventInitDict:
MediaQueryListEventInit = definedExternally) : Event {\n open val media: String\n open val matches:
Boolean\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val
AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface
MediaQueryListEventInit : EventInit {\n var media: String? /* = "" */\n get() = definedExternally\n
set(value) = definedExternally\n var matches: Boolean? /* = false */\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun MediaQueryListEventInit(media:
String? = "", matches: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): MediaQueryListEventInit {\n val o = js("{}")\n
o["media"] = media\n o["matches"] = matches\n o["bubbles"] = bubbles\n o["cancelable"] =
cancelable\n o["composed"] = composed\n return o}\n}\n\n/**\n * Exposes the JavaScript
[Screen](https://developer.mozilla.org/en/docs/Web/API/Screen) to Kotlin\n */\npublic external abstract class
Screen {\n open val availWidth: Int\n open val availHeight: Int\n open val width: Int\n open val height: Int\n
open val colorDepth: Int\n open val pixelDepth: Int}\n}\n\n/**\n * Exposes the JavaScript
[CaretPosition](https://developer.mozilla.org/en/docs/Web/API/CaretPosition) to Kotlin\n */\npublic external
abstract class CaretPosition {\n open val offsetNode: Node\n open val offset: Int\n fun getClientRect():
DOMRect?\n}\n\npublic external interface ScrollIntoViewOptions : ScrollOptions {\n var block:
ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n get() = definedExternally\n set(value) =
definedExternally\n var inline:

```

```

ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ScrollIntoViewOptions(block:
ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, inline: ScrollLogicalPosition? =
ScrollLogicalPosition.CENTER, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollIntoViewOptions {\n
val o = js(\"({})\")\n    o[\"block\"] = block\n    o[\"inline\"] = inline\n    o[\"behavior\"] = behavior\n    return
o\n}\n\npublic external interface BoxQuadOptions {\n    var box: CSSBoxType? /* = CSSBoxType.BORDER */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var relativeTo: dynamic\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun BoxQuadOptions(box:
CSSBoxType? = CSSBoxType.BORDER, relativeTo: dynamic = undefined): BoxQuadOptions {\n    val o =
js(\"({})\")\n    o[\"box\"] = box\n    o[\"relativeTo\"] = relativeTo\n    return o\n}\n\npublic external interface
ConvertCoordinateOptions {\n    var fromBox: CSSBoxType? /* = CSSBoxType.BORDER */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var toBox: CSSBoxType? /* = CSSBoxType.BORDER
*/\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ConvertCoordinateOptions(fromBox:
CSSBoxType? = CSSBoxType.BORDER, toBox: CSSBoxType? = CSSBoxType.BORDER):
ConvertCoordinateOptions {\n    val o = js(\"({})\")\n    o[\"fromBox\"] = fromBox\n    o[\"toBox\"] = toBox\n
return o\n}\n\n/**\n * Exposes the JavaScript
[GeometryUtils](https://developer.mozilla.org/en/docs/Web/API/GeometryUtils) to Kotlin\n */\npublic external
interface GeometryUtils {\n    fun getBoxQuads(options: BoxQuadOptions = definedExternally):
Array<DOMQuad>\n    fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions = definedExternally): DOMQuad\n    fun convertRectFromNode(rect:
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMQuad\n    fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions =
definedExternally): DOMPoint\n}\n\n/**\n * Exposes the JavaScript
[Touch](https://developer.mozilla.org/en/docs/Web/API/Touch) to Kotlin\n */\npublic external abstract class Touch
{\n    open val identifier: Int\n    open val target: EventTarget\n    open val screenX: Int\n    open val screenY: Int\n
open val clientX: Int\n    open val clientY: Int\n    open val pageX: Int\n    open val pageY: Int\n    open val region:
String?\n}\n\npublic external abstract class TouchList : ItemArrayLike<Touch> {\n    override fun item(index:
Int): Touch?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun TouchList.get(index: Int):
Touch? = asDynamic()[index]\n\npublic external open class TouchEvent : UIEvent {\n    open val touches:
TouchList\n    open val targetTouches: TouchList\n    open val changedTouches: TouchList\n    open val altKey:
Boolean\n    open val metaKey: Boolean\n    open val ctrlKey: Boolean\n    open val shiftKey: Boolean\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET:
Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[Image](https://developer.mozilla.org/en/docs/Web/API/Image) to Kotlin\n */\npublic external open class
Image(width: Int = definedExternally, height: Int = definedExternally) : HTMLElement {\n    override var
onabort: ((Event) -> dynamic)?\n    override var onblur: ((FocusEvent) -> dynamic)?\n    override var onCancel:
((Event) -> dynamic)?\n    override var oncanplay: ((Event) -> dynamic)?\n    override var oncanplaythrough: ((Event) ->
dynamic)?\n    override var onchange: ((Event) -> dynamic)?\n    override var onclick: ((MouseEvent) ->
dynamic)?\n    override var onclose: ((Event) -> dynamic)?\n    override var oncontextmenu: ((MouseEvent) ->
dynamic)?\n    override var oncuechange: ((Event) -> dynamic)?\n    override var ondblclick: ((MouseEvent) ->
dynamic)?\n    override var ondrag: ((DragEvent) -> dynamic)?\n    override var ondragend: ((DragEvent) ->
dynamic)?\n    override var ondragenter: ((DragEvent) -> dynamic)?\n    override var ondragexit: ((DragEvent) ->

```

```

dynamic)?\n  override var ondragleave: ((DragEvent) -> dynamic)?\n  override var ondragover: ((DragEvent) ->
dynamic)?\n  override var ondragstart: ((DragEvent) -> dynamic)?\n  override var ondrop: ((DragEvent) ->
dynamic)?\n  override var ondurationchange: ((Event) -> dynamic)?\n  override var onemptied: ((Event) ->
dynamic)?\n
  override var onended: ((Event) -> dynamic)?\n  override var onerror: ((dynamic, String, Int, Int, Any?) ->
dynamic)?\n  override var onfocus: ((FocusEvent) -> dynamic)?\n  override var oninput: ((InputEvent) ->
dynamic)?\n  override var oninvalid: ((Event) -> dynamic)?\n  override var onkeydown: ((KeyboardEvent) ->
dynamic)?\n  override var onkeypress: ((KeyboardEvent) -> dynamic)?\n  override var onkeyup:
((KeyboardEvent) -> dynamic)?\n  override var onload: ((Event) -> dynamic)?\n  override var onloadeddata:
((Event) -> dynamic)?\n  override var onloadedmetadata: ((Event) -> dynamic)?\n  override var onloadend:
((Event) -> dynamic)?\n  override var onloadstart: ((ProgressEvent) -> dynamic)?\n  override var onmousedown:
((MouseEvent) -> dynamic)?\n  override var onmouseenter: ((MouseEvent) -> dynamic)?\n  override var
onmouseleave: ((MouseEvent) -> dynamic)?\n  override var onmousemove: ((MouseEvent) -> dynamic)?\n
  override var onmouseout: ((MouseEvent)
-> dynamic)?\n  override var onmouseover: ((MouseEvent) -> dynamic)?\n  override var onmouseup:
((MouseEvent) -> dynamic)?\n  override var onwheel: ((WheelEvent) -> dynamic)?\n  override var onpause:
((Event) -> dynamic)?\n  override var onplay: ((Event) -> dynamic)?\n  override var onplaying: ((Event) ->
dynamic)?\n  override var onprogress: ((ProgressEvent) -> dynamic)?\n  override var onratechange: ((Event) ->
dynamic)?\n  override var onreset: ((Event) -> dynamic)?\n  override var onresize: ((Event) -> dynamic)?\n
  override var onscroll: ((Event) -> dynamic)?\n  override var onseeked: ((Event) -> dynamic)?\n  override var
onseeking: ((Event) -> dynamic)?\n  override var onselect: ((Event) -> dynamic)?\n  override var onshow:
((Event) -> dynamic)?\n  override var onstalled: ((Event) -> dynamic)?\n  override var onsubmit: ((Event) ->
dynamic)?\n  override var onsuspend: ((Event) -> dynamic)?\n  override var ontimeupdate: ((Event) ->
dynamic)?\n  override var ontoggle: ((Event) -> dynamic)?\n  override var onvolumechange: ((Event) ->
dynamic)?\n  override var onwaiting: ((Event) -> dynamic)?\n  override var ongotpointercapture: ((PointerEvent)
-> dynamic)?\n  override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n  override var onpointerdown:
((PointerEvent) -> dynamic)?\n  override var onpointermove: ((PointerEvent) -> dynamic)?\n  override var
onpointerup: ((PointerEvent) -> dynamic)?\n  override var onpointercancel: ((PointerEvent) -> dynamic)?\n
  override var onpointerover: ((PointerEvent) -> dynamic)?\n  override var onpointerout: ((PointerEvent) ->
dynamic)?\n  override var onpointerenter: ((PointerEvent) -> dynamic)?\n  override var onpointerleave:
((PointerEvent) -> dynamic)?\n  override var oncopy: ((ClipboardEvent) -> dynamic)?\n  override var oncut:
((ClipboardEvent) -> dynamic)?\n  override var onpaste: ((ClipboardEvent) -> dynamic)?\n  override var
contentEditable:
String\n  override val isContentEditable: Boolean\n  override val style: CSSStyleDeclaration\n  override val
children: HTMLCollection\n  override val firstElementChild: Element?\n  override val lastElementChild:
Element?\n  override val childElementCount: Int\n  override val previousElementSibling: Element?\n  override
val nextElementSibling: Element?\n  override val assignedSlot: HTMLSlotElement?\n  override fun
prepend(vararg nodes: dynamic)\n  override fun append(vararg nodes: dynamic)\n  override fun
querySelector(selectors: String): Element?\n  override fun querySelectorAll(selectors: String): NodeList\n
  override fun before(vararg nodes: dynamic)\n  override fun after(vararg nodes: dynamic)\n  override fun
replaceWith(vararg nodes: dynamic)\n  override fun remove()\n  override fun getBoxQuads(options:
BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n  override fun convertQuadFromNode(quad:
dynamic, from: dynamic, options: ConvertCoordinateOptions
/* = definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect: DOMRectReadOnly, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val

```

```

ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS:
Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n\npublic external open class
Audio(src: String = definedExternally) : HTMLAudioElement { \n    override var onabort: ((Event) -> dynamic)? \n
override var onblur: ((FocusEvent) -> dynamic)? \n    override var oncancel: ((Event) -> dynamic)? \n    override var
oncanplay: ((Event) -> dynamic)? \n    override var oncanplaythrough: ((Event) -> dynamic)? \n    override var
onchange: ((Event) -> dynamic)? \n    override var onclick: ((MouseEvent) -> dynamic)? \n    override var onclose:
((Event) -> dynamic)? \n    override var oncontextmenu: ((MouseEvent) -> dynamic)? \n    override var oncuechange:
((Event) -> dynamic)? \n    override var ondblclick: ((MouseEvent) -> dynamic)? \n    override var ondrag:
((DragEvent) -> dynamic)? \n    override var ondragend: ((DragEvent) -> dynamic)? \n    override var ondragenter:
((DragEvent) -> dynamic)? \n    override var ondragexit:
((DragEvent) -> dynamic)? \n    override var ondragleave: ((DragEvent) -> dynamic)? \n    override var ondragover:
((DragEvent) -> dynamic)? \n    override var ondragstart: ((DragEvent) -> dynamic)? \n    override var ondrop:
((DragEvent) -> dynamic)? \n    override var ondurationchange: ((Event) -> dynamic)? \n    override var onemptied:
((Event) -> dynamic)? \n    override var onended: ((Event) -> dynamic)? \n    override var onerror: ((dynamic, String,
Int, Int, Any?) -> dynamic)? \n    override var onfocus: ((FocusEvent) -> dynamic)? \n    override var oninput:
((InputEvent) -> dynamic)? \n    override var oninvalid: ((Event) -> dynamic)? \n    override var onkeydown:
((KeyboardEvent) -> dynamic)? \n    override var onkeypress: ((KeyboardEvent) -> dynamic)? \n    override var
onkeyup: ((KeyboardEvent) -> dynamic)? \n    override var onload: ((Event) -> dynamic)? \n    override var
onloadeddata: ((Event) -> dynamic)? \n    override var onloadedmetadata: ((Event) -> dynamic)? \n    override var
onloadend:
((Event) -> dynamic)? \n    override var onloadstart: ((ProgressEvent) -> dynamic)? \n    override var onmousedown:
((MouseEvent) -> dynamic)? \n    override var onmouseenter: ((MouseEvent) -> dynamic)? \n    override var
onmouseleave: ((MouseEvent) -> dynamic)? \n    override var onmousemove: ((MouseEvent) -> dynamic)? \n
override var onmouseout: ((MouseEvent) -> dynamic)? \n    override var onmouseover: ((MouseEvent) ->
dynamic)? \n    override var onmouseup: ((MouseEvent) -> dynamic)? \n    override var onwheel: ((WheelEvent) ->
dynamic)? \n    override var onpause: ((Event) -> dynamic)? \n    override var onplay: ((Event) -> dynamic)? \n
override var onplaying: ((Event) -> dynamic)? \n    override var onprogress: ((ProgressEvent) -> dynamic)? \n
override var onratechange: ((Event) -> dynamic)? \n    override var onreset: ((Event) -> dynamic)? \n    override var
onresize: ((Event) -> dynamic)? \n    override var onscroll: ((Event) -> dynamic)? \n    override var onseeked:
((Event) ->
dynamic)? \n    override var onseeking: ((Event) -> dynamic)? \n    override var onselect: ((Event) -> dynamic)? \n
override var onshow: ((Event) -> dynamic)? \n    override var onstalled: ((Event) -> dynamic)? \n    override var
onsubmit: ((Event) -> dynamic)? \n    override var onsuspend: ((Event) -> dynamic)? \n    override var ontimeupdate:
((Event) -> dynamic)? \n    override var ontoggle: ((Event) -> dynamic)? \n    override var onvolumechange: ((Event)
-> dynamic)? \n    override var onwaiting: ((Event) -> dynamic)? \n    override var ongotpointercapture:
((PointerEvent) -> dynamic)? \n    override var onlostpointercapture: ((PointerEvent) -> dynamic)? \n    override var
onpointerdown: ((PointerEvent) -> dynamic)? \n    override var onpointermove: ((PointerEvent) -> dynamic)? \n
override var onpointerup: ((PointerEvent) -> dynamic)? \n    override var onpointercancel: ((PointerEvent) ->
dynamic)? \n    override var onpointerover: ((PointerEvent) -> dynamic)? \n    override var onpointerout:
((PointerEvent) -> dynamic)? \n    override var onpointerenter: ((PointerEvent) -> dynamic)? \n    override var
onpointerleave: ((PointerEvent) -> dynamic)? \n    override var oncopy: ((ClipboardEvent) -> dynamic)? \n    override
var oncut: ((ClipboardEvent) -> dynamic)? \n    override var onpaste: ((ClipboardEvent) -> dynamic)? \n    override

```



```

var contentEditable: String\n  override val isContentEditable: Boolean\n  override val style:
CSSStyleDeclaration\n  override val children: HTMLCollection\n  override val firstElementChild: Element?\n
override val lastElementChild: Element?\n  override val childElementCount: Int\n  override val
previousElementSibling: Element?\n  override val nextElementSibling: Element?\n  override val assignedSlot:
HTMLSlotElement?\n  override fun prepend(vararg nodes: dynamic)\n  override fun append(vararg nodes:
dynamic)\n  override fun querySelector(selectors: String): Element?\n  override fun querySelectorAll(selectors:
String): NodeList\n
    override fun before(vararg nodes: dynamic)\n  override fun after(vararg nodes: dynamic)\n  override fun
replaceWith(vararg nodes: dynamic)\n  override fun remove()\n  override fun getBoxQuads(options:
BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n  override fun convertQuadFromNode(quad:
dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override
fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n  override fun convertPointFromNode(point: DOMPointInit, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n  companion object {\n    val
NETWORK_EMPTY: Short\n    val NETWORK_IDLE: Short\n    val NETWORK_LOADING: Short\n
val NETWORK_NO_SOURCE: Short\n    val HAVE_NOTHING: Short\n    val HAVE_METADATA:
Short\n    val HAVE_CURRENT_DATA: Short\n    val HAVE_FUTURE_DATA:
Short\n    val HAVE_ENOUGH_DATA: Short\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n\n  /**\n   * Exposes the JavaScript
[Option](https://developer.mozilla.org/en/docs/Web/API/Option) to Kotlin\n   */\n  public external open class
Option(text: String = definedExternally, value: String
= definedExternally, defaultSelected: Boolean = definedExternally, selected: Boolean = definedExternally) :
HTMLOptionElement {\n    override var onabort: ((Event) -> dynamic)?\n    override var onblur: ((FocusEvent) ->
dynamic)?\n    override var onCancel: ((Event) -> dynamic)?\n    override var oncanplay: ((Event) -> dynamic)?\n
override var oncanplaythrough: ((Event) -> dynamic)?\n    override var onChange: ((Event) -> dynamic)?\n
override var onclick: ((MouseEvent) -> dynamic)?\n    override var onclose: ((Event) -> dynamic)?\n    override var
oncontextmenu: ((MouseEvent) -> dynamic)?\n    override var oncuechange: ((Event) -> dynamic)?\n    override var
ondblclick: ((MouseEvent) -> dynamic)?\n    override var ondrag: ((DragEvent) -> dynamic)?\n    override var
ondragend: ((DragEvent) -> dynamic)?\n    override var ondragenter: ((DragEvent) -> dynamic)?\n    override var
ondragexit: ((DragEvent) -> dynamic)?\n    override var ondragleave: ((DragEvent) -> dynamic)?\n
override var ondragover: ((DragEvent) -> dynamic)?\n    override var ondragstart: ((DragEvent) -> dynamic)?\n
override var ondrop: ((DragEvent) -> dynamic)?\n    override var ondurationchange: ((Event) -> dynamic)?\n
override var onemptied: ((Event) -> dynamic)?\n    override var onended: ((Event) -> dynamic)?\n    override var
onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n    override var onfocus: ((FocusEvent) -> dynamic)?\n
override var oninput: ((InputEvent) -> dynamic)?\n    override var oninvalid: ((Event) -> dynamic)?\n    override var
onkeydown: ((KeyboardEvent) -> dynamic)?\n    override var onkeypress: ((KeyboardEvent) -> dynamic)?\n
override var onkeyup: ((KeyboardEvent) -> dynamic)?\n    override var onload: ((Event) -> dynamic)?\n    override
var onloadeddata: ((Event) -> dynamic)?\n    override var onloadedmetadata: ((Event) -> dynamic)?\n    override var
onloadend: ((Event) -> dynamic)?\n    override var onloadstart: ((ProgressEvent) -> dynamic)?\n

```

```

    override var onmousedown: ((MouseEvent) -> dynamic)?\n    override var onmouseenter: ((MouseEvent) ->
dynamic)?\n    override var onmouseleave: ((MouseEvent) -> dynamic)?\n    override var onmousemove:
((MouseEvent) -> dynamic)?\n    override var onmouseout: ((MouseEvent) -> dynamic)?\n    override var
onmouseover: ((MouseEvent) -> dynamic)?\n    override var onmouseup: ((MouseEvent) -> dynamic)?\n    override
var onwheel: ((WheelEvent) -> dynamic)?\n    override var onpause: ((Event) -> dynamic)?\n    override var onplay:
((Event) -> dynamic)?\n    override var onplaying: ((Event) -> dynamic)?\n    override var onprogress:
((ProgressEvent) -> dynamic)?\n    override var onratechange: ((Event) -> dynamic)?\n    override var onreset:
((Event) -> dynamic)?\n    override var onresize: ((Event) -> dynamic)?\n    override var onscroll: ((Event) ->
dynamic)?\n    override var onseeked: ((Event) -> dynamic)?\n    override var onseeking: ((Event) -> dynamic)?\n
override var onselect: ((Event)
-> dynamic)?\n    override var onshow: ((Event) -> dynamic)?\n    override var onstalled: ((Event) -> dynamic)?\n
override var onsubmit: ((Event) -> dynamic)?\n    override var onsuspend: ((Event) -> dynamic)?\n    override var
ontimeupdate: ((Event) -> dynamic)?\n    override var ontoggle: ((Event) -> dynamic)?\n    override var
onvolumechange: ((Event) -> dynamic)?\n    override var onwaiting: ((Event) -> dynamic)?\n    override var
ongotpointercapture: ((PointerEvent) -> dynamic)?\n    override var onlostpointercapture: ((PointerEvent) ->
dynamic)?\n    override var onpointerdown: ((PointerEvent) -> dynamic)?\n    override var onpointermove:
((PointerEvent) -> dynamic)?\n    override var onpointerup: ((PointerEvent) -> dynamic)?\n    override var
onpointercancel: ((PointerEvent) -> dynamic)?\n    override var onpointerover: ((PointerEvent) -> dynamic)?\n
override var onpointerout: ((PointerEvent) -> dynamic)?\n    override var onpointerenter: ((PointerEvent) ->
dynamic)?\n
    override var onpointerleave: ((PointerEvent) -> dynamic)?\n    override var oncopy: ((ClipboardEvent) ->
dynamic)?\n    override var oncut: ((ClipboardEvent) -> dynamic)?\n    override var onpaste: ((ClipboardEvent) ->
dynamic)?\n    override var contentEditable: String\n    override val isContentEditable: Boolean\n    override val
style: CSSStyleDeclaration\n    override val children: HTMLCollection\n    override val firstElementChild:
Element?\n    override val lastElementChild: Element?\n    override val childElementCount: Int\n    override val
previousElementSibling: Element?\n    override val nextElementSibling: Element?\n    override val assignedSlot:
HTMLSlotElement?\n    override fun prepend(vararg nodes: dynamic)\n    override fun append(vararg nodes:
dynamic)\n    override fun querySelector(selectors: String): Element?\n    override fun querySelectorAll(selectors:
String): NodeList\n    override fun before(vararg nodes: dynamic)\n    override fun after(vararg nodes: dynamic)\n
    override fun replaceWith(vararg nodes: dynamic)\n    override fun remove()\n    override fun
getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n    override fun
convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally
*/): DOMQuad\n    override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options:
ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n    override fun convertPointFromNode(point:
DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n
companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val
TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE:
Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
UnionElementOrHTMLCollection\n\npublic external interface UnionElementOrRadioNodeList\n\npublic external
interface UnionHTMLOptGroupElementOrHTMLOptionElement\n\npublic external interface
UnionAudioTrackOrTextTrackOrVideoTrack\n\npublic external interface UnionElementOrMouseEvent\n\npublic
external interface UnionMessagePortOrWindowProxy\n\npublic external interface MediaProvider\n\npublic

```

```

external interface RenderingContext\n\npublic external interface HTMLOrSVGImageElement :
CanvasImageSource\n\npublic external interface CanvasImageSource : ImageBitmapSource\n\npublic
external interface ImageBitmapSource\n\npublic external interface HTMLOrSVGScriptElement\n\n/* please, don't
implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface DocumentReadyState {\n companion object\n}\n\npublic inline val
DocumentReadyState.Companion.LOADING: DocumentReadyState get() =
\"loading\".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val
DocumentReadyState.Companion.INTERACTIVE: DocumentReadyState get() =
\"interactive\".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val
DocumentReadyState.Companion.COMPLETE: DocumentReadyState get() =
\"complete\".asDynamic().unsafeCast<DocumentReadyState>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface CanPlayTypeResult {\n companion object\n}\n\npublic inline val
CanPlayTypeResult.Companion.EMPTY: CanPlayTypeResult get() =
\"\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic
inline val CanPlayTypeResult.Companion.MAYBE: CanPlayTypeResult get() =
\"maybe\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic inline val
CanPlayTypeResult.Companion.PROBABLY: CanPlayTypeResult get() =
\"probably\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface TextTrackMode {\n companion object\n}\n\npublic inline val TextTrackMode.Companion.DISABLED:
TextTrackMode get() = \"disabled\".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val
TextTrackMode.Companion.HIDDEN: TextTrackMode get() =
\"hidden\".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val
TextTrackMode.Companion.SHOWING: TextTrackMode get() =
\"showing\".asDynamic().unsafeCast<TextTrackMode>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic
external interface TextTrackKind {\n companion object\n}\n\npublic inline val
TextTrackKind.Companion.SUBTITLES: TextTrackKind get() =
\"subtitles\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.CAPTIONS: TextTrackKind get() =
\"captions\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.DESCRPTIONS: TextTrackKind get() =
\"descriptions\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.CHAPTERS: TextTrackKind get() =
\"chapters\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.METADATA: TextTrackKind get() =
\"metadata\".asDynamic().unsafeCast<TextTrackKind>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface SelectionMode {\n companion object\n}\n\npublic inline val SelectionMode.Companion.SELECT:
SelectionMode get()
= \"select\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.START:
SelectionMode get() = \"start\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val
SelectionMode.Companion.END: SelectionMode get() =
\"end\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.PRESERVE:
SelectionMode get() = \"preserve\".asDynamic().unsafeCast<SelectionMode>()\n\n/* please, don't implement this
interface! *\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic

```

```

external interface CanvasFillRule {
    companion object
}
public inline val
CanvasFillRule.Companion.NONZERO: CanvasFillRule get() =
    "nonzero".asDynamic().unsafeCast<CanvasFillRule>()
public inline val
CanvasFillRule.Companion.EVENODD: CanvasFillRule get() =
    "evenodd".asDynamic().unsafeCast<CanvasFillRule>()
/* please, don't implement this interface!
*/
@JsName("null")
@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
public
external interface ImageSmoothingQuality {
    companion object
}
public inline val
ImageSmoothingQuality.Companion.LOW: ImageSmoothingQuality get() =
    "low".asDynamic().unsafeCast<ImageSmoothingQuality>()
public inline val
ImageSmoothingQuality.Companion.MEDIUM: ImageSmoothingQuality get() =
    "medium".asDynamic().unsafeCast<ImageSmoothingQuality>()
public inline val
ImageSmoothingQuality.Companion.HIGH: ImageSmoothingQuality get() =
    "high".asDynamic().unsafeCast<ImageSmoothingQuality>()
/* please, don't implement this interface!
*/
@JsName("null")
@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
public
external
interface CanvasLineCap {
    companion object
}
public inline val CanvasLineCap.Companion.BUTT:
CanvasLineCap get() = "butt".asDynamic().unsafeCast<CanvasLineCap>()
public inline val
CanvasLineCap.Companion.ROUND: CanvasLineCap get() =
    "round".asDynamic().unsafeCast<CanvasLineCap>()
public inline val CanvasLineCap.Companion.SQUARE:
CanvasLineCap get() = "square".asDynamic().unsafeCast<CanvasLineCap>()
/* please, don't implement this
interface!
*/
@JsName("null")
@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
public
external
interface CanvasLineJoin {
    companion object
}
public inline val
CanvasLineJoin.Companion.ROUND: CanvasLineJoin get() =
    "round".asDynamic().unsafeCast<CanvasLineJoin>()
public inline val CanvasLineJoin.Companion.BEVEL:
CanvasLineJoin get() = "bevel".asDynamic().unsafeCast<CanvasLineJoin>()
public inline val
CanvasLineJoin.Companion.MITER: CanvasLineJoin get() =
    "miter".asDynamic().unsafeCast<CanvasLineJoin>()
/* please, don't implement this interface!
*/
@JsName("null")
@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
public
external
interface CanvasTextAlign {
    companion object
}
public inline val CanvasTextAlign.Companion.START:
CanvasTextAlign get() = "start".asDynamic().unsafeCast<CanvasTextAlign>()
public inline val
CanvasTextAlign.Companion.END:
CanvasTextAlign get() = "end".asDynamic().unsafeCast<CanvasTextAlign>()
public inline val
CanvasTextAlign.Companion.LEFT: CanvasTextAlign get() =
    "left".asDynamic().unsafeCast<CanvasTextAlign>()
public inline val CanvasTextAlign.Companion.RIGHT:
CanvasTextAlign get() = "right".asDynamic().unsafeCast<CanvasTextAlign>()
public inline val
CanvasTextAlign.Companion.CENTER: CanvasTextAlign get() =
    "center".asDynamic().unsafeCast<CanvasTextAlign>()
/* please, don't implement this interface!
*/
@JsName("null")
@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
public
external
interface CanvasTextBaseline {
    companion object
}
public inline val CanvasTextBaseline.Companion.TOP:
CanvasTextBaseline get() = "top".asDynamic().unsafeCast<CanvasTextBaseline>()
public inline val
CanvasTextBaseline.Companion.HANGING: CanvasTextBaseline get() =
    "hanging".asDynamic().unsafeCast<CanvasTextBaseline>()
public inline val
CanvasTextBaseline.Companion.MIDDLE:
CanvasTextBaseline get() = "middle".asDynamic().unsafeCast<CanvasTextBaseline>()
public inline val
CanvasTextBaseline.Companion.ALPHABETIC: CanvasTextBaseline get() =
    "alphabetic".asDynamic().unsafeCast<CanvasTextBaseline>()
public inline val
CanvasTextBaseline.Companion.IDEOGRAPHIC: CanvasTextBaseline get() =
    "ideographic".asDynamic().unsafeCast<CanvasTextBaseline>()
public inline val
CanvasTextBaseline.Companion.BOTTOM: CanvasTextBaseline get() =

```

```

\"bottom\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface CanvasDirection {\n    companion object\n}\n\npublic inline val CanvasDirection.Companion.LTR:
CanvasDirection get() = \"ltr\".asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val
CanvasDirection.Companion.RTL: CanvasDirection get() =
\"rtl\".asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val CanvasDirection.Companion.INHERIT:
CanvasDirection get() = \"inherit\".asDynamic().unsafeCast<CanvasDirection>()\n\n/* please, don't implement this
interface! *\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
external interface ScrollRestoration {\n    companion object\n}\n\npublic inline val
ScrollRestoration.Companion.AUTO: ScrollRestoration get() =
\"auto\".asDynamic().unsafeCast<ScrollRestoration>()\n\npublic inline val
ScrollRestoration.Companion.MANUAL: ScrollRestoration get() =
\"manual\".asDynamic().unsafeCast<ScrollRestoration>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface ImageOrientation {\n    companion object\n}\n\npublic inline val ImageOrientation.Companion.NONE:
ImageOrientation get() = \"none\".asDynamic().unsafeCast<ImageOrientation>()\n\npublic inline val
ImageOrientation.Companion.FLIPY: ImageOrientation get() =
\"flipY\".asDynamic().unsafeCast<ImageOrientation>()\n\n/*
please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface PremultiplyAlpha {\n    companion object\n}\n\npublic inline val PremultiplyAlpha.Companion.NONE:
PremultiplyAlpha get() = \"none\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val
PremultiplyAlpha.Companion.PREMULTIPLY: PremultiplyAlpha get() =
\"premultiply\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val
PremultiplyAlpha.Companion.DEFAULT: PremultiplyAlpha get() =
\"default\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface ColorSpaceConversion {\n    companion object\n}\n\npublic inline val
ColorSpaceConversion.Companion.NONE: ColorSpaceConversion get() =
\"none\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\npublic inline val
ColorSpaceConversion.Companion.DEFAULT:
ColorSpaceConversion get() = \"default\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\n/* please, don't
implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface ResizeQuality {\n    companion object\n}\n\npublic inline val ResizeQuality.Companion.PIXELATED:
ResizeQuality get() = \"pixelated\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val
ResizeQuality.Companion.LOW: ResizeQuality get() =
\"low\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.MEDIUM:
ResizeQuality get() = \"medium\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val
ResizeQuality.Companion.HIGH: ResizeQuality get() = \"high\".asDynamic().unsafeCast<ResizeQuality>()\n\n/*
please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface BinaryType {\n    companion object\n}\n\npublic inline
val BinaryType.Companion.BLOB: BinaryType get() = \"blob\".asDynamic().unsafeCast<BinaryType>()\n\npublic
inline val BinaryType.Companion.ARRAYBUFFER: BinaryType get() =
\"arraybuffer\".asDynamic().unsafeCast<BinaryType>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface WorkerType {\n    companion object\n}\n\npublic inline val WorkerType.Companion.CLASSIC:

```

```

WorkerType get() = \"classic\".asDynamic().unsafeCast<WorkerType>()\n\npublic inline val
WorkerType.Companion.MODULE: WorkerType get() =
\"module\".asDynamic().unsafeCast<WorkerType>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface ShadowRootMode {\n  companion object\n}\n\npublic inline val ShadowRootMode.Companion.OPEN:
ShadowRootMode get() = \"open\".asDynamic().unsafeCast<ShadowRootMode>()\n\npublic inline val
ShadowRootMode.Companion.CLOSED:
ShadowRootMode get() = \"closed\".asDynamic().unsafeCast<ShadowRootMode>()\n\n/* please, don't implement
this interface! *\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
external interface ScrollBehavior {\n  companion object\n}\n\npublic inline val ScrollBehavior.Companion.AUTO:
ScrollBehavior get() = \"auto\".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val
ScrollBehavior.Companion.INSTANT: ScrollBehavior get() =
\"instant\".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val ScrollBehavior.Companion.SMOOTH:
ScrollBehavior get() = \"smooth\".asDynamic().unsafeCast<ScrollBehavior>()\n\n/* please, don't implement this
interface! *\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
external interface ScrollLogicalPosition {\n  companion object\n}\n\npublic inline val
ScrollLogicalPosition.Companion.START: ScrollLogicalPosition get() =
\"start\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic
inline val ScrollLogicalPosition.Companion.CENTER: ScrollLogicalPosition get() =
\"center\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.END: ScrollLogicalPosition get() =
\"end\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.NEAREST: ScrollLogicalPosition get() =
\"nearest\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface CSSBoxType {\n  companion object\n}\n\npublic inline val CSSBoxType.Companion.MARGIN:
CSSBoxType get() = \"margin\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val
CSSBoxType.Companion.BORDER: CSSBoxType get() =
\"border\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.PADDING:
CSSBoxType get() = \"padding\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline
val CSSBoxType.Companion.CONTENT: CSSBoxType get() =
\"content\".asDynamic().unsafeCast<CSSBoxType>()\"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\n@n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n//
See github.com/kotlin/dukat for details\n\npackage org.w3c.fetch\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.files.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[Headers](https://developer.mozilla.org/en/docs/Web/API/Headers) to Kotlin\n *\npublic external open class
Headers(init: dynamic = definedExternally) {\n  fun append(name: String, value: String)\n  fun delete(name:
String)\n  fun get(name: String): String?\n  fun has(name: String): Boolean\n  fun set(name: String, value:
String)\n}\n\n/**\n * Exposes the JavaScript [Body](https://developer.mozilla.org/en/docs/Web/API/Body)
to Kotlin\n *\npublic external interface Body {\n  val bodyUsed: Boolean\n  fun arrayBuffer():
Promise<ArrayBuffer>\n  fun blob(): Promise<Blob>\n  fun formData(): Promise<FormData>\n  fun json():
Promise<Any?>\n  fun text(): Promise<String>\n}\n\n/**\n * Exposes the JavaScript
[Request](https://developer.mozilla.org/en/docs/Web/API/Request) to Kotlin\n *\npublic external open class
Request(input: dynamic, init: RequestInit = definedExternally) : Body {\n  open val method: String\n  open val
url: String\n  open val headers: Headers\n  open val type: RequestType\n  open val destination:
RequestDestination\n  open val referrer: String\n  open val referrerPolicy: dynamic\n  open val mode:
RequestMode\n  open val credentials: RequestCredentials\n  open val cache: RequestCache\n  open val redirect:

```

```

RequestRedirect\n  open val integrity: String\n  open val keepalive: Boolean\n  override val bodyUsed:
Boolean\n  fun clone(): Request\n  override
  fun arrayBuffer(): Promise<ArrayBuffer>\n  override fun blob(): Promise<Blob>\n  override fun formData():
Promise<FormData>\n  override fun json(): Promise<Any?>\n  override fun text(): Promise<String>\n}\n\npublic
external interface RequestInit {\n  var method: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var headers: dynamic\n  get() = definedExternally\n  set(value) = definedExternally\n
var body: dynamic\n  get() = definedExternally\n  set(value) = definedExternally\n  var referrer: String?\n
  get() = definedExternally\n  set(value) = definedExternally\n  var referrerPolicy: dynamic\n  get() =
definedExternally\n  set(value) = definedExternally\n  var mode: RequestMode?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var credentials: RequestCredentials?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var
  cache: RequestCache?\n  get() = definedExternally\n  set(value) = definedExternally\n  var redirect:
RequestRedirect?\n  get() = definedExternally\n  set(value) = definedExternally\n  var integrity: String?\n
  get() = definedExternally\n  set(value) = definedExternally\n  var keepalive: Boolean?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var window: Any?\n  get() = definedExternally\n
set(value) = definedExternally}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun RequestInit(method: String? =
undefined, headers: dynamic = undefined, body: dynamic = undefined, referrer: String? = undefined, referrerPolicy:
dynamic = undefined, mode: RequestMode? = undefined, credentials: RequestCredentials? = undefined, cache:
RequestCache? = undefined, redirect: RequestRedirect? = undefined, integrity: String? = undefined, keepalive:
Boolean? = undefined,
window: Any? = undefined): RequestInit {\n  val o = js("{}")\n  o["method"] = method\n  o["headers"] =
headers\n  o["body"] = body\n  o["referrer"] = referrer\n  o["referrerPolicy"] = referrerPolicy\n
o["mode"] = mode\n  o["credentials"] = credentials\n  o["cache"] = cache\n  o["redirect"] = redirect\n
o["integrity"] = integrity\n  o["keepalive"] = keepalive\n  o["window"] = window\n  return o\n}\n\n/**\n *
Exposes the JavaScript [Response](https://developer.mozilla.org/en/docs/Web/API/Response) to Kotlin\n */\npublic
external open class Response(body: dynamic = definedExternally, init: ResponseInit = definedExternally) : Body
{\n  open val type: ResponseType\n  open val url: String\n  open val redirected: Boolean\n  open val status:
Short\n  open val ok: Boolean\n  open val statusText: String\n  open val headers: Headers\n  open val body:
dynamic\n  open val trailer: Promise<Headers>\n  override val bodyUsed:
Boolean\n  fun clone(): Response\n  override fun arrayBuffer(): Promise<ArrayBuffer>\n  override fun blob():
Promise<Blob>\n  override fun formData(): Promise<FormData>\n  override fun json(): Promise<Any?>\n
override fun text(): Promise<String>\n\n  companion object {\n    fun error(): Response\n    fun redirect(url:
String, status: Short = definedExternally): Response\n  }\n}\n\npublic external interface ResponseInit {\n  var
status: Short? /* = 200 */\n  get() = definedExternally\n  set(value) = definedExternally\n  var statusText:
String? /* = "OK" */\n  get() = definedExternally\n  set(value) = definedExternally\n  var headers:
dynamic\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ResponseInit(status: Short? = 200,
statusText: String? = "OK", headers: dynamic = undefined): ResponseInit
{\n  val o = js("{}")\n  o["status"] = status\n  o["statusText"] = statusText\n  o["headers"] = headers\n
return o\n}\n\n/* please, don't implement this interface!\n */\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface RequestType {\n  companion object\n}\n\npublic inline val RequestType.Companion.EMPTY:
RequestType get() = ""\n\npublic inline val
RequestType.Companion.AUDIO: RequestType get() =
"audio"\n\npublic inline val RequestType.Companion.FONT:
RequestType get() = "font"\n\npublic inline val

```

```

RequestType.Companion.IMAGE: RequestType get() =
    \"image\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.SCRIPT:
RequestType get() = \"script\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.STYLE: RequestType get() =
    \"style\".asDynamic().unsafeCast<RequestType>()\n\npublic
    inline val RequestType.Companion.TRACK: RequestType get() =
    \"track\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.VIDEO:
RequestType get() = \"video\".asDynamic().unsafeCast<RequestType>()\n\n/* please, don't implement this
interface! *\n\n@JsName(\"null\")\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic
external interface RequestDestination {\n    companion object\n}\n\npublic inline val
RequestDestination.Companion.EMPTY: RequestDestination get() =
    \"\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.DOCUMENT: RequestDestination get() =
    \"document\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.EMBED: RequestDestination get() =
    \"embed\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.FONT: RequestDestination get() =
    \"font\".asDynamic().unsafeCast<RequestDestination>()\n\npublic
    inline val RequestDestination.Companion.IMAGE: RequestDestination get() =
    \"image\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.MANIFEST: RequestDestination get() =
    \"manifest\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.MEDIA: RequestDestination get() =
    \"media\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.OBJECT: RequestDestination get() =
    \"object\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.REPORT: RequestDestination get() =
    \"report\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SCRIPT: RequestDestination get() =
    \"script\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SERVICEWORKER: RequestDestination get() =
    \"serviceworker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic
    inline val RequestDestination.Companion.SHAREDWORKER: RequestDestination get() =
    \"sharedworker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.STYLE: RequestDestination get() =
    \"style\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.WORKER: RequestDestination get() =
    \"worker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.XSLT: RequestDestination get() =
    \"xslt\".asDynamic().unsafeCast<RequestDestination>()\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface RequestMode {\n    companion object\n}\n\npublic inline val RequestMode.Companion.NAVIGATE:
RequestMode get() = \"navigate\".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val
RequestMode.Companion.SAME_ORIGIN: RequestMode get() = \"same-
origin\".asDynamic().unsafeCast<RequestMode>()\n\npublic
    inline val RequestMode.Companion.NO_CORS: RequestMode get() = \"no-
cors\".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val RequestMode.Companion.CORS:
RequestMode get() = \"cors\".asDynamic().unsafeCast<RequestMode>()\n\n/* please, don't implement this

```



```

interface! *\/n@JsName("null")n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")npublic
external interface RequestCredentials {n  companion objectn}n\npublic inline val
RequestCredentials.Companion.OMIT: RequestCredentials get() =
"omit".asDynamic().unsafeCast<RequestCredentials>()n\npublic inline val
RequestCredentials.Companion.SAME_ORIGIN: RequestCredentials get() = "same-
origin".asDynamic().unsafeCast<RequestCredentials>()n\npublic inline val
RequestCredentials.Companion.INCLUDE: RequestCredentials get() =
"include".asDynamic().unsafeCast<RequestCredentials>()n\n/* please, don't implement this interface!
*/n@JsName("null")n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")npublic
external interface RequestCache {n  companion objectn}n\npublic inline val
RequestCache.Companion.DEFAULT: RequestCache get() =
"default".asDynamic().unsafeCast<RequestCache>()n\npublic inline val RequestCache.Companion.NO_STORE:
RequestCache get() = "no-store".asDynamic().unsafeCast<RequestCache>()n\npublic inline val
RequestCache.Companion.RELOAD: RequestCache get() =
"reload".asDynamic().unsafeCast<RequestCache>()n\npublic inline val RequestCache.Companion.NO_CACHE:
RequestCache get() = "no-cache".asDynamic().unsafeCast<RequestCache>()n\npublic inline val
RequestCache.Companion.FORCE_CACHE: RequestCache get() = "force-
cache".asDynamic().unsafeCast<RequestCache>()n\npublic inline val
RequestCache.Companion.ONLY_IF_CACHED: RequestCache get() = "only-if-
cached".asDynamic().unsafeCast<RequestCache>()n\n/* please, don't implement this interface!
*/n@JsName("null")n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")npublic external
interface RequestRedirect
{n  companion objectn}n\npublic inline val RequestRedirect.Companion.FOLLOW: RequestRedirect get() =
"follow".asDynamic().unsafeCast<RequestRedirect>()n\npublic inline val RequestRedirect.Companion.ERROR:
RequestRedirect get() = "error".asDynamic().unsafeCast<RequestRedirect>()n\npublic inline val
RequestRedirect.Companion.MANUAL: RequestRedirect get() =
"manual".asDynamic().unsafeCast<RequestRedirect>()n\n/* please, don't implement this interface!
*/n@JsName("null")n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")npublic external
interface ResponseType {n  companion objectn}n\npublic inline val ResponseType.Companion.BASIC:
ResponseType get() = "basic".asDynamic().unsafeCast<ResponseType>()n\npublic inline val
ResponseType.Companion.CORS: ResponseType get() =
"cors".asDynamic().unsafeCast<ResponseType>()n\npublic inline val ResponseType.Companion.DEFAULT:
ResponseType get() = "default".asDynamic().unsafeCast<ResponseType>()n\npublic inline
val ResponseType.Companion.ERROR: ResponseType get() =
"error".asDynamic().unsafeCast<ResponseType>()n\npublic inline val ResponseType.Companion.OPAQUE:
ResponseType get() = "opaque".asDynamic().unsafeCast<ResponseType>()n\npublic inline val
ResponseType.Companion.OPAQUEREDIRECT: ResponseType get() =
"opaqueredirect".asDynamic().unsafeCast<ResponseType>()n\n/*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediacapture\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/* Exposes
the JavaScript [MediaStream](https://developer.mozilla.org/en/docs/Web/API/MediaStream) to Kotlin\n */n\npublic
external open class MediaStream() : EventTarget, MediaProvider
{n  constructor(stream: MediaStream)\n  constructor(tracks: Array<MediaStreamTrack>)\n  open val id:
String\n  open val active: Boolean\n  var onaddtrack: ((MediaStreamTrackEvent) -> dynamic)?\n  var
onremovetrack: ((MediaStreamTrackEvent) -> dynamic)?\n  fun getAudioTracks(): Array<MediaStreamTrack>\n
fun getVideoTracks(): Array<MediaStreamTrack>\n  fun getTracks(): Array<MediaStreamTrack>\n  fun

```

```

getTrackById(trackId: String): MediaStreamTrack?
fun addTrack(track: MediaStreamTrack)
fun removeTrack(track: MediaStreamTrack)
fun clone(): MediaStreamTrack
}

/** Exposes the JavaScript [MediaStreamTrack](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrack) to Kotlin */
public external abstract class MediaStreamTrack : EventTarget {
    open val kind: String
    open val id: String
    open val label: String
    open var enabled: Boolean
    open val muted: Boolean
    open var onmute: ((Event) -> dynamic)?
    open var onunmute: ((Event) -> dynamic)?
    open val readyState: MediaStreamTrackState
    open var onended: ((Event) -> dynamic)?
    open var onoverconstrained: ((Event) -> dynamic)?
    fun clone(): MediaStreamTrack
    fun stop()
    fun getCapabilities(): MediaTrackCapabilities
    fun getConstraints(): MediaTrackConstraints
    fun getSettings(): MediaTrackSettings
    fun applyConstraints(constraints: MediaTrackConstraints = definedExternally): Promise<Unit>
}

/** Exposes the JavaScript [MediaTrackSupportedConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSupportedConstraints) to Kotlin */
public external interface MediaTrackSupportedConstraints {
    var width: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var height: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var aspectRatio: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var frameRate: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var facingMode: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var resizeMode: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var volume: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var sampleRate: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var sampleSize: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var echoCancellation: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var autoGainControl: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var noiseSuppression: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var latency: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var channelCount: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var deviceId: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
    var groupId: Boolean? /* = true */
    fun get() = definedExternally
    set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun MediaTrackSupportedConstraints(width: Boolean? = true, height: Boolean? = true, aspectRatio: Boolean? = true, frameRate: Boolean? = true, facingMode: Boolean? = true, resizeMode: Boolean? = true, volume: Boolean? = true, sampleRate: Boolean? = true, sampleSize: Boolean? = true, echoCancellation: Boolean? = true, autoGainControl: Boolean? = true, noiseSuppression: Boolean? = true, latency: Boolean? = true, channelCount: Boolean? = true, deviceId: Boolean? = true, groupId: Boolean? = true): MediaTrackSupportedConstraints {
    val o = js("{}")
    o["width"] = width
    o["height"] = height
    o["aspectRatio"] = aspectRatio
    o["frameRate"] = frameRate
    o["facingMode"] = facingMode
    o["resizeMode"] = resizeMode
    o["volume"] = volume
    o["sampleRate"] = sampleRate
    o["sampleSize"] = sampleSize
    o["echoCancellation"] = echoCancellation
    o["autoGainControl"] = autoGainControl
    o["noiseSuppression"] = noiseSuppression
    o["latency"] = latency
    o["channelCount"] = channelCount
    o["deviceId"] = deviceId
    o["groupId"] = groupId
    return o
}

public external interface MediaTrackCapabilities {
    var width: ULongRange?
    fun get() = definedExternally
    set(value) = definedExternally
    var height: ULongRange?
    fun get() = definedExternally
    set(value) = definedExternally
    var aspectRatio: DoubleRange?
    fun get() = definedExternally
    set(value) = definedExternally
    var frameRate: DoubleRange?
    fun get() = definedExternally
    set(value) = definedExternally
    var facingMode:

```

```

Array<String>? \n    get() = definedExternally \n    set(value) = definedExternally \n    var resizeMode:
Array<String>? \n    get() = definedExternally \n    set(value) = definedExternally \n    var volume:
DoubleRange? \n    get() = definedExternally \n    set(value) = definedExternally \n    var sampleRate:
ULongRange? \n    get() = definedExternally \n    set(value) = definedExternally \n    var sampleSize:
ULongRange? \n    get() = definedExternally \n    set(value) = definedExternally \n    var echoCancellation:
Array<Boolean>? \n    get() = definedExternally \n    set(value) = definedExternally \n    var autoGainControl:
Array<Boolean>? \n
    get() = definedExternally \n    set(value) = definedExternally \n    var noiseSuppression: Array<Boolean>? \n
    get() = definedExternally \n    set(value) = definedExternally \n    var latency: DoubleRange? \n    get() =
definedExternally \n    set(value) = definedExternally \n    var channelCount: ULongRange? \n    get() =
definedExternally \n    set(value) = definedExternally \n    var deviceId: String? \n    get() = definedExternally \n
    set(value) = definedExternally \n    var groupId: String? \n    get() = definedExternally \n    set(value) =
definedExternally \n} \n \n @Suppress(\ "INVISIBLE_REFERENCE",
\ "INVISIBLE_MEMBER" ) \n @kotlin.internal.InlineOnly \n public inline fun MediaTrackCapabilities( width:
ULongRange? = undefined, height: ULongRange? = undefined, aspectRatio: DoubleRange? = undefined,
frameRate: DoubleRange? = undefined, facingMode: Array<String>? = undefined, resizeMode: Array<String>? =
undefined, volume: DoubleRange?
= undefined, sampleRate: ULongRange? = undefined, sampleSize: ULongRange? = undefined, echoCancellation:
Array<Boolean>? = undefined, autoGainControl: Array<Boolean>? = undefined, noiseSuppression:
Array<Boolean>? = undefined, latency: DoubleRange? = undefined, channelCount: ULongRange? = undefined,
deviceId: String? = undefined, groupId: String? = undefined): MediaTrackCapabilities { \n    val o = js(\ "{ }" ) \n
o[\ "width" ] = width \n    o[\ "height" ] = height \n    o[\ "aspectRatio" ] = aspectRatio \n    o[\ "frameRate" ] =
frameRate \n    o[\ "facingMode" ] = facingMode \n    o[\ "resizeMode" ] = resizeMode \n    o[\ "volume" ] = volume \n
o[\ "sampleRate" ] = sampleRate \n    o[\ "sampleSize" ] = sampleSize \n    o[\ "echoCancellation" ] =
echoCancellation \n    o[\ "autoGainControl" ] = autoGainControl \n    o[\ "noiseSuppression" ] = noiseSuppression \n
o[\ "latency" ] = latency \n    o[\ "channelCount" ] = channelCount \n    o[\ "deviceId" ] = deviceId \n    o[\ "groupId" ] =
groupId \n    return o \n } \n \n /** \n
* Exposes the JavaScript
[MediaTrackConstraints]( https://developer.mozilla.org/en/docs/Web/API/MediaTrackConstraints ) to Kotlin \n
*/ \n public external interface MediaTrackConstraints : MediaTrackConstraintSet { \n    var advanced:
Array<MediaTrackConstraintSet>? \n    get() = definedExternally \n    set(value) =
definedExternally \n} \n \n @Suppress(\ "INVISIBLE_REFERENCE",
\ "INVISIBLE_MEMBER" ) \n @kotlin.internal.InlineOnly \n public inline fun MediaTrackConstraints( advanced:
Array<MediaTrackConstraintSet>? = undefined, width: dynamic = undefined, height: dynamic = undefined,
aspectRatio: dynamic = undefined, frameRate: dynamic = undefined, facingMode: dynamic = undefined,
resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate: dynamic = undefined, sampleSize:
dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined,
noiseSuppression: dynamic = undefined, latency: dynamic = undefined, channelCount: dynamic = undefined,
deviceId: dynamic = undefined, groupId: dynamic = undefined): MediaTrackConstraints { \n    val o = js(\ "{ }" ) \n
o[\ "advanced" ] = advanced \n    o[\ "width" ] = width \n    o[\ "height" ] = height \n    o[\ "aspectRatio" ] =
aspectRatio \n    o[\ "frameRate" ] = frameRate \n    o[\ "facingMode" ] = facingMode \n    o[\ "resizeMode" ] =
resizeMode \n    o[\ "volume" ] = volume \n    o[\ "sampleRate" ] = sampleRate \n    o[\ "sampleSize" ] = sampleSize \n
o[\ "echoCancellation" ] = echoCancellation \n    o[\ "autoGainControl" ] = autoGainControl \n
o[\ "noiseSuppression" ] = noiseSuppression \n    o[\ "latency" ] = latency \n    o[\ "channelCount" ] = channelCount \n
o[\ "deviceId" ] = deviceId \n    o[\ "groupId" ] = groupId \n    return o \n } \n \n public external interface
MediaTrackConstraintSet { \n    var width: dynamic \n    get() = definedExternally \n    set(value) =
definedExternally \n    var height: dynamic \n    get() = definedExternally \n    set(value) = definedExternally \n
var aspectRatio:

```

```

dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n    var frameRate: dynamic\n
get() = definedExternally\n    set(value) = definedExternally\n    var facingMode: dynamic\n    get() =
definedExternally\n    set(value) = definedExternally\n    var resizeMode: dynamic\n    get() =
definedExternally\n    set(value) = definedExternally\n    var volume: dynamic\n    get() = definedExternally\n
    set(value) = definedExternally\n    var sampleRate: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n    var sampleSize: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n    var echoCancellation: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n    var autoGainControl: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n    var noiseSuppression: dynamic\n    get() = definedExternally\n
    set(value) = definedExternally\n    var latency: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n    var channelCount: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n    var deviceId: dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n
    var groupId: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun MediaTrackConstraintSet(width:
dynamic = undefined, height: dynamic = undefined, aspectRatio: dynamic = undefined, frameRate: dynamic =
undefined, facingMode: dynamic = undefined, resizeMode: dynamic = undefined, volume: dynamic = undefined,
sampleRate: dynamic = undefined, sampleSize: dynamic = undefined, echoCancellation: dynamic = undefined,
autoGainControl: dynamic = undefined, noiseSuppression: dynamic = undefined, latency: dynamic
= undefined, channelCount: dynamic = undefined, deviceId: dynamic = undefined, groupId: dynamic = undefined):
MediaTrackConstraintSet {\n    val o = js(\"({})\")\n    o[\"width\"] = width\n    o[\"height\"] = height\n
o[\"aspectRatio\"] = aspectRatio\n    o[\"frameRate\"] = frameRate\n    o[\"facingMode\"] = facingMode\n
o[\"resizeMode\"] = resizeMode\n    o[\"volume\"] = volume\n    o[\"sampleRate\"] = sampleRate\n
o[\"sampleSize\"] = sampleSize\n    o[\"echoCancellation\"] = echoCancellation\n    o[\"autoGainControl\"] =
autoGainControl\n    o[\"noiseSuppression\"] = noiseSuppression\n    o[\"latency\"] = latency\n
o[\"channelCount\"] = channelCount\n    o[\"deviceId\"] = deviceId\n    o[\"groupId\"] = groupId\n    return
o}\n}\n\n/**\n * Exposes the JavaScript
[MediaTrackSettings](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSettings) to Kotlin\n\n *^\n\npublic
external interface MediaTrackSettings {\n    var width: Int?\n        get() = definedExternally\n
    set(value) = definedExternally\n    var height: Int?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var aspectRatio: Double?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var frameRate: Double?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var facingMode: String?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var resizeMode: String?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var volume: Double?\n        get() = definedExternally\n        set(value) = definedExternally\n
    var sampleRate: Int?\n        get() = definedExternally\n        set(value) = definedExternally\n    var sampleSize:
Int?\n        get() = definedExternally\n        set(value) = definedExternally\n    var echoCancellation: Boolean?\n
get() = definedExternally\n        set(value) = definedExternally\n    var autoGainControl: Boolean?\n
get() = definedExternally\n        set(value) = definedExternally\n    var noiseSuppression: Boolean?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var latency: Double?\n        get() = definedExternally\n
set(value) = definedExternally\n    var channelCount: Int?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var deviceId: String?\n        get() = definedExternally\n        set(value) = definedExternally\n
    var groupId: String?\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun MediaTrackSettings(width: Int? =
undefined, height: Int? = undefined, aspectRatio: Double? = undefined, frameRate: Double? = undefined,
facingMode: String? = undefined, resizeMode: String? = undefined, volume: Double? = undefined, sampleRate: Int?
= undefined, sampleSize: Int? = undefined, echoCancellation:

```

```

Boolean? = undefined, autoGainControl: Boolean? = undefined, noiseSuppression: Boolean? = undefined, latency:
Double? = undefined, channelCount: Int? = undefined, deviceId: String? = undefined, groupId: String? =
undefined): MediaTrackSettings {\n  val o = js("{}")\n  o["width"] = width\n  o["height"] = height\n
o["aspectRatio"] = aspectRatio\n  o["frameRate"] = frameRate\n  o["facingMode"] = facingMode\n
o["resizeMode"] = resizeMode\n  o["volume"] = volume\n  o["sampleRate"] = sampleRate\n
o["sampleSize"] = sampleSize\n  o["echoCancellation"] = echoCancellation\n  o["autoGainControl"] =
autoGainControl\n  o["noiseSuppression"] = noiseSuppression\n  o["latency"] = latency\n
o["channelCount"] = channelCount\n  o["deviceId"] = deviceId\n  o["groupId"] = groupId\n  return
o}\n\n/**\n * Exposes the JavaScript
[MediaStreamTrackEvent](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrackEvent) to Kotlin\n
*/\npublic external open class MediaStreamTrackEvent(type: String, eventInitDict: MediaStreamTrackEventInit) :
Event {\n  open val track: MediaStreamTrack\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
  }\n\n  public external interface MediaStreamTrackEventInit : EventInit {\n    var track:
MediaStreamTrack?\n  }\n\n  @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n  @kotlin.internal.InlineOnly\n  public inline fun MediaStreamTrackEventInit(track:
MediaStreamTrack?, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
MediaStreamTrackEventInit {\n    val o = js("{}")\n    o["track"] = track\n    o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n    o["composed"] = composed\n    return o}\n\n  public external open class
OverconstrainedErrorEvent(type: String, eventInitDict: OverconstrainedErrorEventInit) : Event {\n
  open val error: dynamic\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE:
Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n\n  public external interface
OverconstrainedErrorEventInit : EventInit {\n    var error: dynamic /* = null */\n    get() = definedExternally\n
set(value) = definedExternally\n  }\n\n  @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n  @kotlin.internal.InlineOnly\n  public inline fun OverconstrainedErrorEventInit(error:
dynamic = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
OverconstrainedErrorEventInit {\n    val o = js("{}")\n    o["error"] = error\n    o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n    o["composed"] = composed\n    return o}\n\n  /**\n * Exposes the JavaScript
[MediaDevices](https://developer.mozilla.org/en/docs/Web/API/MediaDevices) to Kotlin\n
*/\npublic external
abstract class MediaDevices : EventTarget
{\n  open var ondevicechange: ((Event) -> dynamic)?\n  fun enumerateDevices():
Promise<Array<MediaDeviceInfo>>\n  fun getSupportedConstraints(): MediaTrackSupportedConstraints\n  fun
getUserMedia(constraints: MediaStreamConstraints = definedExternally): Promise<MediaStream>\n}\n\n/**\n *
Exposes the JavaScript [MediaDeviceInfo](https://developer.mozilla.org/en/docs/Web/API/MediaDeviceInfo) to
Kotlin\n
*/\npublic external abstract class MediaDeviceInfo {\n  open val deviceId: String\n  open val kind:
MediaDeviceKind\n  open val label: String\n  open val groupId: String\n  fun toJSON(): dynamic\n}\n\npublic
external abstract class InputDeviceInfo : MediaDeviceInfo {\n  fun getCapabilities():
MediaTrackCapabilities\n}\n\n/**\n * Exposes the JavaScript
[MediaStreamConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaStreamConstraints) to Kotlin\n
*/\npublic external interface MediaStreamConstraints {\n  var video: dynamic /* = false */\n  get()
= definedExternally\n  set(value) = definedExternally\n  var audio: dynamic /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n  @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n  @kotlin.internal.InlineOnly\n  public inline fun MediaStreamConstraints(video:
dynamic = false, audio: dynamic = false): MediaStreamConstraints {\n    val o = js("{}")\n    o["video"] =
video\n    o["audio"] = audio\n    return o}\n\n  public external interface ConstrainingPattern {\n    var
onoverconstrained: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
fun getCapabilities(): Capabilities\n    fun getConstraints(): Constraints\n    fun getSettings(): Settings\n    fun
applyConstraints(constraints: Constraints = definedExternally): Promise<Unit>\n}\n\n  /**\n * Exposes the

```



```

val o = js("{}")\n return o\n\npublic external interface Constraints : ConstraintSet {\n var advanced:
Array<ConstraintSet>?\n get() = definedExternally\n set(value) =
definedExternally\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun Constraints(advanced:
Array<ConstraintSet>? = undefined): Constraints {\n val o = js("{}")\n o["advanced"] = advanced\n
return o\n\n/* please, don't implement this interface!
*/\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface
    MediaStreamTrackState {\n companion object\n\npublic inline val MediaStreamTrackState.Companion.LIVE:
MediaStreamTrackState get() = "live".asDynamic().unsafeCast<MediaStreamTrackState>()\n\npublic inline val
MediaStreamTrackState.Companion.ENDED: MediaStreamTrackState get() =
"ended".asDynamic().unsafeCast<MediaStreamTrackState>()\n\n/* please, don't implement this interface!
*/\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface VideoFacingModeEnum {\n companion object\n\npublic inline val
VideoFacingModeEnum.Companion.USER: VideoFacingModeEnum get() =
"user".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.ENVIRONMENT: VideoFacingModeEnum get() =
"environment".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.LEFT: VideoFacingModeEnum get() =
"left".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.RIGHT: VideoFacingModeEnum get() =
"right".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\n/* please, don't implement this interface!
*/\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface VideoResizeModeEnum {\n companion object\n\npublic inline val
VideoResizeModeEnum.Companion.NONE: VideoResizeModeEnum get() =
"none".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\npublic inline val
VideoResizeModeEnum.Companion.CROP_AND_SCALE: VideoResizeModeEnum get() = "crop-and-
scale".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\n/* please, don't implement this interface!
*/\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface MediaDeviceKind {\n companion object\n\npublic inline val
MediaDeviceKind.Companion.AUDIOINPUT: MediaDeviceKind get() =
"audioinput".asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val
MediaDeviceKind.Companion.AUDIOOUTPUT:
    MediaDeviceKind get() = "audiooutput".asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val
MediaDeviceKind.Companion.VIDEOINPUT: MediaDeviceKind get() =
"videoinput".asDynamic().unsafeCast<MediaDeviceKind>())\n\n/*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediasource\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes
the JavaScript [MediaSource](https://developer.mozilla.org/en/docs/Web/API/MediaSource) to Kotlin\n */\n\npublic
external open class MediaSource : EventTarget, MediaProvider {\n open val sourceBuffers: SourceBufferList\n
open val activeSourceBuffers: SourceBufferList\n open val readyState: ReadyState\n
    var duration: Double\n var onsourceopen: ((Event) -> dynamic)?\n var onsourceended: ((Event) ->
dynamic)?\n var onsourceclose: ((Event) -> dynamic)?\n fun addSourceBuffer(type: String): SourceBuffer\n
fun removeSourceBuffer(sourceBuffer: SourceBuffer)\n fun endOfStream(error: EndOfStreamError =
definedExternally)\n fun setLiveSeekableRange(start: Double, end: Double)\n fun clearLiveSeekableRange()\n\n
companion object {\n fun isTypeSupported(type: String): Boolean\n }\n\n\n/**\n * Exposes the JavaScript

```

```

[SourceBuffer](https://developer.mozilla.org/en/docs/Web/API/SourceBuffer) to Kotlin\n *\n\npublic external
abstract class SourceBuffer : EventTarget {\n  open var mode: AppendMode\n  open val updating: Boolean\n
open val buffered: TimeRanges\n  open var timestampOffset: Double\n  open val audioTracks: AudioTrackList\n
open val videoTracks: VideoTrackList\n  open val textTracks: TextTrackList\n  open var appendWindowStart:
Double\n
  open var appendWindowEnd: Double\n  open var onupdatestart: ((Event) -> dynamic)?\n  open var onupdate:
((Event) -> dynamic)?\n  open var onupdateend: ((Event) -> dynamic)?\n  open var onerror: ((Event) ->
dynamic)?\n  open var onabort: ((Event) -> dynamic)?\n  fun appendBuffer(data: dynamic)\n  fun abort()\n  fun
remove(start: Double, end: Double)\n}\n\n**\n * Exposes the JavaScript
[SourceBufferList](https://developer.mozilla.org/en/docs/Web/API/SourceBufferList) to Kotlin\n *\n\npublic
external abstract class SourceBufferList : EventTarget {\n  open val length: Int\n  open var onaddsourcebuffer:
((Event) -> dynamic)?\n  open var onremovesourcebuffer: ((Event) ->
dynamic)?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic inline operator fun SourceBufferList.get(index:
Int): SourceBuffer? = asDynamic()[index]\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic
external interface ReadyState {\n  companion object\n}\n\n\npublic inline val ReadyState.Companion.CLOSED:
ReadyState get() = \"closed\".asDynamic().unsafeCast<ReadyState>()\n\n\npublic inline val
ReadyState.Companion.OPEN: ReadyState get() = \"open\".asDynamic().unsafeCast<ReadyState>()\n\n\npublic
inline val ReadyState.Companion.ENDED: ReadyState get() =
\"ended\".asDynamic().unsafeCast<ReadyState>()\n\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface EndOfStreamError {\n  companion object\n}\n\n\npublic inline val
EndOfStreamError.Companion.NETWORK: EndOfStreamError get() =
\"network\".asDynamic().unsafeCast<EndOfStreamError>()\n\n\npublic inline val
EndOfStreamError.Companion.DECODE: EndOfStreamError get() =
\"decode\".asDynamic().unsafeCast<EndOfStreamError>()\n\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic
external interface AppendMode {\n  companion object\n}\n\n\npublic inline val
AppendMode.Companion.SEGMENTS: AppendMode get() =
\"segments\".asDynamic().unsafeCast<AppendMode>()\n\n\npublic inline val
AppendMode.Companion.SEQUENCE: AppendMode get() =
\"sequence\".asDynamic().unsafeCast<AppendMode>(),\"/>\n\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n\n *\n\n@NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n@See
github.com/kotlin/dukat for details\n\n\npackage org.w3c.dom.pointerevents\n\n\nimport kotlin.js.*\n\nimport
org.khronos.webgl.*\n\nimport org.w3c.dom.*\n\nimport org.w3c.dom.events.*\n\n\n\npublic external interface
PointerEventInit : MouseEventInit {\n  var pointerId: Int? /* = 0 */\n  get() = definedExternally\n
set(value) = definedExternally\n  var width: Double? /* = 1.0 */\n  get() = definedExternally\n
set(value) = definedExternally\n  var height: Double? /* = 1.0 */\n  get() = definedExternally\n
set(value) = definedExternally\n  var pressure: Float? /* = 0f */\n  get() = definedExternally\n
set(value) =
definedExternally\n  var tangentialPressure: Float? /* = 0f */\n  get() = definedExternally\n
set(value) =
definedExternally\n  var tiltX: Int? /* = 0 */\n  get() = definedExternally\n
set(value) = definedExternally\n
var tiltY: Int? /* = 0 */\n  get() = definedExternally\n
set(value) = definedExternally\n  var twist: Int? /* =
0 */\n  get() = definedExternally\n
set(value) = definedExternally\n  var pointerType: String? /* = \"\" */\n
get() = definedExternally\n
set(value) = definedExternally\n  var isPrimary: Boolean? /* = false */\n
get() = definedExternally\n
set(value) = definedExternally\n}\n\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic

```



```

inline fun PointerEventInit(pointerId: Int? = 0, width: Double? = 1.0, height: Double? = 1.0, pressure: Float? = 0f,
tangentialPressure: Float? = 0f, tiltX: Int? = 0, tiltY: Int? = 0, twist: Int? = 0, pointerType: String? = "", isPrimary:
Boolean? = false, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0,
buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey:
Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false,
modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false,
modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean?

```

```

= false, cancelable: Boolean? = false, composed: Boolean? = false): PointerEventInit {\n  val o = js("{}")\n
o["pointerId"] = pointerId\n  o["width"] = width\n  o["height"] = height\n  o["pressure"] = pressure\n
o["tangentialPressure"] = tangentialPressure\n  o["tiltX"] = tiltX\n  o["tiltY"] = tiltY\n  o["twist"] = twist\n
o["pointerType"] = pointerType\n  o["isPrimary"] = isPrimary\n  o["screenX"] = screenX\n  o["screenY"]
= screenY\n  o["clientX"] = clientX\n  o["clientY"] = clientY\n  o["button"] = button\n  o["buttons"] =
buttons\n  o["relatedTarget"] = relatedTarget\n  o["region"] = region\n  o["ctrlKey"] = ctrlKey\n
o["shiftKey"] = shiftKey\n  o["altKey"] = altKey\n  o["metaKey"] = metaKey\n  o["modifierAltGraph"] =
modifierAltGraph\n  o["modifierCapsLock"] = modifierCapsLock\n  o["modifierFn"] = modifierFn\n
o["modifierFnLock"] = modifierFnLock\n  o["modifierHyper"]
= modifierHyper\n  o["modifierNumLock"] = modifierNumLock\n  o["modifierScrollLock"] =
modifierScrollLock\n  o["modifierSuper"] = modifierSuper\n  o["modifierSymbol"] = modifierSymbol\n
o["modifierSymbolLock"] = modifierSymbolLock\n  o["view"] = view\n  o["detail"] = detail\n
o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return
o\n}\n\n/**\n * Exposes the JavaScript

```

```

[PointerEvent](https://developer.mozilla.org/en/docs/Web/API/PointerEvent) to Kotlin\n\npublic external open
class PointerEvent(type: String, eventInitDict: PointerEventInit = definedExternally) : MouseEvent {\n  open val
pointerId: Int\n  open val width: Double\n  open val height: Double\n  open val pressure: Float\n  open val
tangentialPressure: Float\n  open val tiltX: Int\n  open val tiltY: Int\n  open val twist: Int\n  open val
pointerType: String\n  open val isPrimary: Boolean\n\n  companion object {\n

```

```

    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n  }\n}"/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See
github.com/kotlin/dukat for details\n\npackage org.w3c.dom.svg\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.css.*\n\n/**\n * Exposes the JavaScript

```

```

[SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n\npublic external
abstract class SVGElement : Element, ElementCSSInlineStyle, GlobalEventHandlers, SVGElementInstance {\n
open val dataset: DOMStringMap\n  open val ownerSVGElement: SVGSVGElement?\n  open val
viewportElement: SVGElement?\n  open var tabIndex: Int\n  fun focus()\n  fun blur()\n\n

```

```

    companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val
TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n

```

```

    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\npublic external interface
SVGBoundingBoxOptions {\n  var fill: Boolean? /* = true */\n  get() = definedExternally\n  set(value) =

```

```

definedExternally\n    var stroke: Boolean? /* = false */\n        get()
= definedExternally\n        set(value) = definedExternally\n    var markers: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var clipped: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun SVGBoundingBoxOptions(fill:
Boolean? = true, stroke: Boolean? = false, markers: Boolean? = false, clipped: Boolean? = false):
SVGBoundingBoxOptions {\n    val o = js(\"({})\")\n    o[\"fill\"] = fill\n    o[\"stroke\"] = stroke\n    o[\"markers\"]
= markers\n    o[\"clipped\"] = clipped\n    return o\n}\n\n/**\n * Exposes the JavaScript
[SVGGraphicsElement](https://developer.mozilla.org/en/docs/Web/API/SVGGraphicsElement) to Kotlin\n
*/\npublic external abstract class SVGGraphicsElement : SVGElement, SVGTests {\n    open val transform:
SVGAnimatedTransformList\n    fun getBBox(options:
SVGBoundingBoxOptions = definedExternally): DOMRect\n    fun getCTM(): DOMMatrix?\n    fun
getScreenCTM(): DOMMatrix?\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGGeometryElement](https://developer.mozilla.org/en/docs/Web/API/SVGGeometryElement)
to Kotlin\n */\npublic external abstract class SVGGeometryElement : SVGGraphicsElement {\n    open val
pathLength: SVGAnimatedNumber\n    fun isPointInFill(point: DOMPoint): Boolean\n    fun isPointInStroke(point:
DOMPoint): Boolean\n    fun getTotalLength(): Float\n    fun getPointAtLength(distance: Float): DOMPoint\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGNumber](https://developer.mozilla.org/en/docs/Web/API/SVGNumber) to Kotlin\n */\npublic external
abstract class SVGNumber {\n    open var value: Float\n}\n\n/**\n * Exposes the JavaScript
[SVGLength](https://developer.mozilla.org/en/docs/Web/API/SVGLength) to Kotlin\n */\npublic external
abstract class SVGLength {\n    open val unitType: Short\n    open var value: Float\n    open var valueInSpecifiedUnits:
Float\n    open var valueAsString: String\n    fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float)\n    fun convertToSpecifiedUnits(unitType: Short)\n\n    companion object {\n        val
SVG_LENGTHTYPE_UNKNOWN: Short\n        val SVG_LENGTHTYPE_NUMBER: Short\n        val
SVG_LENGTHTYPE_PERCENTAGE: Short\n        val SVG_LENGTHTYPE_EMS: Short\n        val
SVG_LENGTHTYPE_EXS: Short\n        val SVG_LENGTHTYPE_PX:
Short\n        val SVG_LENGTHTYPE_CM: Short\n        val SVG_LENGTHTYPE_MM: Short\n        val
SVG_LENGTHTYPE_IN: Short\n        val SVG_LENGTHTYPE_PT: Short\n        val SVG_LENGTHTYPE_PC:
Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAngle) to Kotlin\n */\npublic external abstract

```

```

class SVGAngle {\n  open val unitType: Short\n  open var value: Float\n  open var valueInSpecifiedUnits:
Float\n  open var valueAsString: String\n  fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float)\n  fun convertToSpecifiedUnits(unitType: Short)\n\n  companion object {\n    val
SVG_ANGLETYPE_UNKNOWN: Short\n    val SVG_ANGLETYPE_UNSPECIFIED: Short\n    val
SVG_ANGLETYPE_DEG: Short\n    val SVG_ANGLETYPE_RAD: Short\n    val
SVG_ANGLETYPE_GRAD: Short\n  }\n\n  public external abstract class SVGNameList {\n  open val length:
Int\n  open val numberOfItems: Int\n  fun clear()\n
fun initialize(newItem: dynamic): dynamic\n  fun insertItemBefore(newItem: dynamic, index: Int): dynamic\n
fun replaceItem(newItem: dynamic, index: Int): dynamic\n  fun removeItem(index: Int): dynamic\n  fun
appendItem(newItem: dynamic): dynamic\n  fun getItem(index: Int):
dynamic\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNameList.get(index: Int):
dynamic = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNameList.set(index: Int,
newItem: dynamic) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGNumberList) to Kotlin\n */\npublic external
abstract class SVGNumberList {\n  open val length: Int\n  open val numberOfItems: Int\n  fun clear()\n  fun
initialize(newItem: SVGNumber): SVGNumber\n  fun insertItemBefore(newItem:
SVGNumber, index: Int): SVGNumber\n  fun replaceItem(newItem: SVGNumber, index: Int): SVGNumber\n
fun removeItem(index: Int): SVGNumber\n  fun appendItem(newItem: SVGNumber): SVGNumber\n  fun
getItem(index: Int): SVGNumber\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNumberList.get(index:
Int): SVGNumber? = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNumberList.set(index:
Int, newItem: SVGNumber) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGLengthList) to Kotlin\n */\npublic external
abstract class SVGLengthList {\n  open val length: Int\n  open val numberOfItems: Int\n  fun clear()\n  fun
initialize(newItem: SVGLength): SVGLength\n  fun insertItemBefore(newItem: SVGLength, index: Int):
SVGLength\n
fun replaceItem(newItem: SVGLength, index: Int): SVGLength\n  fun removeItem(index: Int): SVGLength\n
fun appendItem(newItem: SVGLength): SVGLength\n  fun getItem(index: Int):
SVGLength\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGLengthList.get(index:
Int): SVGLength? = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGLengthList.set(index: Int,
newItem: SVGLength) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGAnimatedBoolean](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedBoolean) to Kotlin\n */\npublic external abstract class SVGAnimatedBoolean {\n  open var baseVal: Boolean\n  open val animVal:
Boolean\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedEnumeration](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedEnumeration) to
Kotlin\n */\npublic external abstract
class SVGAnimatedEnumeration {\n  open var baseVal: Short\n  open val animVal: Short\n}\n\n/**\n * Exposes
the JavaScript [SVGAnimatedInteger](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedInteger) to
Kotlin\n */\npublic external abstract class SVGAnimatedInteger {\n  open var baseVal: Int\n  open val animVal:
Int\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedNumber](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumber) to Kotlin\n */\npublic external abstract class SVGAnimatedNumber {\n  open var baseVal: Float\n  open val animVal:
Float\n}\n\n/**\n * Exposes the JavaScript

```

[SVGAnimatedLength](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLength) to Kotlin\n
`*\npublic external abstract class SVGAnimatedLength {\n open val baseVal: SVGLength\n open val animVal: SVGLength\n}\n\n**\n * Exposes the JavaScript`

[SVGAnimatedAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedAngle) to Kotlin\n
`*\npublic external abstract class SVGAnimatedAngle {\n open val baseVal: SVGAngle\n open val animVal: SVGAngle\n}\n\n**\n * Exposes the JavaScript`

[SVGAnimatedString](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedString) to Kotlin\n
`*\npublic external abstract class SVGAnimatedString {\n open var baseVal: String\n open val animVal: String\n}\n\n**\n * Exposes the JavaScript`

[SVGAnimatedRect](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedRect) to Kotlin\n
`*\npublic external abstract class SVGAnimatedRect {\n open val baseVal: DOMRect\n open val animVal: DOMRectReadOnly\n}\n\n**\n * Exposes the JavaScript`

[SVGAnimatedNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumberList) to Kotlin\n
`*\npublic external abstract class SVGAnimatedNumberList {\n open val baseVal: SVGNumberList\n open val animVal: SVGNumberList\n}\n\n**\n * Exposes the JavaScript`

[SVGAnimatedLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLengthList) to Kotlin\n
`*\npublic external abstract class SVGAnimatedLengthList {\n open val baseVal: SVGLengthList\n open val animVal: SVGLengthList\n}\n\n**\n * Exposes the JavaScript`

[SVGStringList](https://developer.mozilla.org/en/docs/Web/API/SVGStringList) to Kotlin\n
`*\npublic external abstract class SVGStringList {\n open val length: Int\n open val numberOfItems: Int\n fun clear()\n fun initialize(newItem: String): String\n fun insertItemBefore(newItem: String, index: Int): String\n fun replaceItem(newItem: String, index: Int): String\n fun removeItem(index: Int): String\n fun appendItem(newItem: String): String\n fun getItem(index: Int): String\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGStringList.get(index: Int): String? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGStringList.set(index: Int, newItem: String) { asDynamic()[index] = newItem }\n\n**\n * Exposes the JavaScript`

[SVGUnitTypes](https://developer.mozilla.org/en/docs/Web/API/SVGUnitTypes) to Kotlin\n
`*\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface SVGUnitTypes {\n companion object {\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n }\n}\n\n**\n * Exposes the JavaScript`

[SVGTTests](https://developer.mozilla.org/en/docs/Web/API/SVGTTests) to Kotlin\n
`*\npublic external interface SVGTTests {\n val requiredExtensions: SVGStringList\n val systemLanguage: SVGStringList\n}\n\npublic external interface SVGFitToViewBox {\n val viewBox: SVGAnimatedRect\n val preserveAspectRatio: SVGAnimatedPreserveAspectRatio\n}\n\n**\n * Exposes the JavaScript`

[SVGZoomAndPan](https://developer.mozilla.org/en/docs/Web/API/SVGZoomAndPan) to Kotlin\n
`*\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface SVGZoomAndPan {\n var zoomAndPan: Short\n\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n }\n}\n\n**\n * Exposes the JavaScript`

[SVGURIReference](https://developer.mozilla.org/en/docs/Web/API/SVGURIReference) to Kotlin\n
`*\npublic external interface SVGURIReference {\n val href: SVGAnimatedString\n}\n\n**\n * Exposes the JavaScript`

[SVGSVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGSVGElement) to Kotlin\n
`*\npublic external abstract class SVGSVGElement : SVGGraphicsElement, SVGFitToViewBox, SVGZoomAndPan, WindowEventHandlers {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open var currentScale: Float\n open`

```
val currentTranslate: DOMPointReadOnly\n fun getIntersectionList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n fun getEnclosureList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n fun checkIntersection(element: SVGElement, rect: DOMRectReadOnly): Boolean\n fun checkEnclosure(element: SVGElement, rect: DOMRectReadOnly): Boolean\n fun deselectAll()\n fun createSVGNumber(): SVGNumber\n fun createSVGLength(): SVGLength\n fun createSVGAngle(): SVGAngle\n fun createSVGPoint(): DOMPoint\n fun createSVGMatrix(): DOMMatrix\n fun createSVGRect(): DOMRect\n fun createSVGTransform(): SVGTransform\n fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n fun getElementById(elementId: String): Element\n fun suspendRedraw(maxWaitMilliseconds: Int): Int\n fun unsuspendRedraw(suspendHandleID: Int)\n fun unsuspendRedrawAll()\n fun forceRedraw()\n\ncompanion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n\n/**\n * Exposes the JavaScript [SVGGEElement](https://developer.mozilla.org/en/docs/Web/API/SVGGEElement) to Kotlin\n */\npublic external abstract class SVGGEElement : SVGGraphicsElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n\npublic external abstract class SVGUnknownElement : SVGGraphicsElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n\n/**\n * Exposes the JavaScript [SVGDefsElement](https://developer.mozilla.org/en/docs/Web/API/SVGDefsElement) to Kotlin\n */\npublic external abstract class SVGDefsElement : SVGGraphicsElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n } \n}
```

```

    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGDescElement](https://developer.mozilla.org/en/docs/Web/API/SVGDescElement) to Kotlin \n * \n public
external abstract class SVGDescElement : SVGElement { \n    companion object { \n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n
        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGMetadataElement](https://developer.mozilla.org/en/docs/Web/API/SVGMetadataElement) to Kotlin \n
* \n public external abstract class SVGMetadataElement : SVGElement { \n    companion object { \n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGTitleElement](https://developer.mozilla.org/en/docs/Web/API/SVGTitleElement) to Kotlin \n * \n public
external abstract class SVGTitleElement : SVGElement { \n    companion object { \n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE:
Short\n        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val
DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val
NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val
DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes
the JavaScript [SVGSymbolElement](https://developer.mozilla.org/en/docs/Web/API/SVGSymbolElement) to
Kotlin \n * \n public external abstract class SVGSymbolElement : SVGGraphicsElement, SVGFitToViewBox { \n
    companion object { \n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n       
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE:
Short\n        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val
DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val
NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val
DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n

```

```

val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [SVGUseElement](https://developer.mozilla.org/en/docs/Web/API/SVGUseElement) to Kotlin\n
*\n\npublic external abstract class SVGUseElement : SVGGraphicsElement, SVGURIReference {\n    open val x:
SVGAnimatedLength\n    open val y: SVGAnimatedLength\n    open val width: SVGAnimatedLength\n    open val
height: SVGAnimatedLength\n    open val instanceRoot: SVGElement?\n    open val animatedInstanceRoot:
SVGElement?\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external open class
SVGUseElementShadowRoot : ShadowRoot {\n    companion object {\n        val ELEMENT_NODE: Short\n
        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
SVGElementInstance {\n    val correspondingElement: SVGElement?\n    get() = definedExternally\n    val
correspondingUseElement: SVGUseElement?\n    get() = definedExternally\n}\n\n\npublic external open class
ShadowAnimation(source: dynamic, newTarget: dynamic) {\n    open val sourceAnimation: dynamic\n}\n\n\n/**\n *
Exposes the JavaScript [SVGSwitchElement](https://developer.mozilla.org/en/docs/Web/API/SVGSwitchElement)
to Kotlin\n
*\n\npublic external abstract class SVGSwitchElement : SVGGraphicsElement {\n    companion object
{\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
GetSVGDocument {\n    fun getSVGDocument():
Document\n}\n\n\n/**\n * Exposes the JavaScript
[SVGStyleElement](https://developer.mozilla.org/en/docs/Web/API/SVGStyleElement) to Kotlin\n
*\n\npublic external abstract class SVGStyleElement : SVGElement, LinkStyle {\n    open var type: String\n    open var media:
String\n    open var title: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val

```

DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val  
DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val  
DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n  
val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n  
val DOCUMENT\_POSITION\_CONTAINED\_BY:  
Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes  
the JavaScript [SVGTransform](https://developer.mozilla.org/en/docs/Web/API/SVGTransform) to Kotlin\n  
\*/\npublic external abstract class SVGTransform {\n open val type: Short\n open val matrix: DOMMatrix\n  
open val angle: Float\n fun setMatrix(matrix: DOMMatrixReadOnly)\n fun setTranslate(tx: Float, ty: Float)\n  
fun setScale(sx: Float, sy: Float)\n fun setRotate(angle: Float, cx: Float, cy: Float)\n fun setSkewX(angle:  
Float)\n fun setSkewY(angle: Float)\n\n companion object {\n val SVG\_TRANSFORM\_UNKNOWN:  
Short\n val SVG\_TRANSFORM\_MATRIX: Short\n val SVG\_TRANSFORM\_TRANSLATE: Short\n  
val SVG\_TRANSFORM\_SCALE: Short\n val SVG\_TRANSFORM\_ROTATE: Short\n val  
SVG\_TRANSFORM\_SKEWX: Short\n val SVG\_TRANSFORM\_SKEWY: Short\n }\n}\n\n/\*\*\n \* Exposes  
the JavaScript [SVGTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGTransformList)  
to Kotlin\n \*/\npublic external abstract class SVGTransformList {\n open val length: Int\n open val  
numberOfItems: Int\n fun clear()\n fun initialize(newItem: SVGTransform): SVGTransform\n fun  
insertItemBefore(newItem: SVGTransform, index: Int): SVGTransform\n fun replaceItem(newItem:  
SVGTransform, index: Int): SVGTransform\n fun removeItem(index: Int): SVGTransform\n fun  
appendItem(newItem: SVGTransform): SVGTransform\n fun createSVGTransformFromMatrix(matrix:  
DOMMatrixReadOnly): SVGTransform\n fun consolidate(): SVGTransform?\n fun getItem(index: Int):  
SVGTransform\n}\n\n@Suppress("INVISIBLE\_REFERENCE",  
"INVISIBLE\_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGTransformList.get(index:  
Int): SVGTransform? = asDynamic()[index]\n\n@Suppress("INVISIBLE\_REFERENCE",  
"INVISIBLE\_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGTransformList.set(index:  
Int, newItem: SVGTransform)  
{ asDynamic()[index] = newItem }\n\n/\*\*\n \* Exposes the JavaScript  
[SVGAnimatedTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedTransformList) to  
Kotlin\n \*/\npublic external abstract class SVGAnimatedTransformList {\n open val baseVal:  
SVGTransformList\n open val animVal: SVGTransformList\n}\n\n/\*\*\n \* Exposes the JavaScript  
[SVGPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGPreserveAspectRatio) to Kotlin\n  
\*/\npublic external abstract class SVGPreserveAspectRatio {\n open var align: Short\n open var meetOrSlice:  
Short\n\n companion object {\n val SVG\_PRESERVEASPECTRATIO\_UNKNOWN: Short\n val  
SVG\_PRESERVEASPECTRATIO\_NONE: Short\n val SVG\_PRESERVEASPECTRATIO\_XMINYMIN:  
Short\n val SVG\_PRESERVEASPECTRATIO\_XMIDYMIN: Short\n val  
SVG\_PRESERVEASPECTRATIO\_XMAXYMIN: Short\n val  
SVG\_PRESERVEASPECTRATIO\_XMINYMID: Short\n val  
SVG\_PRESERVEASPECTRATIO\_XMIDYMID: Short\n val  
SVG\_PRESERVEASPECTRATIO\_XMAXYMID:  
Short\n val SVG\_PRESERVEASPECTRATIO\_XMINYMAX: Short\n val  
SVG\_PRESERVEASPECTRATIO\_XMIDYMAX: Short\n val  
SVG\_PRESERVEASPECTRATIO\_XMAXYMAX: Short\n val SVG\_MEETORSLICE\_UNKNOWN: Short\n  
val SVG\_MEETORSLICE\_MEET: Short\n val SVG\_MEETORSLICE\_SLICE: Short\n }\n}\n\n/\*\*\n \*  
Exposes the JavaScript  
[SVGAnimatedPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPreserveAspect  
Ratio) to Kotlin\n \*/\npublic external abstract class SVGAnimatedPreserveAspectRatio {\n open val baseVal:  
SVGPreserveAspectRatio\n open val animVal: SVGPreserveAspectRatio\n}\n\n/\*\*\n \* Exposes the JavaScript  
[SVGPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGPathElement) to Kotlin\n \*/\npublic



```

external abstract class SVGPathElement : SVGGeometryElement {
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

Exposes the JavaScript [SVGRectElement](https://developer.mozilla.org/en/docs/Web/API/SVGRectElement) to Kotlin

public external abstract class SVGRectElement : SVGGeometryElement {
    open val x: SVGAnimatedLength
    open val y: SVGAnimatedLength
    open val width: SVGAnimatedLength
    open val height: SVGAnimatedLength
    open val rx: SVGAnimatedLength
    open val ry: SVGAnimatedLength

    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

Exposes the JavaScript [SVGCircleElement](https://developer.mozilla.org/en/docs/Web/API/SVGCircleElement) to Kotlin

public external abstract class SVGCircleElement : SVGGeometryElement {
    open val cx: SVGAnimatedLength
    open val cy: SVGAnimatedLength
    open val r: SVGAnimatedLength

    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

Exposes the JavaScript [SVGEllipseElement](https://developer.mozilla.org/en/docs/Web/API/SVGEllipseElement) to Kotlin

public external abstract class SVGEllipseElement : SVGGeometryElement {
    open val cx: SVGAnimatedLength
    open val cy: SVGAnimatedLength
    open val rx: SVGAnimatedLength
    open val ry: SVGAnimatedLength

    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
    }
}

```

```

val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n
val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the
JavaScript [SVGLineElement](https://developer.mozilla.org/en/docs/Web/API/SVGLineElement) to Kotlin\n
*/\npublic external abstract class SVGLineElement : SVGGeometryElement {\n    open val x1:
SVGAnimatedLength\n    open val y1: SVGAnimatedLength\n    open val x2: SVGAnimatedLength\n    open val
y2: SVGAnimatedLength\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING:
Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n        val
DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGMeshElement](https://developer.mozilla.org/en/docs/Web/API/SVGMeshElement) to Kotlin\n
*/\npublic external abstract class SVGMeshElement : SVGGeometryElement, SVGURIReference {\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING:
Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n        val
DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedPoints](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPoints) to Kotlin\n
*/\npublic external interface SVGAnimatedPoints {\n    val points: SVGPointList\n    val animatedPoints:
SVGPointList\n}\n\npublic external abstract class SVGPointList {\n    open val length: Int\n    open val
numberOfItems: Int\n    fun clear()\n    fun initialize(newItem: DOMPoint): DOMPoint\n    fun
insertItemBefore(newItem: DOMPoint, index: Int): DOMPoint\n    fun replaceItem(newItem: DOMPoint, index:
Int): DOMPoint\n    fun removeItem(index: Int): DOMPoint\n    fun appendItem(newItem: DOMPoint):
DOMPoint\n    fun getItem(index: Int): DOMPoint\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGPointList.get(index:
Int): DOMPoint? = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGPointList.set(index: Int,
newItem: DOMPoint) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGPolylineElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolylineElement) to Kotlin\n
*/\npublic external abstract class SVGPolylineElement : SVGGeometryElement, SVGAnimatedPoints {\n
    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n

```

```

    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING:
Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val
DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[SVGPolygonElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolygonElement) to Kotlin\n
*/\npublic external abstract class SVGPolygonElement : SVGGeometryElement, SVGAnimatedPoints {\n
companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val
TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED:
Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val
DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[SVGTextContentElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextContentElement) to Kotlin\n
*/\npublic external abstract class SVGTextContentElement : SVGGraphicsElement {\n    open val textLength:
SVGAnimatedLength\n    open val lengthAdjust: SVGAnimatedEnumeration\n    fun getNumberOfChars(): Int\n
fun getComputedTextLength(): Float\n    fun getSubStringLength(charnum: Int, nchars: Int): Float\n    fun
getStartPositionOfChar(charnum: Int): DOMPoint\n    fun getEndPositionOfChar(charnum: Int): DOMPoint\n    fun
getExtentOfChar(charnum: Int): DOMRect\n    fun getRotationOfChar(charnum: Int): Float\n    fun
getCharNumAtPosition(point: DOMPoint): Int\n    fun selectSubString(charnum:
Int, nchars: Int)\n\n    companion object {\n    val LENGTHADJUST_UNKNOWN: Short\n    val
LENGTHADJUST_SPACING: Short\n    val LENGTHADJUST_SPACINGANDGLYPHS: Short\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[SVGTextPositioningElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPositioningElement)
to Kotlin\n */\npublic external abstract class SVGTextPositioningElement : SVGTextContentElement {\n    open
val x: SVGAnimatedLengthList\n    open val y: SVGAnimatedLengthList\n    open val dx:
SVGAnimatedLengthList\n    open val dy: SVGAnimatedLengthList\n    open val rotate:
SVGAnimatedNumberList\n\n    companion object {\n    val LENGTHADJUST_UNKNOWN: Short\n    val
LENGTHADJUST_SPACING: Short\n    val LENGTHADJUST_SPACINGANDGLYPHS: Short\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val

```

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGTextElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextElement) to Kotlin\n \*/\npublic external abstract class SVGTextElement : SVGTextPositioningElement {\n companion object {\n val LENGTHADJUST\_UNKNOWN: Short\n val LENGTHADJUST\_SPACING: Short\n val LENGTHADJUST\_SPACINGANDGLYPHS: Short\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGTSpanElement](https://developer.mozilla.org/en/docs/Web/API/SVGTSpanElement) to Kotlin\n \*/\npublic external abstract class SVGTSpanElement : SVGTextPositioningElement {\n companion object {\n val LENGTHADJUST\_UNKNOWN: Short\n val LENGTHADJUST\_SPACING: Short\n val LENGTHADJUST\_SPACINGANDGLYPHS: Short\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGTextPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPathElement) to Kotlin\n \*/\npublic external abstract class SVGTextPathElement : SVGTextContentElement, SVGURIReference {\n open val startOffset: SVGAnimatedLength\n open val method: SVGAnimatedEnumeration\n open val spacing: SVGAnimatedEnumeration\n\n companion object {\n val TEXTPATH\_METHODTYPE\_UNKNOWN: Short\n val TEXTPATH\_METHODTYPE\_ALIGN: Short\n val TEXTPATH\_METHODTYPE\_STRETCH: Short\n val TEXTPATH\_SPACINGTYPE\_UNKNOWN: Short\n val TEXTPATH\_SPACINGTYPE\_AUTO: Short\n val TEXTPATH\_SPACINGTYPE\_EXACT: Short\n val LENGTHADJUST\_UNKNOWN: Short\n val LENGTHADJUST\_SPACING: Short\n val LENGTHADJUST\_SPACINGANDGLYPHS: Short\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGImageElement](https://developer.mozilla.org/en/docs/Web/API/SVGImageElement) to Kotlin\n \*/\npublic external abstract class SVGImageElement : SVGGraphicsElement, SVGURIReference,

```

HTMLorSVGImageElement {\n  open val x: SVGAnimatedLength\n  open val y: SVGAnimatedLength\n  open
val width: SVGAnimatedLength\n  open val height: SVGAnimatedLength\n  open val preserveAspectRatio:
SVGAnimatedPreserveAspectRatio\n  open var crossOrigin: String?\n\n  companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[SVGForeignObjectElement](https://developer.mozilla.org/en/docs/Web/API/SVGForeignObjectElement) to
Kotlin\n */\npublic external abstract class SVGForeignObjectElement : SVGGraphicsElement {\n  open val x:
SVGAnimatedLength\n  open val y: SVGAnimatedLength\n  open val width: SVGAnimatedLength\n  open val
height: SVGAnimatedLength\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n
    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\npublic external abstract class
SVGMarkerElement : SVGElement, SVGFitToViewBox {\n  open val refX: SVGAnimatedLength\n  open val
refY: SVGAnimatedLength\n  open val markerUnits: SVGAnimatedEnumeration\n  open val markerWidth:
SVGAnimatedLength\n  open val markerHeight: SVGAnimatedLength\n  open val orientType:
SVGAnimatedEnumeration\n  open val orientAngle: SVGAnimatedAngle\n  open var orient: String\n  fun
setOrientToAuto()\n
  fun setOrientToAngle(angle: SVGAngle)\n\n  companion object {\n    val
SVG_MARKERUNITS_UNKNOWN: Short\n    val SVG_MARKERUNITS_USERSPACEONUSE: Short\n
    val SVG_MARKERUNITS_STROKEWIDTH: Short\n    val SVG_MARKER_ORIENT_UNKNOWN: Short\n
    val SVG_MARKER_ORIENT_AUTO: Short\n    val SVG_MARKER_ORIENT_ANGLE: Short\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes
the JavaScript [SVGSolidcolorElement](https://developer.mozilla.org/en/docs/Web/API/SVGSolidcolorElement) to
Kotlin\n */\npublic external abstract class SVGSolidcolorElement : SVGElement {\n  companion object {\n
    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val

```

DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val  
DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val  
DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n  
val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n  
val DOCUMENT\_POSITION\_CONTAINED\_BY:  
Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n } \n } \n \n /\*\* \n \* Exposes  
the JavaScript [SVGGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGGradientElement) to  
Kotlin \n \* \n public external abstract class SVGGradientElement : SVGElement, SVGURIReference,  
SVGUnitTypes { \n open val gradientUnits: SVGAnimatedEnumeration \n open val gradientTransform:  
SVGAnimatedTransformList \n open val spreadMethod: SVGAnimatedEnumeration \n \n companion object { \n  
val SVG\_SPREADMETHOD\_UNKNOWN: Short\n val SVG\_SPREADMETHOD\_PAD: Short\n val  
SVG\_SPREADMETHOD\_REFLECT: Short\n val SVG\_SPREADMETHOD\_REPEAT: Short\n val  
SVG\_UNIT\_TYPE\_UNKNOWN: Short\n val SVG\_UNIT\_TYPE\_USERSPACEONUSE: Short\n val  
SVG\_UNIT\_TYPE\_OBJECTBOUNDINGBOX: Short\n val ELEMENT\_NODE: Short\n val  
ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val  
ENTITY\_REFERENCE\_NODE:  
Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val  
COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n  
val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val  
DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n  
val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n  
val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val  
DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n } \n } \n \n /\*\* \n \* Exposes the JavaScript  
[SVGLinearGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGLinearGradientElement) to  
Kotlin \n \* \n public external abstract class SVGLinearGradientElement : SVGGradientElement { \n open val x1:  
SVGAnimatedLength \n open val y1: SVGAnimatedLength \n open val x2: SVGAnimatedLength \n open val  
y2: SVGAnimatedLength \n \n companion object { \n val  
SVG\_SPREADMETHOD\_UNKNOWN: Short\n val SVG\_SPREADMETHOD\_PAD: Short\n val  
SVG\_SPREADMETHOD\_REFLECT: Short\n val SVG\_SPREADMETHOD\_REPEAT: Short\n val  
SVG\_UNIT\_TYPE\_UNKNOWN: Short\n val SVG\_UNIT\_TYPE\_USERSPACEONUSE: Short\n val  
SVG\_UNIT\_TYPE\_OBJECTBOUNDINGBOX: Short\n val ELEMENT\_NODE: Short\n val  
ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val  
ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val  
PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val  
DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val  
DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val  
DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n  
val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n  
val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n  
val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n } \n } \n \n /\*\* \n \* Exposes the  
JavaScript  
[SVGRadialGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGRadialGradientElement) to  
Kotlin \n \* \n public external abstract class SVGRadialGradientElement : SVGGradientElement { \n open val cx:  
SVGAnimatedLength \n open val cy: SVGAnimatedLength \n open val r: SVGAnimatedLength \n open val fx:  
SVGAnimatedLength \n open val fy: SVGAnimatedLength \n open val fr: SVGAnimatedLength \n \n companion  
object { \n val SVG\_SPREADMETHOD\_UNKNOWN: Short\n val SVG\_SPREADMETHOD\_PAD:  
Short\n val SVG\_SPREADMETHOD\_REFLECT: Short\n val SVG\_SPREADMETHOD\_REPEAT:  
Short\n val SVG\_UNIT\_TYPE\_UNKNOWN: Short\n val SVG\_UNIT\_TYPE\_USERSPACEONUSE:

```

Short\n    val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n    val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
SVGMeshGradientElement : SVGGradientElement {\n    companion object {\n    val
SVG_SPREADMETHOD_UNKNOWN: Short\n    val SVG_SPREADMETHOD_PAD: Short\n    val
SVG_SPREADMETHOD_REFLECT: Short\n    val SVG_SPREADMETHOD_REPEAT: Short\n    val
SVG_UNIT_TYPE_UNKNOWN: Short\n    val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n    val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
Short\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
SVGMeshrowElement : SVGElement {\n    companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE:
Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
SVGMeshpatchElement : SVGElement {\n    companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n
val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE:
Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGStopElement](https://developer.mozilla.org/en/docs/Web/API/SVGStopElement) to Kotlin\n *\n\npublic
external abstract class SVGStopElement : SVGElement {\n    open val offset: SVGAnimatedNumber\n\n
companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val
TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:

```

```

Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE:
Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val
DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val
NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val
DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [SVGPatternElement](https://developer.mozilla.org/en/docs/Web/API/SVGPatternElement) to
Kotlin\n */\npublic external abstract class SVGPatternElement : SVGElement, SVGFitToViewBox,
SVGURIReference, SVGUnitTypes {\n    open val patternUnits: SVGAnimatedEnumeration\n    open val
patternContentUnits: SVGAnimatedEnumeration\n    open val patternTransform: SVGAnimatedTransformList\n
open val x: SVGAnimatedLength\n    open val y: SVGAnimatedLength\n    open
val width: SVGAnimatedLength\n    open val height: SVGAnimatedLength\n\n    companion object {\n        val
SVG_UNIT_TYPE_UNKNOWN: Short\n        val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n        val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic
external abstract class SVGHatchElement : SVGElement {\n    companion object {\n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
SVGHatchpathElement : SVGElement {\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGCursorElement](https://developer.mozilla.org/en/docs/Web/API/SVGCursorElement) to Kotlin\n */\npublic
external abstract class SVGCursorElement : SVGElement, SVGURIReference {\n    open val x:
SVGAnimatedLength\n    open val y: SVGAnimatedLength\n\n    companion

```



```

object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
}

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }

Exposes the JavaScript [SVGScriptElement](https://developer.mozilla.org/en/docs/Web/API/SVGScriptElement) to Kotlin

public external abstract class SVGScriptElement : SVGElement, SVGURIReference, HTMLOrSVGScriptElement {
    open var type: String
    open var crossOrigin: String?

    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
    }
}

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }

Exposes the JavaScript [SVGAElement](https://developer.mozilla.org/en/docs/Web/API/SVGAElement) to Kotlin

public external abstract class SVGAElement : SVGGraphicsElement, SVGURIReference {
    open val target: SVGAnimatedString
    open val download: SVGAnimatedString
    open val rel: SVGAnimatedString
    open val relList: SVGAnimatedString
    open val hreflang: SVGAnimatedString
    open val type: SVGAnimatedString

    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }
}

Exposes the JavaScript [SVGViewElement](https://developer.mozilla.org/en/docs/Web/API/SVGViewElement) to Kotlin

public external abstract class SVGViewElement : SVGElement, SVGFitToViewBox, SVGZoomAndPan {
    companion object {
        val SVG_ZOOMANDPAN_UNKNOWN: Short
        val SVG_ZOOMANDPAN_DISABLE: Short
        val SVG_ZOOMANDPAN_MAGNIFY: Short
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }
}

"/" * Copyright 2010-2021

```

```

JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.files\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\nimport
org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [Blob](https://developer.mozilla.org/en/docs/Web/API/Blob) to
Kotlin\n *\n\npublic external open class Blob(blobParts: Array<dynamic> = definedExternally, options:
BlobPropertyBag = definedExternally) : MediaPlayer, ImageBitmapSource {\n    open val size: Number\n    open
val type: String\n
    open val isClosed: Boolean\n    fun slice(start: Int = definedExternally, end: Int = definedExternally, contentType:
String = definedExternally): Blob\n    fun close()\n}\n\n\npublic external interface BlobPropertyBag {\n    var type:
String? /* = \"\" */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun BlobPropertyBag(type: String? = \"\"):
BlobPropertyBag {\n    val o = js(\"({})\")\n    o[\"type\"] = type\n    return o\n}\n\n\n/**\n * Exposes the JavaScript
[File](https://developer.mozilla.org/en/docs/Web/API/File) to Kotlin\n *\n\npublic external open class File(fileBits:
Array<dynamic>, fileName: String, options: FilePropertyBag = definedExternally) : Blob {\n    open val name:
String\n    open val lastModified: Int\n}\n\n\npublic external interface FilePropertyBag : BlobPropertyBag {\n    var
lastModified: Int?\n    get() = definedExternally\n
    set(value) = definedExternally\n}\n\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun FilePropertyBag(lastModified: Int? =
undefined, type: String? = \"\"): FilePropertyBag {\n    val o = js(\"({})\")\n    o[\"lastModified\"] = lastModified\n
o[\"type\"] = type\n    return o\n}\n\n\n/**\n * Exposes the JavaScript
[FileList](https://developer.mozilla.org/en/docs/Web/API/FileList) to Kotlin\n *\n\npublic external abstract class
FileList : ItemArrayLike<File> {\n    override fun item(index: Int):
File?\n}\n\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun FileList.get(index: Int): File?
= asDynamic()[index]\n\n\n/**\n * Exposes the JavaScript
[FileReader](https://developer.mozilla.org/en/docs/Web/API/FileReader) to Kotlin\n *\n\npublic external open class
FileReader : EventTarget {\n    open val readyState: Short\n    open val result: dynamic\n    open val error:
dynamic\n    var onloadstart: ((ProgressEvent) -> dynamic)?\n    var onprogress: ((ProgressEvent) -> dynamic)?\n
var onload: ((Event) -> dynamic)?\n    var onabort: ((Event) -> dynamic)?\n    var onerror: ((Event) ->
dynamic)?\n    var onloadend: ((Event) -> dynamic)?\n    fun readAsArrayBuffer(blob: Blob)\n    fun readAsBinaryString(blob:
Blob)\n    fun readAsText(blob: Blob, label: String = definedExternally)\n    fun readAsDataURL(blob: Blob)\n
fun abort()\n\n    companion object {\n        val EMPTY: Short\n        val LOADING: Short\n        val DONE:
Short\n    }\n}\n\n\n/**\n * Exposes the JavaScript
[FileReaderSync](https://developer.mozilla.org/en/docs/Web/API/FileReaderSync) to Kotlin\n *\n\npublic external
open class FileReaderSync {\n    fun readAsArrayBuffer(blob: Blob): ArrayBuffer\n    fun readAsBinaryString(blob:
Blob): String\n    fun readAsText(blob: Blob, label: String = definedExternally): String\n    fun
readAsDataURL(blob: Blob): String\n}\n\n\n/* Copyright
2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS
AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage
org.w3c.notifications\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.events.*\nimport
org.w3c.workers.*\n\n/**\n * Exposes the JavaScript
[Notification](https://developer.mozilla.org/en/docs/Web/API/Notification) to Kotlin\n *\n\npublic external open
class Notification(title: String, options: NotificationOptions = definedExternally) : EventTarget {\n    var onclick:
((MouseEvent) -> dynamic)?\n    var onerror: ((Event) -> dynamic)?\n    open val title: String\n    open val dir:
NotificationDirection\n    open val lang: String\n    open val body: String\n    open val tag: String\n    open val

```

```

image: String\n open val icon: String\n open val badge: String\n
open val sound: String\n open val vibrate: Array<out Int>\n open val timestamp: Number\n open val renotify:
Boolean\n open val silent: Boolean\n open val noscreen: Boolean\n open val requireInteraction: Boolean\n
open val sticky: Boolean\n open val data: Any?\n open val actions: Array<out NotificationAction>\n fun
close()\n\n companion object {\n val permission: NotificationPermission\n val maxActions: Int\n fun
requestPermission(deprecatedCallback: (NotificationPermission) -> Unit) = definedExternally\n
Promise<NotificationPermission>\n }\n\n\npublic external interface NotificationOptions {\n var dir:
NotificationDirection? /* = NotificationDirection.AUTO */\n get() = definedExternally\n set(value) =
definedExternally\n var lang: String? /* = "" */\n get() = definedExternally\n set(value) =
definedExternally\n var body: String? /* = "" */\n get() = definedExternally\n set(value)
= definedExternally\n var tag: String? /* = "" */\n get() = definedExternally\n set(value) =
definedExternally\n var image: String?\n get() = definedExternally\n set(value) = definedExternally\n
var icon: String?\n get() = definedExternally\n set(value) = definedExternally\n var badge: String?\n
get() = definedExternally\n set(value) = definedExternally\n var sound: String?\n get() =
definedExternally\n set(value) = definedExternally\n var vibrate: dynamic\n get() = definedExternally\n
set(value) = definedExternally\n var timestamp: Number?\n get() = definedExternally\n set(value) =
definedExternally\n var renotify: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n var silent: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n var noscreen: Boolean? /* = false
*/\n get() = definedExternally\n set(value) = definedExternally\n var requireInteraction: Boolean? /* =
false */\n get() = definedExternally\n set(value) = definedExternally\n var sticky: Boolean? /* = false */\n
get() = definedExternally\n set(value) = definedExternally\n var data: Any? /* = null */\n get() =
definedExternally\n set(value) = definedExternally\n var actions: Array<NotificationAction>? /* = arrayOf()
*/\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun NotificationOptions(dir:
NotificationDirection? = NotificationDirection.AUTO, lang: String? = \"\", body: String? = \"\", tag: String? = \"\",
image: String? = undefined, icon: String? = undefined, badge: String? = undefined, sound: String? = undefined,
vibrate: dynamic = undefined, timestamp: Number? = undefined, renotify:
Boolean? = false, silent: Boolean? = false, noscreen: Boolean? = false, requireInteraction: Boolean? = false, sticky:
Boolean? = false, data: Any? = null, actions: Array<NotificationAction>? = arrayOf()): NotificationOptions {\n
val o = js(\"({})\")\n o[\"dir\"] = dir\n o[\"lang\"] = lang\n o[\"body\"] = body\n o[\"tag\"] = tag\n
o[\"image\"] = image\n o[\"icon\"] = icon\n o[\"badge\"] = badge\n o[\"sound\"] = sound\n o[\"vibrate\"] =
vibrate\n o[\"timestamp\"] = timestamp\n o[\"renotify\"] = renotify\n o[\"silent\"] = silent\n o[\"noscreen\"] =
noscreen\n o[\"requireInteraction\"] = requireInteraction\n o[\"sticky\"] = sticky\n o[\"data\"] = data\n
o[\"actions\"] = actions\n return o\n}\n\npublic external interface NotificationAction {\n var action: String?\n
var title: String?\n var icon: String?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun NotificationAction(action: String?,
title: String?, icon: String? = undefined): NotificationAction {\n val o = js(\"({})\")\n o[\"action\"] = action\n
o[\"title\"] = title\n o[\"icon\"] = icon\n return o\n}\n\npublic external interface GetNotificationOptions {\n var
tag: String? /* = "" */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun GetNotificationOptions(tag: String? =
\" \"): GetNotificationOptions {\n val o = js(\"({})\")\n o[\"tag\"] = tag\n return o\n}\n\n**\n * Exposes the
JavaScript [NotificationEvent](https://developer.mozilla.org/en/docs/Web/API/NotificationEvent) to Kotlin\n
*\n\npublic external open class NotificationEvent(type: String, eventInitDict: NotificationEventInit) :
ExtendableEvent {\n open val notification: Notification\n

```

```

open val action: String\n\n companion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n } }\n\npublic external interface
NotificationEventInit : ExtendableEventInit {\n    var notification: Notification?\n    var action: String? /* = \"\" */\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun NotificationEventInit(notification:
Notification?, action: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): NotificationEventInit {\n    val o = js(\"({})\")\n    o[\"notification\"] = notification\n    o[\"action\"] =
action\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return
o\n}\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
external interface NotificationPermission {\n    companion object\n}\n\npublic inline val
NotificationPermission.Companion.DEFAULT: NotificationPermission get() =
\"default\".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val
NotificationPermission.Companion.DENIED: NotificationPermission get() =
\"denied\".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val
NotificationPermission.Companion.GRANTED: NotificationPermission get() =
\"granted\".asDynamic().unsafeCast<NotificationPermission>()\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface NotificationDirection {\n    companion object\n}\n\npublic inline val
NotificationDirection.Companion.AUTO: NotificationDirection get() =
\"auto\".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val
NotificationDirection.Companion.LTR: NotificationDirection get()
= \"ltr\".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val
NotificationDirection.Companion.RTL: NotificationDirection get() =
\"rtl\".asDynamic().unsafeCast<NotificationDirection>()\n\n/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n//
See github.com/kotlin/dukat for details\n\npackage org.w3c.workers\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\nimport org.w3c.fetch.*\nimport
org.w3c.notifications.*\n\n/**\n * Exposes the JavaScript
[ServiceWorker](https://developer.mozilla.org/en/docs/Web/API/ServiceWorker) to Kotlin\n *\n\npublic external
abstract class ServiceWorker : EventTarget, AbstractWorker, UnionMessagePortOrServiceWorker,
UnionClientOrMessagePortOrServiceWorker {\n    open val scriptURL:
String\n    open val state: ServiceWorkerState\n    open var onstatechange: ((Event) -> dynamic)?\n    fun
postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerRegistration](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerRegistration) to
Kotlin\n *\n\npublic external abstract class ServiceWorkerRegistration : EventTarget {\n    open val installing:
ServiceWorker?\n    open val waiting: ServiceWorker?\n    open val active: ServiceWorker?\n    open val scope:
String\n    open var onupdatefound: ((Event) -> dynamic)?\n    open val APISpace: dynamic\n    fun update():
Promise<Unit>\n    fun unregister(): Promise<Boolean>\n    fun showNotification(title: String, options:
NotificationOptions = definedExternally): Promise<Unit>\n    fun getNotifications(filter: GetNotificationOptions =
definedExternally): Promise<Array<Notification>>\n    fun methodName(): Promise<dynamic>\n}\n\n/**\n *
Exposes the JavaScript
[ServiceWorkerContainer](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerContainer) to Kotlin\n\n
*\n\npublic external abstract class ServiceWorkerContainer : EventTarget {\n    open val controller:
ServiceWorker?\n    open val ready: Promise<ServiceWorkerRegistration>\n    open var oncontrollerchange:
((Event) -> dynamic)?\n    open var onmessage: ((MessageEvent) -> dynamic)?\n    fun register(scriptURL: String,
options: RegistrationOptions = definedExternally): Promise<ServiceWorkerRegistration>\n    fun

```

```

getRegistration(clientURL: String = definedExternally): Promise<Any?>\n fun getRegistrations():
Promise<Array<ServiceWorkerRegistration>>\n fun startMessages()\n\npublic external interface
RegistrationOptions {\n var scope: String?\n get() = definedExternally\n set(value) = definedExternally\n
var type: WorkerType? /* = WorkerType.CLASSIC */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun RegistrationOptions(scope: String? =
undefined, type: WorkerType? = WorkerType.CLASSIC): RegistrationOptions {\n val o = js(\"({})\")\n
o[\"scope\"] = scope\n o[\"type\"] = type\n return o\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerMessageEvent) to
Kotlin\n */\npublic external open class ServiceWorkerMessageEvent(type: String, eventInitDict:
ServiceWorkerMessageEventInit = definedExternally) : Event {\n open val data: Any?\n open val origin:
String\n open val lastEventId: String\n open val source: UnionMessagePortOrServiceWorker?\n open val
ports: Array<out MessagePort>?\n companion object {\n val NONE: Short\n val
CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface ServiceWorkerMessageEventInit : EventInit {\n
var data: Any?\n get() = definedExternally\n set(value) = definedExternally\n var origin: String?\n
get() = definedExternally\n set(value) = definedExternally\n var lastEventId: String?\n get() =
definedExternally\n set(value) = definedExternally\n var source: UnionMessagePortOrServiceWorker?\n
get() = definedExternally\n set(value) = definedExternally\n var ports: Array<MessagePort>?\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ServiceWorkerMessageEventInit(data:
Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source:
UnionMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles: Boolean? =
false, cancelable: Boolean? = false, composed: Boolean? = false): ServiceWorkerMessageEventInit {\n val o =
js(\"({})\")\n
o[\"data\"] = data\n o[\"origin\"] = origin\n o[\"lastEventId\"] = lastEventId\n o[\"source\"] = source\n
o[\"ports\"] = ports\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] =
composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerGlobalScope) to
Kotlin\n */\npublic external abstract class ServiceWorkerGlobalScope : WorkerGlobalScope {\n open val clients:
Clients\n open val registration: ServiceWorkerRegistration\n open var oninstall: ((Event) -> dynamic)?\n open
var onactivate: ((Event) -> dynamic)?\n open var onfetch: ((FetchEvent) -> dynamic)?\n open var
onforeignfetch: ((Event) -> dynamic)?\n open var onmessage: ((MessageEvent) -> dynamic)?\n open var
onnotificationclick: ((NotificationEvent) -> dynamic)?\n open var onnotificationclose: ((NotificationEvent) ->
dynamic)?\n open var onfunctionalevent: ((Event)
-> dynamic)?\n fun skipWaiting(): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[Client](https://developer.mozilla.org/en/docs/Web/API/Client) to Kotlin\n */\npublic external abstract class Client :
UnionClientOrMessagePortOrServiceWorker {\n open val url: String\n open val frameType: FrameType\n
open val id: String\n fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n
* Exposes the JavaScript [WindowClient](https://developer.mozilla.org/en/docs/Web/API/WindowClient) to
Kotlin\n */\npublic external abstract class WindowClient : Client {\n open val visibilityState: dynamic\n open
val focused: Boolean\n fun focus(): Promise<WindowClient>\n fun navigate(url: String):
Promise<WindowClient>\n}\n\n/**\n * Exposes the JavaScript
[Clients](https://developer.mozilla.org/en/docs/Web/API/Clients) to Kotlin\n */\npublic external abstract class
Clients {\n fun get(id: String): Promise<Any?>\n fun matchAll(options: ClientQueryOptions
= definedExternally): Promise<Array<Client>>\n fun openWindow(url: String): Promise<WindowClient?>\n
fun claim(): Promise<Unit>\n}\n\npublic external interface ClientQueryOptions {\n var includeUncontrolled:
Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var type:

```

```

ClientType? /* = ClientType.WINDOW */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
ClientQueryOptions(includeUncontrolled: Boolean? = false, type: ClientType? = ClientType.WINDOW):
ClientQueryOptions {\n    val o = js(\\"({})\")\n    o[\"includeUncontrolled\"] = includeUncontrolled\n    o[\"type\"] =
type\n    return o\n}\n\n/**\n * Exposes the JavaScript
[ExtendableEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableEvent) to Kotlin\n */\npublic external
open class ExtendableEvent(type: String, eventInitDict:
ExtendableEventInit = definedExternally) : Event {\n    fun waitUntil(f: Promise<Any?>)\n\n    companion object
{\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface ExtendableEventInit :
EventInit\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ExtendableEventInit(bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableEventInit {\n    val o =
js(\\"({})\")\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[InstallEvent](https://developer.mozilla.org/en/docs/Web/API/InstallEvent) to Kotlin\n */\npublic external open
class InstallEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : ExtendableEvent {\n    fun
registerForeignFetch(options: ForeignFetchOptions)\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET:
Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface ForeignFetchOptions {\n    var
scopes: Array<String>?\n    var origins: Array<String>?\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchOptions(scopes:
Array<String>?, origins: Array<String>?): ForeignFetchOptions {\n    val o = js(\\"({})\")\n    o[\"scopes\"] =
scopes\n    o[\"origins\"] = origins\n    return o\n}\n\n/**\n * Exposes the JavaScript
[FetchEvent](https://developer.mozilla.org/en/docs/Web/API/FetchEvent) to Kotlin\n */\npublic external open class
FetchEvent(type: String, eventInitDict: FetchEventInit) : ExtendableEvent {\n    open val request: Request\n    open
val clientId: String?\n    open val isReload: Boolean\n    fun respondWith(r: Promise<Response>)\n\n    companion
object {\n        val NONE:
Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE:
Short\n    }\n}\n\npublic external interface FetchEventInit : ExtendableEventInit {\n    var request: Request?\n    var
clientId: String? /* = null */\n    get() = definedExternally\n    set(value) = definedExternally\n    var isReload:
Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun FetchEventInit(request: Request?,
clientId: String? = null, isReload: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): FetchEventInit {\n    val o = js(\\"({})\")\n    o[\"request\"] = request\n    o[\"clientId\"]
= clientId\n    o[\"isReload\"] = isReload\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\npublic external
open class ForeignFetchEvent(type: String, eventInitDict: ForeignFetchEventInit) : ExtendableEvent {\n    open val
request: Request\n    open val origin: String\n    fun respondWith(r: Promise<ForeignFetchResponse>)\n\n    companion
object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET:
Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface ForeignFetchEventInit :
ExtendableEventInit {\n    var request: Request?\n    var origin: String? /* = \"null\" */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchEventInit(request:
Request?, origin: String? = \"null\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): ForeignFetchEventInit {\n    val o = js(\\"({})\")\n    o[\"request\"] = request\n    o[\"origin\"] = origin\n

```

```

o["bubbles"] = bubbles\n
  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\npublic external interface
ForeignFetchResponse {\n  var response: Response?\n  var origin: String?\n  get() = definedExternally\n
set(value) = definedExternally\n  var headers: Array<String>?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchResponse(response:
Response?, origin: String? = undefined, headers: Array<String>? = undefined): ForeignFetchResponse {\n  val o =
js(\"({})\")\n  o["response"] = response\n  o["origin"] = origin\n  o["headers"] = headers\n  return
o\n}\n\n/**\n * Exposes the JavaScript
[ExtendableMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableMessageEvent) to Kotlin\n
*/\npublic external open class ExtendableMessageEvent(type: String, eventInitDict: ExtendableMessageEventInit
= definedExternally) : ExtendableEvent {\n  open val data: Any?\n  open val origin: String\n  open val
lastEventId: String\n  open val source: UnionClientOrMessagePortOrServiceWorker?\n  open val ports:
Array<out MessagePort>?\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE:
Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface
ExtendableMessageEventInit : ExtendableEventInit {\n  var data: Any?\n  get() = definedExternally\n
set(value) = definedExternally\n  var origin: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var lastEventId: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var source: UnionClientOrMessagePortOrServiceWorker?\n  get() = definedExternally\n
set(value) = definedExternally\n  var ports: Array<MessagePort>?\n  get() = definedExternally\n
set(value)
= definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ExtendableMessageEventInit(data:
Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source:
UnionClientOrMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableMessageEventInit {\n
val o = js(\"({})\")\n  o["data"] = data\n  o["origin"] = origin\n  o["lastEventId"] = lastEventId\n
o["source"] = source\n  o["ports"] = ports\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n
o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[Cache](https://developer.mozilla.org/en/docs/Web/API/Cache) to Kotlin\n
*/\npublic external abstract class Cache
{\n  fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n
  fun matchAll(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally):
Promise<Array<Response>>\n  fun add(request: dynamic): Promise<Unit>\n  fun addAll(requests:
Array<dynamic>): Promise<Unit>\n  fun put(request: dynamic, response: Response): Promise<Unit>\n  fun
delete(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Boolean>\n  fun
keys(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally):
Promise<Array<Request>>\n}\n\npublic external interface CacheQueryOptions {\n  var ignoreSearch: Boolean? /*
= false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var ignoreMethod: Boolean? /* =
false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var ignoreVary: Boolean? /* =
false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var cacheName: String?\n
get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CacheQueryOptions(ignoreSearch:
Boolean? = false, ignoreMethod: Boolean? = false, ignoreVary: Boolean? = false, cacheName: String? = undefined):
CacheQueryOptions {\n  val o = js(\"({})\")\n  o["ignoreSearch"] = ignoreSearch\n  o["ignoreMethod"] =
ignoreMethod\n  o["ignoreVary"] = ignoreVary\n  o["cacheName"] = cacheName\n  return o\n}\n\npublic
external interface CacheBatchOperation {\n  var type: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var request: Request?\n  get() = definedExternally\n  set(value) = definedExternally\n

```

```

var response: Response? \n    get() = definedExternally \n    set(value) = definedExternally \n    var options:
CacheQueryOptions? \n    get() = definedExternally \n    set(value) =
definedExternally \n} \n \n @Suppress(\ "INVISIBLE_REFERENCE\ ",
\ "INVISIBLE_MEMBER\ ") \n @kotlin.internal.InlineOnly \n public inline fun CacheBatchOperation(type: String? =
undefined, request: Request? = undefined, response: Response? = undefined, options: CacheQueryOptions? =
undefined): CacheBatchOperation { \n    val o = js(\ "({})\ ") \n    o[\ "type\ "] = type \n    o[\ "request\ "] = request \n
o[\ "response\ "] = response \n    o[\ "options\ "] = options \n    return o \n} \n \n /** \n * Exposes the JavaScript
[CacheStorage](https://developer.mozilla.org/en/docs/Web/API/CacheStorage) to Kotlin \n */ \n public external
abstract class CacheStorage { \n    fun match(request: dynamic, options: CacheQueryOptions = definedExternally):
Promise<Any?> \n    fun has(cacheName: String): Promise<Boolean> \n    fun open(cacheName: String):
Promise<Cache> \n    fun delete(cacheName: String): Promise<Boolean> \n    fun keys():
Promise<Array<String>> \n} \n \n public external open class FunctionalEvent : ExtendableEvent { \n    companion
object { \n        val NONE: Short \n
        val CAPTURING_PHASE: Short \n        val AT_TARGET: Short \n        val BUBBLING_PHASE: Short \n
    } \n} \n \n public external interface UnionMessagePortOrServiceWorker \n \n public external interface
UnionClientOrMessagePortOrServiceWorker \n \n /* please, don't implement this interface!
*/ \n @JsName(\ "null\ ") \n @Suppress(\ "NESTED_CLASS_IN_EXTERNAL_INTERFACE\ ") \n public external
interface ServiceWorkerState { \n    companion object \n} \n \n public inline val
ServiceWorkerState.Companion.INSTALLING: ServiceWorkerState get() =
\ "installing\ ".asDynamic().unsafeCast<ServiceWorkerState>() \n \n public inline val
ServiceWorkerState.Companion.INSTALLED: ServiceWorkerState get() =
\ "installed\ ".asDynamic().unsafeCast<ServiceWorkerState>() \n \n public inline val
ServiceWorkerState.Companion.ACTIVATING: ServiceWorkerState get() =
\ "activating\ ".asDynamic().unsafeCast<ServiceWorkerState>() \n \n public inline val
ServiceWorkerState.Companion.ACTIVATED: ServiceWorkerState get() =
\ "activated\ ".asDynamic().unsafeCast<ServiceWorkerState>() \n \n public
inline val ServiceWorkerState.Companion.REDUNDANT: ServiceWorkerState get() =
\ "redundant\ ".asDynamic().unsafeCast<ServiceWorkerState>() \n \n /* please, don't implement this interface!
*/ \n @JsName(\ "null\ ") \n @Suppress(\ "NESTED_CLASS_IN_EXTERNAL_INTERFACE\ ") \n public external
interface FrameType { \n    companion object \n} \n \n public inline val FrameType.Companion.AUXILIARY:
FrameType get() = \ "auxiliary\ ".asDynamic().unsafeCast<FrameType>() \n \n public inline val
FrameType.Companion.TOP_LEVEL: FrameType get() = \ "top-
level\ ".asDynamic().unsafeCast<FrameType>() \n \n public inline val FrameType.Companion.NESTED: FrameType
get() = \ "nested\ ".asDynamic().unsafeCast<FrameType>() \n \n public inline val FrameType.Companion.NONE:
FrameType get() = \ "none\ ".asDynamic().unsafeCast<FrameType>() \n \n /* please, don't implement this interface!
*/ \n @JsName(\ "null\ ") \n @Suppress(\ "NESTED_CLASS_IN_EXTERNAL_INTERFACE\ ") \n public external
interface ClientType { \n    companion object \n} \n \n public
inline val ClientType.Companion.WINDOW: ClientType get() =
\ "window\ ".asDynamic().unsafeCast<ClientType>() \n \n public inline val ClientType.Companion.WORKER:
ClientType get() = \ "worker\ ".asDynamic().unsafeCast<ClientType>() \n \n public inline val
ClientType.Companion.SHAREDWORKER: ClientType get() =
\ "sharedworker\ ".asDynamic().unsafeCast<ClientType>() \n \n public inline val ClientType.Companion.ALL:
ClientType get() = \ "all\ ".asDynamic().unsafeCast<ClientType>() \n \n /* Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file. \n */ \n \n // NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT! \n // See github.com/kotlin/dukat for details \n \n package org.w3c.xhr \n \n import kotlin.js.* \n import
org.khronos.webgl.* \n import org.w3c.dom.* \n import org.w3c.dom.events.* \n import org.w3c.files.* \n \n /** \n *
Exposes the JavaScript

```



```

[XMLHttpRequestEventTarget](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequestEventTarget)
to Kotlin\n *\npublic external abstract class XMLHttpRequestEventTarget : EventTarget {\n  open var
onloadstart: ((ProgressEvent) -> dynamic)?\n  open var onprogress: ((ProgressEvent) -> dynamic)?\n  open var
onabort: ((Event) -> dynamic)?\n  open var onerror: ((Event) -> dynamic)?\n  open var onload: ((Event) ->
dynamic)?\n  open var ontimeout: ((Event) -> dynamic)?\n  open var onloadend: ((Event) ->
dynamic)?\n}\n\npublic external abstract class XMLHttpRequestUpload : XMLHttpRequestEventTarget\n\n/**\n *
Exposes the JavaScript [XMLHttpRequest](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequest) to
Kotlin\n *\npublic external open class XMLHttpRequest : XMLHttpRequestEventTarget {\n  var
onreadystatechange: ((Event) -> dynamic)?\n  open val readyState: Short\n  var timeout: Int\n  var
withCredentials: Boolean\n  open val upload: XMLHttpRequestUpload\n  open val responseURL: String\n
  open val status: Short\n  open val statusText: String\n  var responseType: XMLHttpRequestResponseType\n
open val response: Any?\n  open val responseText: String\n  open val responseXML: Document?\n  fun
open(method: String, url: String)\n  fun open(method: String, url: String, async: Boolean, username: String? =
definedExternally, password: String? = definedExternally)\n  fun setRequestHeader(name: String, value: String)\n
fun send(body: dynamic = definedExternally)\n  fun abort()\n  fun getResponseHeader(name: String): String?\n
fun getAllResponseHeaders(): String\n  fun overrideMimeType(mime: String)\n\n  companion object {\n    val
UNSENT: Short\n    val OPENED: Short\n    val HEADERS_RECEIVED: Short\n    val LOADING:
Short\n    val DONE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[FormData](https://developer.mozilla.org/en/docs/Web/API/FormData) to Kotlin\n *\npublic external open class
FormData(form: HTMLFormElement
= definedExternally) {\n  fun append(name: String, value: String)\n  fun append(name: String, value: Blob,
filename: String = definedExternally)\n  fun delete(name: String)\n  fun get(name: String): dynamic\n  fun
getAll(name: String): Array<dynamic>\n  fun has(name: String): Boolean\n  fun set(name: String, value: String)\n
fun set(name: String, value: Blob, filename: String = definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[ProgressEvent](https://developer.mozilla.org/en/docs/Web/API/ProgressEvent) to Kotlin\n *\npublic external open
class ProgressEvent(type: String, eventInitDict: ProgressEventInit = definedExternally) : Event {\n  open val
lengthComputable: Boolean\n  open val loaded: Number\n  open val total: Number\n\n  companion object {\n
val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface ProgressEventInit : EventInit {\n  var
lengthComputable:
Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var loaded:
Number? /* = 0 */\n  get() = definedExternally\n  set(value) = definedExternally\n  var total: Number? /* =
0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ProgressEventInit(lengthComputable:
Boolean? = false, loaded: Number? = 0, total: Number? = 0, bubbles: Boolean? = false, cancelable: Boolean? =
false, composed: Boolean? = false): ProgressEventInit {\n  val o = js(\"({})\")\n  o[\"lengthComputable\"] =
lengthComputable\n  o[\"loaded\"] = loaded\n  o[\"total\"] = total\n  o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n  o[\"composed\"] = composed\n  return o\n}\n\n/* please, don't implement this
interface! */\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
external interface XMLHttpRequestResponseType {\n  companion object\n}\n\npublic inline val
XMLHttpRequestResponseType.Companion.EMPTY: XMLHttpRequestResponseType get() =
\"\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.ARRAYBUFFER: XMLHttpRequestResponseType get() =
\"arraybuffer\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.BLOB: XMLHttpRequestResponseType get() =
\"blob\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.DOCUMENT: XMLHttpRequestResponseType get() =

```

```

\"document\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.JSON: XMLHttpRequestResponseType get() =
\"json\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.TEXT: XMLHttpRequestResponseType
get() = \"text\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\", /*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport
kotlin.annotation.AnnotationRetention.BINARY\nimport kotlin.annotation.AnnotationRetention.SOURCE\nimport
kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport
kotlin.internal.RequireKotlinVersionKind\nimport kotlin.reflect.KClass\n\n/**\n * Signals that the annotated
annotation class is a marker of an experimental API.\n * Any declaration annotated with that marker is
considered an experimental declaration\n * and its call sites should accept the experimental aspect of it either by
using [UseExperimental],\n * or by being annotated with that marker themselves, effectively causing further
propagation of that experimental aspect.\n * This class
is deprecated in favor of a more general approach provided by [RequiresOptIn]/[OptIn].\n
*/\n\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin(\"1.2\")\n@RequireKotlin(\"1.2.50
\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n@DeprecatedSinceKotlin(warningSince =
\"1.4\", errorSince = \"1.6\")\n@Deprecated(\"Please use RequiresOptIn instead.\")\n\npublic annotation class
Experimental(val level: Level = Level.ERROR) {\n    /**\n     * Severity of the diagnostic that should be reported on
usages of experimental API which did not explicitly accept the experimental aspect\n     * of that API either by using
[UseExperimental] or by being annotated with the corresponding marker annotation.\n     */\n    public enum class
Level {\n        /** Specifies that a warning should be reported on incorrect usages of this experimental API. */\n
WARNING,\n        /** Specifies that an error should be reported on incorrect usages of this experimental API. */\n
ERROR,\n
    }\n}\n\n/**\n * Allows to use experimental API denoted by the given markers in the annotated file, declaration, or
expression.\n * If a declaration is annotated with [UseExperimental], its usages are not required to opt-in to that
experimental API.\n * This class is deprecated in favor of a more general approach provided by
[RequiresOptIn]/[OptIn].\n */\n\n@Target(\n    CLASS, PROPERTY, LOCAL_VARIABLE,\n    VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER,\n    EXPRESSION, FILE,\n    TYPEALIAS)\n@Retention(SOURCE)\n@SinceKotlin(\"1.2\")\n@RequireKotlin(\"1.2.50\", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.6\")\n@Deprecated(\"Please use OptIn instead.\", ReplaceWith(\"OptIn(*markerClass)\",
\"kotlin.OptIn\"))\n\npublic annotation class UseExperimental(\n    vararg val markerClass: KClass<out
Annotation>)\n\n@Target(CLASS, PROPERTY, CONSTRUCTOR, FUNCTION,\n    TYPEALIAS)\n@Retention(BINARY)\n\ninternal
annotation class WasExperimental(\n    vararg val markerClass: KClass<out Annotation>)\n\n\", \"package
kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * This annotation marks the standard library API
that is considered experimental and is not subject to the\n * [general compatibility
guarantees](https://kotlinlang.org/docs/reference/evolution/components-stability.html) given for the standard
library:\n * the behavior of such API may be changed or the API may be removed completely in any further
release.\n * > Beware using the annotated API especially if you're developing a library, since your library might
become binary incompatible\n * with the future versions of the standard library.\n * Any usage of a declaration
annotated with `@ExperimentalStdlibApi` must be accepted either by\n * annotating that usage with the [OptIn]
annotation, e.g. `@OptIn(ExperimentalStdlibApi::class)`,\n * or by using the compiler argument `--opt-in=kotlin.ExperimentalStdlibApi`.\n
*/\n\n@RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n@Retention(AnnotationRetention.BINARY)\n@Target(\n    CLASS,\n

```

ANNOTATION\_CLASS,\n PROPERTY,\n FIELD,\n LOCAL\_VARIABLE,\n VALUE\_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY\_GETTER,\n PROPERTY\_SETTER,\n TYPEALIAS\n)\n\n@MustBeDocumented\n@SinceKotlin("1.3")\n\npublic annotation class ExperimentalStdlibApi\n", /\*\n \* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.\*\nimport kotlin.experimental.ExperimentalTypeInference\n\n/\*\*\n \* Allows to infer generic type arguments of a function from the calls in the annotated function parameter of that function.\n \* When this annotation is placed on a generic function parameter of a function,\n \* it enables to infer the type arguments of that generic function from the lambda body passed to that parameter.\n \* The calls that affect inference are either members of the receiver type of an annotated function parameter or\n \* extensions for that type. The extensions must be themselves annotated with `@BuilderInference`.\n \* Example: we declare\n \* ```\n \* fun <T> sequence(@BuilderInference block: suspend SequenceScope<T>().-> Unit): Sequence<T>\n \* ```\n \* and use it like\n \* ```\n \* val result = sequence { yield("result") }\n \* ```\n \* Here the type argument of the resulting sequence is inferred to `String` from\n \* the argument of the [SequenceScope.yield] function, that is called inside the lambda passed to [sequence].\n \* Note: this annotation is experimental, see [ExperimentalTypeInference] on how to opt-in for it.\n \*/\n\n@Target(VALUE\_PARAMETER, FUNCTION, PROPERTY)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.3")\n@ExperimentalTypeInference\n\npublic annotation class BuilderInference\n\n/\*\*\n \* Enables overload selection based on the type of the value returned from lambda argument.\n \* When two or more function overloads have otherwise the same parameter lists that differ only in the return type\n \* of a functional parameter, this annotation enables overload selection by the type of the value returned from\n \* the lambda function passed to this functional parameter.\n \* Example:\n \* ```\n \* @OverloadResolutionByLambdaReturnType\n \* fun create(intProducer: () -> Int): Int\n \* fun create(doubleProducer: () -> Double): Double\n \* val newValue = create { 3.14 }\n \* ```\n \* The annotation being applied to one of overloads allows to resolve this ambiguity by analyzing what value is returned\n \* from the lambda function.\n \* This annotation is also used to discriminate the annotated overloads in case if overload selection still cannot\n \* choose one of them even taking in account the result of lambda parameter analysis. In that case a warning is reported.\n \* Note: this annotation is experimental, see [ExperimentalTypeInference] on how to opt-in for it.\n \*/\n\n@Target(FUNCTION)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.4")\n@ExperimentalTypeInference\n\npublic annotation class OverloadResolutionByLambdaReturnType\n", /\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.\*\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\n\n/\*\*\n \* The experimental multiplatform support API marker.\n \* Any usage of a declaration annotated with `@ExperimentalMultiplatform` must be accepted either by\n \* annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalMultiplatform::class)`,\n \* or by using the compiler argument `-opt-in=kotlin.ExperimentalMultiplatform`.\n \*/\n\n@RequiresOptIn\n@MustBeDocumented\n@Target(CLASS, ANNOTATION\_CLASS, PROPERTY, FIELD, LOCAL\_VARIABLE, VALUE\_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY\_GETTER, PROPERTY\_SETTER, TYPEALIAS)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin("1.2.50", versionKind = RequireKotlinVersionKind.COMPILER\_VERSION)\n\npublic annotation class ExperimentalMultiplatform\n\n/\*\*\n \* Marks an expected annotation class that it isn't required to have actual counterparts in all platforms.\n \* This annotation is only applicable to `expect` annotation classes in multi-platform projects and marks that class as `optional`.\n \* Optional expected class is allowed to have no corresponding actual class on the platform. Optional annotations can only be used\n \* to annotate something, not as types in signatures. If an optional annotation has no

corresponding actual class on a platform, \n \* the annotation entries where it's used are simply erased when compiling code on that platform. \n \* \n \* Note: this annotation is experimental, see [ExperimentalMultiplatform] on how to opt-in for it. \n

```

*\n @Target(ANNOTATION_CLASS)\n @Retention(AnnotationRetention.BINARY)\n @ExperimentalMultiplatform\n @RequireKotlin("1.2.50", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n public\n annotation class OptionalExpectation\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming\n Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n license/LICENSE.txt file.\n */\n\n package kotlin\n\n import\n kotlin.annotation.AnnotationRetention.BINARY\n import kotlin.annotation.AnnotationRetention.SOURCE\n import\n kotlin.annotation.AnnotationTarget.*\n import kotlin.internal.RequireKotlin\n import\n kotlin.internal.RequireKotlinVersionKind\n import kotlin.reflect.KClass\n\n /**\n * Signals that the annotated\n annotation class is a marker of an API that requires an explicit opt-in. \n * \n * Call sites of any declaration annotated with that marker should opt in to the API either by using [OptIn], \n * or by\n being annotated with that marker themselves, effectively causing further propagation of the opt-in requirement. \n\n * \n * This class requires opt-in itself and can only be used with the compiler argument ` -opt-\n in=kotlin.RequiresOptIn `.\n * \n * @property message message to be reported on usages of API without an explicit\n opt-in, or empty string for the default message. \n * The default message is: ` "This declaration is\n experimental and its usage should be marked with 'Marker' \n * or '@OptIn(Marker::class)'`, where\n `Marker` is the opt-in requirement marker. \n * @property level specifies how usages of API without an explicit opt-\n in are reported in code. \n\n */\n\n @Target(ANNOTATION_CLASS)\n @Retention(BINARY)\n @SinceKotlin("1.3")\n @RequireKotlin("1.3.70\n", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n public annotation class RequiresOptIn(\n val message: String = "", \n val level: Level = Level.ERROR) {\n /**\n * Severity of the diagnostic that\n should be reported on usages which did not explicitly opt into \n * the API either by using [OptIn] or by being\n annotated with the corresponding marker annotation. \n * \n * public enum class Level {\n /** Specifies that a\n warning should be reported on incorrect usages of this API. \n * \n * WARNING, \n\n /** Specifies that an error\n should be reported on incorrect usages of this API. \n * \n * ERROR, \n } \n\n /**\n * Allows to use the API\n denoted by the given markers in the annotated file, declaration, or expression. \n * \n * If a declaration is annotated with\n [OptIn], its usages are **not** required to opt in to that API. \n * \n * This class requires opt-in itself and can only be\n used with the compiler argument ` -opt-in=kotlin.RequiresOptIn `.\n * \n * \n @Target(\n CLASS, PROPERTY,\n LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION,\n PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE,\n TYPEALIAS)\n @Retention(SOURCE)\n @SinceKotlin("1.3")\n @RequireKotlin("1.3.70", versionKind =\n RequireKotlinVersionKind.COMPILER_VERSION)\n public annotation class OptIn(\n vararg val markerClass:\n KClass<out Annotation>)\n", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language\n contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n license/LICENSE.txt file.\n */\n\n package kotlin.collections\n\n import kotlin.js.JsName\n\n /**\n * Provides a skeletal\n implementation of the read-only [Collection] interface. \n * \n * @param E the type of elements contained in the\n collection. The collection is covariant in its element type. \n * \n * \n @SinceKotlin("1.1")\n public abstract class\n AbstractCollection<out E> protected constructor() : Collection<E> {\n abstract override val size: Int\n abstract\n override fun iterator(): Iterator<E>\n\n override fun contains(element:\n @UnsafeVariance E): Boolean = any { it == element }\n\n override fun containsAll(elements:\n Collection<@UnsafeVariance E>): Boolean =\n elements.all { contains(it) } // use when js will support bound\n refs: elements.all(this::contains)\n\n override fun isEmpty(): Boolean = size == 0\n\n override fun toString():\n String = joinToString(", ", "[", "]") {\n if (it === this) "(this Collection)" else it.toString()\n }\n\n /**\n * Returns new array of type `Array<Any?>` with the elements of this collection. \n * \n * \n @JsName("toArray")\n protected open fun toArray(): Array<Any?> = copyToArrayImpl(this)\n\n /**\n * \n * Fills the provided [array] or creates new array of the same type \n * and fills it with the elements of this

```

```

collection.\n    */\n    protected open fun <T> toArray(array: Array<T>): Array<T> = copyToArrayImpl(this,
array)\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.collections\n\nprivate enum class State {\n    Ready,\n    NotReady,\n    Done,\n    Failed\n}\n\n/**\n * A base class to simplify implementing iterators so that implementations only have to implement
[computeNext]\n * to implement the iterator, calling [done] when the iteration is complete.\n */\n\npublic abstract
class AbstractIterator<T> : Iterator<T> {\n    private var state = State.NotReady\n    private var nextValue: T? =
null\n\n    override fun hasNext(): Boolean {\n        require(state != State.Failed)\n        return when (state) {\n
State.Done -> false\n            State.Ready -> true\n            else -> tryToComputeNext()\n        }\n    }\n\n    override
fun next(): T {\n        if (!hasNext()) throw NoSuchElementException()\n        state = State.NotReady\n
@Suppress("UNCHECKED_CAST")\n        return nextValue as T\n
    }\n\n    private fun tryToComputeNext(): Boolean {\n        state = State.Failed\n        computeNext()\n        return
state == State.Ready\n    }\n\n    /**\n     * Computes the next item in the iterator.\n     * This callback method
should call one of these two methods:\n     * * [setNext] with the next value of the iteration\n     * * [done] to
indicate there are no more elements\n     * * Failure to call either method will result in the iteration terminating
with a failed state\n     */\n\n    abstract protected fun computeNext(): Unit\n\n    /**\n     * Sets the next value in the
iteration, called from the [computeNext] function\n     */\n\n    protected fun setNext(value: T): Unit {\n        nextValue = value\n        state = State.Ready\n    }\n\n    /**\n     * Sets the state to done so that the iteration
terminates.\n     */\n\n    protected fun done() {\n        state = State.Done\n    }\n}\n\n", "/*\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n\n\n * Based on GWT AbstractList\n * Copyright 2007 Google
Inc.\n\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [List]
interface.\n * This class is intended to help implementing read-only lists so it doesn't support concurrent
modification tracking.\n * @param E the type of elements contained in the list. The list is covariant in its
element type.\n */\n\n\n@SinceKotlin("1.1")\npublic abstract class AbstractList<out E> protected constructor() :
AbstractCollection<E>(), List<E> {\n    abstract override val size: Int\n    abstract override fun get(index: Int): E\n\n
    override fun iterator(): Iterator<E> = IteratorImpl()\n\n    override fun indexOf(element: @UnsafeVariance E): Int
= indexOfFirst { it == element }\n\n    override fun lastIndexOf(element: @UnsafeVariance E): Int
= indexOfLast { it == element }\n\n    override fun listIterator(): ListIterator<E> = ListIteratorImpl(0)\n\n
    override fun listIterator(index: Int): ListIterator<E> = ListIteratorImpl(index)\n\n    override fun subList(fromIndex:
Int, toIndex: Int): List<E> = SubList(this, fromIndex, toIndex)\n\n    private class SubList<out E>(private val list:
AbstractList<E>, private val fromIndex: Int, toIndex: Int) : AbstractList<E>(), RandomAccess {\n        private var
_size: Int = 0\n\n        init {\n            checkRangeIndexes(fromIndex, toIndex, list.size)\n            this._size = toIndex
- fromIndex\n        }\n\n        override fun get(index: Int): E {\n            checkElementIndex(index, _size)\n
            return list[fromIndex + index]\n        }\n\n        override val size: Int get() = _size\n    }\n\n    /**\n     * Compares
this list with other list instance with the ordered structural equality.\n     * @return true, if [other] instance is a
[List] of the same size,
which contains the same elements in the same order.\n     */\n\n    override fun equals(other: Any?): Boolean {\n        if (other === this) return true\n        if (other !is List<*>) return false\n        return orderedEquals(this, other)\n
    }\n\n    /**\n     * Returns the hash code value for this list.\n     */\n\n    override fun hashCode(): Int =
orderedHashCode(this)\n\n    private open inner class IteratorImpl : Iterator<E> {\n        /** the index of the item
that will be returned on the next call to [next]`()\n     */\n\n        protected var index = 0\n\n        override fun hasNext():
Boolean = index < size\n\n        override fun next(): E {\n            if (!hasNext()) throw NoSuchElementException()\n
            return get(index++)\n        }\n    }\n\n    /**\n     * Implementation of [ListIterator] for abstract lists.\n     */\n\n    private open inner class ListIteratorImpl(index: Int) : IteratorImpl(), ListIterator<E> {\n        init {\n
            checkPositionIndex(index,

```

```

this@AbstractList.size)\n        this.index = index\n    }\n\n    override fun hasNext(): Boolean = index > 0\n\n    override fun nextIndex(): Int = index\n\n    override fun previous(): E {\n        if (!hasPrevious())\n            throw NoSuchElementException()\n        return get(--index)\n    }\n\n    override fun previousIndex(): Int = index - 1\n    }\n\n    internal companion object {\n        internal fun checkElementIndex(index: Int, size: Int) {\n            if (index < 0 || index >= size) {\n                throw IndexOutOfBoundsException("\nindex: $index, size: $size")\n            }\n        }\n\n        internal fun checkPositionIndex(index: Int, size: Int) {\n            if (index < 0 || index > size) {\n                throw IndexOutOfBoundsException("\nindex: $index, size: $size")\n            }\n        }\n\n        internal fun checkRangeIndexes(fromIndex: Int, toIndex: Int, size: Int) {\n            if (fromIndex < 0 || toIndex > size)\n                throw IndexOutOfBoundsException("\nfromIndex: $fromIndex, toIndex: $toIndex, size: $size")\n            if (fromIndex > toIndex) {\n                throw IllegalArgumentException("\nfromIndex: $fromIndex > toIndex: $toIndex")\n            }\n        }\n\n        internal fun checkBoundsIndexes(startIndex: Int, endIndex: Int, size: Int) {\n            if (startIndex < 0 || endIndex > size) {\n                throw IndexOutOfBoundsException("\nstartIndex: $startIndex, endIndex: $endIndex, size: $size")\n            }\n            if (startIndex > endIndex) {\n                throw IllegalArgumentException("\nstartIndex: $startIndex > endIndex: $endIndex")\n            }\n        }\n\n        internal fun orderedHashCode(c: Collection<*>): Int {\n            var hashCode = 1\n            for (e in c) {\n                hashCode = 31 * hashCode + (e?.hashCode() ?: 0)\n            }\n            return hashCode\n        }\n\n        internal fun orderedEquals(c: Collection<*>, other: Collection<*>): Boolean {\n            if (c.size != other.size) return false\n            val otherIterator = other.iterator()\n            for (elem in c) {\n                val elemOther = otherIterator.next()\n                if (elem != elemOther) {\n                    return false\n                }\n            }\n            return true\n        }\n    }, /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n * Based on GWT AbstractMap\n * Copyright 2007 Google Inc.\n */\npackage kotlin.collections\n/**\n * Provides a skeletal implementation of the read-only [Map] interface.\n * The implementor is required to implement [entries] property, which should return read-only set of map entries.\n * @param K the type of map keys. The map is invariant in its key type.\n * @param V the type of map values. The map is covariant in its value type.\n */\n@SinceKotlin("1.1")\npublic abstract class AbstractMap<K, out V> protected constructor() : Map<K, V> {\n\n    override fun containsKey(key: K): Boolean {\n        return implFindEntry(key) != null\n    }\n\n    override fun containsValue(value: @UnsafeVariance V): Boolean = entries.any { it.value == value }\n\n    internal fun containsEntry(entry: Map.Entry<*, *>): Boolean {\n        // since entry comes from @UnsafeVariance parameters it can be virtually anything\n        if (entry !is Map.Entry<*, *>) return false\n        val key = entry.key\n        val value = entry.value\n        val ourValue = get(key)\n        if (value != ourValue) {\n            return false\n        }\n        // Perhaps it was null and we don't contain the key?\n        if (ourValue == null && !containsKey(key)) {\n            return false\n        }\n        return true\n    }\n\n    /**\n     * Compares this map with other instance with the ordered structural equality.\n     * @return true, if [other] instance is a [Map] of the same size, all entries of which are contained in the [entries] set of this map.\n     */\n    override fun equals(other: Any?): Boolean {\n        if (other === this) return true\n        if (other !is Map<*, *>) return false\n        if (size != other.size) return false\n        return other.entries.all { containsEntry(it) }\n    }\n\n    override operator fun get(key: K): V? = implFindEntry(key)?.value\n\n    /**\n     * Returns the hash code value for this map.\n     * It is the same as the hashCode of [entries] set.\n     */\n    override fun hashCode(): Int = entries.hashCode()\n\n    override fun isEmpty(): Boolean = size == 0\n\n    override val size: Int get() = entries.size\n\n    /**\n     * Returns a read-only [Set] of all keys in this map.\n     * Accessing this property first time creates a keys view from [entries].\n     * All subsequent accesses just return the created instance.\n     */\n    override val keys: Set<K> get() {\n        if (_keys == null) {\n            _keys = object : AbstractSet<K>() {\n                override operator fun contains(element: K): Boolean = containsKey(element)\n                override operator fun iterator(): Iterator<K> {\n                    val entryIterator = entries.iterator()\n                    return object : Iterator<K> {\n                        override fun

```

```

hasNext(): Boolean = entryIterator.hasNext()\n
        }\n        }\n        override fun next(): K = entryIterator.next().key\n
        }\n        return _keys!!\n        }\n        @kotlin.jvm.Volatile\n        private var _keys: Set<K>? = null\n\n
override fun toString(): String = entries.joinToString(", ", "{", "}") { toString(it) }\n
}\n\n
private fun toString(entry: Map.Entry<K, V>): String = toString(entry.key) + "=" +
toString(entry.value)\n\n
private fun toString(o: Any?): String = if (o === this) "(this Map)" else o.toString()\n\n
/**\n * Returns a read-only [Collection] of all values in this map.\n * Accessing this property first time
creates a values view from [entries].\n * All subsequent accesses just return the created instance.\n */\n
override val values: Collection<V>\n
    get() {\n        if (_values == null) {\n            _values = object :
AbstractCollection<V>() {\n                override operator fun contains(element: @UnsafeVariance V): Boolean =
containsValue(element)\n            }\n        }\n        override operator fun iterator(): Iterator<V> {\n            val
entryIterator = entries.iterator()\n            return object : Iterator<V> {\n                override fun
hasNext(): Boolean = entryIterator.hasNext()\n
                    override fun next(): V = entryIterator.next().value\n                }\n            }\n        }\n
override val size: Int get() = this@AbstractMap.size\n        }\n        }\n        return _values!!\n        }\n\n
@kotlin.jvm.Volatile\n        private var _values: Collection<V>? = null\n\n
private fun implFindEntry(key: K):
Map.Entry<K, V>? = entries.firstOrNull { it.key == key }\n\n
internal companion object {\n\n        internal fun
entryHashCode(e: Map.Entry<*, *>): Int = with(e) { (key?.hashCode() ?: 0) xor (value?.hashCode() ?: 0) }\n\n
internal fun entryToString(e: Map.Entry<*, *>): String = with(e) { "$key=$value" }\n\n        internal fun
entryEquals(e: Map.Entry<*, *>, other: Any?): Boolean {\n            if (other !is Map.Entry<*, *>) return false\n
return e.key == other.key && e.value == other.value\n        }\n    }\n\n
}"/*\n * Copyright 2010-2020 JetBrains
s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n
package kotlin.collections\n\n
/**\n * Provides a skeletal
implementation of the read-only [Set] interface.\n * This class is intended to help implementing read-only sets so
it doesn't support concurrent modification tracking.\n * @param E the type of elements contained in the set. The
set is covariant in its element type.\n */\n\n
@SinceKotlin("1.1")\n\n
public abstract class AbstractSet<out E> protected
constructor() : AbstractCollection<E>(), Set<E> {\n\n        /**\n * Compares this set with other set instance with the
unordered structural equality.\n * @return true, if [other] instance is a [Set] of the same size, all elements of
which are contained in this set.\n */\n        override fun equals(other: Any?): Boolean {\n            if (other === this)
return true\n            if (other !is Set<*>) return false\n
return setEquals(this, other)\n        }\n\n        /**\n * Returns the hash code value for this set.\n */\n        override fun
hashCode(): Int = unorderedHashCode(this)\n\n        internal companion object {\n            internal fun
unorderedHashCode(c: Collection<*>): Int {\n                var hashCode = 0\n                for (element in c) {\n
hashCode += (element?.hashCode() ?: 0)\n                }\n                return hashCode\n            }\n\n            internal fun
setEquals(c: Set<*>, other: Set<*>): Boolean {\n                if (c.size != other.size) return false\n                return
c.containsAll(other)\n            }\n        }\n    }"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n
package kotlin.collections\n\n
/**\n * Resizable-array implementation of the deque
data structure.\n * The name deque is short for "double ended queue"
and is usually pronounced "deck".\n * The collection provide methods for convenient access to the both
ends.\n * It also implements [MutableList] interface and supports efficient get/set operations by index.\n */\n\n
@SinceKotlin("1.4")\n\n
@WasExperimental(ExperimentalStdlibApi::class)\n\n
public class ArrayDeque<E> :
AbstractMutableList<E> {\n        private var head: Int = 0\n        private var elementData: Array<Any?>\n\n        override
var size: Int = 0\n        private set\n\n        /**\n * Constructs an empty deque with specified [initialCapacity], or
throws [IllegalArgumentException] if [initialCapacity] is negative.\n */\n        public constructor(initialCapacity:
Int) {\n            elementData = when {\n                initialCapacity == 0 -> emptyElementData\n                initialCapacity > 0 -
> arrayOfNulls(initialCapacity)\n            }\n            else -> throw IllegalArgumentException("Illegal Capacity:

```

```

$initialCapacity)\n    }\n }\n /**\n  * Constructs an empty deque.\n  */\n\n    public constructor() {\n        elementData = emptyElementData\n    }\n\n    /**\n     * Constructs a deque that contains the same elements as the specified [elements] collection in the same order.\n     */\n    public constructor(elements: Collection<E>) {\n        elementData = elements.toArray()\n        size = elementData.size\n        if (elementData.isEmpty()) elementData = emptyElementData\n    }\n\n    /**\n     * Ensures that the capacity of this deque is at least equal to the specified [minCapacity].\n     * If the current capacity is less than the [minCapacity], a new backing storage is allocated with greater capacity.\n     * Otherwise, this method takes no action and simply returns.\n     */\n    private fun ensureCapacity(minCapacity: Int) {\n        if (minCapacity < 0) throw IllegalStateException("Deque is too big.") // overflow\n        if (minCapacity <= elementData.size) return\n        if (elementData === emptyElementData) {\n            elementData = arrayOfNulls(minCapacity.coerceAtLeast(defaultMinCapacity))\n            return\n        }\n        val newCapacity = newCapacity(elementData.size, minCapacity)\n        copyElements(newCapacity)\n    }\n\n    /**\n     * Creates a new array with the specified [newCapacity] size and copies elements in the [elementData] array to it.\n     */\n    private fun copyElements(newCapacity: Int) {\n        val newElements = arrayOfNulls<Any?>(newCapacity)\n        elementData.copyInto(newElements, 0, head, elementData.size)\n        elementData.copyInto(newElements, elementData.size - head, 0, head)\n        head = 0\n        elementData = newElements\n    }\n\n    @kotlin.internal.InlineOnly\n    private inline fun internalGet(internalIndex: Int): E {\n        @Suppress("UNCHECKED_CAST")\n        return elementData[internalIndex] as E\n    }\n\n    private fun positiveMod(index: Int): Int = if (index >= elementData.size) index - elementData.size else index\n\n    private fun negativeMod(index: Int): Int = if (index < 0) index + elementData.size else index\n\n    @kotlin.internal.InlineOnly\n    private inline fun internalIndex(index: Int): Int = positiveMod(head + index)\n\n    private fun incremented(index: Int): Int = if (index == elementData.lastIndex) 0 else index + 1\n\n    private fun decremented(index: Int): Int = if (index == elementData.lastIndex) 0 else index - 1\n\n    override fun isEmpty(): Boolean = size == 0\n\n    /**\n     * Returns the first element, or throws [NoSuchElementException] if this deque is empty.\n     */\n    public fun first(): E = if (isEmpty()) throw NoSuchElementException("ArrayDeque is empty.") else internalGet(head)\n\n    /**\n     * Returns the first element, or `null` if this deque is empty.\n     */\n    public fun firstOrNull(): E? = if (isEmpty()) null else internalGet(head)\n\n    /**\n     * Returns the last element, or throws [NoSuchElementException] if this deque is empty.\n     */\n    public fun last(): E = if (isEmpty()) throw NoSuchElementException("ArrayDeque is empty.") else internalGet(internalIndex(lastIndex))\n\n    /**\n     * Returns the last element, or `null` if this deque is empty.\n     */\n    public fun lastOrNull(): E? = if (isEmpty()) null else internalGet(internalIndex(lastIndex))\n\n    /**\n     * Prepends the specified [element] to this deque.\n     */\n    public fun addFirst(element: E) {\n        ensureCapacity(size + 1)\n        head = decremented(head)\n        elementData[head] = element\n        size += 1\n    }\n\n    /**\n     * Appends the specified [element] to this deque.\n     */\n    public fun addLast(element: E) {\n        ensureCapacity(size + 1)\n        elementData[internalIndex(size)] = element\n        size += 1\n    }\n\n    /**\n     * Removes the first element from this deque and returns that removed element, or throws [NoSuchElementException] if this deque is empty.\n     */\n    public fun removeFirst(): E {\n        if (isEmpty()) throw NoSuchElementException("ArrayDeque is empty.")\n        val element = internalGet(head)\n        elementData[head] = null\n        head = incremented(head)\n        size -= 1\n        return element\n    }\n\n    /**\n     * Removes the first element from this deque and returns that removed element, or returns `null` if this deque is empty.\n     */\n    public fun removeFirstOrNull(): E? = if (isEmpty()) null else removeFirst()\n\n    /**\n     * Removes the last element from this deque and returns that removed element, or throws [NoSuchElementException] if this deque is empty.\n     */\n    public fun removeLast(): E {\n        if (isEmpty()) throw NoSuchElementException("ArrayDeque is empty.")\n        val internalLastIndex = internalIndex(lastIndex)\n        val element = internalGet(internalLastIndex)\n        elementData[internalLastIndex] = null\n        size -= 1\n        return element\n    }\n\n    /**\n     * Removes the last element from this deque and returns that removed

```



```

element, or returns `null` if this deque is empty.\n    */\n    public fun removeLastOrNull(): E? = if (isEmpty()) null
else removeLast()\n    // MutableList, MutableCollection\n    public override fun add(element: E): Boolean {\n
addLast(element)\n        return true\n    }\n\n    public override fun add(index: Int, element: E) {\n
AbstractList.checkPositionIndex(index, size)\n        if (index == size) {\n            addLast(element)\n
return\n        } else if (index == 0) {\n            addFirst(element)\n            return\n        }\n        ensureCapacity(size
+ 1)\n        // Elements in circular array lay in 2 ways:\n        // 1. `head` is less than `tail`:    [#, #, e1, e2, e3,
#]\n        // 2. `head` is greater than `tail`:    [e3, #, #, #, e1, e2]\n        // where head is the index of the first element
in the circular array,\n        // and tail is the index following the last element.\n        //\n        // At this point
the insertion index is not equal to head or tail.\n        // Also the circular array can store at least one more element.\n
//\n        // Depending on where the given element must be inserted the preceding or the succeeding\n        //
elements will be shifted to make room for the element to be inserted.\n        //\n        // In case the preceding elements
are shifted:\n        // * if the insertion index is greater than the head (regardless of circular array form)\n        // ->
shift the preceding elements\n        // * otherwise, the circular array has (2) form and the insertion index is less than
tail\n        // -> shift all elements in the back of the array\n        // -> shift preceding elements in the front of the
array\n        // In case the succeeding elements are shifted:\n        // * if the insertion index is less than the tail
(regardless of circular array form)\n        // -> shift the succeeding elements\n        // * otherwise, the
circular array has (2) form and the insertion index is greater than head\n        // -> shift all elements in the front
of the array\n        // -> shift succeeding elements in the back of the array\n\n        val internalIndex =
internalIndex(index)\n        if (index < (size + 1) shr 1) {\n            // closer to the first element -> shift preceding
elements\n            val decrementedInternalIndex = decremented(internalIndex)\n            val decrementedHead =
decremented(head)\n\n            if (decrementedInternalIndex >= head) {\n                elementData[decrementedHead]
= elementData[head] // head can be zero\n                elementData.copyInto(elementData, head, head + 1,
decrementedInternalIndex + 1)\n            } else { // head > tail\n                elementData.copyInto(elementData, head -
1, head, elementData.size) // head can't be zero\n                elementData[elementData.size - 1] = elementData[0]\n
                elementData.copyInto(elementData,
0, 1, decrementedInternalIndex + 1)\n            }\n\n            elementData[decrementedInternalIndex] = element\n
            head = decrementedHead\n        } else {\n            // closer to the last element -> shift succeeding elements\n
val tail = internalIndex(size)\n            if (internalIndex < tail) {\n                elementData.copyInto(elementData,
internalIndex + 1, internalIndex, tail)\n            } else { // head > tail\n                elementData.copyInto(elementData,
1, 0, tail)\n                elementData[0] = elementData[elementData.size - 1]\n
                elementData.copyInto(elementData, internalIndex + 1, internalIndex, elementData.size - 1)\n            }\n
            elementData[internalIndex] = element\n        }\n        size += 1\n    }\n\n    private fun
copyCollectionElements(internalIndex: Int, elements: Collection<E>) {\n        val iterator = elements.iterator()\n
        for (index in internalIndex until elementData.size) {\n
            if (!iterator.hasNext()) break\n            elementData[index] = iterator.next()\n        }\n        for (index in 0 until
head) {\n            if (!iterator.hasNext()) break\n            elementData[index] = iterator.next()\n        }\n        size +=
elements.size\n    }\n\n    public override fun addAll(elements: Collection<E>): Boolean {\n        if
(elements.isEmpty()) return false\n        ensureCapacity(this.size + elements.size)\n
        copyCollectionElements(internalIndex(size), elements)\n        return true\n    }\n\n    public override fun
addAll(index: Int, elements: Collection<E>): Boolean {\n        AbstractList.checkPositionIndex(index, size)\n
        if (elements.isEmpty()) {\n            return false\n        } else if (index == size) {\n            return addAll(elements)\n
        }\n        ensureCapacity(this.size + elements.size)\n        val tail = internalIndex(size)\n        val internalIndex =
internalIndex(index)\n        val elementsSize
= elements.size\n        if (index < (size + 1) shr 1) {\n            // closer to the first element -> shift preceding
elements\n\n            var shiftedHead = head - elementsSize\n\n            if (internalIndex >= head) {\n                if
(shiftedHead >= 0) {\n                    elementData.copyInto(elementData, shiftedHead, head, internalIndex)\n
                } else { // head < tail, insertion leads to head >= tail\n                    shiftedHead += elementData.size\n
                    val
elementsToShift = internalIndex - head\n                    val shiftToBack = elementData.size - shiftedHead\n

```

```

        if (shiftToBack >= elementsToShift) {\n                elementData.copyInto(elementData, shiftedHead, head,
internalIndex)\n                } else {\n                elementData.copyInto(elementData, shiftedHead, head, head +
shiftToBack)\n                elementData.copyInto(elementData, 0, head + shiftToBack, internalIndex)\n                }\n                }\n                } else { // head > tail,\n                internalIndex < tail\n                elementData.copyInto(elementData, shiftedHead, head, elementData.size)\n                if (elementsSize >=
internalIndex) {\n                elementData.copyInto(elementData, elementData.size - elementsSize, 0,
internalIndex)\n                } else {\n                elementData.copyInto(elementData, elementData.size -
elementsSize, 0, elementsSize)\n                elementData.copyInto(elementData, 0, elementsSize, internalIndex)\n                }\n                }\n                head = shiftedHead\n                copyCollectionElements(negativeMod(internalIndex -
elementsSize), elements)\n                } else {\n                // closer to the last element -> shift succeeding elements\n                val shiftedInternalIndex = internalIndex + elementsSize\n                if (internalIndex < tail) {\n                if (tail +
elementsSize <= elementData.size) {\n                elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, tail)\n                } else { // head <
tail, insertion leads to head >= tail\n                if (shiftedInternalIndex >= elementData.size) {\n                elementData.copyInto(elementData, shiftedInternalIndex - elementData.size, internalIndex, tail)\n                } else
{\n                val shiftToFront = tail + elementsSize - elementData.size\n                elementData.copyInto(elementData, 0, tail - shiftToFront, tail)\n                elementData.copyInto(elementData,
shiftedInternalIndex, internalIndex, tail - shiftToFront)\n                }\n                }\n                } else { // head > tail,
internalIndex > head\n                elementData.copyInto(elementData, elementsSize, 0, tail)\n                if
(shiftedInternalIndex >= elementData.size) {\n                elementData.copyInto(elementData, shiftedInternalIndex
- elementData.size,
internalIndex, elementData.size)\n                } else {\n                elementData.copyInto(elementData, 0,
elementData.size - elementsSize, elementData.size)\n                elementData.copyInto(elementData,
shiftedInternalIndex, internalIndex, elementData.size - elementsSize)\n                }\n                }\n                copyCollectionElements(internalIndex, elements)\n                }\n                return true\n                }\n                public override fun
get(index: Int): E {\n                AbstractList.checkElementIndex(index, size)\n                return
internalGet(internalIndex(index))\n                }\n                public override fun set(index: Int, element: E): E {\n                AbstractList.checkElementIndex(index, size)\n                val internalIndex = internalIndex(index)\n                val oldElement
= internalGet(internalIndex)\n                elementData[internalIndex] = element\n                return oldElement\n                }\n                public override fun contains(element: E): Boolean = indexOf(element) != -1\n                public override
fun indexOf(element: E): Int {\n                val tail = internalIndex(size)\n                if (head < tail) {\n                for (index in
head until tail) {\n                if (element == elementData[index]) return index - head\n                }\n                } else if (head
>= tail) {\n                for (index in head until elementData.size) {\n                if (element == elementData[index]) return
index - head\n                }\n                for (index in 0 until tail) {\n                if (element == elementData[index]) return
index + elementData.size - head\n                }\n                }\n                return -1\n                }\n                public override fun
lastIndexOf(element: E): Int {\n                val tail = internalIndex(size)\n                if (head < tail) {\n                for (index in tail
- 1 downTo head) {\n                if (element == elementData[index]) return index - head\n                }\n                } else if
(head > tail) {\n                for (index in tail - 1 downTo 0) {\n                if (element == elementData[index])
return index + elementData.size - head\n                }\n                for (index in elementData.lastIndex downTo head) {\n                if
(element == elementData[index]) return index - head\n                }\n                }\n                return -1\n                }\n                public
override fun remove(element: E): Boolean {\n                val index = indexOf(element)\n                if (index == -1) return
false\n                removeAt(index)\n                return true\n                }\n                public override fun removeAt(index: Int): E {\n                AbstractList.checkElementIndex(index, size)\n                if (index == lastIndex) {\n                return removeLast()\n                }
else if (index == 0) {\n                return removeFirst()\n                }\n                val internalIndex = internalIndex(index)\n                val element = internalGet(internalIndex)\n                if (index < size shr 1) {\n                // closer to the first element ->
shift preceding elements\n                if (internalIndex >= head) {\n                elementData.copyInto(elementData, head
+ 1, head, internalIndex)\n                } else { // head > tail, internalIndex < head\n                elementData.copyInto(elementData, 1, 0, internalIndex)\n                elementData[0] = elementData[elementData.size

```

```

- 1]\n        elementData.copyInto(elementData, head + 1, head, elementData.size - 1)\n        }\n\n    elementData[head] = null\n        head = incremented(head)\n    } else {\n        // closer to the last element ->\n    shift succeeding elements\n        val internalLastIndex = internalIndex(lastIndex)\n        if (internalIndex <=\n    internalLastIndex) {\n        elementData.copyInto(elementData, internalIndex, internalIndex + 1,\n    internalLastIndex + 1)\n        } else { // head > tail, internalIndex > head\n    elementData.copyInto(elementData, internalIndex, internalIndex + 1, elementData.size)\n    elementData[elementData.size - 1] = elementData[0]\n        elementData.copyInto(elementData,\n    0, 1, internalLastIndex + 1)\n        }\n\n        elementData[internalLastIndex] = null\n    }\n    size -= 1\n\n    return element\n    }\n\n    public override fun removeAll(elements: Collection<E>): Boolean = filterInPlace {\n    !elements.contains(it) }\n\n    public override fun retainAll(elements: Collection<E>): Boolean = filterInPlace {\n    elements.contains(it) }\n\n    private inline fun filterInPlace(predicate: (E) -> Boolean): Boolean {\n        if\n    (this.isEmpty() || elementData.isEmpty())\n        return false\n\n        val tail = internalIndex(size)\n        var\n    newTail = head\n        var modified = false\n\n        if (head < tail) {\n            for (index in head until tail) {\n                val element = elementData[index]\n                @Suppress(\"UNCHECKED_CAST\")\n                if\n    (predicate(element as E))\n                elementData[newTail++] = element\n                else\n                modified = true\n            }\n\n            elementData.fill(null, newTail, tail)\n        } else {\n            for (index in head until elementData.size) {\n                val element = elementData[index]\n                elementData[index] = null\n                @Suppress(\"UNCHECKED_CAST\")\n                if (predicate(element as E))\n                elementData[newTail++] = element\n                else\n                modified = true\n            }\n\n            newTail =\n    positiveMod(newTail)\n            for (index in 0 until tail) {\n                val element = elementData[index]\n                elementData[index] = null\n                @Suppress(\"UNCHECKED_CAST\")\n                if (predicate(element as\n    E)) {\n                elementData[newTail] = element\n                newTail = incremented(newTail)\n            }\n            else {\n                modified = true\n            }\n        }\n\n        if (modified)\n            size =\n    negativeMod(newTail\n    - head)\n\n        return modified\n    }\n\n    public override fun clear() {\n        val tail = internalIndex(size)\n        if\n    (head < tail) {\n        elementData.fill(null, head, tail)\n        } else if (isEmpty()) {\n    elementData.fill(null, head, elementData.size)\n        elementData.fill(null, 0, tail)\n        }\n        head = 0\n    size = 0\n    }\n\n    @Suppress(\"NOTHING_TO_OVERRIDE\")\n    override fun <T> toArray(array: Array<T>):\n    Array<T> {\n        @Suppress(\"UNCHECKED_CAST\")\n        val dest = (if (array.size >= size) array else\n    arrayOfNulls(array, size)) as Array<Any?>\n        val tail = internalIndex(size)\n        if (head < tail) {\n            elementData.copyInto(dest, startIndex = head, endIndex = tail)\n        } else if (isEmpty()) {\n            elementData.copyInto(dest, destinationOffset = 0, startIndex = head, endIndex = elementData.size)\n            elementData.copyInto(dest, destinationOffset = elementData.size\n    - head, startIndex = 0, endIndex = tail)\n        }\n        if (dest.size > size) {\n            dest[size] = null // null-terminate\n        }\n        @Suppress(\"UNCHECKED_CAST\")\n        return dest as Array<T>\n    }\n\n    @Suppress(\"NOTHING_TO_OVERRIDE\")\n    override fun toArray(): Array<Any?> {\n        return\n    toArray(arrayOfNulls<Any?>(size))\n    }\n\n    // for testing\n    internal fun <T> testToArray(array: Array<T>):\n    Array<T> = toArray(array)\n\n    internal fun testToArray(): Array<Any?> = toArray()\n\n    internal companion\n    object {\n        private val emptyElementData = emptyArray<Any?>()\n        private const val maxArraySize =\n    Int.MAX_VALUE - 8\n        private const val defaultMinCapacity = 10\n        internal fun\n    newCapacity(oldCapacity: Int, minCapacity: Int): Int {\n            // overflow-conscious\n            var newCapacity =\n    oldCapacity + (oldCapacity shr 1)\n            if (newCapacity - minCapacity < 0)\n                newCapacity =\n    minCapacity\n\n            if (newCapacity - maxArraySize > 0)\n                newCapacity = if (minCapacity > maxArraySize)\n    Int.MAX_VALUE else maxArraySize\n            return newCapacity\n        }\n    }\n\n    // For testing only\n    internal fun internalStructure(structure: (head: Int, elements: Array<Any?>) -> Unit) {\n        val tail =\n    internalIndex(size)\n        val head = if (isEmpty() || head < tail) head else head - elementData.size\n    }

```

```

structure(head, toArray())\n } \n }", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("ArraysKt")\n\n\npackage
kotlin.collections\n\nimport kotlin.contracts.*\n\n\n/**\n * Returns a single list of all elements from all arrays in the
given array.\n * @sample samples.collections.Arrays.Transformations.flattenArray\n */\n\npublic
fun <T> Array<out Array<out T>>.flatten(): List<T> {\n    val result = ArrayList<T>(sumOf { it.size })\n    for
(element in this) {\n        result.addAll(element)\n    }\n    return result\n}\n\n\n/**\n * Returns a pair of lists, where\n
* *first* list is built from the first values of each pair from this array,\n * *second* list is built from the second
values of each pair from this array.\n * @sample samples.collections.Arrays.Transformations.unzipArray\n
*/\n\npublic fun <T, R> Array<out Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n    val listT =
ArrayList<T>(size)\n    val listR = ArrayList<R>(size)\n    for (pair in this) {\n        listT.add(pair.first)\n
listR.add(pair.second)\n    }\n    return listT to listR\n}\n\n\n/**\n * Returns `true` if this nullable array is either null or
empty.\n * @sample samples.collections.Arrays.Usage.arrayIsNullOrEmpty\n
*/\n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n\npublic inline fun Array<*>?.isNullOrEmpty(): Boolean
{\n    contract
{\n        returns(false) implies (this@isNullOrEmpty != null)\n    }\n\n    return this == null ||
this.isEmpty()\n}\n\n\n/**\n * Returns this array if it's not empty\n * or the result of calling [defaultValue] function if
the array is empty.\n * @sample samples.collections.Arrays.Usage.arrayIfEmpty\n
*/\n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("UPPER_BOUND_CANNOT_BE_ARRAY")\n\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : Array<*>, C : R =\n    if (isEmpty())
defaultValue() else
this\n}\n\n\n@OptIn(ExperimentalUnsignedTypes::class)\n@SinceKotlin("1.3")\n@PublishedApi\n@kotlin.jvm.Jvm
Name("contentDeepEquals")\n@kotlin.js.JsName("contentDeepEqualsImpl")\n\ninternal fun <T> Array<out
T>?.contentDeepEqualsImpl(other: Array<out T>?): Boolean {\n    if (this === other) return true\n    if (this == null
|| other == null || this.size != other.size) return false\n    for (i in indices) {\n        val v1 = this[i]\n        val v2 =
other[i]\n\n        if (v1 === v2) {\n            continue\n        } else if (v1 == null || v2 == null) {\n            return false\n        }\n\n        when {\n            v1 is Array<*> && v2 is Array<*> -> if (!v1.contentDeepEquals(v2)) return false\n
            v1 is ByteArray && v2 is ByteArray -> if (!v1.contentEquals(v2)) return false\n            v1 is ShortArray &&
v2 is ShortArray -> if (!v1.contentEquals(v2)) return false\n            v1 is IntArray && v2 is IntArray -> if
(!v1.contentEquals(v2)) return false\n            v1 is LongArray && v2 is LongArray -> if (!v1.contentEquals(v2))
return false\n            v1 is FloatArray && v2 is FloatArray -> if (!v1.contentEquals(v2)) return false\n            v1 is
DoubleArray && v2 is DoubleArray -> if (!v1.contentEquals(v2)) return false\n            v1 is CharArray && v2
is CharArray -> if (!v1.contentEquals(v2)) return false\n            v1 is BooleanArray && v2 is BooleanArray -> if
(!v1.contentEquals(v2))
return false\n            v1 is UByteArray && v2 is UByteArray -> if (!v1.contentEquals(v2)) return false\n
            v1 is UShortArray && v2 is UShortArray -> if (!v1.contentEquals(v2)) return false\n            v1 is UIntArray &&
v2 is UIntArray -> if (!v1.contentEquals(v2)) return false\n            v1 is ULongArray && v2 is ULongArray ->
if (!v1.contentEquals(v2)) return false\n\n            else -> if (v1 != v2) return false\n        }\n    }\n    return
true\n}\n\n\n@SinceKotlin("1.3")\n@PublishedApi\n@kotlin.jvm.JvmName("contentDeepToString")\n@kotlin.js.
JsName("contentDeepToStringImpl")\n\ninternal fun <T> Array<out T>?.contentDeepToStringImpl(): String {\n    if (this == null) return "null"\n    val length = size.coerceAtMost((Int.MAX_VALUE - 2) / 5) * 5 + 2 // in order not
to overflow Int.MAX_VALUE\n    return buildString(length) {\n        contentDeepToStringInternal(this,
mutableListOf())\n    }\n}\n\n\n@OptIn(ExperimentalUnsignedTypes::class)\n\nprivate
fun <T> Array<out T>.contentDeepToStringInternal(result: StringBuilder, processed: MutableList<Array<*>>) {\n    if (this in processed) {\n        result.append("[...]")\n        return\n    }\n    processed.add(this)\n    result.append("[")\n    for (i in indices) {\n        if (i != 0) {\n            result.append(", ")\n        }\n        val element

```

```

= this[i]\n    when (element) {\n        null    -> result.append("\null")\n        is Array<*> ->
element.contentDeepToStringInternal(result, processed)\n        is ByteArray ->
result.append(element.contentToString())\n        is ShortArray -> result.append(element.contentToString())\n
        is IntArray -> result.append(element.contentToString())\n        is LongArray ->
result.append(element.contentToString())\n        is FloatArray -> result.append(element.contentToString())\n
        is DoubleArray -> result.append(element.contentToString())\n
        is CharArray -> result.append(element.contentToString())\n        is BooleanArray ->
result.append(element.contentToString())\n        is UByteArray -> result.append(element.contentToString())\n
        is UShortArray -> result.append(element.contentToString())\n        is UIntArray ->
result.append(element.contentToString())\n        is ULongArray -> result.append(element.contentToString())\n
        else -> result.append(element.toString())\n    }\n }\n\n result.append('')\n
processed.removeAt(processed.lastIndex)\n}", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/** Returns true if the brittle contains optimization
is enabled. See KT-45438. */\n\ninternal expect fun brittleContainsOptimizationEnabled(): Boolean\n\n/**\n * Returns true if [brittleContainsOptimizationEnabled] is true\n * and it's safe to convert this collection to a set
without changing contains method behavior.\n */\n\nprivate fun <T> Collection<T>.safeToConvertToSet() =
brittleContainsOptimizationEnabled() && size > 2 && this is ArrayList\n\n/**\n * When
[brittleContainsOptimizationEnabled] is true:\n * - Converts this [Iterable] to a set if it is not a [Collection].\n * -
Converts this [Collection] to a set, when it's worth so and it doesn't change contains method behavior.\n * -
Otherwise returns this.\n * When [brittleContainsOptimizationEnabled] is false:\n * - Converts this [Iterable] to a
list if it is not a [Collection].\n * - Otherwise returns this.\n */\n\ninternal fun <T>
Iterable<T>.convertToSetForSetOperationWith(source: Iterable<T>): Collection<T> =\n    when (this) {\n        is
Set -> this\n        is Collection ->\n            when {\n                source is Collection && source.size < 2 -> this\n
                else -> if (this.safeToConvertToSet()) toHashSet() else this\n            }\n        else -> if
(brittleContainsOptimizationEnabled()) toHashSet() else toList()\n    }\n\n/**\n * When
[brittleContainsOptimizationEnabled] is true:\n * - Converts this [Iterable] to a set if it is not a [Collection].\n * -
Converts this [Collection] to a set, when it's worth so and it doesn't change contains method behavior.\n * -
Otherwise returns this.\n * When [brittleContainsOptimizationEnabled] is false:\n * - Converts this [Iterable] to a
list if it is not a [Collection].\n * - Otherwise returns this.\n */\n\ninternal fun <T>
Iterable<T>.convertToSetForSetOperation(): Collection<T> =\n    when (this) {\n        is Set -> this\n        is
Collection -> if (this.safeToConvertToSet()) toHashSet() else this\n        else -> if
(brittleContainsOptimizationEnabled()) toHashSet() else toList()\n    }\n\n/**\n * Converts this sequence to a set if
[brittleContainsOptimizationEnabled] is true,\n * otherwise
converts it to a list.\n */\n\ninternal fun <T> Sequence<T>.convertToSetForSetOperation(): Collection<T> =\n    if
(brittleContainsOptimizationEnabled()) toHashSet() else toList()\n\n/**\n * Converts this array to a set if
[brittleContainsOptimizationEnabled] is true,\n * otherwise converts it to a list.\n */\n\ninternal fun <T>
Array<T>.convertToSetForSetOperation(): Collection<T> =\n    if (brittleContainsOptimizationEnabled())
toHashSet() else asList()\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Data class representing a value from a
collection or sequence, along with its index in that collection or sequence.\n */\n\n@property value the underlying
value.\n * @property index the index of the value in the collection or sequence.\n */\n\npublic data class
IndexedValue<out T>(public val
index: Int, public val value: T)\n", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName("MapAccessorsKt")\n\npackage
kotlin.collections\n\nimport kotlin.reflect.KProperty\nimport kotlin.internal.Exact\n\n/**\n * Returns the value of

```

the property for the given object from this read-only map.  
@param thisRef the object for which the value is requested (not used).  
@param property the metadata for the property, used to get the name of property and lookup the value corresponding to this name in the map.  
@return the property value.  
@throws NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit default (see [withDefault]).  
@kotlin.internal.InlineOnly  
public inline operator fun <V, V1 : V> Map<in String, @Exact V>.getValue(thisRef:

```
Any?, property: KProperty<*>): V1 =\n    @Suppress("UNCHECKED_CAST")\n    (getOrImplicitDefault(property.name) as V1)\n\n/**\n * Returns the value of the property for the given object from this mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and lookup the value corresponding to this name in the map.\n * @return the property value.\n * @throws NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit default (see [withDefault]).\n */\n@kotlin.jvm.JvmName("getVar")\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> MutableMap<in String, out @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n    @Suppress("UNCHECKED_CAST") (getOrImplicitDefault(property.name) as V1)\n\n/**\n * Stores the value of the property for the given object in this mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and store the value associated with that name in the map.\n * @param value the value to set.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <V> MutableMap<in String, in V>.setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n    this.put(property.name, value)\n}
```

Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.  
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```
@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MapsKt")\n\npackage kotlin.collections\n\n/**\n * Returns the value for the given key, or the implicit default value for this map.\n * By default no implicit value is provided for maps and a [NoSuchElementException] is thrown.\n * To create a map with implicit default value use [withDefault]
```

```
method.\n * @throws NoSuchElementException when the map doesn't contain a value for the specified key and no implicit default was provided for that map.
```

```
@kotlin.jvm.JvmName("getOrImplicitDefaultNullable")\n@PublishedApi\ninternal fun <K, V> Map<K, V>.getOrImplicitDefault(key: K): V {\n    if (this is MapWithDefault)\n        return this.getOrImplicitDefault(key)\n    return getOrElseNullable(key, { throw NoSuchElementException("Key $key is missing in the map.") })\n}\n\n/**\n * Returns a wrapper of this read-only map, having the implicit default value provided with the specified function [defaultValue].  
 * This implicit default value is used when the original map doesn't contain a value for the key specified  
 * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the map.  
 * When this map already has an implicit default value provided with a former call to [withDefault], it is being replaced by this call.
```

```
*\n * public fun <K, V> Map<K, V>.withDefault(defaultValue: (key: K) -> V): Map<K, V> =\n    when (this) {\n        is MapWithDefault -> this.map.withDefault(defaultValue)\n        else -> MapWithDefaultImpl(this, defaultValue)\n    }\n\n/**\n * Returns a wrapper of this mutable map, having the implicit default value provided with the specified function [defaultValue].  
 * This implicit default value is used when the original map doesn't contain a value for the key specified  
 * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the map.  
 * When this map already has an implicit default value provided with a former call to [withDefault], it is being replaced by this call.
```

```
*\n * @kotlin.jvm.JvmName("withDefaultMutable")\n * public fun <K, V> MutableMap<K, V>.withDefault(defaultValue: (key: K) -> V): MutableMap<K, V> =\n    when (this) {\n        is MutableMapWithDefault -> this.map.withDefault(defaultValue)\n        else ->
```

```
MutableMapWithDefaultImpl(this, defaultValue)\n    }\n\nprivate interface MapWithDefault<K, out V> : Map<K, V> {\n    public val map: Map<K, V>\n    public fun getOrImplicitDefault(key: K): V\n}\n\nprivate interface MutableMapWithDefault<K, V> :
```

```

MutableMap<K, V>, MapWithDefault<K, V> {\n  public override val map: MutableMap<K, V>\n}\n\nprivate
class MapWithDefaultImpl<K, out V>(public override val map: Map<K, V>, private val default: (key: K) -> V) :
MapWithDefault<K, V> {\n  override fun equals(other: Any?): Boolean = map.equals(other)\n  override fun
hashCode(): Int = map.hashCode()\n  override fun toString(): String = map.toString()\n  override val size: Int get()
= map.size\n  override fun isEmpty(): Boolean = map.isEmpty()\n  override fun containsKey(key: K): Boolean =
map.containsKey(key)\n  override fun containsValue(value: @UnsafeVariance V): Boolean =
map.containsValue(value)\n  override fun get(key: K): V? = map.get(key)\n  override val keys: Set<K> get() =
map.keys\n
  override val values: Collection<V> get() = map.values\n  override val entries: Set<Map.Entry<K, V>> get() =
map.entries\n}\n\nprivate class MutableMapWithDefaultImpl<K, V>(public override val map: MutableMap<K, V>, private
val default: (key: K) -> V) : MutableMapWithDefault<K, V> {\n  override fun equals(other: Any?): Boolean =
map.equals(other)\n  override fun hashCode(): Int = map.hashCode()\n  override fun toString(): String =
map.toString()\n  override val size: Int get() = map.size\n  override fun isEmpty(): Boolean = map.isEmpty()\n
override fun containsKey(key: K): Boolean = map.containsKey(key)\n  override fun containsValue(value:
@UnsafeVariance V): Boolean = map.containsValue(value)\n  override fun get(key: K): V? = map.get(key)\n
override val keys: MutableSet<K> get() = map.keys\n  override val values: MutableCollection<V> get() =
map.values\n
  override val entries: MutableSet<MutableMap.MutableEntry<K, V>> get() = map.entries\n}\n\n  override fun
put(key: K, value: V): V? = map.put(key, value)\n  override fun remove(key: K): V? = map.remove(key)\n
override fun putAll(from: Map<out K, V>) = map.putAll(from)\n  override fun clear() = map.clear()\n}\n\n  override
fun getOrDefault(key: K): V = map.getOrDefault(key, { default(key) })\n}\n\n"/*\n * Copyright
2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\nimport kotlin.random.Random\n\n/**\n * Removes a single instance of the specified element
from this\n * collection, if it is present.\n * \n * Allows to overcome type-safety restriction of `remove` that requires
to pass an element of type `E`. \n * \n
* @return `true` if the element has been successfully removed; `false` if it was not present in the collection.\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out
T>.remove(element: T): Boolean =\n  @Suppress("UNCHECKED_CAST") (this as
MutableCollection<T>).remove(element)\n\n/**\n * Removes all of this collection's elements that are also
contained in the specified collection.\n * \n * Allows to overcome type-safety restriction of `removeAll` that requires
to pass a collection of type `Collection<E>`. \n * \n
* @return `true` if any of the specified elements was removed
from the collection, `false` if the collection was not modified.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun
<@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.removeAll(elements: Collection<T>): Boolean
=\n  @Suppress("UNCHECKED_CAST") (this as MutableCollection<T>).removeAll(elements)\n\n/**\n *
Retains only the elements in this collection
that are contained in the specified collection.\n * \n * Allows to overcome type-safety restriction of `retainAll` that
requires to pass a collection of type `Collection<E>`. \n * \n
* @return `true` if any element was removed from the
collection, `false` if the collection was not modified.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun
<@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.retainAll(elements: Collection<T>): Boolean =\n
@Suppress("UNCHECKED_CAST") (this as MutableCollection<T>).retainAll(elements)\n\n/**\n * Adds the
specified [element] to this mutable collection.\n * \n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
MutableCollection<in T>.plusAssign(element: T) {\n  this.add(element)\n}\n\n/**\n * Adds all elements of the
given [elements] collection to this mutable collection.\n * \n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun
<T> MutableCollection<in T>.plusAssign(elements: Iterable<T>) {\n  this.addAll(elements)\n}\n\n/**\n

```

```

* Adds all elements of the given [elements] array to this mutable collection.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements:
Array<T>) {\n    this.addAll(elements)\n}\n\n/**\n * Adds all elements of the given [elements] sequence to this
mutable collection.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in
T>.plusAssign(elements: Sequence<T>) {\n    this.addAll(elements)\n}\n\n/**\n * Removes a single instance of the
specified [element] from this mutable collection.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
MutableCollection<in T>.minusAssign(element: T) {\n    this.remove(element)\n}\n\n/**\n * Removes all elements
contained in the given [elements] collection from this mutable collection.\n *\n@kotlin.internal.InlineOnly\npublic
inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Iterable<T>) {\n
this.removeAll(elements)\n}\n\n/**\n * Removes
all elements contained in the given [elements] array from this mutable collection.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements:
Array<T>) {\n    this.removeAll(elements)\n}\n\n/**\n * Removes all elements contained in the given [elements]
sequence from this mutable collection.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
MutableCollection<in T>.minusAssign(elements: Sequence<T>) {\n    this.removeAll(elements)\n}\n\n/**\n * Adds
all elements of the given [elements] collection to this [MutableCollection].\n *\npublic fun <T>
MutableCollection<in T>.addAll(elements: Iterable<T>): Boolean {\n    when (elements) {\n        is Collection ->
return addAll(elements)\n        else -> {\n            var result: Boolean = false\n            for (item in elements)\n
if (add(item)) result = true\n            return result\n        }\n    }\n}\n\n/**\n * Adds all elements of the given
[elements] sequence to this [MutableCollection].\n *\npublic fun <T> MutableCollection<in T>.addAll(elements:
Sequence<T>): Boolean {\n    var result: Boolean = false\n    for (item in elements) {\n        if (add(item)) result =
true\n    }\n    return result\n}\n\n/**\n * Adds all elements of the given [elements] array to this
[MutableCollection].\n *\npublic fun <T> MutableCollection<in T>.addAll(elements: Array<out T>): Boolean {\n
return addAll(elements.asList())\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also
contained in the given [elements] collection.\n *\npublic fun <T> MutableCollection<in T>.removeAll(elements:
Iterable<T>): Boolean {\n    return removeAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n *
Removes all elements from this [MutableCollection] that are also contained in the given [elements] sequence.\n
*\npublic fun <T> MutableCollection<in T>.removeAll(elements: Sequence<T>): Boolean {\n    val set =
elements.convertToSetForSetOperation()\n    return set.isNotEmpty() && removeAll(set)\n}\n\n/**\n * Removes all elements from this [MutableCollection]
that are also contained in the given [elements] array.\n *\npublic fun <T> MutableCollection<in
T>.removeAll(elements: Array<out T>): Boolean {\n    return elements.isNotEmpty() &&
removeAll(elements.convertToSetForSetOperation())\n}\n\n/**\n * Retains only elements of this
[MutableCollection] that are contained in the given [elements] collection.\n *\npublic fun <T>
MutableCollection<in T>.retainAll(elements: Iterable<T>): Boolean {\n    return
retainAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n * Retains only elements of this
[MutableCollection] that are contained in the given [elements] array.\n *\npublic fun <T> MutableCollection<in
T>.retainAll(elements: Array<out T>): Boolean {\n    if (elements.isNotEmpty())\n        return
retainAll(elements.convertToSetForSetOperation())\n    else\n        return retainNothing()\n}\n\n/**\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] sequence.\n
*\npublic fun <T> MutableCollection<in T>.retainAll(elements: Sequence<T>): Boolean {\n    val set =
elements.convertToSetForSetOperation()\n    if (set.isNotEmpty())\n        return retainAll(set)\n    else\n        return
retainNothing()\n}\n\nprivate fun MutableCollection<*>.retainNothing(): Boolean {\n    val result = isEmpty()\n    clear()\n    return result\n}\n\n/**\n * Removes all elements from this [MutableIterable] that match the given
[predicate].\n *\n * @return `true` if any element was removed from this collection, or `false` when no elements
were removed and collection was not modified.\n *\npublic fun <T> MutableIterable<T>.removeAll(predicate: (T)
-> Boolean): Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableIterable] that

```



```

match the given [predicate].\n * \n * @return `true` if any element was removed from this collection,
or `false` when all elements were retained and collection was not modified.\n * \n public fun <T>
MutableIterable<T>.retainAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, false)\n\nprivate fun
<T> MutableIterable<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\n
    var result = false\n    with(iterator()) {\n        while (hasNext())\n            if (predicate(next()) ==
predicateResultToRemove) {\n                remove()\n                result = true\n            }\n    }\n    return
result\n}\n\n\n/**\n * Removes the element at the specified [index] from this list.\n * In Kotlin one should use the
[MutableList.removeAt] function instead.\n * \n @Deprecated("Use removeAt(index) instead.")
ReplaceWith("removeAt(index)"), level = DeprecationLevel.ERROR)\n @kotlin.internal.InlineOnly\n public inline
fun <T> MutableList<T>.remove(index: Int): T = removeAt(index)\n\n\n/**\n * Removes the first element from this
mutable list
and returns that removed element, or throws [NoSuchElementException] if this list is empty.\n
\n * \n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun <T>
MutableList<T>.removeFirst(): T = if (isEmpty()) throw NoSuchElementException("List is empty.") else
removeAt(0)\n\n\n/**\n * Removes the first element from this mutable list and returns that removed element, or
returns `null` if this list is empty.\n
\n * \n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun <T>
MutableList<T>.removeFirstOrNull(): T? = if (isEmpty()) null else removeAt(0)\n\n\n/**\n * Removes the last
element from this mutable list and returns that removed element, or throws [NoSuchElementException] if this list is
empty.\n * \n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun <T>
MutableList<T>.removeLast(): T = if (isEmpty()) throw NoSuchElementException("List is empty.") else
removeAt(lastIndex)\n\n\n/**\n * Removes the last element
from this mutable list and returns that removed element, or returns `null` if this list is empty.\n
\n * \n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun <T>
MutableList<T>.removeLastOrNull(): T? = if (isEmpty()) null else removeAt(lastIndex)\n\n\n/**\n * Removes all
elements from this [MutableList] that match the given [predicate].\n * \n * @return `true` if any element was
removed from this collection, or `false` when no elements were removed and collection was not modified.\n
\n * \n public fun <T> MutableList<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate,
true)\n\n\n/**\n * Retains only elements of this [MutableList] that match the given [predicate].\n * \n * @return `true`
if any element was removed from this collection, or `false` when all elements were retained and collection was not
modified.\n * \n public fun <T> MutableList<T>.retainAll(predicate: (T) -> Boolean): Boolean =
filterInPlace(predicate, false)\n\n\nprivate fun
<T> MutableList<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\n
    if (this !is RandomAccess)\n        return (this as MutableIterable<T>).filterInPlace(predicate,
predicateResultToRemove)\n    var writeIndex: Int = 0\n    for (readIndex in 0..lastIndex) {\n        val element =
this[readIndex]\n        if (predicate(element) == predicateResultToRemove)\n            continue\n        if (writeIndex
!= readIndex)\n            this[writeIndex] = element\n            writeIndex++\n    }\n    if (writeIndex < size) {\n        for
(removeIndex in lastIndex downTo writeIndex)\n            removeAt(removeIndex)\n        return true\n    } else {\n
        return false\n    }\n}\n\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
\n * \n @file:kotlin.jvm.JvmMultifileClass\n @file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\nprivate open class ReversedListReadOnly<out T>(private val delegate: List<T>) :
AbstractList<T>() {\n    override val size: Int get() = delegate.size\n    override fun get(index: Int): T =
delegate[reverseElementIndex(index)]\n}\n\nprivate class ReversedList<T>(private val delegate: MutableList<T>) :
AbstractMutableList<T>() {\n    override val size: Int get() = delegate.size\n    override fun get(index: Int): T =
delegate[reverseElementIndex(index)]\n    override fun clear() = delegate.clear()\n    override fun removeAt(index:
Int): T = delegate.removeAt(reverseElementIndex(index))\n    override fun set(index: Int, element: T): T =

```

```

delegate.set(reverseElementIndex(index), element)\n  override fun add(index: Int, element: T) {\n
delegate.add(reversePositionIndex(index), element)\n  }\n}\n\nprivate fun List<*>.reverseElementIndex(index:
Int) =\n  if (index in 0..lastIndex) lastIndex - index else throw IndexOutOfBoundsException("\nElement
index $index must be in range [0..lastIndex].")\n}\n\nprivate fun List<*>.reversePositionIndex(index: Int) =\n  if
(index in 0..size) size - index else throw IndexOutOfBoundsException("\nPosition index $index must be in range
[0..size].")\n}\n\n/**\n * Returns a reversed read-only view of the original List.\n * All changes made in the
original list will be reflected in the reversed one.\n * @sample samples.collections.ReversedViews.asReversedList\n
*/\n\npublic fun <T> List<T>.asReversed(): List<T> = ReversedListReadOnly(this)\n\n/**\n * Returns a reversed
mutable view of the original mutable List.\n * All changes made in the original list will be reflected in the reversed
one and vice versa.\n * @sample samples.collections.ReversedViews.asReversedMutableList\n
*/\n\n@kotlin.jvm.JvmName("asReversedMutable")\n\npublic fun <T> MutableList<T>.asReversed():
MutableList<T> = ReversedList(this)\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n\n@file:kotlin.jvm.JvmName("SequencesKt")\n\n@file:OptIn(Experimenta
lTypeInference::class)\n\npackage kotlin.sequences\n\nimport kotlin.coroutines.*\n\nimport
kotlin.coroutines.intrinsics.*\n\nimport kotlin.experimental.ExperimentalTypeInference\n\n\n/**\n * Builds a
[Sequence] lazily yielding values one by one.\n * @see kotlin.sequences.generateSequence\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n
*/\n\n@SinceKotlin("1.3")\n\npublic fun <T>
sequence(@BuilderInference block: suspend SequenceScope<T>().() -> Unit): Sequence<T> = Sequence {
iterator(block) }\n\n@SinceKotlin("1.3")\n\n@Deprecated("Use 'sequence { }' function instead.",
ReplaceWith("sequence(builderAction)"), level =
DeprecationLevel.ERROR)\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun <T> buildSequence(@BuilderInference noinline builderAction: suspend SequenceScope<T>().() -> Unit):
Sequence<T> = Sequence { iterator(builderAction) }\n\n/**\n * Builds an [Iterator] lazily yielding values one by
one.\n * @sample samples.collections.Sequences.Building.buildIterator\n * @sample
samples.collections.Iterables.Building.iterable\n
*/\n\n@SinceKotlin("1.3")\n\npublic fun <T>
iterator(@BuilderInference block: suspend SequenceScope<T>().() -> Unit): Iterator<T> {\n  val iterator =
SequenceBuilderIterator<T>()\n  iterator.nextStep = block.createCoroutineUnintercepted(receiver = iterator,
completion = iterator)\n  return iterator\n}\n\n@SinceKotlin("1.3")\n\n@Deprecated("Use 'iterator { }' function
instead.", ReplaceWith("iterator(builderAction)"), level =
DeprecationLevel.ERROR)\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> buildIterator(@BuilderInference
noinline builderAction: suspend SequenceScope<T>().() -> Unit):
Iterator<T> = iterator(builderAction)\n\n/**\n * The scope for yielding values of a [Sequence] or an [Iterator],
provides [yield] and [yieldAll] suspension functions.\n * @see sequence\n * @see iterator\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n
*/\n\n@RestrictsSuspension\n\n@SinceKotlin("1.3")\n\npublic abstract class SequenceScope<in T> internal
constructor() {\n  /**\n   * Yields a value to the [Iterator] being built and suspends\n   * until the next value is
requested.\n   * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n   * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n
*/\n   public abstract suspend fun yield(value:
T)\n\n  /**\n   * Yields all values from the `iterator` to the [Iterator] being built\n   * and suspends until all these
values are iterated and the next one is requested.\n   *\n   * The sequence of values returned by the given iterator can be potentially infinite.\n   * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n
*/\n   public abstract suspend fun
yieldAll(iterator: Iterator<T>)\n\n  /**\n   * Yields a collections of values to the [Iterator] being built\n   * and
suspends until all these values are iterated and the next one is requested.\n   *\n   * @sample

```

```

samples.collections.Sequences.Building.buildSequenceYieldAll\n    */\n    public suspend fun yieldAll(elements:
Iterable<T>) {\n        if (elements is Collection && elements.isEmpty()) return\n        return
yieldAll(elements.iterator())\n    }\n\n    /**\n     * Yields potentially infinite sequence of values to the [Iterator]
being built\n     * and suspends until all these values are iterated and the next one is requested.\n     */\n     * The
sequence can be potentially infinite.\n     */\n     * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n
    */\n    public suspend fun yieldAll(sequence: Sequence<T>) =
yieldAll(sequence.iterator())\n}\n\n@Deprecated("Use SequenceScope class instead."),
ReplaceWith("SequenceScope<T>"), level = DeprecationLevel.ERROR)\npublic typealias SequenceBuilder<T> =
SequenceScope<T>\n\nprivate typealias State = Int\n\nprivate const val State_NotReady: State = 0\n\nprivate const
val State_ManyNotReady: State = 1\n\nprivate const val State_ManyReady: State = 2\n\nprivate const val State_Ready:
State = 3\n\nprivate const val State_Done: State = 4\n\nprivate const val State_Failed: State = 5\n\nprivate class
SequenceBuilderIterator<T> : SequenceScope<T>(), Iterator<T>, Continuation<Unit> {\n    private var state =
State_NotReady\n    private var nextValue: T? = null\n    private var nextIterator: Iterator<T>? = null\n    var
nextStep: Continuation<Unit>? = null\n\n    override fun hasNext(): Boolean {\n        while (true) {\n            when
(state) {\n                State_NotReady -> {\n                    State_ManyNotReady ->\n                        if (nextIterator!!.hasNext()) {\n                            state =
State_ManyReady\n                            return true\n                        } else {\n                            nextIterator = null\n
}\n                    State_Done -> return false\n                    State_Ready, State_ManyReady -> return true\n                    else ->
throw exceptionalState()\n                }\n                state = State_Failed\n                val step = nextStep!!\n                nextStep =
null\n                step.resume(Unit)\n            }\n\n            override fun next(): T {\n                when (state) {\n                    State_NotReady, State_ManyNotReady -> return nextNotReady()\n                    State_ManyReady -> {\n                        state
= State_ManyNotReady\n                        return nextIterator!!.next()\n                    }\n                    State_Ready -> {\n                        state
= State_NotReady\n                        @Suppress("UNCHECKED_CAST")\n                        val
result = nextValue as T\n                        nextValue = null\n                        return result\n                    }\n                    else -> throw
exceptionalState()\n                }\n            }\n\n            private fun nextNotReady(): T {\n                if (!hasNext()) throw
NoSuchElementException() else return next()\n            }\n\n            private fun exceptionalState(): Throwable = when (state)
{\n                State_Done -> NoSuchElementException()\n                State_Failed -> IllegalStateException("Iterator has
failed.")\n                else -> IllegalStateException("Unexpected state of the iterator: $state")\n            }\n\n            override
suspend fun yield(value: T) {\n                nextValue = value\n                state = State_Ready\n                return
suspendCoroutineUninterceptedOrReturn { c ->\n                    nextStep = c\n                    COROUTINE_SUSPENDED\n                }\n            }\n\n            override suspend fun yieldAll(iterator: Iterator<T>) {\n                if (!iterator.hasNext()) return\n                nextIterator = iterator\n                state = State_ManyReady\n                return suspendCoroutineUninterceptedOrReturn
{ c ->\n                    nextStep = c\n                    COROUTINE_SUSPENDED\n                }\n            }\n\n            // Completion continuation
implementation\n            override fun resumeWith(result: Result<Unit>) {\n                result.getOrThrow() // just rethrow
exception if it is there\n                state = State_Done\n            }\n\n            override val context: CoroutineContext\n                get() =
EmptyCoroutineContext\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal fun checkWindowSizeStep(size: Int, step:
Int) {\n    require(size > 0 && step > 0) {\n        if (size != step)\n            "Both size $size and step $step must be
greater than zero.\n        else\n            "size $size must be greater than zero.\n    }\n}\n\ninternal fun <T>
Sequence<T>.windowedSequence(size: Int, step:
Int, partialWindows: Boolean, reuseBuffer: Boolean): Sequence<List<T>> {\n    checkWindowSizeStep(size,
step)\n    return Sequence { windowedIterator(iterator(), size, step, partialWindows, reuseBuffer) }\n}\n\ninternal
fun <T> windowedIterator(iterator: Iterator<T>, size: Int, step: Int, partialWindows: Boolean, reuseBuffer:
Boolean): Iterator<List<T>> {\n    if (!iterator.hasNext()) return EmptyIterator\n    return iterator<List<T>> {\n        val
bufferInitialCapacity = size.coerceAtMost(1024)\n        val gap = step - size\n        if (gap >= 0) {\n            var
buffer = ArrayList<T>(bufferInitialCapacity)\n            var skip = 0\n            for (e in iterator) {\n                if (skip >

```

```

0) { skip -- 1; continue }\n          buffer.add(e)\n          if (buffer.size == size) {\n          yield(buffer)\n          if (reuseBuffer) buffer.clear() else buffer = ArrayList(size)\n          skip = gap\n          }\n}\n\n    if (buffer.isEmpty()) {\n    if (partialWindows || buffer.size == size) yield(buffer)\n    }\n} else {\n    var buffer = RingBuffer<T>(bufferInitialCapacity)\n    for (e in iterator) {\n    buffer.add(e)\n    if (buffer.isFull()) {\n    if (buffer.size < size) { buffer =\n    buffer.expanded(maxCapacity = size); continue }\n    yield(if (reuseBuffer) buffer else\n    ArrayList(buffer))\n    buffer.removeFirst(step)\n    }\n    if (partialWindows) {\n    while (buffer.size > step) {\n    yield(if (reuseBuffer) buffer else ArrayList(buffer))\n    buffer.removeFirst(step)\n    }\n    if (buffer.isEmpty()) yield(buffer)\n    }\n}\n}\n\ninternal class MovingSubList<out E>(private val list: List<E>) : AbstractList<E>(), RandomAccess {\nprivate\n    var fromIndex: Int = 0\n    private var _size: Int = 0\n\n    fun move(fromIndex: Int, toIndex: Int) {\n    checkRangeIndexes(fromIndex, toIndex, list.size)\n    this.fromIndex = fromIndex\n    this._size = toIndex -\n    fromIndex\n    }\n\n    override fun get(index: Int): E {\n    checkElementIndex(index, _size)\n    return\n    list[fromIndex + index]\n    }\n\n    override val size: Int get() = _size\n}\n\n/**\n * Provides ring buffer\n implementation.\n * Buffer overflow is not allowed so [add] doesn't overwrite tail but raises an exception.\n */\nprivate class RingBuffer<T>(private val buffer: Array<Any?>, filledSize: Int) : AbstractList<T>(),\nRandomAccess {\n    init {\n    require(filledSize >= 0) { \"ring buffer filled size should not be negative but it is\n    $filledSize\" }\n    require(filledSize <= buffer.size) { \"ring buffer filled size: $filledSize cannot be larger than\n    the buffer size: ${buffer.size}\" }\n    }\n\n    constructor(capacity: Int)\n    : this(arrayOfNulls<Any?>(capacity), 0)\n\n    private val capacity = buffer.size\n    private var startIndex: Int =\n    0\n\n    override var size: Int = filledSize\n    private set\n\n    override fun get(index: Int): T {\n    checkElementIndex(index, size)\n    @Suppress(\"UNCHECKED_CAST\")\n    return\n    buffer[startIndex.forward(index)] as T\n    }\n\n    fun isFull() = size == capacity\n\n    override fun iterator():\n    Iterator<T> = object : AbstractIterator<T>() {\n    private var count = size\n    private var index = startIndex\n\n    override fun computeNext() {\n    if (count == 0) {\n    done()\n    } else {\n    @Suppress(\"UNCHECKED_CAST\")\n    setNext(buffer[index] as T)\n    index =\n    index.forward(1)\n    count--\n    }\n    }\n\n    @Suppress(\"UNCHECKED_CAST\")\n    override fun <T> toArray(array: Array<T>): Array<T> {\n    val result: Array<T?> =\n    if (array.size < this.size) array.copyOf(this.size) else array as Array<T?>\n\n    val size = this.size\n    var widx = 0\n    var idx = startIndex\n    while (widx < size && idx < capacity) {\n    result[widx] =\n    buffer[idx] as T\n    widx++\n    idx++\n    }\n\n    idx = 0\n    while (widx < size) {\n    result[widx] = buffer[idx] as T\n    widx++\n    idx++\n    }\n\n    if (result.size > this.size)\n    result[this.size] = null\n\n    return result as Array<T>\n    }\n\n    override fun toArray(): Array<Any?> {\n    return toArray(arrayOfNulls(size))\n    }\n\n    /**\n     * Creates a new ring buffer with the capacity equal to the\n     minimum of [maxCapacity] and 1.5 * [capacity].\n     * The returned ring buffer contains the same elements as this\n     ring buffer.\n     */\n    fun expanded(maxCapacity: Int): RingBuffer<T> {\n    val newCapacity = (capacity +\n    (capacity shr 1) + 1).coerceAtMost(maxCapacity)\n\n    val newBuffer = if (startIndex == 0) buffer.copyOf(newCapacity) else toArray(arrayOfNulls(newCapacity))\n\n    return RingBuffer(newBuffer, size)\n    }\n\n    /**\n     * Add [element] to the buffer or fail with\n     [IllegalStateException] if no free space available in the buffer\n     */\n    fun add(element: T) {\n    if (isFull()) {\n    throw IllegalStateException(\"ring buffer is full\")\n    }\n\n    buffer[startIndex.forward(size)] =\n    element\n    size++\n    }\n\n    /**\n     * Removes [n] first elements from the buffer or fails with\n     [IllegalArgumentException] if not enough elements in the buffer to remove\n     */\n    fun removeFirst(n: Int) {\n    require(n >= 0) { \"n shouldn't be negative but it is $n\" }\n    require(n <= size) { \"n shouldn't be greater than\n    the buffer size: n = $n, size = $size\" }\n\n    if (n > 0) {\n    val start = startIndex\n    val end =\n    start.forward(n)\n\n    if

```

```

(start > end) {\n        buffer.fill(null, start, capacity)\n        buffer.fill(null, 0, end)\n    } else {\n        buffer.fill(null, start, end)\n    }\n    startIndex = end\n    size -= n\n}\n}\n\n@Suppress("NOTHING_TO_INLINE")\n private inline fun Int.forward(n: Int): Int = (this + n) %
capacity\n}\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.collections\n// UByteArray
=====
\n@Exp
erimentalUnsignedTypes\nprivate fun partition(\n    array: UByteArray, left: Int, right: Int): Int {\n    var i = left\n    var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n        while (array[i] < pivot)\n            i++\n        while
(array[j] > pivot)\n            j--\n        if (i <= j) {\n            val tmp = array[i]\n            array[i] = array[j]\n
array[j] = tmp\n            i++\n            j--\n        }\n    }\n    return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun
quickSort(\n    array: UByteArray, left: Int, right: Int) {\n    val index = partition(array, left, right)\n    if (left < index
- 1)\n        quickSort(array, left, index - 1)\n    if (index < right)\n        quickSort(array, index, right)\n}\n\n//
UShortArray
=====
\n@Exp
erimentalUnsignedTypes\nprivate fun partition(\n    array: UShortArray, left: Int, right: Int): Int {\n    var i = left\n
    var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n        while (array[i] < pivot)\n
            i++\n        while (array[j] > pivot)\n            j--\n        if (i <= j) {\n            val tmp = array[i]\n
            array[i] =
array[j]\n            array[j] = tmp\n            i++\n            j--\n        }\n    }\n    return
i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n    array: UShortArray, left: Int, right: Int) {\n    val
index = partition(array, left, right)\n    if (left < index - 1)\n        quickSort(array, left, index - 1)\n    if (index <
right)\n        quickSort(array, index, right)\n}\n\n// UIntArray
=====
\n@Exp
erimentalUnsignedTypes\nprivate fun partition(\n    array: UIntArray, left: Int, right: Int): Int {\n    var i = left\n
    var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n        while (array[i] < pivot)\n
            i++\n        while (array[j] > pivot)\n            j--\n        if (i <= j) {\n            val tmp = array[i]\n
            array[i] =
array[j]\n            array[j] = tmp\n            i++\n            j--\n        }\n    }\n    return
i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n    array: UIntArray, left: Int, right: Int) {\n    val
index = partition(array, left, right)\n    if (left < index - 1)\n        quickSort(array, left, index - 1)\n    if (index <
right)\n        quickSort(array, index, right)\n}\n\n// ULongArray
=====
\n@Exp
erimentalUnsignedTypes\nprivate fun partition(\n    array: ULongArray, left: Int, right: Int): Int {\n    var i = left\n
    var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n        while (array[i] < pivot)\n
            i++\n        while (array[j] > pivot)\n            j--\n        if (i <= j) {\n            val tmp = array[i]\n
            array[i] =
array[j]\n            array[j] = tmp\n            i++\n            j--\n        }\n    }\n    return
i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n    array: ULongArray, left: Int, right: Int) {\n    val index =
partition(array,
left, right)\n    if (left < index - 1)\n        quickSort(array, left, index - 1)\n    if (index < right)\n        quickSort(array,
index, right)\n}\n\n// Interfaces
=====
\n/*\n
* Sorts the given array using qsort algorithm.\n */\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array:
UByteArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex -
1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UShortArray, fromIndex: Int, toIndex: Int) =
quickSort(array, fromIndex, toIndex - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UIntArray,
fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex -
1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: ULongArray, fromIndex: Int, toIndex: Int) =
quickSort(array, fromIndex, toIndex - 1), "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of

```

this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

package kotlin.internal.InlineOnly
 * Compares this object with the specified object
for order. Returns zero if this object is equal
 * to the specified [other] object, a negative number if it's less than
[other], or a positive number
 * if it's greater than [other].
 * This function delegates to
[Comparable.compareTo] and allows to call it in infix form.
 *
@InlineOnly
@SinceKotlin("1.6")
public inline infix fun <T> Comparable<T>.compareTo(other: T): Int =
    this.compareTo(other)
 * Copyright
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
package
kotlin.contracts
import kotlin.internal.ContractsDsl
import kotlin.internal.InlineOnly
 * This marker
distinguishes the
experimental contract declaration API and is used to opt-in for that feature
 * when declaring contracts of user
functions.
 * Any usage of a declaration annotated with `@ExperimentalContracts` must be accepted either
by
 * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalContracts::class)`,
 * or by
using the compiler argument `-opt-in=kotlin.contracts.ExperimentalContracts`.
 *
@Retention(AnnotationRetention.BINARY)
@SinceKotlin("1.3")
@RequiresOptIn
@MustBeDocumente
d
public annotation class ExperimentalContracts
 * Provides a scope, where the functions of the contract
DSL, such as [returns], [callsInPlace], etc.,
 * can be used to describe the contract of a function.
 * This type is
used as a receiver type of the lambda function passed to the [contract] function.
 * @see contract
 *
@ContractsDsl
@ExperimentalContracts
@SinceKotlin("1.3")
public interface ContractBuilder {
 *
 * Describes a situation
when a function returns normally, without any exceptions thrown.
 *
 * Use [SimpleEffect.implies] function
to describe a conditional effect that happens in such case.
 *
 * // @sample
samples.contracts.returnsContract
 @ContractsDsl public fun returns(): Returns
 *
 * Describes a
situation when a function returns normally with the specified return [value].
 *
 * The possible values of
[value] are limited to `true`, `false` or `null`.
 *
 * Use [SimpleEffect.implies] function to describe a
conditional effect that happens in such case.
 *
 * // @sample samples.contracts.returnsTrueContract
// @sample samples.contracts.returnsFalseContract
// @sample samples.contracts.returnsNullContract
@ContractsDsl public fun returns(value: Any?): Returns
 *
 * Describes a situation when a function
returns normally with any value that is not `null`.
 *
 * Use [SimpleEffect.implies] function
to describe a conditional effect that happens in such case.
 *
 * // @sample
samples.contracts.returnsNotNullContract
 @ContractsDsl public fun returnsNotNull(): ReturnsNotNull
 *
 * Specifies that the function parameter [lambda] is invoked in place.
 *
 * This contract specifies
that:
 * 1. the function [lambda] can only be invoked during the call of the owner function,
 * and it won't be
invoked after that owner function call is completed;
 * 2. (optionally) the function [lambda] is invoked the
amount of times specified by the [kind] parameter,
 * see the [InvocationKind] enum for possible values.
 *
 * A function declaring the `callsInPlace` effect must be _inline_.
 *
 * // @sample
samples.contracts.callsInPlaceAtMostOnceContract
 * @sample
samples.contracts.callsInPlaceAtLeastOnceContract
 * @sample
samples.contracts.callsInPlaceExactlyOnceContract
 * @sample
samples.contracts.callsInPlaceUnknownContract
 *
 * @ContractsDsl public fun <R> callsInPlace(lambda: Function<R>, kind: InvocationKind =
InvocationKind.UNKNOWN): CallsInPlace
 *
 * Specifies how many times a function invokes its function
parameter in place.
 *
 * See [ContractBuilder.callsInPlace] for the details of the call-in-place function contract.
 *
@ContractsDsl
@ExperimentalContracts
@SinceKotlin("1.3")
public enum class InvocationKind {
 *
 * A function parameter will be invoked one time or not invoked at all.
 *
 * // @sample
samples.contracts.callsInPlaceAtMostOnceContract
 @ContractsDsl AT_MOST_ONCE,
 *
 * A
function parameter will be invoked one or more times.
 *
 * // @sample
samples.contracts.callsInPlaceAtLeastOnceContract
 @ContractsDsl AT_LEAST_ONCE,
 *
 * A

```

```

function parameter will be invoked exactly one time.\n    *\n    */\n    // @sample
samples.contracts.callsInPlaceExactlyOnceContract\n
    @ContractsDsl EXACTLY_ONCE,\n\n    /**\n     * A function parameter is called in place, but it's unknown how
many times it can be called.\n    *\n    */\n    // @sample samples.contracts.callsInPlaceUnknownContract\n
@ContractsDsl UNKNOWN\n}\n\n/**\n * Specifies the contract of a function.\n *\n * The contract description
must be at the beginning of a function and have at least one effect.\n *\n * Only the top-level functions can have a
contract for now.\n *\n * @param builder the lambda where the contract of a function is described with the help of
the [ContractBuilder] members.\n *\n */\n * @sample samples.contracts.returnsContract\n * @sample
samples.contracts.returnsTrueContract\n * @sample samples.contracts.returnsFalseContract\n * @sample
samples.contracts.returnsNullContract\n * @sample samples.contracts.returnsNotNullContract\n * @sample
samples.contracts.callsInPlaceAtMostOnceContract\n * @sample
samples.contracts.callsInPlaceAtLeastOnceContract\n * @sample
samples.contracts.callsInPlaceExactlyOnceContract\n *
@sample
samples.contracts.callsInPlaceUnknownContract\n\n@ContractsDsl\n@ExperimentalContracts\n@InlineOnly\n@
SinceKotlin("1.3")\n@Suppress("UNUSED_PARAMETER")\npublic inline fun contract(builder:
ContractBuilder.() -> Unit) { }\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\n/**\n * Marks coroutine context element that
intercepts coroutine continuations.\n * The coroutines framework uses [ContinuationInterceptor.Key] to retrieve the
interceptor and\n * intercepts all coroutine continuations with [interceptContinuation] invocations.\n *\n *
[ContinuationInterceptor] behaves like a [polymorphic element][AbstractCoroutineContextKey], meaning that\n *
its implementation delegates [get][CoroutineContext.Element.get] and
[minusKey][CoroutineContext.Element.minusKey]\n
* to [getPolymorphicElement] and [minusPolymorphicKey] respectively.\n * [ContinuationInterceptor] subtypes
can be extracted from the coroutine context using either [ContinuationInterceptor.Key]\n * or subtype key if it
extends [AbstractCoroutineContextKey].\n */\n\n@SinceKotlin("1.3")\npublic interface ContinuationInterceptor :
CoroutineContext.Element {\n    /**\n     * The key that defines *the* context interceptor.\n     *\n     */\n    companion
object Key : CoroutineContext.Key<ContinuationInterceptor>\n\n    /**\n     * Returns continuation that wraps the
original [continuation], thus intercepting all resumptions.\n     * This function is invoked by coroutines framework
when needed and the resulting continuations are\n     * cached internally per each instance of the original
[continuation].\n     *\n     * This function may simply return original [continuation] if it does not want to intercept
this particular continuation.\n     *\n     * When the original [continuation]
completes, coroutine framework invokes [releaseInterceptedContinuation]\n     * with the resulting continuation if it
was intercepted, that is if `interceptContinuation` had previously\n     * returned a different continuation instance.\n     */\n    public fun <T> interceptContinuation(continuation: Continuation<T>): Continuation<T>\n\n    /**\n     *
Invoked for the continuation instance returned by [interceptContinuation] when the original\n     * continuation
completes and will not be used anymore. This function is invoked only if [interceptContinuation]\n     * had returned
a different continuation instance from the one it was invoked with.\n     *\n     * Default implementation does
nothing.\n     *\n     * @param continuation Continuation instance returned by this interceptor's
[interceptContinuation] invocation.\n     */\n    public fun releaseInterceptedContinuation(continuation:
Continuation<*>) {\n        /* do nothing by default */\n    }\n\n    public override operator
fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>): E? {\n        // getPolymorphicKey
specialized for ContinuationInterceptor key\n        @OptIn(ExperimentalStdlibApi::class)\n        if (key is
AbstractCoroutineContextKey<*, *>) {\n            @Suppress("UNCHECKED_CAST")\n            return if
(key.isSubKey(this.key)) key.tryCast(this) as? E else null\n        }\n        @Suppress("UNCHECKED_CAST")\n        return if (ContinuationInterceptor === key) this as E else null\n    }\n\n    public override fun minusKey(key:
CoroutineContext.Key<*>): CoroutineContext {\n        // minusPolymorphicKey specialized for

```

```

ContinuationInterceptor key\n    @OptIn(ExperimentalStdlibApi::class)\n    if (key is
AbstractCoroutineContextKey<*, *>) {\n        return if (key.isSubKey(this.key) && key.tryCast(this) != null)
EmptyCoroutineContext else this\n    }\n    return if (ContinuationInterceptor === key)
EmptyCoroutineContext else this\n } \n} \n", "/*\n
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.coroutines\n\n/**\n * Persistent context for the coroutine. It is an indexed set of [Element] instances.\n * An
indexed set is a mix between a set and a map.\n * Every element in this set has a unique [Key].\n
*\n * @SinceKotlin("1.3")\n */\npublic interface CoroutineContext {\n    /**\n     * Returns the element with the given
[key] from this context or `null`.\n     */\n    public operator fun <E : Element> get(key: Key<E>): E?\n\n    /**\n     * Accumulates entries of this context starting with [initial] value and applying [operation]\n     * from left to right to
current accumulator value and each element of this context.\n     */\n    public fun <R> fold(initial: R, operation: (R,
Element) -> R): R\n\n    /**\n     * Returns a context containing elements from this
context and elements from other [context].\n     * The elements from this context with the same key as in the other
one are dropped.\n     */\n    public operator fun plus(context: CoroutineContext): CoroutineContext =\n        if
(context === EmptyCoroutineContext) this else // fast path -- avoid lambda creation\n            context.fold(this) {
acc, element ->\n                val removed = acc.minusKey(element.key)\n                if (removed ===
EmptyCoroutineContext) element else {\n                    // make sure interceptor is always last in the context (and thus
is fast to get when present)\n                    val interceptor = removed[ContinuationInterceptor]\n                    if
(interceptor == null) CombinedContext(removed, element) else {\n                        val left =
removed.minusKey(ContinuationInterceptor)\n                        if (left === EmptyCoroutineContext)\n                            CombinedContext(element, interceptor) else\n                                CombinedContext(CombinedContext(left,
element), interceptor)\n                    }\n                }\n            }\n\n    /**\n     * Returns a context containing elements
from this context, but without an element with\n     * the specified [key].\n     */\n    public fun minusKey(key:
Key<*>): CoroutineContext\n\n    /**\n     * Key for the elements of [CoroutineContext]. [E] is a type of element
with this key.\n     */\n    public interface Key<E : Element>\n\n    /**\n     * An element of the [CoroutineContext].
An element of the coroutine context is a singleton context by itself.\n     */\n    public interface Element :
CoroutineContext {\n        /**\n         * A key of this coroutine context element.\n         */\n        public val key:
Key<*>\n\n        public override operator fun <E : Element> get(key: Key<E>): E? =\n            @Suppress("UNCHECKED_CAST")\n                if (this.key == key) this as E else null\n\n        public override fun
<R> fold(initial: R, operation: (R, Element) ->
R): R =\n            operation(initial, this)\n\n        public override fun minusKey(key: Key<*>): CoroutineContext =\n            if (this.key == key) EmptyCoroutineContext else this\n    }\n} \n", "/*\n
* Copyright 2010-2020 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport
kotlin.coroutines.CoroutineContext.Element\nimport kotlin.coroutines.CoroutineContext.Key\n\n/**\n * Base class
for [CoroutineContext.Element] implementations.\n * @SinceKotlin("1.3")\n */\npublic abstract class
AbstractCoroutineContextElement(public override val key: Key<*>) : Element\n\n/**\n * Base class for
[CoroutineContext.Key] associated with polymorphic [CoroutineContext.Element] implementation.\n *
Polymorphic element implementation implies delegating its [get][Element.get] and
[minusKey][Element.minusKey]\n * to [getPolymorphicElement]
and [minusPolymorphicKey] respectively.\n * Polymorphic elements can be extracted from the coroutine
context using both element key and its supertype key.\n * Example of polymorphic elements:\n * ```\n * open class
BaseElement : CoroutineContext.Element {\n *     companion object Key : CoroutineContext.Key<BaseElement>\n *
    override val key: CoroutineContext.Key<*> get() = Key\n *     // It is important to use getPolymorphicKey and
minusPolymorphicKey\n *     override fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>):
E? = getPolymorphicElement(key)\n *     override fun minusKey(key: CoroutineContext.Key<*>):
CoroutineContext = minusPolymorphicKey(key)\n * }\n * class DerivedElement : BaseElement() {\n *

```



```

companion object Key : AbstractCoroutineContextKey<BaseElement, DerivedElement>(BaseElement, { it as?
DerivedElement })\n * }\n * // Now it is possible to query both `BaseElement` and `DerivedElement`\n *
someContext[BaseElement] // Returns BaseElement?,
non-null both for BaseElement and DerivedElement instances\n * someContext[DerivedElement] // Returns
DerivedElement?, non-null only for DerivedElement instance\n * ```\n * @param B base class of a polymorphic
element\n * @param baseKey an instance of base key\n * @param E element type associated with the current key\n
* @param safeCast a function that can safely cast abstract [CoroutineContext.Element] to the concrete [E] type\n *
and return the element if it is a subtype of [E] or `null` otherwise.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic abstract class AbstractCoroutineContextKey<B :
Element, E : B>(\n baseKey: Key<B>,\n private val safeCast: (element: Element) -> E?)\n) : Key<E> {\n
private val topmostKey: Key<*> = if (baseKey is AbstractCoroutineContextKey<*, *>) baseKey.topmostKey else
baseKey\n\n internal fun tryCast(element: Element): E? = safeCast(element)\n internal fun isSubKey(key:
Key<*>): Boolean = key === this || topmostKey
=== key\n}\n\n/**\n * Returns the current element if it is associated with the given [key] in a polymorphic manner
or `null` otherwise.\n * This method returns non-null value if either [Element.key] is equal to the given [key] or if
the [key] is associated\n * with [Element.key] via [AbstractCoroutineContextKey].\n * See
[AbstractCoroutineContextKey] for the example of usage.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun <E : Element>
Element.getPolymorphicElement(key: Key<E>): E? {\n if (key is AbstractCoroutineContextKey<*, *>) {\n
@Suppress("UNCHECKED_CAST")\n return if (key.isSubKey(this.key)) key.tryCast(this) as? E else null\n
}\n @Suppress("UNCHECKED_CAST")\n return if (this.key === key) this as E else null\n}\n\n/**\n *
Returns empty coroutine context if the element is associated with the given [key] in a polymorphic manner\n * or
`null` otherwise.\n * This method returns empty context if either [Element.key] is equal to the
given [key] or if the [key] is associated\n * with [Element.key] via [AbstractCoroutineContextKey].\n * See
[AbstractCoroutineContextKey] for the example of usage.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun Element.minusPolymorphicKey(key: Key<*>):
CoroutineContext {\n if (key is AbstractCoroutineContextKey<*, *>) {\n return if (key.isSubKey(this.key)
&& key.tryCast(this) != null) EmptyCoroutineContext else this\n }\n return if (this.key === key)
EmptyCoroutineContext else this\n}\n\n/**\n * An empty coroutine context.\n *\n@SinceKotlin("1.3")\npublic
object EmptyCoroutineContext : CoroutineContext, Serializable {\n private const val serialVersionUID: Long =
0\n private fun readResolve(): Any = EmptyCoroutineContext\n\n public override fun <E : Element> get(key:
Key<E>): E? = null\n public override fun <R> fold(initial: R, operation: (R, Element) -> R): R = initial\n
public override fun plus(context: CoroutineContext): CoroutineContext
= context\n public override fun minusKey(key: Key<*>): CoroutineContext = this\n public override fun
hashCode(): Int = 0\n public override fun toString(): String = "EmptyCoroutineContext"\n}\n\n//-----
- internal impl -----
\n\n// this class is not exposed, but is hidden inside implementations\n// this is a left-
biased list, so that `plus` works naturally\n@SinceKotlin("1.3")\ninternal class CombinedContext(\n private val
left: CoroutineContext,\n private val element: Element\n) : CoroutineContext, Serializable {\n\n override fun <E
: Element> get(key: Key<E>): E? {\n var cur = this\n while (true) {\n cur.element[key]?.let { return
it }\n val next = cur.left\n if (next is CombinedContext) {\n cur = next\n } else {\n
return next[key]\n }\n }\n\n public override fun <R> fold(initial: R, operation: (R, Element) -
> R):
R =\n operation(left.fold(initial, operation), element)\n\n public override fun minusKey(key: Key<*>):
CoroutineContext {\n element[key]?.let { return left }\n val newLeft = left.minusKey(key)\n return
when {\n newLeft === left -> this\n newLeft === EmptyCoroutineContext -> element\n else ->
CombinedContext(newLeft, element)\n }\n }\n\n private fun size(): Int {\n var cur = this\n var size
= 2\n while (true) {\n cur = cur.left as? CombinedContext ?: return size\n size++\n }\n }\n\n private fun
contains(element: Element): Boolean =\n get(element.key) == element\n\n private fun

```

```

containsAll(context: CombinedContext): Boolean {
    var cur = context
    while (true) {
        if (!contains(cur.element)) return false
        val next = cur.left
        if (next is CombinedContext) {
            cur = next
        }
    }
    else {
        return contains(next as Element)
    }
}

override fun equals(other: Any?): Boolean =
    this === other || other is CombinedContext && other.size() == size() &&
    other.containsAll(this)

override fun hashCode(): Int = left.hashCode() + element.hashCode()

override fun toString(): String =
    "[" + fold("") { acc, element ->
        if (acc.isEmpty()) element.toString() else
        "$acc, $element"
    } + "]"

private fun writeReplace(): Any {
    val n = size()
    val elements =
        arrayOfNulls<CoroutineContext>(n)
    var index = 0
    fold(Unit) { _, element -> elements[index++] =
        element }
    check(index == n)
    @Suppress("UNCHECKED_CAST")
    return Serialized(elements
        as Array<CoroutineContext>)
}

private class Serialized(val elements: Array<CoroutineContext>) :
    Serializable {
    companion object {
        private const val serialVersionUID:
            Long = 0L
    }

    private fun readResolve(): Any = elements.fold(EmptyCoroutineContext,
        CoroutineContext::plus)
}

/*
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
 * Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the
 * license/LICENSE.txt file.
 */

@file:kotlin.jvm.JvmName("IntrinsicsKt")
@file:kotlin.jvm.JvmMultifileClass
package
kotlin.coroutines.intrinsics
import kotlin.contracts.*
import kotlin.coroutines.*
import
kotlin.internal.InlineOnly

/**
 * Obtains the current continuation instance inside suspend functions and either
 * suspends currently running coroutine or returns result immediately without suspension.
 * If the [block] returns the special [COROUTINE_SUSPENDED] value, it means that suspend function did suspend the execution
 * and will not return any result immediately. In this case, the [Continuation] provided to the [block] shall
 * be resumed by invoking [Continuation.resumeWith] at some moment in the future when the result becomes
 * available to resume the computation. Otherwise, the return value of the [block] must have a type assignable
 * to [T] and represents the result of this suspend function. It means that the execution was not suspended and the
 * [Continuation] provided to the [block] shall not be invoked. As the result type of the [block] is declared as
 * `Any?` and cannot be correctly type-checked, its proper return type remains on the conscience of the suspend
 * function's author. Invocation of [Continuation.resumeWith] resumes coroutine directly in the invoker's
 * thread without going through the [ContinuationInterceptor] that might be present in the coroutine's
 * [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation context is established.
 * [Continuation.intercepted] can be used to acquire the intercepted continuation. Note
 * that it is not recommended to call either [Continuation.resume] nor [Continuation.resumeWithException] functions
 * synchronously in the same stackframe where suspension function is run. Use [suspendCoroutine] as a safer way
 * to obtain current continuation instance.
 */

@SinceKotlin("1.3")
@InlineOnly
@Suppress("UNUSED_PARAMETER",
    "RedundantSuspendModifier")
public suspend inline fun <T>
suspendCoroutineUninterceptedOrReturn(crossinline block: (Continuation<T>) -> Any?): T {
    contract {
        callsInPlace(block, InvocationKind.EXACTLY_ONCE)
    }
    throw NotImplementedError("Implementation of
suspendCoroutineUninterceptedOrReturn is intrinsic")

    /**
     * This value is used as a return value of
[suspendCoroutineUninterceptedOrReturn] `block` argument to state that
the execution was suspended and will
not return any result immediately.
**Note: this value should not be used in general code.**
Using it outside
of the context of `suspendCoroutineUninterceptedOrReturn`
function return value (including, but not limited to, storing this value in other properties, returning it from other
functions, etc) can lead to unspecified behavior of the code.
*/

    // It is implemented as property with getter to
avoid ProGuard <clinit> problem with multifile IntrinsicsKt class
@SinceKotlin("1.3")
public val
COROUTINE_SUSPENDED: Any get() = CoroutineSingletons.COROUTINE_SUSPENDED

    // Using enum
here ensures two important properties:
1. It makes SafeContinuation serializable with all kinds of serialization
frameworks (since all of them natively support enums)
2. It improves debugging experience, since you clearly

```

see toString() value of those objects and what package they come from\n@SinceKotlin("1.3")\n@PublishedApi // This class is Published API via serialized representation of SafeContinuation, don't rename/move\ninternal enum class CoroutineSingletons { COROUTINE\_SUSPENDED, UNDECIDED, RESUMED }\n"/\*\n \* Copyright 2010-2018

JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\npackage kotlin.experimental\n\n/\*\* Performs a bitwise AND operation between the two values.

\*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.and(other: Byte): Byte = (this.toInt() and other.toInt()).toByte()\n\n/\*\* Performs a bitwise OR operation between the two values.

\*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.or(other: Byte): Byte = (this.toInt() or other.toInt()).toByte()\n\n/\*\* Performs a bitwise XOR operation between the two values.

\*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.xor(other: Byte): Byte = (this.toInt() xor other.toInt()).toByte()\n\n/\*\* Inverts the bits in this value.

\*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.inv(): Byte = (this.toInt().inv()).toByte()\n\n/\*\*

Performs a bitwise AND operation between the two values.

\*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.and(other: Short): Short = (this.toInt() and other.toInt()).toShort()\n\n/\*\* Performs a bitwise OR operation between the two values.

\*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.or(other: Short): Short = (this.toInt() or other.toInt()).toShort()\n\n/\*\* Performs a bitwise XOR operation between the two values.

\*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.xor(other: Short): Short = (this.toInt() xor other.toInt()).toShort()\n\n/\*\* Inverts the bits in this value.

\*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun Short.inv(): Short = (this.toInt().inv()).toShort()\n\n"/\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache

2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\npackage kotlin.experimental\n\n/\*\*\n \* The experimental marker for type inference augmenting annotations.\n \* Any usage of a declaration annotated with `@ExperimentalTypeInference` must be accepted either by\n \* annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalTypeInference::class)`,\n \* or by using the compiler argument `-opt-in=kotlin.experimental.ExperimentalTypeInference`.\n \*/\n@RequiresOptIn(level =

RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.ANNOTATION\_CLASS)\n@SinceKotlin("1.3")\npublic annotation class

ExperimentalTypeInference\n"/\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\npackage kotlin.internal\n\n/\*\* Specifies that the corresponding type should be ignored during type inference.\n

\*\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class NoInfer\n\n/\*\* Specifies that the constraint built for the type during type inference should be an equality one.\n

\*\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class Exact\n\n/\*\* Specifies that a corresponding member has the lowest priority in overload resolution.\n

\*\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class LowPriorityInOverloadResolution\n\n/\*\* Specifies that the corresponding member has the highest priority in overload resolution. Effectively this means that\n \* an extension annotated with this annotation will win in overload resolution over a member with the same signature.\n \*/\n@Target(AnnotationTarget.FUNCTION,

AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class HidesMembers\n\n/\*\* The value of this type parameter should be mentioned in input types (argument types, receiver type or expected type).\n

```

*\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal
annotation class OnlyInputTypes\n\n/**\n * Specifies that this function should not be called directly without
inlining\n *\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY,
AnnotationTarget.PROPERTY_GETTER,
AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
InlineOnly\n\n/**\n * Specifies that this declaration can have dynamic receiver type.\n
*\n@Target(AnnotationTarget.FUNCTION,
AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
DynamicExtension\n\n/**\n * The value of this parameter should be a property reference expression (`this::foo`),
referencing a `lateinit` property,\n * the backing
field of which is accessible at the point where the corresponding argument is passed.\n
*\n@Target(AnnotationTarget.VALUE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\n@SinceK
otlin("1.2")\ninternal annotation class AccessibleLateinitPropertyLiteral\n\n/**\n * Specifies that this declaration is
only completely supported since the specified version.\n *\n * The Kotlin compiler of an earlier version is going to
report a diagnostic on usages of this declaration.\n * The diagnostic message can be specified with [message], or via
[errorCode] (takes less space, but might not be immediately clear\n * to the user). The diagnostic severity can be
specified with [level]: WARNING/ERROR mean that either a warning or an error\n * is going to be reported,
HIDDEN means that the declaration is going to be removed from resolution completely.\n *\n * [versionKind]
specifies which version should be compared with the [version] value, when compiling the usage of the annotated
declaration.\n *
Note that prior to 1.2, only [RequireKotlinVersionKind.LANGUAGE_VERSION] was supported, so the Kotlin
compiler before 1.2 is going to\n * treat any [RequireKotlin] as if it requires the language version. Since 1.2, the
Kotlin compiler supports\n * [RequireKotlinVersionKind.LANGUAGE_VERSION],
[RequireKotlinVersionKind.COMPILER_VERSION] and [RequireKotlinVersionKind.API_VERSION].\n * If the
actual value of [versionKind] is something different (e.g. a new version kind, added in future versions of Kotlin),\n *
Kotlin 1.2 is going to ignore this [RequireKotlin] altogether, where as Kotlin before 1.2 is going to treat this as a
requirement\n * on the language version.\n *\n * This annotation is erased at compile time; its arguments are stored
in a more compact form in the Kotlin metadata.\n *\n@Target(AnnotationTarget.CLASS,
AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR,
AnnotationTarget.TYPEALIAS)\n@Retention(AnnotationRetention.SOURCE)\n@Repeatable\n@SinceKotlin("1.
2")\ninternal
annotation class RequireKotlin(\n val version: String,\n val message: String = "",\n val level:
DeprecationLevel = DeprecationLevel.ERROR,\n val versionKind: RequireKotlinVersionKind =
RequireKotlinVersionKind.LANGUAGE_VERSION,\n val errorCode: Int = -1)\n\n/**\n * The kind of the
version that is required by [RequireKotlin].\n *\n@SinceKotlin("1.2")\ninternal enum class
RequireKotlinVersionKind {\n LANGUAGE_VERSION,\n COMPILER_VERSION,\n
API_VERSION,\n}\n\n/**\n * Specifies that this declaration is a part of special DSL, used for constructing
function's contract.\n *\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.2")\ninternal annotation
class ContractsDsl\n\n/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n
* Standard property delegates.\n *\npublic object Delegates {\n /**\n * Returns a property delegate for a
read/write property with a non-`null` value that is initialized not during\n * object construction time but at a later
time. Trying to read the property before the initial value has been\n * assigned results in an exception.\n *
*\n * @sample samples.properties.Delegates.notNullDelegate\n * \n public fun <T : Any> notNull():
ReadWriteProperty<Any?, T> = NotNullVar()\n\n /**\n * Returns a property delegate for a read/write property
that calls a specified callback function when changed.\n * @param initialValue the initial value of the property.\n
* @param onChange the callback which is called after the change of the property is made. The value of the

```

```

property\n    * has already been changed when this callback is invoked.\n    *\n    * @sample
samples.properties.Delegates.observableDelegate\n    */\n    public
inline fun <T> observable(initialValue: T, crossinline onChange: (property: KProperty<*>, oldValue: T, newValue:
T) -> Unit):\n        ReadWriteProperty<Any?, T> =\n        object : ObservableProperty<T>(initialValue) {\n
override fun afterChange(property: KProperty<*>, oldValue: T, newValue: T) = onChange(property, oldValue,
newValue)\n        }\n        /**\n        * Returns a property delegate for a read/write property that calls a specified
callback function when changed,\n        * allowing the callback to veto the modification.\n        * @param initialValue
the initial value of the property.\n        * @param onChange the callback which is called before a change to the
property value is attempted.\n        * The value of the property hasn't been changed yet, when this callback is
invoked.\n        * If the callback returns `true` the value of the property is being set to the new value,\n        * and if the
callback returns `false` the new value is discarded and the property remains
its old value.\n        *\n        * @sample samples.properties.Delegates.vetoableDelegate\n        * @sample
samples.properties.Delegates.throwVetoableDelegate\n        */\n        public inline fun <T> vetoable(initialValue: T,
crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Boolean):\n
ReadWriteProperty<Any?, T> =\n        object : ObservableProperty<T>(initialValue) {\n            override fun
beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = onChange(property, oldValue,
newValue)\n        }\n        private class NotNullVar<T : Any>(): ReadWriteProperty<Any?, T> {\n            private var
value: T? = null\n            public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n                return value
?: throw IllegalStateException("Property ${property.name} should be initialized before get.")\n            }\n            public
override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n                this.value = value\n
            }\n        }\n        /**\n        * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n        * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n        */\n        package
kotlin.properties\n        import kotlin.reflect.KProperty\n        /**\n        * Base interface that can be used for implementing
property delegates of read-only properties.\n        *\n        * This is provided only for convenience; you don't have to extend
this interface\n        * as long as your property delegate has methods with the same signatures.\n        *\n        * @param T the
type of object which owns the delegated property.\n        * @param V the type of the property value.\n        */\n        public fun
interface ReadOnlyProperty<in T, out V> {\n            /**\n            * Returns the value of the property for the given object.\n
            * @param thisRef the object for which the value is requested.\n            * @param property the metadata for the
property.\n            * @return the property value.\n            */\n            public operator fun getValue(thisRef:
T, property: KProperty<*>): V\n        }\n        /**\n        * Base interface that can be used for implementing property delegates of
read-write properties.\n        *\n        * This is provided only for convenience; you don't have to extend this interface\n        * as
long as your property delegate has methods with the same signatures.\n        *\n        * @param T the type of object which
owns the delegated property.\n        * @param V the type of the property value.\n        */\n        public interface
ReadWriteProperty<in T, V> : ReadOnlyProperty<T, V> {\n            /**\n            * Returns the value of the property for the
given object.\n            * @param thisRef the object for which the value is requested.\n            * @param property the
metadata for the property.\n            * @return the property value.\n            */\n            public override operator fun
getValue(thisRef: T, property: KProperty<*>): V\n            /**\n            * Sets the value of the property for the given
object.\n            * @param thisRef the object for which the value is requested.\n            * @param property the metadata for
the property.\n            * @param value the value to set.\n            */\n            public operator fun setValue(thisRef: T, property:
KProperty<*>, value: V)\n        }\n        /**\n        * Base interface that can be used for implementing property delegate
providers.\n        *\n        * This is provided only for convenience; you don't have to extend this interface\n        * as long as your
delegate provider has a method with the same signature.\n        *\n        * @param T the type of object which owns the
delegated property.\n        * @param D the type of property delegates this provider provides.\n        */\n        */\n        @SinceKotlin("1.4")\n        public fun interface PropertyDelegateProvider<in T, out D> {\n            /**\n            * Returns the
delegate of the property for the given object.\n            *\n            * This function can be used to extend the logic of creating
the object (e.g. perform validation checks)\n            * to which the property implementation is delegated.\n            *\n            *
            * @param thisRef the object for which property delegate is requested.\n            * @param property the metadata

```

```

for the property.\n * @return the property delegate.\n */\n public operator fun provideDelegate(thisRef: T,
property: KProperty<*>): D{\n}\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Implements the core logic of a property delegate for a read/write property that calls callback functions when
changed.\n * @param initialValue the initial value of the property.\n */\npublic abstract class
ObservableProperty<V>(initialValue: V) : ReadWriteProperty<Any?, V> {\n private var value = initialValue\n
/**\n * The callback which is called before a change to the property value is attempted.\n * The value of the
property hasn't been changed yet, when this callback is invoked.\n * If the callback returns `true` the value of
the property is being set to the new value,\n * and if the callback returns `false` the new value is discarded and
the property remains its old value.\n */\n protected open fun beforeChange(property: KProperty<*>, oldValue:
V, newValue: V): Boolean = true\n /**\n * The callback which is called after the change of the property is
made. The value of the property\n * has already been changed when this callback is invoked.\n */\n protected
open fun afterChange(property: KProperty<*>, oldValue: V, newValue: V): Unit {} \n\n public override fun
getValue(thisRef: Any?, property: KProperty<*>): V {\n return value\n }\n\n public override fun
setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n val oldValue = this.value\n if
(!beforeChange(property, oldValue, value)) {\n return\n }\n this.value = value\n
afterChange(property, oldValue, value)\n }\n}"/*\n * Copyright 2010-2020 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n@file:Suppress("PackageDirectoryMismatch")\npackage
kotlin\n\nimport kotlin.reflect.*\n\n/**\n * An extension operator that allows delegating a read-only property of type
[V]\n * to a property reference to a property of type [V] or its subtype.\n */\n * @receiver A property reference to a
read-only or mutable property of type [V] or its subtype.\n * The reference is without a receiver, i.e. it either
references a top-level property or\n * has the receiver bound to it.\n */\n * Example:\n */\n * class Login(val
username: String)\n * val defaultLogin = Login("Admin")\n * val defaultUsername by defaultLogin::username\n *
// equivalent to\n * val defaultUserName get() = defaultLogin.username\n */\n\n */\n\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline operator fun <V>
KProperty0<V>.getValue(thisRef:
Any?, property: KProperty<*>): V {\n return get()\n}\n\n/**\n * An extension operator that allows delegating a
mutable property of type [V]\n * to a property reference to a mutable property of the same type [V].\n */\n *
@receiver A property reference to a mutable property of type [V].\n * The reference is without a receiver, i.e. it
either references a top-level property or\n * has the receiver bound to it.\n */\n * Example:\n */\n * class
Login(val username: String, var incorrectAttemptCounter: Int = 0)\n * val defaultLogin = Login("Admin")\n * var
defaultLoginAttempts by defaultLogin::incorrectAttemptCounter\n * // equivalent to\n * var defaultLoginAttempts:
Int\n * get() = defaultLogin.incorrectAttemptCounter\n * set(value) { defaultLogin.incorrectAttemptCounter =
value }\n */\n\n */\n\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline operator fun <V>
KMutableProperty0<V>.setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n set(value)\n}\n\n/**\n * An extension operator that allows delegating a read-only member or extension property of type [V]\n * to a
property reference to a member or extension property of type [V] or its subtype.\n */\n * @receiver A property
reference to a read-only or mutable property of type [V] or its subtype.\n * The reference has an unbound receiver of
type [T].\n */\n * Example:\n */\n * class Login(val username: String)\n * val Login.user by
Login::username\n * // equivalent to\n * val Login.user get() = this.username\n */\n\n */\n\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline operator fun <T, V> KProperty1<T,
V>.getValue(thisRef: T, property: KProperty<*>): V {\n return get(thisRef)\n}\n\n/**\n * An extension operator
that allows delegating a mutable member or extension property of type [V]\n * to a property reference to a member
or extension mutable property of the same type [V].\n */\n * @receiver A property reference to a read-only or
mutable property

```

```

of type [V] or its subtype.\n * The reference has an unbound receiver of type [T].\n *\n * Example:\n *\n * ```\n * class Login(val username: String, var incorrectAttemptCounter: Int)\n * var Login.attempts by\n * Login::incorrectAttemptCounter\n * // equivalent to\n * var Login.attempts: Int\n * get() =\n * this.incorrectAttemptCounter\n * set(value) { this.incorrectAttemptCounter = value }\n * ```\n *\n * @SinceKotlin("1.4")\n * @kotlin.internal.InlineOnly\n * public inline operator fun <T, V> KMutableProperty1<T,\n * V>.setValue(thisRef: T, property: KProperty<*>, value: V) {\n * set(thisRef, value)\n * }"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\nimport kotlin.math.nextDown\n\n/**\n * An abstract class that is implemented by random number generator algorithms.\n *\n * The companion object [Random.Default]\n * is the default instance of [Random].\n *\n * To get a seeded instance of random generator use [Random] function.\n *\n * @sample samples.random.Randoms.defaultRandom\n */\n@SinceKotlin("1.3")\npublic abstract class Random {\n\n    /**\n     * Gets the next random [bitCount] number of bits.\n     *\n     * Generates an `Int` whose lower [bitCount] bits are filled with random values and the remaining upper bits are zero.\n     *\n     * @param bitCount number of bits to generate, must be in range 0..32, otherwise the behavior is unspecified.\n     *\n     * @sample samples.random.Randoms.nextBits\n     */\n    public abstract fun nextBits(bitCount: Int): Int\n\n    /**\n     * Gets the next random `Int` from the random number generator.\n     *\n     * Generates an `Int` random value uniformly distributed between `Int.MIN_VALUE` and `Int.MAX_VALUE` (inclusive).\n     *\n     * @sample samples.random.Randoms.nextInt\n     */\n    public open fun nextInt(): Int = nextBits(32)\n\n    /**\n     * Gets the next random non-negative `Int` from the random number generator less than the specified [until] bound.\n     *\n     * Generates an `Int` random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n     *\n     * @param until must be positive.\n     *\n     * @throws IllegalArgumentException if [until] is negative or zero.\n     *\n     * @sample samples.random.Randoms.nextIntFromUntil\n     */\n    public open fun nextInt(until: Int): Int = nextInt(0, until)\n\n    /**\n     * Gets the next random `Int` from the random number generator in the specified range.\n     *\n     * Generates an `Int` random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n     *\n     * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n     *\n     * @sample samples.random.Randoms.nextIntFromUntil\n     */\n    public open fun nextInt(from: Int, until: Int): Int {\n        checkRangeBounds(from, until)\n        val n = until - from\n        if (n > 0 || n == Int.MIN_VALUE) {\n            val rnd = if (n and -n == n) {\n                val bitCount = fastLog2(n)\n                nextBits(bitCount)\n            } else {\n                var v: Int\n                do {\n                    val bits = nextInt().ushr(1)\n                    v = bits % n\n                } while (bits - v + (n - 1) < 0)\n                v\n            }\n            return from + rnd\n        } else {\n            while (true) {\n                val rnd = nextInt()\n                if (rnd in from until until) return rnd\n            }\n        }\n    }\n\n    /**\n     * Gets the next random `Long` from the random number generator.\n     *\n     * Generates a `Long` random value uniformly distributed between `Long.MIN_VALUE` and `Long.MAX_VALUE` (inclusive).\n     *\n     * @sample samples.random.Randoms.nextLong\n     */\n    public open fun nextLong(): Long = nextInt().toLong().shl(32) + nextInt()\n\n    /**\n     * Gets the next random non-negative `Long` from the random number generator less than the specified [until] bound.\n     *\n     * Generates a `Long` random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n     *\n     * @param until must be positive.\n     *\n     * @throws IllegalArgumentException if [until] is negative or zero.\n     *\n     * @sample samples.random.Randoms.nextLongFromUntil\n     */\n    public open fun nextLong(until: Long): Long = nextLong(0, until)\n\n    /**\n     * Gets the next random `Long` from the random number generator in the specified range.\n     *\n     * Generates a `Long` random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n     *\n     * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n     *\n     * @sample samples.random.Randoms.nextLongFromUntil\n     */\n    public open fun nextLong(from: Long, until: Long): Long {\n        checkRangeBounds(from, until)\n        val n = until - from\n        if (n > 0) {\n            val rnd: Long\n            if (n and -n == n) {\n                val nLow = n.toInt()\n                val nHigh = (n ushr 32).toInt()\n                rnd = when {\n                    nLow != 0 -> {\n
```

```

    val bitCount = fastLog2(nLow)\n                // toUInt().toLong()\n
nextBits(bitCount).toLong() and 0xFFFF_FFFF\n                }\n                nHigh == 1 ->\n                //
toUInt().toLong()\n                nextInt().toLong() and 0xFFFF_FFFF\n                else -> {\n                val
bitCount = fastLog2(nHigh)\n                nextBits(bitCount).toLong().shl(32) + (nextInt().toLong() and
0xFFFF_FFFF)\n                }\n                }\n                } else {\n                var v: Long\n
do {\n                val bits = nextLong().ushr(1)\n                v = bits % n\n                } while (bits - v + (n - 1)
< 0)\n                rnd = v\n                }\n                return from + rnd\n                } else {\n                while (true) {\n                val
rnd = nextLong()\n                if (rnd in from until until) return rnd\n                }\n                }\n                /**\n                * Gets the
next random [Boolean] value.\n                *\n                * @sample samples.random.Randoms.nextBoolean\n                */\n                public open
fun nextBoolean(): Boolean = nextBits(1) != 0\n                /**\n                * Gets the next random [Double] value uniformly
distributed between 0 (inclusive) and 1 (exclusive).\n                *\n                * @sample samples.random.Randoms.nextDouble\n
*/\n                public open fun nextDouble(): Double = doubleFromParts(nextBits(26), nextBits(27))\n                /**\n                * Gets
the next random non-negative `Double` from the random number generator less than the specified [until] bound.\n
*/\n
                * Generates a `Double` random value uniformly distributed between 0 (inclusive) and [until] (exclusive).\n                *\n
                * @throws IllegalArgumentException if [until] is negative or zero.\n                *\n                * @sample
samples.random.Randoms.nextDoubleFromUntil\n                */\n                public open fun nextDouble(until: Double): Double =
nextDouble(0.0, until)\n                /**\n                * Gets the next random `Double` from the random number generator in the
specified range.\n                *\n                * Generates a `Double` random value uniformly distributed between the specified [from]
(inclusive) and [until] (exclusive) bounds.\n                *\n                * [from] and [until] must be finite otherwise the behavior is
unspecified.\n                *\n                * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n
*/\n                * @sample samples.random.Randoms.nextDoubleFromUntil\n                */\n                public open fun nextDouble(from: Double,
until: Double): Double {\n                checkRangeBounds(from, until)\n                val size = until - from\n
                val r = if (size.isInfinite() && from.isFinite() && until.isFinite()) {\n                val r1 = nextDouble() * (until / 2 -
from / 2)\n                from + r1 + r1\n                } else {\n                from + nextDouble() * size\n                }\n                return if (r >=
until) until.nextDown() else r\n                }\n                /**\n                * Gets the next random [Float] value uniformly distributed
between 0 (inclusive) and 1 (exclusive).\n                *\n                * @sample samples.random.Randoms.nextFloat\n                */\n
                public open fun nextFloat(): Float = nextBits(24) / (1 shl 24).toFloat()\n                /**\n                * Fills a subrange of the
specified byte [array] starting from [fromIndex] inclusive and ending [toIndex] exclusive\n                * with random
bytes.\n                *\n                * @return [array] with the subrange filled with random bytes.\n                *\n                * @sample
samples.random.Randoms.nextBytes\n                */\n                public open fun nextBytes(array: ByteArray, fromIndex: Int = 0,
toIndex: Int = array.size): ByteArray {\n                require(fromIndex in
0..array.size && toIndex in 0..array.size) { "\n                fromIndex ($fromIndex) or toIndex ($toIndex) are out of range:
0..${array.size}.\n                " }\n                require(fromIndex <= toIndex) { "\n                fromIndex ($fromIndex) must be not greater than
toIndex ($toIndex).\n                " }\n                val steps = (toIndex - fromIndex) / 4\n                var position = fromIndex\n
repeat(steps) {\n                val v = nextInt()\n                array[position] = v.toByte()\n                array[position + 1] =
v.ushr(8).toByte()\n                array[position + 2] = v.ushr(16).toByte()\n                array[position + 3] =
v.ushr(24).toByte()\n                position += 4\n                }\n                val remainder = toIndex - position\n                val vr =
nextBits(remainder * 8)\n                for (i in 0 until remainder) {\n                array[position + i] = vr.ushr(i * 8).toByte()\n
}\n                return array\n                }\n                /**\n                * Fills the specified byte [array] with random bytes and returns it.\n
*/\n                * @return [array] filled with random bytes.\n
                *\n                * @sample samples.random.Randoms.nextBytes\n                */\n                public open fun nextBytes(array: ByteArray):
ByteArray = nextBytes(array, 0, array.size)\n                /**\n                * Creates a byte array of the specified [size], filled with
random bytes.\n                *\n                * @sample samples.random.Randoms.nextBytes\n                */\n                public open fun
nextBytes(size: Int): ByteArray = nextBytes(ByteArray(size))\n                /**\n                * The default random number
generator.\n                *\n                * On JVM this generator is thread-safe, its methods can be invoked from multiple threads.\n
*/\n                * @sample samples.random.DefaultRandom\n                */\n                companion object Default : Random(),
Serializable {\n                private val defaultRandom: Random = defaultPlatformRandom()\n                private object

```



```

Serialized : Serializable {
    private const val serialVersionUID = 0L
    private fun readResolve(): Any = Random
}
private fun writeReplace(): Any = Serialized
override fun nextBits(bitCount: Int): Int = defaultRandom.nextBits(bitCount)
override fun nextInt(): Int = defaultRandom.nextInt()
override fun nextInt(until: Int): Int = defaultRandom.nextInt(until)
override fun nextInt(from: Int, until: Int): Int = defaultRandom.nextInt(from, until)
override fun nextLong(): Long = defaultRandom.nextLong()
override fun nextLong(until: Long): Long = defaultRandom.nextLong(until)
override fun nextLong(from: Long, until: Long): Long = defaultRandom.nextLong(from, until)
override fun nextBoolean(): Boolean = defaultRandom.nextBoolean()
override fun nextDouble(): Double = defaultRandom.nextDouble()
override fun nextDouble(until: Double): Double = defaultRandom.nextDouble(until)
override fun nextDouble(from: Double, until: Double): Double = defaultRandom.nextDouble(from, until)
override fun nextFloat(): Float = defaultRandom.nextFloat()
override fun nextBytes(array: ByteArray): ByteArray = defaultRandom.nextBytes(array)
override fun nextBytes(size: Int): ByteArray = defaultRandom.nextBytes(size)
override fun nextBytes(array: ByteArray, fromIndex: Int, toIndex: Int): ByteArray = defaultRandom.nextBytes(array, fromIndex, toIndex)
}

Returns a repeatable random number generator seeded with the given [seed] `Int` value.
Two generators with the same seed produce the same sequence of values within the same version of Kotlin runtime.
Note: Future versions of Kotlin may change the algorithm of this seeded number generator so that it will return a sequence of values different from the current one for a given seed.
On JVM the returned generator is NOT thread-safe. Do not invoke it from multiple threads without proper synchronization.
@sample samples.random.Randoms.seededRandom
@SinceKotlin("1.3")
public fun Random(seed: Int): Random = XorWowRandom(seed, seed.shr(31))
Returns a repeatable random number generator seeded with the given [seed] `Long` value.
Two generators with the same seed produce the same sequence of values within the same version of Kotlin runtime.
Note: Future versions of Kotlin may change the algorithm of this seeded number generator so that it will return a sequence of values different from the current one for a given seed.
On JVM the returned generator is NOT thread-safe. Do not invoke it from multiple threads without proper synchronization.
@sample samples.random.Randoms.seededRandom
@SinceKotlin("1.3")
public fun Random(seed: Long): Random = XorWowRandom(seed.toInt(), seed.shr(32).toInt())
Gets the next random `Int` from the random number generator in the specified [range].
Generates an `Int` random value uniformly distributed in the specified [range]: from `range.start` inclusive to `range.endInclusive` inclusive.
@throws IllegalArgumentException if [range] is empty.
@SinceKotlin("1.3")
public fun Random.nextInt(range: IntRange): Int = when {
    range.isEmpty() -> throw IllegalArgumentException("Cannot get random in empty range: $range")
    range.last < Int.MAX_VALUE -> nextInt(range.first, range.last + 1)
    range.first > Int.MIN_VALUE -> nextInt(range.first - 1, range.last) + 1
    else -> nextInt()
}
Gets the next random `Long` from the random number generator in the specified [range].
Generates a `Long` random value uniformly distributed in the specified [range]: from `range.start` inclusive to `range.endInclusive` inclusive.
@throws IllegalArgumentException if [range] is empty.
@SinceKotlin("1.3")
public fun Random.nextLong(range: LongRange): Long = when {
    range.isEmpty() -> throw IllegalArgumentException("Cannot get random in empty range: $range")
    range.last < Long.MAX_VALUE -> nextLong(range.first, range.last + 1)
    range.first > Long.MIN_VALUE -> nextLong(range.first - 1, range.last) + 1
    else -> nextLong()
}
internal expect fun defaultPlatformRandom(): Random
internal expect fun doubleFromParts(hi26: Int, low27: Int): Double
internal fun fastLog2(value: Int): Int = 31 - value.countLeadingZeroBits()
Takes upper [bitCount] bits (0..32) from this number.
internal fun Int.takeUpperBits(bitCount: Int): Int = this.ushr(32 - bitCount) and (-bitCount).shr(31)
internal fun checkRangeBounds(from: Int, until: Int) = require(until > from) { boundsErrorMessage(from, until) }
internal fun checkRangeBounds(from: Long, until: Long) = require(until > from) { boundsErrorMessage(from, until) }

```

```

fun checkRangeBounds(from: Double, until: Double) = require(until > from) { boundsErrorMessage(from, until)
}
internal fun boundsErrorMessage(from: Any, until: Any) = "Random range is empty: [$from,
$until)."
/*
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.
 */
package kotlin.random

/**
 * Gets the next random [UInt]
from the random number generator.
 * Generates a [UInt] random value uniformly distributed between
[UInt.MIN_VALUE] and [UInt.MAX_VALUE] (inclusive).
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun
Random.nextUInt(): UInt = nextInt().toUInt()

/**
 * Gets the next random [UInt] from the random number
generator less than the specified [until] bound.
 * Generates a [UInt] random value uniformly distributed
between `0` (inclusive) and the specified [until] bound (exclusive).
 * @throws IllegalArgumentException if
[until] is zero.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun
Random.nextUInt(until: UInt): UInt = nextUInt(0u, until)

/**
 * Gets the next random
[UInt] from the random number generator in the specified range.
 * Generates a [UInt] random value
uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.
 * @throws
IllegalArgumentException if [from] is greater than or equal to [until].
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun
Random.nextUInt(from: UInt, until: UInt): UInt {
    checkUIntRangeBounds(from, until)
    val signedFrom =
from.toInt() xor Int.MIN_VALUE
    val signedUntil = until.toInt() xor Int.MIN_VALUE
    val signedResult =
nextInt(signedFrom, signedUntil) xor Int.MIN_VALUE
    return signedResult.toUInt()
}

/**
 * Gets the next
random [UInt] from the random number generator in the specified [range].
 * Generates a [UInt] random value
uniformly distributed in the specified [range]:
 * from `range.start` inclusive to `range.endInclusive` inclusive.
 * @throws
IllegalArgumentException if [range] is
empty.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun
Random.nextUInt(range: UIntRange): UInt = when {
    range.isEmpty() -> throw
IllegalArgumentException("Cannot get random in empty range: $range")
    range.last < UInt.MAX_VALUE ->
nextUInt(range.first, range.last + 1u)
    range.first > UInt.MIN_VALUE -> nextUInt(range.first - 1u, range.last) +
1u
    else -> nextUInt()
}

/**
 * Gets the next random [ULong] from the random number generator.
 * Generates a [ULong] random value uniformly distributed between [ULong.MIN_VALUE] and
[ULong.MAX_VALUE] (inclusive).
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun
Random.nextULong(): ULong = nextLong().toULong()

/**
 * Gets the next random [ULong] from the random
number generator less than the specified [until] bound.
 * Generates a [ULong] random value uniformly
distributed between `0` (inclusive) and the specified [until] bound
(exclusive).
 * @throws IllegalArgumentException if [until] is zero.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun
Random.nextULong(until: ULong): ULong = nextULong(0uL, until)

/**
 * Gets the next random [ULong] from
the random number generator in the specified range.
 * Generates a [ULong] random value uniformly
distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.
 * @throws
IllegalArgumentException if [from] is greater than or equal to [until].
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun
Random.nextULong(from: ULong, until: ULong): ULong {
    checkULongRangeBounds(from, until)
    val signedFrom = from.toLong() xor Long.MIN_VALUE
    val signedUntil = until.toLong() xor
Long.MIN_VALUE
    val signedResult = nextLong(signedFrom, signedUntil) xor Long.MIN_VALUE
    return signedResult.toULong()
}

/**
 * Gets the next random
[ULong] from the random number generator in the specified [range].
 * Generates a [ULong] random value
uniformly distributed in the specified [range]:
 * from `range.start` inclusive to `range.endInclusive` inclusive.
 * @throws
IllegalArgumentException if [range] is empty.
 */

```

```

*^@SinceKotlin("1.5")^@WasExperimental(ExperimentalUnsignedTypes::class)^npublic fun
Random.nextULong(range: ULongRange): ULong = when {^n  range.isEmpty() -> throw
IllegalArgumentEception("Cannot get random in empty range: $range")^n  range.last < ULong.MAX_VALUE -
> nextULong(range.first, range.last + 1u)^n  range.first > ULong.MIN_VALUE -> nextULong(range.first - 1u,
range.last) + 1u^n  else -> nextULong()}^n/n/**^n * Fills the specified unsigned byte [array] with random bytes
and returns it.^n *^n * @return [array] filled with random bytes.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^npublish fun Random.nextUBytes(array: UByteArray):
UByteArray {^n  nextBytes(array.asByteArray())^n
  return array^n}^n/n/**^n * Creates an unsigned byte array of the specified [size], filled with random bytes.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^npublish fun Random.nextUBytes(size: Int): UByteArray
= nextBytes(size).asUByteArray()^n/n/**^n * Fills a subrange of the specified `UByte` [array] starting from
[fromIndex] inclusive and ending [toIndex] exclusive with random UBytes.^n *^n * @return [array] with the
subrange filled with random bytes.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^npublish fun
Random.nextUBytes(array: UByteArray, fromIndex: Int = 0, toIndex: Int = array.size): UByteArray {^n
nextBytes(array.asByteArray(), fromIndex, toIndex)^n  return array^n}^n/ninternal fun
checkUIntRangeBounds(from: UInt, until: UInt) = require(until > from) { boundsErrorMessage(from, until)
}^ninternal fun checkULongRangeBounds(from: ULong, until: ULong) = require(until > from) {
boundsErrorMessage(from, until) }^n", /*^n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.^n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.^n
*^@package kotlin.random^npublish fun
Random number generator, using Marsaglia's "xorwow" algorithm^npublish fun
*^n * Cycles after 2^192 - 2^32 repetitions.^n
*^n * For more details, see Marsaglia, George (July 2003). "Xorshift RNGs". Journal of Statistical Software. 8
(14). doi:10.18637/jss.v008.i14^npublish fun
*^n * Available at https://www.jstatsoft.org/v08/i14/paper^npublish fun
*^n *^ninternal class
XorWowRandom internal constructor(^n  private var x: Int,^n  private var y: Int,^n  private var z: Int,^n  private
var w: Int,^n  private var v: Int,^n  private var addend: Int^n) : Random(), Serializable {^n  internal
constructor(seed1: Int, seed2: Int) :^n      this(seed1, seed2, 0, 0, seed1.inv(), (seed1 shl 10) xor (seed2 ushr
4))^n^n  init {^n      require((x or y or z or w or v) != 0) { "Initial
state must have at least one non-zero element." }^n^n      // some trivial seeds can produce several values with
zeroes in upper bits, so we discard first 64^n      repeat(64) { nextInt() }^n      override fun nextInt(): Int {^n
// Equivalent to the xorwow algorithm^n      // From Marsaglia, G. 2003. Xorshift RNGs. J. Statis. Soft. 8, 14, p.
5^n      var t = x^n      t = t xor (t ushr 2)^n      x = y^n      y = z^n      z = w^n      val v0 = v^n      w = v0^n      t
= (t xor (t shl 1)) xor v0 xor (v0 shl 4)^n      v = t^n      addend += 362437^n      return t + addend^n      }^n^n
override fun nextBits(bitCount: Int): Int =^n      nextInt().takeUpperBits(bitCount)^n^n  private companion object
{^n      private const val serialVersionUID: Long = 0L^n      }^n^n", /*^n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.^n * Use of this source code is governed by the Apache 2.0 license that
can be found in
the license/LICENSE.txt file.^n
*^@file:kotlin.jvm.JvmMultifileClass^@file:kotlin.jvm.JvmName("RangesKt")^npublish fun
kotlin.ranges^npublish fun
*^n * Represents a range of [Comparable] values.^n
*^nprivate open class ComparableRange<T> :
Comparable<T>>(^n  override val start: T,^n  override val endInclusive: T^n) : ClosedRange<T> {^n  override
fun equals(other: Any?): Boolean {^n      return other is ComparableRange<*> && (isEmpty() && other.isEmpty())
||^n      start == other.start && endInclusive == other.endInclusive)^n      }^n^n  override fun hashCode(): Int
{^n      return if (isEmpty()) -1 else 31 * start.hashCode() + endInclusive.hashCode()^n      }^n^n  override fun
toString(): String = "$start..$endInclusive"^n}^n/n/**^n * Creates a range from this [Comparable] value to the
specified [that] value.^n *^n * This value needs to be smaller than or equal to [that] value, otherwise the returned
range will be empty.^n * @sample samples.ranges.Ranges.rangeFromComparable^npublish fun
*^npublic operator fun <T> : Comparable<T>> T.rangeTo(that: T): ClosedRange<T> = ComparableRange(this,
that)^n/n/n/**^n * Represents a range of floating point numbers.^n * Extends [ClosedRange] interface providing

```

```

custom operation [lessThanOrEquals] for comparing values of range domain type.\n *\n * This interface is
implemented by floating point ranges returned by [Float.rangeTo] and [Double.rangeTo] operators to\n * achieve
IEEE-754 comparison order instead of total order of floating point numbers.\n *\n@SinceKotlin("1.1")\npublic
interface ClosedFloatingPointRange<T : Comparable<T>> : ClosedRange<T> {\n    override fun contains(value: T):
Boolean = lessThanOrEquals(start, value) && lessThanOrEquals(value, endInclusive)\n    override fun isEmpty():
Boolean = !lessThanOrEquals(start, endInclusive)\n\n    /**\n     * Compares two values of range domain type and
returns true if first is less than or equal to second.\n     *\n     fun lessThanOrEquals(a: T, b: T):
Boolean\n    }\n\n/**\n\n * A closed range of values of type `Double`.\n *\n * Numbers are compared with the ends of this range according to
IEEE-754.\n *\nprivate class ClosedDoubleRange(\n    start: Double,\n    endInclusive: Double\n) :
ClosedFloatingPointRange<Double> {\n    private val _start = start\n    private val _endInclusive = endInclusive\n
override val start: Double get() = _start\n    override val endInclusive: Double get() = _endInclusive\n\n    override
fun lessThanOrEquals(a: Double, b: Double): Boolean = a <= b\n\n    override fun contains(value: Double): Boolean
= value >= _start && value <= _endInclusive\n    override fun isEmpty(): Boolean = !(_start <= _endInclusive)\n\n
override fun equals(other: Any?): Boolean {\n        return other is ClosedDoubleRange && (isEmpty() &&
other.isEmpty() ||\n            _start == other._start && _endInclusive == other._endInclusive)\n    }\n\n    override
fun hashCode(): Int {\n        return if (isEmpty()) -1 else 31 * _start.hashCode()\n        + _endInclusive.hashCode()\n    }\n\n    override fun toString(): String = "$_start..$_endInclusive"\n}\n\n/**\n\n * Creates a range from this [Double] value to the specified [that] value.\n *\n * Numbers are compared with the ends
of this range according to IEEE-754.\n *\n@sample samples.ranges.Ranges.rangeFromDouble\n\n*\n@SinceKotlin("1.1")\npublic operator fun Double.rangeTo(that: Double): ClosedFloatingPointRange<Double>
= ClosedDoubleRange(this, that)\n\n/**\n\n * A closed range of values of type `Float`.\n *\n * Numbers are
compared with the ends of this range according to IEEE-754.\n *\nprivate class ClosedFloatRange(\n    start:
Float,\n    endInclusive: Float\n) : ClosedFloatingPointRange<Float> {\n    private val _start = start\n    private val
_endInclusive = endInclusive\n    override val start: Float get() = _start\n    override val endInclusive: Float get() =
_endInclusive\n\n    override fun lessThanOrEquals(a: Float, b: Float): Boolean = a <= b\n\n    override
fun contains(value: Float): Boolean = value >= _start && value <= _endInclusive\n    override fun isEmpty():
Boolean = !(_start <= _endInclusive)\n\n    override fun equals(other: Any?): Boolean {\n        return other is
ClosedFloatRange && (isEmpty() && other.isEmpty() ||\n            _start == other._start && _endInclusive ==
other._endInclusive)\n    }\n\n    override fun hashCode(): Int {\n        return if (isEmpty()) -1 else 31 *
_start.hashCode() + _endInclusive.hashCode()\n    }\n\n    override fun toString(): String =
"$_start..$_endInclusive"\n}\n\n/**\n\n * Creates a range from this [Float] value to the specified [that] value.\n *\n *
Numbers are compared with the ends of this range according to IEEE-754.\n *\n@sample
samples.ranges.Ranges.rangeFromFloat\n\n*\n@SinceKotlin("1.1")\npublic operator fun Float.rangeTo(that:
Float): ClosedFloatingPointRange<Float> = ClosedFloatRange(this, that)\n\n/**\n\n * Returns `true` if this iterable
range contains the specified [element].\n\n *\n * Always returns `false` if the [element] is `null`.\n\n*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun <T, R> R.contains(element: T?):
Boolean where T : Any, R : Iterable<T>, R : ClosedRange<T> =\n    element != null &&
contains(element)\n\n\ninternal fun checkStepIsPositive(isPositive: Boolean, step: Number) {\n    if (!isPositive)
throw IllegalArgumentException("Step must be positive, was: $step.")\n}\n\n/*\n * Copyright 2010-2019
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n\n*\n@file:kotlin.jvm.JvmName("KClasses")\n@file:Suppress("UNCHECKED_CAST")\n\npackage
kotlin.reflect\nimport kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Casts the given [value] to the
class represented by this [KClass] object.\n * Throws an exception if the value is `null` or if it is not an instance of
this

```

```

class.\n *\n * This is an experimental function that behaves as a similar function from kotlin.reflect.full on JVM.\n
*\n * @see [KClass.isInstance]\n * @see [KClass.safeCast]\n
*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n @LowPriorityInOverloadResoluti
on\n fun <T : Any> KClass<T>.cast(value: Any?): T {\n     if (!isInstance(value)) throw ClassCastException("Value
cannot be cast to $qualifiedOrSimpleName")\n     return value as T\n }\n\n // TODO: replace with qualifiedName
when it is fully supported in K/JS\n internal expect val KClass<*>.qualifiedOrSimpleName: String?\n\n /**\n * Casts
the given [value] to the class represented by this [KClass] object.\n * Returns `null` if the value is `null` or if it is not
an instance of this class.\n *\n * This is an experimental function that behaves as a similar function from
kotlin.reflect.full on JVM.\n *\n * @see [KClass.isInstance]\n * @see [KClass.cast]\n
*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n @LowPriorityInOverloadResoluti
on\n fun
<T : Any> KClass<T>.safeCast(value: Any?): T? {\n     return if (isInstance(value)) value as T else null\n }\n\n
/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n package
kotlin.reflect\n\n import kotlin.jvm.JvmField\n\n import kotlin.jvm.JvmStatic\n\n\n /**\n * Represents a type
projection. Type projection is usually the argument to another type in a type usage.\n * For example, in the type
`Array<out Number>`, `out Number` is the covariant projection of the type represented by the class `Number`.\n *\n
* Type projection is either the star projection, or an entity consisting of a specific type plus optional variance.\n *\n
* See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#type-projections)\n *
for more information.\n */\n\n @SinceKotlin("1.1")\n public
data class KTypeProjection constructor(\n     /**\n     * The use-site variance specified in the projection, or `null` if
this is a star projection.\n     */\n     public val variance: KVariance?,\n     /**\n     * The type specified in the
projection, or `null` if this is a star projection.\n     */\n     public val type: KType?) {\n     init {\n
require((variance == null) == (type == null)) {\n         if (variance == null)\n             "Star projection must have
no type specified." \n         else\n             "The projection variance $variance requires type to be specified." \n
}\n     }\n     override fun toString(): String = when (variance) {\n         null -> "*" \n         KVariance.INVARIANT
-> type.toString()\n         KVariance.IN -> "in $type" \n         KVariance.OUT -> "out $type" \n     }\n     public
companion object {\n         // provided for compiler access\n         @JvmField\n         @PublishedApi\n         internal
val
star: KTypeProjection = KTypeProjection(null, null)\n\n         /**\n         * Star projection, denoted by the `*`
character.\n         * For example, in the type `KClass<*>`, `*` is the star projection.\n         * See the [Kotlin
language documentation](https://kotlinlang.org/docs/reference/generics.html#star-projections)\n         * for more
information.\n         */\n         public val STAR: KTypeProjection get() = star\n\n         /**\n         * Creates an
invariant projection of a given type. Invariant projection is just the type itself,\n         * without any use-site variance
modifiers applied to it.\n         * For example, in the type `Set<String>`, `String` is an invariant projection of the type
represented by the class `String`.\n         */\n         @JvmStatic\n         public fun invariant(type: KType):
KTypeProjection =\n             KTypeProjection(KVariance.INVARIANT, type)\n\n         /**\n         * Creates a
contravariant projection of a given type, denoted by the `in`
modifier applied to a type.\n         * For example, in the type `MutableList<in Number>`, `in Number` is a
contravariant projection of the type of class `Number`.\n         */\n         @JvmStatic\n         public fun
contravariant(type: KType): KTypeProjection =\n             KTypeProjection(KVariance.IN, type)\n\n         /**\n         *
Creates a covariant projection of a given type, denoted by the `out` modifier applied to a type.\n         * For example,
in the type `Array<out Number>`, `out Number` is a covariant projection of the type of class `Number`.\n         */\n
         @JvmStatic\n         public fun covariant(type: KType): KTypeProjection =\n             KTypeProjection(KVariance.OUT, type)\n     }\n }\n\n /**\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n package kotlin.reflect\n\n /**\n * Represents variance applied

```

to a type parameter on the declaration site (\*declaration-site variance\*),\n \* or to a type in a projection (\*use-site variance\*). \n \* See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#variance)\n \* for more information. \n \* @see [KTypeParameter.variance]\n \* @see [KTypeProjection]\n \* ^\n@SinceKotlin("1.1")\nenum class KVariance {\n /\*\n \* The affected type parameter or type is \*invariant\*, which means it has no variance applied to it.\n \*\n INVARIANT,\n /\*\n \* The affected type parameter or type is \*contravariant\*. Denoted by the `in` modifier in the source code.\n \*\n IN,\n /\*\n \* The affected type parameter or type is \*covariant\*. Denoted by the `out` modifier in the source code.\n \*\n OUT,\n }",/\*\n \* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt

file.\n \*\n\npackage kotlin.reflect\n/\*\n \* Returns a runtime representation of the given reified type [T] as an instance of [KType].\n \*\n \* Note that on JVM, the created type has no annotations ([KType.annotations] returns an empty list)\n \* even if the type in the source code is annotated. Support for type annotations might be added in a future version.\n \*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <reified T> typeOf(): KType =\n throw UnsupportedOperationException("This function is implemented as an intrinsic on all supported platforms.")\n",/\*\n \* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

^\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage

kotlin.text\n/\*\n \* An object to which char sequences and values can be

appended.\n \*\n\nexpect interface Appendable {\n /\*\n \* Appends the specified character [value] to this Appendable and returns this instance.\n \*\n \* @param value the character to append.\n \*\n fun append(value: Char): Appendable\n /\*\n \* Appends the specified character sequence [value] to this Appendable and returns this instance.\n \*\n \* @param value the character sequence to append. If [value] is `null`, then the four characters `\\null` are appended to this Appendable.\n \*\n fun append(value: CharSequence?): Appendable\n /\*\n \* Appends a subsequence of the specified character sequence [value] to this Appendable and returns this instance.\n \*\n \* @param value the character sequence from which a subsequence is appended. If [value] is `null`,\n \* then characters are appended as if [value] contained the four characters `\\null`.\n \* @param startIndex the beginning (inclusive) of the subsequence to append.\n

\* @param endIndex the end (exclusive) of the subsequence to append.\n \*\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n \*\n fun append(value: CharSequence?, startIndex: Int, endIndex: Int): Appendable}\n\n/\*\n \* Appends a subsequence of the specified character sequence [value] to this Appendable and returns this instance.\n \*\n \* @param value the character sequence from which a subsequence is appended.\n \* @param startIndex the beginning (inclusive) of the subsequence to append.\n \* @param endIndex the end (exclusive) of the subsequence to append.\n \*\n \* @throws

IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n

^\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic

fun <T : Appendable> T.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): T {\n @Suppress("UNCHECKED\_CAST")\n return append(value, startIndex, endIndex) as T}\n\n/\*\n \* Appends all arguments to the given [Appendable].\n \*\n\npublic fun <T : Appendable> T.append(vararg value: CharSequence?): T {\n for (item in value)\n append(item)\n return this}\n\n/\*\n \* Appends a line feed character (`\\n`) to this Appendable. ^\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun Appendable.appendLine(): Appendable = append("\\n")\n\n/\*\n \* Appends value to the given Appendable and a line feed character (`\\n`) after it. ^\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun Appendable.appendLine(value: CharSequence?): Appendable = append(value).appendLine()\n\n/\*\n \* Appends value to the given Appendable and a line feed character (`\\n`) after it.

```

*\/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun Appendable.appendLine(value:
Char): Appendable = append(value).appendLine()\n\ninternal fun <T> Appendable.appendElement(element: T,
transform: ((T) -> CharSequence)?) {\n    when {\n        transform != null -> append(transform(element))\n        element is CharSequence? -> append(element)\n        element is Char -> append(element)\n        else ->
append(element.toString())\n    }\n}\n"/n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\/n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\n/n/**\n * Trims leading whitespace characters followed by [marginPrefix] from every line of a source
string and removes\n * the first and the last lines if they are blank (notice difference blank vs empty).\n * \n * Doesn't
affect a line if it doesn't contain [marginPrefix] except the first and
the last blank lines.\n * \n * Doesn't preserve the original line endings.\n * \n * @param marginPrefix non-blank
string, which is used as a margin delimiter. Default is `|` (pipe character).\n * \n * @sample
samples.text.Strings.trimMargin\n * @see trimIndent\n * @see kotlin.text.isWhitespace\n *\/npublic fun
String.trimMargin(marginPrefix: String = "|"): String =\n    replaceIndentByMargin("|", marginPrefix)\n/n/**\n * Detects indent by [marginPrefix] as it does [trimMargin] and replace it with [newIndent].\n * \n * @param
marginPrefix non-blank string, which is used as a margin delimiter. Default is `|` (pipe character).\n *\/npublic fun
String.replaceIndentByMargin(newIndent: String = "|", marginPrefix: String = "|"): String {\n
    require(marginPrefix.isNotBlank()) { "marginPrefix must be non-blank string." }\n    val lines = lines()\n    return
lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), { line ->\n        val
firstNonWhitespaceIndex
= line.indexOfFirst { !it.isWhitespace() }\n        when {\n            firstNonWhitespaceIndex == -1 -> null\n
            line.startsWith(marginPrefix, firstNonWhitespaceIndex) -> line.substring(firstNonWhitespaceIndex +
marginPrefix.length)\n            else -> null\n        }\n    })\n/n/**\n * Detects a common minimal indent of all the
input lines, removes it from every line and also removes the first and the last\n * lines if they are blank (notice
difference blank vs empty).\n * \n * Note that blank lines do not affect the detected indent level.\n * \n * In case if
there are non-blank lines with no leading whitespace characters (no indent at all) then the\n * common indent is 0,
and therefore this function doesn't change the indentation.\n * \n * Doesn't preserve the original line endings.\n * \n *
@sample samples.text.Strings.trimIndent\n * @see trimMargin\n * @see kotlin.text.isBlank\n *\/npublic fun
String.trimIndent(): String = replaceIndent("\n")\n/n/**\n * Detects a common
minimal indent like it does [trimIndent] and replaces it with the specified [newIndent].\n *\/npublic fun
String.replaceIndent(newIndent: String = "\n"): String {\n    val lines = lines()\n    val minCommonIndent = lines\n
        .filter(String::isNotBlank)\n        .map(String::indentWidth)\n        .minOrNull() ?: 0\n    return
lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), { line ->
line.drop(minCommonIndent) })\n/n/**\n * Prepends [indent] to every line of the original string.\n * \n * Doesn't
preserve the original line endings.\n *\/npublic fun String.prependIndent(indent: String = " "): String =\n
lineSequence()\n    .map {\n        when {\n            it.isBlank() -> {\n                when {\n
                    it.length < indent.length -> indent\n                    else -> it\n                }\n            }\n            else -> indent +
it\n        }\n    }.joinToString("\n")\n\nprivate
fun String.indentWidth(): Int = indexOfFirst { !it.isWhitespace() }.let { if (it == -1) length else it }\n\nprivate fun
getIndentFunction(indent: String) = when {\n    indent.isEmpty() -> { line: String -> line }\n    else -> { line: String -
> indent + line }\n}\n\nprivate inline fun List<String>.reindent(\n    resultSizeEstimate: Int,\n    indentAddFunction:
(String) -> String,\n    indentCutFunction: (String) -> String?): String {\n    val lastIndex = lastIndex\n    return
mapIndexedNotNull { index, value ->\n        if ((index == 0 || index == lastIndex) && value.isBlank())\n            null\n        else\n            indentCutFunction(value)?.let(indentAddFunction)?: value\n    }\n
}.joinTo(StringBuilder(resultSizeEstimate), "\n")\n    .toString()\n}\n"/n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt

```

```

file.\n *\n\npackage kotlin.text\n\n/**\n * Defines names for Unicode symbols used in proper Typography.\n *\npublic object Typography {\n /** The character &#x22; \u2013 quotation mark *\n public const val quote: Char = "\u0022"\n /** The character &#x24; \u2013 dollar sign *\n public const val dollar: Char = "\u0024"\n /** The character &#x26; \u2013 ampersand *\n public const val amp: Char = "\u0026"\n /** The character &#x3C; \u2013 less-than sign *\n public const val less: Char = "\u003C"\n /** The character &#x3E; \u2013 greater-than sign *\n public const val greater: Char = "\u003E"\n /** The non-breaking space character *\n public const val nbsp: Char = "\u00A0"\n /** The character &#xD7; *\n public const val times: Char = "\u00D7"\n /** The character &#xA2; *\n public const val cent: Char = "\u00A2"\n /** The character &#xA3; *\n public const val pound: Char = "\u00A3"\n /** The character &#xA7; *\n public const val section: Char = "\u00A7"\n /** The character &#xA9; *\n public const val copyright: Char = "\u00A9"\n /** The character &#xAB; *\n @SinceKotlin("1.6")\n public const val leftGuillemet: Char = "\u00AB"\n /** The character &#xBB; *\n @SinceKotlin("1.6")\n public const val rightGuillemet: Char = "\u00BB"\n /** The character &#xAE; *\n public const val registered: Char = "\u00AE"\n /** The character &#xB0; *\n public const val degree: Char = "\u00B0"\n /** The character &#xB1; *\n public const val plusMinus: Char = "\u00B1"\n /** The character &#xB6; *\n public const val paragraph: Char = "\u00B6"\n /** The character &#xB7; *\n public const val middleDot: Char = "\u00B7"\n /** The character &#xBD; *\n public const val half: Char = "\u00BD"\n /** The character &#x2013; *\n public const val ndash: Char = "\u2013"\n /** The character &#x2014; *\n public const val mdash: Char = "\u2014"\n /** The character &#x2018; *\n public const val leftSingleQuote: Char = "\u2018"\n /** The character &#x2019; *\n public const val rightSingleQuote: Char = "\u2019"\n /** The character &#x201A; *\n public const val lowSingleQuote: Char = "\u201A"\n /** The character &#x201C; *\n public const val leftDoubleQuote: Char = "\u201C"\n /** The character &#x201D; *\n public const val rightDoubleQuote: Char = "\u201D"\n /** The character &#x201E; *\n public const val lowDoubleQuote: Char = "\u201E"\n /** The character &#x2020; *\n public const val dagger: Char = "\u2020"\n /** The character &#x2021; *\n public const val doubleDagger: Char = "\u2021"\n /** The character &#x2022; *\n public const val bullet: Char = "\u2022"\n /** The character &#x2026; *\n public const val ellipsis: Char = "\u2026"\n /** The character &#x2032; *\n public const val prime: Char = "\u2032"\n /** The character &#x2033; *\n public const val doublePrime: Char = "\u2033"\n /** The character &#x20AC; *\n public const val euro: Char = "\u20AC"\n /** The character &#x2122; *\n public const val tm: Char = "\u2122"\n /** The character &#x2248; *\n public const val almostEqual: Char = "\u2248"\n /** The character &#x2260; *\n public const val notEqual: Char = "\u2260"\n /** The character &#x2264; *\n public const val lessOrEqual: Char = "\u2264"\n /** The character &#x2265; *\n public const val greaterOrEqual: Char = "\u2265"\n\n /** The character &#xAB; *\n @Deprecated("This constant has a typo in the name. Use leftGuillemet instead.")\n ReplaceWith("Typography.leftGuillemet()")\n @DeprecatedSinceKotlin("1.6")\n public const val leftGuillemete: Char = "\u00AB"\n\n /** The character &#xBB; *\n @Deprecated("This constant has a typo in the name. Use rightGuillemet instead.")\n ReplaceWith("Typography.rightGuillemet()")\n\n @DeprecatedSinceKotlin("1.6")\n public const val rightGuillemete: Char = "\u00BB"\n}"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\npackage kotlin.text\n\n/**\n * Represents a collection of captured groups in a single match of a regular expression.\n *\n * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n *\n * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n *\n * An element of the collection at the particular index can be `null` if the corresponding group in the regular expression is optional and there was no match captured by that group.\n *\npublic interface MatchGroupCollection : Collection<MatchGroup?> {\n /** Returns a group with the specified [index].\n *\n * @return An instance of [MatchGroup] if the group with the specified [index] was matched or `null` otherwise.\n *\n * Groups are indexed from 1 to the count of groups in the regular expression. A group with the index 0 corresponds to the entire match.\n *\n public operator fun get(index: Int): MatchGroup?\n}"/**\n * Extends

```



[MatchGroupCollection] by introducing a way to get matched groups by name, when regex supports it.

```

@SinceKotlin("1.1")\npublic interface MatchNamedGroupCollection : MatchGroupCollection {\n    /**\n     * Returns a named group with the specified [name].\n     * @return An instance of [MatchGroup] if the group with the\n     * specified [name] was matched or `null` otherwise.\n     * @throws IllegalArgumentException if there is no group\n     * with the specified [name] defined in the regex pattern.\n     * @throws UnsupportedOperationException if getting\n     * named groups isn't supported on the current platform.\n     */\n    public operator fun get(name:\n    String): MatchGroup?\n}\n\n/**\n * Represents the results from a single regular expression match.\n */\npublic\ninterface MatchResult {\n    /** The range of indices in the original string where match was captured. */\n    public\nval range: IntRange\n    /** The substring from the input string captured by this match. */\n    public\nval value:\nString\n    /**\n     * A collection of groups matched by the regular expression.\n     * This collection has size\n     * of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n     * Groups are indexed\n     * from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n     */\n    public\nval groups:\nMatchGroupCollection\n    /**\n     * A list of matched indexed group values.\n     * This list has size of\n     * `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n     * Groups are indexed\n     * from 1 to `groupCount` and group with the index 0 corresponds to the entire\n     * match.\n     * If the group in the regular expression is optional and there were no match captured by that\n     * group,\n     * corresponding item in [groupValues] is an empty string.\n     */\n    @sample\nsamples.text.Regexps.matchDestructuringToGroupValues\n    public\nval groupValues: List<String>\n\n    /**\n     * An instance of [MatchResult.Destructured] wrapper providing components for destructuring assignment\n     * of group values.\n     * component1 corresponds to the value of the first group, component2 of the\n     * second, and so on.\n     */\n    @sample\nsamples.text.Regexps.matchDestructuringToGroupValues\n    public\nval destructured: Destructured\n    get() = Destructured(this)\n\n    /** Returns a new [MatchResult] with the\n     * results for the next match, starting at the position\n     * at which the last match ended (at the character after the last\n     * matched character).\n     */\n    public\nfun next(): MatchResult?\n\n    /**\n     * Provides components\n     * for destructuring assignment of group values.\n     * [component1] corresponds to the value of the first group,\n     * [component2] of the second, and so on.\n     * If the group in the regular expression is optional and\n     * there were no match captured by that group,\n     * corresponding component value is an empty string.\n     */\n    @sample\nsamples.text.Regexps.matchDestructuringToGroupValues\n    public\nclass Destructured\n    internal\nconstructor(public\nval match: MatchResult) {\n        @kotlin.internal.InlineOnly\n        public\noperator inline\nfun\ncomponent1(): String = match.groupValues[1]\n        @kotlin.internal.InlineOnly\n        public\noperator inline\nfun\ncomponent2(): String = match.groupValues[2]\n        @kotlin.internal.InlineOnly\n        public\noperator inline\nfun\ncomponent3(): String = match.groupValues[3]\n        @kotlin.internal.InlineOnly\n        public\noperator inline\nfun\ncomponent4(): String = match.groupValues[4]\n        @kotlin.internal.InlineOnly\n        public\noperator inline\nfun\ncomponent5(): String = match.groupValues[5]\n        @kotlin.internal.InlineOnly\n        public\noperator inline\nfun\ncomponent6(): String = match.groupValues[6]\n        @kotlin.internal.InlineOnly\n        public\noperator inline\nfun\ncomponent7(): String = match.groupValues[7]\n        @kotlin.internal.InlineOnly\n        public\noperator inline\nfun\ncomponent8(): String = match.groupValues[8]\n        @kotlin.internal.InlineOnly\n        public\noperator inline\nfun\ncomponent9(): String = match.groupValues[9]\n        @kotlin.internal.InlineOnly\n        public\noperator inline\nfun\ncomponent10(): String = match.groupValues[10]\n    }\n\n    /**\n     * Returns\n     * destructured group values as a list of strings.\n     * First value in the returned list corresponds to the value of the\n     * first group, and so on.\n     */\n    @sample\nsamples.text.Regexps.matchDestructuringToGroupValues\n    public\nfun\n    toList(): List<String> = match.groupValues.subList(1, match.groupValues.size)\n}\n\n/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the\n * Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass()\n@file:kotlin.jvm.JvmName("DurationUnitKt")\n\npackage\nkotlin.time\n\n/**\n * The list of possible time measurement units, in which a duration can be expressed.\n * The smallest time unit is [NANOSECONDS] and the largest is [DAYS], which corresponds to exactly 24

```

```

[HOURLS].\n *\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalTime::class)\npublic expect enum class
DurationUnit {\n /**\n * Time unit representing one nanosecond, which is 1/1000 of a microsecond.\n *\n
NANOSECONDS,\n /**\n * Time unit representing one microsecond, which is 1/1000 of a millisecond.\n
*\n
MICROSECONDS,\n /**\n * Time unit representing
one millisecond, which is 1/1000 of a second.\n *\n
MILLISECONDS,\n /**\n * Time unit representing
one second.\n *\n
SECONDS,\n /**\n * Time unit representing one minute.\n *\n
MINUTES,\n
/**\n * Time unit representing one hour.\n *\n
HOURS,\n /**\n * Time unit representing one day, which
is always equal to 24 hours.\n *\n
DAYS;\n}\n\n/** Converts the given time duration [value] expressed in the
specified [sourceUnit] into the specified [targetUnit]. *\n@SinceKotlin("1.3")\ninternal expect fun
convertDurationUnit(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double\n\n// overflown
result is unspecified\n@SinceKotlin("1.5")\ninternal expect fun convertDurationUnitOverflow(value: Long,
sourceUnit: DurationUnit, targetUnit: DurationUnit): Long\n\n// overflown result is coerced in the Long range
boundaries\n@SinceKotlin("1.5")\ninternal expect fun convertDurationUnit(value: Long, sourceUnit:
DurationUnit, targetUnit: DurationUnit):
Long\n\n\n@SinceKotlin("1.3")\n@Suppress("REDUNDANT_ELSE_IN_WHEN")\ninternal fun
DurationUnit.shortName(): String = when (this) {\n DurationUnit.NANOSECONDS -> "\nns"\n
DurationUnit.MICROSECONDS -> "\nus"\n DurationUnit.MILLISECONDS -> "\nms"\n
DurationUnit.SECONDS -> "\ns"\n DurationUnit.MINUTES -> "\nm"\n DurationUnit.HOURS -> "\nh"\n
DurationUnit.DAYS -> "\nd"\n else -> error("Unknown unit: $this")\n}\n\n@SinceKotlin("1.5")\ninternal fun
durationUnitByShortName(shortName: String): DurationUnit = when (shortName) {\n "\nns" ->
DurationUnit.NANOSECONDS\n "\nus" -> DurationUnit.MICROSECONDS\n "\nms" ->
DurationUnit.MILLISECONDS\n "\ns" -> DurationUnit.SECONDS\n "\nm" -> DurationUnit.MINUTES\n
"\nh" -> DurationUnit.HOURS\n "\nd" -> DurationUnit.DAYS\n else -> throw
IllegalArgumentException("Unknown duration unit short name:
$shortName")\n}\n\n@SinceKotlin("1.5")\ninternal fun durationUnitByIsoChar(isoChar:
Char, isTimeComponent: Boolean): DurationUnit =\n when {\n !isTimeComponent -> {\n when
(isoChar) {\n 'D' -> DurationUnit.DAYS\n else -> throw IllegalArgumentException("Invalid or
unsupported duration ISO non-time unit: $isoChar")\n }\n }\n else -> {\n when (isoChar) {\n
'H' -> DurationUnit.HOURS\n 'M' -> DurationUnit.MINUTES\n 'S' ->
DurationUnit.SECONDS\n else -> throw IllegalArgumentException("Invalid duration ISO time unit:
$isoChar")\n }\n }\n },"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\npackage kotlin.time\nimport kotlin.annotation.AnnotationTarget.*\n/**\n *
This annotation marks the experimental preview of
the standard library API for measuring time and working with durations.\n *\n * > Note that this API is in a preview
state and has a very high chance of being changed in the future.\n *\n * Do not use it if you develop a library since your
library will become binary incompatible\n * with the future versions of the standard library.\n *\n * Any usage of a
declaration annotated with `@ExperimentalTime` must be accepted either by\n * annotating that usage with the
[OptIn] annotation, e.g. `@OptIn(ExperimentalTime::class)`,\n * or by using the compiler argument `-opt-
in=kotlin.time.ExperimentalTime`.\n *\n@RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(\n
CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n
VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n
PROPERTY_SETTER,\n TYPEALIAS)\n@SinceKotlin("1.3")\npublic annotation class
ExperimentalTime\n","/*\n
* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\npackage
kotlin.time\n\n/**\n * A source of time for measuring time intervals.\n *\n * The only operation provided by the

```

```

time source is [markNow]. It returns a [TimeMark], which can be used to query the elapsed time later.
@see [measureTime]
@see [measureTimedValue]
@SinceKotlin("1.3")
@ExperimentalTime
public interface TimeSource {
    /**
     * Marks a point in time on this time source.
     *
     * The returned [TimeMark] instance encapsulates the captured time point and allows querying
     * the duration of time interval [elapsed][TimeMark.elapsedNow] from that point.
     */
    public fun markNow(): TimeMark

    /**
     * The most precise time source available in the platform.
     *
     * This time source returns its readings from a source of monotonic time when it is available in a target platform,
     * and resorts to a non-monotonic time source otherwise.
     */
    public object Monotonic : TimeSource by MonotonicTimeSource {
        override fun toString(): String = MonotonicTimeSource.toString()
    }

    /**
     * Represents a time point notched on a particular [TimeSource]. Remains bound to the time source it was taken from
     * and allows querying for the duration of time elapsed from that point (see the function [elapsedNow]).
     */
    @SinceKotlin("1.3")
    @ExperimentalTime
    public abstract class TimeMark {
        /**
         * Returns the amount of time passed from this mark measured with the time source from which this mark was taken.
         *
         * Note that the value returned by this function can change on subsequent invocations.
         */
        public abstract fun elapsedNow(): Duration

        /**
         * Returns a time mark on the same time source that is ahead of this time mark by the specified [duration].
         *
         * The returned time mark is more _late_ when the [duration] is positive, and more _early_ when the [duration] is negative.
         */
        public open operator fun plus(duration: Duration): TimeMark = AdjustedTimeMark(this, duration)

        /**
         * Returns a time mark on the same time source that is behind this time mark by the specified [duration].
         *
         * The returned time mark is more _early_ when the [duration] is positive, and more _late_ when the [duration] is negative.
         */
        public open operator fun minus(duration: Duration): TimeMark = plus(-duration)

        /**
         * Returns true if this time mark has passed according to the time source from which this mark was taken.
         *
         * Note that the value returned by this function can change on subsequent invocations.
         *
         * If the time source is monotonic, it can change only from `false` to `true`, namely, when the time mark becomes behind
         * the current point of the time source.
         */
        public fun hasPassedNow(): Boolean = !elapsedNow().isNegative()

        /**
         * Returns false if this time mark has not passed according to the time source from which this mark was taken.
         *
         * Note that the value returned by this function can change on subsequent invocations.
         *
         * If the time source is monotonic, it can change only from `true` to `false`, namely, when the time mark becomes behind the current point of the time source.
         */
        public fun hasNotPassedNow(): Boolean = elapsedNow().isNegative()
    }

    @ExperimentalTime
    @SinceKotlin("1.3")
    @kotlin.internal.InlineOnly
    @Deprecated(" Subtracting one TimeMark from another is not a well defined operation because these time marks could have been obtained from the different time sources.", level = DeprecationLevel.ERROR)
    @Suppress("UNUSED_PARAMETER")
    public inline operator fun TimeMark.minus(other: TimeMark): Duration = throw Error("Operation is disallowed.")

    @ExperimentalTime
    @SinceKotlin("1.3")
    @kotlin.internal.InlineOnly
    @Deprecated(" Comparing one TimeMark to another is not a well defined operation because these time marks could have been obtained from the different time sources.", level = DeprecationLevel.ERROR)
    @Suppress("UNUSED_PARAMETER")
    public inline operator fun TimeMark.compareTo(other: TimeMark): Int = throw Error("Operation is disallowed.")

    @ExperimentalTime
    private class AdjustedTimeMark(val mark: TimeMark, val adjustment: Duration) : TimeMark() {
        override fun elapsedNow(): Duration = mark.elapsedNow() - adjustment
        override fun plus(duration: Duration): TimeMark = AdjustedTimeMark(mark, adjustment + duration)
    }
}

/*
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.time

@SinceKotlin("1.3")
@ExperimentalTime
internal expect object MonotonicTimeSource : TimeSource {
    /**
     * An abstract class used to implement time sources that return their readings as [Long] values in the specified [unit].
     *
     * @property unit The unit in which this time

```

```

source's readings are expressed.
*/@SinceKotlin("1.3")@ExperimentalTime
public abstract class
AbstractLongTimeSource(protected val unit: DurationUnit) : TimeSource {
    /** This protected method should be overridden to return the current reading of the time source expressed as a [Long] number in the unit specified by the [unit] property.
    protected abstract fun read(): Long
    private class
LongTimeMark(private val startedAt: Long, private val timeSource: AbstractLongTimeSource, private val offset: Duration) : TimeMark() {
    override fun elapsedNow(): Duration = (timeSource.read() - startedAt).toDuration(timeSource.unit) - offset
    override fun plus(duration: Duration): TimeMark = LongTimeMark(startedAt, timeSource, offset + duration)
}
override fun markNow(): TimeMark = LongTimeMark(read(), this, Duration.ZERO)
}
/** An abstract class used to implement time sources that return their readings as [Double] values in the specified [unit].
*/@property unit
The unit in which this time source's readings are expressed.
*/@SinceKotlin("1.3")@ExperimentalTime
public abstract class AbstractDoubleTimeSource(protected val unit: DurationUnit) : TimeSource {
    /** This protected method should be overridden to return the current reading of the time source expressed as a [Double] number in the unit specified by the [unit] property.
    protected abstract fun read(): Double
    private class DoubleTimeMark(private val startedAt: Double, private val timeSource: AbstractDoubleTimeSource, private val offset: Duration) : TimeMark() {
    override fun elapsedNow(): Duration = (timeSource.read() - startedAt).toDuration(timeSource.unit) - offset
    override fun plus(duration: Duration): TimeMark = DoubleTimeMark(startedAt, timeSource, offset + duration)
}
override fun markNow(): TimeMark = DoubleTimeMark(read(), this, Duration.ZERO)
}
/** A time source that has programmatically updatable readings. It is useful as a predictable source of time in tests.
*/
/** The current reading value can be advanced by the specified duration amount with the operator [plusAssign]:
*/
/** val timeSource = TestTimeSource()
timeSource += 10.seconds
*/
/** Implementation note: the current reading value is stored as a [Long] number of nanoseconds, thus it's capable to represent a time range of approximately 1292 years.
Should the reading value overflow as the result of [plusAssign] operation, an [IllegalStateException] is thrown.
*/@SinceKotlin("1.3")@ExperimentalTime
public class TestTimeSource : AbstractLongTimeSource(unit = DurationUnit.NANOSECONDS) {
    private var reading: Long = 0L
    override fun read(): Long = reading
    /** Advances the current reading value of this time source by the specified [duration].
    [duration] value is rounded down towards zero when converting it to a [Long] number of nanoseconds.
    For example, if the duration being added is `0.6.nanoseconds`, the reading doesn't advance because the duration value is rounded to zero nanoseconds.
    @throws IllegalStateException when the reading value overflows as the result of this operation.
    public operator fun plusAssign(duration: Duration) {
        val longDelta = duration.toLong(unit)
        reading = if (longDelta != Long.MIN_VALUE && longDelta != Long.MAX_VALUE) {
            // when delta fits in long, add it as long
            val newReading = reading + longDelta
            if (reading xor longDelta >= 0 && reading xor newReading < 0) overflow(duration)
            newReading
        } else {
            val delta = duration.toDouble(unit)
            // when delta is greater than long, add it as double
            val newReading = reading + delta
            if (newReading > Long.MAX_VALUE || newReading < Long.MIN_VALUE) overflow(duration)
            newReading.toLong()
        }
    }
    private fun overflow(duration: Duration) {
        throw IllegalStateException("TestTimeSource will overflow if its reading ${reading}ns is advanced by $duration.")
    }
}
/** Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
*/@package kotlin.time
nimport kotlin.contracts.*
/** Executes the given function [block] and returns the duration of elapsed time interval.
*/
/** The elapsed time is measured with [TimeSource.Monotonic].
*/@SinceKotlin("1.3")@ExperimentalTime
public inline fun measureTime(block: () -> Unit): Duration {
    contract {
        callsInPlace(block, InvocationKind.EXACTLY_ONCE)
    }
    return TimeSource.Monotonic.measureTime(block)
}
/** Executes the given function [block] and returns the duration of elapsed time interval.
*/
/** The elapsed time is measured with the specified `this` [TimeSource] instance.

```

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalTime\npublic inline fun TimeSource.measureTime(block: () -> Unit):
Duration {\n  contract {\n    callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n\n  val mark =
markNow()\n  block()\n  return mark.elapsedNow()\n}\n\n/**\n * Data class representing a result of executing
an action, along with the duration of elapsed time interval.\n *\n * @property value the result of the action.\n *\n * @property duration the time elapsed to execute the action.\n
*\/n@SinceKotlin("1.3")\/n@ExperimentalTime\npublic data class TimedValue<T>(val value:
T, val duration: Duration)\n\n/**\n * Executes the given function [block] and returns an instance of [TimedValue]
class, containing both\n * the result of the function execution and the duration of elapsed time interval.\n *\n * The
elapsed time is measured with [TimeSource.Monotonic].\n
*\/n@SinceKotlin("1.3")\/n@ExperimentalTime\npublic
inline fun <T> measureTimedValue(block: () -> T): TimedValue<T> {\n  contract {\n    callsInPlace(block,
InvocationKind.EXACTLY_ONCE)\n  }\n\n  return
TimeSource.Monotonic.measureTimedValue(block)\n}\n\n/**\n * Executes the given [block] and returns an
instance of [TimedValue] class, containing both\n * the result of function execution and the duration of elapsed time
interval.\n *\n * The elapsed time is measured with the specified `this` [TimeSource] instance.\n
*\/n@SinceKotlin("1.3")\/n@ExperimentalTime\npublic inline fun <T> TimeSource.measureTimedValue(block: ()
-> T): TimedValue<T> {\n  contract {\n    callsInPlace(block,
InvocationKind.EXACTLY_ONCE)\n  }\n\n  val mark = markNow()\n  val result = block()\n  return
TimedValue(result, mark.elapsedNow())\n}\n", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n
*\/npackage kotlin\n\nimport kotlin.coroutines.*\nimport
kotlin.coroutines.intrinsics.*\nimport kotlin.native.concurrent.SharedImmutable\n\n/**\n * Defines deep recursive
function that keeps its stack on the heap,\n * which allows very deep recursive computations that do not use the
actual call stack.\n * To initiate a call to this deep recursive function use its [invoke] function.\n * As a rule of
thumb, it should be used if recursion goes deeper than a thousand calls.\n *\n * The [DeepRecursiveFunction] takes
one parameter of type [T] and returns a result of type [R].\n * The [block] of code defines the body of a recursive
function.

In this block\n * [callRecursive][DeepRecursiveScope.callRecursive] function can be used to make a recursive
call\n * to the declared function. Other instances of [DeepRecursiveFunction] can be called\n * in this scope with
`callRecursive` extension, too.\n *\n * For example, take a look at the following recursive tree class and a deeply\n *
recursive instance of this tree with 100K nodes:\n *\n * ``\n * class Tree(val left: Tree? = null, val right: Tree? =
null)\n * val deepTree = generateSequence(Tree()) { Tree(it) }.take(100_000).last()\n * ``\n *\n * A regular
recursive function can be defined to compute a depth of a tree:\n *\n * ``\n * fun depth(t: Tree?): Int =\n *   if (t ==
null) 0 else max(depth(t.left), depth(t.right)) + 1\n * println(depth(deepTree)) // StackOverflowError\n * ``\n *\n *
If this `depth` function is called for a `deepTree` it produces [StackOverflowError] because of deep recursion.\n *
However, the `depth` function can be rewritten using `DeepRecursiveFunction`
in the following way, and then\n * it successfully computes [depth(deepTree)][DeepRecursiveFunction.invoke]
expression:\n *\n * ``\n * val depth = DeepRecursiveFunction<Tree?, Int> { t ->\n *   if (t == null) 0 else
max(callRecursive(t.left), callRecursive(t.right)) + 1\n * }\n * println(depth(deepTree)) // Ok\n * ``\n *\n * Deep
recursive functions can also mutually call each other using a heap for the stack via\n *
[callRecursive][DeepRecursiveScope.callRecursive] extension. For example, the\n * following pair of mutually
recursive functions computes the number of tree nodes at even depth in the tree.\n *\n * ``\n * val mutualRecursion
= object {\n *   val even: DeepRecursiveFunction<Tree?, Int> = DeepRecursiveFunction { t ->\n *     if (t ==
null) 0 else odd.callRecursive(t.left) + odd.callRecursive(t.right) + 1\n *   }\n *   val odd:
DeepRecursiveFunction<Tree?, Int> = DeepRecursiveFunction { t ->\n *     if (t == null) 0 else
even.callRecursive(t.left)
+ even.callRecursive(t.right)\n *   }\n * }\n * ``\n *\n * @param [T] the function parameter type.\n * @param [R]
the function result type.\n * @param block the function body.\n
*\/n@SinceKotlin("1.4")\/n@ExperimentalStdlibApi\npublic class DeepRecursiveFunction<T, R>(\n  internal val

```



```

(true) {\n          // Note: cont is set to null in DeepRecursiveScopeImpl.resumeWith when the whole computation
completes\n          val result = this.result\n          val cont = this.cont\n          ?: return (result as
Result<R>).getOrThrow() // done -- final result\n          // The order of comparison is important here for that case of
rogue class with broken equals\n          if (UNDEFINED_RESULT == result) {\n          // call \"function\" with
\"value\" using \"cont\" as completion\n          val r = try {\n          // This is block.startCoroutine(this,
value, cont)\n          function.startCoroutineUninterceptedOrReturn(this, value, cont)\n          } catch (e:
Throwable) {\n
cont.resumeWithException(e)\n          continue\n          }\n          // If the function returns without
suspension -- calls its continuation immediately\n          if (r !== COROUTINE_SUSPENDED)\ncont.resume(r as R)\n          } else {\n          // we returned from a crossFunctionCompletion trampoline -- call
resume here\n          this.result = UNDEFINED_RESULT // reset result back\n
cont.resumeWith(result)\n          }\n          }\n          }\n          }\"/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *^*\n// Auto-generated file. DO NOT
EDIT!\n\n@file:kotlin.jvm.JvmName(\"NumbersKt\")\n\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
kotlin\n\nimport kotlin.math.sign\n\n/** Divides this value by the other value, flooring the result to an integer that is
closer
to negative infinity. *\n\n@SinceKotlin(\"1.5\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun Byte.floorDiv(other:
Byte): Int = \n this.toInt().floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this
value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute
value less than the absolute value of the divisor.\n *\n\n@SinceKotlin(\"1.5\")\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun Byte.mod(other: Byte): Byte = \n this.toInt().mod(other.toInt()).toByte()\n\n/** Divides this value by
the other value, flooring the result to an integer that is closer to negative infinity.
*\n\n@SinceKotlin(\"1.5\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun Byte.floorDiv(other: Short): Int = \n
this.toInt().floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is either zero or has the same sign as the _divisor_
and has the absolute value less than the absolute value of the divisor.\n
*\n\n@SinceKotlin(\"1.5\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun Byte.mod(other: Short): Short = \n
this.toInt().mod(other.toInt()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer
that is closer to negative infinity. *\n\n@SinceKotlin(\"1.5\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
Byte.floorDiv(other: Int): Int = \n this.toInt().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring
division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and
has the absolute value less than the absolute value of the divisor.\n
*\n\n@SinceKotlin(\"1.5\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun Byte.mod(other: Int): Int = \n
this.toInt().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to
negative infinity. *\n\n@SinceKotlin(\"1.5\")\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun Byte.floorDiv(other: Long): Long = \n this.toLong().floorDiv(other)\n\n/**\n * Calculates the
remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign
as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n
*\n\n@SinceKotlin(\"1.5\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun Byte.mod(other: Long): Long = \n
this.toLong().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer
to negative infinity. *\n\n@SinceKotlin(\"1.5\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun Short.floorDiv(other:
Byte): Int = \n this.toInt().floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this
value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute
value less than the absolute value of the divisor.\n
*\n\n@SinceKotlin(\"1.5\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun Short.mod(other: Byte): Byte = \n
this.toInt().mod(other.toInt()).toByte()\n\n/** Divides this value by the other value, flooring the result to an integer
that is closer to negative infinity. *\n\n@SinceKotlin(\"1.5\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun

```

```

Short.floorDiv(other: Short): Int = \n  this.toInt().floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n\n*/\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Short): Short = \n this.toInt().mod(other.toInt()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other: Int): Int = \n  this.toInt().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n\n*/\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Int): Int = \n this.toInt().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other: Long): Long = \n  this.toLong().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n\n*/\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Long): Long = \n  this.toLong().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Byte): Int = \n this.floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n\n*/\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other: Byte): Byte = \n  this.mod(other.toInt()).toByte()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Short): Int = \n this.floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n\n*/\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other: Short): Short = \n this.mod(other.toInt()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Int): Int {\n  var q = this / other\n  if (this xor other < 0 && q * other != this) q--\n  return q\n}\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n\n*/\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other: Int): Int {\n  val r = this % other\n  return r + (other and (((r xor other) and (r or -r)) shr 31))\n}\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Long): Long = \n this.toLong().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n\n*/\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other: Long): Long = \n  this.toLong().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Long.floorDiv(other: Byte): Long = \n this.floorDiv(other.toLong())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n\n*/\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Byte): Byte = \n this.mod(other.toLong()).toByte()\n\n/** Divides this value by the other value, flooring the result to an integer that

```



```

is closer to negative infinity.
@SinceKotlin("1.5")@kotlin.internal.InlineOnly
public inline fun Long.floorDiv(other: Short): Long =
    this.floorDiv(other.toLong())
    * Calculates the remainder of flooring division of this value by the other value.
    * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.

@SinceKotlin("1.5")@kotlin.internal.InlineOnly
public inline fun Long.mod(other: Short): Short =
    this.mod(other.toLong()).toShort()
    Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.

@SinceKotlin("1.5")@kotlin.internal.InlineOnly
public inline fun Long.floorDiv(other: Int): Long =
    this.floorDiv(other.toLong())
    * Calculates the remainder of flooring division of this value by the other value.
    * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.

@SinceKotlin("1.5")@kotlin.internal.InlineOnly
public inline fun Long.mod(other: Int): Int =
    this.mod(other.toLong()).toInt()
    Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.

@SinceKotlin("1.5")@kotlin.internal.InlineOnly
public inline fun Long.floorDiv(other: Long): Long {
    var q = this / other
    if (this xor other < 0 && q * other != this) q--
    return q
}
    * Calculates the remainder of flooring division of this value by the other value.
    * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.

@SinceKotlin("1.5")@kotlin.internal.InlineOnly
public inline fun Long.mod(other: Long): Long {
    val r = this % other
    return r + (other and (((r xor other) and (r or -r)) shr 63))
}
    * Calculates the remainder of flooring division of this value by the other value.
    * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.
    * If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or _equal to_ the absolute value of the divisor.

@SinceKotlin("1.5")@kotlin.internal.InlineOnly
public inline fun Float.mod(other: Float): Float {
    val r = this % other
    return if (r != 0.0.toFloat() && r.sign != other.sign) r + other else r
}
    * Calculates the remainder of flooring division of this value by the other value.
    * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.
    * If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or _equal to_ the absolute value of the divisor.

@SinceKotlin("1.5")@kotlin.internal.InlineOnly
public inline fun Float.mod(other: Double): Double =
    this.toDouble().mod(other)
    * Calculates the remainder of flooring division of this value by the other value.
    * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.
    * If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or _equal to_ the absolute value of the divisor.

@SinceKotlin("1.5")@kotlin.internal.InlineOnly
public inline fun Double.mod(other: Float): Double =
    this.mod(other.toDouble())
    * Calculates the remainder of flooring division of this value by the other value.
    * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.
    * If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or _equal to_ the absolute value of the divisor.

@SinceKotlin("1.5")@kotlin.internal.InlineOnly
public inline fun Double.mod(other: Double): Double {
    val r = this % other
    return if (r != 0.0 && r.sign != other.sign) r + other else r
}
    * Copyright 2010-2018

JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

@package kotlin
@nimport kotlin.internal.InlineOnly
    * Returns a hash code value for the object or zero if the object is `null`.

@see Any.hashCode
@SinceKotlin("1.3")@InlineOnly
public inline fun Any?.hashCode(): Int =
    this?.hashCode() ?: 0
    * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language

```

```

contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\npackage kotlin\n\n/**\n * Represents a version of the Kotlin standard library.\n *\n * [major], [minor] and [patch] are integer components of a version,\n * they must be non-negative and not
greater than 255 ([MAX_COMPONENT_VALUE]).\n *\n * @constructor Creates a version from all three
components.\n *\n@SinceKotlin("1.1")\npublic
class KotlinVersion(val major: Int, val minor: Int, val patch: Int) : Comparable<KotlinVersion> {\n /**\n *
Creates a version from [major] and [minor] components, leaving [patch] component zero.\n *\n public
constructor(major: Int, minor: Int) : this(major, minor, 0)\n\n private val version = versionOf(major, minor,
patch)\n\n private fun versionOf(major: Int, minor: Int, patch: Int): Int {\n require(major in
0..MAX_COMPONENT_VALUE && minor in 0..MAX_COMPONENT_VALUE && patch in
0..MAX_COMPONENT_VALUE) {\n \nVersion components are out of range: $major.$minor.$patch"\n
}\n\n return major.shl(16) + minor.shl(8) + patch\n }\n\n /**\n * Returns the string representation of this
version\n *\n override fun toString(): String = "$major.$minor.$patch"\n\n override fun equals(other:
Any?): Boolean {\n if (this === other) return true\n val otherVersion = (other as? KotlinVersion) ?: return
false\n\n return this.version == otherVersion.version\n }\n\n override fun hashCode(): Int = version\n\n override
fun compareTo(other: KotlinVersion): Int = version - other.version\n\n /**\n * Returns `true` if this version is
not less than the version specified\n * with the provided [major] and [minor] components.\n *\n public fun
isAtLeast(major: Int, minor: Int): Boolean = // this.version >= versionOf(major, minor, 0)\n this.major > major ||
(this.major == major &&\n this.minor >= minor)\n\n /**\n * Returns `true` if this version is not less
than the version specified\n * with the provided [major], [minor] and [patch] components.\n *\n public fun
isAtLeast(major: Int, minor: Int, patch: Int): Boolean = // this.version >= versionOf(major, minor, patch)\n
this.major > major || (this.major == major &&\n (this.minor > minor || this.minor == minor &&\n
this.patch >= patch))\n\n companion object {\n /**\n * Maximum value a version component can have, a constant value 255.\n
*\n // NOTE: Must be placed before CURRENT because its initialization requires this field being initialized
in JS\n public const val MAX_COMPONENT_VALUE = 255\n\n /**\n * Returns the current version
of the Kotlin standard library.\n *\n @kotlin.jvm.JvmField\n public val CURRENT: KotlinVersion =
KotlinVersionCurrentValue.get()\n }\n\n// this class is ignored during classpath normalization when
considering whether to recompile dependencies in Kotlin build\nprivate object KotlinVersionCurrentValue {\n
@kotlin.jvm.JvmStatic\n fun get(): KotlinVersion = KotlinVersion(1, 6, 21) // value is written here automatically
during build\n}"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found
in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmName("LateinitKt")\n@file:Suppress("unused")\n\npackage kotlin\n\nimport
kotlin.internal.InlineOnly\nimport kotlin.internal.AccessibleLateinitPropertyLiteral\nimport
kotlin.reflect.KProperty0\n\n/**\n * Returns `true` if this lateinit property has been assigned a value, and `false`
otherwise.\n *\n * Cannot be used in an inline function, to avoid binary compatibility issues.\n
*\n@SinceKotlin("1.2")\n@InlineOnly\ninline val @receiver:AccessibleLateinitPropertyLiteral
KProperty0<*>.isInitialized: Boolean\n get() = throw NotImplementedError("Implementation is
intrinsic")\n}"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmName("LazyKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin\n\nimport
kotlin.reflect.KProperty\n\n/**\n * Represents a value with lazy initialization.\n *\n * To create an instance of [Lazy] use the [lazy] function.\n
*\n@public interface Lazy<out T> {\n /**\n * Gets the lazily initialized value of the current Lazy instance.\n *\n
Once the value was initialized it must not change during the rest of lifetime of this Lazy instance.\n *\n public
val value: T\n\n /**\n * Returns `true` if a value for this Lazy instance has been already initialized, and `false`

```

```

otherwise.\n * Once this function has returned `true` it stays `true` for the rest of lifetime of this Lazy instance.\n
*/\n public fun isInitialized(): Boolean\n}\n\n/**\n * Creates a new instance of the [Lazy] that is already
initialized with the specified [value].\n */\npublic fun <T> lazyOf(value: T): Lazy<T> =
InitializedLazyImpl(value)\n\n/**\n * An extension to delegate a read-only property of type [T] to an instance of
[Lazy].\n */\n * This extension allows to use instances of Lazy for property
delegation:\n * `val property: String by lazy { initializer }`\n */\n@kotlin.internal.InlineOnly\npublic inline operator
fun <T> Lazy<T>.getValue(thisRef: Any?, property: KProperty<*>): T = value\n\n/**\n * Specifies how a [Lazy]
instance synchronizes initialization among multiple threads.\n */\npublic enum class LazyThreadSafetyMode {\n\n
/**\n * Locks are used to ensure that only a single thread can initialize the [Lazy] instance.\n */\n
SYNCHRONIZED,\n\n /**\n * Initializer function can be called several times on concurrent access to
uninitialized [Lazy] instance value,\n * but only the first returned value will be used as the value of [Lazy]
instance.\n */\n PUBLICATION,\n\n /**\n * No locks are used to synchronize an access to the [Lazy]
instance value; if the instance is accessed from multiple threads, its behavior is undefined.\n */\n * This mode
should not be used unless the [Lazy] instance is guaranteed never to be initialized
from more than one thread.\n */\n NONE,\n}\n\ninternal object UNINITIALIZED_VALUE\n\n// internal to
be called from lazy in JS\ninternal class UnsafeLazyImpl<out T>(initializer: () -> T) : Lazy<T>, Serializable {\n
private var initializer: (() -> T)? = initializer\n private var _value: Any? = UNINITIALIZED_VALUE\n\n
override val value: T\n get() {\n if (_value === UNINITIALIZED_VALUE) {\n _value =
initializer!()\n initializer = null\n }\n @Suppress("UNCHECKED_CAST")\n return
_value as T\n }\n\n override fun isInitialized(): Boolean = _value != UNINITIALIZED_VALUE\n\n
override fun toString(): String = if (isInitialized()) value.toString() else "Lazy value not initialized yet."\n\n
private fun writeReplace(): Any = InitializedLazyImpl(value)\n}\n\ninternal class InitializedLazyImpl<out
T>(override val value: T) : Lazy<T>, Serializable {\n override fun isInitialized():
Boolean = true\n override fun toString(): String = value.toString()\n}\n\n"/*\n * Copyright 2010-2019
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("NumbersKt")\npackage kotlin\n\n/**\n *
Counts the number of set bits in the binary representation of this [Int] number.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Int.countOneBits(): Int\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary
representation of this [Int] number.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Int.countLeadingZeroBits(): Int\n\n/**\n * Counts the number of consecutive least significant bits that are zero in
the binary representation of this [Int] number.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
expect fun Int.countTrailingZeroBits(): Int\n\n/**\n * Returns a number having a single bit set in the position of the
most significant set bit of this [Int] number,\n * or zero, if this number is zero.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Int.takeHighestOneBit(): Int\n\n/**\n * Returns a number having a single bit set in the position of the least
significant set bit of this [Int] number,\n * or zero, if this number is zero.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Int.takeLowestOneBit(): Int\n\n/**\n * Rotates the binary representation of this [Int] number left by the specified
[bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least
significant bits on the right side.\n * Rotating the number left by a negative bit count is the same
as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating
by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) ==
number.rotateLeft(n % 32)`\n
*/\n\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun

```

Int.rotateLeft(bitCount: Int): Int\n\n/\*\*\n \* Rotates the binary representation of this [Int] number right by the specified [bitCount] number of bits.\n \* The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n \*\n \* Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n \* `number.rotateRight(-n) == number.rotateLeft(n)`\n \*\n \* Rotating by a multiple of [Int.SIZE\_BITS] (32) returns the same number, or more generally\n \* `number.rotateRight(n) == number.rotateRight(n % 32)`\n

\*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.rotateRight(bitCount: Int): Int\n\n/\*\*\n \* Counts the number of set bits in the binary representation of this [Long] number.\n \*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.countOneBits(): Int\n\n/\*\*\n \* Counts the number of consecutive most significant bits that are zero in the binary representation of this [Long] number.\n

\*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.countLeadingZeroBits(): Int\n\n/\*\*\n \* Counts the number of consecutive least significant bits that are zero in the binary representation of this [Long] number.\n

\*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.countTrailingZeroBits(): Int\n\n/\*\*\n \* Returns a number having a single bit set in the position of the most significant set bit of this [Long] number,\n \* or zero, if this number is zero.\n

\*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.takeHighestOneBit(): Long\n\n/\*\*\n \* Returns a number having a single bit set in the position of the least significant set bit of this [Long] number,\n \* or zero, if this number is zero.\n

\*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.takeLowestOneBit(): Long\n\n/\*\*\n \* Rotates the binary representation of this [Long] number left by the specified [bitCount] number of bits.\n \* The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n \*\n \* Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n \* `number.rotateLeft(-n) == number.rotateRight(n)`\n \*\n \* Rotating by a multiple of [Long.SIZE\_BITS] (64) returns the same number, or more generally\n \* `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n

\*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.rotateLeft(bitCount: Int): Long\n\n/\*\*\n \* Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\n \* The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n \*\n \* Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n \* `number.rotateRight(-n) == number.rotateLeft(n)`\n \*\n \* Rotating by a multiple of [Long.SIZE\_BITS] (64) returns the same number, or more generally\n \* `number.rotateRight(n) == number.rotateRight(n % 64)`\n

\*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.rotateRight(bitCount: Int): Long\n\n/\*\*\n \* Counts the number of set bits in the binary representation of this [Byte] number.\n

\*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.countOneBits(): Int = (toInt() and 0xFF).countOneBits()\n\n/\*\*\n \* Counts the number of consecutive most significant bits that are zero in the binary representation of this [Byte] number.\n

\*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.countLeadingZeroBits(): Int = (toInt() and 0xFF).countLeadingZeroBits() - (Int.SIZE\_BITS - Byte.SIZE\_BITS)\n\n/\*\*\n \* Counts the number of consecutive least significant bits that are zero in the binary representation of this [Byte] number.\n

\*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.countTrailingZeroBits(): Int = (toInt() or 0x100).countTrailingZeroBits()\n\n/\*\*\n \* Returns a number having a single bit set in the position of the most significant set bit of this [Byte] number,\n \* or zero, if this

number is zero.\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
```

```
c\ninline fun Byte.takeHighestOneBit(): Byte = (toInt() and 0xFF).takeHighestOneBit().toByte()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Byte] number,\n * or zero, if this number is zero.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic\ninline fun Byte.takeLowestOneBit(): Byte = toInt().takeLowestOneBit().toByte()\n\n/**\n * Rotates the binary representation of this [Byte] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\n
```

```
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
```

```
Byte.rotateLeft(bitCount: Int): Byte =\n    (toInt().shl(bitCount and 7) or (toInt() and 0xFF).ushr(8 - (bitCount and 7))).toByte()\n\n/**\n * Rotates the binary representation of this [Byte] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 8)`\n
```

```
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
```

```
Byte.rotateRight(bitCount: Int): Byte =\n    (toInt().shl(8 - (bitCount and 7)) or (toInt() and 0xFF).ushr(bitCount and 7)).toByte()\n\n/**\n * Counts the number of set bits in the binary representation of this [Short] number.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic\ninline fun Short.countOneBits(): Int = (toInt() and 0xFFFF).countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Short] number.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic\ninline fun Short.countLeadingZeroBits(): Int =\n    (toInt() and 0xFFFF).countLeadingZeroBits() - (Int.SIZE_BITS - Short.SIZE_BITS)\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Short] number.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic\ninline fun Short.countTrailingZeroBits():
```

```
Int = (toInt() or 0x10000).countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Short] number,\n * or zero, if this number is zero.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic\ninline fun Short.takeHighestOneBit(): Short = (toInt() and 0xFFFF).takeHighestOneBit().toShort()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Short] number,\n * or zero, if this number is zero.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic\ninline fun Short.takeLowestOneBit(): Short = toInt().takeLowestOneBit().toShort()\n\n/**\n * Rotates the binary representation of this [Short] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number
```

```
as the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\n
```

```

*\/n@SinceKotlin("1.6")\/n@WasExperimental(ExperimentalStdlibApi::class)\/npublic fun
Short.rotateLeft(bitCount: Int): Short =\/n (toInt().shl(bitCount and 15) or (toInt() and 0xFFFF).ushr(16 - (bitCount
and 15))).toShort()\/n\/n**\/n * Rotates the binary representation of this [Short] number right by the specified
[bitCount] number of bits.\/n * The least significant bits pushed out from the right side reenter the number as the
most significant bits on the left side.\/n *\/n * Rotating the number right by a negative bit count is the same as rotating
it left by the negated bit count:\/n * `number.rotateRight(-n) ==
number.rotateLeft(n)`\/n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns the same number, or more
generally\/n * `number.rotateRight(n) == number.rotateRight(n % 16)`\/n
*\/n@SinceKotlin("1.6")\/n@WasExperimental(ExperimentalStdlibApi::class)\/npublic fun
Short.rotateRight(bitCount: Int): Short =\/n (toInt().shl(16 - (bitCount and 15)) or (toInt() and
0xFFFF).ushr(bitCount and 15)).toShort()\/n", /*\/n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\/n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\/n *\/npackage kotlin\/nimport kotlin.internal.RequireKotlin\/nimport
kotlin.internal.RequireKotlinVersionKind\/n\/n@kotlin.internal.InlineOnly\/n@SinceKotlin("1.2")\/n@Suppress("IN
VISIBLE_MEMBER", "INVISIBLE_REFERENCE")\/n@RequireKotlin("1.2.30", level =
DeprecationLevel.HIDDEN, versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\/npublic inline fun
<R> suspend(noinline
block: suspend () -> R): suspend () -> R = block\/n", /*\/n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\/n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\/n *\/n@file:kotlin.jvm.JvmName("TuplesKt")\/n\/npackage
kotlin\/n\/n**\/n * Represents a generic pair of two values.\/n *\/n * There is no meaning attached to values in this
class, it can be used for any purpose.\/n * Pair exhibits value semantics, i.e. two pairs are equal if both components
are equal.\/n *\/n * An example of decomposing it into values:\/n * @sample samples.misc.Tuples.pairDestructuring\/n
*\/n * @param A type of the first value.\/n * @param B type of the second value.\/n * @property first First value.\/n *
@property second Second value.\/n * @constructor Creates a new instance of Pair.\/n *\/npublic data class Pair<out
A, out B>(\n public val first: A,\n public val second: B) : Serializable {\n\/n /**\/n * Returns
string representation of the [Pair] including its [first] and [second] values.\/n *\/n public override fun toString():
String = "$first, $second"\/n}\/n\/n**\/n * Creates a tuple of type [Pair] from this and [that].\/n *\/n * This can be
useful for creating [Map] literals with less noise, for example:\/n * @sample
samples.collections.Maps.instantiation.mapFromPairs\/n *\/npublic infix fun <A, B> A.to(that: B): Pair<A, B> =
Pair(this, that)\/n\/n**\/n * Converts this pair into a list.\/n * @sample samples.misc.Tuples.pairToList\/n *\/npublic
fun <T> Pair<T, T>.toList(): List<T> = listOf(first, second)\/n\/n**\/n * Represents a triad of values\/n *\/n * There is
no meaning attached to values in this class, it can be used for any purpose.\/n * Triple exhibits value semantics, i.e.
two triples are equal if all three components are equal.\/n * An example of decomposing it into values:\/n * @sample
samples.misc.Tuples.tripleDestructuring\/n *\/n * @param A type of the first value.\/n * @param B type
of the second value.\/n * @param C type of the third value.\/n * @property first First value.\/n * @property second
Second value.\/n * @property third Third value.\/n *\/npublic data class Triple<out A, out B, out C>(\n public val
first: A,\n public val second: B,\n public val third: C) : Serializable {\n\/n /**\/n * Returns string
representation of the [Triple] including its [first], [second] and [third] values.\/n *\/n public override fun
toString(): String = "$first, $second, $third"\/n}\/n\/n**\/n * Converts this triple into a list.\/n * @sample
samples.misc.Tuples.tripleToList\/n *\/npublic fun <T> Triple<T, T, T>.toList(): List<T> = listOf(first, second,
third)\/n", /*\/n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\/n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\/n *\/n\/n//
Auto-generated file. DO NOT EDIT!\/npackage kotlin.ranges\/n\/nimport kotlin.internal.*\/n\/n**\/n
* A range of values of type `UInt`.\/n
*\/n@SinceKotlin("1.5")\/n@WasExperimental(ExperimentalUnsignedTypes::class)\/npublic class UIntRange(start:
UInt, endInclusive: UInt) : UIntProgression(start, endInclusive, 1), ClosedRange<UInt> {\n override val start:
UInt get() = first\n override val endInclusive: UInt get() = last\n\n override fun contains(value: UInt): Boolean =

```

```

first <= value && value <= last\n\n  /**\n   * Checks if the range is empty.\n   \n   * The range is empty if its
start value is greater than the end value.\n   */\n  override fun isEmpty(): Boolean = first > last\n\n  override fun
equals(other: Any?): Boolean =\n    other is UIntRange && (isEmpty() && other.isEmpty()) ||\n    first ==
other.first && last == other.last\n\n  override fun hashCode(): Int =\n    if (isEmpty()) -1 else (31 * first.toInt()
+ last.toInt())\n\n  override fun toString(): String = "$first..$last"\n\n  companion object {\n
    /** An empty range of values of type UInt. */\n    public val EMPTY: UIntRange =
UIntRange(UInt.MAX_VALUE, UInt.MIN_VALUE)\n  }\n}\n\n/**\n * A progression of values of type `UInt`.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic open class
UIntProgression\n\ninternal constructor(\n  start: UInt,\n  endInclusive: UInt,\n  step: Int\n) : Iterable<UInt> {\n
  init {\n    if (step == 0.toInt()) throw kotlin.IllegalArgumentException("Step must be non-zero.")\n    if (step
== Int.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater than Int.MIN_VALUE to
avoid overflow on negation.")\n  }\n\n  /**\n   * The first element in the progression.\n   */\n  public val first:
UInt = start\n\n  /**\n   * The last element in the progression.\n   */\n  public val last: UInt =
getProgressionLastElement(start, endInclusive, step)\n\n  /**\n   * The step of the progression.\n   */\n  public
val step:
Int = step\n\n  final override fun iterator(): Iterator<UInt> = UIntProgressionIterator(first, last, step)\n\n  /**\n
   * Checks if the progression is empty.\n   \n   * Progression with a positive step is empty if its first element is
greater than the last element.\n   * Progression with a negative step is empty if its first element is less than the last
element.\n   */\n  public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n  override fun
equals(other: Any?): Boolean =\n    other is UIntProgression && (isEmpty() && other.isEmpty()) ||\n    first == other.first && last == other.last && step == other.step\n\n  override fun hashCode(): Int =\n    if
(isEmpty()) -1 else (31 * (31 * first.toInt() + last.toInt()) + step.toInt())\n\n  override fun toString(): String = if (step
> 0) "$first..$last step $step" else "$first downTo $last step ${-step}"\n\n  companion object {\n    /**\n     *
Creates UIntProgression
within the specified bounds of a closed range.\n     * The progression starts with the [rangeStart] value and goes
toward the [rangeEnd] value not excluding it, with the specified [step].\n     * In order to go backwards the [step]
must be negative.\n     */\n    * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n     */\n    public fun fromClosedRange(rangeStart: UInt, rangeEnd: UInt, step: Int): UIntProgression =
UIntProgression(rangeStart, rangeEnd, step)\n  }\n}\n\n/**\n * An iterator over a progression of values of type
`UInt`.\n * @property step the number by which the value is incremented on each step.\n
*/\n@SinceKotlin("1.3")\n@Suppress("DEPRECATION_ERROR")\nprivate class UIntProgressionIterator(first:
UInt, last: UInt, step: Int) : UIntIterator() {\n  private val finalElement = last\n  private var hasNext: Boolean = if
(step > 0) first <= last else first >= last\n  private val step = step.toInt() // use
2-complement math for negative steps\n  private var next = if (hasNext) first else finalElement\n\n  override fun
hasNext(): Boolean = hasNext\n\n  override fun nextUInt(): UInt {\n    val value = next\n    if (value ==
finalElement) {\n      if (!hasNext) throw kotlin.NoSuchElementException()\n      hasNext = false\n    }
else {\n      next += step\n    }\n    return value\n  }\n}\n\n"/**\n * Copyright 2010-2022 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin.collections\n\n/** An iterator over a sequence of values of type `UByte`. */\n@Deprecated("This class is not
going to be stabilized and is to be removed soon.", level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\npublic abstract class UByteIterator : Iterator<UByte> {\n
  final override
  fun next() = nextUByte()\n\n  /** Returns the next value in the sequence without boxing. */\n  public abstract fun
nextUByte(): UByte\n}\n\n/** An iterator over a sequence of values of type `UShort`. */\n@Deprecated("This class
is not going to be stabilized and is to be removed soon.", level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\npublic abstract class UShortIterator : Iterator<UShort> {\n
  final override fun next() = nextUShort()\n\n  /** Returns the next value in the sequence without boxing. */\n
}

```

```

public abstract fun nextUShort(): UShort\n}\n\n** An iterator over a sequence of values of type `UInt`.
*\n@Deprecated("This class is not going to be stabilized and is to be removed soon.", level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\npublic abstract class UIntIterator : Iterator<UInt> {\n    final
override fun next() = nextUInt()\n\n    /** Returns the next value in the sequence without boxing. */\n    public
abstract fun nextUInt(): UInt\n}\n\n** An
iterator over a sequence of values of type `ULong`. *\n@Deprecated("This class is not going to be stabilized and
is to be removed soon.", level = DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\npublic abstract class
ULongIterator : Iterator<ULong> {\n    final override fun next() = nextULong()\n\n    /** Returns the next value in
the sequence without boxing. */\n    public abstract fun nextULong(): ULong\n}\n\n", /*\n * Copyright 2010-2022
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\n// Auto-generated file. DO NOT
EDIT!\n\npackage kotlin.ranges\n\n\nimport kotlin.internal.*\n\n**\n * A range of values of type `ULong`. \n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic class
ULongRange(start: ULong, endInclusive: ULong) : ULongProgression(start, endInclusive, 1),
ClosedRange<ULong> {\n    override val start:
ULong get() = first\n    override val endInclusive: ULong get() = last\n\n    override fun contains(value: ULong):
Boolean = first <= value && value <= last\n\n    /** \n    * Checks if the range is empty.\n    \n    * The range is
empty if its start value is greater than the end value.\n    */\n    override fun isEmpty(): Boolean = first > last\n\n
override fun equals(other: Any?): Boolean =\n        other is ULongRange && (isEmpty() && other.isEmpty()) ||\n
        first == other.first && last == other.last\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31
* (first xor (first shr 32)).toInt() + (last xor (last shr 32)).toInt())\n\n    override fun toString(): String =
"\$first..\$last"\n\n    companion object {\n        /** An empty range of values of type ULong. */\n        public val
EMPTY: ULongRange = ULongRange(ULong.MAX_VALUE, ULong.MIN_VALUE)\n    }\n}\n\n**\n * A
progression of values of type `ULong`. \n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
open class ULongProgression\ninternal constructor(\n    start: ULong,\n    endInclusive: ULong,\n    step: Long\n) :
Iterable<ULong> {\n    init {\n        if (step == 0.toLong()) throw kotlin.IllegalArgumentException("Step must be
non-zero.")\n        if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater
than Long.MIN_VALUE to avoid overflow on negation.")\n    }\n\n    /**\n    * The first element in the
progression.\n    */\n    public val first: ULong = start\n\n    /**\n    * The last element in the progression.\n    */\n
public val last: ULong = getProgressionLastElement(start, endInclusive, step)\n\n    /**\n    * The step of the
progression.\n    */\n    public val step: Long = step\n\n    final override fun iterator(): Iterator<ULong> =
ULongProgressionIterator(first, last, step)\n\n    /** \n    * Checks if the progression is empty.\n    \n    *
Progression with a positive
step is empty if its first element is greater than the last element.\n    * Progression with a negative step is empty if
its first element is less than the last element.\n    */\n    public open fun isEmpty(): Boolean = if (step > 0) first > last
else first < last\n\n    override fun equals(other: Any?): Boolean =\n        other is ULongProgression && (isEmpty()
&& other.isEmpty()) ||\n        first == other.first && last == other.last && step == other.step\n\n    override fun
hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (31 * (first xor (first shr 32)).toInt() + (last xor (last shr
32)).toInt()) + (step xor (step ushr 32)).toInt())\n\n    override fun toString(): String = if (step > 0) "\$first..\$last
step \$step" else "\$first downTo \$last step \${-step}"\n\n    companion object {\n        /**\n        * Creates
ULongProgression within the specified bounds of a closed range.\n        * The progression starts with the
[rangeStart] value and goes toward the
[rangeEnd] value not excluding it, with the specified [step].\n        * In order to go backwards the [step] must be
negative.\n        *\n        * [step] must be greater than `Long.MIN_VALUE` and not equal to zero.\n        */\n
public fun fromClosedRange(rangeStart: ULong, rangeEnd: ULong, step: Long): ULongProgression =
ULongProgression(rangeStart, rangeEnd, step)\n    }\n}\n\n**\n * An iterator over a progression of values of type
`ULong`. \n * @property step the number by which the value is incremented on each step.\n

```



```

*\n@SinceKotlin("1.3")\n@Suppress("DEPRECATION_ERROR")\nprivate class
ULongProgressionIterator(first: ULong, last: ULong, step: Long) : ULongIterator() {\n  private val finalElement =
last\n  private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n  private val step =
step.toULong() // use 2-complement math for negative steps\n  private var next = if (hasNext) first else
finalElement\n\n  override fun hasNext(): Boolean
= hasNext\n\n  override fun nextULong(): ULong {\n    val value = next\n    if (value == finalElement) {\n
if (!hasNext) throw kotlin.NoSuchElementException()\n      hasNext = false\n    } else {\n      next +=
step\n    }\n    return value\n  }\n}\n\n"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.math\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun min(a: UInt, b: UInt): UInt {\n  return minOf(a, b)\n}\n"/*\n * Returns the smaller of two
values.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun min(a: ULong, b: ULong): ULong {\n  return minOf(a,
b)\n}\n"/*\n * Returns the greater of two values.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun max(a: UInt, b: UInt): UInt {\n  return maxOf(a, b)\n}\n"/*\n * Returns the greater of two
values.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun max(a: ULong, b: ULong): ULong {\n  return maxOf(a, b)\n}\n"/*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName("UNumbersKt")\npackage kotlin\n/**\n * Counts the number of set bits in the
binary representation of this [UInt] number.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countOneBits():
Int = toInt().countOneBits()\n"/*\n * Counts the number of consecutive most significant bits that are zero in the
binary representation of this [UInt] number.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countLeadingZeroBits(): Int =
toInt().countLeadingZeroBits()\n"/*\n * Counts the number of consecutive least significant bits that are zero in the
binary representation of this [UInt] number.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countTrailingZeroBits(): Int =
toInt().countTrailingZeroBits()\n"/*\n * Returns a number having a single bit set in the position of the most
significant set bit of this [UInt] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.takeHighestOneBit(): UInt =
toInt().takeHighestOneBit().toUInt()\n"/*\n * Returns a number having a single bit set in the position of the least
significant set bit of this [UInt] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.takeLowestOneBit(): UInt =
toInt().takeLowestOneBit().toUInt()\n"/*\n * Rotates the binary representation of this [UInt] number left by the
specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as
the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as
rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a
multiple of [UInt.SIZE_BITS]

```

```

(32) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.rotateLeft(bitCount: Int):
UInt = toInt().rotateLeft(bitCount).toUInt()\n\n/**\n * Rotates the binary representation of this [UInt] number
right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter
the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is
the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n *
Rotating by a multiple of [UInt.SIZE_BITS] (32) returns the same number, or more generally\n *
`number.rotateRight(n) == number.rotateRight(n % 32)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun UInt.rotateRight(bitCount: Int): UInt = toInt().rotateRight(bitCount).toUInt()\n\n/**\n * Counts the
number of set bits in the binary representation of this [ULong] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countOneBits(): Int =
toLong().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the
binary representation of this [ULong] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countLeadingZeroBits(): Int
= toLong().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero
in the binary representation of this [ULong] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countTrailingZeroBits(): Int
= toLong().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.takeHighestOneBit(): ULong
= toLong().takeHighestOneBit().toULong()\n\n/**\n * Returns a number having a single bit set in the position of the
least significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.takeLowestOneBit(): ULong
= toLong().takeLowestOneBit().toULong()\n\n/**\n * Rotates the binary representation
of this [ULong] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out
from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left
by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) ==
number.rotateRight(n)`\n *\n * Rotating by a multiple of [ULong.SIZE_BITS] (64) returns the same number, or
more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.rotateLeft(bitCount:
Int): ULong = toLong().rotateLeft(bitCount).toULong()\n\n/**\n * Rotates the binary representation of this [ULong]
number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side
reenter the number as the most significant bits
on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the
negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of
[ULong.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) ==
number.rotateRight(n % 64)`\n *\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.rotateRight(bitCount:
Int): ULong = toLong().rotateRight(bitCount).toULong()\n\n/**\n * Counts the number of set bits in the binary

```

representation of this [UByte] number.\n

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,  
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countOneBits(): Int =  
toUInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the  
binary representation of  
this [UByte] number.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,  
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countLeadingZeroBits(): Int =  
toByte().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in  
the binary representation of this [UByte] number.\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,  
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countTrailingZeroBits(): Int =  
toByte().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most  
significant set bit of this [UByte] number,\n * or zero, if this number is zero.\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,  
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.takeHighestOneBit(): UByte  
= toInt().takeHighestOneBit().toUByte()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [UByte] number,\n * or zero, if this number is zero.\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,  
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.takeLowestOneBit(): UByte =  
toInt().takeLowestOneBit().toUByte()\n\n/**\n * Rotates the binary representation of this [UByte] number left by  
the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the  
number as the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the  
same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [UByte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\n */
```

```
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,  
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.rotateLeft(bitCount:  
Int): UByte = toByte().rotateLeft(bitCount).toUByte()\n\n/**\n * Rotates the binary representation of this [UByte]  
number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side  
reenter the number as the most significant bits on the left side.\n * Rotating the number right by a negative bit  
count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [UByte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 8)`\n */
```

```
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,  
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.rotateRight(bitCount:  
Int): UByte = toByte().rotateRight(bitCount).toUByte()\n\n/**\n * Counts the number of set bits in the binary representation of this [UShort] number.\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,  
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countOneBits(): Int =  
toUInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the  
binary representation of this [UShort] number.\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,  
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countLeadingZeroBits(): Int  
= toShort().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero  
in the binary representation of this [UShort] number.\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,  
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countTrailingZeroBits():
```

```

Int = toShort().countTrailingZeroBits()\n\n**\n * Returns a number having a single bit set in the position of the
most significant set bit of this [UShort] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.takeHighestOneBit(): UShort
= toInt().takeHighestOneBit().toUShort()\n\n**\n * Returns a number having a single bit set in the position of the
least significant set bit of this [UShort] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.takeLowestOneBit(): UShort
= toInt().takeLowestOneBit().toUShort()\n\n**\n * Rotates the binary representation of this [UShort] number left
by the specified [bitCount] number of bits.\n * The most significant bits pushed out
from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left
by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) ==
number.rotateRight(n)`\n *\n * Rotating by a multiple of [UShort.SIZE_BITS] (16) returns the same number, or
more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.rotateLeft(bitCount:
Int): UShort = toShort().rotateLeft(bitCount).toUShort()\n\n**\n * Rotates the binary representation of this
[UShort] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the
right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a
negative bit count is the same as rotating it left by the
negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of
[UShort.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateRight(n) ==
number.rotateRight(n % 16)`\n *\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.rotateRight(bitCount:
Int): UShort = toShort().rotateRight(bitCount).toUShort()\n", "/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\npackage kotlin.internal\n\n// (a - b) mod c\nprivate fun
differenceModulo(a: UInt, b: UInt, c: UInt): UInt {\n    val ac = a % c\n    val bc = b % c\n    return if (ac >= bc) ac -
bc else ac - bc + c\n}\n\nprivate fun differenceModulo(a: ULong, b: ULong, c: ULong): ULong {\n    val ac = a %
c\n    val bc
= b % c\n    return if (ac >= bc) ac - bc else ac - bc + c\n}\n\n**\n * Calculates the final element of a bounded
arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case
of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed
parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <=
end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end
ending bound for the progression\n * @param step increment, or difference of successive elements in the
progression\n * @return the final element of the progression\n * @suppress\n
*\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun getProgressionLastElement(start: UInt, end: UInt, step:
Int): UInt = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toUInt())\n
step <
0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toUInt())\n    else -> throw
kotlin.IllegalArgumentException("Step is zero.")\n}\n\n**\n * Calculates the final element of a bounded
arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case
of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed
parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <=
end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end
ending bound for the progression\n * @param step increment, or difference of successive elements in the
progression\n * @return the final element of the progression\n * @suppress\n

```

```

*^@PublishedApi^@SinceKotlin("1.3")^internal fun getProgressionLastElement(start: ULong, end: ULong,
step: Long): ULong = when {
    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toULong())
    step < 0 -> if (start <=
end) end else end + differenceModulo(start, end, (-step).toULong())
    else -> throw
kotlin.IllegalArgumentException("Step is zero.")
}

/*
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmName("UStringsKt") // string representation
of unsigned numbers
package kotlin.text

/**
 * Returns a string representation of this [Byte] value in the
specified [radix].
 * @throws IllegalArgumentException when [radix] is not a valid radix for number to string
conversion.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
public inline fun UByte.toString(radix: Int): String = this.toInt().toString(radix)

/**
 * Returns
a string representation of this [Short] value in the specified [radix].
 * @throws IllegalArgumentException
when [radix] is not a valid radix for number to string conversion.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
public inline fun UShort.toString(radix: Int): String = this.toInt().toString(radix)

/**
 * Returns a string
representation of this [Int] value in the specified [radix].
 * @throws IllegalArgumentException when [radix] is
not a valid radix for number to string conversion.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
public inline fun UInt.toString(radix: Int): String = this.toLong().toString(radix)

/**
 * Returns a string
representation of this [Long] value in the specified [radix].
 * @throws IllegalArgumentException when [radix]
is not a valid radix for number to string conversion.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public
fun ULong.toString(radix: Int): String = ulongToString(this.toLong(), checkRadix(radix))

/**
 * Parses the
string as a signed [UByte] number and returns the result.
 * @throws NumberFormatException if the string is not a
valid representation of a number.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun String.toUByte():
UByte = toUByteOrNull() ?: numberFormatException(this)

/**
 * Parses the string as a signed [UByte] number and
returns the result.
 * @throws NumberFormatException if the string is not a
valid representation of a number.
 * @throws IllegalArgumentException when [radix] is not a
valid radix for string to number conversion.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun
String.toUByte(radix: Int): UByte = toUByteOrNull(radix) ?: numberFormatException(this)

/**
 * Parses the
string as a [UShort] number and
returns the result.
 * @throws NumberFormatException if the string is not a
valid representation of a number.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun String.toUShort():
UShort = toUShortOrNull() ?: numberFormatException(this)

/**
 * Parses the string as a [UShort] number and
returns the result.
 * @throws NumberFormatException if the string is not a
valid representation of a number.
 * @throws IllegalArgumentException when [radix] is not a
valid radix for string to number conversion.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun
String.toUShort(radix: Int): UShort = toUShortOrNull(radix) ?: numberFormatException(this)

/**
 * Parses the
string as an [UInt] number and returns the result.
 * @throws NumberFormatException if the string is not a
valid
representation of a number.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun String.toUInt():
UInt
= toUIntOrNull() ?: numberFormatException(this)

/**
 * Parses the string as an [UInt] number and returns the
result.
 * @throws NumberFormatException if the string is not a
valid representation of a number.
 * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun

```

```

String.toUInt(radix: Int): UInt = toUIntOrNull(radix) ?: numberFormatException(this)\n\n/**\n * Parses the string as a [UInt] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toULong(): ULong = toULongOrNull() ?: numberFormatException(this)\n\n/**\n * Parses the string as a [ULong] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toULong(radix: Int): ULong = toULongOrNull(radix) ?: numberFormatException(this)\n\n\n/**\n * Parses the string as an [UByte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n * \n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUByteOrNull(): UByte? = toUByteOrNull(radix = 10)\n\n/**\n * Parses the string as an [UByte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n * \n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUByteOrNull(radix: Int): UByte? {\n    val int = this.toUIntOrNull(radix) ?: return null\n    if (int > UByte.MAX_VALUE) return null\n    return int.toUByte()\n}\n\n\n/**\n * Parses the string as an [UShort] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n * \n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUShortOrNull(): UShort? = toUShortOrNull(radix = 10)\n\n/**\n * Parses the string as an [UShort] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n * \n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUShortOrNull(radix: Int): UShort? {\n    val int = this.toUIntOrNull(radix) ?: return null\n    if (int > UShort.MAX_VALUE) return null\n    return int.toUShort()\n}\n\n\n/**\n * Parses the string as an [UInt] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
a valid representation of a number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUIntOrNull(): UInt? = toUIntOrNull(radix = 10)\n\n/**\n * Parses the string as an [UInt] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n * \n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUIntOrNull(radix: Int): UInt? {\n    checkRadix(radix)\n\n    val length = this.length\n    if (length == 0) return null\n\n    val limit: UInt = UInt.MAX_VALUE\n    val start: Int\n    val firstChar = this[0]\n    if (firstChar < '0') {\n        if (length == 1 || firstChar != '+') return null\n        start = 1\n    } else {\n        start = 0\n    }\n\n    val limitForMaxRadix = 119304647u // limit / 36\n    var limitBeforeMul = limitForMaxRadix\n    val uradix = radix.toUInt()\n    var result = 0u\n    for (i in start until length) {\n        val digit = digitOf(this[i], radix)\n\n        if (digit < 0) return null\n        if (result > limitBeforeMul) {\n            if (limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul = limit / uradix\n\n                if (result > limitBeforeMul) {\n                    return null\n                }\n            } else {\n                return null\n            }\n        }\n        result *= uradix\n        val beforeAdding = result\n        result += digit.toUInt()\n        if (result < beforeAdding) return null // overflow has happened\n    }\n\n    return result\n}\n\n\n/**\n * Parses the string as an [ULong] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toULongOrNull(): ULong? = toULongOrNull(radix = 10)\n\n/**\n * Parses the string as an [ULong] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n * \n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number

```

```

conversion.\n *^@\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toULongOrNull(radix: Int): ULong? {\n    checkRadix(radix)\n\n    val length = this.length\n    if (length ==
0) return null\n\n    val limit: ULong = ULong.MAX_VALUE\n    val start: Int\n    val firstChar = this[0]\n    if
(firstChar < '0') {\n        if (length == 1 || firstChar != '+') return null\n        start = 1\n    } else {\n        start = 0\n
}\n\n    val limitForMaxRadix = 512409557603043100uL // limit / 36\n    var limitBeforeMul =
limitForMaxRadix\n    val uradix = radix.toULong()\n    var result = 0uL\n    for (i in start until length) {\n        val
digit = digitOf(this[i], radix)\n\n        if (digit < 0) return null\n\n        if (result > limitBeforeMul) {\n            if (limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul =
limit / uradix\n\n                if (result > limitBeforeMul) {\n                    return null\n                }\n            } else {\n                return null\n            }\n        }\n        result *= uradix\n        val beforeAdding = result\n        result +=
digit.toUInt()\n        if (result < beforeAdding) return null // overflow has happened\n    }\n    return
result\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\npackage kotlin\n\nimport
kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport
kotlin.internal.RequireKotlinVersionKind\n\n/**\n * Marks the API that is dependent on the
experimental unsigned types, including those types themselves.\n * Usages of such API will be reported as
warnings unless an explicit opt-in with\n * the [OptIn] annotation, e.g.
`@OptIn(ExperimentalUnsignedTypes::class)`\n * or with the `-opt-in=kotlin.ExperimentalUnsignedTypes`
compiler option is given.\n * It's recommended to propagate the experimental status to the API that depends on
unsigned types by annotating it with this annotation.\n */\n@RequiresOptIn(level =
RequiresOptIn.Level.WARNING)\n@MustBeDocumented\n@Target(CLASS, ANNOTATION_CLASS,
PROPERTY, FIELD, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION,
PROPERTY_GETTER, PROPERTY_SETTER,
TYPEALIAS)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin("1.2.50", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class ExperimentalUnsignedTypes\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by
the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MathKt")\n\npackage
kotlin.math\n\n\n// constants, can't use them from nativeMath as they are not constants there\n\n/** Ratio of the
circumference of a circle to its diameter, approximately 3.14159. */\n@SinceKotlin("1.2")\npublic const val PI:
Double = 3.141592653589793\n\n/** Base of the natural logarithms, approximately 2.71828.
*/\n@SinceKotlin("1.2")\npublic const val E: Double = 2.718281828459045\n\n// region =====
Double Math =====\n\n/** Computes the sine of the angle [x]
given in radians.\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin("1.2")\npublic
expect fun sin(x: Double): Double\n\n/** Computes the cosine of the angle [x] given in radians.\n * Special
cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin("1.2")\npublic expect
fun cos(x: Double): Double\n\n/** Computes the tangent of the angle [x] given in radians.\n * Special cases:\n
* - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin("1.2")\npublic expect fun tan(x: Double): Double\n\n/**
Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2`
radians.\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n
*/\n@SinceKotlin("1.2")\npublic expect fun asin(x: Double): Double\n\n/** Computes the arc cosine of the
value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n * Special cases:\n *
- `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin("1.2")\npublic expect fun acos(x: Double):
Double\n\n/** Computes the arc tangent of the value [x];\n * the returned value is an angle in the range from `-
PI/2` to `PI/2` radians.\n * Special cases:\n * - `atan(NaN)` is `NaN`\n */\n@SinceKotlin("1.2")\npublic

```

expect fun atan(x: Double): Double\n\n/\*\*\n \* Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n \* to the rectangular coordinates `(x, y)` by computing the arc tangent of the value  $[y] / [x]$ ;\n \* the returned value is an angle in the range from  $-\text{PI}$  to  $\text{PI}$  radians.\n \* Special cases:\n \* -  $\text{atan2}(0.0, 0.0)$  is  $0.0$ \n \* -  $\text{atan2}(0.0, x)$  is  $0.0$  for  $x > 0$  and  $\text{PI}$  for  $x < 0$ \n \* -  $\text{atan2}(-0.0, x)$  is  $-0.0$  for  $x > 0$  and  $-\text{PI}$  for  $x < 0$ \n \* -  $\text{atan2}(y, +\text{Inf})$  is  $0.0$  for  $0 < y < +\text{Inf}$  and  $-0.0$  for  $-\text{Inf} < y < 0$ \n \* -  $\text{atan2}(y, -\text{Inf})$  is  $\text{PI}$  for  $0 < y < +\text{Inf}$  and  $-\text{PI}$  for  $-\text{Inf} < y < 0$ \n \* -  $\text{atan2}(y, 0.0)$  is  $\text{PI}/2$  for  $y > 0$  and  $-\text{PI}/2$  for  $y < 0$ \n \* -  $\text{atan2}(+\text{Inf}, x)$  is  $\text{PI}/2$  for finite  $x$ \n \* -  $\text{atan2}(-\text{Inf}, x)$  is  $-\text{PI}/2$  for finite  $x$ \n \* -  $\text{atan2}(\text{NaN}, x)$  and  $\text{atan2}(y, \text{NaN})$  is  $\text{NaN}$ \n \*/\n\npublic expect fun atan2(y: Double, x: Double): Double\n\n/\*\*\n \* Computes the hyperbolic sine of the value  $[x]$ .\n \* Special cases:\n \* -  $\text{sinh}(\text{NaN})$  is  $\text{NaN}$ \n \* -  $\text{sinh}(+\text{Inf})$  is  $+\text{Inf}$ \n \* -  $\text{sinh}(-\text{Inf})$  is  $-\text{Inf}$ \n \*/\n\npublic expect fun sinh(x: Double): Double\n\n/\*\*\n \* Computes the hyperbolic cosine of the value  $[x]$ .\n \* Special cases:\n \* -  $\text{cosh}(\text{NaN})$  is  $\text{NaN}$ \n \* -  $\text{cosh}(+\text{Inf}-\text{Inf})$  is  $+\text{Inf}$ \n \*/\n\npublic expect fun cosh(x: Double): Double\n\n/\*\*\n \* Computes the hyperbolic tangent of the value  $[x]$ .\n \* Special cases:\n \* -  $\text{tanh}(\text{NaN})$  is  $\text{NaN}$ \n \* -  $\text{tanh}(+\text{Inf})$  is  $1.0$ \n \* -  $\text{tanh}(-\text{Inf})$  is  $-1.0$ \n \*/\n\npublic expect fun tanh(x: Double): Double\n\n/\*\*\n \* Computes the inverse hyperbolic sine of the value  $[x]$ .\n \* The returned value is  $y$  such that  $\text{sinh}(y) == x$ .\n \* Special cases:\n \* -  $\text{asinh}(\text{NaN})$  is  $\text{NaN}$ \n \* -  $\text{asinh}(+\text{Inf})$  is  $+\text{Inf}$ \n \* -  $\text{asinh}(-\text{Inf})$  is  $-\text{Inf}$ \n \*/\n\npublic expect fun asinh(x: Double): Double\n\n/\*\*\n \* Computes the inverse hyperbolic cosine of the value  $[x]$ .\n \* The returned value is positive  $y$  such that  $\text{cosh}(y) == x$ .\n \* Special cases:\n \* -  $\text{acosh}(\text{NaN})$  is  $\text{NaN}$ \n \* -  $\text{acosh}(x)$  is  $\text{NaN}$  when  $x < 1$ \n \* -  $\text{acosh}(+\text{Inf})$  is  $+\text{Inf}$ \n \*/\n\npublic expect fun acosh(x: Double): Double\n\n/\*\*\n \* Computes the inverse hyperbolic tangent of the value  $[x]$ .\n \* The returned value is  $y$  such that  $\text{tanh}(y) == x$ .\n \* Special cases:\n \* -  $\text{atanh}(\text{NaN})$  is  $\text{NaN}$ \n \* -  $\text{atanh}(x)$  is  $\text{NaN}$  when  $x > 1$  or  $x < -1$ \n \* -  $\text{atanh}(1.0)$  is  $+\text{Inf}$ \n \* -  $\text{atanh}(-1.0)$  is  $-\text{Inf}$ \n \*/\n\npublic expect fun atanh(x: Double): Double\n\n/\*\*\n \* Computes  $\sqrt{x^2 + y^2}$  without intermediate overflow or underflow.\n \* Special cases:\n \* - returns  $+\text{Inf}$  if any of arguments is infinite\n \* - returns  $\text{NaN}$  if any of arguments is  $\text{NaN}$  and the other is not infinite\n \*/\n\npublic expect fun hypot(x: Double, y: Double): Double\n\n/\*\*\n \* Computes the positive square root of the value  $[x]$ .\n \* Special cases:\n \* -  $\text{sqrt}(x)$  is  $\text{NaN}$  when  $x < 0$  or  $x$  is  $\text{NaN}$ \n \*/\n\npublic expect fun sqrt(x: Double): Double\n\n/\*\*\n \* Computes Euler's number  $e$  raised to the power of the value  $[x]$ .\n \* Special cases:\n \* -  $\text{exp}(\text{NaN})$  is  $\text{NaN}$ \n \* -  $\text{exp}(+\text{Inf})$  is  $+\text{Inf}$ \n \* -  $\text{exp}(-\text{Inf})$  is  $0.0$ \n \*/\n\npublic expect fun exp(x: Double): Double\n\n/\*\*\n \* Computes  $\text{exp}(x) - 1$ .\n \* This function can be implemented to produce more precise result for  $[x]$  near zero.\n \* Special cases:\n \* -  $\text{expm1}(\text{NaN})$  is  $\text{NaN}$ \n \* -  $\text{expm1}(+\text{Inf})$  is  $+\text{Inf}$ \n \* -  $\text{expm1}(-\text{Inf})$  is  $-1.0$ \n \* @see [exp] function.\n \*/\n\npublic expect fun expm1(x: Double): Double\n\n/\*\*\n \* Computes the logarithm of the value  $[x]$  to the given  $[base]$ .\n \* Special cases:\n \* -  $\text{log}(x, b)$  is  $\text{NaN}$  if either  $x$  or  $b$  are  $\text{NaN}$ \n \* -  $\text{log}(x, b)$  is  $\text{NaN}$  when  $x < 0$  or  $b <= 0$  or  $b == 1.0$ \n \* -  $\text{log}(+\text{Inf}, +\text{Inf})$  is  $\text{NaN}$ \n \* -  $\text{log}(+\text{Inf}, b)$  is  $+\text{Inf}$  for  $b > 1$  and  $-\text{Inf}$  for  $b < 1$ \n \* -  $\text{log}(0.0, b)$  is  $-\text{Inf}$  for  $b > 1$  and  $+\text{Inf}$  for  $b > 1$ \n \* See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n \*/\n\npublic expect fun log(x: Double, base: Double): Double\n\n/\*\*\n \* Computes the natural logarithm (base 'E') of the value  $[x]$ .\n \* Special cases:\n \* -  $\text{ln}(\text{NaN})$  is  $\text{NaN}$ \n \* -  $\text{ln}(x)$  is  $\text{NaN}$  when  $x < 0.0$ \n \* -  $\text{ln}(+\text{Inf})$  is  $+\text{Inf}$ \n \* -  $\text{ln}(0.0)$  is  $-\text{Inf}$ \n \*/\n\npublic expect fun ln(x: Double): Double\n\n/\*\*\n \* Computes the common logarithm (base 10) of the value  $[x]$ .\n \* @see [ln] function for special cases.\n \*/\n\npublic expect fun log10(x: Double): Double\n\n/\*\*\n \* Computes the binary logarithm (base 2) of the value  $[x]$ .\n \* @see [ln] function for special cases.\n \*/\n\npublic expect fun log2(x: Double): Double\n\n/\*\*\n \* Computes  $\text{ln}(x + 1)$ .\n \* This function can be implemented to produce more precise result for  $[x]$  near zero.\n \* Special cases:\n \* -  $\text{ln1p}(\text{NaN})$  is  $\text{NaN}$ \n \* -  $\text{ln1p}(x)$  is  $\text{NaN}$  where  $x < -1.0$ \n \* -  $\text{ln1p}(-1.0)$  is  $-\text{Inf}$ \n \* -  $\text{ln1p}(+\text{Inf})$  is  $+\text{Inf}$ \n \* @see [ln] function\n \* @see



[`expm1`] function\n \*  
`@SinceKotlin("1.2")\npublic expect fun ln1p(x: Double): Double\n\n` \* Rounds the given value [x] to an integer towards positive infinity.\n \*  
`@return` the smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.\n \*  
 Special cases:\n \* - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n \*  
`@SinceKotlin("1.2")\npublic expect fun ceil(x: Double): Double\n\n` \* Rounds the given value [x] to an integer towards negative infinity.\n \*  
`@return` the largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.\n \*  
 Special cases:\n \* - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n \*  
`@SinceKotlin("1.2")\npublic expect fun floor(x: Double): Double\n\n` \* Rounds the given value [x] to an integer towards zero.\n \*  
`@return` the value [x] having its fractional part truncated.\n \*  
 Special cases:\n \* - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n \*  
`@SinceKotlin("1.2")\npublic expect fun truncate(x: Double): Double\n\n` \* Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n \*  
 Special cases:\n \* - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n \*  
`@SinceKotlin("1.2")\npublic expect fun round(x: Double): Double\n\n` \* Returns the absolute value of the given value [x].\n \*  
 Special cases:\n \* - `abs(NaN)` is `NaN`\n \*  
`@see` `absoluteValue` extension property for [Double]\n \*  
`@SinceKotlin("1.2")\npublic expect fun abs(x: Double): Double\n\n` \* Returns the sign of the given value [x]:\n \* - `-1.0` if the value is negative,\n \* - zero if the value is zero,\n \* - `1.0` if the value is positive\n \*  
 Special case:\n \* - `sign(NaN)` is `NaN`\n \*  
`@SinceKotlin("1.2")\npublic expect fun sign(x: Double): Double\n\n` \* Returns the smaller of two values.\n \*  
 If either value is `NaN`, then the result is `NaN`.\n \*  
`@SinceKotlin("1.2")\npublic expect fun min(a: Double, b: Double): Double\n\n` \* Returns the greater of two values.\n \*  
 If either value is `NaN`, then the result is `NaN`.\n \*  
`@SinceKotlin("1.2")\npublic expect fun max(a: Double, b: Double): Double\n\n` extensions\n \*  
 Raises this value to the power [x].\n \*  
 Special cases:\n \* - `b.pow(0.0)` is `1.0`\n \* - `b.pow(1.0) == b`\n \* - `b.pow(NaN)` is `NaN`\n \* - `NaN.pow(x)` is `NaN` for `x != 0.0`\n \* - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n \* - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n \*  
`@SinceKotlin("1.2")\npublic expect fun Double.pow(x: Double): Double\n\n` \*  
 Raises this value to the integer power [n].\n \*  
 See the other overload of [pow] for details.\n \*  
`@SinceKotlin("1.2")\npublic expect fun Double.pow(n: Int): Double\n\n` \* Returns the absolute value of this value.\n \*  
 Special cases:\n \* - `NaN.absoluteValue` is `NaN`\n \*  
`@see` `abs` function\n \*  
`@SinceKotlin("1.2")\npublic expect val Double.absoluteValue: Double\n\n` \* Returns the sign of this value:\n \* - `-1.0` if the value is negative,\n \* - zero if the value is zero,\n \* - `1.0` if the value is positive\n \*  
 Special case:\n \* - `NaN.sign` is `NaN`\n \*  
`@SinceKotlin("1.2")\npublic expect val Double.sign: Double\n\n` \* Returns this value with the sign bit same as of the [sign] value.\n \*  
 If [sign] is `NaN` the sign of the result is undefined.\n \*  
`@SinceKotlin("1.2")\npublic expect fun Double.withSign(sign: Double): Double\n\n` \* Returns this value with the sign bit same as of the [sign] value.\n \*  
`@SinceKotlin("1.2")\npublic expect fun Double.withSign(sign: Int): Double\n\n` \* Returns the ulp (unit in the last place) of this value.\n \*  
 An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.\n \*  
 Special Cases:\n \* - `NaN.ulp` is `NaN`\n \* - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`\n \* - `0.0.ulp` is `Double.MIN_VALUE`\n \*  
`@SinceKotlin("1.2")\npublic expect val Double.ulp: Double\n\n` \* Returns the [Double] value nearest to this value in direction of positive infinity.\n \*  
`@SinceKotlin("1.2")\npublic expect fun Double.nextUp(): Double\n\n` \* Returns the [Double] value nearest to this value in direction of negative infinity.\n \*  
`@SinceKotlin("1.2")\npublic expect fun Double.nextDown(): Double\n\n` \* Returns the [Double] value nearest to this value in direction from this value towards the value [to].\n \*  
 Special cases:\n \* - `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`\n \* - `x.nextTowards(x) == x`\n \*  
`@SinceKotlin("1.2")\npublic expect fun Double.nextTowards(to: Double): Double\n\n` \* Rounds this [Double] value to the nearest integer and converts the result to [Int].\n \*  
 Ties are rounded towards positive infinity.\n \*  
 Special cases:\n \* - `x.roundToInt() == Int.MAX_VALUE` when `x >`

Int.MAX\_VALUE` when `x > Int.MAX\_VALUE`  
 @throws  
 IllegalArgumentException when this value is NaN`  
 @SinceKotlin("1.2")`  
 public expect fun  
 Double.roundToInt(): Int`  
 Rounds this [Double] value to the nearest integer and converts the result to  
 [Long].`  
 Ties are rounded towards positive infinity.`  
 Special cases:`  
 - `x.roundToLong() ==  
 Long.MAX\_VALUE` when `x > Long.MAX\_VALUE`  
 \* - `x.roundToLong() == Long.MIN\_VALUE` when `x < Long.MIN\_VALUE`  
 @throws  
 IllegalArgumentException when this value is NaN`  
 @SinceKotlin("1.2")`  
 public expect fun  
 Double.roundToLong(): Long`  
 endregion`  
 region ===== Float Math  
 =====`  
 Computes the sine of the angle [x] given in  
 radians.`  
 Special cases:`  
 - `sin(NaN|+Inf|-Inf)` is NaN`  
 @SinceKotlin("1.2")`  
 public expect fun  
 sin(x: Float): Float`  
 Computes the cosine of the angle [x] given in radians.`  
 Special cases:`  
 \* -  
 `cos(NaN|+Inf|-Inf)` is NaN`  
 @SinceKotlin("1.2")`  
 public expect fun  
 cos(x: Float): Float`  
 Computes  
 the tangent of the angle [x] given in radians.`  
 Special cases:`  
 \* - `tan(NaN|+Inf|-Inf)` is NaN`  
 @SinceKotlin("1.2")`  
 public expect fun  
 tan(x: Float): Float`  
 Computes the arc sine of the value  
 [x];`  
 the returned value is an angle in the range from  
 -PI/2` to PI/2` radians.`  
 Special cases:`  
 \* - `asin(x)` is NaN`, when `abs(x) > 1` or x is NaN`  
 @SinceKotlin("1.2")`  
 public expect fun  
 asin(x: Float): Float`  
 Computes the arc cosine of the value  
 [x];`  
 the returned value is an angle in the range from `0.0` to PI radians.`  
 Special cases:`  
 \* - `acos(x)`  
 is NaN`, when `abs(x) > 1` or x is NaN`  
 @SinceKotlin("1.2")`  
 public expect fun  
 acos(x: Float):  
 Float`  
 Computes the arc tangent of the value [x];`  
 the returned value is an angle in the range from -`  
 PI/2` to PI/2` radians.`  
 Special cases:`  
 \* - `atan(NaN)` is NaN`  
 @SinceKotlin("1.2")`  
 public  
 expect fun  
 atan(x: Float): Float`  
 Returns the angle `theta` of the polar coordinates `(r, theta)` that  
 correspond`  
 to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];`  
 the  
 returned value is an angle in the range from -PI to PI radians.`  
 Special cases:`  
 \* - `atan2(0.0, 0.0)` is `0.0`  
 \* - `atan2(0.0, x)` is `0.0` for `x > 0` and PI for `x < 0`  
 \* - `atan2(-0.0, x)` is -`  
 0.0` for `x > 0` and -PI for `x < 0`  
 \* - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and -0.0 for -Inf < y < 0`  
 \* - `atan2(y, -Inf)` is PI for `0 < y < +Inf` and -PI for -Inf < y < 0`  
 \* - `atan2(y, 0.0)` is PI/2 for `y > 0` and -`  
 PI/2` for `y < 0`  
 \* - `atan2(+Inf, x)` is PI/2 for finite `x`  
 \* - `atan2(-Inf, x)` is -PI/2 for finite `x`  
 \* -  
 `atan2(NaN, x)` and `atan2(y, NaN)` is NaN`  
 @SinceKotlin("1.2")`  
 public expect fun  
 atan2(y: Float, x:  
 Float): Float`  
 Computes the hyperbolic sine of the value [x].`  
 Special cases:`  
 \* - `sinh(NaN)` is  
 NaN`  
 \* - `sinh(+Inf)` is +Inf`  
 \* - `sinh(-Inf)` is -Inf`  
 @SinceKotlin("1.2")`  
 public expect fun  
 sinh(x:  
 Float): Float`  
 Computes the hyperbolic cosine of the value [x].`  
 Special cases:`  
 \* - `cosh(NaN)`  
 is NaN`  
 \* - `cosh(+Inf|-Inf)` is +Inf`  
 @SinceKotlin("1.2")`  
 public expect fun  
 cosh(x: Float): Float`  
 Computes the hyperbolic tangent of the value [x].`  
 Special cases:`  
 \* - `tanh(NaN)` is NaN`  
 \* -  
 `tanh(+Inf)` is `1.0`  
 \* - `tanh(-Inf)` is -1.0`  
 @SinceKotlin("1.2")`  
 public expect fun  
 tanh(x: Float):  
 Float`  
 Computes the inverse hyperbolic sine of the value [x].`  
 The returned value is `y` such that  
 `sinh(y) == x`.  
 Special cases:`  
 \* - `asinh(NaN)` is NaN`  
 \* - `asinh(+Inf)` is +Inf`  
 \* - `asinh(-Inf)`  
 is -Inf`  
 @SinceKotlin("1.2")`  
 public expect fun  
 asinh(x: Float): Float`  
 Computes the inverse  
 hyperbolic cosine of the value [x].`  
 The returned value is positive `y` such that `cosh(y) == x`.  
 Special  
 cases:`  
 \* - `acosh(NaN)` is NaN`  
 \* - `acosh(x)` is NaN` when `x < 1`  
 \* - `acosh(+Inf)` is +Inf`  
 @SinceKotlin("1.2")`  
 public expect fun  
 acosh(x: Float): Float`  
 Computes the inverse hyperbolic tangent of the value [x].`  
 The returned value is `y` such that `tanh(y) ==  
 x`.  
 Special cases:`  
 \* - `tanh(NaN)` is NaN`  
 \* - `tanh(x)` is NaN` when `x > 1` or `x < -1`  
 \* -  
 `tanh(1.0)` is +Inf`  
 \* - `tanh(-1.0)` is -Inf`  
 @SinceKotlin("1.2")`  
 public expect fun  
 atanh(x: Float):  
 Float`  
 Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.`  
 Special cases:`  
 \* - returns +Inf` if any of arguments is infinite`  
 \* - returns NaN` if any of arguments is NaN` and the other is not  
 infinite`  
 @SinceKotlin("1.2")`  
 public expect fun  
 hypot(x: Float, y: Float): Float`  
 Computes the

positive square root of the value [x].  
Special cases:  
`sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`

`SinceKotlin("1.2")\npublic expect fun sqrt(x: Float): Float`  
Computes Euler's number `e` raised to the power of the value [x].  
Special cases:  
`exp(NaN)` is `NaN`  
`exp(+Inf)` is `+Inf`  
`exp(-Inf)` is `0.0`

`SinceKotlin("1.2")\npublic expect fun exp(x: Float): Float`  
Computes `exp(x) - 1`.  
This function can be implemented to produce more precise result for [x] near zero.  
Special cases:  
`expm1(NaN)` is `NaN`  
`expm1(+Inf)` is `+Inf`  
`expm1(-Inf)` is `-1.0`  
@see [exp] function.

`SinceKotlin("1.2")\npublic expect fun expm1(x: Float): Float`  
Computes the logarithm of the value [x] to the given [base].  
Special cases:  
`log(x, b)` is `NaN` if either `x` or `b` are `NaN`  
`log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`  
`log(+Inf, +Inf)` is `NaN`  
`log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`  
`log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b < 1`  
See also logarithm functions for common fixed bases: [ln], [log10] and [log2].

`SinceKotlin("1.2")\npublic expect fun log(x: Float, base: Float): Float`  
Computes the natural logarithm (base `E`) of the value [x].  
Special cases:  
`ln(NaN)` is `NaN`  
`ln(x)` is `NaN` when `x < 0.0`  
`ln(+Inf)` is `+Inf`  
`ln(0.0)` is `-Inf`

`SinceKotlin("1.2")\npublic expect fun ln(x: Float): Float`  
Computes the common logarithm (base 10) of the value [x].  
@see [ln] function for special cases.

`SinceKotlin("1.2")\npublic expect fun log10(x: Float): Float`  
Computes the binary logarithm (base 2) of the value [x].  
@see [ln] function for special cases.

`SinceKotlin("1.2")\npublic expect fun log2(x: Float): Float`  
Computes `ln(a + 1)`.  
This function can be implemented to produce more precise result for [x] near zero.  
Special cases:  
`ln1p(NaN)` is `NaN`  
`ln1p(x)` is `NaN` where `x < -1.0`  
`ln1p(-1.0)` is `-Inf`  
`ln1p(+Inf)` is `+Inf`  
@see [ln] function  
@see [expm1] function

`SinceKotlin("1.2")\npublic expect fun ln1p(x: Float): Float`  
Rounds the given value [x] to an integer towards positive infinity.  
@return the smallest Float value that is greater than or equal to the given value [x] and is a mathematical integer.  
Special cases:  
`ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`SinceKotlin("1.2")\npublic expect fun ceil(x: Float): Float`  
Rounds the given value [x] to an integer towards negative infinity.  
@return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.  
Special cases:  
`floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`SinceKotlin("1.2")\npublic expect fun floor(x: Float): Float`  
Rounds the given value [x] to an integer towards zero.  
@return the value [x] having its fractional part truncated.  
Special cases:  
`truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`SinceKotlin("1.2")\npublic expect fun truncate(x: Float): Float`  
Rounds the given value [x] towards the closest integer with ties rounded towards even integer.  
Special cases:  
`round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`SinceKotlin("1.2")\npublic expect fun round(x: Float): Float`  
Returns the absolute value of the given value [x].  
Special cases:  
`abs(NaN)` is `NaN`  
@see absoluteValue extension property for [Float]

`SinceKotlin("1.2")\npublic expect fun abs(x: Float): Float`  
Returns the sign of the given value [x]:  
`-1.0` if the value is negative,  
`0` if the value is zero,  
`1.0` if the value is positive  
Special case:  
`sign(NaN)` is `NaN`

`SinceKotlin("1.2")\npublic expect fun sign(x: Float): Float`  
Returns the smaller of two values.  
If either value is `NaN`, then the result is `NaN`.

`SinceKotlin("1.2")\npublic expect fun min(a: Float, b: Float): Float`  
Returns the greater of two values.  
If either value is `NaN`, then the result is `NaN`.

`SinceKotlin("1.2")\npublic expect fun max(a: Float, b: Float): Float`  
Raises this value to the power [x].  
Special cases:  
`b.pow(0.0)` is `1.0`  
`b.pow(1.0) == b`  
`b.pow(NaN)` is `NaN`  
`NaN.pow(x)` is `NaN` for `x != 0.0`  
`b.pow(Inf)` is `NaN` for `abs(b) == 1.0`  
`b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer

`SinceKotlin("1.2")\npublic expect fun Float.pow(x: Float): Float`  
Raises this value to the integer power [n].  
See the other overload of [pow] for details.

`SinceKotlin("1.2")\npublic expect fun Float.pow(n: Int): Float`

Int): Float\n\n/\*\*\n \* Returns the absolute value of this value.\n \*\n \* Special cases:\n \* - `NaN.absoluteValue` is `NaN`\n \*\n \* @see abs function\n \*\n@SinceKotlin("1.2")\npublic expect val Float.absoluteValue: Float\n\n/\*\*\n \* Returns the sign of this value:\n \* - `-1.0` if the value is negative,\n \* - zero if the value is zero,\n \* - `1.0` if the value is positive\n \*\n \* Special case:\n \* - `NaN.sign` is `NaN`\n \*\n@SinceKotlin("1.2")\npublic expect val Float.sign: Float\n\n/\*\*\n \* Returns this value with the sign bit same as of the [sign] value.\n \*\n \* If [sign] is `NaN` the sign of the result is undefined.\n \*\n@SinceKotlin("1.2")\npublic expect fun Float.withSign(sign: Float): Float\n\n/\*\*\n \* Returns this value with the sign bit same as of the [sign] value.\n \*\n@SinceKotlin("1.2")\npublic expect fun Float.withSign(sign: Int): Float\n\n/\*\*\n \* Rounds this [Float] value to the nearest integer and converts the result to [Int].\n \*\n \* Ties are rounded towards positive infinity.\n \*\n \* Special cases:\n \* - `x.roundToInt() == Int.MAX\_VALUE` when `x > Int.MAX\_VALUE`\n \* - `x.roundToInt() == Int.MIN\_VALUE` when `x < Int.MIN\_VALUE`\n \*\n \* @throws IllegalArgumentException when this value is `NaN`\n \*\n@SinceKotlin("1.2")\npublic expect fun Float.roundToInt(): Int\n\n/\*\*\n \* Rounds this [Float] value to the nearest integer and converts the result to [Long].\n \*\n \* Ties are rounded towards positive infinity.\n \*\n \* Special cases:\n \* - `x.roundToLong() == Long.MAX\_VALUE` when `x > Long.MAX\_VALUE`\n \* - `x.roundToLong() == Long.MIN\_VALUE` when `x < Long.MIN\_VALUE`\n \*\n \* @throws IllegalArgumentException when this value is `NaN`\n \*\n@SinceKotlin("1.2")\npublic expect fun Float.roundToLong(): Long\n\n\n// endregion\n\n// region\n\n==== Integer Math =====\n\n/\*\*\n \* Returns the absolute value of the given value [n].\n \*\n \* Special cases:\n \* - `abs(Int.MIN\_VALUE)` is `Int.MIN\_VALUE` due to an overflow\n \*\n \* @see absoluteValue extension property for [Int]\n \*\n@SinceKotlin("1.2")\npublic expect fun abs(n: Int): Int\n\n/\*\*\n \* Returns the smaller of two values.\n \*\n@SinceKotlin("1.2")\npublic expect fun min(a: Int, b: Int): Int\n\n/\*\*\n \* Returns the greater of two values.\n \*\n@SinceKotlin("1.2")\npublic expect fun max(a: Int, b: Int): Int\n\n/\*\*\n \* Returns the absolute value of this value.\n \*\n \* Special cases:\n \* - `Int.MIN\_VALUE.absoluteValue` is `Int.MIN\_VALUE` due to an overflow\n \*\n \* @see abs function\n \*\n@SinceKotlin("1.2")\npublic expect val Int.absoluteValue: Int\n\n/\*\*\n \* Returns the sign of this value:\n \* - `-1` if the value is negative,\n \* - `0` if the value is zero,\n \* - `1` if the value is positive\n \*\n@SinceKotlin("1.2")\npublic expect val Int.sign: Int\n\n/\*\*\n \* Returns the absolute value of the given value [n].\n \*\n \* Special cases:\n \* - `abs(Long.MIN\_VALUE)` is `Long.MIN\_VALUE` due to an overflow\n \*\n \* @see absoluteValue extension property for [Long]\n \*\n@SinceKotlin("1.2")\npublic expect fun abs(n: Long): Long\n\n/\*\*\n \* Returns the smaller of two values.\n \*\n@SinceKotlin("1.2")\npublic expect fun min(a: Long, b: Long): Long\n\n/\*\*\n \* Returns the greater of two values.\n \*\n@SinceKotlin("1.2")\npublic expect fun max(a: Long, b: Long): Long\n\n/\*\*\n \* Returns the absolute value of this value.\n \*\n \* Special cases:\n \* - `Long.MIN\_VALUE.absoluteValue` is `Long.MIN\_VALUE` due to an overflow\n \*\n \* @see abs function\n \*\n@SinceKotlin("1.2")\npublic expect val Long.absoluteValue: Long\n\n/\*\*\n \* Returns the sign of this value:\n \* - `-1` if the value is negative,\n \* - `0` if the value is zero,\n \* - `1` if the value is positive\n \*\n@SinceKotlin("1.2")\npublic expect val Long.sign: Int\n\n\n// endregion\n\n", "names": [], "mappings": "AAWC,CAXA,yB;EACG,IAAI,OAAO,MAAO,KAAL,UAAW,IAAG,MAAM,IAA1C,C;IACI,MAAM,CAAC,QAAD,EAAW,CAAC,SAAD,CAAX,EAAsB,OAAxB,C;SAEL,IAAL,OAAO,AAQ,KAAL,QAAvB,C;IACD,OAAO,CAAC,MAAM,QAAP,C;;IAGP,IAAI,OAAQ,GAAE,E;IACd,OAAO,CAAC,IAAI,OAAL,C;;CAEd,CAAC,IAAD,EAAs,kB;EACJ,IAAI,IAAI,M;ECPZ,MAAM,eAAgB,GAAE,a;IACpB,OA Aod,CAA5C,KAAC,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAE,YAAW,SAAW,KAAG,CAAC,OAAQ,KAAL,c;G ;EAGxE,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,YAAW,SAAU,IAAG,CAAC,OAAQ,KAAL,c;G;EAGID,M AAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,U;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,Y AAW,WAAy,IAAG,CAAC,OAAQ,KAAL,W;G;EAGpD,MAAM,WAAy,GAAE,a;IACbB,OAAO,CAAE,YAAW, U;G;EAGxB,MAAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,Y;G;EAGxB,MAAM,cAAe,GAAE,a;IACnB,O AAO,CAAE,YAAW,Y;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,OAAO,KAAC,QAAQ,CAAC,CAAD,CAAI,IA

AG,CAAC,OAAQ,KAAI,W;G;EAG5C,MAAM,QAAS,GAAE,a;IACb,OAAO,KAAK,QAAQ,CAAC,CAAD,CAA  
I,IAAG,CAAC,CAAC,O;G;EAGjC,MAAM,WAA Y,GAAE,a;IACbB,OAAO,KAAK,QAAQ,CAAC,CAAD,CAAI,  
IAAG,WAAW,OAAO,CAAC,CAAD,C;G;EAGjD,MAAM,cAAe,GAAE,a;IACnB,IAAI,CAAE,KAAI,IAAV,C;M  
AAgB,OAAO,M;IACvB,IAAI,WAAW,MAAM,YAA Y,CAAC,CAAD,CAAI,GAAE,MAAM,aAAR,GAaWb,MA  
AM,S;IACnE,OAAO,GA AI,GAAE,KAAK,UAAU,IAAI,KAAK,CAAC,CAAD,EA AI,a;MAAc,OAAO,QAAQ,CA  
AC,CAAD,C;KAAjC,CAAwC,KAAK,CAAC,IAAD,CAA O,GAAE,G;G;EAG/F,MAAM,kBAAmB,GAAE,e;IACv  
B,OAAO,MAAM,OAAO,YAA Y,wBAaWb,CAAC,GAAD,C;G;EAG5D,MAAM,YAAa,GAAE,gB;IACjB,IAAI,C  
AAE,KAAI,CAAV,C;MACI,OAAO,I;IAEX,IAAI,CAAE,KAAI,IAAK,IAAG,CAAE,KAAI,IAAK,IAAG,CAAC,  
MAAM,WAAW,CAAC,CAAD,CAAI,IAAG,CAAC,OAAQ,KAAI,CAAC,OAAvE,C;MACI,OAAO,K;IAGX,KA  
AK,IAAI,IAAI,CAAR,EA AW,IAAI,CAAC,OAArB,EA A8B,CAAE,GAAE,CAAIC,EA AqC,CAAC,EAAtC,C;MA  
CI,IAAI,CAAC,MAAM,OAAO,CAAC,CAAC,CAAC,CAAD,CAAF,EA AO,CAAC,CAAC,CAAD,CAAR,CAAIB  
,C;QACI,OAAO,K;IAGf,OAAO,I;G;EAGX,MAAM,gBAAiB,GAAE,gB;IACrB,OAAO,MAAM,OAAO,YAA Y,s  
BAAsB,CAAC,CAAD,EA AI,CAAJ,C;G;EAG1D,MAAM,cAAe,GAAE,e;IACnB,IAAI,GA AI,KAAI,IAAZ,C;MA  
AkB,OAAO,C;IACzB,IAAI,SAAS,C;IACb,KAAK,IAAI,IAAI,CAAR,EA AW,IAAI,GAAG,OAAvB,EA AgC,CAA  
E,GAAE,CAApC,EA AuC,CAAC,EA AxC,C;MACI,MAAO,GA AqB,CAAjB,EAAG,GAAE,MAAO,GAAE,CAAG  
,IAAE,MAAM,SAAS,CAAC,GAAG,CAAC,CAAD,CAAJ,CAAU,GAAE,C;IAE7D,OAAO,M;G;EAGX,MAAM,  
kBAAmB,GAAE,e;IACvB,OAAO,MAAM,OAAO,YAA Y,wBAaWb,CAAC,GAAD,C;G;EAG5D,MAAM,mBAA  
oB,GAAE,iB;IACxB,KAAK,KAAK,CAAC,MAAM,gBAAP,C;G;ECpFd,MAAM,eAAgB,GAAE,mB;IACpB,CA  
AC,aAAc,GAAE,I;IACjB,OAAO,C;G;EAGX,MAAM,uBAaWb,GAAE,4C;IAC5B,MAAM,IAAK,GAAE,M;IAC  
b,MAAM,IAAK,GAAE,M;IACb,MAAM,aAAc,GAAE,I;IACtB,OAAO,mBAAmB,CAAC,MAAD,EAAS,MAAT,  
EA AiB,6BAA6B,CAAC,UAAD,CAA9C,C;G;EAG9B,iD;IACI,GAAG,WAA Y,GAAE,sBAAsB,CAAC,OAAO,M  
AAO,KAAI,UAAW,GAAE,KAAK,QAAP,GA AKB,KAAK,UAArD,C;IACvC,GAAG,YAAa,GAAE,G;IACIB,OA  
AO,G;G;EAGX,IAAI,gCAAqC,CAChC,UACa,QAAS,IAAT,wBAAqC,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,k  
B;GADvB,CADb,aAIe,QAAS,IAAT,wBAAqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CADgC  
,EAShC,UACa,QAAS,IAAT,wBAAqC,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,kB;GADvB,CADb,aAIe,QAAS,I  
AAT,wBAAqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CATgC,C;EAmBpC,uC;IACI,IAAI,KA  
AK,MAAO,KAAI,IAApB,C;MACI,KAAK,MAAO,GAAE,aACE,CAAC,KAAK,qBAAqB,EA A3B,CADF,aAEC,I  
AFD,aAGC,EAHD,cAIE,EAJF,SAKH,EALG,iBAMK,EANL,C;IASIB,OAAO,KAAK,M;G;EChDhB,MAAM,QA  
AS,GAAE,a;IACb,OAAoB,CAAZ,CAAE,GAAE,KAAQ,KAAG,EAAG,IAAG,E;G;EAGjC,MAAM,OAAQ,GAA  
E,a;IACZ,OAAkB,CAAV,CAAE,GAAE,GAAM,KAAG,EAAG,IAAG,E;G;EAG/B,MAAM,OAAQ,GAAE,a;IAC  
Z,OAAO,CAAE,GAAE,K;G;EAGf,MAAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,MAAM,KAAM,GAAE,  
CAAF,GAAM,MAAM,KAAK,WAAW,CAAC,CAAD,C;G;EAGhE,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE  
,YAAW,MAAM,KAAM,GAAE,CAAC,MAAM,EAAT,GAAc,MAAM,YAA Y,CAAC,CAAD,C;G;EAGpE,MAA  
M,cAAe,GAAE,a;IACnB,OAAO,MAAM,QAAQ,CAAC,MAAM,YAA Y,CAAC,CAAD,CAAnB,C;G;EAGzB,MA  
AM,aAAc,GAAE,a;IACIB,OAAO,MAAM,OAAO,CAAC,MAAM,YAA Y,CAAC,CAAD,CAAnB,C;G;EAGxB,M  
AAM,eAAgB,GAAE,a;IACpB,OAAO,CAAC,C;G;EAGZ,MAAM,aAAc,GAAE,a;IACIB,OAAO,MAAM,OAAO,  
CAAC,MAAM,YAA Y,CAAC,CAAD,CAAnB,C;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,IAAI,CAAE,GAAE,U  
AAR,C;MAAoB,OAAO,U;IAC3B,IAAI,CAAE,GAAE,WAAR,C;MAAqB,OAAO,W;IAC5B,OAAO,CAAE,GAA  
E,C;G;EAGf,MAAM,YAAa,GAAE,a;IACjB,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,IAAI,CAAE,Y  
AAW,MAAM,UAAvB,C;MAAmC,OAAO,C;IAC1C,OAAO,IAAI,MAAM,UAAV,CAAqB,CAArB,C;G;EAGX,M  
AAM,UAAW,GAAE,a;IACf,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,OAAO,MAAM,OAAO,CAAC,  
CAAD,C;G;ECIDxB,MAAM,OAAQ,GAAE,sB;IACZ,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,IAAK,IAAG,I;I  
AGnB,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,K;IAGX,IAAI,IAAK,KAAI,IAAb,C;MACI,OAAO,IAAK,KAA  
LI;IAGpB,IAAI,OAAO,IAAK,KAAI,QAAS,IAAG,OAAO,IAAI,OAAQ,KAAI,UAAvD,C;MACI,OAAO,IAAI,O  
AAO,CAAC,IAAD,C;IAGtB,IAAI,OAAO,IAAK,KAAI,QAAS,IAAG,OAAO,IAAK,KAAI,QAAhD,C;MACI,OA  
AO,IAAK,KAAI,IAAK,KAAI,IAAK,KAAI,CAAE,IAAG,CAAE,GAAE,IAAK,KAAI,CAAE,GAAE,IAAnC,C;I  
AGzB,OAAO,IAAK,KAAI,I;G;EAGpB,MAAM,SAAU,GAAE,e;IACd,IAAI,GA AI,IAAG,IAAX,C;MACI,OAAO,  
C;IAEX,IAAI,UAAU,OAAO,G;IACrB,IAAI,QAAS,KAAI,OAAjB,C;MACI,OAAO,UAAW,KAAI,OAAO,GAA

G,SAAU,GAAE,GAAG,SAAS,EAAd,GAAmB,iBAAiB,CAAC,GAAD,C;;IAEIF,IAAI,UAAW,KAAI,OAAmB,C;  
MACI,OAAO,iBAAiB,CAAC,GAAD,C;;IAE5B,IAAI,QAAS,KAAI,OAAjB,C;MACI,OAAO,MAAM,eAAe,CAA  
C,GAAD,C;;IAEhC,IAAI,SAAU,KAAI,OAAIB,C;MACI,OAAO,MAAM,CAAC,GAAD,C;;IAGjB,IAAI,MAAM,  
MAAM,CAAC,GAAD,C;IACHB,OAAO,iBAAiB,CAAC,GAAD,C;G;EAI5B,MAAM,SAAU,GAAE,a;IACd,IAAI,  
CAAE,IAAG,IAAT,C;MACI,OAAO,M;WAEN,IAAI,MAAM,WAAW,CAAC,CAAD,CAArB,C;MACD,OAAO,O  
;;MAGP,OAAO,CAAC,SAAS,E;;G;EAKzB,IAAI,WAAW,a;EAGf,IAAI,iCAAiC,sB;EAErC,gC;IACI,IAAI,EAAE  
,8BAA+B,IAAG,GAApC,CAAJ,C;MACI,IAAI,OAAQ,IAAI,OAAO,EAAG,GAAE,QAAU,GAAE,C;MACxC,MA  
AM,eAAe,CAAC,GAAD,EAAM,8BAAN,EAAcC,QAAU,IAAV,cAA4B,KAA5B,CAAtC,C;;IAEzB,OAAO,GAA  
G,CAAC,8BAAD,C;G;EAGd,gC;IACI,IAAI,OAAO,C;IACX,KAAK,IAAI,IAAI,CAAb,EAAgB,CAAE,GAAE,G  
AAG,OAAvB,EAAgC,CAAC,EAajC,C;MACI,IAAI,OAAQ,GAAG,WAAW,CAAC,CAAD,C;MAC1B,IAAM,G  
AAG,IAAK,GAAE,EAAG,GAAE,IAAM,GAAE,C;;IAEjC,OAAO,I;G;EAGX,MAAM,iBAakB,GAAE,iB;EC9C1  
B,MAAM,KAAM,GAAE,qB;IAKZ,IAAI,KAAM,GAAE,GAAl,GAAE,C;IAMIB,IAAI,MAAO,GAAE,IAAK,GA  
AE,C;G;EAGtB,MAAM,KAAK,WAAy,GAAE,OACf,OADe,cAET,MAFS,cAGV,EAHU,C;EAkBzB,MAAM,KA  
AK,UAAW,GAAE,E;EAQxB,MAAM,KAAK,QAAS,GAAE,iB;IACpB,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,  
GAAE,GAA7B,C;MACE,IAAI,YAAy,MAAM,KAAK,UAAU,CAAC,KAAD,C;MACrC,IAAI,SAAJ,C;QACE,O  
AAO,S;;IAIX,IAAI,MAAM,IAAI,MAAM,KAAV,CAAgB,KAAM,GAAE,CAAxB,EA2B,KAAM,GAAE,CAA  
E,GAAE,EAaf,GAao,CAA5C,C;IACV,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,GAAE,GAA7B,C;MACE,MA  
AM,KAAK,UAAU,CAAC,KAAD,CAAQ,GAAE,G;;IAEjC,OAAO,G;G;EAYT,MAAM,KAAK,WAAy,GAAE,iB  
;IACvB,IAAI,KAAK,CAAC,KAAD,CAAT,C;MACE,OAAO,MAAM,KAAK,K;WACb,IAAI,KAAM,IAAG,CAA  
C,MAAM,KAAK,gBAazB,C;MACL,OAAO,MAAM,KAAK,U;WACb,IAAI,KAAM,GAAE,CAAz,C;MACL,OAAO,MA  
AM,KAAK,WAAW,CAAC,CAAC,KAAf,CAAQ,OAAO,E;;MAE5C,OAAO,IAAI,MAAM,KAAV,CACf,KAAM  
,GAAE,MAAM,KAAK,gBAakB,GAAE,CADrC,EAef,KAAM,GAAE,MAAM,KAAK,gBAakB,GAAE,CAFrC,  
C;;G;EAcX,MAAM,KAAK,SAAU,GAAE,6B;IACrB,OAAO,IAAI,MAAM,KAAV,CAAgB,OAAhB,EAyB,QA  
AzB,C;G;EAWT,MAAM,KAAK,WAAy,GAAE,0B;IACvB,IAAI,GAAG,OAAQ,IAAG,CAAIB,C;MACE,MAAM  
,KAAK,CAAC,mCAAD,C;;IAGb,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE,CAAE,IAAG,EAAG,  
GAAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAauB,GAAE,KAA1B,C;;IAGb,IAAI,GAAG,OAAO,CAAC,C  
AAD,CAAI,IAAG,GAArB,C;MACE,OAAO,MAAM,KAAK,WAAW,CAAC,GAAG,UAAU,CAAC,CAAD,CAAd  
,EAAmB,KAAmB,CAAyB,OAAO,E;WACxD,IAAI,GAAG,QAAQ,CAAC,GAAD,CAAM,IAAG,CAAxB,C;MAC  
L,MAAM,KAAK,CAAC,+CAAgD,GAAE,GAAnD,C;;IAKb,IAAI,eAAe,MAAM,KAAK,WAAW,CAAC,IAAI,IA  
AI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,SAAS,MAAM,KAAK,K;IACxB,KAAK,IAAI,IAAI,CAA  
b,EAAgB,CAAE,GAAE,GAAG,OAAvB,EAAgC,CAAE,IAAG,CAArC,C;MACE,IAAI,OAAO,IAAI,IAAI,CAAC  
,CAAD,EAAl,GAAG,OAAQ,GAAE,CAAjB,C;MACnB,IAAI,QAAQ,QAAQ,CAAC,GAAG,UAAU,CAAC,CAA  
D,EAAl,CAAE,GAAE,IAAR,CAAd,EA6B,KAA7B,C;MACpB,IAAI,IAAK,GAAE,CAAX,C;QACE,IAAI,QAA  
Q,MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,IAAR,CAAT,C;QACIC,MAAO,GAAE,MAA  
M,SAAS,CAAC,KAAD,CAAO,IAAI,CAAC,MAAM,KAAK,WAAW,CAAC,KAAD,CAAvB,C;;QAEnC,MAAO,  
GAAE,MAAM,SAAS,CAAC,YAAD,C;QACxB,MAAO,GAAE,MAAM,IAAI,CAAC,MAAM,KAAK,WAAW,CA  
AC,KAAD,CAAvB,C;;IAGvB,OAAO,M;G;EAcT,MAAM,KAAK,gBAaiB,GAAE,CAAE,IAAG,E;EAOnC,MA  
AM,KAAK,gBAaiB,GAAE,CAAE,IAAG,E;EAOnC,MAAM,KAAK,gBAaiB,GACxB,MAAM,KAAK,gBAaiB,  
GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gBAaiB,GACxB,MAAM,KAAK,gBAaiB,GAAE,C;EA0IC,  
MAAM,KAAK,gBAaiB,GACxB,MAAM,KAAK,gBAaiB,GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gB  
AAiB,GACxB,MAAM,KAAK,gBAaiB,GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gBAaiB,GACxB,MA  
AM,KAAK,gBAaiB,GAAE,C;EAIIC,MAAM,KAAK,KAAM,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EA  
IIC,MAAM,KAAK,IAAK,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAIrC,MAAM,KAAK,QAAS,GAAE,  
MAAM,KAAK,QAAQ,CAAC,EAAD,C;EAIzC,MAAM,KAAK,UAAW,GACIB,MAAM,KAAK,SAAS,CAAC,aA  
AW,GAAE,CAAd,EAaiB,UAAW,GAAE,CAA9B,C;EAIxB,MAAM,KAAK,UAAW,GAAE,MAAM,KAAK,SA  
AS,CAAC,CAAD,EAAl,aAAW,GAAE,CAAjB,C;EA05C,MAAM,KAAK,YAAa,GAAE,MAAM,KAAK,QAAQ,C  
AAC,CAAE,IAAG,EAAN,C;EAI7C,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAO,IAAI,K;G;EAKb,M

AAM,KAAK,UAAU,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,MAAM,KAAK,gBAaIB,GACzC,IAAI ,mBAaIB,E;G;EAIhC,MAAM,KAAK,UAAU,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,IAAI,K;G;E AQ1B,MAAM,KAAK,UAAU,SAAU,GAAE,qB;IAC/B,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE ,CAAE,IAAG,EAAG,GAAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAaIB,GAAE,KAAIB,C;;IAGb,IAAI,I AAI,OAAO,EAAf,C;MACE,OAAO,G;;IAGT,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,CAAC, MAAM,KAAK,UAAZ,CAAnB,C;QAGE,IAAI,YAA,Y,MAAM,KAAK,WAAW,CAAC,KAAD,C;QACtC,IAAI,M AAM,IAAI,IAAI,CAAC,SAAD,C;QACIB,IAAI,MAAM,GAAG,SAAS,CAAC,SAAD,CAAW,SAAS,CAAC,IAA D,C;QAC1C,OAAO,GAAG,SAAS,CAAC,KAAD,CAAQ,GAAE,GAAG,MAAM,EAAE,SAAS,CAAC,KAAD,C;; QAEjD,OAAO,GAAI,GAAE,IAAI,OAAO,EAAE,SAAS,CAAC,KAAD,C;;;IAMvC,IAAI,eAAe,MAAM,KAAK, WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,MAAM,I;IACV,IAAI,SAAS,E;IA Cb,OAAO,IAAP,C;MACE,IAAI,SAAS,GAAG,IAAI,CAAC,YAAD,C;MACpB,IAAI,SAAS,GAAG,SAAS,CAAC ,MAAM,SAAS,CAAC,YAAD,CAAhB,CAA+B,MAAM,E;MAC9D,IAAI,SAAS,MAAM,SAAS,CAAC,KAAD,C; MAE5B,GAAI,GAAE,M;MACN,IAAI,GAAG,OAAO,EAAf,C;QACE,OAAO,MAAO,GAAE,M;;QAEhB,OAAO, MAAM,OAAQ,GAAE,CAA+B,C;UACE,MAAO,GAAE,GAAI,GAAE,M;;QAEjB,MAAO,GAAE,EAAG,GAAE, MAAO,GAAE,M;;;G;EAO7B,MAAM,KAAK,UAAU,YAAa,GAAE,Y;IACIC,OAAO,IAAI,M;G;EAKb,MAAM,K AAK,UAAU,WAA,Y,GAAE,Y;IACjC,OAAO,IAAI,K;G;EAKb,MAAM,KAAK,UAAU,mBAaIB,GAAE,Y;IACz C,OAAQ,IAAI,KAAM,IAAG,CAAG,GACpB,IAAI,KADgB,GACR,MAAM,KAAK,gBAaIB,GAAE,IAAI,K;G;E AQpD,MAAM,KAAK,UAAU,cAAe,GAAE,Y;IACpC,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW, CAAC,MAAM,KAAK,UAAZ,CAAnB,C;QACE,OAAO,E;;QAEp,OAAO,IAAI,OAAO,EAAE,cAAc,E;;;MAGpC, IAAI,MAAM,IAAI,MAAO,IAAG,CAAE,GAAE,IAAI,MAAN,GAAe,IAAI,K;MAC7C,KAAK,IAAI,MAAM,EA Af,EAAmB,GAAI,GAAE,CAAzB,EAA4B,GAAG,EAA/B,C;QACE,IAAuB,CAAIB,GAAI,GAAG,CAAE,IAAG, GAAM,KAAG,CAAIB,C;UACE,K;;;MAGJ,OAAO,IAAI,MAAO,IAAG,CAAE,GAAE,GAAI,GAAE,EAAR,GA Aa,GAAI,GAAE,C;;G;EAM9C,MAAM,KAAK,UAAU,OAAQ,GAAE,Y;IAC7B,OAAO,IAAI,MAAO,IAAG,CAA E,IAAG,IAAI,KAAM,IAAG,C;G;EAKzC,MAAM,KAAK,UAAU,WAA,Y,GAAE,Y;IACjC,OAAO,IAAI,MAAO, GAAE,C;G;EAKtB,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAuB,CAAf,IAAI,KAAM,GAAE,CAAG, KAAG,C;G;EAQ5B,MAAM,KAAK,UAAU,WAA,Y,GAAE,iB;IACjC,OAAQ,IAAI,MAAO,IAAG,KAAK,MAAQ ,IAAI,IAAI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,cAAe,GAAE,iB;IACpC,OAAQ,IAAI,MA AO,IAAG,KAAK,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,SAAU,GAAE,i B;IAC/B,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,gBAaIB,GAAE, iB;IACtC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAQhC,MAAM,KAAK,UAAU,YAAa,GAAE,iB ;IACIC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,mBAaIB,GAAE,i B;IACzC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAUhC,MAAM,KAAK,UAAU,QAAS,GAAE,iB ;IAC9B,IAAI,IAAI,WAAW,CAAC,KAAD,CAAnB,C;MACE,OAAO,C;;IAGT,IAAI,UAAU,IAAI,WAAW,E;IAC 7B,IAAI,WAAW,KAAK,WAAW,E;IAC/B,IAAI,OAAQ,IAAG,CAAC,QAAhB,C;MACE,OAAO,E;;IAET,IAAI,C AAC,OAAQ,IAAG,QAAhB,C;MACE,OAAO,C;;IAIT,IAAI,IAAI,SAAS,CAAC,KAAD,CAAO,WAAW,EAAnC, C;MACE,OAAO,E;;MAEP,OAAO,C;;G;EAMX,MAAM,KAAK,UAAU,OAAQ,GAAE,Y;IAC7B,IAAI,IAAI,WA AW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,OAAO,MAAM,KAAK,U;;MAEIB,OAAO,IAAI,IAAI,EAA E,IAAI,CAAC,MAAM,KAAK,IAAZ,C;;G;EAUzB,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAG1B,IAAI,MAAM ,IAAI,MAAO,KAAI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAI,E;I ACxB,IAAI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAI,E;IAC1B,IAAI,MAAM,K AAK,MAAO,GAAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAI,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAA E,K;IAEvB,IAAI,MAAM,CAAV,EAAa,MAAM,CAAnB,EAASB,MAAM,CAA5B,EAA+B,MAAM,C;IACrC,GA AI,IAAG,GAAI,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GA AE,G;IACb,GAAL,IAAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,I AAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,K;IACP,OAAO ,MAAM,KAAK,SAAS,CAAE,GAAL,IAAG,EAAL,GAAE,GAaf,EAAqB,GAAL,IAAG,EAAL,GAAE,GAAL,C;G; EAS7B,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,EAAb,C;G;EA Sjb,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,IAAI,IAAI,OAAO,EAAf,C;MACE,OAAO,MAAM,KAAK,K

;WACb,IAAI,KA AK,OAAO,EAAhB,C;MACL,OAAO,MAAM,KA AK,K;;IAGpB,IAAI,IAAI,WAAW,CAAC,MA AM,KA AK,UA AZ,CAAnB,C;MACE,OAAO,KA AK,MAAM,EAAG,GAAE,MAAM,KA AK,UAA b,GAA0B,MA AM,KA AK,K;WACrD,IAAI,KA AK,WAAW,CAAC,MAAM,KA AK,UA AZ,CAApB,C;MA CL,OAAO,IAAI,MA AM,EAAG,GAAE,MAAM,KA AK,UAA b,GAA0B,MAAM,KA AK,K;;IAG3D,IAAI,IAAI,WAAW,EAAnB,C;MA CE,IAAI,KA AK,WAAW,EAAPB,C;QACE,OAAO,IAAI,OAAO,EA AE,SAAS,CAAC,KA AK,OAAO,EAAb,C;;Q AE7B,OAAO,IAAI,OAAO,EA AE,SAAS,CAAC,KA AD,CAA O,OAAO,E;;WAExC,IAAI,KA AK,WAAW,EAAPB ,C;MA CL,OAAO,IAAI,SAAS,CAAC,KA AK,OAAO,EAAb,CAAgB,OAAO,E;;IAI7C,IAAI,IAAI,SAAS,CAAC, MAAM,KA AK,YAAZ,CAA0B,IACvC,KA AK,SAAS,CAAC,MAAM,KA AK,YAAZ,CADIB,C;MAEE,OAAO,MA AM,KA AK,WAAW,CAAC,IAAI,SAAS,EAAG,GAAE,KA AK,SAAS,EA AJC,C;;IAM/B,IAAI,MAAM,IAAI,MAO,KA AI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KA AI,E;IACx B,IA AI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KA AK,MAAO,KA AI,E;IAC1B,IAAI,MAAM,KA AK, MAAO,GAAE,K;IACxB,IAAI,MAAM,KA AK,KAAM,KA AI,E;IACzB,IAAI,MAAM,KA AK,KAAM,GAAE,K;I AEvB,IAAI,MAAM,CAAV,EA Aa,MAAM,CAAnB,EAAsB,MAAM,CAA5B,EA A+B,MAAM,C;IACrC,GA AI,IA AG,GA AI,GAAE,G;IACb,GA AI,IAAG,GA AI,KA AI,E;IACf,GA AI,IAAG,K;IACP,GA AI,IAAG,GA AI,GAAE,G;I ACb,GA AI,IAAG,GA AI,KA AI,E;IACf,GA AI,IAAG,K;IACP,GA AI,IAAG,GA AI,GAAE,G;IACb,GA AI,IAAG,GA AI,KA AI,E;IACf,GA AI,IAAG,K;IACP,GA AI,IAAG,GA AI,GAAE,G;IACb,GA AI,IAAG,GA AI,KA AI,E;IACf,GA AI,IAAG,K;IACP,GA AI,IAAG,GA AI,GAAE,G;IACb,GA AI,IAAG,GA AI,KA AI,E;IACf,GA AI,IAAG,K;IACP,GA AI,IAAG,GA AI,GAAE,G;IACjD,GA AI,IAAG,K;IACP,OAAO,MAAM,KA AK,SAAS,CAAE,GA AI,IAAG,EA AI,GAAE,GAAf,EAQb,GA AI,IAAG,EA AI,GA AE,GA AI,C;G;EAS7B,MAAM,KA AK,UAAU,IAAK,GAAE,iB;IAC1B,IAAI,KA AK,OAAO,EAAhB,C;MACE ,MAAM,KA AK,CAAC,kBAAD,C;WACN,IAAI,IAAI,OAAO,EAaf,C;MA CL,OAAO,MAAM,KA AK,K;;IAGpB, IA AI,IAAI,WAAW,CAAC,MAAM,KA AK,UA AZ,CAAnB,C;MACE,IAAI,KA AK,WAAW,CAAC,MAAM,KA AK,IAAZ,CAAkB,IACIC,KA AK,WAAW,CAAC,MAAM,KA AK,QA AZ,CADpB,C;QAEE,OAAO,MAAM,KA AK, U;aACb,IAAI,KA AK,WAAW,CAAC,MAAM,KA AK,UA AZ,CAApB,C;QA CL,OAAO,MAAM,KA AK,I;;QAGIB, IA AI,WAAW,IAAI,WAAW,CAAC,CAAD,C;QAC9B,IAAI,SAAS,QA AQ,IAAI,CAAC,KAAD,CAA O,UAAU,C AAC,CAAD,C;QAC1C,IAAI,MAAM,WAAW,CAAC,MAAM,KA AK,KA AZ,CAArB,C;UACE,OAAO,KA AK,W AA W,EAAG,GAAE,MAAM,KA AK,IAAb,GAAoB,MAAM,KA AK,Q;;UAEzD,IAAI,MAAM,IAAI,SAAS,CAAC, KA AK,SAAS,CAAC,MAAD,CAAf,C;UACvB,IAAI,SAAS,MAAM,IAAI,CAAC,GAAG,IAAI,CAAC,KAAD,CA AR,C;UACvB,OAAO,M;;WAGN,IAAI,KA AK,WAAW,CAAC,MAAM,KA AK,UA AZ,CAApB,C;MA CL,OAAO ,MAAM,KA AK,K;;IAGpB,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,KA AK,WAAW,EAAPB,C;QACE,OAAO, IA AI,OAAO,EA AE,IAAI,CAAC,KA AK,OAAO,EAAb,C;;QAExB,OAAO,IAAI,OAAO,EA AE,IAAI,CAAC,KA AD,CAA O,OAAO,E;;WAEnC,IAAI,KA AK,WAAW,EAAPB,C;MA CL,OAAO,IAAI,IAAI,CAAC,KA AK,OAAO,E AAb,CAAgB,OAAO,E;;IAQxC,IAAI,MAAM,MAAM,KA AK,K;IACrB,IAAI,MAAM,I;IACV,OAAO,GAAG,mB AAmB,CAAC,KAAD,CAA7B,C;MAGE,IAAI,SAAS,IAAI,IAAI,CAAC,CAAD,EA AI,IAAI,MAAM,CAAC,GA AG,SAAS,EAAG,GAAE,KA AK,SAAS,EA AhC,CAAd,C;MAIrB,IAAI,OAAO,IAAI,KA AK,CAAC,IAAI,IAAI,CA AC,MAAD,CAAS,GAAE,IAAI,IAAxB,C;MACpB,IAAI,QAAS,IAAK,IAAG,EA AI,GAAE,CAAF,GAAM,IAAI,IAAI,CAAC,CAAD,EA AI,IAAK,GAAE,EAAX,C;MAIvC,IAAI,YAAY,MAAM,KA AK,WAAW,CAAC,MAAD,C ;MACtC,IAAI,YAAY,SAAS,SAAS,CAAC,KAAD,C;MACIC,OAAO,SAAS,WAAW,EAAG,IAAG,SAAS,YAAY, CAAC,GAAD,CAAtD,C;QACE,MAAO,IAAG,K;QACV,SAAU,GAAE,MAAM,KA AK,WAAW,CAAC,MAAD,C ;QACIC,SAAU,GAAE,SAAS,SAAS,CAAC,KAAD,C;;MAKhC,IAAI,SAAS,OAAO,EAAPB,C;QACE,SAAU,GA AE,MAAM,KA AK,I;;MAGzB,GA AI,GAAE,GAAG,IAAI,CAAC,SAAD,C;MACb,GA AI,GAAE,GAAG,SAAS,C AAC,SAAD,C;;IAEpB,OAAO,G;G;EAST,MAAM,KA AK,UAAU,OAAQ,GAAE,iB;IAC7B,OAAO,IAAI,SAAS,C AAC,IAAI,IAAI,CAAC,KAAD,CAA O,SAAS,CAAC,KAAD,CAAzB,C;G;EAKtB,MAAM,KA AK,UAAU,IAAK, GAAE,Y;IAC1B,OAAO,MAAM,KA AK,SAAS,CAAC,CAAC,IAAI,KAAN,EA Aa,CAAC,IAAI,MAAIB,C;G;EAS 7B,MAAM,KA AK,UAAU,IAAK,GAAE,iB;IAC1B,OAAO,MAAM,KA AK,SAAS,CAAC,IAAI,KAAM,GAAE,K AAK,KAAIB,EACI,IAAI,MAAO,GAAE,KA AK,MADtB,C;G;EAU7B,MAAM,KA AK,UAAU,GA AI,GAAE,iB;I ACzB,OAAO,MAAM,KA AK,SAAS,CAAC,IAAI,KAAM,GAAE,KA AK,KAAIB,EACI,IAAI,MAAO,GAAE,KA



AK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,UAAW,GAAE,mB;IACbC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;MAEP,IAAI,MAAM,IAAI,K;MACd,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,OAAO,IAAI,M;QACf,OAAO,MAAM,KAAK,SAAS,CACvB,GAAl,IAAG,OADgB,EAEtB,IAAK,IAAG,OAAS,GAAG,GAAl,KAAK,EAAG,GAAE,OAFZ,C;;QAI3B,OAAO,MAAM,KAAK,SAAS,CAAC,CAAD,EAAl,GAAl,IAAI,OAAQ,GAAE,EAAtB,C;;;G;EAWjC,MAAM,KAAK,UAAU,WAAY,GAAE,mB;IACjC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;MAEP,IAAI,OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KAAK,SAAS,CACtB,GAAl,KAAI,OAAS,GAAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,IAAG,OAFc,C;;QAI3B,OAAO,MAAM,KAAK,SAAS,CACvB,IAAK,IAAI,OAAQ,GAAE,EADI,EAEvB,IAAK,IAAG,CAAE,GAAE,CAAF,GAAM,EAFO,C;;;G;EAejC,MAAM,KAAK,UAAU,mBAAoB,GAAE,mB;IACzC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;MAEP,IAAI,OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KAAK,SAAS,CACtB,GAAl,KAAI,OAAS,GAAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,IAAG,OAFc,C;aAGtB,IAAI,OAAQ,IAAG,EAaf,C;QACL,OAAO,MAAM,KAAK,SAAS,CAAC,IAAD,EAAO,CAAP,C;;QAE3B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAK,KAAK,OAAQ,GAAE,EAArB,EAAoB,CAAIB,C;;;G;EAMjC,MAAM,KAAK,UAAU,OAAQ,GAAE,iB;IAC3B,OAAO,KAAM,YAAW,MAAM,KAAM,IAAG,IAAI,WAAY,CAAC,KAAD,C;G;EAG1D,MAAM,KAAK,UAAU,gBAAiB,GAAE,MAAM,KAAK,UAAU,Q;EAE7D,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IACxB,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,IAAZ,C;G;EAGnB,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IACxB,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,QAAZ,C;G;EAGnB,MAAM,KAAK,UAAU,QAAS,GAAE,Y;IAC5B,OAAO,IAAI,SAAS,E;G;EAGxB,MAAM,KAAK,UAAU,UAAW,GAAE,Y;IAC9B,OAAO,I;G;EAGX,MAAM,KAAK,UAAU,WAAY,GAAE,MAAM,KAAK,UAAU,O;EACxD,MAAM,KAAK,UAAU,IAAK,GAAE,MAAM,KAAK,UAAU,I;EAEjD,MAAM,KAAK,UAAU,QAAS,GAAE,iB;IAC5B,OAAO,IAAI,MAAM,OAAO,OAAO,UAAxB,CAAmC,IAAnC,EAAYC,KAAzC,C;G;EC1zBX,MAAM,aAAc,GAAE,2B;G;EAGtB,MAAM,qBAAsB,GAAE,oB;IAC1B,OAAO,G;G;EAGX,MAAM,aAAc,GAAE,e;IACIB,IAAI,IAAI,Y;MACJ,CAAE,GAAE,GAAG,E;MACP,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP,C;K;IAEIB,OAAO,Y;MACH,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP,C;K;G;EAItB,MAAM,SAAU,GAAE,gB;IACd,OAAO,kB;MACH,OAAO,OAAO,MAAO,KAAI,I;K;G;EAIjC,MAAM,aAAc,GAAE,iB;IACIB,OAAO,kB;MACH,OAAO,MAAM,OAAO,CAAC,MAAD,EAAS,KAAT,C;K;G;EAI5B,MAAM,OAAQ,GAAE,c;IACZ,OAAO,kB;MACH,OAAO,MAAO,IAAG,IAAK,IAAG,EAAE,CAAC,MAAD,C;K;G;EAIInC,MAAM,aAAc,GAAE,gB;IACIB,OAAO,kB;MACH,OAAO,CAAC,CAAC,MAAD,CAAS,IAAG,CAAC,CAAC,MAAD,C;K;G;EAI7B,MAAM,qBAAsB,GAAE,wC;G;EAG9B,MAAM,YAAa,GAAE,iB;IACjB,OAAO,K;G;EAGX,MAAM,gBAAiB,GAAE,qB;IACrB,gBAAgB,E;G;EAGpB,MAAM,oBAAqB,GAAE,qB;IACzB,gBAAgB,E;G;EAGpB,MAAM,kBAAmB,GAAE,qB;IACvB,gBAAgB,E;G;EAGpB,MAAM,mBAAoB,GAAE,4B;IACxB,gBAAgB,E;G;EAGpB,MAAM,6BAA8B,GAAE,yB;IAClC,gBAAgB,E;G;EAGpB,4B;IACI,MAAM,IAAI,KAAJ,CACf,iDAAdD,GACID,qDAAsD,GACtD,uDAHE,C;G;EAMV,MAAM,gBAAiB,GAAE,4B;IACrB,OAAO,Y;MACH,OAAO,Y;K;G;ECjFf,MAAM,UAAW,GAAE,gB;IACf,IAAI,QAAQ,OAAO,C;IACnB,IAAI,KAAM,KAAI,QAAd,C;MACI,IAAI,OAAO,CAAE,KAAI,QAAjB,C;QACI,OAAO,MAAM,gBAAgB,CAAC,CAAD,EAAl,CAAJ,C;;MAEjC,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAl,CAAJ,C;;IAEpC,IAAI,KAAM,KAAI,QAAS,IAAG,KAAAM,KAAI,SAAP,C;MACI,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAl,CAAJ,C;;IAEpC,OAAO,CAAC,gBAAgB,CAAC,CAAD,C;G;EAG5B,MAAM,mBAAoB,GAAE,gB;IACxB,OAAO,CAAE,GAAE,CAAE,GAAE,EA AF,GA AO,CAAE,GAAE,CAAE,GAAE,CAAF,GAAM,C;G;EAGpC,MAAM,gBAAiB,GAAE,gB;IACrB,IAAI,CAAE,GAAE,CAAR,C;MAAW,OAAO,E;IACIB,IAAI,CAAE,GAAE,CAAR,C;MAAW,OAAO,C;IAEIB,IAAI,CAAE,KAAI,CAAV,C;MACI,IAAI,CAAE,KAAI,CAAV,C;QAAa,OAAO,C;MAEpB,IAAI,KAAK,CAAE,GAAE,C;MACb,OAAO,EAAG,KAAI,CAAE,GAAE,CAAE,GAAE,CAAF,GA AO,EAAG,GAAE,CAAE,GAAE,EA AF,GA AO,C;;IAG7C,OAAO,CAAE,KAAI,CAAE,GAAG,CAAE,KAAI,CAAE,GAAE,CAAF,GAAM,CAAJB,GAAsB,E;G;EAGzC,MAAM,QAAS,GAAE,iB;IACb,OAAO,MAAM,OAAO,CAAC,KAAK,GAAC,CAAP,C;G;EAGxB,MAAM,QAAS,GAAE,iB;IACb,OAAO,MAAM,OAAO,CAAC,KAAK,GAAC,CAAP,C;G;EAGxB,MAAM,KAAM,GAAE,IAAI,KAAM,IAAG,I;EAE3B,MAAM,aAAc,GAAE,I;EAEtB,oB;IACI,OAAyB,CAAhB,CAAE,GAAE,YAA

Y,KAAG,CAAE,GAAE,KAAP,CAAe,GAAe,CAAZ,CAAE,GAAE,KAAQ,KAAG,CAAE,GAAE,CAAP,CAAW,  
GAAE,C;G;EA6DtE,CA1DD,Y;IACG,IAAI,MAAM,IAAI,WAAJ,CAAgB,CAAhB,C;IACV,IAAI,aAAa,IAAI,YA  
AJ,CAAiB,GAAjB,C;IACjB,IAAI,aAAa,IAAI,YAAJ,CAAiB,GAAjB,C;IACjB,IAAI,WAAW,IAAI,UAAJ,CAAE,  
GAAf,C;IACf,IAAI,WAAW,C;IACf,IAAI,YAAJ,C;IAEHb,UAAU,CAAC,CAAD,CAAI,GAAE,E;IACHb,IAAI,Q  
AAQ,CAAC,QAAD,CAAW,KAAl,CAA3B,C;MACl,QAAS,GAAE,C;MACX,SAAU,GAAE,C;;IAGhB,MAAM,a  
AAc,GAAE,iB;MACiB,OAAO,MAAM,gBAAgB,CAAC,KAAK,CAAC,KAAD,CAAQ,GAAE,GAAF,GAAQ,KA  
AtB,C;K;IAGjC,MAAM,gBAAiB,GAAE,iB;MACrB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,MA  
AM,KAAK,SAAS,CAAC,QAAQ,CAAC,QAAD,CAAT,EAAqB,QAAQ,CAAC,SAAD,CAA7B,C;K;IAG/B,MAA  
M,eAAgB,GAAE,iB;MACpB,QAAQ,CAAC,QAAD,CAAW,GAAE,KAAK,K;MAC1B,QAAQ,CAAC,SAAD,CA  
AY,GAAE,KAAK,M;MAC3B,OAAO,UAAU,CAAC,CAAD,C;K;IAGrB,MAAM,YAAa,GAAE,iB;MACjB,OAA  
O,MAAM,eAAe,CAAC,KAAK,CAAC,KAAD,CAAQ,GAAE,GAAF,GAAQ,KAAtB,C;K;IAGhC,MAAM,eAAgB  
,GAAE,iB;MACpB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,QAAQ,CAAC,CAAD,C;K;IAGnB,M  
AAM,cAAe,GAAE,iB;MACnB,QAAQ,CAAC,CAAD,CAAI,GAAE,K;MACd,OAAO,UAAU,CAAC,CAAD,C;K;I  
AlrB,MAAM,cAAe,GAAE,iB;MACnB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,QAAQ,CAAC,SA  
AD,CAAY,GAAE,a;K;IAGjC,MAAM,eAAgB,GAAE,e;MACpB,IAAc,CAAT,GAAl,GAAE,CAAG,MAAl,GAAl  
B,C;QACl,OAAO,GAAl,GAAE,C;;QAGb,UAAU,CAAC,CAAD,CAAI,GAAE,G;QACHb,OAAc,CAA9B,QAA  
Q,CAAC,SAAD,CAAY,GAAE,EAAG,GAAE,CAAG,IAAE,QAAQ,CAAC,QAAD,CAAW,GAAE,C;;K;GAGvE,  
G;EAeF,MAAM,cAAe,GAAE,a;IACnB,OAAO,CAAE,IAAG,IAAK,GAAE,CAAF,GAAM,MAAM,SAAS,E;G;E  
C7G1C,IAAI,OAAO,MAAM,UAAU,WAAJ,KAAl,WAA3C,C;IACl,MAAM,eAAe,CAAC,MAAM,UAAp,EAA  
mB,YAAAnB,EAAiC,QAC3C,kC;MACH,QAAS,GAAE,QAAS,IAAG,C;MACvB,OAAO,IAAI,YAAJ,CAAC,YA  
AD,EAAe,QAAf,CAAyB,KAAl,Q;KAHN,CAAjC,C;;EAOzB,IAAI,OAAO,MAAM,UAAU,SAAU,KAAl,WAAz  
C,C;IACl,MAAM,eAAe,CAAC,MAAM,UAAp,EAAmB,UAAAnB,EAA+B,QACzC,kC;MACH,IAAI,gBAAgB,IA  
Al,SAAS,E;MACjC,IAAI,QAAS,KAAl,SAAU,IAAG,QAAS,GAAE,aAAa,OAAtD,C;QACl,QAAS,GAAE,aAAa,  
O;;MAE5B,QAAS,IAAG,YAAJ,O;MACxB,IAAI,YAAJ,aAAa,QAAQ,CAAC,YAAD,EAAe,QAAf,C;MACrC,O  
AAO,SAAU,KAAl,EAAG,IAAG,SAAU,KAAl,Q;KARG,CAA/B,C;;EAazB,IAAI,OAAO,IAAI,KAAM,KAAl,W  
AAzB,C;IACl,IAAI,KAAM,GAAE,a;MACR,CAAE,GAAE,CAAC,C;MACL,IAAI,CAAE,KAAl,CAAE,IAAG,K  
AAK,CAAC,CAAD,CAApB,C;QACl,OAAO,MAAM,CAAC,CAAD,C;;MAEjB,OAAO,CAAE,GAAE,CAAE,GA  
AE,CAAF,GAAM,E;K;;EAG3B,IAAI,OAAO,IAAI,MAAO,KAAl,WAA1B,C;IACl,IAAI,MAAO,GAAE,a;MACT  
,IAAI,KAAK,CAAC,CAAD,CAAT,C;QACl,OAAO,G;;MAEX,IAAI,CAAE,GAAE,CAAR,C;QACl,OAAO,IAAI,  
MAAM,CAAC,CAAD,C;;MAErB,OAAO,IAAI,KAAK,CAAC,CAAD,C;K;;EAUKtB,CAnKD,Y;IACG,IAAI,UA  
AU,qB;IACd,IAAI,iBAAiB,IAAI,KAAK,CAAC,OAAD,C;IAC9B,IAAI,iBAAiB,IAAI,KAAK,CAAC,cAAD,C;IA  
C9B,IAAI,uBAAuB,CAAC,GAAC,c;IAC7B,IAAI,uBAAuB,CAAC,GAAC,c;IAE7B,IAAI,OAAO,IAAI,KAAM,K  
AAI,WAAzB,C;MACl,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UA  
Cl,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACl,MAAO,IAAI,CAAE,GAA  
E,CAAE,GAAE,CAAG,GAAE,C;;UAE5B,OAAO,M;;UAEP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,C;UACHb,IA  
Al,KAAl,CAAE,GAAE,C;UACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAb,C;YAAkB,OAAO,IAAI,IAAI,CAA  
C,CAAE,GAAE,IAAI,IAAT,C;UACjC,IAAI,CAAC,QAAQ,CAAC,EAAD,CAAb,C;YAAmB,OAAO,CAAC,IAAI  
,IAAI,CAAC,CAAC,CAAE,GAAE,IAAI,IAAV,C;UACnB,OAAGB,CAAR,CAAE,GAAE,EAAl,IAAE,C;;O;;IAI9  
B,IAAI,OAAO,IAAI,KAAM,KAAl,WAAzB,C;MACl,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,CAA  
C,CAAD,C;QACHb,IAAI,KAAl,CAAE,GAAE,C;QACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC  
,QAAQ,CAAC,EAAD,CAA7B,C;UAAmC,OAAO,IAAI,IAAI,CAAC,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IA  
Al,IAAnB,C;QACID,OAAGB,CAAR,CAAE,GAAE,EAAl,IAAE,C;O;;IAI1B,IAAI,OAAO,IAAI,KAAM,KAAl,W  
AAzB,C;MACl,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACl,IAAI  
,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACl,MAAO,IAAI,CAAE,GAAE,CAA  
E,GAAE,CAAG,GAAE,C;;UAE5B,OAAO,M;;UAGP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAC,CAAF,CAAhB,EAAs  
B,IAAI,IAAI,IAAI,CAAC,CAAC,CAAF,C;UACIC,OAAO,CAAE,KAAl,QAAS,GAAE,CAAF,GAAM,CAAE,KA  
Al,QAAS,GAAE,EAf,GAAe,CAAP,CAAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAP,C;;O;;IAQtE,IAAI,OA  
AO,IAAI,MAAO,KAAl,WAA1B,C;MACl,IAAI,QAAQ,a;QACR,IAAI,CAAE,IAAG,CAAC,cAAV,C;UAEI,IAAI

,CAAE,GAAE,oBAAR,C;YAEI,IAAI,CAAE,GAAE,oBAAR,C;cAGI,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GA  
AE,IAAI,I;;cAKzB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAE,GAAG,CAAE,IAAG,CAAE,GAAE,CAAP,C  
AAZ,C;;;YAKnB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KAAK,CAAC,CAAE,GAAE,CAAE,GAAE,CA  
AT,CAAd,C;;eAGIB,IAAI,CAAE,IAAG,CAAC,cAAV,C;UAED,OAAO,CAAC,KAAK,CAAC,CAAC,CAAF,C;;  
UAKb,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,IAAG,cAAAnB,C;YAEI,IAAI,KAAK,CAAE,G  
AAE,CAAE,GAAE,C;YAEjB,MAAO,IAAG,EAAG,GAAE,C;;UAEEnB,OAAO,M;;O;MAGf,IAAI,MAAO,GAAE,  
K;;IAEjB,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,CAAE,GAAE,  
CAAR,C;UAEI,OAAO,G;eAEN,IAAI,CAAE,GAAE,CAAE,IAAG,cAAAb,C;UAED,IAAI,CAAE,GAAE,oBAAR,C  
;YAGI,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,I;;YAlzB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,I  
AAI,KAAK,CAAC,CAAE,GAAE,CAAE,GAAE,CAAT,CAAd,C;;;UAKnB,IAAI,IAAI,IAAI,KAAK,CAAC,CAA  
E,GAAE,CAAL,C;UAEjB,IAAI,SAAS,C;UACb,IAAI,CAAE,IAAG,cAAAT,C;YAEI,IAAI,KAAK,CAAE,GAAE,C  
AAE,GAAE,C;YAEjB,MAAO,IAAG,EAAG,GAAE,E;;UAGnB,OAAO,IAAI,KAAK,CAAC,CAAD,CAAI,GAAE  
,M;;O;;IAIIC,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,  
CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,  
cAAIB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,GAAE,C;;UAE5B,OAAO,M;;QAEX,OAAO,I  
AAI,IAAI,CAAS,CAAP,CAAE,GAAE,CAAG,KAAK,CAAE,GAAE,CAAP,CAAT,CAAoB,GAAE,C;O;;IAG7C,I  
AAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,  
CAAI,GAAE,cAAIB,C;UACI,IAAI,KAAK,CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,K  
AAK,EAAG,GAAE,C;UAEEd,OAAQ,CAAC,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,G  
AAE,CAAE,GAAE,C;;QAExC,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAL,C;O;;IAGvB,IAAI,OAAO,IAAI,  
MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cA  
AIB,C;UACI,IAAI,KAAK,CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,GA  
AE,C;UAEEd,OAAQ,EAAG,GAAE,EAAG,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,C;;Q  
AExC,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,C;O;;GAG/B,G;EACF,IAAI,OAAO,IAAI,MAAO,KAAI,W  
AA1B,C;IACI,IAAI,MAAO,GAAE,Y;MACT,IAAI,IAAI,C;MACR,IAAI,SAAS,SAAS,O;MAEtB,KAAK,IAAI,IA  
AI,CAAb,EAAGB,CAAE,GAAE,MAApB,EAA4B,CAAC,EAA7B,C;QACI,IAAI,SAAS,CAAC,CAAD,CAAI,KA  
AI,QAAS,IAAG,SAAS,CAAC,CAAD,CAAI,KAAL,CAAC,QAAnD,C;UACI,OAAO,Q;;QAEX,CAAE,IAAG,SA  
AS,CAAC,CAAD,CAAI,GAAE,SAAS,CAAC,CAAD,C;;MAEjC,OAAO,IAAI,KAAK,CAAC,CAAD,C;K;;EAGx  
B,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,OAAO,IAAI,IAAI,CAAC,CA  
AD,CAAI,GAAE,IAAI,O;K;;EAGjC,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;IACI,IAAI,KAAM,GAAE,a;M  
ACR,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,M;K;;EAGjC,IAAI,OAAO,IAAI,MAAO,KAAI,WAA  
1B,C;IACI,IAAI,MAAO,GAAG,oB;MACV,OAAO,a;QACH,IAAI,SAAS,CAAE,KAAI,C;QACnB,IAAI,MAAO,  
KAAI,CAAf,C;UACI,OAAO,E;;QAEX,OAAO,EAAG,IAAG,GAAG,CAAC,MAAD,CAAS,GAAE,GAAL,GAAE,  
CAAvB,CAA0B,GAAE,C;O;KAE5C,CAAC,IAAI,IAAL,EAAW,IAAI,IAAf,C;;EAIN,IAAI,OAAO,WAAW,OAA  
Q,KAAI,WAAIC,C;IACI,WAAW,OAAQ,GAAE,a;MACjB,OAAO,CAAE,IAAG,IAAK,IAAG,CAAC,UAAW,IA  
AG,IAAK,IAAG,CAAC,UAAU,UAAW,KAAI,SAAS,UAAU,U;K;;EAIhG,IAAI,OAAO,KAAK,UAAU,KAAM,K  
AAI,WAApC,C;IAEI,MAAM,eAAe,CAAC,KAAK,UAAU,EAAb,MAAIB,EAA0B,QACpC,iB;MAGH,IAAI,IA  
AK,IAAG,IAAZ,C;QACI,MAAM,IAAI,SAAJ,CAAc.6BAAd,C;;MAGV,IAAI,IAAI,MAAM,CAAC,IAAD,C;MA  
Gd,IAAI,MAAM,CAAC,OAAQ,KAAI,C;MAGvB,IAAI,QAAQ,SAAS,CAAC,CAAD,C;MACrB,IAAI,gBAAGB,  
KAAM,IAAG,C;MAG7B,IAAI,IAAI,aAAc,GAAE,CAAE,GACIB,IAAI,IAAI,CAAC,GAAL,GAAE,aAAP,EAASB  
,CAAtB,CADU,GAEIB,IAAI,IAAI,CAAC,aAAD,EAAGB,GAAbB,C;MAGhB,IAAI,MAAM,SAAS,CAAC,CAAD  
,C;MACnB,IAAI,cAAc,GAAL,KAAI,SAAU,GACIB,GADkB,GACZ,GAAL,IAAG,C;MAG/B,IAAI,aAAa,WAAZ,  
GAAE,CAAE,GACHB,IAAI,IAAI,CAAC,GAAL,GAAE,WAAP,EAAoB,CAApB,CADQ,GAEBB,IAAI,IAAI,CAA  
C,WAAD,EAAC,GAAd,C;MAGzB,OAAO,CAAE,GAAE,UAAZ,C;QACI,CAAC,CAAC,CAAD,CAAI,GAAE,K;  
QACP,CAAC,E;;MAIL,OAAO,C;KAvCgC,CAA1B,C;;EA4HvB,CAhFD,Y;IACG,yC;MACI,IAAI,MAAO,GAAE  
,CAAb,C;QAAgB,OAAO,IAAI,IAAI,CAAC,CAAD,EAAL,MAAO,GAAE,MAAb,C;MAC/B,OAAO,IAAI,IAAI,C  
AAC,MAAD,EAAS,MAAT,C;K;IAEnB,qC;MACI,IAAI,OAAO,GAAL,KAAI,WAAAnB,C;QACI,GAAL,GAAE,IA  
AI,O;;MAEd,KAAM,GAAE,eAAe,CAAC,KAAM,IAAG,CAAV,EAAa,IAAI,OAAjB,C;MACvB,GAAL,GAAE,IA

AI,IAAI,CAAC,KAAD,EAAQ,eAAe,CAAC,GAAD,EAAM,IAAI,OAAV,CAAvB,C;MACd,OAAO,IAAI,IAAI,Y  
AAR,CAAqB,IAAI,SAAS,CAAC,KAAD,EAAQ,GAAR,CAAIC,C;K;IAGX,IAAI,SAAS,CAAC,SAAD,EAAY,U  
AAZ,EAAwB,WAAxB,EAAqC,UAArC,EAAiD,YAAjD,EAA+D,YAA/D,C;IACb,KAAK,IAAI,IAAI,CAAAb,EAA  
gB,CAAE,GAAE,MAAM,OAA1B,EAAMC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACv  
B,IAAI,OAAO,UAAU,UAAU,KAAM,KAAl,WAAzC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAAx,EAAuB,MA  
AvB,EAA+B,QACzC,KAAK,UAAU,KAD0B,CAA/B,C;;MAIzB,IAAI,OAAO,UAAU,UAAU,MAAO,KAAl,WA  
A1C,C;QACI,MAAM,eAAe,CAAC,UAAU,UAAx,EAAuB,OAAvB,EAAgC,QAC1C,eAD0C,CAAhC,C;;;MAQJ,  
CAApB,Y;OAAc,MAAM,CAAC,IAAD,EAAO,IAAI,UAAJ,CAAe,CAAf,CAAP,E;;MAErB,IAAI,QAAQ,QAAQ,  
UAAU,M;MAC9B,MAAM,eAAe,CAAC,QAAQ,UAAU,EAAqB,OAArB,EAA8B,QACxC,uB;QACH,OAAO,KA  
AK,KAAK,CAAC,IAAD,EAAO,IAAP,EAAa,EAAE,MAAM,KAAK,CAAC,KAAD,CAA1B,C;OAF0B,CAA9B,C  
;;IASzB,KAAK,IAAI,IAAI,CAAAb,EAAgB,CAAE,GAAE,MAAM,OAA1B,EAAMC,EAAE,CAArC,C;MACI,IAAI  
,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,IAAK,KAAl,WAAxC,C;QACI,MAAM,eA  
Ae,CAAC,UAAU,UAAx,EAAuB,KAAvB,EAA8B,QACxC,0B;UACH,OAAO,EAAE,MAAM,KAAK,CAAC,IAA  
D,CAAM,IAAI,CAAC,QAAD,EAAW,IAAX,C;SAFa,CAA9B,C;;;IAU7B,IAAI,uBAAuB,gB;MACvB,IAAI,CAA  
E,GAAE,CAAR,C;QAAW,OAAO,E;MACIB,IAAI,CAAE,GAAE,CAAR,C;QAAW,OAAO,C;MAEIB,IAAI,CAA  
E,KAAl,CAAV,C;QACI,IAAI,CAAE,KAAl,CAAV,C;UAAa,OAAO,C;QAEpB,IAAI,KAAK,CAAE,GAAE,C;QA  
Cb,OAAO,EAAG,KAAl,CAAE,GAAE,CAAE,GAAE,CAAF,GAAG,EAAG,GAAE,CAAE,GAAE,EAAP,GAAG,  
C;;MAG7C,OAAO,CAAE,KAAl,CAAE,GAAG,CAAE,KAAl,CAAE,GAAE,CAAF,GAAM,CAAjB,GAAsB,E;K;  
IAGzC,KAAK,IAAI,IAAI,CAAAb,EAAgB,CAAE,GAAE,MAAM,OAA1B,EAAMC,EAAE,CAArC,C;MACI,IAAI,  
aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,KAAM,KAAl,WAAzC,C;QACI,MAAM,eA  
Ae,CAAC,UAAU,UAAx,EAAuB,MAAvB,EAA+B,QACzC,2B;UACH,OAAO,KAAK,UAAU,KAAK,KAAK,CA  
AC,IAAD,EAAO,eAAgB,IAAG,oBAA1B,C;SAFY,CAA/B,C;;;GAO/B,G;ECxXF,MAAM,KAAM,GAAE,QACH,  
OADG,aAEC,WAFD,UAGF,QAHE,C;EAMd,MAAM,WAAY,GAAE,2C;IACHb,IAAI,qBAAqB,MAAM,yBAAy  
B,CAAC,KAAD,EAAQ,YAAR,C;IACxD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;  
MACI,OAAO,kBAAkB,IAAI,KAAK,CAAC,UAAD,C;;IAGtC,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD  
,EAAa,YAAb,C;IACpD,IAAI,kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,OAAO,UAAU,CA  
AC,YAAD,C;;IAGrB,OAAO,MAAM,WAAY,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAIC,EAA2  
C,YAA3C,C;G;EAG5B,MAAM,WAAY,GAAE,kD;IACHb,IAAI,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAA  
Q,YAAR,C;IACxD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,kBAAkB,IAAI,K  
AAK,CAAC,UAAD,EAAa,KAAb,C;MAC3B,M;;IAGJ,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,  
YAAb,C;IACpD,IAAI,kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,UAAU,CAAC,YAAD,CA  
Ae,GAAE,K;MAC3B,M;;IAGJ,MAAM,WAAY,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAIC,EAA  
2C,YAA3C,EAAyD,KAazD,C;G;EAGrB,iD;IACI,IAAI,IAAK,KAAl,KAAb,C;MAAoB,OAAO,I;IAE3B,IAAI,W  
AAW,IAAI,W;IACnB,IAAI,QAAS,IAAG,IAAhB,C;MACI,IAAI,aAAa,QAAQ,W;MACzB,KAAK,IAAI,IAAI,CA  
Ab,EAAgB,CAAE,GAAE,UAAU,OAA9B,EAAuB,CAAC,EAAxC,C;QACI,IAAI,0BAA0B,CAAC,UAAU,CAAC  
,CAAD,CAAX,EAAgB,KAAhB,CAA9B,C;UACI,OAAO,I;;;IAKnB,IAAI,iBAAiB,IAAI,UAAW,IAAG,IAAK,G  
AAE,MAAM,eAAe,CAAC,IAAI,UAAU,CAAvB,GAA0C,I;IACtF,IAAI,mBAAmB,cAAe,IAAG,IAAK,GAAE,cA  
Ac,YAAhB,GAA+B,I;IAC7E,OAAO,gBAAiB,IAAG,IAAK,IAAG,0BAA0B,CAAC,gBAAD,EAAMB,KAAhB,C;  
G;EASjE,MAAM,OAAQ,GAAE,yB;IACZ,IAAI,KAAM,KAAl,MAAd,C;MACI,QAAQ,OAAO,MAAf,C;aACS,Q;  
aACA,Q;aACA,S;aACA,U;UACD,OAAO,I;;UAEP,OAAO,MAAO,YAAW,M;;IAIrC,IAAI,MAAO,IAAG,IAAK,  
IAAG,KAAM,IAAG,IAAK,KAAl,OAAO,MAAO,KAAl,QAAS,IAAG,OAAO,MAAO,KAAl,UAApD,CAApC,C;  
MACI,OAAO,K;;IAGX,IAAI,OAAO,KAAM,KAAl,UAAW,IAAG,MAAO,YAAW,KAArD,C;MACI,OAAO,I;;IA  
GX,IAAI,QAAQ,MAAM,eAAe,CAAC,KAAD,C;IACjC,IAAI,cAAc,KAAM,IAAG,IAAK,GAAE,KAAK,YAAP,  
GAAsB,I;IACtD,IAAI,WAAY,IAAG,IAAK,IAAG,YAAa,IAAG,WAA3C,C;MACI,IAAI,WAAY,WAAY,W;MA  
C1B,IAAI,QAAQ,KAAM,KAAl,MAAM,KAAK,OAAjC,C;QACI,OAAO,MAAO,KAAl,K;;IAI1B,IAAI,gBAAg  
B,KAAK,W;IAGzB,IAAI,aAAc,IAAG,IAArB,C;MACI,OAAO,MAAO,YAAW,K;;IAG7B,IAAI,aAAa,KAAM,K  
AAI,MAAM,KAAK,UAAW,IAAG,MAAM,YAAa,IAAG,IAA1E,C;MACI,OAAO,0BAA0B,CAAC,MAAM,YAA  
P,EAAqB,KAAR,C;;IAGrC,OAAO,K;G;EAGX,MAAM,SAAU,GAAE,a;IACd,OAAO,OAAO,CAAE,IAAG,QA

AS,IAAG,CAAE,YAAW,MAAM,K;G;EAGtD,MAAM,OAAQ,GAAE,iB;IACZ,OAAO,KAAM,YAAW,MAAM,U;G;EAGIC,MAAM,aAAc,GAAE,iB;IACIB,IAAI,OAAO,OAAO,K;IAEIB,OAAO,IAAK,KAAl,QAAS,IACIB,IAAK,KAAl,SAAU,IACnB,MAAM,SAAS,CAAC,KAAD,CAAQ,IACvB,MAAM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,WAArB,C;G;EAGxB,MAAM,eAAgB,GAAE,iB;IACpB,OAAO,OAAO,KAAM,KAAl,QAAS,IAAG,MAAM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,aAArB,C;G;,,,,,;aCnDV,gB;;;ICrE3C,gB;MAkBI,4B;MAjBA,aAA6C,E;MAC7C,gBAAgD,C;K;4EAG5C,Y;MAAQ,iB;K;+EAGR,Y;MAAQ,oB;K;qCAEZ,iB;MAAyC,OAAQ,0BAAR,YAAQ,EAAU,KAAM,QAAhB,C;K;4BAEjD,iB;MAAmC,gBAAS,K;K;8BAE5C,Y;MAA+B,OAAnc,MAAmC,kBAA8B,IAA9B,C;K;8BAE/B,Y;MAA0B,gB;K;IAE1B,0B;MAAA,8B;K;;;IAAA,sC;MAAA,qC;QAAA,oB;;MAAA,8B;K;;IDfJ,mC;MAC4C,oBAAa,MAAS,IAAT,CAAb,EAA6B,SAA7B,C;K;gEAE5C,yB;MAAA,mB;MAAA,6B;QAC2D,YAAa,QAAS,IAAT,C;QAIvD,Q;QAAA,OAAA,KAAM,OAAO,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,IALgF,IAKrE,CAAK,CAAL,C;;QALwC,OAOhD,K;O;KARX,C;gEAGA,uB;MAEiB,Q;MAAA,OAAA,KAAM,OAAO,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,KAAC,CAAL,C;;MAEf,OAAO,K;K;IAGX,kC;MAiB,IAAN,I;MAFP,aAAsB,MAAe,IAAf,C;MACtB,gBAakB,c;MAEd,IADS,IACT,mBADs,IACT,EAAM,IAAN,E;QAAc,oBAAa,MAAb,EAAqB,KAArB,C;WACd,WAFS,IAET,S;QAAS,a;;QAZA,U;QAAA,SAaqB,Mabf,OAAO,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UAakC,MAZ9B,CAAM,CAAN,IAysC,IAZ3B,CAAK,CAAL,C;;QAYH,OAAsB,M;;MAHIC,W;K;2EAOJ,yB;MAAA,iC;MAAA,6B;QACoF,YAAa,aAAa,IAAb,EAAmB,KAAnB,C;QAIbhF,Q;QAAA,OAAA,KAAM,OAAO,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,IAiBoH,IAjBzG,CAAK,CAAL,C;;QAIbIE,OafzE,K;O;KAcX,C;IAGA,+B;MAKiB,IAAN,I;MAFP,aAAa,IAAb,WAAa,CAAD,IAAC,C;MACb,gBAakB,W;MAEd,IADS,IACT,mBADs,IACT,EAAM,IAAN,YADS,IACT,EAAY,KAAZ,E;QAAqB,a;;QA1BZ,U;QAAA,SA2BkB,MA3BZ,OAAO,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UA2B+B,MA1B3B,CAAM,CAAN,IA0BmC,IA1BxB,CAAK,CAAL,C;;QA0BH,OAAmB,M;;MAF/B,W;K;qEAMJ,yB;MAAA,2B;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,YAAy,UAAU,IAAV,EAAgB,IAAhB,C;QACC,OAAA,KAAM,OAAO,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YACY,eAAK,CAAL,E;UACpB,KAAC,CAAD,CAAG,GAAG,K;;QAEp,OAAO,K;O;KARX,C;mFAWA,yB;MAAA,mB;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,YAAy,QAAY,IAAZ,C;QACC,OAAA,KAAM,OAAO,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YACY,eAAK,CAAL,E;UACpB,KAAC,CAAD,CAAG,GAAG,K;;QAEp,OAAO,K;O;KARX,C;IAWA,+B;MAiB,IAAN,I;MAFP,aAAsB,MAAY,IAAZ,C;MACtB,gBAakB,W;MAEd,IADS,IACT,mBADs,IACT,EAAM,IAAN,E;QAAc,oBAAa,MAAb,K;WACd,WAFS,IAET,S;QAAS,a;;QA3DA,U;QAAA,SA4DkB,MA5DZ,OAAO,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UA4D+B,MA3D3B,CAAM,CAAN,IA2DmC,IA3DxB,CAAK,CAAL,C;;QA2DH,OAAmB,M;;MAH/B,W;K;qEAOJ,yB;MAAA,2B;MAAA,6B;QAC2E,YAAa,UAAU,IAAV,EAAgB,KAAhB,C;QAJEvE,Q;QAAA,OAAA,KAAM,OAAO,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,IAgEwG,IAhE7F,CAAK,CAAL,C;;QAgEwD,OA9DhE,K;O;KA6DX,C;IAGA,wC;MACiB,Q;MAAA,OAAA,KAAM,OAAO,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,S;;MAEf,OAAO,K;K;IEIFX,iC;MAAA,qC;MAEI,iBAC8B,Q;MAE9B,iBAC8B,sB;MAE9B,yBAEsC,MAAM,G;MAE5C,yBAEsC,CAAC,GAAD,GAAO,G;MAE7C,WAewB,EAAE,MAAM,GAAR,C;MAExB,kBACuB,C;MAEvB,iBACsB,E;K;;IAxB1B,6C;MAAA,4C;QAAA,2B;;MAAA,qC;K;IA2BA,gC;MAAA,oC;MAEI,iBAC6B,O;MAE7B,iBAC6B,Y;MAE7B,yBAEqC,MAAO,G;MAE5C,yBAEqC,CAAC,GAAD,GAAQ,G;MAE7C,WAeuB,EAAE,MAAO,GAAAT,C;MAEvB,kBACuB,C;MAEvB,iBACsB,E;K;;IAxB1B,4C;MAAA,2C;QAAA,0B;;MAAA,oC;K;IA2BA,8B;MAAA,kC;MAEI,iBACqB,W;MAErB,iBACqB,U;MAErB,kBACuB,C;MAEvB,iBACsB,E;K;;IAZ1B,0C;MAAA,yC;QAAA,wB;;MAAA,kC;K;IAeA,+B;MAAA,mC;MAEI,iBACJ,MAAM,KAAoB,U;MAEtB,iBACJ,MAAM,KAAoB,U;MAEtB,kBACuB,C;MAEvB,iBACsB,E;K;;IAZ1B,2C;MAAA,0C;QAAA,yB;;MAAA,mC;K;IAeA,gC;MAAA,oC;MAEI,iBACuB,U;MAEvB,iBACuB,K;MAEvB,kBACuB,C;MAEvB,iBACsB,E;K;;IAZ1B,4C;MAAA,2C;QAAA,0B;;MAAA,oC;K;IAeA,+B;MAAA,mC;MAEI,iBACsB,Q;MAEtB,iBACsB,G;MAEtB,kBACuB,C;MAEvB,iBACsB,C;K;;IAZ1B,2C;MAAA,0C;QAAA,yB;;MAAA,mC;K;IAeA,+B;MAAA,mC;MAEI,iBACmC,C;MAEnC,iBACmC,K;MAEnC,0BAC4C,K;MAE5C,0BAC4C,K;MAE5C,yBAC2C,K;MAE3C,yBAC2C,K;MAE3C,qBACuB,C;MAEvC,qBACuB,sB;MAEvC,kBACuB,C;MAEvB,iBACsB,E;K;;IA9B1B,2C;MAAA,0C;QAAA,yB;;MAAA,mC;K;IAiCA,iC;MAAA,qC;K;;;IAAA,6C;MAAA,4C;QAAA,2B;;MAAA,qC;K;IAEA,kC;MAAA,sC;K;;IAAA,8C;MAAA,6C;QAAA,4B;;MAAA,sC;K;,,,,,;aCkkuBoB,gB;;;c/ntB0C,mB;;gBAyEvC,

yB;eAAyB,wB;;uBAgBzB,gC;sBAAwB,+B;mCA4JjC,qB;mCA5ImC,qB;;kBAQ1B,2B;iBAA0B,0B;;;;;;eC3YgB,  
wB;sBCoBA,sB;iBCnBA,0B;;;aC5P8B,e;;;;;;;;gCCIDhD,yC;+BCVA,uC;+BCAA,sC;;gCCyJ/B,+B;+BAIW,sC  
;gCCqWcC,+B;0BAHvB,kC;uBAr6BO,gC;yBA8WD,iC;0BACA,mC;yBA4JA,iC;gCAmZP,oC;+BAbc,oC;+BAEC  
,+B;yBAEQ,kC;;gBCrOC6C,yB;;;;  
;IC/ErF,kD;MAMuF,wC;K;IANvF,4CAOI,  
Y;MAAuC,8B;K;IAP3C,8E;ICGA,kD;MAQuF,wC;K;IARvF,4CASI,Y;MAAuC,8B;K;IAT3C,8E;0FbOA,qB;MA  
QI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,  
C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,  
OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;  
K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,O  
AAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;  
4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OA  
AO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;0  
FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAA  
O,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4F  
AGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,  
UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAG  
X,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UA  
AI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,  
qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAA  
I,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB  
;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,C  
AAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;M  
AQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;IAGX,sC;MAII,OAAO,mBAAQ,OAA  
R,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,K  
AAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAA  
oB,C;K;IAG/B,wC;MAOI,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAOI,OAAO,qBAAQ,OAAR,KAAo  
B,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C  
;K;oGakE/B,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAcC,UAAI,KA AJ  
,CAAtC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAA  
c,SAAS,wBAA3B,GAAcC,UAAI,KA AJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MA  
AA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAcC,UAAI,KA AJ,CAAtC,GAAcD,aAAa,KAAb,C;  
O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAcC,UAA  
I,KA AJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CA  
AT,IAAc,SAAS,wBAA3B,GAAcC,UAAI,KA AJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,  
8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAcC,UAAI,KA AJ,CAAtC,GAAcD,aAAa,K  
AAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc  
C,UAAI,KA AJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SA  
AS,CAAT,IAAc,SAAS,wBAA3B,GAAcC,UAAI,KA AJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;  
MAAA,8D;MAAA,gC;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAcC,UAAI,KA AJ,CAA  
tC,GAAcD,uBAAa,KAAb,E;O;KAPjE,C;oGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,  
KAAV,C;O;KAPhB,C;qGAUA,yB;MAAA,qD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAP  
hB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;  
MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAA  
A,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OA  
AY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,E  
AAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;  
KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;8EAUA

,gC;MAOW,sB;;QAyBS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAzbH,SAybO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MA1bP,yB;K;gFAGJ,gC;MAOW,sB;;QAubS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAvbH,SAubO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MAx bP,yB;K;gFAGJ,gC;MAOW,sB;;QAqbS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IARbH,SAqbO,CAAU,OAA V,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MATbP,yB;K;gFAGJ,gC;MAOW,sB;;QAmbS,Q; QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAnbH,SambO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;Q AC9C,qBAAO,I;;;MApbP,yB;K;gFAGJ,gC;MAOW,sB;;QAibS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAjbH,S AibO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MA1bP,yB;K;gFAGJ,gC;MAO W,sB;;QA+aS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IA/aH,SA+aO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO, O;YAAP,uB;;;QAC9C,qBAAO,I;;;MAhbP,yB;K;gFAGJ,gC;MAOW,sB;;QA6aS,Q;QAaHb,iD;UAAgB,cAAhB,e; UAAsB,IA7aH,SA6aO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MA9aP,yB;K ;gFAGJ,gC;MAOW,sB;;QA2aS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IA3aH,SA2aO,CAAU,OAAV,CAAJ,C; YAAwB,qBAAO,O;YAAP,uB;;;QAC9C,qBAAO,I;;;MA5aP,yB;K;gFAGJ,yB;MA4aA,oC;MAAA,gC;MA5aA,uC; QAOW,sB;;UYaA,S,Q;UAaHb,iD;YAAgB,cAAhB,OB;YAAAsB,IAZaH,SAyaO,CAAU,oBAAV,CAAJ,C;cAAwB,q BAAO,O;cAAP,uB;;;UAC9C,qBAAO,I;;;QA1aP,yB;O;KAPJ,C;SFAUA,yB;MAw1CA,OD;MAAA,+C;MAx1CA,u C;QAOW,qB;;UAu1CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc ,UAAK,KAAL,C;YACd,IAz1Cc,SAy1CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAA O,I;;;QA31CP,wB;O;KAPJ,C;wFAUA,yB;MA21CA,OD;MAAA,+C;MA31CA,uC;QAOW,qB;;UA01CO,Q;UAAA ,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA51Cc, SA41CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA91CP,wB;O;KAPJ,C;wF AUA,yB;MA81CA,OD;MAAA,+C;MA91CA,uC;QAOW,qB;;UA61CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W; UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA1CC,SA+1CV,CAAU,OAAV,CAAJ,C; cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAj2CP,wB;O;KAPJ,C;wFAUA,yB;MAi2CA,OD;MAAA,+C; MAj2CA,uC;QAOW,qB;;UAg2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;Y ACV,cAAc,UAAK,KAAL,C;YACd,IAI2Cc,SAk2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE 5B,oBAAO,I;;;QAp2CP,wB;O;KAPJ,C;wFAUA,yB;MAo2CA,OD;MAAA,+C;MAp2CA,uC;QAOW,qB;;UAm2C O,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YA Cd,IAr2Cc,SAq2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAv2CP,wB;O;K APJ,C;wFAUA,yB;MAu2CA,OD;MAAA,+C;MAv2CA,uC;QAOW,qB;;UAs2CO,Q;UAAA,OAAa,SAAR,sBAAQ, CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAx2Cc,SAw2CV,CAAU,OAA V,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA12CP,wB;O;KAPJ,C;wFAUA,yB;MA02CA,OD; MAAA,+C;MA12CA,uC;QAOW,qB;;UAY2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C; YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA32Cc,SA22CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cA AP,sB;;;UAE5B,oBAAO,I;;;QA72CP,wB;O;KAPJ,C;wFAUA,yB;MA62CA,OD;MAAA,+C;MA72CA,uC;QAOW, qB;;UA42CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,K AAL,C;YACd,IA92Cc,SA82CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh3 CP,wB;O;KAPJ,C;wFAUA,yB;MAg3CA,OD;MAAA,+C;MAAA,oC;MAh3CA,uC;QAOW,qB;;UA+2CO,Q;UAA A,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAj3Cc, SAi3CV,CAAU,oBAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAn3CP,wB;O;KAPJ,C;IA UA,OB;MAKI,IA4uNO,qBAAQ,CA5uNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C; K;IAGX,4B;MAKI,IA0uNO,qBAAQ,CA1uNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAA L,C;K;IAGX,4B;MAKI,IAwuNO,qBAAQ,CAxuNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK, CAAL,C;K;IAGX,4B;MAKI,IASuNO,qBAAQ,CAtuNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UA AK,CAAL,C;K;IAGX,4B;MAKI,IAouNO,qBAAQ,CApuNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO ,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAkuNO,qBAAQ,CAluNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,O AAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAguNO,qBAAQ,CAhuNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MAC V,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IA8tNO,qBAAQ,CA9tNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;M ACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IA4tNO,qBAAQ,CA5tNf,C;QACI,MAAM,2BAAuB,iBAAvB,

C;MACV,OAAO,UAAK,CAAL,C;K;kFAGX,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAaHb,gB ;UAAgB,cAAA,SAaHb,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB, mDAAvB,C;O;KANV,C;kFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cA AA,SAaHb,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C; O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb, M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C; mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UAAsB,I AAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB; MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UAAsB,IAAI,UAAU, OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;M AAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UAAsB,IAAI,UAAU,OAAV,CAAJ ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QA KoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB, OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaH b,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;Q ACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QAK oB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAhB,UAAgB,SAaHb,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C; YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;kGASA,yB;MAAA,iE;MAAA,uC;QASW ,Q;QAAA,+B;;UAYS,U;UAaHb,uD;YAAgB,cAAhB,iB;YACI,aAbwB,SAaX,CAAU,OAAV,C;YACb,IAAI,cAAJ ,C;cACI,8BAAO,M;cAAP,gC;;UAGR,8BAAO,I;;QAIbA,kC;QAAA,iB;UAAmC,MAAM,gCAAuB,8DAAvB,C;; QAaHd,OAAO,I;O;KATX,C;8GAYA,gC;MASoB,Q;MAAhB,wBAAgB,SAaHb,gB;QAAGB,cAAA,SAaHb,M;Q ACI,aAAa,UAAU,OAAV,C;QACb,IAAI,cAAJ,C;UACI,OAAO,M;;MAGf,OAAO,I;K;IAGX,gC;MAII,OAOiNO, qBAAQ,CapiNR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OaqiNO,qBAAQ,CariNR,GAAe,IA Af,GAAYB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAsiNO,qBAAQ,CatiNR,GAAe,IAAf,GAAYB,UAAK,CAAL,C ;K;IAGpC,kC;MAII,OAwino,qBAAQ,CaviNR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAwino,qBAAQ,CaxiNR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAYiNO,qBAAQ,CaziNR,GAA e,IAAf,GAAYB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAOiNO,qBAAQ,CAlinr,GAAe,IAAf,GAAYB,UAAK,CA AL,C;K;IAGpC,kC;MAII,OAO2iNO,qBAAQ,CA3iNR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;IAGpC,kC;MAII,O A4iNO,qBAAQ,CA5iNR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;8FAGpC,gC;MAIoB,Q;MAAhB,wBAAgB,SA AhB,gB;QAAGB,cAAA,SAaHb,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K ;8FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAaHb,gB;QAAGB,cAAA,SAaHb,M;QAAsB,IAAI,UAAU,OAAV,C AAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAaHb,gB;QAAGB,cA AA,SAaHb,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB ,Q;MAAhB,wBAAgB,SAaHb,gB;QAAGB,cAAA,SAaHb,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OA AO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAaHb,gB;QAAGB,cAAA,SAaHb,M;QAA sB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAg B,SAaHb,gB;QAAGB,cAAA,SAaHb,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAA O,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAaHb,gB;QAAGB,cAAA,SAaHb,M;QAAsB,IAAI,UAAU,OA AV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAaHb,gB;QAA gB,cAAA,SAaHb,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,yB; MAAA,oC;MAAA,gC;MAAA,uC;QAIoB,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAhB,UAAgB,SAaHb,O;U AAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;O;KALX,C;wFAQA,yB;MAAA,8D;M AAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAATC,GAAsD,aAAa,KAAb, C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAATC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,C AAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAATC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAA A,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAATC,GAAsD,aAAa ,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GA



AsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW, SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,y B;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAs D,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBA A3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,gC;MAA A,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,uBAAa,KAAb,E; O;KALjE,C;IAQA,qC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD ,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,I;K;IA GjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,uC; MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAMI, OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAMI,OAAW, SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAMI,OAAW,SAAS, CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SA AS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,qC;MAIL,IAAI,eAAJ,C;QACI,wD;UACI,IAAI,UA AK,KAAL,SAAJ,C;YACI,OAAO,K;;;QAI,8D;UACI,IAAI,gBAAW,UAAK,OAAL,CAAX,CAAJ,C;YACI,OAA O,O;;;MAInB,OAAO,E;K;IAGX,uC;MAIL,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;M AGf,OAAO,E;K;IAGX,uC;MAIL,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;MAGf,OAA O,E;K;IAGX,uC;MAIL,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;IAG X,uC;MAIL,wD;QACI,IAAI,gBAAW,UAAK,KAAL,CAAX,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;IAGX, uC;MAMI,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,uC;MAM I,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,uC;MAIL,wD;QACI ,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,uC;MAIL,wD;QACI,IAAI,YAA W,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;8FAGX,gC;MAIL,wD;QACI,IAAI,UAAU,UAAK ,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAIL,wD;QACI,IAAI,UAAU,UAAK,K AAL,CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAIL,wD;QACI,IAAI,UAAU,UAAK,KAA L,CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAIL,wD;QACI,IAAI,UAAU,UAAK,KAA L,CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAIL,wD;QACI,IAAI,UAAU,UAAK,KAAL, CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAIL,wD;QACI,IAAI,UAAU,UAAK,KAAL,C AAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAIL,wD;QACI,IAAI,UAAU,UAAK,KAAL,CA AV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAIL,wD;QACI,IAAI,UAAU,UAAK,KAAL,CA AV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,yB;MAAA,oC;MAAA,uC;QAI,8D;UACI,IAAI,UAAU ,sBAAK,KAAL,EA AV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+ C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,U AAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAA A,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IA AI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D; MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UAC V,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA, 0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;U ACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAA A,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,u B;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB; MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UA Ac,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA ,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C; UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FA YA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd

,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8  
FAYA,yB;MAAA,0D;MAAA,+C;MAAA,oC;MAAA,uC;QAikB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QA  
Ad,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,sBAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAA  
O,E;O;KATX,C;IAYA,yB;MAQI,IAg7LO,qBAAQ,CAh7Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO  
,UAAK,wBAAL,C;K;IAGX,2B;MAQI,IA26LO,qBAAQ,CA36Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,  
OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA6LO,qBAAQ,CAj6Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MA  
CV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAi6LO,qBAAQ,CAj6Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;  
MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA45LO,qBAAQ,CA55Lf,C;QACI,MAAM,2BAAuB,iBAA  
vB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAu5LO,qBAAQ,CAv5Lf,C;QACI,MAAM,2BAAuB,i  
BAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAk5LO,qBAAQ,CAI5Lf,C;QACI,MAAM,2BA  
AuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA64LO,qBAAQ,CA74Lf,C;QACI,MAAM  
,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAw4LO,qBAAQ,CAx4Lf,C;QACI,M  
AAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;gFAGX,yB;MAAA,0D;MAAA,+C;MAAA,iE;M  
AAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UAC  
V,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mD  
AAvB,C;O;KAZV,C;gFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,Y  
AAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAA  
U,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;  
MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,  
cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEn  
C,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;  
QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAA  
L,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;i  
FAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,C  
AAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YA  
AwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;  
MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UA  
CV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,m  
DAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,  
YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UA  
AU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0  
D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAA  
c,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QA  
EnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,oC;MAAA,iE;MAAA,  
uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAA  
c,UAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB  
,C;O;KAZV,C;IAeA,yC;MAKsB,UAMA,M;MAPIB,IAAI,eAAJ,C;QACkB,OAAQ,WAAR,sBAAQ,CAAR,W;QA  
Ad,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAK,KAAL,SAAJ,C;YACI,OAAO,K;;;QAID,SAAQ,WAAR,sBAA  
Q,CAAR,W;QAAd,OAAc,gBAAd,C;UAAc,2B;UACV,IAAI,gBAAW,UAAK,OAAL,CAAX,CAAJ,C;YACI,OAA  
O,O;;;MAInB,OAAO,E;K;IAGX,2C;MAikB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,  
C;QAAc,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,2C;MAikB,  
Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,YAAW,UAAK,KAA  
L,CAAf,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,2C;MAikB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;  
MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;;MAGf,OAAO,E;  
K;IAGX,2C;MAikB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,  
gBAAW,UAAK,KAAL,CAAX,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,2C;MAMkB,Q;MAAA,OAA  
Q,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UA  
CI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,2C;MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,

cAAAd,C;QAAc,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,2C;  
MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAAd,C;QAAc,uB;QACV,IAAI,YAAW,UA  
AK,KAAL,CAAf,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,C  
AAR,W;MAAd,OAAc,cAAAd,C;QAAc,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;;MAGf,  
OAAO,E;K;IAGX,+B;MAMI,OA8jLO,qBAAQ,CA9jLR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;  
IAGpC,iC;MAMI,OA6jLO,qBAAQ,CA7jLR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;  
MAMI,OA4jLO,qBAAQ,CA5jLR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OA  
2jLO,qBAAQ,CA3jLR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OA0jLO,qBA  
AQ,CA1jLR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OAyjLO,qBAAQ,CAzjL  
R,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OAwjLO,qBAAQ,CaxjLR,GAAe,I  
AAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OAujLO,qBAAQ,CAvjLR,GAAe,IAAf,GAAy  
B,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OAsjLO,qBAAQ,CAtjLR,GAAe,IAAf,GAAyB,UAAK,m  
BAAO,CAAP,IAAL,C;K;4FAGpC,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL  
,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OA  
AV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;4FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QA  
MkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,UA  
AK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;6FAaA,yB;  
MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc  
,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAE  
nC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,S  
AAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OA  
AV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAM  
kB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK  
,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MA  
AA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cA  
Ad,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAE  
nC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,S  
AAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OA  
AV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAM  
kB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK  
,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MA  
AA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cA  
Ad,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAE  
nC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,S  
AAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OA  
AV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAM  
kB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,  
KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA  
,0D;MAAA,+C;MAAA,oC;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,O  
AAc,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;  
QAEnC,OAAO,I;O;KAVX,C;kFAaA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;K  
ARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;  
MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,g  
D;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,  
OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAA  
P,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFA  
WA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;  
MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,qC;MAOI,IAoxKO,qBAAQ,CApxKf,C  
;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,qC;MAOI,  
IAGxKO,qBAAQ,CAhxKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,  
CAAX,C;K;IAGX,sC;MAOI,IA4wKO,qBAAQ,CA5wKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,U  
AAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAwwKO,qBAAQ,CAxwKf,C;QACI,MAAM,2BAAu  
B,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAowKO,qBAAQ,CAp  
wKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;  
MAOI,IAgwKO,qBAAQ,CAhwKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,g

BAAR,CAAX,C;K;IAGX,sC;MAOI,IA4vKO,qBAAQ,CA5vKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OA  
AO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAwvKO,qBAAQ,CAxvKf,C;QACI,MAAM,2B  
AAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAovKO,qBAAQ,  
CApvKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;8FAG  
X,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MA  
AA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;Q  
AOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,c  
AAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;g  
GAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,m  
C;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,  
4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wB  
AAa,cAAb,C;O;KAPX,C;IAUA,2C;MAMI,IA+kKO,qBAAQ,CA/kKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,M  
AAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,2C;MAMI,IA4kKO,qBAAQ,CA5kKf,C;QACI,OAAO,I;MACX,OAAO,  
UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAykKO,qBAAQ,CAzkKf,C;QACI,OAAO,I;MACX  
,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAskKO,qBAAQ,CAtkKf,C;QACI,OAAO,I;  
MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAmkKO,qBAAQ,CAnkKf,C;QACI,  
OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAgkKO,qBAAQ,CAhkKf,  
C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IA6jKO,qBAAQ,  
CA7jKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IA0jKO,q  
BAAQ,CA1jKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IA  
ujKO,qBAAQ,CAvjKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,2B;M  
AIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,  
CAAL,C;UAAL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,  
gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,M  
AAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,  
MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;  
MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;  
aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB  
,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAA  
L,C;UAAL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBA  
AN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,MAAM  
,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAA  
M,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;MAHI  
B,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,  
C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN  
,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UA  
AL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;oFAOJ,yB;MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8  
B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,S  
AAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,  
SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,  
6E;O;KAFx,C;oFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QA  
CpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YAC  
I,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,K  
AAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KAFx,C;qFAkBA,yB;MAAA,kF;MAAA,iE;  
MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAg  
B,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,  
C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEI  
B,OAAO,2D;O;KAFx,C;qFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aA



AI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMo  
B,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,  
IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,OAAO,I;YACIB,SAAS,O;YACT,QAAQ,I;;;QAGhB,I  
AAI,CAAC,KAAL,C;UAAAY,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBA,4B;McvqGI,IAAI,Ed+qGI,KAAK,Cc  
/qGT,CAAJ,C;QACI,cd8qGc,sD;Qc7qGd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md8qGV,OAAO,oBAAoB,gBAA  
V,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;McnrGI,IAAI,Ed2rGI,KAAK,Cc3rGT,CAAJ,C;QA  
CI,cd0rGc,sD;QczrGd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md0rGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,I  
AAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Mc/rGI,IAAI,EdusGI,KAAK,CcvsGT,CAAJ,C;QACI,cdssGc,sD;Qcrs  
Gd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MdssGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,  
CAApB,C;K;IAGX,8B;Mc3sGI,IAAI,EdmtGI,KAAK,CentGT,CAAJ,C;QACI,cdktGc,sD;QcjtGd,MAAM,gCAAY  
B,OAAQ,WAAjC,C;;MdktGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,  
8B;McvtGI,IAAI,Ed+tGI,KAAK,Cc/tGT,CAAJ,C;QACI,cd8tGc,sD;Qc7tGd,MAAM,gCAAYB,OAAQ,WAAjC,C;;  
Md8tGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;McnuGI,IAAI,Ed  
2uGI,KAAK,Cc3uGT,CAAJ,C;QACI,cd0uGc,sD;QczuGd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md0uGV,OAAO,  
sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Mc/uGI,IAAI,EduvGI,KAAK,Ccuv  
GT,CAAJ,C;QACI,cdsvGc,sD;QcuvGd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MdsvGV,OAAO,sBAAoB,gBAAV,  
mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Mc3vGI,IAAI,EdmwGI,KAAK,CcnwGT,CAAJ,C;Q  
ACI,cdkwGc,sD;Qc3vGd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MdkwGV,OAAO,sBAAoB,gBAAV,mBAAO,CA  
AP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;McvwGI,IAAI,Ed+wGI,KAAK,Cc/wGT,CAAJ,C;QACI,cd8wGc,s  
D;Qc7wGd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md8wGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EA  
Ac,CAAd,CAApB,C;K;IAGX,gC;McnxGI,IAAI,Ed2xGI,KAAK,Cc3xGT,CAAJ,C;QACI,cd0xGc,sD;QczxGd,MA  
AM,gCAAYB,OAAQ,WAAjC,C;;Md0xGV,OAAO,gBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAh  
B,C;K;IAGX,kC;Mc/xGI,IAAI,EduyGI,KAAK,CcuyGT,CAAJ,C;QACI,cdsyGc,sD;QcryGd,MAAM,gCAAYB,OA  
AQ,WAAjC,C;;MdsyGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;  
Mc3yGI,IAAI,EdmzGI,KAAK,CcnzGT,CAAJ,C;QACI,cdkzGc,sD;Qc3zGd,MAAM,gCAAYB,OAAQ,WAAjC,C;;  
MdkzGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;McvzGI,IAAI,Ed  
+zGI,KAAK,Cc/zGT,CAAJ,C;QACI,cd8zGc,sD;Qc7zGd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md8zGV,OAAO,k  
BAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;Mcn0GI,IAAI,Ed20GI,KAAK,Cc30  
GT,CAAJ,C;QACI,cd00Gc,sD;Qcz0Gd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md00GV,OAAO,kBAAgB,gBAAV,  
mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;Mc/0GI,IAAI,Edu1GI,KAAK,Ccv1GT,CAAJ,C;QAC  
I,cds1Gc,sD;Qcr1Gd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Mds1GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IA  
AU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;Mc31GI,IAAI,Edm2GI,KAAK,Ccn2GT,CAAJ,C;QACI,cdk2Gc,sD;Qc32  
Gd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Mdk2GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,  
CAAhB,C;K;IAGX,kC;Mcv2GI,IAAI,Ed+2GI,KAAK,Cc/2GT,CAAJ,C;QACI,cd82Gc,sD;Qc72Gd,MAAM,gCA  
AYB,OAAQ,WAAjC,C;;Md82GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IA  
GX,kC;Mcn3GI,IAAI,Ed23GI,KAAK,Cc33GT,CAAJ,C;QACI,cd03Gc,sD;Qcz3Gd,MAAM,gCAAYB,OAAQ,WA  
AjC,C;;Md03GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;gGAGX,yB;MAAA  
,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UA  
AK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;O;KAXX,C;kGAcA  
,yB;MAAA,8D;MAAA,2C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,  
UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;O;KAX  
X,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,I  
AAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO  
,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/  
B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;Q  
AGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WA  
A+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,  
IAAL,C;;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAC,

wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,Q  
AAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;Q  
AMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAA  
O,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;  
MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C  
;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,oC;  
MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,  
KAAL,EA AV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;O;KAXX,C;wFACa,yB;  
MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SA  
Ab,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,  
WAAI,IAAJ,C;YACL,WAAW,I;;;QAE nB,OAAO,I;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QA  
Fb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IA  
AK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;Q  
AE nB,OAAO,I;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QAC  
X,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAA  
C,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAE nB,OAAO,I;O;KafX,C;0FAkBA,  
yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,  
SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IA  
AK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAE nB,OAAO,I;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q  
;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,  
IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;  
QAE nB,OAAO,I;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QA  
CX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAA  
C,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAE nB,OAAO,I;O;KafX,C;0FAkBA  
A,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAA  
A,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,I  
AAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAE nB,OAAO,I;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,  
Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YA  
CI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,  
I;;;QAE nB,OAAO,I;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,uC;QAQiB,Q;QAFb,eAA  
e,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,IAAI,QAAJ,C;YACI,IAA  
K,WAAI,iBAAJ,C;eACJ,IAAI,CAAC,UAAU,iBAAV,CAAL,C;YACD,IAAK,WAAI,iBAAJ,C;YACL,WAAW,I;;;  
QAE nB,OAAO,I;O;KafX,C;kFAkBA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAmgBA,Q;QA AhB,iD;U  
AAgB,cAAhB,e;UAAsB,IAngBU,SAngBN,CAAU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QAngB1D  
,OAogBO,W;O;KA1gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAogBA,Q;QA AhB,iD;UAA  
gB,cAAhB,e;UAAsB,IApgBa,SAogBT,CAAU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QApgB1D,OAq  
gBO,W;O;KA3gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAqgBA,Q;QA AhB,iD;UAAgB,c  
AAhB,e;UAAsB,IArgBc,SAqgBV,CAAU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QArgB1D,OAsgBO,  
W;O;KA5gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAsgBA,Q;QA AhB,iD;UAAgB,cAAhB,  
e;UAAsB,IAtgBY,SAsgBR,CAAU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QAtgB1D,OAu gBO,W;O;  
KA7gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAu gBA,Q;QA AhB,iD;UAAgB,cAAhB,e;UA  
AsB,IAvgBa,SAugBT,CAAU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QAv gB1D,OAwgBO,W;O;KA9  
gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAwgBA,Q;QA AhB,iD;UAAgB,cAAhB,e;UAAs  
B,IAxgBc,SAwgBV,CAAU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QAxgB1D,OAYgBO,W;O;KA/gB  
X,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAYgBA,Q;QA AhB,iD;UAAgB,cAAhB,e;UAAsB,IA  
zgBe,SAygBX,CAAU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QAZgB1D,OA0gBO,W;O;KAhhBX,C;o  
FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA0gBA,Q;QA AhB,iD;UAAgB,cAAhB,e;UAAsB,IA1gBg  
B,SA0gBZ,CAAU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QA1gB1D,OA2gBO,W;O;KAjhBX,C;oFA

SA,yB;MAAA,+D;MA2gBA,oC;MAAA,gC;MA3gBA,uC;QAMW,kBAAS,gB;QA2gBA,Q;QAaHb,iD;UAAgB,c  
AAhB,0B;UAAsB,IA3gBa,SA2gBT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAl,oBAAJ,C;;QA3gB1D,OA4  
gBO,W;O;KA1hBX,C;gGASA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QASgTV,gB;QADb,YAAAY,C;QA  
CZ,iD;UAAa,WAAb,e;UA16SI,IApGmC,SAoG/B,Eak6SkB,cAl6SIB,Eak6SkB,sBA16SIB,Wak6S2B,IA16S3B,C  
AAJ,C;YAA2C,sBAk6SZ,IA16SY,C;;QApg/C,OAsGO,W;O;KA9GX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQ  
W,kBAAGB,gB;QAqgTV,gB;QADb,YAAAY,C;QACZ,iD;UAAa,WAAb,e;UA95SI,IAvGsC,SAuGIC,EA85SkB,cA  
95SIB,EA85SkB,sBA95SIB,WA85S2B,IA95S3B,CAAJ,C;YAA2C,sBA85SZ,IA95SY,C;;QAvG/C,OAYGO,W;O;  
KAjHX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAogTV,gB;QADb,YAAAY,C;QACZ,iD;UA  
Aa,WAAb,e;UA15SI,IA1GuC,SA0GnC,EA05SkB,cA15SIB,EA05SkB,sBA15SIB,WA05S2B,IA15S3B,CAAJ,C;Y  
AA2C,sBA05SZ,IA15SY,C;;QA1G/C,OA4GO,W;O;KApHX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBA  
AGB,gB;QAmgTV,gB;QADb,YAAAY,C;QACZ,iD;UAAa,WAAb,e;UA5SI,IA7GqC,SA6GjC,EAs5SkB,cAt5SIB,E  
As5SkB,sBA5SIB,WAs5S2B,IA5S3B,CAAJ,C;YAA2C,sBA5SZ,IA5SY,C;;QA7G/C,OA+GO,W;O;KAvHX,C;  
kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAkgTV,gB;QADb,YAAAY,C;QACZ,iD;UAAa,WAAb,  
e;UA15SI,IAhHsC,SAgHIC,Eak5SkB,cAl5SIB,Eak5SkB,sBA15SIB,Wak5S2B,IA15S3B,CAAJ,C;YAA2C,sBAk5  
SZ,IA15SY,C;;QAhh/C,OakHO,W;O;KA1HX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAig  
TV,gB;QADb,YAAAY,C;QACZ,iD;UAAa,WAAb,e;UA94SI,IANHuC,SAmHnC,EA84SkB,cA94SIB,EA84SkB,sBA  
94SIB,WA84S2B,IA94S3B,CAAJ,C;YAA2C,sBA84SZ,IA94SY,C;;QAnH/C,OAqHO,W;O;KA7HX,C;kGAWA,y  
B;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAaggTV,gB;QADb,YAAAY,C;QACZ,iD;UAAa,WAAb,e;UA14SI,I  
AtHwC,SAsHpC,EA04SkB,cA14SIB,EA04SkB,sBA14SIB,WA04S2B,IA14S3B,CAAJ,C;YAA2C,sBA04SZ,IA14  
SY,C;;QAtH/C,OAwhO,W;O;KAhIX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QA+/SV,gB;Q  
ADb,YAAAY,C;QACZ,iD;UAAa,WAAb,e;UA4SI,IAzHyC,SAyHrC,EAs4SkB,cAt4SIB,EAs4SkB,sBA4SIB,WAs  
4S2B,IA4S3B,CAAJ,C;YAA2C,sBA4SZ,IA4SY,C;;QAzh/C,OA2HO,W;O;KANIX,C;kGAWA,yB;MAAA,+D;  
MA2HA,gC;MAo4SA,oC;MA//SA,uC;QAQW,kBAAGB,gB;QA8/SV,gB;QADb,YAAAY,C;QACZ,iD;UAAa,WAA  
b,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA14S/B,IA5HsC,SA4HIC,CAAU,OAAV,EAai  
B,OAAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QA5H/C,OA8HO,W;O;KAtIX,C;oGAWA,6C;MA26SiB,gB;MADb,  
YAAAY,C;MACZ,iD;QAAa,WAAb,e;QA16SI,IAAI,Wak6SkB,cAl6SIB,Eak6SkB,sBA16SIB,Wak6S2B,IA16S3B,  
CAAJ,C;UAA2C,sBAk6SZ,IA16SY,C;;MAE/C,OAAO,W;K;qGAGX,6C;MAu6SiB,gB;MADb,YAAAY,C;MACZ,i  
D;QAAa,WAAb,e;QA95SI,IAAI,WA85SkB,cA95SIB,EA85SkB,sBA95SIB,WA85S2B,IA95S3B,CAAJ,C;UAA2C  
,sBA85SZ,IA95SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAm6SiB,gB;MADb,YAAAY,C;MACZ,iD;QAAa,WAAb,  
e;QA15SI,IAAI,WA05SkB,cA15SIB,EA05SkB,sBA15SIB,WA05S2B,IA15S3B,CAAJ,C;UAA2C,sBA05SZ,IA15  
SY,C;;MAE/C,OAAO,W;K;qGAGX,6C;MA+5SiB,gB;MADb,YAAAY,C;MACZ,iD;QAAa,WAAb,e;QA5SI,IAAI,  
WAs5SkB,cAt5SIB,EAs5SkB,sBA5SIB,WAs5S2B,IA5S3B,CAAJ,C;UAA2C,sBA5SZ,IA5SY,C;;MAE/C,OAA  
O,W;K;sGAGX,6C;MA25SiB,gB;MADb,YAAAY,C;MACZ,iD;QAAa,WAAb,e;QA15SI,IAAI,Wak5SkB,cA15SIB,  
Eak5SkB,sBA15SIB,Wak5S2B,IA15S3B,CAAJ,C;UAA2C,sBAk5SZ,IA15SY,C;;MAE/C,OAAO,W;K;sGAGX,6C  
;MAu5SiB,gB;MADb,YAAAY,C;MACZ,iD;QAAa,WAAb,e;QA94SI,IAAI,WA84SkB,cA94SIB,EA84SkB,sBA94S  
IB,WA84S2B,IA94S3B,CAAJ,C;UAA2C,sBA84SZ,IA94SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAm5SiB,gB;  
MADb,YAAAY,C;MACZ,iD;QAAa,WAAb,e;QA14SI,IAAI,WA04SkB,cA14SIB,EA04SkB,sBA14SIB,WA04S2B,I  
A14S3B,CAAJ,C;UAA2C,sBA04SZ,IA14SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+4SiB,gB;MADb,YAAAY,C;  
MACZ,iD;QAAa,WAAb,e;QA4SI,IAAI,WAs4SkB,cAt4SIB,EAs4SkB,sBA4SIB,WAs4S2B,IA4S3B,CAAJ,C;U  
AA2C,sBA4SZ,IA4SY,C;;MAE/C,OAAO,W;K;sGAGX,yB;MAAA,gC;MAo4SA,oC;MAp4SA,oD;QA24SiB,gB  
;QADb,YAAAY,C;QACZ,iD;UAAa,WAAb,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA14S/  
B,IAAI,UAAU,OAAV,EAaiB,OAAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QAE/C,OAAO,W;O;KAXX,C;sGAcA,  
yB;MAAA,+D;MAAA,sC;QAMW,kBAAmB,gB;QASV,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,YAAJ,C;  
YAAkB,WAAY,WAAl,OAAJ,C;;QATpD,OAuO,W;O;KAhBX,C;0GASA,4C;MAMoB,Q;MAAhB,wBAAGB,SA  
AhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,YAAJ,C;UAAkB,WAAY,WAAl,OAAJ,C;;MACpD,OAAO,W;  
K;wFAGX,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QAoGH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAA  
I,CAPGS,SAoGR,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAl,OAAJ,C;;QApg3D,OAqGO,W;O;KA3GX,C;0  
FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QAqGH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA



rGY,SAqGX,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QArG3D,OAsGO,W;O;KA5GX,C;0FAS  
A,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QAsGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAtGa,  
SAsGZ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAtG3D,OAuGO,W;O;KA7GX,C;0FASA,yB;  
MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QAUgH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CvGW,SAu  
GV,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAvG3D,OAwGO,W;O;KA9GX,C;0FASA,yB;M  
AAA,+D;MAAA,uC;QAMW,kBAAY,gB;QAwGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CxGY,SAwG  
X,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAxG3D,OAYGO,W;O;KA/GX,C;0FASA,yB;MAA  
A,+D;MAAA,uC;QAMW,kBAAY,gB;QAYGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CzGa,SAyGZ,CA  
AU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAzG3D,OA0GO,W;O;KAhHX,C;0FASA,yB;MAAA,+D  
;MAAA,uC;QAMW,kBAAY,gB;QA0GH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA1Gc,SA0Gb,CAAU,  
OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA1G3D,OA2GO,W;O;KAjHX,C;0FASA,yB;MAAA,+D;MA  
AA,uC;QAMW,kBAAY,gB;QA2GH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA3Ge,SA2Gd,CAAU,OAA  
V,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA3G3D,OA4GO,W;O;KAIHX,C;0FASA,yB;MAAA,+D;MA4GA,  
oC;MAAA,gC;MA5GA,uC;QAMW,kBAAY,gB;QA4GH,Q;QAAhB,iD;UAAgB,cAAhB,0B;UAAsB,IAAI,CA5G  
Y,SA4GX,CAAU,oBAAV,CAAL,C;YAAyB,WAAY,WAAI,oBAAJ,C;;QA5G3D,OA6GO,W;O;KANHX,C;IASA,  
kC;MAMI,OOAO,2BAAgB,gBAhB,C;K;IAGX,iD;MAMoB,Q;MAAhB,wBAAgB,SAhB,gB;QAAGB,cAAA,S  
AAhB,M;QAAsB,IAAI,eAAJ,C;UAAqB,WAAY,WAAI,OAAJ,C;;MACvD,OAAO,W;K;4FAGX,6C;MAMoB,Q;  
MAAhB,wBAAgB,SAhB,gB;QAAGB,cAAA,SAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,  
WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAhB,gB;QAAGB,c  
AAA,SAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO  
,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAhB,gB;QAAGB,cAAA,SAhB,M;QAAsB,IAAI,CAAC,UA  
AU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wB  
AAgB,SAhB,gB;QAAGB,cAAA,SAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WA  
AI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAhB,gB;QAAGB,cAAA,SAhB  
,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX  
,6C;MAMoB,Q;MAAhB,wBAAgB,SAhB,gB;QAAGB,cAAA,SAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,C  
AAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAh  
B,gB;QAAGB,cAAA,SAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;  
MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAhB,gB;QAAGB,cAAA,SAhB,M;QAAsB,I  
AAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,yB;MAAA,  
oC;MAAA,gC;MAAA,oD;QAMoB,Q;QAAhB,wBAAgB,SAhB,gB;UAAgB,cAAhB,UAAgB,SAhB,O;UAAsB  
,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,WAAY,WAAI,oBAAJ,C;;QAC3D,OAAO,W;O;KAPX,C;SFAUA  
,6C;MAMoB,Q;MAAhB,wBAAgB,SAhB,gB;QAAGB,cAAA,SAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;  
UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAhB,gB;  
QAAGB,cAAA,SAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OA  
AO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAhB,gB;QAAGB,cAAA,SAhB,M;QAAsB,IAAI,UAAU  
,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBA  
AgB,SAhB,gB;QAAGB,cAAA,SAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,  
C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAhB,gB;QAAGB,cAAA,SAhB,M;QAA  
sB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q  
;MAAhB,wBAAgB,SAhB,gB;QAAGB,cAAA,SAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAA  
Y,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAhB,gB;QAAGB,cAAA,  
SAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAG  
X,6C;MAMoB,Q;MAAhB,wBAAgB,SAhB,gB;QAAGB,cAAA,SAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C  
;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAMoB,  
Q;QAAhB,wBAAgB,SAhB,gB;UAAgB,cAAhB,UAAgB,SAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YA  
AwB,WAAY,WAAI,oBAAJ,C;;QAC1D,OAAO,W;O;KAPX,C;IAUA,mC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,O  
MhtIe,W;;MNitIc,OAA4D,OAARd,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,CA

AqD,C;K;IAGhE,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxIe,W;;MNYtItC,Oe7rIsC,Of6rI/B,yBAAY,OAAQ  
,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rI+B,C;K;IfgsI1C,qC;MAII,IAAI,OAAQ,UAAZ,C;  
QAAuB,OMhuIe,W;;MNIuItC,Oe7rIuC,Of6rIhC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB  
,IAA3B,Ce7rIgC,C;K;IfgsI3C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxuIe,W;;MNYuItC,Oe7rIqC,Of6rI9B,y  
BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rI8B,C;K;IfgsIzC,qC;MAII,IAAI,OA  
AQ,UAAZ,C;QAAuB,OMhvIe,W;;MNIvItC,Oe7rIsC,Of6rI/B,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GA  
AuB,CAAvB,IAA3B,Ce7rI+B,C;K;IfgsI1C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxvIe,W;;MNYvItC,Oe7rI  
uC,Of6rIhC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rIgC,C;K;IfgsI3C,qC;M  
AII,IAAI,OAAQ,UAAZ,C;QAAuB,OMhwIe,W;;MNIwItC,Oe7rIwC,Of6rIjC,yBAAY,OAAQ,MAApB,EAA2B,O  
AAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rIiC,C;K;IfgsI5C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxwIe,W;;  
MNIyItC,Oe7rIyC,Of6rIIc,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rIkC,C;  
K;IfgsI7C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMhxIe,W;;MNIxItC,OAA4D,SAArD,0BAAY,OAAQ,MAA  
pB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,CAAqD,C;K;IAGhE,qC;MAOkB,Q;MAHd,WAAmB,wBAAR  
,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MActB,WAAW,iBAaAa,IAAb,C;M  
ACG,yB;MAAd,OAac,cAAd,C;QAac,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,  
qC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAA  
O,W;MActB,WAAW,iBAaGB,IAAhB,C;MACG,yB;MAAd,OAac,cAAd,C;QAac,uB;QACV,IAAK,WAAI,UAA  
I,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;  
MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MActB,WAAW,iBAaIB,IAAjb,C;MACG,yB;MAAd,OAac,cA  
Ad,C;QAac,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WA  
AmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MActB,WAAW,iBA  
Ae,IAAf,C;MACG,yB;MAAd,OAac,cAAd,C;QAac,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OA  
AO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,  
C;QAAe,OAAO,W;MActB,WAAW,iBAaGB,IAAhB,C;MACG,yB;MAAd,OAac,cAAd,C;QAac,uB;QACV,IAA  
K,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAA  
wB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MActB,WAAW,iBAaIB,IAAjb,C;MACG,yB;M  
AAd,OAac,cAAd,C;QAac,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB  
,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MAct  
B,WAAW,iBAaKB,IAAIB,C;MACG,yB;MAAd,OAac,cAAd,C;QAac,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CA  
AJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IA  
AI,SAAQ,CAAZ,C;QAAe,OAAO,W;MActB,WAAW,iBAAmB,IAAnB,C;MACG,yB;MAAd,OAac,cAAd,C;QA  
Ac,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wB  
AAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MActB,WAAW,iBAaGB,IAA  
hB,C;MACG,yB;MAAd,OAac,cAAd,C;QAac,uB;QACV,IAAK,WAAI,sBAAL,KAAJ,EAAJ,C;;MAET,OAAO,I;  
K;IAGX,wC;MAMwB,UACT,M;MAHX,aAAa,aAAa,SAAb,EAAMB,OAAQ,KAA3B,C;MACb,kBAaKB,C;MAC  
E,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;  
,MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,cAAU,OAAQ,KAAIB,C;MACb,kBAaKB,C;M  
ACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL  
,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,eAAW,OAAQ,KAAIB,C;MACb,kBAaKB,  
C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,W  
AAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAU,OAAQ,KAAIB,C;MACb,kBAA  
KB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,  
WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAW,OAAQ,KAAIB,C;MA  
CtB,kBAaKB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YA  
AwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAY,OAAQ,KAAp  
B,C;MACb,kBAaKB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAA

P,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,oBAAa,OAAQ,KAArB,C;MACb,kBAakB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHb,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAU,OA AQ,KAAIB,C;MACb,kBAakB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHb,OAAO,oBAAP,EA AO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OA AO,yBAAY,CAAZ,EAAe,CAAf,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CA AvB,IAA3B,C;K;IAGX,0C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,cAAU,CAAV,C;MAC9B,OAAO,yBAA Y,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;Q AAuB,OAAO,eAAW,CAAX,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB ,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,eAAS,CAAT,C;MAC9B,OAAO,yBAAY,OA AQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB ,OAAO,iBAAU,CAAV,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA 3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAW,CAAX,C;MAC9B,OAAO,yBAAY,OA AQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB, OAAO,iBAAY,CAAZ,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3 B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,oBAAa,CAAb,C;MAC9B,OAAO,0BAAY,OAAQ, MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OA AO,iBAAU,CAAV,C;MAC9B,OAAO,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C ;K;IAGX,4B;MAciB,Q;Mc3nJb,IAAI,EdqnJI,KAAK,CcrnJT,CAAJ,C;QACI,cdonJc,sD;QcnnJd,MAAM,gCAAYB, OAAQ,WAAjC,C;;MdonJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OA AO,iB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ, WAAW,iBAAa,CAAb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,I AAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;McvpJb,IAAI,Ed2oJI,KAAK,Cc3oJT,CA AJ,C;QACI,cd0oJc,sD;QczoJd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md0oJV,IAAI,MAAK,CAAT,C;QAAY,OAA O,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,U AAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa, WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX, 8B;MAciB,Q;McvqJb,IAAI,EdiqJI,KAAK,CcjqJT,CAAJ,C;QACI,cdgqJc,sD;Qc/pJd,MAAM,gCAAYB,OAAQ,W AAjC,C;;MdgqJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB; MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW ,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI, mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mc7rJb,IAAI,EdurJI,KAAK,CcvtJT,CAAJ,C; QACI,cdsrJc,sD;QcrrJd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MdsrJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;M ACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,C AAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAe,CAAf,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q ;McntJb,IAAI,Ed6sJI,KAAK,Cc7sJT,CAAJ,C;QACI,cd4sJc,sD;Qc3sJd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md4 sJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MAcTb,IAAI, MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CA AhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CA Af,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;MczuJb,IAAI,EdmuJI,KAAK,CcnuJT,CAAJ,C;QACI,cdku Jc,sD;QcjuJd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MdkuJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IA AI,KAAK,gBAAT,C;QAae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CA AP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;Q ACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mc/v Jb,IAAI,EdyvJI,KAAK,CczvJT,CAAJ,C;QACI,cdwvJc,sD;QcvvJd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MdwvJV, IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MAcTb,IAAI,MAA K,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAIB,C

;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;  
UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;McrxJb,IAAI,Ed+wJI,KAACK,Cc/wJT,CAAJ,C;QACI,cd8wJc,sD  
;Qc7wJd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md8wJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,  
KAACK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,  
C;MACnB,YAAY,C;MACZ,WAAW,iBAAmB,CAAnB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QA  
CI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mc3yJ  
b,IAAI,EdqyJI,KAACK,CcryJT,CAAJ,C;QACI,cdoyJc,sD;QcnyJd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MdoyJV,I  
AAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAACK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAA  
K,CAAT,C;QAAY,OAAO,OAAO,sBAACK,CAAL,EAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,  
C;MACX,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;QACI,IAAK,WAAI,iBAAJ,C;QACL,IAAI,mCAAW,  
CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,gC;McnzJI,IAAI,Ed2zJI,KAACK,Cc3zJT,CAAJ,C;QACI,cd0zJc,sD;Qc  
zzJd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md0zJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB  
;MACX,IAAI,KAACK,IAAT,C;QAAe,OAAO,iB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,O  
AAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAa,CAAb,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7  
B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mct0JI,IAAI,Ed80JI,KAACK,Cc90J  
T,CAAJ,C;QACI,cd60Jc,sD;Qc50Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md60JV,IAAI,MAAK,CAAT,C;QAAY  
,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAACK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;  
QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc  
,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC  
;Mcz1JI,IAAI,Edi2JI,KAACK,Ccj2JT,CAAJ,C;QACI,cdg2Jc,sD;Qc/1Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Mdg2  
JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAACK,IAAT,C;QAAe,OAAO,m  
B;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,i  
BAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CA  
AJ,C;MACT,OAAO,I;K;IAGX,kC;Mc52JI,IAAI,Edo3JI,KAACK,Ccp3JT,CAAJ,C;QACI,cdm3Jc,sD;Qcl3Jd,MAA  
M,gCAAYB,OAAQ,WAAjC,C;;Mdm3JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,I  
AAI,KAACK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CA  
AP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QA  
CI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc/3JI,IAAI,Edu4JI,KAACK,Ccv4JT,CAAJ,  
C;QACI,cds4Jc,sD;Qcr4Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Mds4JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,  
W;MACnB,WAAW,gB;MACX,IAAI,KAACK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,  
OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO  
,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcl5JI  
,IAAI,Ed05JI,KAACK,Cc15JT,CAAJ,C;QACI,cdy5Jc,sD;Qcx5Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Mdy5JV,IA  
AI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAACK,IAAT,C;QAAe,OAAO,mB;MA  
CtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAi  
B,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;  
MACT,OAAO,I;K;IAGX,kC;Mcr6JI,IAAI,Ed66JI,KAACK,Cc76JT,CAAJ,C;QACI,cd46Jc,sD;Qc36Jd,MAAM,gCA  
AYB,OAAQ,WAAjC,C;;Md46JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KA  
AK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAA  
L,CAAP,C;MACnB,WAAW,iBAAkB,CAAiB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IA  
AK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcx7JI,IAAI,Edg8JI,KAACK,Cch8JT,CAAJ,C;Q  
ACI,cd+7Jc,sD;Qc97Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Md+7JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;  
MACnB,WAAW,gB;MACX,IAAI,KAACK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OA  
AO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAmB,CAAnB,C;MACX,iBAAc,OAAO,C  
AAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc38JI,I  
AAI,Edm9JI,KAACK,Ccn9JT,CAAJ,C;QACI,cdk9Jc,sD;Qcj9Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Mdk9JV,IAA  
I,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAACK,IAAT,C;QAAe,OAAO,mB;MACt  
B,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAACK,OAAO,CAAP,IAAL,EAAP,C;MACnB,WAAW,iBAAgB

,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,EAJ,C;  
MACT,OAAO,I;K;gGAGX,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,C  
AA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,  
C;;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,2C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAA  
d,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,C  
AAR,IAAL,C;;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iB  
AAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAA  
K,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,u  
C;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,O  
AAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,g  
D;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL  
,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4  
C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,C  
AAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,  
8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UA  
AK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;O;KAXX,C;kGAcA  
,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,  
UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,iB;O;KAX  
X,C;kGAcA,yB;MAAA,8D;MAAA,oC;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/  
B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,EAIV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;  
QAGf,OAAO,iB;O;KAXX,C;wFAcA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,S  
AAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,  
C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,S  
AAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,  
C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,S  
AAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,  
C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,S  
AAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,  
C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,S  
AAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,  
C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,S  
AAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,  
C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,uC;QAOiB,Q;QADb,WAA  
W,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,IAAI,CAAC,UAAU,iBAAV,CAAL,C;YAC  
I,K;UACJ,IAAK,WAAI,iBAAJ,C;;QAET,OAAO,I;O;KAZX,C;IAeA,4B;MAII,eAAe,CAAC,mBAAO,CAAP,IAA  
D,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,wB;MACnB,iBAAc,CAAd,WAAi  
B,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,I  
AAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,  
CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAA  
L,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,  
eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,  
0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK  
,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IA  
Aa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QA

AjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,kD;MAWI,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,kD;MAWI,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,6B;MAII,IA+nEO,qBAAQ,CA/nEf,C;QAAe,OAAO,W;MACtB,WAAW,wB;MACN,WAAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IA6nEO,qBAAQ,CA7nEf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IA2nEO,qBAAQ,CA3nEf,C;QAAe,OAAO,W;M

ACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAynEO,qBAAQ,CAznEf,C;QA Ae,  
OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAunEO,qBAAQ,CA  
vnEf,C;QA Ae,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAqnE  
O,qBAAQ,CArnEf,C;QA Ae,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B  
;MAII,IAmnEO,qBAAQ,CAnnEf,C;QA Ae,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO  
,I;K;IAGX,+B;MAII,IAinEO,qBAAQ,CAjnEf,C;QA Ae,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;M  
ACL,OAAO,I;K;IAGX,+B;MAII,IA+mEO,qBAAQ,CA/mEf,C;QA Ae,OAAO,W;MACtB,WAAW,0B;MACN,WA  
AL,IAAK,C;MACL,OAAO,I;K;IAGX,kC;MAII,IAqiEO,qBAAQ,CArEf,C;QA Ae,OAAO,S;MACtB,aAAa,aAAa,  
SAAb,EAAmB,gBAAAnB,C;MACb,gBAAGB,wB;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,C  
AAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAiiEO,qBAAQ,CAjiEf,C;QA Ae,OA  
AO,S;MACtB,aAAa,cAAU,gBAAV,C;MACb,gBAAGB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,  
YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IA6hEO,qBAAQ,CA7hEf,C;  
QA Ae,OAAO,S;MACtB,aAAa,eAAW,gBAAX,C;MACb,gBAAGB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;Q  
ACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAyhEO,qBAA  
Q,CAzhEf,C;QA Ae,OAAO,S;MACtB,aAAa,eAAS,gBAAT,C;MACb,gBAAGB,0B;MACHb,aAAU,CAAV,OAAa,  
SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAqh  
EO,qBAAQ,CArhEf,C;QA Ae,OAAO,S;MACtB,aAAa,iBAAU,gBAAV,C;MACb,gBAAGB,0B;MACHb,aAAU,CA  
AV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;  
MAII,IAihEO,qBAAQ,CAjhEf,C;QA Ae,OAAO,S;MACtB,aAAa,iBAAW,gBAAX,C;MACb,gBAAGB,0B;MACHb  
,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K  
;IAGX,oC;MAII,IA6gEO,qBAAQ,CA7gEf,C;QA Ae,OAAO,S;MACtB,aAAa,iBAA Y,gBAAZ,C;MACb,gBAAGB,  
0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,  
OAAO,M;K;IAGX,oC;MAII,IAygEO,qBAAQ,CAzgEf,C;QA Ae,OAAO,S;MACtB,aAAa,oBAAa,gBAAb,C;MAC  
b,gBAAGB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,  
C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAqgEO,qBAAQ,CArgEf,C;QA Ae,OAAO,S;MACtB,aAAa,iBAAU,gBA  
AV,C;MACb,gBAAGB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,U  
AAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,4B;MAKI,qBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,qBAAQ,4BAAR,C;  
K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,  
C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAA  
R,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,sC;MAOI,aAAU,wBAAV,OAA2B,CAA3B,M;QACI,QAAQ,  
MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,  
C;QACV,UAAK,CAAL,IAAU,I;K;IAIIB,sC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iB  
AAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,  
UAAK,CAAL,IAAU,I;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAA  
I,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,C  
AAL,IAAU,I;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,I  
AAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAA  
U,I;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;Q  
ACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;K;IA  
IIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WA  
AW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;K;IAIIB,uC;M  
AOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UA  
AK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;K;IAIIB,uC;MAOI,aAA  
U,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,  
C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;K;IAIIB,uC;MAOI,aAAU,0BAA  
V,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX  
,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;K;IAIIB,yB;MAAA,oD;MgBn5LA,sC;M  
AAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,

CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB44Lf,sC;QAMI,IAAI,mBAAO,CAAX,C;UAAc,oBgB15Ld,eAAW,iBhBk5LsB,QgB15LtB,CAAX,ChBk5Lc,C;;O;KANIB,C;sGASA,yB;MAAA,oD;MgBz4LA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,S A+EGb,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBk4Lf,sC;QAMI,IAAI,mBAAO,C AAX,C;UAAc,oBgBx4Ld,eAAW,2BhBw4LgC,QgBx4LhC,CAAX,ChBw4Lc,C;;O;KANIB,C;IASA,mC;MAMI,o BAAS,cAAT,C;K;IAGJ,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;;K;IAIR,qC;MAII,IAAI,mBAAO,C AAX,C;QACI,e;QACA,oB;;K;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;;K;IAIR,qC;MAII,IAAI ,mBAAO,CAAX,C;QACI,iB;QACA,oB;;K;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;;K;IAIR,q C;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;;K;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,o B;;K;IAIR,2B;MAMI,OAAqB,OAAAd,sBAAC,C;K;IAGzB,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC, OiB5gMhC,WjB4gMgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiBnhMhC,WjBmhM gC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiB1hMhC,WjB0hMgC,C;K;IAG3C,6B;M AI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiBjiMhC,WjBiiMgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAu B,mB;MAA9B,OAAuC,OiBxiMhC,WjBwiMgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC, OiB/iMhC,WjB+iMgC,C;K;IAG3C,6B;MAI0B,kBAAf,0B;MAAuB,mB;MAA9B,OAAuC,OiBtjMhC,WjBsJMg C,C;K;IAG3C,gC;MAMI,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,SejKiB,Q;MfojKK,mB; MAA7B,OiBhkMO,W;K;IjBmkMX,kC;MAII,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,SejK iB,Q;MfjkKK,iB;MAA7B,OiBxkMO,W;K;IjB2kMX,kC;MAII,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MA CD,kBAAd,SehKiB,Q;MfgjKK,iB;MAA7B,OiBhlMO,W;K;IjBmlMX,kC;MAII,IA6kDO,qBAAQ,CA7kDf,C;QA Ae,OAAO,S;MACD,kBAAd,Se9iKiB,Q;Mf8iKK,iB;MAA7B,OiBxlMO,W;K;IjB2IMX,kC;MAII,IA6kDO,qBAA Q,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,mB;MAA7B,OiBhmMO,W;K;IjBmmMX ,kC;MAII,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,Se3iKiB,Q;Mf2iKK,iB;MAA7B,OiBxm MO,W;K;IjB2mMX,kC;MAII,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,SeziKiB,Q;MfyiKK,i B;MAA7B,OiBhnMO,W;K;IjBmnMX,kC;MAII,IAqlDO,qBAAQ,CArldf,C;QAAe,OAAO,S;MACD,kBAAT,UA AL,SAAK,C;MAAiB,iB;MAA7B,OiBxnMO,W;K;IjB2nMX,0C;MAMI,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAA O,S;MACD,kBAAd,SetnKiB,Q;MfsnKK,sBAAS,cAAT,C;MAA7B,OiBloMO,W;K;IjBqoMX,4C;MAII,IA2gDO,q BAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SejnKiB,Q;MfonKK,6B;MAA7B,OiB1oMO,W;K;IjB6oMX,4 C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SelnKiB,Q;MfknKK,6B;MAA7B,OiBlpMO ,W;K;IjBqpMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SehnKiB,Q;MfgnKK,6B; MAA7B,OiB1pMO,W;K;IjB6pMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAT,UAA L,SAAK,C;MAAiB,6B;MAA7B,OiBlqMO,W;K;IjBqqMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S ;MACD,kBAAd,Se7mKiB,Q;Mf6mKK,6B;MAA7B,OiB1qMO,W;K;IjB6qMX,4C;MAII,IA2gDO,qBAAQ,CA3gD f,C;QAAe,OAAO,S;MACD,kBAAd,Se3mKiB,Q;Mf2mKK,6B;MAA7B,OiBlrMO,W;K;IjBqrMX,4C;MAII,IAmh DO,qBAAQ,CAhDf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,6B;MAA7B,OiB1rMO,W;K;Ij B6rMX,gD;MAMI,IAy8CO,qBAAQ,CAz8Cf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,iC;MAA7B ,OiBpsMO,W;K;sFjBusMX,yB;MAAA,wD;MgB5rMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;U AAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C ;W;S;OA4DI,C;MhBqrMf,sC;QAQI,OAAO,sBgB7rMP,eAAW,iBhB6rMiB,QgB7rMjB,CAAX,ChB6rMO,C;O;KA RX,C;wFAWA,yB;MAAA,wD;MgBvsMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;Y AAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4 DI,C;MhBgsMf,sC;QAMI,OAAO,sBgBtsMP,eAAW,iBhBssMiB,QgBtsMjB,CAAX,ChBssMO,C;O;KANX,C;wF ASA,yB;MAAA,wD;MgBhtMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAs B,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBy sMf,sC;QAMI,OAAO,sBgB/sMP,eAAW,iBhB+sMiB,QgB/sMjB,CAAX,ChB+sMO,C;O;KANX,C;wFASA,yB;M AAA,wD;MgBztMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAA tB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBktMf,sC;QA MI,OAAO,sBgBxtMP,eAAW,iBhBwtMiB,QgBxtMjB,CAAX,ChBwtMO,C;O;KANX,C;wFASA,yB;MAAA,wD; MgBluMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd



,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB2tMf,sC;QAMI,OAAO,sBgBjuMP,eAAW,iBhBiuMiB,QgBjuMjB,CAAX,ChBiuMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgB3uMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBouMf,sC;QAMI,OAAO,sBgB1uMP,eAAW,iBhB0uMiB,QgB1uMjB,CAAX,ChB0uMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgBpvMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB6uMf,sC;QAMI,OAAO,sBgBnvMP,eAAW,iBhBmvMiB,QgBnvMjB,CAAX,ChBmvMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgB7vMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBsvMf,sC;QAMI,OAAO,sBgB5vMP,eAAW,iBhB4vMiB,QgB5vMjB,CAAX,ChB4vMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgBtwMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EA A2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB+vMf,sC;QAMI,OAAO,sBgBrwMP,eAAW,iBhBqwMiB,Qg BrwMjB,CAAX,ChBqwMO,C;O;KANX,C;0GASA,yB;MAAA,wD;MgB5vMA,sC;MAAA,oC;MAAA,iCAOe,yB; QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+ EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBqvMf,sC;QAMI,OAAO,sBgB3vMP,eAAW,2BhB2vM2B,QgB3vM3B, CAAX,ChB2vMO,C;O;KANX,C;4GASA,yB;MAAA,wD;MgBrwMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8 D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/E N,CAA3B,C;W;S;OA+EI,C;MhB8vMf,sC;QAI,OAAO,sBgBlwMP,eAAW,2BhBkwM2B,QgBlwM3B,CAAX,Ch BkwMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB5wMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe, 4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3 B,C;W;S;OA+EI,C;MhBqwMf,sC;QAI,OAAO,sBgBzwMP,eAAW,2BhBywM2B,QgBzwM3B,CAAX,ChBywMO ,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBnxMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAA A,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S; OA+EI,C;MhB4wMf,sC;QAI,OAAO,sBgBhxMP,eAAW,2BhBgxM2B,QgBhxM3B,CAAX,ChBgxMO,C;O;KAJ X,C;4GAOA,yB;MAAA,wD;MgB1xMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAA U,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C; MhBmxMf,sC;QAI,OAAO,sBgBvxMP,eAAW,2BhBuxM2B,QgBvxM3B,CAAX,ChBuxMO,C;O;KAJX,C;4GAO A,yB;MAAA,wD;MgBjyMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,g B;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB0xMf,s C;QAI,OAAO,sBgB9xMP,eAAW,2BhB8xM2B,QgB9xM3B,CAAX,ChB8xMO,C;O;KAJX,C;4GAOA,yB;MAA A,wD;MgBxyMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB, OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBiyMf,sC;QAI,OA AO,sBgBryMP,eAAW,2BhBqyM2B,QgBryM3B,CAAX,ChBqyMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB/y MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc, SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBwyMf,sC;QAI,OAAO,sBgB5y MP,eAAW,2BhB4yM2B,QgB5yM3B,CAAX,ChB4yMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBtzMA,sC;MA AA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA /EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB+yMf,sC;QAI,OAAO,sBgBnzMP,eAAW,2B hBmzM2B,QgBnzM3B,CAAX,ChBmzMO,C;O;KAJX,C;IAOA,qC;MAMI,OAAO,sBAAW,cAAc,C;K;IAGX,uC; MAIoB,kBel1KQ,iB;Mfk1KA,iB;MAAxB,OAAiC,WiBx2M1B,WjBw2M0B,C;K;IAGrC,uC;MAIoB,kBe/0KQ,iB; Mf+0KA,iB;MAAxB,OAAiC,WiB/2M1B,WjB+2M0B,C;K;IAGrC,uC;MAIoB,kBe50KQ,iB;Mf40KA,iB;MAAxB, OAAiC,WiBt3M1B,WjBs3M0B,C;K;IAGrC,uC;MAIoB,kBAAT,oB;MAAiB,mB;MAAxB,OAAiC,WiB73M1B,W jB63M0B,C;K;IAGrC,uC;MAIoB,kBev0KQ,iB;Mfu0KA,iB;MAAxB,OAAiC,WiBp4M1B,WjBo4M0B,C;K;IAGr C,uC;MAIoB,kBep0KQ,iB;Mfo0KA,iB;MAAxB,OAAiC,WiB34M1B,WjB24M0B,C;K;IAGrC,uC;MAIoB,kBAA T,oB;MAAiB,iB;MAAxB,OAAiC,WiB15M1B,WjBk5M0B,C;K;IAGrC,2C;MAMI,OAAmC,OAA5B,2BAAGB,UA AhB,CAA4B,C;K;IAGvC,6C;MAIoB,kBAaf,yB;MAAuB,iC;MAA9B,OAAqD,OiB16M9C,WjBk6M8C,C;K;IAGz D,6C;MAIoB,kBAaf,yB;MAAuB,iC;MAA9B,OAAqD,OiBz6M9C,WjBy6M8C,C;K;IAGzD,6C;MAIoB,kBAaf,y

B;MAAuB,iC;MAA9B,OAAqD,OiBh7M9C,WjBg7M8C,C;K;IAGzD,6C;MAI0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OiBv7M9C,WjBu7M8C,C;K;IAGzD,6C;MAI0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OiBr8M9C,WjBq8M8C,C;K;IAGzD,6C;MAI0B,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OiB58M9C,WjB48M8C,C;K;IAGzD,6C;MAI0B,kBAAf,0B;MAAuB,iC;MAA9B,OAAqD,OiBn9M9C,WjBm9M8C,C;K;IAkoCrD,gC;MAAQ,oBAAS,CAAT,EAAY,wBAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IA MR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAMR, kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;oFAEZ,qB; MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OAAO,qBAAQ,C;K;sF AGnB,qB;MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OAAO,qBAA Q,C;K;sFAGnB,qB;MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OA AO,qBAAQ,C;K;0FAGnB,qB;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA,qB AAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA,q BAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA, qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA, qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;IAOP,kC;MAAQ,0BAAO,CAA P,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CA AP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CA AP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IA8TZ,yD;MAcI,sBAAS,c AAT,EAAYB,SAAZB,EAAoC,OAAP,C;K;IAGJ,yD;MAYI,mBAAK,SAAL,EAAGB,OAAhB,C;MACA,qBAAQ, SAAR,EAAMB,OAAnB,C;K;IAGJ,yD;MAYI,mBAAK,SAAL,EAAGB,OAAhB,C;MACA,sBAAQ,SAAR,EAAMB,OAAnB,B,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OAAhB,C;MACA,sBAAQ,SAAR,EAAMB,OAAnB,C;K; IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OAAhB,C;MACA,sBAAQ,SAAR,EAAMB,OAAnB,C;K;IAGJ,0D;MA YI,mBAAK,SAAL,EAAGB,OAAhB,C;MACA,sBAAQ,SAAR,EAAMB,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,S AAL,EAAGB,OAAhB,C;MACA,sBAAQ,SAAR,EAAMB,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB, OAAhB,C;MACA,sBAAQ,SAAR,EAAMB,OAAnB,C;K;IA2B0B,oD;MAAA,wB;QAAW,2BAAK,KAAL,C;O;K; IAJzC,mC;MAII,OAAO,qBAaA,gBAAb,EAAMB,gCAAnB,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL, C;O;K;IAJtC,gC;MAII,OAAO,+BAAU,gBAAV,GAAGB,6BAAhB,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK, KAAL,C;O;K;IAJtC,gC;MAII,OAAO,kBAAU,gBAAV,EAAGB,6BAAhB,C;K;IAOkB,kD;MAAA,wB;QAAW,0B AAK,KAAL,C;O;K;IAJxC,kC;MAII,OAAO,kCAAY,gBAAZ,GAAGB,+BAAIB,C;K;IAOiB,gD;MAAA,wB;QAA W,yBAAK,KAAL,C;O;K;IAJvC,iC;MAII,OAAO,kCAAW,gBAAZ,GAAGB,8BAAjB,C;K;IAOe,4C;MAAA,wB;Q AAU,uBAAK,KAAL,C;O;K;IAJrC,+B;MAII,OAAO,gCAAS,gBAAT,GAAe,4BAAf,C;K;IAOgB,8C;MAAA,wB; QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAAO,kBAAU,gBAAV,EAAGB,6BAAhB,C;K;IAOiB,gD;MAA A,wB;QAAW,yBAAK,KAAL,C;O;K;IAJvC,iC;MAII,OAAO,gCAAW,gBAAZ,GAAGB,8BAAjB,C;K;wFA2CX,y B;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAGB,EAAC,EAAD,C;Q AC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAA U,OAAY,C;UOX+QnB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAAR,C;;QP8zPA,OA4qBO,W;O;KAXrBX,C;0FA eA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAGB,EAAC,EAAD, C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,C AAU,OAAY,C;UOV/QnB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAAR,C;;QP60PA,OA4qBO,W;O;KAXrBX,C;0 FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAGB,EAAC,EA AD,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/ B,CAAU,OAAY,C;UOTgRnB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAAR,C;;QP41PA,OA4qBO,W;O;KAXrBX, C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAGB,EAAC, EAAD,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0 qB/B,CAAU,OAAY,C;UORhRnB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAAR,C;;QP22PA,OA4qBO,W;O;KAXr BX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAGB,E

AAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAAPB,C;QAYqBH,Q;QAAhB,iD;UAGb,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOpiRnB,wBAAI,IAAK,MAAT,EAAGb,IAAK,OAArB,C;;QP03PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAAPB,C;QAYqBH,Q;QAAhB,iD;UAGb,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOnjRnB,wBAAI,IAAK,MAAT,EAAGb,IAAK,OAArB,C;;QP4PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAAPB,C;QAYqBH,Q;QAAhB,iD;UAGb,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOlkrnB,wBAAI,IAAK,MAAT,EAAGb,IAAK,OAArB,C;;QP5PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAAPB,C;QAYqBH,Q;QAAhB,iD;UAGb,cAAhB,0B;UACI,WA1qB8C,SA0qB/B,CAAU,oBAAV,C;UOhmRnB,wBAAI,IAAK,MAAT,EAAGb,IAAK,OAArB,C;;QP7PA,OA4qBO,W;O;KAXrBX,C;4FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QAmQL,Q;QAAhB,iD;UAGb,cAAhB,e;UACI,WAAy,aApQoC,WAOqHc,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QApQhB,OASqO,W;O;KAIrX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAuB,QAAvB,C;QAoQL,Q;QAAhB,iD;UAGb,cAAhB,e;UACI,WAAy,aArQuC,WaqQnC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QArQhB,OAuqO,W;O;KANrX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAwB,QAAXB,C;QAqQL,Q;QAAhB,iD;UAGb,cAAhB,e;UACI,WAAy,aAtQwC,WAsQpC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAtQhB,OAwwO,W;O;KApRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAAsB,QAAtB,C;QAsQL,Q;QAAhB,iD;UAGb,cAAhB,e;UACI,WAAy,aAvQsC,WauQIC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAvQhB,OAyqO,W;O;KArRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAuB,QAAvB,C;QAUQL,Q;QAAhB,iD;UAGb,cAAhB,e;UACI,WAAy,aAxQuC,WAwQnC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAxQhB,OA0qO,W;O;KAtRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAwB,QAAXB,C;QAwQL,Q;QAAhB,iD;UAGb,cAAhB,e;UACI,WAAy,aAzQwC,WAyQpC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAzQhB,OA2qO,W;O;KAvRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAyB,QAazB,C;QAyQL,Q;QAAhB,iD;UAGb,cAAhB,e;UACI,WAAy,aA1QyC,WA0QrC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA1QhB,OA4qO,W;O;KAXrX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAA0B,QAAlB,C;QA0QL,Q;QAAhB,iD;UAGb,cAAhB,e;UACI,WAAy,aA3Q0C,WA2QtC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA3QhB,OA6qO,W;O;KAZrX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA6QA,oC;MAAA,gC;MA7QA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAuB,QAAvB,C;QA2QL,Q;QAAhB,iD;UAGb,cAAhB,0B;UACI,WAAy,aA5QuC,WA4QnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QA5QhB,OA8qO,W;O;KA1RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QA6QL,Q;QAAhB,iD;UAGb,cAAhB,e;UACI,WAAy,aA9QoC,WA8QhC,CAAY,OAAZ,CAAJ,EA9QiD,cA8QvB,CAAE,OAaf,CAA1B,C;;QA9QhB,OAgrO,W;O;KA3RX,C;8FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QA+QL,Q;QAAhB,iD;UAGb,cAAhB,e;UACI,WAAy,aAhRoC,WAgRhC,CAAY,OAAZ,CAAJ,EAhRiD,cAgRvB,CAAe,OAaf,CAA1B,C;;QAhRhB,OAKRO,W;O;KA7RX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QAiRL,Q;QAAhB,iD;UAGb,cAAhB,e;UACI,WAAy,aAIRoC,WakRhC,CAAY,OAAZ,CAAJ,EAIRiD,cAkRvB,CAAe,OAaf,CAA1B,C

::;QAIRhB,OAoRO,W;O;KA/RX,C;+FACa,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAI  
B,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QAmRL,Q;QAAhB,iD;UAAgB,  
cAAhB,e;UACI,WAAy,aApRoC,WaORhC,CAAY,OAAZ,CAAJ,EAPriD,cAoRvB,CAAe,OAAf,CAA1B,C;;QAp  
RhB,OASRO,W;O;KAjSX,C;+FACa,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YA  
AY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QAqRL,Q;QAAhB,iD;UAAgB,cAAh  
B,e;UACI,WAAy,aAtRoC,WASRhC,CAAY,OAAZ,CAAJ,EATriD,cAsRvB,CAAe,OAAf,CAA1B,C;;QAtRhB,O  
AwRO,W;O;KANsX,C;+FACa,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAY,gB  
AAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QAuRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UA  
CI,WAAy,aAxRoC,WAwRhC,CAAY,OAAZ,CAAJ,EAXriD,cAwRvB,CAAe,OAAf,CAA1B,C;;QAxRhB,OA0R  
O,W;O;KARsX,C;+FACa,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAY,gBAAZ,  
CAAkB,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QAYRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,W  
AAy,aA1RoC,WA0RhC,CAAY,OAAZ,CAAJ,EA1RiD,cA0RvB,CAAe,OAAf,CAA1B,C;;QA1RhB,OA4RO,W;O  
;KAvSX,C;+FACa,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAY,gBAAZ,CAAk  
B,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QA2RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAy,a  
A5RoC,WA4RhC,CAAY,OAAZ,CAAJ,EA5RiD,cA4RvB,CAAe,OAAf,CAA1B,C;;QA5RhB,OA8RO,W;O;KAZ  
S X,C;+FACa,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAY,gBAAZ,CAAk  
B,EAAC,EAAd,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QA6RL,Q;QAAhB,iD;UAAgB,cAAh  
B,0B;UACI,WAAy,aA9RoC,WA8RhC,CAAY,oBAAZ,CAAJ,EA9RiD,cA8RvB,CAAe,oBAAf,CAA1B,C;;QA9R  
hB,OAgsO,W;O;KA3SX,C;gGAcA,+C;MAUoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QA  
CI,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;kGAGX,+C;MAUoB,Q;MAAhB  
,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;  
MAEhB,OAAO,W;K;kGAGX,+C;MAUoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,W  
AAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;iGAGX,+C;MAUoB,Q;MAAhB,wBA  
AGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEh  
B,OAAO,W;K;kGAGX,+C;MAUoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,a  
AAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;kGAGX,+C;MAUoB,Q;MAAhB,wBAAGB,S  
AAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OA  
AO,W;K;kGAGX,+C;MAUoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,  
YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;kGAGX,+C;MAUoB,Q;MAAhB,wBAAGB,SAAh  
B,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,  
W;K;iGAGX,yB;MAAA,oC;MAAA,gC;MAAA,sD;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,U  
AAgB,SAAhB,O;UACI,WAAy,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;  
kGAgBA,+D;MAUoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAY,O  
AAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;kGAGX,+D;MAUoB,Q;MAAhB,wBAAGB,S  
AAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;  
MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,W  
AAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;  
MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAA  
e,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,  
SAAhB,M;QACI,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGA  
GX,+D;MAUoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAY,OAAZ,  
CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAGB,SAAhB  
,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEh  
B,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,  
aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,yB;MAAA,oC;MAA  
A,gC;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAy,aA  
AI,YAAY,oBAAZ,CAAJ,EAA0B,eAAe,oBAAf,CAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;2FAGBA,6C;MASoB,  
Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOx+QnB,wBAALI

AAK,MAAT,EAAGB,IAAK,OAARb,C;;MP0+QA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAGB,SAAhB ,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOV/QnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,O AArB,C;;MPy/QA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M; QACI,WAAe,UAAU,OAAV,C;QOtgRnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;MPwgRA,OAAO,W; K;8FAGX,6C;MASoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV ,C;QOrhRnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;MPuhRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MA AhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOpiRnB,wBAAI,IAAK,M AAT,EAAGB,IAAK,OAARb,C;;MPsiRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAGB,SAAhB,gB;QA AgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOnjRnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAARb,C ;;MPqjRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI ,WAAe,UAAU,OAAV,C;QOlkRnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;MPokRA,OAAO,W;K;8FAG X,6C;MASoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOjlR nB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;MPmlRA,OAAO,W;K;8FAGX,yB;MAAA,oC;MAAA,gC;M AAA,oD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAGB,cAAhB,UAAGB,SAAhB,O;UACI,WAAe,UAAU,oBA AV,C;UOhmRnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QPkmRA,OAAO,W;O;KAZX,C;gGAeA,yB; MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAYI,aAAa,mBAAsC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd ,CAAtC,C;QAsJG,Q;QAAhB,iD;UAAGB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAA d,CAAb,C;;QAtJhB,OAAuB,M;O;KAb3B,C;kGAgBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,m BAAyC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,CAAzC,C;QAsJG,Q;QAAhB,iD;UAAGB,cAAhB,e;UArJuB ,MAsJP,aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAA d,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0 D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA0C,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,CAA1C ,C;QAsJG,Q;QAAhB,iD;UAAGB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAA d,CAAb,C;;QA tJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAAwC,c AAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,CAAxC,C;QAsJG,Q;QAAhB,iD;UAAGB,cAAhB,e;UArJuB,MAsJP,a AAI,OAAJ,EAtJe,aAsJF,CAAc,OAA d,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAA A,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAAyC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,CAAzC,C;QAsJ G,Q;QAAhB,iD;UAAGB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAA d,CAAb,C;;QAtJhB,OA AuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA0C,cAAIB,Y AAY,gBAAZ,CAAKB,EAAC,EAAd,CAA1C,C;QAsJG,Q;QAAhB,iD;UAAGB,cAAhB,e;UArJuB,MAsJP,aAAI,O AAJ,EAtJe,aAsJF,CAAc,OAA d,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAA A,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA2C,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,CAA3C,C;QAsJG,Q;Q AAhB,iD;UAAGB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAA d,CAAb,C;;QAtJhB,OA AuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA4C,cAAIB,YAAY ,gBAAZ,CAAKB,EAAC,EAAd,CAA5C,C;QAsJG,Q;QAAhB,iD;UAAGB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,E AtJe,aAsJF,CAAc,OAA d,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,uD;MAAA,0D;MAAA, yD;MAAA,uE;MAwJA,oC;MAAA,gC;MAxJA,2C;QAaI,aAAa,mBAA2D,cAApC,YAAiB,aAAL,gBAAK,EAAa, GAAb,CAAjB,CAAoC,EAAC,EAAd,CAA3D,C;QAsJG,Q;QAAhB,iD;UAAGB,cAAhB,0B;UArJuB,MAsJP,aAAI, oBAAJ,EAtJe,aAsJF,CAAc,oBAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;oGaiBA,iD;MAUoB,Q;MAAhB, wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,OAAJ,EAAa,cAAc,OAA d,CAAb,C;;MAEH B,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,a AAI,OAAJ,EAAa,cAAc,OAA d,CAAb,C;;MAEHB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAGB,SAAh B,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,OAAJ,EAAa,cAAc,OAA d,CAAb,C;;MAEHB,OAAO,W;K;s GAGX,iD;MAWoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,OAAJ,EAA a,cAAc,OAA d,CAAb,C;;MAEHB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cA AA,SAAhB,M;QACI,WAAy,aAAI,OAAJ,EAAa,cAAc,OAA d,CAAb,C;;MAEHB,OAAO,W;K;sGAGX,iD;MAWo B,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,OAAJ,EAAa,cAAc,OAA d,CA Ab,C;;MAEHB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;Q ACI,WAAy,aAAI,OAAJ,EAAa,cAAc,OAA d,CAAb,C;;MAEHB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,w

BAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAc,CAAb,C;;MAEhB, OAAO,W;K;sGAGX,yB;MAAA,oC;MAAA,gC;MAAA,wD;QAWoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,c AAhB,UAAgB,SAAhB,O;UACI,WAAY,aAAI,oBAAJ,EAAa,cAAc,oBAAc,CAAb,C;;QAEhB,OAAO,W;O;KAd X,C;IAiBA,8C;MAliB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAl,IAAJ,C;;MAE hB,OAAO,W;K;IAGX,gD;MAliB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAl,IA AJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAliB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY ,WAAl,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAliB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QA CI,WAAY,WAAl,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAliB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,S AAb,M;QACI,WAAY,WAAl,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAliB,Q;MAAb,wBAAa,SAAb,gB;QAA a,WAAA,SAAb,M;QACI,WAAY,WAAl,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAliB,Q;MAAb,wBAAa,SAAb,gB;QAA a,WAAA,SAAb,M;QACI,WAAY,WAAl,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAliB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAl,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAliB,Q;MAAb,w BAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAl,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAliB, Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;QACI,WAAY,WAAl,iBAAJ,C;;MAEhB,OAAO,W;K; IAGX,8B;MAII,OAAO,wBAAa,eAAW,YAAY,gBAAZ,CAAX,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAc, YAAY,gBAAZ,CAAd,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAe,YAAY,gBAAZ,CAAf,CAAb,C;K;IAGX ,gC;MAII,OAAO,0BAAa,eAAa,YAAY,gBAAZ,CAAb,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAc,YAAY, gBAAZ,CAAd,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAe,YAAY,gBAAZ,CAAf,CAAb,C;K;IAGX,gC;M AII,OAAO,0BAAa,eAAgB,YAAY,gBAAZ,CAAhB,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAiB,YAAY,g BAAZ,CAAjB,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAc,YAAiB,eAAL,gBAAK,EAAa,GAAb,CAAjB,C AAd,CAAb,C;K;IAGX,2B;MAliB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UA AK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;;UACa,qBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAliB,IA AN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C; UAAL,K;;UACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAliB,IAAN,I;MAAA,QAAM,gBAAN,C;a ACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;;UACa,uBAAL,SAAK,C; UAHV,K;;MAAP,W;K;IAOJ,6B;MAliB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA, C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;;UACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MA liB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAA P,C;UAAL,K;;UACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAliB,IAAN,I;MAAA,QAAM,gBAAN, C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;;UACa,uBAAL,SAAK, C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAliB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aAC A,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;;UACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B; MAliB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,C AAP,C;UAAL,K;;UACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAliB,IAAN,I;MAAA,QAAM,gBA AN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,sBAAK,CAAL,EAAP,C;UAAL,K;;UACa,uBAAL,S AAK,C;UAHV,K;;MAAP,W;K;IAOJ,kC;MAII,OAAO,iBAAe,aAAL,SAAK,CAAf,C;K;IAGX,oC;MAKiB,Q;MA Db,WAAW,iBAAGB,gBAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,IAAK,WAAl,IAAJ ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAiB,gBAAjB,C;MACX,wBAAa,SAAb,gB;QAA a,WAAA,SAAb,M;QAAMB,IAAK,WAAl,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBA Ae,gBAAf,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,IAAK,WAAl,IAAJ,C;;MACxB,OAAO, I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAGB,gBAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M ;QAAMB,IAAK,WAAl,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAiB,gBAAjB,C;M ACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,IAAK,WAAl,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC; MAKiB,Q;MADb,WAAW,iBAAkB,gBAAIB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,IAA K,WAAl,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAMB,gBAAnB,C;MACX,wBAA a,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,IAAK,WAAl,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;M ADb,WAAW,iBAAGB,gBAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;QAAMB,IAAK,WA Al,iBAAJ,C;;MACxB,OAAO,I;K;IAGX,0B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;;UACQ,+BAAa,qBAAiB,YAAY,gBAAZ,CAAjB,

CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;;UACQ,iCAAa,qBAAoB,YAAY,gBAAZ,CAApB,C AAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K ;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;;UACQ,iCAAa,qBAAqB,YAAY,gBAAZ,CAArB,CA Ab,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;a ACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;;UACQ,iCAAa,qBAAmB,YAAY,gBAAZ,CAAnB,CAA b,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aA CA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;;UACQ,iCAAa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb, C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aAC A,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;;UACQ,iCAAa,qBAAqB,YAAY,gBAAZ,CAArB,CAAb,C; UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA, C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;;UACQ,iCAAa,qBAAaB,YAAY,gBAAZ,CAAtB,CAAb,C;U AHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C ;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;;UACQ,iCAAa,qBAAuB,YAAY,gBAAZ,CAAvB,CAAb,C;UA HL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C; UAAK,aAAM,sBAAK,CAAL,EAAN,C;UAAL,K;;UACQ,iCAAa,qBAAoB,YAAiB,eAAL,gBAAK,EAAa,GAAb, CAAjB,CAApB,CAAb,C;UAHL,K;;MAAP,W;K;oFAOJ,yB;MAAA,+D;MAwaA,gD;MAxaA,uC;QAMW,kBAA U,gB;QAsaD,Q;QAaHb,iD;UAAgB,cAaHb,e;UACI,WaVa6B,SAualB,CAAU,OAAV,C;UACC,OAAZ,WAAy,E AAO,IAAP,C;;QAxahB,OA0aO,W;O;KAhbX,C;sFASA,yB;MAAA,+D;MA0aA,gD;MA1aA,uC;QAMW,kBAAU, gB;QAwaD,Q;QAaHb,iD;UAAgB,cAaHb,e;UACI,WaZa6B,SAyalB,CAAU,OAAV,C;UACC,OAAZ,WAAy,EA AO,IAAP,C;;QA1ahB,OA4aO,W;O;KA1bX,C;sFASA,yB;MAAA,+D;MA4aA,gD;MA5aA,uC;QAMW,kBAAU,g B;QA0aD,Q;QAaHb,iD;UAAgB,cAaHb,e;UACI,WA3a6B,SA2alB,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAA O,IAAP,C;;QA5ahB,OA8aO,W;O;KApbX,C;sFASA,yB;MAAA,+D;MA8aA,gD;MA9aA,uC;QAMW,kBAAU,gB; QA4aD,Q;QAaHb,iD;UAAgB,cAaHb,e;UACI,WA7a6B,SA6alB,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO, IAAP,C;;QA9ahB,OAgbO,W;O;KAtbX,C;sFASA,yB;MAAA,+D;MAgbA,gD;MAhbA,uC;QAMW,kBAAU,gB;Q A8aD,Q;QAaHb,iD;UAAgB,cAaHb,e;UACI,WA/a6B,SA+alB,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IA AP,C;;QAhhbB,OAkbO,W;O;KAxbX,C;sFASA,yB;MAAA,+D;MAkbA,gD;MA1bA,uC;QAMW,kBAAU,gB;QA g bD,Q;QAaHb,iD;UAAgB,cAaHb,e;UACI,WAjb6B,SAib1B,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP ,C;;QA1bhB,OAobO,W;O;KA1bX,C;sFASA,yB;MAAA,+D;MAobA,gD;MApbA,uC;QAMW,kBAAU,gB;QAkbD, Q;QAaHb,iD;UAAgB,cAaHb,e;UACI,WAnb6B,SAmblB,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP, C;;QApbhB,OAsoB,W;O;KA5bX,C;sFASA,yB;MAAA,+D;MAsoA,gD;MAtbA,uC;QAMW,kBAAU,gB;QAobD, Q;QAaHb,iD;UAAgB,cAaHb,e;UACI,WArb6B,SAqb1B,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C; ;QAtbhB,OAwbO,W;O;KA9bX,C;sFASA,yB;MAAA,+D;MAwbA,oC;MAAA,gD;MAAA,gC;MAxbA,uC;QAMW ,kBAAU,gB;QAsbD,Q;QAaHb,iD;UAAgB,cAaHb,0B;UACI,WAvb6B,SAub1B,CAAU,oBAAV,C;UACC,OAAZ, WAAy,EAAO,IAAP,C;;QAxbhB,OA0bo,W;O;KAhcX,C;sFASA,yB;MAAA,+D;MA0bA,gD;MA1bA,uC;QAUW ,kBAAU,gB;QAw bD,Q;QAaHb,iD;UAAgB,cAaHb,e;UACI,Wazb6B,SAyb1B,CAAU,OAAV,C;UACC,OAAZ,W AAY,EAAO,IAAP,C;;QA1bhB,OA4bo,W;O;KAtcX,C;kGAaA,yB;MAAA,+D;MA5JA,gD;MATJA,uC;QAYW,kB AAiB,gB;QAqJR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAaHb,e;UACI,WatJoC,SAsJzB,EAAU,cAAV,EAA U,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAvJhB,OAyJO,W;O;KArKX,C;oGAeA, yB;MAAA,+D;MAyJA,gD;MAzJA,uC;QAYW,kBAAiB,gB;QAwJR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cA AhB,e;UACI,WazJoC,SAyJzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAy,EAAO,IA AP,C;;QA1JhB,OA4JO,W;O;KAxKX,C;oGAeA,yB;MAAA,+D;MA4JA,gD;MA5JA,uC;QAYW,kBAAiB,gB;Q A2JR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAaHb,e;UACI,WA5JoC,SA4JzB,EAAU,cAAV,EAAU,sBAAV, WAAmB,OAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QA7JhB,OA+JO,W;O;KA3KX,C;oGAeA,yB;MAAA ,+D;MA+JA,gD;MA/JA,uC;QAYW,kBAAiB,gB;QA8JR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAaHb,e;UAC I,WA/JoC,SA+JzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QA hKhB,OAkKO,W;O;KA9KX,C;oGAeA,yB;MAAA,+D;MAkKA,gD;MAIKA,uC;QAYW,kBAAiB,gB;QAiKR,gB; QADhB,YAAY,C;QACZ,iD;UAAgB,cAaHb,e;UACI,WAlKoC,SakKzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,

OAA nB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;::QAnKhB,OAqKO,W;O;KAjLX,C;oGAeA,yB;MAAA,+D;MAqKA,gD;MArKA,uC;QAYW,kBAAiB,gB;QAoKR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WArKoC,SAqKzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAA nB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;::QATkhB,OAwKO,W;O;KApLX,C;oGAeA,yB;MAAA,+D;MAwKA,gD;MAxKA,uC;QAYW,kBAAiB,gB;QAuKR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WaxKoC,SAwKzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAA nB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;::QAZKhB,OA2KO,W;O;KAvLX,C;oGAeA,yB;MAAA,+D;MA2KA,gD;MA3KA,uC;QAYW,kBAAiB,gB;QA0KR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WA3KoC,SA2KzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAA nB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;::QA5KhB,OA8KO,W;O;KA1LX,C;oGAeA,yB;MAAA,+D;MA8KA,oC;MAAA,gD;MAAA,gC;MA9KA,uC;QAYW,kBAAiB,gB;QA6KR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,0B;UACI,WA9KoC,SA8KzB,EAAU,cAAV,EA AU,sBAAV,WAAmB,oBAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;::QA/KhB,OAILO,W;O;KA7LX,C;oGAeA,yB;MAAA,+D;MAiLA,gD;MAjLA,uC;QAYW,kBAAiB,gB;QAgLR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WajLoC,SaiLzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAA nB,C;UACC,OAAZ,WAAY,EAA O,IAAP,C;::QAILhB,OAoLO,W;O;KAhMX,C;sGAeA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAA Y,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAA mB,OAA nB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;::QAEhB,OAAO,W;O;KafX,C;uGakBA,yB;MAAA,gD;M AAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WA AW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAA nB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;::QAEhB,OAAO, W;O;KafX,C;wGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAh B,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAA nB,C;UACC,OAA Z,WAAY,EAAO,IAAP,C;::QAEhB,OAAO,W;O;KafX,C;wGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M ;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,s BA AV,WAAmB,OAA nB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;::QAEhB,OAAO,W;O;KafX,C;wGakBA,yB; MA AA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAh B ,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAA nB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;::QA EhB,OAAO,W;O;KafX,C;wGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wB AA gB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAA nB,C; UACC,OAAZ,WAAY,EAAO,IAAP,C;::QAEhB,OAAO,W;O;KafX,C;wGakBA,yB;MAAA,gD;MAAA,oD;QAW oB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,c AA V,EAAU,sBAAV,WAAmB,OAA nB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;::QAEhB,OAAO,W;O;KafX,C; wGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB, cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAA nB,C;UACC,OAAZ,WAAY,EA A O,IAAP,C;::QAEhB,OAAO,W;O;KafX,C;wGakBA,yB;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAWoB,U ACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAW,WAA U,cAAV,EAAU,sBAAV,WAAmB,oBAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;::QAEhB,OAAO,W;O;Kaf X,C;wGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UA AgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAA nB,C;UACC,OAAZ,WAAY, EAAO,IAAP,C;::QAEhB,OAAO,W;O;KafX,C;uFakBA,yB;MAAA,gD;MAAA,oD;QAIoB,Q:QAAhB,wBAAgB, SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;::Q AEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q:QAAhB,wBAAgB,SAAhB,gB;UAAg B,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;::QAEhB,OAAO,W;O ;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q:QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M ;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;::QAEhB,OAAO,W;O;KARX,C;0FAWA, yB;MAAA,gD;MAAA,oD;QAIoB,Q:QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UA AU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;::QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MA AA,oD;QAIoB,Q:QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UAC C,OAAZ,WAAY,EAAO,IAAP,C;::QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q:Q AAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,E



AAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,S  
AAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAA,Y,EAAO,IAAP,C;;QA  
EhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,  
cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAA,Y,EAAO,IAAP,C;;QAEhB,OAAO,W;O;K  
ARX,C;0FAWA,yB;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAA  
gB,cAAhB,UAAgB,SAAhB,O;UACI,WAAW,UAAU,oBAAV,C;UACC,OAAZ,WAA,Y,EAAO,IAAP,C;;QAEhB,  
OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAQoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cA  
AA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAA,Y,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KA  
ZX,C;oFAeA,yB;MAAA,wE;MAiOA,+D;MAjOA,yC;QASW,kBAAU,oB;QAIoD,Q;QAAhB,iD;UAAgB,cAAhB,  
e;UACI,UAIoID,WakOvC,CAAY,OAAZ,C;UOp5UP,U;UADP,YPs5Ue,WOt5UH,WPs5UwB,GOt5UxB,C;UAC  
L,IAAI,aAAJ,C;YACH,aPo5UuC,gB;YAA5B,WOn5UX,aPm5UgC,GOn5UhC,EAAS,MAAT,C;YACA,e;;YAEA,  
c;;UPg5UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApOT,OAsOO,W;O;KA/OX,C;sFAYA,yB;MAAA,wE;MAsoA,+  
D;MAtoA,yC;QASW,kBAAU,oB;QAsOD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvOoD,WAuO1C,CAAY,O  
AAZ,C;UOr6UP,U;UADP,YPu6Ue,Wov6UH,Wpu6UwB,GOv6UxB,C;UACL,IAAI,aAAJ,C;YACH,aPq6UuC,gB  
;YAA5B,WOp6UX,aPo6UgC,GOp6UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPi6UA,iB;UACA,IAAK,WAAI,O  
AAJ,C;;QAzOT,OA2OO,W;O;KApPX,C;sFAYA,yB;MAAA,wE;MA2OA,+D;MA3OA,yC;QASW,kBAAU,oB;Q  
A2OD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA5OqD,WA4O3C,CAAY,OAAZ,C;UOt7UP,U;UADP,YPw7Ue,  
WOx7UH,Wpw7UwB,GOx7UxB,C;UACL,IAAI,aAAJ,C;YACH,aPs7UuC,gB;YAA5B,WOr7UX,aPq7UgC,GOr7  
UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPk7UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9OT,OAgPO,W;O;KAz  
PX,C;sFAYA,yB;MAAA,wE;MAgPA,+D;MAhPA,yC;QASW,kBAAU,oB;QAgPD,Q;QAAhB,iD;UAAgB,cAAhB  
e;UACI,UAjPmD,WaiPzC,CAAY,OAAZ,C;UOv8UP,U;UADP,YPy8Ue,Woz8UH,Wpy8UwB,GOz8UxB,C;UA  
CL,IAAI,aAAJ,C;YACH,aPu8UuC,gB;YAA5B,Wot8UX,aPs8UgC,Got8UhC,EAAS,MAAT,C;YACA,e;;YAEA,c  
;;UPm8UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnPT,OAqPO,W;O;KA9PX,C;sFAYA,yB;MAAA,wE;MAqPA,+  
D;MArPA,yC;QASW,kBAAU,oB;QAqPD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtPoD,WAsP1C,CAAY,OA  
AZ,C;UOx9UP,U;UADP,YP09Ue,Wo19UH,Wp09UwB,GO19UxB,C;UACL,IAAI,aAAJ,C;YACH,aPw9UuC,gB;  
YAA5B,Wov9UX,aPu9UgC,Gov9UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo9UA,iB;UACA,IAAK,WAAI,O  
AAJ,C;;QAxPT,OA0PO,W;O;KAnQX,C;sFAYA,yB;MAAA,wE;MA0PA,+D;MA1PA,yC;QASW,kBAAU,oB;QA  
0PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3PqD,WA2P3C,CAAY,OAAZ,C;UOz+UP,U;UADP,YP2+Ue,Wo  
3+UH,Wp2+UwB,GO3+UxB,C;UACL,IAAI,aAAJ,C;YACH,aPy+UuC,gB;YAA5B,Wox+UX,aPw+UgC,GOx+U  
hC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPq+UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7PT,OA+PO,W;O;KAxQ  
X,C;sFAYA,yB;MAAA,wE;MA+PA,+D;MA/PA,yC;QASW,kBAAU,oB;QA+PD,Q;QAAhB,iD;UAAgB,cAAhB,e  
;UACI,UAhQsD,WAgQ5C,CAAY,OAAZ,C;UO1/UP,U;UADP,YP4/Ue,Wo5/UH,Wp4/UwB,GO5/UxB,C;UACL,  
IAAI,aAAJ,C;YACH,aP0/UuC,gB;YAA5B,Woz/UX,aPy/UgC,GOz/UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP  
s/UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAIQT,OAoQO,W;O;KA7QX,C;sFAYA,yB;MAAA,wE;MAoQA,+D;M  
ApQA,yC;QASW,kBAAU,oB;QAoQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArQuD,WAqQ7C,CAAY,OAAZ,  
C;UO3gVP,U;UADP,YP6gVe,Wo7gVH,Wp6gVwB,GO7gVxB,C;UACL,IAAI,aAAJ,C;YACH,aP2gVuC,gB;YA  
A5B,Wo1gVX,aP0gVgC,GO1gVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPugVA,iB;UACA,IAAK,WAAI,OAA  
J,C;;QAvQT,OAyQO,W;O;KAIRX,C;sFAYA,yB;MAAA,wE;MAyQA,oC;MAAA,+D;MAAA,gC;MAzQA,yC;QA  
SW,kBAAU,oB;QAYQD,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,UA1QoD,WA0Q1C,CAAY,oBAAZ,C;UO5hV  
P,U;UADP,YP8hVe,Wo9hVH,Wp8hVwB,GO9hVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4hVuC,gB;YAA5B,Wo3  
hVX,aP2hVgC,GO3hVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwhVA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5  
QT,OA8QO,W;O;KAvRX,C;sFAYA,yB;MAAA,wE;MA8QA,+D;MA9QA,yD;QAUW,kBAAU,oB;QA8QD,Q;Q  
AAhB,iD;UAAgB,cAAhB,e;UACI,UA/QiD,WA+QvC,CAAY,OAAZ,C;UO9iVP,U;UADP,YPgjVe,WohjVH,Wp  
gjVwB,GOhjVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8iVuC,gB;YAA5B,Wo7iVX,aP6iVgC,GO7iVhC,EAAS,MA  
AT,C;YACA,e;;YAEA,c;;UP0iVA,iB;UACA,IAAK,WajRyD,cAiRrD,CAAE,OAAf,CAAJ,C;;QajRT,OAmRO,W  
;O;KA7RX,C;sFAaA,yB;MAAA,wE;MAMRA,+D;MANRA,yD;QAUW,kBAAU,oB;QAmRD,Q;QAAhB,iD;UAA  
gB,cAAhB,e;UACI,UApRiD,WAoRvC,CAAY,OAAZ,C;UOhkVP,U;UADP,YPkkVe,WoIkVH,WpkkVwB,GOIk  
VxB,C;UACL,IAAI,aAAJ,C;YACH,aPkgVuC,gB;YAA5B,Wo/jVX,aP+jVgC,GO/jVhC,EAAS,MAAT,C;YACA,e

::YAEA,c;;UP4jVA,iB;UACA,IAAK,WAtRyD,cAsRrD,CAAe,OAAf,CAAJ,C;;QAtRT,OAwRO,W;O;KAISX,C;uFAaA,yB;MAAA,wE;MAwRA,+D;MAxRA,yD;QAUW,kBAAU,oB;QAwRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UARiD,WAYrVc,CAAY,OAAZ,C;UOllVP,U;UADP,YPolVe,WOpIVH,WPolVwB,GOpIVxB,C;UACL,IAAI,aAAJ,C;YACH,aPklVUC,gB;YAA5B,WojlVX,aPilVgC,GOjIVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8kVA,iB;UACA,IAAK,WA3RyD,cA2RrD,CAAe,OAAf,CAAJ,C;;QA3RT,OA6RO,W;O;KAvSX,C;uFAaA,yB;MAAA,wE;MA6RA,+D;MA7RA,yD;QAUW,kBAAU,oB;QA6RD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA9RiD,WA8RvC,CAAY,OAAZ,C;UOpmVP,U;UADP,YPsmVe,WotmVH,WpSmVwB,GOtmVxB,C;UACL,IAAI,aAAJ,C;YACH,aPomVuC,gB;YAA5B,WOnmVX,aPmmVgC,GOnmVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgmVA,iB;UACA,IAAK,WAhSyD,cAgSrD,CAAe,OAAf,CAAJ,C;;QAhST,OakSO,W;O;KA5SX,C;uFAaA,yB;MAAA,wE;MAKSA,+D;MAISA,yD;QAUW,kBAAU,oB;QAKSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnSiD,WAmSvC,CAAY,OAAZ,C;UOtnVP,U;UADP,YPwnVe,WoxnVH,WpwnVwB,GOxnVxB,C;UACL,IAAI,aAAJ,C;YACH,aPsnVuC,gB;YAA5B,WOrnVX,aPqnVgC,GOrnVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPknVA,iB;UACA,IAAK,WArSyD,cAqSrD,CAAe,OAAf,CAAJ,C;;QArST,OAuSO,W;O;KAjTX,C;uFAaA,yB;MAAA,wE;MAuSA,+D;MAvSA,yD;QAUW,kBAAU,oB;QAUd,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAXSiD,WAwSvC,CAAY,OAAZ,C;UOxoVP,U;UADP,YP0oVe,Wo1oVH,Wp0oVwB,GO1oVxB,C;UACL,IAAI,aAAJ,C;YACH,aPwoVuC,gB;YAA5B,WovoVX,aPuoVgC,GOvoVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPooVA,iB;UACA,IAAK,WA1SyD,cA0SrD,CAAe,OAAf,CAAJ,C;;QA1ST,OA4SO,W;O;KAiTX,C;uFAaA,yB;MAAA,wE;MA4SA,+D;MA5SA,yD;QAUW,kBAAU,oB;QA4SD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7SiD,WA6SvC,CAAY,OAAZ,C;UO1pVP,U;UADP,YP4pVe,Wo5pVH,Wp4pVwB,GO5pVxB,C;UACL,IAAI,aAAJ,C;YACH,aP0pVuC,gB;YAA5B,WozpVX,aPypVgC,GOzpVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPspVA,iB;UACA,IAAK,WA/SyD,cA+SrD,CAAe,OAAf,CAAJ,C;;QA/ST,OaiTO,W;O;KA3TX,C;uFAaA,yB;MAAA,wE;MAiTA,+D;MAjTA,yD;QAUW,kBAAU,oB;QaiTD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAlTiD,WaktVc,CAAY,OAAZ,C;UO5qVP,U;UADP,YP8qVe,Wo9qVH,Wp8qVwB,GO9qVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4qVuC,gB;YAA5B,Wo3qVX,aP2qVgC,GO3qVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwqVA,iB;UACA,IAAK,WApTyD,cAoTrD,CAAe,OAAf,CAAJ,C;;QApTT,OAsTO,W;O;KAhUX,C;uFAaA,yB;MAAA,wE;MAStA,oC;MAAA,+D;MAAA,gC;MAtTA,yD;QAUW,kBAAU,oB;QAsTD,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,UAvTiD,WAvTvC,CAAY,oBAAZ,C;UO9rVP,U;UADP,YPgsVe,WohsVH,WpGsVwB,GOhsVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8rVuC,gB;YAA5B,Wo7rVX,aP6rVgC,GO7rVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0rVA,iB;UACA,IAAK,WazTyD,cAyTrD,CAAe,oBAAf,CAAJ,C;;QAZTT,OA2TO,W;O;KArUX,C;uFAaA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOp5UP,U;UADP,YPs5Ue,Wo5UH,WPs5UwB,GO5UxB,C;UACL,IAAI,aAAJ,C;YACH,aPo5UuC,gB;YAA5B,WOn5UX,aPm5UgC,GOn5UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPg5UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOr6UP,U;UADP,YPu6Ue,Wov6UH,Wpu6UwB,GOv6UxB,C;UACL,IAAI,aAAJ,C;YACH,aPq6UuC,gB;YAA5B,WOp6UX,aPo6UgC,Gop6UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPi6UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOt7UP,U;UADP,YPw7Ue,Wox7UH,WpW7UwB,GOx7UxB,C;UACL,IAAI,aAAJ,C;YACH,aPs7UuC,gB;YAA5B,WOr7UX,aPq7UgC,GOr7UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPk7UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOv8UP,U;UADP,YPy8Ue,Woz8UH,Wpy8UwB,GOz8UxB,C;UACL,IAAI,aAAJ,C;YACH,aPu8UuC,gB;YAA5B,Wot8UX,aPs8UgC,Got8UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPm8UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOx9UP,U;UADP,YP09Ue,Wo19UH,Wp09UwB,GO19UxB,C;UACL,IAAI,aAAJ,C;YACH,aPw9UuC,gB;YAA5B,Wov9UX,aPu9UgC,GOv9UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo9UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOz+UP,U;UADP,YP2+Ue,Wo3+UH,Wp2+UwB,GO3+UxB,C;UACL,IAAI,aAAJ,C;YACH,aPy+UuC,gB;YAA5B,Wox+

UX,aPw+UgC,GOx+UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPq+UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1/UP,U;UADP,YP4/Ue,WO5/UH,WP4/UwB,GO5/UxB,C;UACL,IAAI,aAAJ,C;YACH,aP0/UuC,gB;YAA5B,WOz/UX,aPy/UgC,GOz/UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs/UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO3gVP,U;UADP,YP6gVe,WO7gVH,WP6gVwB,GO7gVxB,C;UACL,IAAI,aAAJ,C;YACH,aP2gVuC,gB;YAA5B,WO1gVX,aP0gVgC,GO1gVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPugVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,UAAU,YAAY,oBAAZ,C;UO5hVP,U;UADP,YP8hVe,WO9hVH,WP8hVwB,GO9hVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4hVuC,gB;YAA5B,WO3hVX,aP2hVgC,GO3hVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwhVA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO9iVP,U;UADP,YPgjVe,WOhjVH,WPgjVwB,GOhjVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8iVuC,gB;YAA5B,WO7iVX,aP6iVgC,GO7iVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0iVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOhkVP,U;UADP,YPkkVe,WOlkVH,WPkkVwB,GOlkVxB,C;UACL,IAAI,aAAJ,C;YACH,aPkgVuC,gB;YAA5B,WOjVX,aP+jVgC,GOjVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4jVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOliVP,U;UADP,YPolVe,WOplVH,WPolVwB,GOplVxB,C;UACL,IAAI,aAAJ,C;YACH,aPklVuC,gB;YAA5B,WOjlVX,aPilVgC,GOjlVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8kVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOpmVP,U;UADP,YPsmVe,WOtmVH,WPsmVwB,GOtmVxB,C;UACL,IAAI,aAAJ,C;YACH,aPomVuC,gB;YAA5B,WOnmVX,aPmmVgC,GOnmVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgmVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOtnVP,U;UADP,YPwnVe,WOxnVH,WPwnVwB,GOxnVxB,C;UACL,IAAI,aAAJ,C;YACH,aPsnVuC,gB;YAA5B,WOrnVX,aPqnVgC,GOrnVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPknVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOxoVP,U;UADP,YP0oVe,WO1oVH,WP0oVwB,GO1oVxB,C;UACL,IAAI,aAAJ,C;YACH,aPwoVuC,gB;YAA5B,WOvoVX,aPuoVgC,GOvoVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPooVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1pVP,U;UADP,YP4pVe,WO5pVH,WP4pVwB,GO5pVxB,C;UACL,IAAI,aAAJ,C;YACH,aP0pVuC,gB;YAA5B,WOzpVX,aPypVgC,GOzpVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPspVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO5qVP,U;UADP,YP8qVe,WO9qVH,WP8qVwB,GO9qVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4qVuC,gB;YAA5B,WO3qVX,aP2qVgC,GO3qVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwqVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,UAAU,YAAY,oBAAZ,C;UO9rVP,U;UADP,YPgsVe,WOhsVH,WPgsVwB,GOhsVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8rVuC,gB;YAA5B,WO7rVX,aP6rVgC,GO7rVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0rVA,iB;UACA,IAAK,WAAI,eAAe,oBAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;0FAkBA,yB;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDASQ,Y;QAA6C,OAAgB,qBAAhB,oBAAgB,C;O;MATrE,iDAUQ,mB;QAAoC,gCAAY,OAAZ,C;O;MAV5C,gF;MAAA,yC;QAQI,2D;O;KARJ,C;4EAa,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAy,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OAiVO,W

;O;KAxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa, WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OAiVO,W;O;KAxVX,C;8EAUA,yB; MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA hViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OAiVO,W;O;KAxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAO W,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV, CAAJ,C;;QAhVhB,OAiVO,W;O;KAxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C; QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OAiVO, W;O;KAxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa, WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OAiVO,W;O;KAxVX,C;8EAUA,yB; MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA hViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OAiVO,W;O;KAxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAO W,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV, CAAJ,C;;QAhVhB,OAiVO,W;O;KAxVX,C;8EAUA,yB;MAAA,gE;MAiVA,oC;MAAA,gC;MAjVA,uC;QAOW,k BAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,0B;UACI,WAAY,WAhViB,SAgVb,CAAU,iBAAV, CAAJ,C;;QAhVhB,OAiVO,W;O;KAxVX,C;0FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAA,eAAa,gBAAb,C; QAgHP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAjHwB,SaiHpb,EAAU,cAAV,EAAU,s BAAV,WAAMB,IAAnB,CAAJ,C;;QajHhB,OakHO,W;O;KAzHX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW, kBAAA,eAAa,gBAAb,C;QAmHP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApHwB,SAoH pb,EAAU,cAAV,EAAU,sBAAV,WAAMB,IAAnB,CAAJ,C;;QapHhB,OaqHO,W;O;KA5HX,C;4FAUA,yB;MA AAA,gE;MAAA,uC;QAOW,kBAAA,eAAa,gBAAb,C;QAsHP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI, WAAY,WAvHwB,SAuHpB,EAAU,cAAV,EAAU,sBAAV,WAAMB,IAAnB,CAAJ,C;;QAvHhB,OAwHO,W;O;K A/HX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAA,eAAa,gBAAb,C;QaYHP,gB;QADb,YAAY,C;QACZ,i D;UAAa,WAAb,e;UACI,WAAY,WA1HwB,SA0HpB,EAAU,cAAV,EAAU,sBAAV,WAAMB,IAAnB,CAAJ,C;;Q A1HhB,OA2HO,W;O;KAlIX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAA,eAAa,gBAAb,C;QA4HP,gB;Q ADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7HwB,SA6HpB,EAAU,cAAV,EAAU,sBAAV,WAA mB,IAAnB,CAAJ,C;;QA7HhB,OA8HO,W;O;KArIX,C;2FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAA,eAAa, gBAAb,C;QA+HP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhIwB,SAgIpB,EAAU,cAAV, EAAU,sBAAV,WAAMB,IAAnB,CAAJ,C;;QAhIhB,OAiIO,W;O;KAxIX,C;4FAUA,yB;MAAA,gE;MAAA,uC;Q AOW,kBAAA,eAAa,gBAAb,C;QakIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnIwB,SA mIpB,EAAU,cAAV,EAAU,sBAAV,WAAMB,IAAnB,CAAJ,C;;QAnIhB,OAoiO,W;O;KA3IX,C;4FAUA,yB;MAA A,gE;MAAA,uC;QAOW,kBAAA,eAAa,gBAAb,C;QAqIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,W AAY,WAtIwB,SAsIpB,EAAU,cAAV,EAAU,sBAAV,WAAMB,IAAnB,CAAJ,C;;QAtIhB,OAuiO,W;O;KA9IX,C; 4FAUA,yB;MAAA,gE;MAuIA,oC;MAAA,gC;MAvIA,uC;QAOW,kBAAA,eAAa,gBAAb,C;QAwIP,gB;QADb,YA AY,C;QACZ,iD;UAAa,WAAb,0B;UACI,WAAY,WazIwB,SAYIpB,EAAU,cAAV,EAAU,sBAAV,WAAMB,iBA AnB,CAAJ,C;;QazIhB,OA0IO,W;O;KAjJX,C;wGAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAOB,gB;QA8iEd, gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UApiEmC,U;UAAA,cAVQ,SAUR,EAoiET,cApiES,EAoiET,sBAp iES,WAOiEA,IApiEA,W;YAA6C,6B;;;QAVhF,OAWO,W;O;KAIBX,C;4GAUA,yB;MAAA,oD;QA2iEiB,gB;QA Db,YAAY,C;QACZ,iD;UAAa,WAAb,e;UApiEmC,U;UAAA,yBAoiET,cApiES,EAoiET,sBApiES,WAOiEA,IApiE A,W;YAA6C,6B;;;QACHF,OAAO,W;O;KARX,C;8FAWA,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBA Aa,SAAb,gB;QAaA,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAMB,IAAnB,CA AJ,C;;MACHB,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaA,SAAb,gB;QAaA, WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAMB,IAAnB,CAAJ,C;;MACHB,OAA O,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaA,SAAb,gB;QAaA,WAAA,SAAb,M;QA CI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAMB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;gGAGX,6C;M AQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaA,SAAb,gB;QAaA,WAAA,SAAb,M;QACI,WAAY,WAAI,WAA U,cAAV,EAAU,sBAAV,WAAMB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF 9B,YAAY,C;MACZ,wBAaA,SAAb,gB;QAaA,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBA AV,WAAMB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,w

BAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHb,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAy,C;MACZ,wBAAa,SAAb,gB;QA Aa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHb,O AAO,W;K;+FAGX,6C;MAQiB,UACiB,M;MAF9B,YAAy,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M; QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHb,OAAO,W;K;gGAGX,y B;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAy,C;QACZ,wBAAa,SAAb,gB;UAAa,WAA b,UAAa,SAAb,O;UACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAAnB,CAAJ,C;;QACHb,OAA O,W;O;KAVX,C;0FAaA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAa,gB;QAK2DJ,Q;QAaHb,iD;UAAgB,cAAhB,e ;UA11DqB,U;UAAA,cARe,SAQf,CA01DQ,OA11DR,W;YAAsC,6B;;;QAR3D,OASO,W;O;KAhBX,C;8FAUA,y B;MAAA,oD;QA+1DoB,Q;QAaHb,iD;UAAgB,cAAhB,e;UA11DqB,U;UAAA,wBA01DQ,OA11DR,W;YAAsC,6 B;;;QAC3D,OAAO,W;O;KANX,C;gFASA,6C;MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QA CI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHb,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SAAb,gB; QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHb,OAAO,W;K;kFAGX,6C;MAKiB, Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHb,OAA O,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IA AV,CAAJ,C;;MACHb,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QA CI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHb,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SAAb,gB; QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHb,OAAO,W;K;kFAGX,6C;MAKiB, Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHb,OAA O,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IA AV,CAAJ,C;;MACHb,OAAO,W;K;kFAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAb,wBAAa,SAA b,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,WAAY,WAAI,UAAU,iBAAV,CAAJ,C;;QACHb,OAAO,W;O;KAPX, C;IAe4B,0C;MAAA,mB;QAAE,2C;O;K;IAL9B,8B;MAKI,OAAO,qBAAiB,2BAAjB,C;K;IAQiB,4C;MAAA,mB; QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,gD;O;K;IAL9B,g C;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,8C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB ,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C; MAAA,mB;QAAE,gD;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,iD;O; K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,kD;O;K;IAL9B,gC;MAKI,OAA O,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K; IAGX,6B;MASI,OAA2B,SAAf,aAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C; K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAA e,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAA e,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;0FAG/B,yB;MAAA,2D;MAAA,+D;MA AA,sC;QAYc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI, UAAU,SAAS,CAAT,C;UACV,IAAI,GAAL,WAAI,GAAL,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I; O;KAjBX,C;4FAoBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QAC X,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAL,WAAI,GAAL,CAA R,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAMBA,yB;MAAA,2D;MAAA,+D;MAAA,s C;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAA U,SAAS,CAAT,C;UACV,IAAI,GAAL,WAAI,GAAL,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KA hBX,C;4FAMBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBA AU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAL,WAAI,GAAL,CAAR,C



AgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;8EAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;8EAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QA AhB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,CAAC,UAAU,oBAAV,CAAL,C;Y AAYB,OAAO,K;;QACtD,OAAO,I;O;KAPX,C;IAUA,wB;MAMI,OAAO,EA5mJA,qBAAQ,CA4mJR,C;K;IAGX,0 B;MAMI,OAAO,EA7mJA,qBAAQ,CA6mJR,C;K;IAGX,0B;MAMI,OAAO,EA9mJA,qBAAQ,CA8mJR,C;K;IAG X,0B;MAMI,OAAO,EA/mJA,qBAAQ,CA+mJR,C;K;IAGX,0B;MAMI,OAAO,EAhnJA,qBAAQ,CAGnJR,C;K;IA GX,0B;MAMI,OAAO,EAjnJA,qBAAQ,CAinJR,C;K;IAGX,0B;MAMI,OAAO,EAlnJA,qBAAQ,CAknJR,C;K;IAG X,0B;MAMI,OAAO,EAnnJA,qBAAQ,CAMnJR,C;K;IAGX,0B;MAMI,OAAO,EApnJA,qBAAQ,CAonJR,C;K;8E AGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CA AJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;8EAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cA AA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MAMo B,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,O AAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;Q AAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MAMoB,Q;MAAhB,wB AAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,O AAO,K;K;+EAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAA U,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,g B;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EA GX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QA AhB,wB AAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,I;; QACrD,OAAO,K;O;KAPX,C;gFAUA,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAK I,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K; kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,gC;MA KOb,Q;MADhB,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV, CA AJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;kFAGX,gC;MAKOb,Q;MADhB,YAAY,C;MACZ,wBAAGB,SAAhB, gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX, gC;MAKOb,Q;MADhB,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU, OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAKOb,Q;MADhB,YAAY,C;MACZ,wBAAGB, SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K; mFAGX,gC;MAKOb,Q;MADhB,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI ,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAKOb,Q;MADhB,YAAY,C;MACZ,w BAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAA O,K;K;mFAGX,gC;MAKOb,Q;MADhB,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAs B,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAKOb,Q;MADhB,YAAY,C;M ACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9 C,OAAO,K;K;mFAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAKoB,Q;QADhB,YAAY,C;QACZ,wBAAGB,SA AhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,qB;;QAC9C,OAAO ,K;O;KANX,C;8EASA,yC;MAUoB,Q;MADhB,kBAAkB,O;MACIB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAh B,M;QAAsB,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;gFAGX,yC;MAUoB,Q;MADhB,kB AAkB,O;MACIB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,cAAc,UAAU,WAAV,EAAuB,OAAv B,C;;MACpC,OAAO,W;K;gFAGX,yC;MAUoB,Q;MADhB,kBAAkB,O;MACIB,wBAAGB,SAAhB,gB;QAAGB,c AAA,SAAhB,M;QAAsB,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;gFAGX,yC;MAUoB,Q; MADhB,kBAAkB,O;MACIB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,cAAc,UAAU,WAAV,EA AuB,OAAvB,C;;MACpC,OAAO,W;K;gFAGX,yC;MAUoB,Q;MADhB,kBAAkB,O;MACIB,wBAAGB,SAAhB,gB ;QAAGB,cAAA,SAAhB,M;QAAsB,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;gFAGX,yC; MAUoB,Q;MADhB,kBAAkB,O;MACIB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,cAAc,UAAU,

WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;gFAGX,yC;MAUoB,Q;MADhB,kBAAkB,O;MACIB,wBAAGB  
 ,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;g  
 FAGX,yC;MAUoB,Q;MADhB,kBAAkB,O;MACIB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cA  
 Ac,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;gFAGX,yB;MAAA,oC;MAAA,gC;MAAA,gD;QAU  
 oB,Q;QADhB,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,cAAc,UAA  
 U,WAAV,EAAuB,oBAAvB,C;;QACpC,OAAO,W;O;KAXX,C;4FAcA,yC;MAYoB,UAA8B,M;MAF9C,YAAY,C  
 ;MACZ,kBAAkB,O;MACIB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAA  
 U,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;K;8FAGX,yC;MAYoB,UAA8B,M;MAF9C,  
 YAAY,C;MACZ,kBAAkB,O;MACIB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cA  
 AV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;K;8FAGX,yC;MAYoB,UAA8B,M  
 ;MAF9C,YAAY,C;MACZ,kBAAkB,O;MACIB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,W  
 AAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;K;8FAGX,yC;MAYoB,U  
 AA8B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;MACIB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB  
 ,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;K;8FAGX,yC;M  
 AYoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;MACIB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M  
 ;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;K;8FAG  
 X,yC;MAYoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;MACIB,wBAAGB,SAAhB,gB;QAAgB,cAAA,S  
 AAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W  
 ;K;8FAGX,yC;MAYoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;MACIB,wBAAGB,SAAhB,gB;QAAgB,  
 cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,  
 OAAO,W;K;8FAGX,yC;MAYoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;MACIB,wBAAGB,SAAhB,g  
 B;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;  
 ;MACpC,OAAO,W;K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,gD;QAYoB,UAA8B,M;QAF9C,YAAY,C;QAC  
 Z,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,cAAc,WAAU,cAAV,E  
 AAU,sBAAV,WAAmB,WAAAnB,EAAgC,oBAAhC,C;;QACpC,OAAO,W;O;KAbX,C;wFAgBA,yB;MAAA,8D;M  
 AAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU  
 ,UAAI,YAAJ,EAAl,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8D;  
 MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UA  
 AU,UAAI,YAAJ,EAAl,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8  
 D;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,  
 UAAU,UAAI,YAAJ,EAAl,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAA  
 A,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAA  
 c,UAAU,UAAI,YAAJ,EAAl,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;M  
 AAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cA  
 Ac,UAAU,UAAI,YAAJ,EAAl,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;M  
 AAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cA  
 Ac,UAAU,UAAI,YAAJ,EAAl,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;  
 MAAA,8D;MAAA,oC;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CA  
 AhB,C;UACI,cAAc,UAAU,sBAAI,YAAJ,EAAl,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,  
 C;sGAIbA,yB;MAAA,8D;MAAA,gD;QAU,IAAY,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UA  
 CI,cAAc,UAAU,KAAV,EAaiB,UAAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,  
 C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAU,IAAY,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;U  
 ACI,cAAc,UAAU,KAAV,EAaiB,UAAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhB  
 X,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAU,IAAY,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C



;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAh BX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB, C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;K AhBX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAA hB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O ;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CA AhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W; O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,C AAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO, W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAA S,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAA O,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,oC;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QACIB ,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAjB,EAA6B,WAA7B,C;UACd,q B;;QAEJ,OAAO,W;O;KAhBX,C;oFamBA,6B;MAIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB, M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M; QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QA AsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAs B,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB, OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,OA AO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,OA AO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,OA AO,OAAP,C;;K;sFAG1B,yB;MAAA,oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAA hB,UAAgB,SAAhB,O;UAAAsB,OAAO,oBAAP,C;;O;KAJ1B,C;kGAOA,6B;MAOiB,UAAa,M;MAD1B,YAAY,C; MACZ,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;o GAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QA AO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBA Aa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B; MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,E AAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAaA,SAAb,gB; QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAA a,M;MAD1B,YAAY,C;MACZ,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP, WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAaA,SAAb,gB;QAAa,WAA A,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B ,YAAY,C;MACZ,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IA AhB,C;;K;oGAGvB,yB;MAAA,oC;MAAA,gC;MAAA,oC;QAOiB,UAAa,M;QAD1B,YAAY,C;QACZ,wBAaA,S AAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UAAmB,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;O;KAPvB,C; IAUA,wB;MAII,OAAO,oB;K;IAGX,0B;MAII,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAA O,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;M AGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;gFAGX,yB;MAsDA,8D;MatDA,s C;QAGW,sB;;UA0DP,IAhxLO,qBAAQ,CAgxLf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UA Cd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA9DmB,QA8DJ,CAAS, OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAjEe,QAIeP,CAAS,CAA T,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAvEP,yB;O; KAHJ,C;kFAMA,yB;MAuEA,8D;MAvEA,sC;QAGW,sB;;UA2EP,IA/xLO,qBAAQ,CA+xLf,C;YAAe,qBAAO,I;Y AAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;Y AAP,uB;;UACpB,eA/EmB,QA+EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,C AAL,C;YACR,QAIfe,QakFP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WA AW,C;;;UAGnB,qBAAO,O;;;QAxFP,yB;O;KAHJ,C;kFAMA,yB;MAwFA,8D;MAxFA,sC;QAGW,sB;;UA4FP,IA

9yLO,qBAAQ,CA8yLf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAhGmB,QAAGJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAnGe,QAmGP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAzGP,yB;O;KAHJ,C;kFAMA,yB;MAyGA,8D;MAzGA,sC;QAGW,sB;;UA6GP,IA7zLO,qBAAQ,CA6zLf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAjHmB,QAiHJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QApHe,QAoHP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA1HP,yB;O;KAHJ,C;kFAMA,yB;MA0HA,8D;MA1HA,sC;QAGW,sB;;UA8HP,IA50LO,qBAAQ,CA40Lf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAllmB,QAkIJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QArIe,QAQIP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA3IP,yB;O;KAHJ,C;kFAMA,yB;MA2IA,8D;MA3IA,sC;QAGW,sB;;UA+IP,IA3ILO,qBAAQ,CA21Lf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAnJmB,QAmJJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAtJe,QAsJP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA5JP,yB;O;KAHJ,C;kFAMA,yB;MA4JA,8D;MA5JA,sC;QAGW,sB;;UAGnB,qBAAO,O;;;QA7KP,yB;O;KAHJ,C;kFAMA,yB;MA6KA,8D;MA7KA,sC;QAGW,sB;;UAGnB,qBAAO,O;;;QA9LP,yB;O;KAHJ,C;kFAMA,yB;MA8LA,8D;MAAA,oC;MA9LA,sC;QAGW,sB;;UAkMP,IAx4LO,qBAAQ,CAw4Lf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAtMmB,QAsMJ,CAAS,oBAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAzMe,QAyMP,CAAS,cAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA/MP,yB;O;KAHJ,C;4FAMA,yB;MAAA,8D;MAAA,sC;QAOI,IAhxLO,qBAAQ,CAgxLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA/xLO,qBAAQ,CA+xLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA9yLO,qBAAQ,CA8yLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA50LO,qBAAQ,CA40Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT

,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KA AJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;M AAA,8D;MAAA,sC;QAOI,IA31LO,qBAAQ,CA21Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gB AAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aA AU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW, CAAX,KA AJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;M AAA,sC;QAOI,IA12LO,qBAAQ,CA02Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAA L,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV, OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KA AJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QA OI,IAz3LO,qBAAQ,CAy3Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C; QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SA A b,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KA AJ,C;YACI, UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,oC;MAAA,sC;QA OI,IAx4LO,qBAAQ,CAw4Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C; QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SA Ab,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KA AJ,C;YACI ,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;gFAuBA,yB;MAAA,sE;MAAA,8D;MkBhnbA,iB; MIBgnbA,sC;QAeiB,Q;QAFb,IAr+LO,qBAAQ,CAq+Lf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL ,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBznbg,MA AO,KIBynbO,QkBznbP,EIBynbiB,CkBznbjB,C;;QIB2nbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA, 8D;MkBtobA,iB;MIBsobA,sC;QAeiB,Q;QAFb,IAr/LO,qBAAQ,CAm/Lf,C;UAAe,MAAM,6B;QACrB,eAAe,SA A S,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR ,WkB/obG,MAAO,KIB+obO,QkB/obP,EIb+obiB,CkB/objB,C;;QIBipbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MA AA,sE;MAAA,8D;MkB5pbA,iB;MIB4pbA,sC;QAeiB,Q;QAFb,IAjgMO,qBAAQ,CAigMf,C;UAAe,MAAM,6B;Q ACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAA L,CAAT,C;UACR,WkBBrqB,MAAO,KIBqqbO,QkBBrqB,EIbqqbiB,CkBBrqbjB,C;;QIBuqbd,OAAO,Q;O;KAnBX, C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB1rbA,iB;MIBkrbA,sC;QAeiB,Q;QAFb,IA/gMO,qBAAQ,CA+gMf,C;U AAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,S AAS,UAAK,CAAL,CAAT,C;UACR,WkB3rbG,MAAO,KIB2rbO,QkB3rbP,EIb2rbiB,CkB3rbjB,C;;QIB6rbd,OAA O,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxsBA,iB;MIBwsbA,sC;QAeiB,Q;QAFb,IA7hMO,qBA AQ,CA6hMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,i B;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjtbG,MAAO,KIBitbO,QkBjtbP,EIbitbiB,CkBjtbjB,C;; QIBmtbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB9tbA,iB;MIB8tbA,sC;QAeiB,Q;QAFb,I A3iMO,qBAAQ,CA2iMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aA AU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvubG,MAAO,KIBuubO,QkBvubP,EIbu ubiB,CkBvubjB,C;;QIByubd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBpvbA,iB;MIBovbA,sC ;QAeiB,Q;QAFb,IAzjMO,qBAAQ,CAyjMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;Q ACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7vbG,MAAO,KIB6vb O,QkB7vbP,EIb6vbiB,CkB7vbjB,C;;QIB+vbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB1w bA,iB;MIB0wbA,sC;QAeiB,Q;QAFb,IAvkMO,qBAAQ,CAukMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAA K,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBn xbg,MAAO,KIBmxbO,QkBnxbP,EIbmxbiB,CkBnxbjB,C;;QIBqxbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,s E;MAAA,oC;MAAA,8D;MkBhybA,iB;MIBgybA,sC;QAeiB,Q;QAFb,IArIMMO,qBAAQ,CAqIMf,C;UAAe,MAAM, 6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAA K,CAAL,EAAT,C;UACR,WkBzybg,MAAO,KIByybO,QkBzybP,EIbyybiB,CkBzybjB,C;;QIB2ybd,OAAO,Q;O;K AnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBj0bA,iB;MIBi0bA,sC;QAeiB,Q;QAFb,IA3qMO,qBAAQ,CA2q Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,

QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB10bG,MAAO,KIB00bO,QkB10bP,ElB00biB,CkB10bjB,C;;QI  
B40bd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBv1bA,iB;MlBu1bA,sC;QAeiB,Q;QAFb,IA  
zrMO,qBAAQ,CAyrMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAA  
U,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBh2bG,MAAO,KIBg2bO,QkBh2bP,ElBg2bi  
B,CkBh2bjB,C;;QIBk2bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB72bA,iB;MIB62bA,sC;  
QAeiB,Q;QAFb,IAvsMO,qBAAQ,CAusMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;Q  
ACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBt3bG,MAAO,KIBs3b  
O,QkBt3bP,ElBs3biB,CkBt3bjB,C;;QIBw3bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBn4  
bA,iB;MIBm4bA,sC;QAeiB,Q;QAFb,IArtMO,qBAAQ,CAqtMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK  
,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB54  
bG,MAAO,KIB44bO,QkB54bP,ElB44biB,CkB54bjB,C;;QIB84bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE  
;MAAA,8D;MkBz5bA,iB;MIBy5bA,sC;QAeiB,Q;QAFb,IAnuMO,qBAAQ,CAmuMf,C;UAAe,MAAM,6B;QACrB  
,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CA  
AT,C;UACR,WkB16bG,MAAO,KIBk6bO,QkB16bP,ElBk6biB,CkB16bjB,C;;QIBo6bd,OAAO,Q;O;KAnBX,C;mFA  
sBA,yB;MAAA,sE;MAAA,8D;MkB/6bA,iB;MIB+6bA,sC;QAeiB,Q;QAFb,IAjvMO,qBAAQ,CAivMf,C;UAAe,M  
AAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,U  
AAK,CAAL,CAAT,C;UACR,WkBx7bG,MAAO,KIBw7bO,QkBx7bP,ElBw7biB,CkBx7bjB,C;;QIB07bd,OAAO,Q  
;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB8bA,iB;MIBq8bA,sC;QAeiB,Q;QAFb,IA/vMO,qBAAQ,C  
A+vMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UA  
CI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB98bG,MAAO,KIB88bO,QkB98bP,ElB88biB,CkB98bjB,C;;  
QIBg9bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB39bA,iB;MIB29bA,sC;QAeiB,Q;QAFb,  
IA7wMO,qBAAQ,CA6wMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,  
aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp+bG,MAAO,KIBo+bO,QkBp+bP,El  
Bo+biB,CkBp+bjB,C;;QIBs+bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkBj/bA,  
iB;MIBi/bA,sC;QAeiB,Q;QAFb,IA3xMO,qBAAQ,CA2xMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAK,C  
AAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAK,CAAL,EAAT,C;UACR,WkB1/bG  
,MAAO,KIB0/bO,QkB1/bP,ElB0/biB,CkB1/bjB,C;;QIB4/bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MA  
AA,8D;MAAA,sC;QAaiB,Q;QAFb,IA/2MO,qBAAQ,CA+2Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,  
CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2B  
AAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;M  
AAA,sC;QAaiB,Q;QAFb,IA73MO,qBAAQ,CA63Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,C  
AAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,C  
AAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;  
QAaiB,Q;QAFb,IA34MO,qBAAQ,CA24Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;Q  
ACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KA  
AJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q  
;QAFb,IAz5MO,qBAAQ,CAy5Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;  
QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YA  
CI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,I  
Av6MO,qBAAQ,CAu6Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,a  
AAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAA  
W,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAr7MO,q  
BAAQ,CAq7Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAA  
V,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QA  
GnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA8MO,qBAAQ,C  
Am8Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;U  
ACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OA  
AO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAj9MO,qBAAQ,CAi9Mf,C;

UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA/9MO,qBAAQ,CA+9Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;4FAsBA,yB;MAAA,8D;MkBlscA,iB;MIBkscA,sC;QAaiB,Q;QAFb,IArjNO,qBAAQ,CAqjNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzscG,MAAO,KIByscO,QkBzscP,ElBysciB,CkBzscjB,C;;QIB2scd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBttcA,iB;MIBstcA,sC;QAaiB,Q;QAFb,IAjkNO,qBAAQ,CAikNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7tcG,MAAO,KIB6tcO,QkB7tcP,ElB6tciB,CkB7tcjB,C;;QIB+tcD,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBlucA,iB;MIB0ucA,sC;QAaiB,Q;QAFb,IA7kNO,qBAAQ,CA6kNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjvcG,MAAO,KIBivcO,QkBjvcP,ElBivciB,CkBjvcjB,C;;QIBmvcd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9vcA,iB;MIB8vcA,sC;QAaiB,Q;QAFb,IAzlnO,qBAAQ,CAYlnf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrwcG,MAAO,KIBqwcO,QkBrwcP,ElBqwciB,CkBrwcjB,C;;QIBuwcd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBlxcA,iB;MIBkxcA,sC;QAaiB,Q;QAFb,IArmNO,qBAAQ,CAqmNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzxcG,MAAO,KIByxcO,QkBzxcP,ElByxciB,CkBzxcjB,C;;QIB2xcd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtycA,iB;MIBsycA,sC;QAaiB,Q;QAFb,IAjnNO,qBAAQ,CAinNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7ycG,MAAO,KIB6ycO,QkB7ycP,ElB6yciB,CkB7ycjB,C;;QIB+ycd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBlzcA,iB;MIB0zcA,sC;QAaiB,Q;QAFb,IA7nNO,qBAAQ,CA6nNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj0cG,MAAO,KIBi0cO,QkBj0cP,ElBi0ciB,CkBj0cjB,C;;QIBm0cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB90cA,iB;MIB80cA,sC;QAaiB,Q;QAFb,IAzoNO,qBAAQ,CAyoNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBr1cG,MAAO,KIBq1cO,QkBr1cP,ElBq1ciB,CkBr1cjB,C;;QIBu1cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,oC;MAAA,8D;MkBl2cA,iB;MIBk2cA,sC;QAaiB,Q;QAFb,IArpNO,qBAAQ,CAqpNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBz2cG,MAAO,KIBy2cO,QkBz2cP,ElBy2ciB,CkBz2cjB,C;;QIB22cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBj4cA,iB;MIBi4cA,sC;QAaiB,Q;QAFb,IAzuNO,qBAAQ,CAYuNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx4cG,MAAO,KIBw4cO,QkBx4cP,ElBw4ciB,CkBx4cjB,C;;QIB04cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBr5cA,iB;MIBq5cA,sC;QAaiB,Q;QAFb,IArvNO,qBAAQ,CAqvNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB55cG,MAAO,KIB45cO,QkB55cP,ElB45ciB,CkB55cjB,C;;QIB85cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBz6cA,iB;MIBy6cA,sC;QAaiB,Q;QAFb,IAjwNO,qBAAQ,CAiwNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBh7cG,MAAO,KIBg7cO,QkBh7cP,ElBg7ciB,CkBh7cjB,C;;QIBk7cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkB77cA,iB;MIB67cA,sC;QAaiB,Q;QAFb,IA7wNO,qBAAQ,CA6wNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp8cG,MAAO,KIBo8cO,QkBp8cP,ElBo8ciB,CkBp8cjB,C;;QIBs8cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBj9cA,iB;MIBi9cA,sC;QAaiB,Q;QAFb,IAzxNO,qBAAQ,CAYxNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx9cG,MAAO,KIBw9cO,QkBx9cP,ElBw9ciB,CkBx9cjB,C;;QIB09cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBr+cA,iB;MIBq+cA,sC;

QAaiB,Q;QAFb,IAryNO,qBAAQ,CAqyNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF  
,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5+cG,MAAO,KIB4+cO,Qk  
B5+cP,ElB4+ciB,CkB5+cjB,C;;QIB8+cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBz/cA,iB;MIBy/cA,s  
C;QAaiB,Q;QAFb,IAjzNO,qBAAQ,CAizNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QAC  
F,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhgdG,MAAO,KIBggdO,  
QkBhgdP,ElBggdiB,CkBhgdjB,C;;QIBkgdd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkB7gdA,iB;MIB6g  
dA,sC;QAaiB,Q;QAFb,IA7zNO,qBAAQ,CA6zNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C  
;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBphdG,MAAO,KIBo  
hdO,QkBphdP,ElBohdiB,CkBphdjB,C;;QIBshdd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,oC;MAAA,8D;MkBj  
idA,iB;MIBiidA,sC;QAaiB,Q;QAFb,IAz0NO,qBAAQ,CAy0Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,C  
AAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBxidG  
,MAAO,KIBwidO,QkBxidP,ElBwidiB,CkBxidjB,C;;QIB0idd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MA  
AA,sC;QAWiB,Q;QAFb,IA35NO,qBAAQ,CA25Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,  
C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,  
KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,  
IAv6NO,qBAAQ,CAu6Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAA  
U,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,  
C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAN7NO,qBAAQ,CAM7  
Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QA  
AQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O  
;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA/7NO,qBAAQ,CA+7Nf,C;UAAe,OAAO,I;QA  
CtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,  
CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;  
MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA38NO,qBAAQ,CA28Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAA  
K,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,  
2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;  
QAWiB,Q;QAFb,IAv9NO,qBAAQ,CAu9Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QAC  
F,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,  
C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAN+N  
O,qBAAQ,CAM+Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CA  
AV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;Q  
AGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA/+NO,qBAAQ,CA++Nf,C;  
UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,S  
AAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAj  
BX,C;+FAoBA,yB;MAAA,oC;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3/NO,qBAAQ,CA2/Nf,C;UAAe,OAA  
O,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAA  
K,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;wFA  
oBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAj100,qBAAQ,CAi1Of,C;UAAe,MAAM,6B;QACrB  
,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CA  
AT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAaIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,  
OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA/100,qBAAQ,CA+1Of,  
C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QA  
AQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAaIB,CAAX,GAakC,CAAtC,C  
;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QA  
Fb,IA7m00,qBAAQ,CA6mOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QA  
Ab,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,C  
AAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAA  
A,8D;MAAA,kD;QAaiB,Q;QAFb,IA3n00,qBAAQ,CA2nOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,C

AAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UA  
AW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;  
0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAzoOO,qBAAQ,CAyoOf,C;UAAe,MAAM,6B;Q  
ACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAA  
L,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QA  
GnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAvpOO,qBAAQ,C  
AupOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UA  
CI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,C  
AAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAai  
B,Q;QAFb,IArqOO,qBAAQ,CAqqOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+  
B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EA  
akB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;  
MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IANrOO,qBAAQ,CAMrOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UA  
AK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAA  
I,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAn  
BX,C;0FAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAjsOO,qBAAQ,CAisOf,C;UA  
Ae,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,S  
AAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YA  
CI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oGAsBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IArxOO,qB  
AAQ,CAqxOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB  
;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAak  
C,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;Q  
AFb,IAjyOO,qBAAQ,CAiyOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,a  
AAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB  
,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD  
;QAWiB,Q;QAFb,IA7yOO,qBAAQ,CA6yOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QA  
CF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,  
EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAA  
A,8D;MAAA,kD;QAWiB,Q;QAFb,IAzzOO,qBAAQ,CAyzOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CA  
AL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UA  
AW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;s  
GAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAr0OO,qBAAQ,CAq0Of,C;UAAe,OAAO,I;QACtB,eAAe,  
SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;U  
ACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,  
Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAj1OO,qBAAQ,CAi1Of,C;UAAe,OAAO,I  
;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CA  
AL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;Q  
AGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA71OO,qBAAQ,CA61Of,C;  
UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,S  
AAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YA  
CI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAz2OO,qB  
AAQ,CAy2Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB  
;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAak  
C,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,oC;MAAA,8D;MAAA,kD;Q  
AWiB,Q;QAFb,IAr3OO,qBAAQ,CAq3Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF  
,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,E  
AakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;IAoBA,8B;MASiB,Q  
;MAFb,IAv8OO,qBAAQ,CAu8Of,C;QAe,OAAO,I;MACTB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,

CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkB3leG,MAAO,KIB2leE,GkB3leF,ElB2leO,CkB3leP,C;;MIB6  
led,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAv9OO,qBAAQ,CAu9Of,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,  
CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkBtneG,MAAO,KIBsneE,  
GkBtneF,ElBsneO,CkBtneP,C;;MIBwned,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAr+OO,qBAAQ,CAq+Of,C;Q  
AAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,  
C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3  
+OO,qBAAQ,CA2+Of,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;Q  
ACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;M  
AOiB,Q;MAFb,IAj/OO,qBAAQ,CAi/Of,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aA  
AU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,  
G;K;IAGX,gC;MAOiB,Q;MAFb,IAv/OO,qBAAQ,CAu/Of,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;M  
ACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C  
;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA7/OO,qBAAQ,CA6/Of,C;QAAe,OAAO,I;MACTb,UAAU,U  
AAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,oBAAM,CAAN,  
KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IArPO,qBAAQ,CAqPf,C;QAAe,O  
AAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QAC  
R,MkB5seG,MAAO,KIB4seE,GkB5seF,ElB4seO,CkB5seP,C;;MIB8sed,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,I  
A7gPO,qBAAQ,CA6gPf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;  
QACI,QAAQ,UAAK,CAAL,C;QACR,MkBjteG,MAAO,KIBiteE,GkBjteF,ElBiteO,CkBjteP,C;;MIBmteD,OAAO,  
G;K;IAGX,gC;MAOiB,Q;MAFb,IA3gPO,qBAAQ,CA2gPf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;M  
ACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C  
;;MAEvB,OAAO,G;K;IAGX,wC;MAGI,OAAO,yBAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;I  
AGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,  
2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAG  
X,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,8C;MAOiB,Q;MAFb,  
IA/oPO,qBAAQ,CA+oPf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;  
QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAA  
oC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IArPO,qBAAQ,CAqPf,C;QAAe,OAAO,I;MA  
CTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UA  
AW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;M  
AOiB,Q;MAFb,IA3pPO,qBAAQ,CA2pPf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,a  
AAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,  
CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAjqPO,qBAAQ,CAiqPf,C;QAA  
e,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;Q  
ACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;  
K;IAGX,gD;MAOiB,Q;MAFb,IAvqPO,qBAAQ,CAuqPf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MA  
CG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,  
CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA7qPO,qBAAQ  
,CA6qPf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,U  
AAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;  
MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IANrPO,qBAAQ,CAmrPf,C;QAAe,OAAO,I;MACTb,UAAU,UA  
AK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GA  
AR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb  
,IAzrPO,qBAAQ,CAyrPf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;  
QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAA  
oC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA+rPO,qBAAQ,CA+rPf,C;QAAe,OAAO,I;MAC  
tB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UA  
AW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,wB;M





AS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IAj6PO,qBAAQ,CAi6Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IAh7PO,qBAAQ,CAg7Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA7PO,qBAAQ,CA+7Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA98PO,qBAAQ,CA88Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA79PO,qBAAQ,CA69Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA5+PO,qBAAQ,CA4+Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA3/PO,qBAAQ,CA2/Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;gFAuBA,yB;MAAA,sE;MAAA,8D;MkB/gfA,iB;MIB+gfA,sC;QAeiB,Q;QAFb,IAxlQO,qBAAQ,CAwlQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxhfG,MAAO,KIBwhfO,QkBxhfP,EIBwhfiB,CkBxhfiB,C;QIB0hfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBrifA,iB;MIBqifA,sC;QAeiB,Q;QAFb,IAtmQO,qBAAQ,CAsmQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB9ifG,MAAO,KIB8ifO,QkB9ifP,EIB8ifiB,CkB9ifjB,C;QIBgdfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB3jfA,iB;MIB2jfA,sC;QAeiB,Q;QAFb,IApnQO,qBAAQ,CAonQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpkfG,MAAO,KIBokfO,QkBpkfP,EIBokfiB,CkBpkfjB,C;QIBskfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBljfA,iB;MIBilfA,sC;QAeiB,Q;QAFb,IALoQO,qBAAQ,CAkoQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB1lfG,MAAO,KIB0lfO,QkB1lfP,EIB0lfiB,CkB1lfjB,C;QIB4lfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBvmfA,iB;MIBumfA,sC;QAeiB,Q;QAFb,IAhpQO,qBAAQ,CAgpQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhmfG,MAAO,KIBgnfO,QkBhmfP,EIBgnfiB,CkBhmfjB,C;QIBknfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB7nfA,iB;MIB6nfA,sC;QAeiB,Q;QAFb,IA9pQO,qBAAQ,CA8pQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBtofG,MAAO,KIBsofO,QkBtofP,EIBsofiB,CkBtofiB,C;QIBwofd,OAAO,Q;O

;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBnfpA,iB;MIBmpfA,sC;QAeiB,Q;QAFb,IA5qQO,qBAAQ,CA4qQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5pfG,MAAO,KIB4pfO,QkB5pfP,ElB4pfiB,CkB5pfjB,C;;QIB8pfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBzqfA,iB;MIByqfA,sC;QAeiB,Q;QAFb,IA1rQO,qBAAQ,CAOrQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBlrfG,MAAO,KIBkrfO,QkB1rfP,ElBkrfiB,CkB1rfjB,C;;QIBorfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkB/rfA,iB;MIB+rfA,sC;QAeiB,Q;QAFb,IAxsQO,qBAAQ,CAwsQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBxsfG,MAAO,KIBwsfO,QkBxsfP,ElBwsfiB,CkBxsfjB,C;;QIB0sfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBhufA,iB;MIBgufA,sC;QAeiB,Q;QAFb,IA9xQO,qBAAQ,CA8xQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzufG,MAAO,KIByufO,QkBzufP,ElByufiB,CkBzufjB,C;;QIB2ufd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBtvfA,iB;MIBsvfA,sC;QAeiB,Q;QAFb,IA5yQO,qBAAQ,CA4yQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/vfG,MAAO,KIB+vfO,QkB/vfP,ElB+vfB,CkB/vfjB,C;;QIBiwfd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB5wfA,iB;MIB4wfA,sC;QAeiB,Q;QAFb,IA1zQO,qBAAQ,CA0zQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxrfG,MAAO,KIBqxfO,QkBxrfP,ElBqxfiB,CkBxrfjB,C;;QIBuxfd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBlyfA,iB;MIBkyfA,sC;QAeiB,Q;QAFb,IAx0QO,qBAAQ,CAw0Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3yfG,MAAO,KIB2yfO,QkB3yfP,ElB2yfiB,CkB3yfjB,C;;QIB6yfd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBxzfA,iB;MIBwzfA,sC;QAeiB,Q;QAFb,IA1QO,qBAAQ,CA1Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj0fG,MAAO,KIBi0fO,QkBj0fP,ElBi0fiB,CkBj0fjB,C;;QIBm0fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB90fA,iB;MIB80fA,sC;QAeiB,Q;QAFb,IAp2QO,qBAAQ,CAo2Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBv1fG,MAAO,KIBu1fO,QkBv1fP,ElBu1fiB,CkBv1fjB,C;;QIBy1fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBp2fA,iB;MIBo2fA,sC;QAeiB,Q;QAFb,IA13QO,qBAAQ,CAk3Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB72fG,MAAO,KIB62fO,QkB72fP,ElB62fiB,CkB72fjB,C;;QIB+2fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB13fA,iB;MIB03fA,sC;QAeiB,Q;QAFb,IAh4QO,qBAAQ,CAg4Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBn4fG,MAAO,KIBm4fO,QkBn4fP,ElBm4fiB,CkBn4fjB,C;;QIBq4fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkBh5fA,iB;MIBg5fA,sC;QAeiB,Q;QAFb,IA94QO,qBAAQ,CA84Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBz5fG,MAAO,KIBy5fO,QkBz5fP,ElBy5fiB,CkBz5fjB,C;;QIB25fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAI+QO,qBAAQ,CAk+Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAL,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAH/QO,qBAAQ,CAG/Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAL,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA9/QO,qBAAQ,CA8/Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAL,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA5gRO,qBAAQ,CA4gRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL

,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA1hRO,qBAAQ,CA0hRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAxiRO,qBAAQ,CAwiRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAAtjRO,qBAAQ,CAsjRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAIpkRO,qBAAQ,CAokRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAIIRRO,qBAAQ,CAkIRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;4FAsBA,yB;MAAA,8D;MkBjmgBA,iB;MIBimgBA,sC;QAaiB,Q;QAFb,IAxqRO,qBAAQ,CAwqRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxmgBG,MAAO,KIBwmgBO,QkBxmgBP,ElBwmgBiB,CkBxmgBjB,C;;QIB0mgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBBrngBA,iB;MIBqngBA,sC;QAaiB,Q;QAFb,IAprRO,qBAAQ,CAorRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5ngBG,MAAO,KIB4ngBO,QkB5ngBP,ElB4ngBiB,CkB5ngBjB,C;;QIB8ngBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzogBA,iB;MIByogBA,sC;QAaiB,Q;QAFb,IAhsRO,qBAAQ,CAgsRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhpgBG,MAAO,KIBgpgBO,QkBhpgBP,ElBgpgBiB,CkBhpgBjB,C;;QIBkpgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7pgBA,iB;MIB6pgBA,sC;QAaiB,Q;QAFb,IA5sRO,qBAAQ,CA4sRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpqqBG,MAAO,KIBoqqBO,QkBpqqBP,ElBoqqBiB,CkBpqqBjB,C;;QIBsqgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjrgBA,iB;MIBirgBA,sC;QAaiB,Q;QAFb,IAxtRO,qBAAQ,CAwtRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxrgBG,MAAO,KIBwrgBO,QkBxrgBP,ElBwrgBiB,CkBxrgBjB,C;;QIB0rgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBBrsgBA,iB;MIBqsgBA,sC;QAaiB,Q;QAFb,IApuRO,qBAAQ,CAouRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5sgBG,MAAO,KIB4sgBO,QkB5sgBP,ElB4sgBiB,CkB5sgBjB,C;;QIB8sgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBztgBA,iB;MIBytgBA,sC;QAaiB,Q;QAFb,IAhvRO,qBAAQ,CAgvRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhugBG,MAAO,KIBgugBO,QkBhugBP,ElBgugBiB,CkBhugBjB,C;;QIBkugBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7ugBA,iB;MIB6ugBA,sC;QAaiB,Q;QAFb,IA5vRO,qBAAQ,CA4vRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpvgBG,MAAO,KIBovgBO,QkBpvgBP,ElBovgBiB,CkBpvgBjB,C;;QIBsvgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,oC;MAAA,8D;MkBjwgBA,iB;MIBiwgBA,sC;QAaiB,Q;QAFb,IAxwRO,qBAAQ,CAwwRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBxwgBG,MAAO,KIBwwgBO,QkBxwgBP,ElBwwgBiB,CkBxwgBjB,C;;QIB0wgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBhygBA,iB;MIBgygBA,sC;QAaiB,Q;QAFb,IA51RO,qBAAQ,CA41Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvygBG,MAAO,KIBuygBO,QkBvygBP,ElBuygBiB,CkBvygBjB,C;;QIByygBd,OAAO,Q;O;KAjBX,C;8FAoBA,y

B;MAAA,8D;MkBpzgBA,iB;MIBozgBA,sC;QAaiB,Q;QAFb,IAx2RO,qBAAQ,CAw2Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3zgBG,MAAO,KIB2zgBO,QkB3zgBP,ElB2zgBiB,CkB3zgBjB,C;;QIB6zgBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBX0gBA,iB;MIBw0gBA,sC;QAaiB,Q;QAFb,IAp3RO,qBAAQ,CAo3Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/0gBG,MAAO,KIB+0gBO,QkB/0gBP,ElB+0gBiB,CkB/0gBjB,C;;QIBi1gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkB51gBA,iB;MIB41gBA,sC;QAaiB,Q;QAFb,IAh4RO,qBAAQ,CAg4Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBn2gBG,MAAO,KIBm2gBO,QkBn2gBP,ElBm2gBiB,CkBn2gBjB,C;;QIBq2gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBh3gBA,iB;MIBg3gBA,sC;QAaiB,Q;QAFb,IA54RO,qBAAQ,CA44Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBv3gBG,MAAO,KIBu3gBO,QkBv3gBP,ElBu3gBiB,CkBv3gBjB,C;;QIBy3gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBP4gBA,iB;MIBo4gBA,sC;QAaiB,Q;QAFb,IAx5RO,qBAAQ,CAw5Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB34gBG,MAAO,KIB24gBO,QkB34gBP,ElB24gBiB,CkB34gBjB,C;;QIB64gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBx5gBA,iB;MIBw5gBA,sC;QAaiB,Q;QAFb,IAp6RO,qBAAQ,CAo6Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/5gBG,MAAO,KIB+5gBO,QkB/5gBP,ElB+5gBiB,CkB/5gBjB,C;;QIBi6gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkB56gBA,iB;MIB46gBA,sC;QAaiB,Q;QAFb,IAh7RO,qBAAQ,CAg7Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBn7gBG,MAAO,KIBm7gBO,QkBn7gBP,ElBm7gBiB,CkBn7gBjB,C;;QIBq7gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,oC;MAAA,8D;MkBh8gBA,iB;MIBg8gBA,sC;QAaiB,Q;QAFb,IA57RO,qBAAQ,CA47Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBv8gBG,MAAO,KIBu8gBO,QkBv8gBP,ElBu8gBiB,CkBv8gBjB,C;;QIBy8gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9gSO,qBAAQ,CA8gSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA1hSO,qBAAQ,CA0hSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAiSO,qBAAQ,CAsiSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9jSO,qBAAQ,CA8jSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA1kSO,qBAAQ,CA0kSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAItSO,qBAAQ,CAsISf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAImSO,qBAAQ,CAkmSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,oC;MAAA,8D;MAAA,sC;QAWiB,Q;Q

AFb,IA9mSO,qBAAQ,CA8mSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAA  
b,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,W  
AAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IApsS  
O,qBAAQ,CAosSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,C  
AAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX  
,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAA  
A,kD;QAaiB,Q;QAFb,IAItSO,qBAAQ,CAktSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C  
;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QA  
AR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;M  
AAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAhuSO,qBAAQ,CAGuSf,C;UAAe,MAAM,6B;QACrB,eAAe,SA  
AS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UA  
CR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;  
O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA9uSO,qBAAQ,CA8uSf,C;UAAe,  
MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS  
,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,W  
AAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA5vS  
O,qBAAQ,CA4vSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,C  
AAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX  
,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAA  
A,kD;QAaiB,Q;QAFb,IA1wSO,qBAAQ,CA0wSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT  
,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,  
QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB  
;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAxxSO,qBAAQ,CAwxSf,C;UAAe,MAAM,6B;QACrB,eAAe  
,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;  
UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO  
,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAtySO,qBAAQ,CAsySf,C;UAA  
e,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAA  
S,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,  
WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,kD;QAaiB,Q;  
QAFb,IApzSO,qBAAQ,CAozSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;Q  
AAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,  
CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oGAsBA,yB;MAAA,8D;M  
AAA,kD;QAWiB,Q;QAFb,IAx4SO,qBAAQ,CAw4Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAA  
T,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,  
QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB  
;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAp5SO,qBAAQ,CAo5Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAA  
K,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,  
UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX  
,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAh6SO,qBAAQ,CAG6Sf,C;UAAe,OAAO,I;QACtB,eA  
Ae,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,  
C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OA  
AO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA56SO,qBAAQ,CA46Sf,C;UAAe,OA  
AO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAA  
K,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,  
C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAx7SO,qBAAQ,CAw7  
Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAA  
Q,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;  
YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAp8SO,

qBAAQ,CAo8Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,  
iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAA  
kC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;  
QAFb,IAh9SO,qBAAQ,CAg9Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAA  
b,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CA  
AIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAA  
A,kD;QAWiB,Q;QAFb,IA59SO,qBAAQ,CA49Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;  
QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QA  
AR,EAAkB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;M  
AAA,oC;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAx+SO,qBAAQ,CAw+Sf,C;UAAe,OAAO,I;QACtB,eAAe,SA  
AS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UA  
CR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;  
O;KAjBX,C;IAoBA,8B;MASiB,Q;MAFb,IA1jTO,qBAAQ,CA0jTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CA  
AL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkB1/hBG,MAAO,KIB0/hBE,  
GkB1/hBF,EIB0/hBO,CkB1/hBP,C;;MIB4/hBd,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IA1kTO,qBAAQ,CA0kTf  
,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,C  
AAL,C;QACR,MkB1/hBG,MAAO,KIBqhiBE,GkB1/hBF,EIBqhiBO,CkB1/hBP,C;;MIBuhiBd,OAAO,G;K;IAGX,g  
C;MAOiB,Q;MAFb,IAxlTO,qBAAQ,CAwlTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,+B;MA  
Ab,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MA  
EvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA9lTO,qBAAQ,CA8lTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,  
CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAA  
a,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IApmTO,qBAAQ,CAomTf,C;QAAe,OAAO,I;MA  
cTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MA  
AM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA1mTO,qBAAQ,CA0mTf,C;  
QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL  
,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAhnTO,q  
BAAQ,CAgnTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QA  
AQ,UAAK,CAAL,C;QACR,IAAI,oBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;M  
ASiB,Q;MAFb,IAxnTO,qBAAQ,CAwnTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,a  
AAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkB3miBG,MAAO,KIB2miBE,GkB3miBF,EIB2miBO,Ck  
B3miBP,C;;MIB6miBd,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAhoTO,qBAAQ,CAgoTf,C;QAAe,OAAO,I;MA  
cTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkBhniB  
G,MAAO,KIBgniBE,GkBhniBF,EIBgniBO,CkBhniBP,C;;MIBkniBd,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA9  
nTO,qBAAQ,CA8nTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QA  
CI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,wC;MA  
GI,OAAO,yBAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAA  
d,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,  
OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,  
C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,8C;MAOiB,Q;MAFb,IAlwTO,qBAAQ,CAkwTf,C;QAAe  
,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;Q  
ACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;  
K;IAGX,gD;MAOiB,Q;MAFb,IAxwTO,qBAAQ,CAwwTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;M  
ACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAA  
b,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA9wTO,qBA  
AQ,CA8wTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAA  
Q,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,  
C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IApxTO,qBAAQ,CAoxTf,C;QAAe,OAAO,I;MAcTb,UAAU,  
UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,

GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;M  
AFb,IA1xTO,qBAAQ,CA0xTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAA  
V,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;  
UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAhyTO,qBAAQ,CAgyTf,C;QAAe,OAAO,  
I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAA  
I,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,  
gD;MAOiB,Q;MAFb,IAtyTO,qBAAQ,CAsyTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MA  
Ab,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GA  
A6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA5yTO,qBAAQ,CA4yTf,C  
;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAA  
L,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OA  
AO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAIzTO,qBAAQ,CAkzTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,  
C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,  
cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,yB;MAMI,OAj4TO,qBAAQ,C;  
K;IAo4TnB,2B;MAMI,OA14TO,qBAAQ,C;K;IAq4TnB,2B;MAMI,OAAn4TO,qBAAQ,C;K;IAS4TnB,2B;MAMI,O  
Ap4TO,qBAAQ,C;K;IAu4TnB,2B;MAMI,OA4r4TO,qBAAQ,C;K;IAw4TnB,2B;MAMI,OA4t4TO,qBAAQ,C;K;IAy  
4TnB,2B;MAMI,OA4v4TO,qBAAQ,C;K;IA04TnB,2B;MAMI,OA4x4TO,qBAAQ,C;K;IA24TnB,2B;MAMI,OA4z4T  
O,qBAAQ,C;K;gFA44TnB,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IA  
AI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;gFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,S  
AAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;  
K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,  
CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,c  
AAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAM  
oB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,O  
AAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;Q  
AAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wB  
AAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,  
OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAA  
U,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMo  
B,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAAsB,IAAI,UAAU,oBAAV,CAAJ,C;Y  
AAwB,OAAO,K;;QACrD,OAAO,I;O;KAPX,C;kFAUA,6B;MAMmC,Q;MAAhB,iD;QAAGB,cAAhB,e;QAAsB,O  
AAO,OAAP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;QAAGB,cAAhB,e;QAAsB,OAAO,OAAP,C;;MAArC,gB;K;oFA  
GJ,6B;MAMmC,Q;MAAhB,iD;QAAGB,cAAhB,e;QAAsB,OAAO,OAAP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC,  
Q;MAAhB,iD;QAAGB,cAAhB,e;QAAsB,OAAO,OAAP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;QA  
AGB,cAAhB,e;QAAsB,OAAO,OAAP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;QAAGB,cAAhB,e;Q  
AAsB,OAAO,OAAP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;QAAGB,cAAhB,e;QAAsB,OAAO,OA  
AP,C;;MAArC,gB;K;oFAGJ,yB;MAAA,oC;MAAA,gC;MAAA,oC;QAMmC,Q;QAAhB,iD;UAAgB,cAAhB,0B;U  
AAsB,OAAO,oBAAP,C;;QAArC,gB;O;KANJ,C;gGASA,6B;MARjJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WA  
Ab,e;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MA8jJnB,gB;K;kGAGJ,6B;MAvjJiB,gB;MADb,  
YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAGkJnB,gB;K;  
kGAGJ,6B;MAzjJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMB,QAAO,cAAP,EAAO,sBAAP,WA  
AgB,IAAhB,C;;MAkkJnB,gB;K;kGAGJ,6B;MA3jJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMB,Q  
AAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAokJnB,gB;K;kGAGJ,6B;MA7jJiB,gB;MADb,YAAY,C;MACZ  
,iD;QAAa,WAAb,e;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAskJnB,gB;K;kGAGJ,6B;MA/jJ  
iB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;M  
AwkJnB,gB;K;kGAGJ,6B;MAjkJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMB,QAAO,cAAP,EAA  
O,sBAAP,WAAgB,IAAhB,C;;MA0kJnB,gB;K;kGAGJ,6B;MAnkJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAA



b,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MA4kJnB,gB;K;kGAGJ,yB;MAAA,6B;MAAA,sC; MA5kJA,oC;MAAA,gC;MA4kJA,2BASiB,yB;QArIjJB,oC;QAAA,gC;eAqIjJB,0B;UAAA,4B;YAAE,aAe,c;YA9 kJjB,gB;YADb,YAAy,C;YACZ,iD;cAAa,WAAb,0B;cAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;; YA8kJmB,W;W;S;OAAzB,C;MATjB,oC;QArkJiB,gB;QADb,YAAy,C;QACZ,iD;UAAA,WAAb,0B;UAAmB,QA AO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;QA8kJnB,gB;O;KATJ,C;kFAYa,yB;MAAA,4F;MAAA,8D;MAA A,uC;QAgBqB,Q;QAHjB,IAhvUO,qBAAQ,CagvUf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,U AAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB, C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9vUO,q BAAQ,CA8vUf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iB AAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAnBX,C;o FAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5wUO,qBAAQ,CA4wUf,C;UACI,MAAM,m CAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU, WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;M AAA,uC;QAgBqB,Q;QAHjB,IA1xUO,qBAAQ,CA0xUf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB ,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA vB,C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxyUO ,qBAAQ,CAwyUf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,i BAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAnBX,C; oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtzUO,qBAAQ,CAszUf,C;UACI,MAAM,m CAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU, WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;M AAA,uC;QAgBqB,Q;QAHjB,IAp0UO,qBAAQ,CAo0Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB ,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA vB,C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA11UO, qBAAQ,CAk1Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iB AAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAnBX,C;o FAsBA,yB;MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IAh2UO,qBAAQ,Cag2 Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,y B;UACI,cAAc,oBAAU,wBAAV,EAAuB,sBAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KAnBX,C;gGAsBA,yB; MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA7UO,qBAAQ,CAs7Uf,C;UACI,MAAM,mCAA8B,+BA A9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAi B,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D ;MAAA,uC;QAgBqB,Q;QAHjB,IAp8UO,qBAAQ,CAo8Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAA kB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,U AAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB ,Q;QAHjB,IAI9UO,qBAAQ,CAk9Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;Q ACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B, C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh+UO,q BAAQ,Cag+Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iB AAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W ;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9+UO,qBAAQ,CA8+Uf,C;U ACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI ,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsB A,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5/UO,qBAAQ,CA4/Uf,C;UACI,MAAM,mCAA8B ,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV, EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAA A,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA1gVO,qBAAQ,CA0gVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,k BAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA

8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxhVO,qBAAQ,CAwhVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IAtiVO,qBAAQ,CAsiVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,wBAAjB,EAA8B,sBAAK,KAAAL,EAA9B,E;;QAEIB,OAAO,W;O;KAnBX,C;4GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5nVO,qBAAQ,CA4nVf,C;UACI,OAAO,I;QACX,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA1oVO,qBAAQ,CA0oVf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA1oVO,qBAAQ,CA0oVf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxpVO,qBAAQ,CAwpVf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA1oVO,qBAAQ,CA0oVf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhtVO,qBAAQ,CAgtVf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9tVO,qBAAQ,CA8tVf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IA5uVO,qBAAQ,CA4uVf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,wBAAjB,EAA8B,sBAAK,KAAAL,EAA9B,E;;QAEIB,OAAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IA0VO,qBAAQ,CAm0Vf,C;UACI,OAAO,I;QACX,kBAaqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IA11VO,qBAAQ,CAk1Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IAj2VO,qBAAQ,CAi2Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IAh3VO,qBAAQ,CAg3Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IA3VO,qBAAQ,CA+3Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IA94VO,qBAAQ,CA84Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IA75VO,qBAAQ,CA65Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IA56VO,qBAAQ,CA46Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;Q

AEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAIbqB,Q;QAHjB,IA3  
7VO,qBAAQ,CA27Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;  
UACI,cAAc,oBAAU,wBAAV,EAAuB,sBAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KApBX,C;4FAuBA,yB;M  
AAA,8D;MAAA,4F;MAAA,uC;QAE6B,UAE0,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAA  
M,mCAA8B,+BAA9B,C;QACrB,kBAAqB,UAAI,YAAJ,EAAI,oBAAJ,O;QACrB,OAAO,SAAS,CAAhB,C;UACI,  
cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAnBX,C;8FAsBA,yB  
;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,M  
AAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;U  
ACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAnBX,C;8FAsB  
A,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAA  
e,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C  
;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAnBX,C;8FAs  
BA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UA  
Ae,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB  
,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAnBX,C;8F  
AsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;  
UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CA  
AhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAnBX,  
C;8FAsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAA  
Z,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,  
CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAn  
BX,C;8FAsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,C  
AAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SA  
AS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;K  
AnBX,C;8FAsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAA  
Q,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO  
,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;  
O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAE0B,UAEU,M;QAJhC,YA  
AY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI  
,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,sBAAl,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,wB  
AAxB,E;;QAEIB,OAAO,W;O;KAnBX,C;0GAsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE6B,Q;QAFzB,YAA  
Y,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAqB,UAAI,YAAJ,EAAI,o  
BAAJ,O;QACrB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WA  
A7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;4GAuBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,Q;QAFt  
B,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,  
EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA  
6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;4GAuBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,  
Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAA  
I,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAj  
B,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;4GAuBA,yB;MAAA,8D;MAAA,4F;MAAA,  
uC;QAE0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kB  
AAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,  
KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;4GAuBA,yB;MAAA,8D;MAAA,4F;  
MAAA,uC;QAE0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QA  
CrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB

,UAAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;4GAuBA,yB;MAAA,8D;MA AA,4F;MAAA,uC;QAe0B,Q;QAFtB,YAA Y,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9 B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV ,EAAiB,UAAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;4GAuBA,yB;MAAA, 8D;MAAA,4F;MAAA,uC;QAe0B,Q;QAFtB,YAA Y,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+ BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU, KAAV,EAAiB,UAAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;4GAuBA,yB; MAAA,8D;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAe0B,Q;QAFtB,YAA Y,wB;QACZ,IAAI,QAAQ,CAA Z,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS, CAAhB,C;UACI,cAAc,oBAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OA AO,W;O;KApBX,C;sHAuBA,yB;MAAA,8D;MAAA,uC;QAe6B,Q;QAFzB,YAA Y,wB;QACZ,IAAI,QAAQ,CAA Z,C;UAAe,OAAO,I;QACtB,kBAaqB,UAAI,YAAJ,EAAI,oBAAJ,O;QACrB,OAAO,SAAS,CAAhB,C;UACI,cAA c,UAAU,KAAV,EAAiB,UAAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wHA uBA,yB;MAAA,8D;MAAA,uC;QAe0B,Q;QAFtB,YAA Y,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QAC tB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB, UAAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wHAuBA,yB;MAAA,8D;MA AA,uC;QAe0B,Q;QAFtB,YAA Y,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAA J,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KA AJ,CAAjB,EA A6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wHAuBA,yB;MAAA,8D;MAAA,uC;QAe0B,Q;QAFtB ,YAA Y,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACI B,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,q B;;QAEJ,OAAO,W;O;KApBX,C;wHAuBA,yB;MAAA,8D;MAAA,uC;QAe0B,Q;QAFtB,YAA Y,wB;QACZ,IAAI, QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACI B,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,q B;;QAEJ,OAAO,W;O;KApBX,C;wHAuBA,yB;MAAA,8D;MAAA,uC;QAe0B,Q;QAFtB,YAA Y,wB;QACZ,IAAI, QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACI B,OAAO,SAAS,CAAhB, C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;K ApBX,C;wHAuBA,yB;MAAA,8D;MAAA,uC;QAe0B,Q;QAFtB,YAA Y,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe, OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,K AAV,EAAiB,UAAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wHAuBA,yB;M AAA,8D;MAAA,uC;QAe0B,Q;QAFtB,YAA Y,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAak B,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAA J,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wHAuBA,yB;MAAA,8D;MAAA,uC;QAe 0B,Q;QAFtB,YAA Y,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oB AAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KA AJ,CAAjB,EAA6B,WAA 7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wHAuBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAe0 B,Q;QAFtB,YAA Y,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBA AJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAjB,EAA6B,wBAA 7B,E;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wGAuBA,yB;MAAA,8D;MAAA,uC;QAgB0B,UAEU,M;QAJhC, YAA Y,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaqB,UAAI,YAAJ,EAAI,oBAAJ,O;QACrB ,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OA AO,W;O;KApBX,C;0GAuBA,yB;MAAA,8D;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAA Y,wB;QACZ,IAAI,QA AQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;U ACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KApBX,C;0GAuB A,yB;MAAA,8D;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAA Y,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO, I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cA AJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KApBX,C;0GAuBA,yB;MAAA,8D;MAAA,uC ;QAgB0B,UAEU,M;QAJhC,YAA Y,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,Y AAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EA AwB,WAAxB,C;;QAEIB,OAAO,W;O;KApBX,C;0GAuBA,yB;MAAA,8D;MAAA,uC;QAgB0B,UAEU,M;QAJh C,YAA Y,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QAC

IB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAl,sBAAJ,SAAV,EAawB,WAAxB,C;;QAEIB,OA  
AAO,W;O;KApBX,C;0GAuBA,yB;MAAA,8D;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAAy,wB;QACZ,IAAI,Q  
AAQ,CAAz,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAl,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;  
UACI,cAAc,UAAU,UAAI,cAAJ,EAAl,sBAAJ,SAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KApBX,C;0GAu  
BA,yB;MAAA,8D;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAAy,wB;QACZ,IAAI,QAAQ,CAAz,C;UAAe,OAA  
O,I;QACtB,kBAakB,UAAI,YAAJ,EAAl,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,c  
AAJ,EAAl,sBAAJ,SAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KApBX,C;0GAuBA,yB;MAAA,8D;MAAA,  
uC;QAgB0B,UAEU,M;QAJhC,YAAy,wB;QACZ,IAAI,QAAQ,CAAz,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI  
,YAAJ,EAAl,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAl,sBAAJ,SAAV,E  
AAwB,WAAxB,C;;QAEIB,OAAO,W;O;KApBX,C;0GAuBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;Q  
AgB0B,UAEU,M;QAJhC,YAAy,wB;QACZ,IAAI,QAAQ,CAAz,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YA  
AJ,EAAl,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,sBAAI,cAAJ,EAAl,sBAAJ,UAAV,EA  
AwB,wBAaxB,E;;QAEIB,OAAO,W;O;KApBX,C;4FAuBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBoB,Q;Q  
AHhB,IAP0XO,qBAAQ,CAo0Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,  
C;QAA+B,8B;QAA5C,aiBj9mBO,W;QjBk9mBP,kBAakB,O;QACIB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAh  
B,M;UACI,cAAc,UAAU,WAAV,EAauB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEEX,OAAO,M;O;KApB  
X,C;8FAuBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAP1XO,qBAAQ,CAo1Xf,C;UAAe,OA  
AO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz+mBO,W;QjB0+m  
BP,kBAakB,O;QACIB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAauB,OA  
AvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAA  
A,gD;QAIBoB,Q;QAHhB,IAP2XO,qBAAQ,CAo2Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mB  
AAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjgnBO,W;QjBkgnBP,kBAakB,O;QACIB,wBAAgB,SAAhB,gB;UA  
AgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAauB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEEX,O  
AAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAP3XO,qBAAQ,CAo  
3Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzh  
nBO,W;QjB0hnBP,kBAakB,O;QACIB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WA  
AV,EAauB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;  
MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAP4XO,qBAAQ,CAo4Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,k  
BAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjnnBO,W;QjBknBP,kBAakB,O;QACIB,wBAAg  
B,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAauB,OAAvB,C;UACd,MAAO,WAAI,W  
AAJ,C;;QAEEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAP5  
XO,qBAAQ,CAo5Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8  
B;QAA5C,aiBzknBO,W;QjB0knBP,kBAakB,O;QACIB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,c  
AAc,UAAU,WAAV,EAauB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEEX,OAAO,M;O;KArBX,C;8FAwBA  
,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAP6XO,qBAAQ,CAo6Xf,C;UAAe,OAAO,OAAO,O  
AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjmnBO,W;QjBkmnBP,kBAakB,  
O;QACIB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAauB,OAAvB,C;UAC  
d,MAAO,WAAI,WAAJ,C;;QAEEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBo  
B,Q;QAHhB,IAP7XO,qBAAQ,CAo7Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,  
IAAb,C;QAA+B,8B;QAA5C,aiBznnBO,W;QjB0nnBP,kBAakB,O;QACIB,wBAAgB,SAAhB,gB;UAAgB,cAAA,  
SAAhB,M;UACI,cAAc,UAAU,WAAV,EAauB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEEX,OAAO,M;O;K  
ArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,gD;QAIBoB,Q;QAHhB,IAP8XO,qB  
AAQ,CAo8Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QA  
A5C,aiBjpnBO,W;QjBkpnBP,kBAakB,O;QACIB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAC  
I,cAAc,UAAU,WAAV,EAauB,oBAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEEX,OAAO,M;O;KArBX,C;0GA  
wBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QACI,IA5hYO,qBAAQ,CA4hYf,C;UAAe,OAAO,OAAO,OAAP,C;Q  
ACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzqnBO,W;QjB0qnBP,kBAakB,O;QACIB,  
wD;UACI,cAAc,UAAU,KAAV,EAaiB,WAAjB,EAa8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,

C;;QAEX,OAAO,M;O;KArBX,C;4GAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAeI,IA7iYO,qBAAQ,CA6iYf ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBlnBO, W;QjBmsnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9 B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,g D;QAeI,IA9jYO,qBAAQ,CA8jYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiB3tnBO,W;QjB4tnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WA Ajb,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;4GAyBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAeI,IA/kYO,qBAAQ,CA+kYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kB AAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBpvnBO,W;QjBqvnBP,kBAAkB,O;QACIB,wD;UA CI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAE X,OAAO,M;O;KAtBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAeI,IAhmYO,qBAAQ,CAGmYf,C;U AAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB7wnBO,W; QjB8wnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B, C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD ;QAeI,IAjnYO,qBAAQ,CAinYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C ;QAA+B,8B;QAA5C,aiBtynBO,W;QjBuynBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAj B,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;4GAyBA,yB; MAAA,gD;MAAA,gE;MAAA,gD;QAeI,IAloYO,qBAAQ,CAkoYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBA AvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB/znBO,W;QjBg0nBP,kBAAkB,O;QACIB,wD;UACI, cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX, OAAO,M;O;KAtBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAeI,IANpYO,qBAAQ,CAMPYf,C;UAAe ,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBx1nBO,W;QjBy 1nBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UA Cd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,oC;MAA A,gD;QAeI,IApqYO,qBAAQ,CAoqYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,I AAb,C;QAA+B,8B;QAA5C,aiBj3nBO,W;QjBk3nBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB ,WAAjB,EAA8B,sBAAK,KAAL,EAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;gGay BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAeI,IA5vYO,qBAAQ,CA4vYf,C;UAAe,OAAO,W;QACTb,sBAaqB, UAAK,CAAL,CAArB,C;QACgC,kBAAnB,eAAa,gBAAb,C;QAA2B,sBAAL,aAAJ,C;QAAxC,aiB14nBO,W;QjB2 4nBP,iBAAC,CAAd,UAAsB,gBAAtB,U;UACI,gBAAC,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,M AAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KArBX,C;kGAwBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAz wYO,qBAAQ,CAYwYf,C;UAAe,OAAO,W;QACTb,sBAakB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB, gBAAhB,C;QAA8B,sBAAL,aAAJ,C;QAA3C,aiB/5nBO,W;QjBg6nBP,iBAAC,CAAd,UAAsB,gBAAtB,U;UACI,g BAAC,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAIB X,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAtxYO,qBAAQ,CAsxYf,C;UAAe,OAAO,W;QACTb ,sBAakB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAL,aAAJ,C;QAA5C,aiBp7n BO,W;QjBq7nBP,iBAAC,CAAd,UAAsB,gBAAtB,U;UACI,gBAAC,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB ,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC; QAWI,IAAnyYO,qBAAQ,CAMyYf,C;UAAe,OAAO,W;QACTb,sBAakB,UAAK,CAAL,CAAIB,C;QACkC,kBAAr B,eAAe,gBAAf,C;QAA6B,sBAAL,aAAJ,C;QAA1C,aiBz8nBO,W;QjB08nBP,iBAAC,CAAd,UAAsB,gBAAtB,U;U ACI,gBAAC,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O; KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAhzYO,qBAAQ,CAGzYf,C;UAAe,OAAO,W; QACTb,sBAakB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAL,aAAJ,C;QAA3 C,aiB99nBO,W;QjB+9nBP,iBAAC,CAAd,UAAsB,gBAAtB,U;UACI,gBAAC,UAAU,aAAV,EAAuB,UAAK,KAA L,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;M AAA,uC;QAWI,IA7zYO,qBAAQ,CA6zYf,C;UAAe,OAAO,W;QACTb,sBAakB,UAAK,CAAL,CAAIB,C;QACoC ,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAL,aAAJ,C;QAA5C,aiBn/nBO,W;QjBo/nBP,iBAAC,CAAd,UAAsB,gB AAtB,U;UACI,gBAAC,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,O

AAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IA10YO,qBAAQ,CA00Yf,C;UAAe, OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACqC,kBAAXB,eAAkB,gBAAIB,C;QAAgC,sBAAI,AAAJ, C;QAA7C,aiBxgoBO,W;QjBygoBP,iBAAC,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAC,UAAU,AAAV,EAAuB,UAA K,KAAL,CAA9B,C;UACd,MAAO,WAAI,AAAJ,C;;QAEX,OAAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAA A,gE;MAAA,uC;QAWI,IAv1YO,qBAAQ,CAu1Yf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C ;QACsC,kBAAZB,eAAmB,gBAAnB,C;QAAiC,sBAAI,AAAJ,C;QAA9C,aiB7hoBO,W;QjB8hoBP,iBAAC,CAAd,U AAAsB,gBAAtB,U;UACI,gBAAC,UAAU,AAAV,EAAuB,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,AAAJ,C;; QAEX,OAAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAWI,IAp 2YO,qBAAQ,CAo2Yf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,g BAAhB,C;QAA8B,sBAAI,0BAAJ,C;QAA3C,aiBljoBO,W;QjBmjoBP,iBAAC,CAAd,UAAAsB,gBAAtB,U;UACI,g BAAc,oBAAU,0BAAV,EAAuB,sBAAK,KAAL,EAAvB,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O; KAIBX,C;8GAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QACI,IA57YO,qBAAQ,CA47Yf,C;UAAe,OAAO,W;Q ACtB,sBAAqB,UAAK,CAAL,CAArB,C;QACgC,kBAAnB,eAAa,gBAAb,C;QAA2B,sBAAI,AAAJ,C;QAAxC,aiB 1koBO,W;QjB2koBP,iBAAC,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAC,UAAU,KAHV,EAAiB,AAAJB,EAA8B,UA AK,KAAL,CAA9B,C;UACd,MAAO,WAAI,AAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gHAwBA,yB;MAAA,qD;M AAA,gE;MAAA,uC;QAYI,IA18YO,qBAAQ,CA08Yf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAA I B,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,AAAJ,C;QAA3C,aiBhmoBO,W;QjBimoBP,iBAAC,CA Ad,UAAAsB,gBAAtB,U;UACI,gBAAC,UAAU,KAHV,EAAiB,AAAJB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,M AAO,WAAI,AAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAx9 YO,qBAAQ,CAw9Yf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,gB AAjB,C;QAA+B,sBAAI,AAAJ,C;QAA5C,aiBtmoBO,W;QjBunoBP,iBAAC,CAAd,UAAAsB,gBAAtB,U;UACI,gBA Ac,UAAU,KAHV,EAAiB,AAAJB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,AAAJ,C;;QAEX,OAA O,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IA+YO,qBAAQ,CA+Yf,C;UAAe,OA AO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACkC,kBAArB,eAAe,gBAAf,C;QAA6B,sBAAI,AAAJ,C;QA A1C,aiB5ooBO,W;QjB6ooBP,iBAAC,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAC,UAAU,KAHV,EAAiB,AAAJB,EA A8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,AAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAA A,qD;MAAA,gE;MAAA,uC;QAYI,IAp/YO,qBAAQ,CAo/Yf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL, CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,AAAJ,C;QAA3C,aiBlqoBO,W;QjBmqoBP,iBAA c,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAC,UAAU,KAHV,EAAiB,AAAJB,EAA8B,UAAK,KAAL,CAA9B,C;UAC d,MAAO,WAAI,AAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,I AlgZO,qBAAQ,CAkgZf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB, gBAAjB,C;QAA+B,sBAAI,AAAJ,C;QAA5C,aiBxroBO,W;QjByroBP,iBAAC,CAAd,UAAAsB,gBAAtB,U;UACI,gB AAc,UAAU,KAHV,EAAiB,AAAJB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,AAAJ,C;;QAEX,OA AO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAhhZO,qBAAQ,CAghZf,C;UAAe,O AAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACqC,kBAAXB,eAAkB,gBAAIB,C;QAAgC,sBAAI,AAAJ,C ;QAA7C,aiB9soBO,W;QjB+soBP,iBAAC,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAC,UAAU,KAHV,EAAiB,AAAJB ,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,AAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;M AAA,qD;MAAA,gE;MAAA,uC;QAYI,IA9hZO,qBAAQ,CA8hZf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,C AAL,CAAIB,C;QACsC,kBAAZB,eAAmB,gBAAnB,C;QAAiC,sBAAI,AAAJ,C;QAA9C,aiBpuoBO,W;QjBquoBP,i BAAc,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAC,UAAU,KAHV,EAAiB,AAAJB,EAA8B,UAAK,KAAL,CAA9B,C; UACd,MAAO,WAAI,AAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;M AAA,gC;MAAA,uC;QAYI,IA5iZO,qBAAQ,CA4iZf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB, C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,0BAAJ,C;QAA3C,aiB1voBO,W;QjB2voBP,iBAAC,CA Ad,UAAAsB,gBAAtB,U;UACI,gBAAC,oBAAU,KAHV,EAAiB,0BAAJ,EAA8B,sBAAK,KAAL,EAA9B,E;UACd, MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;8EAsBA,yB;MA/zBA,gD;MAAA,gE;MA+zBA,gD;QAc W,sB;;UA7zBS,Q;UAHhB,IAp0XO,qBAAQ,CAo0Xf,C;YAAe,qBAAO,OAgoBH,OAhoBG,C;YAAP,uB;;UACqB ,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+zBzB,OA/zByB,C;UAA5C,aiBj9mBO,W;UjBk9mBP,kB A8zBmB,O;UA7zBnB,iD;YAAgB,cAAhB,e;YACI,cA4zBwB,SA5zBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,

MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyzBP,yB;O;KAdJ,C;gFAiBA,yB;MAzzBA,gD;MAAA,gE;MAyz  
BA,gD;QAeW,sB;;UAvzBS,Q;UAHhB,IAP1XO,qBAAQ,CAo1Xf,C;YAAe,qBAAO,OA0zBH,OA1zBG,C;YAAP,  
uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAyzBzB,OAzzByB,C;UAA5C,aiBz+mBO,W;Uj  
B0+mBP,kBAwzBmB,O;UAvzBnB,iD;YAAgB,cAAhB,e;YACI,cAszBwB,SAtzBV,CAAU,WAAV,EAAuB,OAA  
vB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAmzBP,yB;O;KafJ,C;gFAkBA,yB;MANzBA,gD;MA  
AA,gE;MAmzBA,gD;QAeW,sB;;UAjzBS,Q;UAHhB,IAP2XO,qBAAQ,CAo2Xf,C;YAAe,qBAAO,OAozBH,OA  
zBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAmzBzB,OAnzByB,C;UAA5C,ai  
BjgnBO,W;UjBkgnBP,kBAkzBmB,O;UAjzBnB,iD;YAAgB,cAAhB,e;YACI,cAgzBwB,SAhzBV,CAAU,WAAV,  
EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA6yBP,yB;O;KafJ,C;gFAkBA,yB;MA  
7yBA,gD;MAAA,gE;MA6yBA,gD;QAeW,sB;;UA3yBS,Q;UAHhB,IAP3XO,qBAAQ,CAo3Xf,C;YAAe,qBAAO,  
OA8yBH,OA9yBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA6yBzB,OA7yBy  
B,C;UAA5C,aiBzhnBO,W;UjB0hnBP,kBA4yBmB,O;UA3yBnB,iD;YAAgB,cAAhB,e;YACI,cA0yBwB,SA1yBV,  
CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAuyBP,yB;O;KafJ,C;g  
FAkBA,yB;MAvyBA,gD;MAAA,gE;MAuyBA,gD;QAeW,sB;;UAryBS,Q;UAHhB,IAP4XO,qBAAQ,CAo4Xf,C;Y  
AAe,qBAAO,OAwyBH,OAxyBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAuy  
BzB,OAvyByB,C;UAA5C,aiBjnnBO,W;UjBknnBP,kBA5yBmB,O;UAryBnB,iD;YAAgB,cAAhB,e;YACI,cAoyBw  
B,SApyBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiyBP,yB;  
O;KafJ,C;gFAkBA,yB;MAjyBA,gD;MAAA,gE;MAiyBA,gD;QAeW,sB;;UA/xBS,Q;UAHhB,IAP5XO,qBAAQ,C  
Ao5Xf,C;YAAe,qBAAO,OAkyBH,OAlyBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA  
+B,sBAiyBzB,OAjyByB,C;UAA5C,aiBzknBO,W;UjB0knBP,kBAgyBmB,O;UA/xBnB,iD;YAAgB,cAAhB,e;YAC  
I,cA8xBwB,SA9xBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA  
2xBP,yB;O;KafJ,C;gFAkBA,yB;MA3xBA,gD;MAAA,gE;MA2xBA,gD;QAeW,sB;;UAzxBS,Q;UAHhB,IAP6XO,  
qBAAQ,CAo6Xf,C;YAAe,qBAAO,OA4xBH,OA5xBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IA  
Ab,C;UAA+B,sBA2xBzB,OA3xByB,C;UAA5C,aiBjmnBO,W;UjBkmnBP,kBA0xBmB,O;UAzxBnB,iD;YAAgB,c  
AAhB,e;YACI,cAwxBwB,SAxxBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,q  
BAAO,M;;;QAqxBP,yB;O;KafJ,C;gFAkBA,yB;MArxBA,gD;MAAA,gE;MAqxBA,gD;QAeW,sB;;UANxBS,Q;U  
AHhB,IAP7XO,qBAAQ,CAo7Xf,C;YAAe,qBAAO,OA5xBH,OA6xBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mB  
AAO,CAAP,IAAb,C;UAA+B,sBAqxzBzB,OA6xByB,C;UAA5C,aiBznnBO,W;UjB0nnBP,kBAoxBmB,O;UANxBn  
B,iD;YAAgB,cAAhB,e;YACI,cAkxBwB,SA1xBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAA  
J,C;;UAEX,qBAAO,M;;;QA+wBP,yB;O;KafJ,C;gFAkBA,yB;MA/wBA,gD;MAAA,gE;MAAA,oC;MAAA,gC;M  
A+wBA,gD;QAeW,sB;;UA7wBS,Q;UAHhB,IAP8XO,qBAAQ,CAo8Xf,C;YAAe,qBAAO,OA6xBH,OA7xBG,C;  
YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+wBzB,OA/wByB,C;UAA5C,aiBjpnB  
O,W;UjBkpnBP,kBA8wBmB,O;UA7wBnB,iD;YAAgB,cAAhB,0B;YACI,cA4wBwB,SA5wBV,CAAU,WAAV,E  
AAuB,oBAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAywBP,yB;O;KafJ,C;4FAkBA,yB;MA  
zwBA,gD;MAAA,gE;MAywBA,gD;QAeW,6B;;UA1wBP,IA5hYO,qBAAQ,CA4hYf,C;YAAe,4BAAO,OA0wBI,  
OA1wBJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAywBIB,OAzwBkB,C;UAA  
5C,aiBzqnBO,W;UjB0qnBP,kBAwwB0B,O;UAvwB1B,wD;YACI,cAswB+B,SAtwBjB,CAAU,KAAV,EAAiB,W  
AAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAmwBP,gC;O;KA  
fJ,C;8FAkBA,yB;MANwBA,gD;MAAA,gE;MAmwBA,gD;QA6wBW,6B;;UApwBP,IA7iYO,qBAAQ,CA6iYf,C;Y  
AAe,4BAAO,OAowBI,OApwBJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAmw  
BIB,OAnwBkB,C;UAA5C,aiBlSnBO,W;UjBmsnBP,kBAkwB0B,O;UAjwB1B,wD;YACI,cAgwB+B,SAhwBjB,CA  
AU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M  
;;;QA6vBP,gC;O;KAhBJ,C;8FAmBA,yB;MA7vBA,gD;MAAA,gE;MA6vBA,gD;QA6wBW,6B;;UA9vBP,IA9jYO,q  
BAAQ,CA8jYf,C;YAAe,4BAAO,OA8vBI,OA9vBJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,  
C;UAA+B,sBA6vBIB,OA7vBkB,C;UAA5C,aiB3tnBO,W;UjB4tnBP,kBA4vB0B,O;UA3vB1B,wD;YACI,cA0vB+  
B,SA1vBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;U  
AEX,4BAAO,M;;;QAuvBP,gC;O;KAhBJ,C;8FAmBA,yB;MAvvBA,gD;MAAA,gE;MAuvBA,gD;QA6wBW,6B;;U  
AxvBP,IA/kYO,qBAAQ,CA+kYf,C;YAAe,4BAAO,OAwwBI,OAxxBJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,mB





AgB,cAAhB,UAAgB,SAAhB,O;UACI,OAAO,SAAS,oBAAT,C;;QAEX,OAAO,G;O;KAVX,C;gFAaA,+B;MAUo  
B,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;  
;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,S  
AAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB  
,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;  
MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,O  
AAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,c  
AAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;  
MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kF  
AGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,  
SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;  
QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,yB;MAAA,oC;MAAA,gC;  
MAAA,sC;QAUoB,Q;QADhB,UAAoB,C;QACpB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UA  
CI,OAAO,SAAS,oBAAT,C;;QAEX,OAAO,G;O;KAbX,C;kFAGBA,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBA  
AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;  
MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT  
,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cA  
AA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,  
C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;  
K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAA  
O,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,  
gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;  
MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;  
MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAh  
B,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;QA  
UoB,Q;QADhB,UAAe,C;QACf,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,YAAO,SAAS,o  
BAAT,CAAP,I;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;  
QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;  
KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAg  
B,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SAS  
oB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,S  
AAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QAD  
hB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO  
,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;  
UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAA  
A,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,c  
AAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,  
Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ  
,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SA  
AhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;  
MAAA,SASoB,gB;MATpB,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAg  
B,cAAhB,UAAgB,SAAhB,O;UACI,cAAO,SAAS,oBAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;M  
GI7pBA,6B;MHk7pBA,sC;QAWoB,Q;QADhB,UGI7pBmC,cHk7pBnB,CGI7pBmB,C;QHm7pBnB,wBAAgB,SA  
AhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MGtvqBiD,cHsvqBjD,GGtvqB2D,KAAK,GHsvqBzD,SAAS,OAAT,CG  
tvqBoE,KAAX,IAAf,C;;QHwvqBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGn8pBA,6B;MHm8pBA,sC;QAWoB,Q  
;QADhB,UGn8pBmC,cHm8pBnB,CGn8pBmB,C;QHo8pBnB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;U  
ACI,MGvqwBiD,cHuwwqBjD,GGvqwB2D,KAAK,GHuwwqBzD,SAAS,OAAT,CGvqwBoE,KAAX,IAAf,C;;QHwvq  
BrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGp9pBA,6B;MH09pBA,sC;QAWoB,Q;QADhB,UGp9pBmC,cHo9pBn

B,CGp9pBmB,C;QHq9pBnC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MGxxqBiD,cHwxqBjD,GGx  
xqB2D,KAAK,GHwxqBzD,SAAS,OAAT,CGxxqBoE,KAAX,IAAf,C;;QH0xqBrD,OAAO,G;O;KAdX,C;mFAiBA  
,yB;MGr+pBA,6B;MHq+pBA,sC;QAWoB,Q;QADhB,UGr+pBmC,cHq+pBnB,CGr+pBmB,C;QHs+pBnC,wBAAG  
B,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MGzyqBiD,cHyyqBjD,GGzyqB2D,KAAK,GHyyqBzD,SAAS,OA  
AT,CGzyqBoE,KAAX,IAAf,C;;QH2yqBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGt/pBA,6B;MHs/pBA,sC;QAW  
oB,Q;QADhB,UGt/pBmC,cHs/pBnB,CGt/pBmB,C;QHs/pBnC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;U  
ACI,MG1zqBiD,cH0zqBjD,GG1zqB2D,KAAK,GH0zqBzD,SAAS,OAAT,CG1zqBoE,KAAX,IAAf,C;;QH4zqBrD  
,OAAO,G;O;KAdX,C;mFAiBA,yB;MGvgqBA,6B;MHugqBA,sC;QAWoB,Q;QADhB,UGvgqBmC,cHugqBnB,CG  
vgqBmB,C;QHwgqBnB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MG30qBiD,cH20qBjD,GG30qB2  
D,KAAK,GH20qBzD,SAAS,OAAT,CG30qBoE,KAAX,IAAf,C;;QH60qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;  
MGxhqBA,6B;MHwhqBA,sC;QAWoB,Q;QADhB,UGxhqBmC,cHwhqBnB,CGxhqBmB,C;QHhyqBnB,wBAAGB,  
SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MG51qBiD,cH41qBjD,GG51qB2D,KAAK,GH41qBzD,SAAS,OA  
AT,CG51qBoE,KAAX,IAAf,C;;QH81qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGziqBA,6B;MHYiqBA,sC;QAWo  
B,Q;QADhB,UGziqBmC,cHYiqBnB,CGziqBmB,C;QH0iqBnB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;U  
ACI,MG72qBiD,cH62qBjD,GG72qB2D,KAAK,GH62qBzD,SAAS,OAAT,CG72qBoE,KAAX,IAAf,C;;QH+2qBr  
D,OAAO,G;O;KAdX,C;mFAiBA,yB;MAAA,oC;MAAA,gC;MG1jqBA,6B;MH0jqBA,sC;QAWoB,Q;QADhB,UG  
1jqBmC,cH0jqBnB,CG1jqBmB,C;QH2jqBnB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,M  
G93qBiD,cH83qBjD,GG93qB2D,KAAK,GH83qBzD,SAAS,oBAAT,CG93qBoE,KAAX,IAAf,C;;QHg4qBrD,OA  
AO,G;O;KAdX,C;mFAiBA,yB;MmBxkqBA,+B;MnBwkqBA,sC;QAWoB,Q;QADhB,UmBvkqBqC,eAAW,oBnBu  
kqB/B,CmBvkqB+B,CAAX,C;QnBwkqBrC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB54qBm  
D,enB44qBnD,GmB54qB8D,KAAK,KnB44qB5D,SAAS,OAAT,CmB54qBuE,KAAX,CAAhB,C;;QnB84qBvD,O  
AAO,G;O;KAdX,C;mFAiBA,yB;MmBzlqBA,+B;MnBylqBA,sC;QAWoB,Q;QADhB,UmBxlqBqC,eAAW,oBnBw  
lqB/B,CmBxlqB+B,CAAX,C;QnBylqBrC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB75qBmD,  
enB65qBnD,GmB75qB8D,KAAK,KnB65qB5D,SAAS,OAAT,CmB75qBuE,KAAX,CAAhB,C;;QnB+5qBvD,OA  
AO,G;O;KAdX,C;mFAiBA,yB;MmB1mqBA,+B;MnB0mqBA,sC;QAWoB,Q;QADhB,UmBzmqBqC,eAAW,oBn  
BmqB/B,CmBzmqB+B,CAAX,C;QnB0mqBrC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB96q  
BmD,enB86qBnD,GmB96qB8D,KAAK,KnB86qB5D,SAAS,OAAT,CmB96qBuE,KAAX,CAAhB,C;;QnBg7qBvD,  
OAAO,G;O;KAdX,C;kFAiBA,yB;MmB3nqBA,+B;MnB2nqBA,sC;QAWoB,Q;QADhB,UmB1nqBqC,eAAW,oBn  
B0nqB/B,CmB1nqB+B,CAAX,C;QnB2nqBrC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB/7qB  
mD,enB+7qBnD,GmB/7qB8D,KAAK,KnB+7qB5D,SAAS,OAAT,CmB/7qBuE,KAAX,CAAhB,C;;QnBi8qBvD,O  
AAO,G;O;KAdX,C;mFAiBA,yB;MmB5oqBA,+B;MnB4oqBA,sC;QAWoB,Q;QADhB,UmB3oqBqC,eAAW,oBnB  
2oqB/B,CmB3oqB+B,CAAX,C;QnB4oqBrC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBh9qBm  
D,enBg9qBnD,GmBh9qB8D,KAAK,KnBg9qB5D,SAAS,OAAT,CmBh9qBuE,KAAX,CAAhB,C;;QnBk9qBvD,O  
AAO,G;O;KAdX,C;mFAiBA,yB;MmB7pqBA,+B;MnB6pqBA,sC;QAWoB,Q;QADhB,UmB5pqBqC,eAAW,oBnB  
4pqB/B,CmB5pqB+B,CAAX,C;QnB6pqBrC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBj+qBm  
D,enBi+qBnD,GmBj+qB8D,KAAK,KnBi+qB5D,SAAS,OAAT,CmBj+qBuE,KAAX,CAAhB,C;;QnBm+qBvD,OA  
AO,G;O;KAdX,C;mFAiBA,yB;MmB9qqBA,+B;MnB8qqBA,sC;QAWoB,Q;QADhB,UmB7qqBqC,eAAW,oBnB6  
qqB/B,CmB7qqB+B,CAAX,C;QnB8qqBrC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBl/qBmD,  
enBk/qBnD,GmBl/qB8D,KAAK,KnBk/qB5D,SAAS,OAAT,CmBl/qBuE,KAAX,CAAhB,C;;QnBo/qBvD,OAAO,  
G;O;KAdX,C;kFAiBA,yB;MmB/rqBA,+B;MnB+rqBA,sC;QAWoB,Q;QADhB,UmB9rqBqC,eAAW,oBnB8rqB/B,  
CmB9rqB+B,CAAX,C;QnB+rqBrC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBngrBmD,enBmg  
rBnD,GmBngrB8D,KAAK,KnBmgrB5D,SAAS,OAAT,CmBngrBuE,KAAX,CAAhB,C;;QnBqgrBvD,OAAO,G;O;  
KAdX,C;mFAiBA,yB;MAAA,oC;MAAA,gC;MmBhtqBA,+B;MnBgtqBA,sC;QAWoB,Q;QADhB,UmB/sqBqC,e  
AAW,oBnB+sqB/B,CmB/sqB+B,CAAX,C;QnBgtqBrC,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O  
;UACI,MmBphrBmD,enBohrBnD,GmBphrB8D,KAAK,KnBohrB5D,SAAS,oBAAT,CmBphrBuE,KAAX,CAAhB,  
C;;QnBshrBvD,OAAO,G;O;KAdX,C;IAiBA,mC;MAIoB,UAMT,M;MANP,wBAAGB,SAAhB,gB;QAAgB,cAAA,  
SAAhB,M;QACI,IAAI,eAAJ,C;UACI,MAAM,gCAAYB,2BAAwB,SAAXB,MAAZB,C;;MAId,OAAO,0D;K;wFA  
GX,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAGB,SAAh



;MA9IT,OAgJO,I;K;8EA7IX,yB;MAAA,gE;MkBzorBA,iB;MIByorBA,8C;QAQI,WkB3orBO,MAAO,KIB2orBG,gBkB3orBH,EIB2orBS,KAAM,OkB3orBf,C;QIB4orBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;8EAgBA,yB;MAAA,gE;MkBzprBA,iB;MIByprBA,8C;QAQI,WkB3prBO,MAAO,KIB2prBG,gBkB3prBH,EIB2prBS,KAAM,OkB3prBf,C;QIB4prBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBzqrBA,iB;MIByqrBA,8C;QAQI,WkB3qrBO,MAAO,KIB2qrBG,gBkB3qrBH,EIB2qrBS,KAAM,OkB3qrBf,C;QIB4qrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;8EAgBA,yB;MAAA,gE;MkBzrrBA,iB;MIByrrBA,8C;QAQI,WkB3rrBO,MAAO,KIB2rrBG,gBkB3rrBH,EIB2rrBS,KAAM,OkB3rrBf,C;QIB4rrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBzsrBA,iB;MIBysrBA,8C;QAQI,WkB3srBO,MAAO,KIB2srBG,gBkB3srBH,EIB2srBS,KAAM,OkB3srBf,C;QIB4srBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBztrBA,iB;MIBytrBA,8C;QAQI,WkB3trBO,MAAO,KIB2trBG,gBkB3trBH,EIB2trBS,KAAM,OkB3trBf,C;QIB4trBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBzurBA,iB;MIByurBA,8C;QAQI,WkB3urBO,MAAO,KIB2urBG,gBkB3urBH,EIB2urBS,KAAM,OkB3urBf,C;QIB4urBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBzvrBA,iB;MIByvrBA,8C;QAQI,WkB3vrBO,MAAO,KIB2vrBG,gBkB3vrBH,EIB2vrBS,KAAM,OkB3vrBf,C;QIB4vrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MkBzwrBA,iB;MIBywrBA,8C;QAQI,WkB3wrBO,MAAO,KIB2wrBG,gBkB3wrBH,EIB2wrBS,KAAM,OkB3wrBf,C;QIB4wrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,EA AV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAGBA,kC;MAqGoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW,iBkBt3rBJ,MAAO,KIBs3rBsB,wBA5FzB,KA4FyB,EA AwB,EA AxB,CkBt3rBtB,ElBs3rBmD,SkBt3rBnD,CIBs3rBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhGqB,GAGGP,UAAK,UAAL,EA AK,kBAAL,SAxGO,EAwGI,OA xGJ,CAwGrB,C;;MAxGT,OA0GO,I;K;IAvGX,kC;MAqHoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW,iBkBx4rBJ,MAAO,KIBw4rBsB,wBApGzB,KAoGyB,EA AwB,EA AxB,CkBx4rBtB,ElBw4rBmD,SkBx4rBnD,CIBw4rBH,C;MACX,QAAQ,C;MACQ,OA tGL,KAsGK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxGqB,GAwGP,UAAK,UAAL,EA AK,kBAAL,SAxGO,EAwGI,OA xGJ,CAwGrB,C;;MAxGT,OA0GO,I;K;IAvGX,kC;MAqHoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW,iBkB15rBJ,MAAO,KIB05rBsB,wBA5GzB,KA4GyB,EA AwB,EA AxB,CkB15rBtB,ElB05rBmD,SkB15rBnD,CIB05rBH,C;MACX,QAAQ,C;MACQ,OA9GL,KA8GK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhHqB,GAGHP,UAAK,UAAL,EA AK,kBAAL,SAhHO,EA gHI,OA hHJ,CAgHrB,C;;MAhHT,OAKHO,I;K;IA/GX,kC;MA6HoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW,iBkB56rBJ,MAAO,KIB46rBsB,wBApHzB,KAoHyB,EA AwB,EA AxB,CkB56rBtB,ElB46rBmD,SkB56rBnD,CIB46rBH,C;MACX,QAAQ,C;MACQ,OA tHL,KAsHK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxHqB,GAwHP,UAAK,UAAL,EA AK,kBAAL,SAxHO,EA wHI,OA xHJ,CAwHrB,C;;MAxHT,OA0HO,I;K;IAvHX,kC;MAqIoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW,iBkB97rBJ,MAAO,KIB87rBsB,wBA5HzB,KA4HyB,EA AwB,EA AxB,CkB97rBtB,ElB87rBmD,SkB97rBnD,CIB87rBH,C;MACX,QAAQ,C;MACQ,OA9HL,KA8HK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhIqB,GAGIP,UAAK,UAAL,EA AK,kBAAL,SAhIO,EA gII,OA hIJ,CAgIrB,C;;MAhIT,OAKIO,I;K;IA/HX,kC;MA6IoB,gB;MAHhB,gBAAGB,gB;MACHb,WAAW,iBkBh9rBJ,MAAO,KIBg9rBsB,wBApIzB,KAoIyB,EA AwB,EA AxB,CkBh9rBtB,ElBg9rBmD,SkBh9rBnD,CIBg9rBH,C;MACX,QAAQ,C;MACQ,

OAtIL,KAsIK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK ,WxIqB,GAwIP,UAAK,UAAAL,EAAK,kBAAL,SAxIO,EAwII,OAxIJ,CAwIrB,C;;MAxIT,OA0IO,I;K;IAvIX,kC; MAqJoB,gB;MAHhB,gBAAgB,gB;MACHB,WAAW,iBkBl+rBJ,MAAO,KIBk+rBsB,wBA5IzB,KA4IyB,EAAwB, EAAxB,CkBl+rBtB,ElBk+rBmD,SkBl+rBnD,CIBk+rBH,C;MACX,QAAQ,C;MACQ,OA9IL,KA8IK,W;MAAhB, OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhJqB,GAgJP,UAAK, UAAAL,EAAK,kBAAL,SAhJO,EAgJI,OAhJJ,CAgJrB,C;;MAhJT,OAKJO,I;K;IA/IX,kC;MA6JoB,gB;MAHhB,gBA AgB,gB;MACHB,WAAW,iBkBp/rBJ,MAAO,KIBo/rBsB,wBApJzB,KAoJyB,EAAwB,EAAxB,CkBp/rBtB,ElBo/r BmD,SkBp/rBnD,CIBo/rBH,C;MACX,QAAQ,C;MACQ,OAtJL,KAsJK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,y B;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WxJqB,GAwJP,UAAK,UAAAL,EAAK,kBAAL,SAxJ O,EAwJI,OAxJJ,CAwJrB,C;;MAxJT,OA0JO,I;K;IAvJX,kC;MAqKoB,gB;MAHhB,gBAAgB,gB;MACHB,WAAW, iBkBTgsBJ,MAAO,KIBsgsBsB,wBA5JzB,KA4JyB,EAAwB,EAAxB,CkBTgsBtB,ElBsgsBmD,SkBTgsBnD,CIBsgsB H,C;MACX,QAAQ,C;MACQ,OA9JL,KA8JK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SA AT,C;UAAoB,K;QACpB,IAAK,WAhKqB,GAgKP,sBAAK,UAAAL,EAAK,kBAAL,UAhKO,EAgKI,OAhKJ,CAg KrB,C;;MAhKT,OAKKO,I;K;+EA/JX,yB;MAAA,kF;MAAA,gE;MkBn3rBA,iB;MIBm3rBA,8C;QAWoB,UAEY, M;QAL5B,gBAAgB,gB;QACHB,WAAW,ekBt3rBJ,MAAO,KIBs3rBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBT3r BtB,ElBs3rBmD,SkBT3rBnD,CIBs3rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;U ACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAq B,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkBr4rBA,iB;MIBq4rBA,8C ;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ekBx4rBJ,MAAO,KIBw4rBsB,wBAAN,KAAM,EAA wB,EAAxB,CkBx4rBtB,ElBw4rBmD,SkBx4rBnD,CIBw4rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cA AhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK, kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkBv5 rBA,iB;MIBu5rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ekB15rBJ,MAAO,KIB05rBsB,w BAAN,KAAM,EAAwB,EAAxB,CkB15rBtB,ElB05rBmD,SkB15rBnD,CIB05rBH,C;QACX,QAAQ,C;QACQ,uB; QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,U AAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,k F;MAAA,gE;MkBz6rBA,iB;MIBy6rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ekB56rBJ, MAAO,KIB46rBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB56rBtB,ElB46rBmD,SkB56rBnD,CIB46rBH,C;QACX, QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IA AK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+ EakBA,yB;MAAA,kF;MAAA,gE;MkB37rBA,iB;MIB27rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACH B,WAAW,ekB97rBJ,MAAO,KIB87rBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB97rBtB,ElB87rBmD,SkB97rBnD ,CIB87rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C; YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET, OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkB78rBA,iB;MIB68rBA,8C;QAWoB,UAEY,M;QAL5 B,gBAAgB,gB;QACHB,WAAW,ekBh9rBJ,MAAO,KIBg9rBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBh9rBtB,El Bg9rBmD,SkBh9rBnD,CIBg9rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,I AAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OA ARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkB/9rBA,iB;MIB+9rBA,8C;QA WoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ekBI+rBJ,MAAO,KIBk+rBsB,wBAAN,KAAM,EAAwB,E AAxB,CkBI+rBtB,ElBk+rBmD,SkBI+rBnD,CIBk+rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C ;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAA L,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkBj/rBA,iB; MIBi/rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ekBp/rBJ,MAAO,KIBo/rBsB,wBAAN,K AAM,EAAwB,EAAxB,CkBp/rBtB,ElBo/rBmD,SkBp/rBnD,CIBo/rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OA AgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL ,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE; MAAA,oC;MkBngsBA,iB;MIBmgsBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ekBTgsBJ,M

AAO,KIBsgsBsB,wBAAN,KAAM,EAawB,EAaxB,CkbtgsBtB,ElBsgsBmD,SkbtgsBnD,CIBsgsBH,C;QACX,QA  
AQ,C;QACQ,uB;QAaHb,OAAgB,cAAhB,C;UAAGb,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,  
WAAI,UAAU,sBAAK,UAAAL,EAak,kBAAL,UAAV,EAaqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;IAkB  
A,kC;MAwFI,WkBvmsBO,MAAO,KIBumsBG,gBkBvmsBH,ElBshsBH,KaIFkB,OkBvmsBf,C;MIBwmsBd,WAA  
W,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WApFqB,GAoFP,UAAK,CAAL,CAPF  
O,EAAnB,KAOFqB,CAAM,CAAN,CAPFF,CAoFrB,C;;MApFT,OAsFO,I;K;IANFX,kC;MA8FI,WkBvnsBO,MAA  
O,KIBunsBG,gBkBvnsBH,ElBgisBH,KAuFkB,OkBvnsBf,C;MIBwnsBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,C  
AAV,MAAkB,IAAIB,M;QACI,IAAK,WA1FqB,GA0FP,UAAK,CAAL,CA1FO,EAAnB,KAOFqB,CAAM,CAAN,  
CA1FF,CA0FrB,C;;MA1FT,OA4FO,I;K;IAzFX,kC;MAoGI,WkBvosBO,MAAO,KIBuosBG,gBkBvosBH,ElB0isB  
H,Ka6FkB,OkBvosBf,C;MIBwosBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IA  
AK,WAhGqB,GAgGP,UAAK,CAAL,CAhGO,EAAnB,KAgGqB,CAAM,CAAN,CAhGF,CAGrB,C;;MAhGT,OA  
kGO,I;K;IAFX,kC;MAoGI,WkBvpsBO,MAAO,KIBupsBG,gBkBvpsBH,ElBojsBH,KAmGkB,OkBvpsBf,C;MIBw  
psBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAtGqB,GAsGP,UAAK,C  
AAL,CAtGO,EAAnB,KAsGqB,CAAM,CAAN,CAtGF,CAsGrB,C;;MAtGT,OAwGO,I;K;IARGX,kC;MAGHI,WkB  
vqsBO,MAAO,KIBuqsBG,gBkBvqsBH,ElB8jsBH,KAyGkB,OkBvqsBf,C;MIBwqsBd,WAAW,iBAAa,IAAb,C;M  
ACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5GqB,GA4GP,UAAK,CAAL,CA5GO,EAAnB,Ka4GqB,  
CAAM,CAAN,CA5GF,CA4GrB,C;;MA5GT,OA8GO,I;K;IA3GX,kC;MAshI,WkBvrsBO,MAAO,KIBursBG,gBk  
BvrsBH,ElBwksBH,KA+GkB,OkBvrsBf,C;MIBwrsBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IA  
AIB,M;QACI,IAAK,WAIHqB,GakHP,UAAK,CAAL,CAIHO,EAAnB,KakHqB,CAAM,CAAN,CAIHF,CakHrB,  
C;;MAIHT,OAoHO,I;K;IAjHX,kC;MA4HI,WkBvssBO,MAAO,KIBussBG,gBkBvssBH,ElBklsBH,KaQhkB,OkB  
vssBf,C;MIBwssBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WaxHqB,GA  
wHP,UAAK,CAAL,CaxHO,EAAnB,KawHqB,CAAM,CAAN,CaxHF,CAwHrB,C;;MAxHT,OA0HO,I;K;IAvHX  
,kC;MAkII,WkBvtsBO,MAAO,KIButsBG,gBkBvtsBH,ElB4lsBH,Ka2HkB,OkBvtsBf,C;MIBwtsBd,WAAW,iB  
Aa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9HqB,GA8HP,sBAAK,CAAL,EA9HO,EA  
8HE,YA9HrB,Ka8HqB,CAAM,CAAN,EA9HF,CA8HrB,C;;MA9HT,OAgiO,I;K;+EA7HX,yB;MAAA,gE;MkBr  
msBA,iB;MIBqmsBA,8C;QAQI,WkBvmsBO,MAAO,KIBumsBG,gBkBvmsBH,ElBumsBS,KAAM,OkBvmsBf,C;  
QIBwmsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,  
CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;M  
kBrnsBA,iB;MIBqnsBA,8C;QAQI,WkBvnsBO,MAAO,KIBunsBG,gBkBvnsBH,ElBunsBS,KAAM,OkBvnsBf,C;Q  
IBwnsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CA  
AL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr  
osBA,iB;MIBqosBA,8C;QAQI,WkBvosBO,MAAO,KIBuosBG,gBkBvosBH,ElBuosBS,KAAM,OkBvosBf,C;QIB  
wosBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAA  
L,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrps  
BA,iB;MIBqpsBA,8C;QAQI,WkBvpsBO,MAAO,KIBupsBG,gBkBvpsBH,ElBupsBS,KAAM,OkBvpsBf,C;QIBwp  
sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,C  
AAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrqsBA  
,iB;MIBqqsBA,8C;QAQI,WkBvqsBO,MAAO,KIBuqsBG,gBkBvqsBH,ElBuqsBS,KAAM,OkBvqsBf,C;QIBwqsBd  
,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAA  
V,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrssBA,iB;  
MIBqrsBA,8C;QAQI,WkBvrsBO,MAAO,KIBursBG,gBkBvrsBH,ElBursBS,KAAM,OkBvrsBf,C;QIBwrsBd,WAA  
W,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EA  
AmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrssBA,iB;MIBq  
ssBA,8C;QAQI,WkBvssBO,MAAO,KIBussBG,gBkBvssBH,ElBussBS,KAAM,OkBvssBf,C;QIBwssBd,WAAW,e  
AAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB  
,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MkBrtsBA,iB;  
MIBqtsBA,8C;QAQI,WkBvtsBO,MAAO,KIButsBG,gBkBvtsBH,ElButsBS,KAAM,OkBvtsBf,C;QIBwtsBd,WAA  
W,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,EAav,EA

AmB,kBAAM,CAAN,EAA nB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,4F;MAQ8D,yB;QAAA,YAA0B,I;M  
AAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K  
;MAAO,yB;QAAA,YAAoC,I;MAGvN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAGB,  
SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IA  
AI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAc,OAAd,EAAuB,SAAvB,C;;UACJ,K;;MA  
EX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAA  
P,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,  
UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MA  
FhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,I  
AAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UA  
CI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UAC  
R,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAA  
AO,OAAp,C;MACP,OAAO,M;K;IAGX,8F;MAQyD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,u  
B;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAG  
tN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,  
M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KA  
A1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WA  
Af,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,  
MAAO,gBAAO,OAAp,C;MACP,OAAO,M;K;IAGX,8F;MAQuD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAu  
B,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YA  
AsC,I;MAGIN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAgB,cAA  
A,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,  
SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,  
OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,  
C;MACxC,MAAO,gBAAO,OAAp,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;Q  
AAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB  
;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAGB,SAAhB,gB;  
QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,  
CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MA  
AO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gB  
AAO,SAAP,C;MACxC,MAAO,gBAAO,OAAp,C;MACP,OAAO,M;K;IAGX,8F;MAQyD,yB;QAAA,YAA0B,I;M  
AAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K  
;MAAO,yB;QAAA,YAAwC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAGB,  
SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IA  
AI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;  
YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,  
MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAp,C;MACP,OAAO,M;K;IAGX,8F;MAQ0D,yB;QAAA,Y  
AA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,  
YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MAGxN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,  
wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;  
QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,  
CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C  
;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAp,C;MACP,OAAO,M;K;IAGX,8F;MAQ2D,yB;  
QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,y  
B;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MAG1N,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,  
C;MACZ,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,  
SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAA  
U,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,



KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;M  
AQwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,  
E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MAC  
P,YAAY,C;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAhB,UAAgB,SAAhB,O;QACI,IAAI,iCAAU,CAAd,C;UAAi  
B,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MA  
AO,gBAAO,UAAU,oBAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAP,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IA  
Ac,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;I  
AGX,0F;MAQyC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QA  
AA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACIN,OAAO,kBAAO,sBAAP,EAAwB  
,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5  
F,4F;MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,  
QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,S  
AAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,  
4F;MAQmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,  
QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MACHN,OAAO,oBAAO,sBAAP,EAAwB,S  
AAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,  
4F;MAQiC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,Q  
AAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAc,I;MAC5M,OAAO,oBAAO,sBAAP,EAAwB,SAA  
xB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F;  
MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAA  
a,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB  
,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F;M  
AQmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,  
E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MACHN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,E  
AAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQ  
oC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;M  
AAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MACIN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAm  
C,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQqC,y  
B;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI  
,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACpN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,  
MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQkC,yB;  
QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,y  
B;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,M  
AAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAQxE,4C;MAAA,mB;Q  
AAE,OAAK,qBAAL,eAAK,C;O;K;IAL3B,+B;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACTB,kCAA  
gB,4BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,C  
Aklef,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK,  
C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;M  
AAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MA  
CTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO  
,qBAAQ,CAklef,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,0BA  
AL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IA  
QgB,8C;MAAA,mB;QAAE,OAAK,2BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAA  
O,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,4BAAL,eAAK,C;O;K;IAL3B,iC;MA  
II,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OA  
AK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAh  
B,C;K;IAUgB,4C;MAAA,mB;QAAE,OAAK,qBAAL,eAAK,C;O;K;IAP3B,+B;MAMI,IA5peO,qBAAQ,CA4pef,C  
;QAAe,OAAO,e;MACTB,kCAAgB,4BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IA

P3B,iC;MAMI,IA9peO,qBAAQ,CA8pef,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAhqeO,qBAAQ,CAgqef,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAIqeO,qBAAQ,CAkqef,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IApqeO,qBAAQ,CAoqef,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAtqeO,qBAAQ,CAsqef,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,2BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAxqeO,qBAAQ,CAwqef,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,4BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAIqeO,qBAAQ,CA0qef,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IA5qeO,qBAAQ,CA4qef,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAGJ,4B;MAOoB,Q;MAFhB,UAAkB,G;MACiB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACiB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACiB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACiB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACiB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACiB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACiB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAMoB,Q;MAFhB,UAAkB,G;MACiB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,wB;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEJ,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,OAAAP,C;;MAEJ,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAkB,G;MACiB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEJ,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,OAAAP,C;;MAEJ,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAKoB,Q;MADhB,UAAkB,G;MACiB,wBAAgB,S

AAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;Ia5uuBX,oD;MAQuF,wC;K;IARvF,8C  
ASI,Y;MAAuC,8B;K;IAT3C,gF;4FOOA,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,  
CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,q  
B;MAOI,OAAO,sBAAI,CAAJ,C;K;IAGX,wC;MAII,IAAI,oCAAJ,C;QACI,OAAO,yBAAS,OAAT,C;MACX,OA  
AO,qBAAQ,OAAR,KAAoB,C;K;IAWG,yC;MAAA,qB;QAAE,MAAM,8BAA0B,iDAA8C,aAA9C,MAA1B,C;O;  
K;IAR1C,qC;MAMI,IAAI,8BAAJ,C;QACI,OAAO,sBAAI,KAAJ,C;MACX,OAAO,6BAAgB,KAAhB,EAAuB,uB  
AAvB,C;K;0FAGX,4B;MAOI,OAAO,sBAAI,KAAJ,C;K;IAGX,2D;MACqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OA  
AsB,KA4Lf,IAAS,CAAT,IA5Le,KA4LD,IAAS,iBA5LvB,SA4LuB,CAA3B,GA5LI,SA4LkC,aA5LnB,KA4LmB,C  
AAtC,GA5L0B,YA4L4B,CA5LnC,KA4LmC,C;;MA3L7D,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;M  
ACX,eAAe,oB;MACf,YAAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,Y  
AAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;K;sGAGX,yB;MAAA,8D;MAAA,i  
D;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;K  
APjE,C;IAUA,6C;MACqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OAAO,yAAL,SAAK,EAAU,KAAV,C;MACHb,IAA  
I,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAA  
c,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,I;K;sGAGX,yB;  
MAAA,sD;MAAA,mC;QAOI,OAAO,yAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;gFAUA,gC;MAOW,sB;;QAU  
HS,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAvHH,SAuHO,CAAU,OAAV,CAAJ,C;YAAw  
B,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MAxHP,yB;K;wFAGJ,gC;MA2VoB,Q;MADhB,WAAe,I;MACC,2B  
;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IARVc,SAqVV,CAAU,OAAV,CAAJ,C;UACI,OAAO,O;;MATVf,  
OAYVO,I;K;wFATVX,gC;MAOW,qB;;QAwVP,eAAoB,+BAAa,cAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,  
cAAc,QAAS,W;UACvB,IA3Vc,SA2VV,CAAU,OAAV,CAAJ,C;YAAwB,oBAAO,O;YAAP,sB;;QAE5B,oBAAO  
,I;;MA7VP,wB;K;IAGJ,6B;MAMQ,kBADE,SACF,Q;QAAW,OAAO,SAAL,SAAK,C;;QAE5B,eAAe,oB;QACf,I  
AAI,CAAC,QAAS,UAAAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,OAAO,QAAS,O;;K;IAK5B,6B;MAKI,I  
AAI,mBAAJ,C;QACI,MAAM,2BAAuB,gBAAvB,C;MACV,OAAO,sBAAK,CAAL,C;K;mFAGX,yB;MAAA,iE;  
MAAA,uC;QAKoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;Y  
AAwB,OAAO,O;;QACrD,MAAM,gCAAuB,wDAAvB,C;O;KANV,C;oGASA,yB;MAAA,iE;MAAA,uC;QASW,  
Q;QAAA,+B;;UAYS,U;UAAA,6B;UAAhB,OAAGB,gBAAhB,C;YAAgB,2B;YACZ,aAbwB,SAaX,CAAU,OAAV  
,C;YACb,IAAI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;UAGR,8BAAO,I;;QAlBA,kC;QAAA,iB;UAAmC,MAAM,g  
CAAuB,mEAAvB,C;;QAAhD,OAAO,I;O;KATX,C;gHAYA,gC;MASoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,  
C;QAAGB,yB;QACZ,aAAa,UAAU,OAAV,C;QACb,IAAI,cAAJ,C;UACI,OAAO,M;;MAGf,OAAO,I;K;IAGX,m  
C;MAKQ,kBADE,SACF,Q;QACI,IAAI,mBAAJ,C;UACI,OAAO,I;;UAEP,OAAO,sBAAK,CAAL,C;;QAGX,eAA  
e,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO,I;QACX,OAAO,QAAS,O;;K;IAK5B,mC;MAII,OAAW,m  
BAAJ,GAAe,IAAf,GAAYB,sBAAK,CAAL,C;K;+FAGpC,gC;MAIoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;Q  
AAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;0FAGX,yB;MAAA,8D;  
MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KA  
Ab,C;O;KALjE,C;IAQA,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,2BAA3B,GAAsC,sBAAI,KAAJ,CAAtC,G  
AAsD,I;K;IAGjE,uC;MAMiB,Q;MAFb,IAAI,8BAAJ,C;QAAkB,OAAO,SAAK,eAAQ,OAAR,C;MAC9B,YAAAY,  
C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,  
C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;K;IAGX,uC;MAKI,OAAO,wBAAQ,OAAR,C;K;gGAGX,yB;MA  
AA,wE;MAAA,uC;QAKiB,Q;QADb,YAAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KA  
AnB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,OAAO,K;UACX,qB;;QAEJ,OAAO,E;O;KAXX,C;gGAcA,gC;  
MAKiB,Q;MADb,YAAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UAAU,IAAV,CAAJ,C;UA  
CI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;K;8FAGX,yB;MAAA,wE;MAAA,uC;QAMiB,Q;QAFb,gBAAgB,E;QA  
ChB,YAAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAAnB,C;UACA,IAAI,UAAU,IAA  
V,CAAJ,C;YACI,YAAAY,K;UACHb,qB;;QAEJ,OAAO,S;O;KAZX,C;8FAeA,gC;MAII,eAAe,SAAK,sBAAa,cAAb  
,C;MACpB,OAAO,QAAS,cAAhB,C;QACI,IAAI,UAAU,QAAS,WAAAnB,CAAJ,C;UACI,OAAO,QAAS,Y;;MAG  
xB,OAAO,E;K;IAGX,4B;MASQ,kBADE,SACF,Q;QAAW,OAAO,QAAL,SAAK,C;;QAE5B,eAAe,oB;QACf,IAA  
I,CAAC,QAAS,UAAAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,WAAW,QAAS,O;QACpB,OAAO,QAAS,U

AAhB,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;K;IAKnB,4B;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,  
gBAAvB,C;MACV,OAAO,sBAAK,2BAAL,C;K;iFAGX,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAUo  
B,UAQT,M;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAA  
U,OAAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,w  
DAAvB,C;QAEIB,OAAO,2E;O;KAIBX,C;iFAqBA,yB;MAAA,iE;MAAA,uC;QAQI,eAAe,SAAK,sBAAa,cAAb,C  
;QACpB,OAAO,QAAS,cAAhB,C;UACI,cAAc,QAAS,W;UACvB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,  
O;;QAEEnC,MAAM,gCAAuB,kDAAvB,C;O;KAbV,C;IAGBA,2C;MAOiB,Q;MAHb,IAAI,8BAAJ,C;QAAkB,OAA  
O,SAAK,mBAAy,OAAZ,C;MAC9B,gBAAgB,E;MACHb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;  
QACT,mBAAmB,KAAhB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,YAAY,K;QACHb,qB;;MAEJ,OAAO,S;  
K;IAGX,2C;MAKI,OAAO,4BAAy,OAAZ,C;K;IAGX,kC;MAOQ,kBADE,SACF,Q;QAAW,OAAW,mBAAJ,GA  
Ae,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;;QAEvC,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,  
OAAO,I;QACX,WAAW,QAAS,O;QACpB,OAAO,QAAS,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;K  
;IAKnB,kC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;6FAGpC,gC;MAOo  
B,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;U  
ACI,OAAO,O;;MAGf,OAAO,I;K;6FAGX,gC;MAMI,eAAe,SAAK,sBAAa,cAAb,C;MACpB,OAAO,QAAS,cAA  
hB,C;QACI,cAAc,QAAS,W;QACvB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MAEnC,OAAO,I;K;qFA  
GX,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;MAOI,IAAI,m  
BAAJ,C;QACI,MAAM,2BAAuB,sBAAvB,C;MACV,OAAO,qBAAU,MAAO,iBAAQ,cAAR,CAAJB,C;K;iGAGX  
,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBAA  
J,C;QACI,OAAO,I;MACX,OAAO,qBAAU,MAAO,iBAAQ,cAAR,CAAJB,C;K;IAGX,8B;MAKQ,kBADE,SACF,  
Q;QAAW,OAAy,UAAAL,SAAK,C;;QAEEnB,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,MAAM,2BAAu  
B,sBAAvB,C;QACV,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,MAAM,gCAAyB,uCAAzB,C;QACV,  
OAAO,M;;K;IAKnB,8B;MAiB,IAAN,I;MAAA,QAAM,cAAN,C;aACH,C;UAAK,MAAM,2BAAuB,gBAAvB,C;  
aACX,C;UAAK,6BAAK,CAAL,C;UAAAL,K;;UACQ,MAAM,gCAAyB,iCAAzB,C;;MAHIB,W;K;qFAOJ,yB;MA  
AA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACI,  
2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MA  
AM,8BAAyB,qDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCA  
AuB,wDAAvB,C;QAEIB,OAAO,6E;O;KAFx,C;IAkBA,oC;MAKQ,kBADE,SACF,Q;QAAW,OAAW,mBAAQ,C  
AAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;;QAE1C,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO  
,I;QACX,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,OAAO,I;QACX,OAAO,M;;K;IAKnB,oC;MAII,OA  
AW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;iGAGvC,gC;MAMoB,Q;MAFhB,aAAiB,I;MACjB  
,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,K  
AAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MA  
CnB,OAAO,M;K;IAGX,8B;MAoBsC,UAGT,MAHS,EAarB,M;MN7pBb,IAAI,EMooBI,KAAK,CNpoBT,CAAJ,C  
;QACI,cMmoBc,sD;QNloBd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MMmoBV,IAAI,MAAK,CAAT,C;QAAy,OA  
AO,mB;MACnB,Q;MACA,IAAI,oCAAJ,C;QACI,iBAAiB,iBAAO,CAAP,I;QACjB,IAAI,cAAc,CAAIB,C;UACI,  
OAAO,W;QACX,IAAI,eAAc,CAAIB,C;UACI,OAAO,OAAO,kBAAP,C;QACX,OAAO,iBAAa,UAAb,C;QACP,I  
AAI,8BAAJ,C;UACI,IAAI,sCAAJ,C;YAC0B,qB;YAAtB,iBAAc,CAAd,wB;cACI,IAAK,WAAI,sBAAK,KAAL,C  
AAJ,C;;YAEI,wCAAa,CAAb,C;YAAb,OAAa,gBAAb,C;cAAa,wB;cACT,IAAK,WAAI,IAAJ,C;;UAEb,OAAO,I;;  
;QAIX,OAAO,gB;;MAEX,YAAY,C;MACC,6B;MAAb,OAAa,gBAAb,C;QAAa,0B;QACT,IAAI,SAAS,CAAb,C;  
UAAgB,IAAK,WAAI,MAAJ,C;;UAAe,qB;;MAExC,OAAy,qBAAL,IAAK,C;K;IAGhB,kC;MnqBI,IAAI,EM2q  
BI,KAAK,CN3qBT,CAAJ,C;QACI,cM0qBc,sD;QNzqBd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MM0qBV,OAAO,  
kBAAGB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;kGAGX,yB;MAAA,4C;MAAA,qD;MAAA,u  
C;QAMI,IAAI,CAAC,mBAAL,C;UACI,eAAe,+BAAa,cAAb,C;UACf,OAAO,QAAS,cAAhB,C;YACI,IAAI,CAA  
C,UAAU,QAAS,WAAhB,CAAL,C;cACI,OAAO,gBAAK,QAAS,YAAT,GAAuB,CAAvB,IAAL,C;;;QAIhB,OAA  
O,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QA  
Ab,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,  
CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEEnB,OAAO,I;O;KafX,C;OFakBA,yB;MAAA,+D;

MAAA,uC;QAMW,kBAAS,gB;QA2FA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3FU,SA  
2FN,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QA3F1D,OA4FO,W;O;KAIGX,C;kGASA,yB;MA  
AA,+D;MA6jCA,wE;MA7jCA,uC;QAQW,kBAAgB,gB;QA4jCV,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,c  
AAb,C;UAAa,sB;UAhjCT,IAZmC,SAY/B,CAGjCkB,oBAAmB,cAAnB,EAAMb,sBAAnB,UAhjCIB,EAjC+C,IA  
hjC/C,CAAJ,C;YAA2C,sBAgjCQ,IAhjCR,C;;QAZ/C,OAcO,W;O;KAtBX,C;sGAWA,yB;MAkjCA,wE;MAIjCA,o  
D;QAyjCiB,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAhjCT,IAAI,UAGjCkB,oBAAmB,c  
AAnB,EAAMb,sBAAnB,UAhjCIB,EAjC+C,IAhjC/C,CAAJ,C;YAA2C,sBAgjCQ,IAhjCR,C;;QAE/C,OAAO,W;  
O;KAXX,C;wGAcA,yB;MAAA,+D;MAAA,sC;QAMW,kBAAmB,gB;QASV,Q;QAAA,2B;QAAhB,OAAgB,cAA  
hB,C;UAAgB,yB;UAAM,IAAI,YAAJ,C;YAAkB,WAAy,WAAI,OAAJ,C;;QATpD,OAuO,W;O;KAhBX,C;4GAS  
A,4C;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAy,WA  
AI,OAAJ,C;;MACpD,OAAO,W;K;0FAGX,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QA4BH,Q;QAAA,2B;  
QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CA5BS,SA4BR,CAAU,OAAV,CAAL,C;YAAyB,WAAy,  
WAAI,OAAJ,C;;QA5B3D,OA6BO,W;O;KAnCX,C;IASA,oC;MAMI,OAAO,6BAAGB,gBAAhB,C;K;IAGX,mD;  
MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAy,WAAI,OA  
AJ,C;;MACvD,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,I  
AAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;wFAGX,6C;MAMo  
B,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,  
WAAI,OAAJ,C;;MAC1D,OAAO,W;K;IAGX,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,Od3wBe,W;;Mc4wBtC,O  
AA6D,SAAtD,SAAK,iBAAQ,OAAQ,MAAhB,EAAuB,OAAQ,aAAR,GAAuB,CAAvB,IAAvB,CAAiD,C;K;IAGj  
E,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAawB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OA  
AO,W;MACTB,WAAW,iBAAa,IAAb,C;MACG,yB;MAAd,OAAc,cAAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAI  
,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,8B;MAGBiB,Q;MN51Bb,IAAI,EMo1BI,KAAK,CNp1BT,CAAJ,C;QA  
CI,cMm1Bc,sD;QN11Bd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MMm1BV,IAAI,MAAK,CAAT,C;QAAy,OAAO,  
W;MACnB,IAAI,oCAAJ,C;QACI,IAAI,KAAK,cAAT,C;UAAe,OAAO,mB;QACTB,IAAI,MAAK,CAAT,C;UAA  
Y,OAAO,OAAO,mBAAP,C;;MAEvB,YAAy,C;MACZ,WAAW,iBAAa,CAAb,C;MACE,2B;MAAb,OAAa,cAAb,  
C;QAAA,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAy,qBAAL,IAAK,  
C;K;IAGhB,kC;MAeqC,IAGhB,I;Mnt3BjB,IAAI,EM42BI,KAAK,CN52BT,CAAJ,C;QACI,cM22Bc,sD;QN12Bd,  
MAAM,gCAAYB,OAAQ,WAAjC,C;;MM22BV,IAAI,MAAK,CAAT,C;QAAy,OAAO,W;MACnB,WAAW,c;MA  
CX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAy,OAAO,OAAO,kBAAP,C;M  
ACnB,WAAW,iBAAa,CAAb,C;MACX,IAAI,sCAAJ,C;QACI,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;UA  
CI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;;QAEI,sCAAa,OAAO,CAAP,IAAb,C;QAAb,OAAa,cAAb,C;UAAa,sB;  
UACT,IAAK,WAAI,IAAJ,C;;MAEb,OAAO,I;K;kGAGX,yB;MAAA,qD;MAAA,gE;MAAA,gD;MAAA,uC;QA  
MI,IAAI,mBAAJ,C;UACI,OAAO,W;QACX,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,IAAI,C  
AAC,UAAU,QAAS,WAAAnB,CAAL,C;YACI,QAAS,O;YACT,mBAAMb,iBAAO,QAAS,YAAhB,I;YACnB,IAAI  
,iBAAgB,CAApB,C;cAAuB,OAAO,W;YACI,kBAA3B,eAAa,YAAb,C;YACH,OAAgB,kBAAhB,C;cACI,sBAAa,  
eAAb,C;YAFR,OH11BD,W;;QGg2BP,OAAO,iB;O;KApBX,C;0FAuBA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;Q  
ADb,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K  
;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;IAoBA,+B;MAII,IAAI,wCAASB,kBAAQ,CAAI,C;Q  
AAqC,OAAO,mB;MAC5C,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;K;IAGX,uC;MAOI,aAAU,2BA  
AV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,sBAAK,CAAL,EAAU,SAAK,  
aAAI,CAAJ,EAAO,sBAAK,CAAL,CAAP,CAAf,C;;K;oFAIR,yB;MAAA,oD;MJn4BA,sC;MAAA,oC;MAAA,uB  
AOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EA  
A2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MI43Bf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,oBJ14Bd,eAA  
W,iBIk4BsB,QJ14BtB,CAAX,CIk4Bc,C;;O;KANIB,C;wGASA,yB;MAAA,oD;MJ3BA,sC;MAAA,oC;MAAA,iC  
AOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EA  
A2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MIk3Bf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,oBJx3Bd,eAAW,  
2BIw3BgC,QJx3BhC,CAAX,CIw3Bc,C;;O;KANIB,C;IASA,sC;MAMI,sBAAS,cAAT,C;K;IAGJ,6B;MASgB,Q;M  
AHZ,IAAI,oCAAJ,C;QACI,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEwB,kBAA3C,sBC5+Bsd,

sBD4+BtD,uB;QAAMd,mB;QAA3D,OAAoE,OHI7BjE,WGk7BiE,C;;MAEjD,kBAAhB,0B;MAAwB,oB;MAA/B,OHp7BO,W;K;wFGu7BX,yB;MAAA,wD;MJ56BA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAA A,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W; S;OA4DI,C;MIq6Bf,sC;QAQI,OAAO,sBJ76BP,eAAW,iBI66BiB,QJ76BjB,CAAX,CI66BO,C;O;KARX,C;4GAW A,yB;MAAA,wD;MJp6BA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB ;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MI65Bf,sC;Q AMI,OAAO,sBJn6BP,eAAW,2BIm6B2B,QJn6B3B,CAAX,CIm6BO,C;O;KANX,C;IASA,uC;MAMI,OAAO,wBA AW,cAAx,C;K;IAGX,6C;MASe,Q;MAHX,IAAI,oCAAJ,C;QACG,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL, SAAK,C;QAEe,kBAAIC,sBCvhCuD,sBDuhCvD,uB;QAA0C,iC;QAAID,OAAyE,OH79BrE,WG69BqE,C;;MAEr D,kBAAhB,0B;MAAwB,mC;MAA/B,OH/9BO,W;K;IGk+BX,qC;MAMoB,UACL,M;MAHX,aAAa,oBAAa,cAAb ,C;MACb,YAAy,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAA kB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;MAHX,aAAa,cAAU,cAAV,C;MACb,YAAy,C;MACI,2 B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;I AGX,kC;MAMoB,UACL,M;MAHX,aAAa,iBAAU,cAAV,C;MACb,YAAy,C;MACI,2B;MAAhB,OAAgB,cAAhB ,C;QAAGB,oC;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,oC;MAMoB,UACL, M;MAHX,aAAa,iBAAy,cAAZ,C;MACb,YAAy,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OA AAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,mC;MAMoB,UACL,M;MAHX,aAAa,iBAAW, cAAx,C;MACb,YAAy,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP ,YAAkB,O;;MACtB,OAAO,M;K;IAGX,iC;MAMoB,UACL,M;MAHX,aAAa,eAAS,cAAT,C;MACb,YAAy,C;M ACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO, M;K;IAGX,kC;MAMoB,UACL,M;MAHX,aAAa,iBAAU,cAAV,C;MACb,YAAy,C;MACI,2B;MAAhB,OAAgB,c AAhB,C;QAAGB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,mC;MAMoB,U ACL,M;MAHX,aAAa,eAAW,cAAx,C;MACb,YAAy,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAC Z,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;0FAGX,yB;MAAA,kF;MAAA,0D;MAAA,yD;M AAA,uE;MAAA,uC;QAWI,eAAwD,cAAzC,YAAy,mCAAwB,EAAXB,CAAZ,CAAYC,EAAC,EAAD,C;QACjD,k BAAy,mBAAoB,QAAPB,C;QAYEH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA1E8C,SA0 E/B,CAAU,OAAV,C;UbpkBnB,wBAALI,IAAK,MAAT,EAAGB,IAAK,OAAR,C;;Qa0fA,OA4EO,W;O;KAXFX,C; +FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAwD,cAAzC,YAAy,mCAAwB,E AAXB,CAAZ,CAAYC,EAAC,EAAD,C;QACjD,kBAAC,mBAAoB,QAAPB,C;QA2BL,Q;QAAA,2B;QAAhB,OAAg B,cAAhB,C;UAAgB,yB;UACZ,WAAy,aA5BoC,WA4BhC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA5BhB,O A8BO,W;O;KA1CX,C;+FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAwD,cAAz C,YAAy,mCAAwB,EAAXB,CAAZ,CAAYC,EAAC,EAAD,C;QACjD,kBAAC,mBAAoB,QAAPB,C;QA6BL,Q;QA AA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aA9BoC,WA8BhC,CAAY,OAAZ,CAAJ,EA9BiD, cA8BvB,CAAe,OAAf,CAA1B,C;;QA9BhB,OAGCO,W;O;KA3CX,C;mGAcA,+C;MAUoB,Q;MAAA,2B;MAAhB ,OAAgB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEHb,OAAO, W;K;mGAGX,+D;MAUoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,YAAy,O AAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEHb,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,O AAgB,cAAhB,C;QAAGB,yB;QACZ,WAAe,UAAU,OAAV,C;QbpkBnB,wBAALI,IAAK,MAAT,EAAGB,IAAK,OA ARB,C;;MaskBA,OAAO,W;K;kGAGX,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAYI,aAAa, mBAA6D,cAAzC,YAAy,mCAAwB,EAAXB,CAAZ,CAAYC,EAAC,EAAD,CAA7D,C;QAcG,Q;QAAA,2B;QAAh B,OAAgB,cAAhB,C;UAAgB,yB;UAbO,MAcP,aAAI,OAAJ,EAd,eAAcF,CAAc,OAAd,CAAb,C;;QAdhB,OAAuB, M;O;KAb3B,C;sGAgBA,iD;MAUoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI, OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEHb,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C; QAAA,sB;QACT,WAAy,WAAI,IAAJ,C;;MAEHb,OAAO,W;K;IAGX,gC;MAII,OAAO,0BAAa,eAAW,YAAy,m CAAwB,EAAXB,CAAZ,CAAX,CAAb,C;K;IAGX,6B;MAKqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,c AAN,C;eACH,C;YAAK,kB;YAAL,K;eACA,C;YAAK,cAAW,8BAAJ,GAaKB,sBAAI,CAAJ,CAAIB,GAA8B,oB AAW,OAAhD,C;YAAL,K;;YACa,uBAAL,SAAK,C;YAHV,K;;QAAP,W;;MAMJ,OAA4B,qBAAhB,gBAAL,SA AK,CAAgB,C;K;IAGhC,oC;MAII,IAAI,oCAAJ,C;QACI,OAAy,gBAAL,SAAK,C;MACHb,OAAO,0BAAa,gBA

Ab,C;K;IAGX,oC;MAII,OAAO,iBAAU,SAAV,C;K;IAGX,4B;MAOqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,Q  
AAM,cAAN,C;eACH,C;YAAK,iB;YAAL,K;eACA,C;YAAK,aAAU,8BAAJ,GAakB,sBAAK,CAAL,CAAIB,GA  
A+B,oBAAW,OAAhD,C;YAAL,K;;YACQ,iCAAA,qBAAiB,YAAY,cAAZ,CAAjB,CAAb,C;Y AHL,K;;QAAP,W;;  
MAMJ,OAAwC,oBAAjC,0BAAa,sBAAb,CAAI,C;K;sFAG5C,yB;MAAA,+D;MAwFA,gD;MAXFA,uC;QAMW,  
kBAAU,gB;QAsFD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAvF6B,SAuFIB,CAAU,OAA  
V,C;UACC,OAAZ,WAA Y,EAAO,IAAP,C;;QAxFhB,OA0FO,W;O;KAhGX,C;uFASA,yB;MAAA,+D;MA0FA,g  
D;MA1FA,uC;QAUW,kBAAU,gB;QAwFD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAZF6  
B,SAyFIB,CAAU,OAAV,C;UACC,OAAZ,WAA Y,EAAO,IAAP,C;;QA1FhB,OA4FO,W;O;KAtGX,C;oGAaA,yB;  
MAAA,+D;MA8BA,wE;MAAA,gD;MA9BA,uC;QAYW,kBAAiB,gB;QA6BR,gB;QADhB,YAAY,C;QACI,2B;Q  
AAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA9BoC,SA8BzB,CAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UA  
AV,EAAuC,OAAvC,C;UACC,OAAZ,WAA Y,EAAO,IAAP,C;;QA/BhB,OAiCO,W;O;KA7CX,C;oGAeA,yB;MA  
AA,+D;MAiCA,wE;MAAA,gD;MAjCA,uC;QAYW,kBAAiB,gB;QAgCR,gB;QADhB,YAAY,C;QACI,2B;QAAh  
B,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WajCoC,SAiCzB,CAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,E  
AAuC,OAAvC,C;UACC,OAAZ,WAA Y,EAAO,IAAP,C;;QAiChB,OAoCO,W;O;KAhDX,C;wGAeA,yB;MAAA,  
wE;MAAA,gD;MAAA,oD;QAWoB,UAC4B,M;QAF5C,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,  
yB;UACZ,WAAW,UAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAA Y  
EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;yGakBA,yB;MAAA,wE;MAAA,gD;MAAA,oD;QAWoB,UAC4B  
,M;QAF5C,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,oBAAmB,cAAnB  
,EAAMb,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAA Y,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX  
,C;0FakBA,yB;MAAA,gD;MAAA,oD;QAiOB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAA  
W,UAAU,OAAV,C;UACC,OAAZ,WAA Y,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;2FAWA,yB;MAAA,g  
D;MAAA,oD;QAQoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UA  
CC,OAAZ,WAA Y,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAZX,C;uFAeA,yB;MAAA,wE;MAyBA,+D;MAzBA,y  
C;QASW,kBAAU,oB;QAYBD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA1BiD,WA0BvC,C  
AA Y,OAAZ,C;UbnvCP,U;UADP,YaynCe,WbznCH,WaynCwB,GbznCxB,C;UACL,IAAI,aAAJ,C;YACH,aaunCu  
C,gB;YAA5B,WbznCX,aasnCgC,GbznChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UamnCA,iB;UACA,IAAK,WAAI  
,OAAJ,C;;QA5BT,OA8BO,W;O;KAvCX,C;uFAYA,yB;MAAA,wE;MA8BA,+D;MA9BA,yD;QAUW,kBAAU,oB  
;QA8BD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA/BiD,WA+BvC,CAAY,OAAZ,C;UbzoC  
P,U;UADP,Ya2oCe,Wb3oCH,WA2oCwB,Gb3oCxB,C;UACL,IAAI,aAAJ,C;YACH,aaunCuC,gB;YAA5B,WbxoC  
X,aaWoCgC,GbxoChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UaqoCA,iB;UACA,IAAK,WajCyD,cAiCrD,CAAE,O  
AAf,CAAJ,C;;QajCT,OAmCO,W;O;KA7CX,C;0FAaA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAA,2B;QAAhB,  
OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UbnvCP,U;UADP,YaynCe,WbznCH,WaynCwB,G  
bznCxB,C;UACL,IAAI,aAAJ,C;YACH,aaunCuC,gB;YAA5B,WbznCX,aasnCgC,GbznChC,EAAS,MAAT,C;YAC  
A,e;;YAEA,c;;UamnCA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KADx,C;2FAiBA,yB;MAAA,+D;  
MAAA,sE;QAUoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UbzoC  
P,U;UADP,Ya2oCe,Wb3oCH,WA2oCwB,Gb3oCxB,C;UACL,IAAI,aAAJ,C;YACH,aaunCuC,gB;YAA5B,WbxoC  
X,aaWoCgC,GbxoChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UaqoCA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,  
C;;QAET,OAAO,W;O;KafX,C;4FakBA,yB;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,  
oDASQ,Y;QAA6C,OAAA,oBAAgB,W;O;MATrE,iDAUQ,mB;QAAoC,gCAAY,OAAZ,C;O;MAV5C,gF;MAAA,  
yC;QAQI,2D;O;KARJ,C;8EAca,yB;MAAA,kF;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,mCAAwB,EAAXB  
,CAAb,C;QAUeA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAA Y,WaxEwC,SAwEpC,CAAU,IAA  
V,CAAJ,C;;QAxehB,OAyEO,W;O;KAhFX,C;4FAUA,yB;MAAA,kF;MAAA,gE;MA+BA,wE;MA/BA,uC;QAO  
W,kBAAa,eAAa,mCAAwB,EAAXB,CAAb,C;QAgCP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAA  
a,sB;UACT,WAA Y,WajC+C,SAiC3C,CAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ  
,C;;QajChB,OAkCO,W;O;KAZCX,C;0GAUA,yB;MAAA,+D;MAoSA,wE;MApSA,uC;QAOW,kBAAoB,gB;QAO  
Sd,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA1RsB,U;UAAA,cAVQ,SAUR,CA0RT,oB  
AAmB,cAAnB,EAAMb,sBAAnB,UA1RS,EA0RoB,IA1RpB,W;YAA6C,6B;;;QAVhF,OAWO,W;O;KAIBX,C;8G  
AUA,yB;MA0RA,wE;MA1RA,oD;QAiSiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA1

RsB,U;UAAA,wBA0RT,oBAAmB,cAAAnB,EAAMb,sBAAnB,UA1RS,EA0RoB,IA1RpB,W;YAA6C,6B;;;QACHf,  
OAAO,W;O;KARX,C;+FAWA,yB;MAAA,wE;MAAA,oD;QAQiB,UACoC,M;QAFjD,YAAY,C;QACC,2B;QAA  
b,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAAI,UAAU,oBAAMb,cAAAnB,EAAMb,sBAAnB,UAAV,EAAuC,IA  
AvC,CAAJ,C;;QACHB,OAAO,W;O;KAVX,C;4FAAa,yB;MAAA,+D;MAAA,uC;QAOW,kBAaA,gB;QAwPJ,Q;Q  
AAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAhPK,U;UAAA,cARe,SAQf,CAGPQ,OAHPR,W;YAAc,6B;;;  
QAR3D,OASO,W;O;KAhBX,C;gGAUA,yB;MAAA,oD;QAqPoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAg  
B,yB;UAhPK,U;UAAA,wBAgPQ,OAHPR,W;YAAc,6B;;;QAC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,Q;  
MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;  
IAQiB,4C;MAAA,mB;QAAE,gC;O;K;IAL9B,gC;MAKI,OAAO,qBAaiB,6BAajB,C;K;IAGX,+B;MASI,OAA2B,  
SAAf,eAAL,SAAK,CAAE,C;K;4FAG/B,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAYc,Q;QAFV,UAAU,c;QACV,  
WAAW,gB;QACD,2B;QAAV,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,W  
AAI,GAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAjBX,C;IAoBA,uC;MAQI,UAAe,eAAL,S  
AAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MAC  
X,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,mC;MAMiB,IAAN,I;MACH,kBADs,SACT,c;QAAoB  
,4BAAc,SAAd,C;;QACZ,iCAAA,sBAAb,C;MAFZ,W;K;IAMJ,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,G  
AAI,EAAO,KAAp,C;MACJ,OAAO,G;K;8EAGX,yB;MAAA,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAAsB,  
mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAAC,UAAU,O  
AAV,CAAL,C;YAAyB,OAAO,K;;QACtD,OAAO,I;O;KARX,C;IAWA,2B;MAMI,IAAI,oCAAJ,C;QAAwB,OAA  
O,CAAC,mB;MACHC,OAAO,oBAAW,U;K;+EAGtB,yB;MAAA,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAA  
sB,mBAA1B,C;UAAqC,OAAO,K;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAA  
V,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;O;KARX,C;IAWA,6B;MAMoB,Q;MAFhB,IAAI,oCAAJ,C;QAA  
wB,OAAO,c;MAC/B,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,oBAAMb,qBAAnB,E  
AAmB,KAAAnB,E;;MACTb,OAAO,K;K;mFAGX,qB;MAKI,OAAO,c;K;mFAGX,yB;MAAA,gD;MAAA,wE;MAA  
A,uC;QAMoB,Q;QAFhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,C;QAC5C,YAAY,C;QACI,2B;QAAhB,OA  
AgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,oBAAMb,qBAAnB,EAAMb,KAAAnB,  
E;;QAC9C,OAAO,K;O;KAPX,C;gFAUA,yC;MAUoB,Q;MADhB,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAh  
B,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;8FAGX,yB;MAAA,wE;  
MAAA,gD;QAYoB,UAAiD,M;QAFjE,YAAY,C;QACZ,kBAakB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAg  
B,yB;UAAM,cAAc,UAAU,oBAAMb,cAAAnB,EAAMb,sBAAnB,UAAV,EAAuC,WAAvC,EAAoD,OAApD,C;;Q  
ACpC,OAAO,W;O;KAbX,C;0FAGBA,yC;MASI,kBAakB,O;MACIB,IAAI,CAAC,mBAAL,C;QACI,eAAe,+BAA  
a,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,cAAc,UAAU,QAAS,WAAAnB,EAA+B,WAA/B,C;;MAGtB,OA  
AO,W;K;wGAGX,yC;MAUI,kBAakB,O;MACIB,IAAI,CAAC,mBAAL,C;QACI,eAAe,+BAAa,cAAb,C;QACf,O  
AAO,QAAS,cAAhB,C;UACI,YAAY,QAAS,gB;UACrB,cAAc,UAAU,KAAV,EAAiB,QAAS,WAA1B,EAAc,W  
AAtC,C;;MAGtB,OAAO,W;K;sFAGX,6B;MAKoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAA  
M,OAAO,OAAP,C;;K;oGAG1B,yB;MAAA,wE;MAAA,oC;QAOiB,UAAgC,M;QAD7C,YAAY,C;QACC,2B;QA  
Ab,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAMb,cAAAnB,EAAMb,sBAAnB,UAAV,EAAoC,IAAP,C,C;;O;K  
APvB,C;IAUA,0B;MAII,OAAO,sB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;kFAGX,+B;M  
AGW,sB;;QAUP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QA  
AS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACzB,eAdmB,QAcJ,CAAS,OAAT,  
C;;UAEX,QAAQ,QAAS,O;UACjB,QAjBe,QAiBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,  
UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;;MAvBP,yB;K;8FAGJ,+B;MAOI,eAA  
e,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS  
,UAAAd,C;QAAyB,OAAO,O;MACHC,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAA  
T,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;MACIB,  
OAAO,O;K;mFAGX,yB;MAAA,sE;MF/yDA,iB;ME+yDA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C  
;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,  
QAAS,OAAIB,C;UACR,WfzzDG,MAAO,KEyzDO,QFzzDP,EEyzDiB,CFzzDjB,C;;QE2zDd,OAAO,Q;O;KApB  
X,C;mFAuBA,yB;MAAA,sE;MFj1DA,iB;MEi1DA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAy



B,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,  
OAAIB,C;UACR,WF31DG,MAAO,KE21DO,QF31DP,EE21DiB,CF31DjB,C;;QE61Dd,OAAO,Q;O;KApBX,C;m  
FAuBA,yB;MAAA,sE;MAAA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC  
/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,I  
AAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;+FAuBA,yB;MFp3DA,iB;MEo  
3DA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHc,eAAe,SAAS,QAAS,OA  
AIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF53DG,MAAO,KE43DO,  
QF53DP,EE43DiB,CF53DjB,C;;QE83Dd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MFp5DA,iB;MEo5DA,sC;QAWI,e  
AAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHc,eAAe,SAAS,QAAS,OAAIB,C;QACf,OA  
AO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF55DG,MAAO,KE45DO,QF55DP,EE45Di  
B,CF55DjB,C;;QE85Dd,OAAO,Q;O;KAIBX,C;+FAqBA,+B;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C  
;QAAyB,OAAO,I;MACHc,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,  
QAAS,OAAIB,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,WAAW,C;;;MAGnB,OAAO,Q;K;OFAGX,yB;MA  
AA,sE;MAAA,kD;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS  
,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,S  
AAQ,QAAR,EAakB,CAaIB,CAAX,GAakC,CAATc,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;sGAu  
BA,2C;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,eAAe,SAAS,QAAS,OAAI  
B,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,E  
AAkB,CAaIB,CAAX,GAakC,CAATc,C;UACI,WAAW,C;;;MAGnB,OAAO,Q;K;IAGX,gC;MAOI,eAAe,oB;MA  
Cf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;Q  
ACI,QAAQ,QAAS,O;QACjB,MFn+DG,MAAO,KEm+DE,GFn+DF,EE+DO,CFn+DP,C;;MEq+Dd,OAAO,G;K;  
IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MAC  
nB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MF//DG,MAAO,KE+/DE,GF//DF,EE+/DO,CF//DP,  
C;;MEigEd,OAAO,G;K;IAGX,iC;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc  
,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,  
C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,gD;MAKI,eAAe,oB  
;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB  
,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAaA,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,  
MAAM,C;;MAE9C,OAAO,G;K;IAGX,0B;MAII,OAAO,sB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OA  
AO,uB;K;kFAGX,+B;MAGW,sB;;QAUP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP  
,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACzB,eAdm  
B,QAcJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QAjBe,QAiBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,  
CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;;MAvBP,yB;K;  
8FAGJ,+B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,cAAc,QAAS,O;MAC  
vB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,O;MACHc,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QA  
CjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;;MAED,Q  
AAT,QAAS,W;MACIB,OAAO,O;K;mFAGX,yB;MAAA,sE;MF14DA,iB;MEk4DA,sC;QAaI,eAAe,oB;QACf,IAA  
I,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAh  
B,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF54DG,MAAO,KE44DO,QF54DP,EE44DiB,CF54DjB,C;;Q  
E84Dd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MFp6DA,iB;MEo6DA,sC;QAaI,eAAe,oB;QACf,IAAI,C  
AAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C  
;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF96DG,MAAO,KE86DO,QF96DP,EE86DiB,CF96DjB,C;;QEg7  
Dd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAAA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd  
,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SA  
AS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;+  
FAuBA,yB;MFv8DA,iB;MEu8DA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QA  
ChC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR  
,WF/8DG,MAAO,KE+8DO,QF/8DP,EE+8DiB,CF/8DjB,C;;QEi9Dd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MFv+D

A,iB;MEu+DA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QAChC,eAAe,SAAS,Q  
AAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF/+DG,MAAO,  
KE++DO,QF/+DP,EE++DiB,CF/+DjB,C;;QEi/Dd,OAAO,Q;O;KAIBX,C;+FAqBA,+B;MASI,eAAe,oB;MACf,IA  
AI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAh  
B,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,WAAW,C;;;MAGnB,OA  
AO,Q;K;0FAGX,yB;MAAA,sE;MAAA,kD;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM  
,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C  
;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAA  
O,Q;O;KApBX,C;sGAuBA,2C;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,e  
AAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI  
,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;UACI,WAAW,C;;;MAGnB,OAAO,Q;K;IAGX,  
gC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OA  
AO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MFtjEG,MAAO,KEsjEE,GFtjEF,EEsjEO,CFtjEP,C;;MEwj  
Ed,OAAO,G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,  
QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MFIIEG,MAAO,KEkIEE,GFIIIEF,EE  
klEO,CFIIIEP,C;;MEoIEd,OAAO,G;K;IAGX,iC;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OA  
AO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,  
CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,gD;M  
AKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,  
QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAA  
jC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,4B;MAMI,IAAI,oCAAJ,C;QAAwB,OAAO,mB;MAC/B,OA  
AO,CAAC,oBAAW,U;K;iFAGvB,yB;MAAA,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UA  
AqC,OAAO,I;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,  
OAAO,K;;QACrD,OAAO,I;O;KARX,C;oFAWA,6B;MAKmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,  
yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;kGAGJ,yB;MAAA,6B;MAAA,sC;MArnBA,wE;MAqnBA,2BAQiB,y  
B;QA7nBjB,wE;eA6nBiB,0B;UAAA,4B;YAAE,aAAe,c;YAtnBjB,gB;YADb,YAAY,C;YACC,2B;YAAb,OAAa,c  
AAb,C;cAAa,sB;cAAM,OAAO,oBAAmB,cAAnB,EAAmB,sBAAnB,UAAP,EAAoC,IAApC,C;;YAsnBmB,W;W;  
S;OAAzB,C;MARjB,oC;QA9mBiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAA  
O,oBAAmB,cAAnB,EAAmB,sBAAnB,UAAP,EAAoC,IAApC,C;;QAsnBnB,gB;O;KARJ,C;oFAWA,yB;MAAA,4  
F;MAAA,uC;QAaI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C  
;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAh  
C,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QAKmD,Q;QAL/C,eAAe,S  
AAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,YAAY,C;QACZ,k  
BAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAnB,EAAmB,oBAAnB,Q  
AAV,EAAuC,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KApBX,C;8GAuBA,yB;MAAA,wE;MA  
AA,uC;QAKmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QAChC,YA  
AY,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAnB,EAA  
mB,oBAAnB,QAAY,EAAuC,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,gC;  
MAcI,eAAe,SAAK,W;MACpB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,kBAAqB,QAAS,O;MAC  
9B,OAAO,QAAS,UAAhB,C;QACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;MAEIB,OAAO,W;K;8FAG  
X,yB;MAAA,4F;MAAA,uC;QAaI,eAAe,+BAAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAAAd,C;UACI,MAAM,mCA  
A8B,8BAA9B,C;QACV,kBAAqB,QAAS,W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,cAAc,UAAU,QAAS,WAA  
nB,EAA+B,WAA/B,C;;QAEIB,OAAO,W;O;KApBX,C;4GAuBA,yB;MAAA,4F;MAAA,uC;QAaI,eAAe,+BAAa,c  
AAb,C;QACf,IAAI,CAAC,QAAS,cAAAd,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,QAAS,W;QAC  
9B,OAAO,QAAS,cAAhB,C;UACI,YAAY,QAAS,gB;UACrB,cAAc,UAAU,KAAV,EAAiB,QAAS,WAA1B,EAA  
sC,WAAtC,C;;QAEIB,OAAO,W;O;KArBX,C;wHAWBA,gC;MAaI,eAAe,+BAAa,cAAb,C;MACf,IAAI,CAAC,QA  
AS,cAAAd,C;QACI,OAAO,I;MACX,kBAAqB,QAAS,W;MAC9B,OAAO,QAAS,cAAhB,C;QACI,YAAY,QAAS,g  
B;QACrB,cAAc,UAAU,KAAV,EAAiB,QAAS,WAA1B,EAAsC,WAAtC,C;;MAEIB,OAAO,W;K;0GAGX,gC;M

AcI,eAAe,+BAAa,cAAb,C;MACf,IAAI,CAAC,QAAS,cAAAd,C;QACI,OAAO,I;MACX,kBAAqB,QAAS,W;MAC9  
B,OAAO,QAAS,cAAhB,C;QACI,cAAc,UAAU,QAAS,WAAAnB,EAA+B,WAA/B,C;;MAEIB,OAAO,W;K;8FAG  
X,yB;MAAA,kF;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAJhB,oBAAoB,mCAAwB,CAAxB,C;QACpB,I  
AAI,kBAAiB,CAArB,C;UAAwB,OAAO,OAAO,OAAP,C;QACc,kBAAhC,eAAa,gBAAgB,CAAhB,IAAb,C;QAA  
wC,8B;QAARd,aHjjFO,W;QGkjFP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,U  
AAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;4GAwBA,yB;M  
AAA,kF;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,UACY,M;QAN5B,oBAAoB,mCAAwB,CAAxB,C;QACpB,  
IAAI,kBAAiB,CAArB,C;UAAwB,OAAO,OAAO,OAAP,C;QACc,kBAAhC,eAAa,gBAAgB,CAAhB,IAAb,C;QA  
AwC,8B;QAARd,aH1kFO,W;QG2kFP,YAAY,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAg  
B,yB;UACZ,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;UACd,MAAO,WAAI,W  
AAJ,C;;QAEX,OAAO,M;O;KAvBX,C;kGA0BA,yB;MAAA,qD;MAAA,kF;MAAA,gE;MAAA,uC;QAcI,eAAe,S  
AAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,W;QACChC,sBAAqB,QAAS,OAA9B,C;QACuD,k  
BAA1C,eAAa,mCAAwB,EAAxB,CAAb,C;QAAkD,sBAAI,aAAJ,C;QAA/D,aHrmFO,W;QGsmFP,OAAO,QAAS,  
UAAhB,C;UACI,gBAAc,UAAU,aAAV,EAAuB,QAAS,OAAhC,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,  
M;O;KATBX,C;gHAyBA,yB;MAAA,qD;MAAA,kF;MAAA,gE;MAAA,uC;QAoBgC,Q;QAN5B,eAAe,SAAK,W;  
QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,W;QACChC,sBAAqB,QAAS,OAA9B,C;QACuD,kBAA1C,e  
AAa,mCAAwB,EAAxB,CAAb,C;QAAkD,sBAAI,aAAJ,C;QAA/D,aH9nFO,W;QG+nFP,YAAY,C;QACZ,OAAO,  
QAAS,UAAhB,C;UACI,gBAAc,WAAU,YAAV,EAAU,oBAAV,SAAmB,aAAAnB,EAAgC,QAAS,OAAzC,C;UAC  
d,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;gFA0BA,yB;MArGA,kF;MAAA,gD;MAAA,gE;MAqG  
A,gD;QAcW,sB;;UAIGS,Q;UAJhB,oBAAoB,mCAAwB,CAAxB,C;UACpB,IAAI,kBAAiB,CAArB,C;YAAwB,qB  
AAO,OAqGZ,OAryG,C;YAAP,uB;;UACqB,kBAAhC,eAAa,gBAAgB,CAAhB,IAAb,C;UAAwC,sBAoGIC,OA  
pGkC,C;UAArD,aHjjFO,W;UGkjFP,kBAAmGmB,O;UAIGH,2B;UAAhB,OAAgB,cAAhB,C;YAAgB,yB;YACZ,cAi  
GwB,SAjGV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA8FP,yB;  
O;KAdJ,C;8FAiBA,yB;MA9FA,kF;MAAA,gD;MAAA,gE;MA8FA,gD;QAeW,6B;;UA1FS,gB;UALhB,oBAAoB,  
mCAAwB,CAAxB,C;UACpB,IAAI,kBAAiB,CAArB,C;YAAwB,4BAAO,OA8FL,OA9FK,C;YAAP,8B;;UACqB,  
kBAAhC,eAAa,gBAAgB,CAAhB,IAAb,C;UAAwC,sBA6F3B,OA7F2B,C;UAArD,aH1kFO,W;UG2kFP,YAAY,C  
;UACZ,kBA2F0B,O;UA1FV,2B;UAAhB,OAAgB,cAAhB,C;YAAgB,yB;YACZ,cAyF+B,SAzFjB,EAAU,cAAV,E  
AAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAsFP,  
gC;O;KafJ,C;kFAkBA,+B;MAOoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QA  
CZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACF,2B;MA  
AhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAUoB,Q;  
MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,O  
AAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,  
YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADh  
B,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O  
;KAbX,C;mFagBA,yB;MjB/7EA,6B;MiB+7EA,sC;QAWoB,Q;QADhB,UjB/7EmC,ciB+7EnB,CjB/7EmB,C;QiB  
8EnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MjBnwFiD,ciBmwFjD,GjBnwF2D,KAAK,GiBmwFzD,S  
AAS,OAAT,CjBnwFoE,KAAX,IAAf,C;;QiBqwFrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MD78EA,+B;MC68EA,s  
C;QAWoB,Q;QADhB,UD58EqC,eAAW,oBC48E/B,CD58E+B,CAAX,C;QC68ErB,2B;QAAhB,OAAgB,cAAhB,  
C;UAAgB,yB;UACZ,MDjxFmD,eCixFnD,GDjxF8D,KAAK,KCixF5D,SAAS,OAAT,CDjxFuE,KAAX,CAAhB,C;  
;QCmxFvD,OAAO,G;O;KAdX,C;IAiBA,qC;MAIoB,UAMT,M;MANS,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,y  
B;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAyB,2BAAwB,SAAXB,MAAZB,C;;MAId,OAAO,mE;K;IAGX,qC;M  
AIoB,UAMT,M;MANS,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAyB  
,2BAAwB,SAAXB,MAAZB,C;;MAId,OAAO,+D;K;IAGX,kC;MAWI,OAAO,oBAAS,IAAT,EAAe,IAAf,EAAc,  
IAAtC,C;K;IAGX,+C;MAGBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,EAAwD,SAAXD,C;K;IAGX,mC;  
MAII,aAAa,iBAAa,mCAAwB,EAAxB,CAAb,C;MACb,kBAAc,KAAAd,C;MANIEgB,Q;MAAA,OAoIET,SApIES,  
W;MAAhB,OAAgB,cAAhB,C;QAAGB,2B;QAAU,oB;QAoIEK,IAAI,CAAC,SAAD,IAAY,OAplEX,SAoIEW,UA  
AhB,C;UAAiC,YAAU,I;UAA3C,mBAAiD,K;;UAAjD,mBAA8D,I;;QAplEvE,qB;UAoIED,MAplEqC,WAAI,SA

J,C;;MAoIE1D,OAAqB,M;K;IAGzB,sC;MAQI,IAAI,QpB0yJG,YAAQ,CoB1yJf,C;QAAwB,OAAy,SAAL,SAAK,C;MACpC,YAAqB,8BAAT,QAAS,C;MAToEd,kBAAY,gB;MA4BH,Q;MAAA,OA2mET,SA3mES,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CA2mEF,qBA3mEa,OA2mEb,CA3mEF,C;UAAyB,WAAY,WAAI,OA AJ,C;;MA2mE3D,OA1mEO,W;K;IA6mEX,sC;MAQI,YAAqB,gCAAT,QAAS,EAAgC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAy,SAAL,SAAK,C;MAppET,kBAAY,gB;MA4BH,Q;MAAA,OAYnET,SAznES,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAynEF,qBAznEa,OAYnEb,CAznEF,C;UAAyB,WAAY,WAAI,OA AJ,C;;MAynE3D,OAxnEO,W;K;IA2nEX,sC;MAQI,YAAqB,8BAAT,QAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAy,SAAL,SAAK,C;MAlqET,kBAAY,gB;MA4BH,Q;MAAA,OAuoET,SAvoES,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAuoEF,qBAvoEa,OAuoEb,CAvoEF,C;UAAyB,WAAY,WAAI,OA AJ,C;;MAuoE3D,OAtoEO,W;K;8FAyoEX,yB;MAAA,8C;MAAA,qC;QAKI,OAAO,iBAAM,OAAN,C;O;KALX,C;0F AQA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAy,gB;QACZ,aAAa,gB;QACG,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OA AJ,C;;YAEN,MAAO,WAAI,OA AJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAy,MAAZ,C;O;KAjBX,C;IAoBA,kC;MAIL,IAAI,oCAAJ,C;QA AwB,OAAy,OAAL,SAAK,EAAK,OAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACP,MAAO,WAAI,OA AJ,C;MACP,OAAO,M;K;IAGX,oC;MAIL,aAAa,iBAAa,iBAAO,CAAP,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,OA AJ,C;MACP,OAAO,M;K;IAGX,qC;MAIL,IAAI,oCAAJ,C;QAAwB,OAAy,OAAL,SAAK,EAAK,QAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAIL,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,OAAR,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAIL,IAAI,oCAAJ,C;QAAwB,OAAy,OAAL,SAAK,EAAK,QAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAIL,IAAI,mCAAJ,C;QACI,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,KAAR,IAAb,C;QACb,MAAO,gBAAO,SAAP,C;QACP,MAAO,gBAAO,QAAP,C;QACP,OAAO,M;;QAEP,eAAa,iBAAa,SAAb,C;QACN,OAAP,QAAO,EAAO,QAAP,C;QACP,OAAO,Q;;K;IAIf,qC;MAIL,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAIL,aAAa,iBAAa,SAAK,KAAL,GAAY,EAAZ,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;4FAGX,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;IAQA,yD;MAGB+C,oB;QAAA,OAAy,C;MAAG,8B;QAAA,iBAA0B,K;MAOzE,Q;MANX,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SAAK,K;QACpB,qBAAqB,YAAW,IAAX,SAAsB,WAAW,IAAX,KAAMB,CAAvB,GAA0B,CAA1B,GAAiC,CAAnD,K;QACrB,aAAa,iBAAmB,cAAmB,C;QACb,gBAAy,CAAZ,C;QACA,Y;UAAO,c;UAAP,MAAGB,CAAT,mBAAiB,QAAXB,E;YAAA,K;UACI,iBAAsB,eAAL,IAAK,EAAa,WAAW,OAAX,IAAb,C;UACtB,IAAI,aAAa,IAAb,IAAqB,CAAC,cAA1B,C;YAA0C,K;Ud59FID,WAAW,iBc69Fa,Ud79Fb,C;UWCX,mBAAC,CAAd,YG49FwB,UH59FxB,Y;YXA6B,ec49FS,sBH39F3B,OG29FgC,GAAK,OAAL,IAAL,Cd59FT,C;;Uc49FrB,MAAO,Wd39FR,Ic29FQ,C;UACP,oBAAS,IAAT,I;;QAEJ,OAAO,M;;MAEX,eAAa,gB;MACiE,kBAA9E,iBAAiB,oBAAjB,EAA6B,IAA7B,EAAmC,IAAnC,EAAyC,cAAzC,EAAuE,KAAvE,C;ME51GA,OAAGB,qBAAhB,C;QAAGB,gC;QF6lGL,mBE7lGqB,OF6lGrB,C;;MAEX,OAAO,Q;K;IAGX,sE;MAkBkD,oB;QAAA,OAAy,C;MAAG,8B;QAAA,iBAA0B,K;MACvF,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SAAK,K;QACpB,qBAAqB,YAAW,IAAX,SAAsB,WAAW,IAAX,KAAmB,CAAvB,GAA0B,CAA1B,GAAiC,CAAnD,K;QACrB,aAAa,iBAAa,cAAb,C;QACb,eAAa,kBAAC,SAAd,C;QACb,YAAy,C;QACZ,OAAGB,CAAT,qBAAiB,QAAXB,C;UACI,iBAAsB,eAAL,IAAK,EAAa,WAAW,KAAX,IAAb,C;UACtB,IAAI,CAAC,cAAD,IAAmB,aAAa,IAApC,C;YAA0C,K;UAC1C,QAAO,cAAK,KAAL,EAAy,QA AQ,UAAAR,IAAZ,C;UACP,MAAO,WAAI,UAAU,QA AV,CAAJ,C;UACP,gBAAS,IAAT,I;;QAEJ,OAAO,M;;MAEX,eAAa,gB;MACgE,kBAA7E,iBAAiB,oBAAjB,EAA6B,IAA7B,EAAmC,IAAnC,EAAyC,cAAzC,EAAuE,IAAvE,C;MEtoGA,OAAGB,qBAAhB,C;QAAGB,gC;QFuoGL,mBAAL,UEvoGiB,OFuoGjB,CAAJ,C;;MAEX,OAAO,Q;K;IAGX,kC;MAqBoB,gB;MAHhB,gBAXW,KAWW,O;MACtB,WAAW,iBF17FJ,MAAO,KE07FgB,mCAAwB,EAAxB,CF17FhB,EE07F6C,SF17F7C,CE07FH,C;MACX,QAAQ,C;MACQ,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KA AK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhBqB,GAgBP,OA hBO,EAA nB,KAgBqB,CAAM,UAA N,EAA M,kBAAN,SAhBF,CAGBrB,C;;MAhBT,OAKBO,I;K;+EafX,yB;MAAA,kF;MAAA,gE;MFv7FA,i

B;MEu7FA,8C;QAWoB,UAEsB,M;QALtC,gBAAGB,KAAM,O;QACtB,WAAW,eF17FJ,MAAO,KE07FgB,mCAAwB,EAAxB,CF17FhB,EE07F6C,SF17F7C,CE07FH,C;QACX,QAAQ,C;QACQ,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAACK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,OAAV,EAAMb,MAAM,UAAAN,EAAM,kBAAN,SAAnB,CAAJ,C;;QAET,OAAO,I;O;KAFx,C;IAKBA,kC;MAKBI,YAAY,oB;MACZ,aAZW,KAYQ,W;MACnB,WAAW,iBFv9FJ,MAAO,KEu9FgB,mCAAwB,EAAxB,CFv9FhB,EEu9FmD,wBAbtD,KAasD,EA AwB,EAAxB,CFv9FnD,CEu9FH,C;MACX,OAAO,KAAM,UAAAN,IAAmB,MAAO,UAAjC,C;QACI,IAAK,WafqB,GAeP,KAAM,OafC,EAeO,MAAO,Oafd,CAerB,C;;MAfT,OAIBo,I;K;+EAdX,yB;MAAA,kF;MAAA,gE;MFn9FA,iB;MEem9FA,8C;QAQI,YAAY,oB;QACZ,aAAa,KAAM,W;QACnB,WAAW,eFv9FJ,MAAO,KEu9FgB,mCAAwB,EAAxB,CFv9FhB,EEu9FmD,wBAAN,KAAM,EAAwB,EAAxB,CFv9FnD,CEu9FH,C;QACX,OAAO,KAA M,UAAAN,IAAmB,MAAO,UAAjC,C;UACI,IAAK,WAAI,UAAU,KAAM,OAAhB,EAAwB,MAAO,OAA/B,CAAJ ,C;;QAET,OAAO,I;O;KAdX,C;IAiBA,gC;MASW,sB;;QAAp,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAy B,qBAAO,W;UAAP,uB;;QACzB,ad/pGoD,gB;QcGqGpD,cAAc,QAAS,O;QACvB,OAAO,QAAS,UAAhB,C;UACI ,WAAW,QAAS,O;UACpB,MAAO,WAnBkB,GAmBJ,OAnBI,EAmBK,IAnBL,CAmBIB,C;UACP,UAAU,I;;QAE d,qBAAO,M;;;MATBP,yB;K;8FAGJ,yB;MAAA,qD;MdzpGA,+D;McyGA,uC;QAUI,eAAe,oB;QACf,IAAI,CAA C,QAAS,UAAAd,C;UAAyB,OAAO,W;QACChC,ad/pGoD,gB;QcGqGpD,cAAc,QAAS,O;QACvB,OAAO,QAAS,UA AhB,C;UACI,WAAW,QAAS,O;UACpB,MAAO,WAAI,UAAU,OAAV,EAAMb,IAAnB,CAAJ,C;UACP,UAAU,I; ;QAEd,OAAO,M;O;KANBX,C;IASBA,8F;MAQ6D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB; QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MAGtN ,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ ,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;U ACW,gBAAP,MAAO,EAAc,OAAAd,EAAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1 B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAp,C;MACP,OAAO,M;K;IAGX,4F;MAQwC ,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MA AI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAMC ,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;4FAG5F,qB;MAKI,OA AO,S;K;IASS,8C;MAAA,mB;QAAE,OAAA,eAAK,W;O;K;IAN3B,iC;MAMI,oCAAAGB,8BAAhB,C;K;IAGJ,+B; MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OA AO,O;QACP,oBAAmB,qBAAnB,EAAMb,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GA AgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAA hB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAMb,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb, GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MA CD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAMb,KAAAnB,E;; MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAA kB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,q BAAnB,EAAMb,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD, +B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ, OAAO,O;QACP,oBAAmB,qBAAnB,EAAMb,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB, GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,c AAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAMb,KAAAnB,E;;MAEJ,OAAW,UAAAS,CA Ab,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB, OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAe,C;M ACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;M ADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,OAAP,I;;MAEJ,OAAO,G;K;I AGX,2B;MAMoB,Q;MADhB,Y;MACgB,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,cAAO,OAAP,C;;M AEJ,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAiB,G;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Q ACZ,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAh B,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IGN1GX,uC;MAOI,OAAO,SAAM,CAAN,EAAS,SAAM,C AAN,EAAS,CAAT,EAAY,UAAZ,CAAT,EAaKc,UAAIC,C;K;IAGX,oC;MAOI,OAAW,UAAW,SAAQ,CAAR,E

AAW,CAAX,CAAX,IAA4B,CAAhC,GAAmC,CAAnC,GAA0C,C;K;IAmDrD,wC;MAQc,Q;MADV,UAAU,C;M  
ACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GA  
A6B,CAAjC,C;UAAoC,MAAM,C;;MAC3D,OAAO,G;K;IA+GX,uC;MAOI,OAAO,SAAM,CAAN,EAAS,SAAM,  
CAAN,EAAS,CAAT,EAAY,UAAZ,CAAT,EAakC,UAAIC,C;K;IAGX,oC;MAOI,OAAW,UAAW,SAAQ,CAAR,  
EAAW,CAAX,CAAX,IAA4B,CAAhC,GAAmC,CAAnC,GAA0C,C;K;IAmDrD,wC;MAQc,Q;MADV,UAAU,C;  
MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,G  
AA6B,CAAjC,C;UAAoC,MAAM,C;;MAC3D,OAAO,G;K;oGCnXX,yB;MAAA,iE;MAAA,uC;QASW,Q;QAAA,  
+B;;UAYS,U;UAAA,SjB4UoE,iBAAQ,W;UiB5U5F,OAAgB,gBAAhB,C;YAAgB,2B;YACZ,aAbwB,SAaX,CAA  
U,OAAV,C;YACb,IAAI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;;UAGR,8BAAO,I;;;QAIbA,kC;QAAA,iB;UAAmC,  
MAAM,gCAAuB,4DAAvB,C;;QAAhD,OAAO,I;O;KATX,C;gHAYA,gC;MASoB,Q;MAAA,OAAA,SjB4UoE,Q  
AAQ,W;MiB5U5F,OAAgB,cAAhB,C;QAAgB,yB;QACZ,aAAa,UAAU,OAAV,C;QACb,IAAI,cAAJ,C;UACI,OA  
AO,M;;;MAGf,OAAO,I;K;IAGX,6B;MAII,IAAI,mBAAQ,CAAZ,C;QACI,OAAO,W;MACX,eAAe,iBAAQ,W;M  
ACvB,IAAI,CAAC,QAAS,UAA d,C;QACI,OAAO,W;MACX,YAA Y,QAAS,O;MACrB,IAAI,CAAC,QAAS,UAA  
d,C;QACI,OAAO,OjB8PiD,SiB9PiC,KjB8P+C,IAAL,EiB9PiC,KjB8PoD,MAAV,CiB9PiD,C;;MACX,aAAa,iBA  
AsB,cAAiB,C;MACb,MAAO,WjB4PqD,SiB5PjD,KjB4PsD,IAAL,EiB5PjD,KjB4P2D,MAAV,CiB5PrD,C;;QAEw  
B,kBAAhB,QAAS,O;QAAPB,MAAO,WjB0PiD,SAAK,eAAL,EAAU,iBAAV,CiB1PjD,C;;MACO,QAAT,QAAS,  
W;MACIB,OAAO,M;K;uFAGX,yB;MAAA,+D;MAsBA,gD;MAtBA,uC;QAMW,kBAAU,gB;QAoBD,Q;QAAA,  
OjBqRoE,iBAAQ,W;QiBrR5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArB6B,SAqBIB,CAAU,OAAV,C;UACC,  
OAAZ,WAAY,EAAO,IAAP,C;;QAtBhB,OA wBO,W;O;KA9BX,C;uFASA,yB;MAAA,+D;MAwBA,gD;MAxBA,  
uC;QAUW,kBAAU,gB;QAsBD,Q;QAAA,OjBsQoE,iBAAQ,W;QiBtQ5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,  
WAvB6B,SAuBIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxBhB,OA0BO,W;O;KApCX,C;2F  
AaA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAA,OAAA,SjBqRoE,QAAQ,W;QiBrR5F,OAAgB,cAAhB,C;UAAg  
B,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;2F  
AWA,yB;MAAA,gD;MAAA,oD;QAQoB,Q;QAAA,OAAA,SjBsQoE,QAAQ,W;QiBtQ5F,OAAgB,cAAhB,C;UA  
AgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAZX,C;  
8EAeA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,cAAb,C;QA2BA,Q;QAAA,OjB6NuE,iBAAQ,W;QiB7  
N5F,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5BiB,SA4Bb,CAAU,IAAV,CAAJ,C;;QA5BhB,OA6BO,W;O;K  
ApCX,C;4FAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAa,gB;QA4EJ,Q;QAAA,OjBkKoE,iBAAQ,W;QiBIK5F,  
OAAgB,cAAhB,C;UAAgB,yB;UApEK,U;UAAA,cARe,SAQf,CAoEQ,OApER,W;YAA sC,6B;;;QAR3D,OASO,W  
;O;KAhBX,C;gGAUA,yB;MAAA,oD;QAYeOB,Q;QAAA,OjBkKoE,iBAAQ,W;QiBIK5F,OAAgB,cAAhB,C;UAA  
gB,yB;UApEK,U;UAAA,wBAoEQ,OApER,W;YAA sC,6B;;;QAC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,  
Q;MAAA,OAAA,SjB6NuE,QAAQ,W;MiB7N5F,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAL,UAAU,IAAV,C  
AAJ,C;;MACHB,OAAO,W;K;8EAGX,gC;MAOoB,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,I;MACN,OAAA,Sj  
BiNoE,QAAQ,W;MiBjN5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB  
,OAAO,K;;MACtD,OAAO,I;K;IAGX,2B;MAMI,OAAO,CAAC,mB;K;+EAGZ,gC;MAOoB,Q;MADhB,IAAI,mB  
AAJ,C;QAAe,OAAO,K;MACN,OAAA,SjB6LoE,QAAQ,W;MiB7L5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IA  
AI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;mFAGX,qB;MAKI,OAAO,c;K;mFAGX,gC;  
MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MACtB,YAA Y,C;MACI,OAAA,SjB2KoE,QAAQ,W;MiB3  
K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sFA  
GX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBIK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,  
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJkoDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAA d,C;  
UAAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAA d,C;UAAyB,qBAAO,O;  
UAAP,uB;;QACzB,eIjpDmB,QJipDJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIppDe,QJopDP,CAAS,C  
AAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QAC  
IB,qBAAO,O;;;MI1pDP,yB;K;8FAGJ,+B;MAQmB,kBAAR,iB;MAAQ,sB;;QJkoDf,eAAe,sB;QACf,IAAI,CAAC,  
QAAS,UAA d,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAA d,C;UA  
AyB,qBAAO,O;UAAP,uB;;QACzB,eItoD2B,QJsoDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIzoDuB  
,QJyoDf,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAA

T,QAAS,W;QACIB,qBAAO,O;;;MI/oDP,yB;K;mFAGJ,yB;MJ+oDA,sE;MF/yDA,iB;MMgKA,sC;QJ4pDI,eI/oDO,  
iBJ+oDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eIjpDqB,QJipDN,CAAS,QAAS,OA  
AIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QInpDiB,QJmpDT,CAAS,QAAS,OAAIB,C;UACR,WFzzDG,MAA  
O,KEyzDO,QFzzDP,EEyzDiB,CFzzDjB,C;;QMqKd,OJspDO,Q;O;KInqDX,C;mFAGBA,yB;MJspDA,sE;MFj1DA,  
iB;MM2LA,sC;QJmqDI,eItpDO,iBJspDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eI  
pDqB,QJwpDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QI1pDiB,QJ0pDT,CAAS,QAAS,  
OAAIB,C;UACR,WF31DG,MAAO,KE21DO,QF31DP,EE21DiB,CF31DjB,C;;QMgMd,OJ6pDO,Q;O;KI1qDX,C;  
mFAGBA,yB;MJ6pDA,sE;MI7pDA,sC;QJwqDI,eI7pDO,iBJ6pDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB  
,MAAM,6B;QAC/B,eI/pDqB,QJ+pDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIjqDiB,Q  
JiqDT,CAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QInqDnB,OJsqDO,Q;O;  
KIjrDX,C;+FAcA,yB;MN9MA,iB;MM8MA,sC;QAWmB,kBAAR,iB;QAAQ,sB;;UJsqDf,eAAe,sB;UACf,IAAI,C  
AAC,QAAS,UAAAd,C;YAAyB,qBAAO,I;YAAP,uB;;UACzB,eIxd2B,QJwqDZ,CAAS,QAAS,OAAIB,C;UACf,O  
AAO,QAAS,UAAhB,C;YACI,QI1qDuB,QJ0qDf,CAAS,QAAS,OAAIB,C;YACR,WF53DG,MAAO,KE43DO,QF5  
3DP,EE43DiB,CF53DjB,C;;UE83Dd,qBAAO,Q;;;QI7qDP,yB;O;KAXJ,C;+FAcA,yB;MNvOA,iB;MMuOA,sC;QA  
WmB,kBAAR,iB;QAAQ,sB;;UJ6qDf,eAAe,sB;UACf,IAAI,CAAC,QAAS,UAAAd,C;YAAyB,qBAAO,I;YAAP,uB;  
;UACzB,eI/qD2B,QJ+qDZ,CAAS,QAAS,OAAIB,C;UACf,OAAO,QAAS,UAAhB,C;YACI,QIjrDuB,QJirDf,CAA  
S,QAAS,OAAIB,C;YACR,WF55DG,MAAO,KE45DO,QF55DP,EE45DiB,CF55DjB,C;;UE85Dd,qBAAO,Q;;;QIpr  
DP,yB;O;KAXJ,C;+FAcA,+B;MASmB,kBAAR,iB;MAAQ,sB;;QJorDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAA  
d,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,eItrD2B,QJsrDZ,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAh  
B,C;UACI,QIxrDuB,QJwrDf,CAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;Q  
AGnB,qBAAO,Q;;;MI7rDP,yB;K;0FAGJ,yB;MJ6rDA,sE;MI7rDA,kD;QJwsDI,eI7rDO,iBJ6rDQ,W;QACf,IAAI,C  
AAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eI/rDqC,QJ+rDtB,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAA  
S,UAAhB,C;UACI,QIjsDiC,QJisDzB,CAAS,QAAS,OAAIB,C;UACR,IIIsDqB,UJksDN,SAAQ,QAAR,EAakB,C  
AAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QInsDnB,OJssDO,Q;O;KIjtDX,C;sGAcA,2C;MASmB,kBAA  
R,iB;MAAQ,0B;;QJssDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,yBAAO,I;UAAP,2B;;QACzB,eI  
sD2C,QJwsD5B,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QI1sDuC,QJ0sD/B,CAAS,QAAS  
,OAAIB,C;UACR,II3sD2B,UJ2sDZ,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;  
QAGnB,yBAAO,Q;;;MI/sDP,6B;K;sFAGJ,yB;MAOA,8D;MAPA,wC;QAIL,OASe,cAAR,iBAAQ,EATM,UASN,C  
;O;KAbnB,C;kGAOA,yB;MAAA,8D;MAAA,wC;QAMIL,OAAe,cAAR,iBAAQ,EAAC,UAAAd,C;O;KANnB,C;kFA  
SA,+B;MAcMB,kBAAR,iB;MAAQ,sB;;QJwxDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;  
UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACzB  
,eIvyDmB,QJuyDJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI1yDe,QJ0yDP,CAAS,CAAT,C;UACR,IA  
AI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;;M  
IhzDP,yB;K;8FAGJ,+B;MAQmB,kBAAR,iB;MAAQ,sB;;QJwxDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;U  
AAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;U  
AAP,uB;;QACzB,eI5xD2B,QJ4xDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI/xDuB,QJ+xDf,CAAS,C  
AAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAC  
IB,qBAAO,O;;;MIryDP,yB;K;mFAGJ,yB;MJqyDA,sE;MF14DA,iB;MM6FA,sC;QJkzDI,eIryDO,iBJqyDQ,W;QAC  
f,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eIvyDqB,QJuyDN,CAAS,QAAS,OAAIB,C;QACf,OA  
AO,QAAS,UAAhB,C;UACI,QIzyDiB,QJyyDT,CAAS,QAAS,OAAIB,C;UACR,WF54DG,MAAO,KE44DO,QF54  
DP,EE44DiB,CF54DjB,C;;QMkGd,OJ4yDO,Q;O;KIzzDX,C;mFAGBA,yB;MJ4yDA,sE;MFp6DA,iB;MMwHA,sC;  
QJyzDI,eI5yDO,iBJ4yDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eI9yDqB,QJ8yDN,  
CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIhzDiB,QJgzDT,CAAS,QAAS,OAAIB,C;UACR  
,WF96DG,MAAO,KE86DO,QF96DP,EE86DiB,CF96DjB,C;;QM6Hd,OJmzDO,Q;O;KIh0DX,C;mFAGBA,yB;MJ  
mzDA,sE;MInzDA,sC;QJ8zDI,eInzDO,iBJmzDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QA  
C/B,eIrdzDqB,QJqzDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIvzDiB,QJvzDT,CAAS,Q  
AAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QIzzDnB,OJ4zDO,Q;O;KIv0DX,C;+FA  
cA,yB;MN3IA,iB;MM2IA,sC;QAWmB,kBAAR,iB;QAAQ,sB;;UJ4zDf,eAAe,sB;UACf,IAAI,CAAC,QAAS,UAA

d,C;YAAyB,qBAAO,I;YAAP,uB;;UACzB,eI9zD2B,QJ8zDZ,CAAS,QAAS,OAAIB,C;UACf,OAAO,QAAS,UAAhB,C;YACI,QIh0DuB,QJg0Df,CAAS,QAAS,OAAIB,C;YACR,WF/8DG,MAAO,KE+8DO,QF/8DP,EE+8DiB,CF/8DjB,C;;UEi9Dd,qBAAO,Q;;QIn0DP,yB;O;KAXJ,C;+FAcA,yB;MNpKA,iB;MMoKA,sC;QAWmB,kBAAR,iB;QAAQ,sB;;UJm0Df,eAAe,sB;UACf,IAAI,CAAC,QAAS,UAAAd,C;YAAyB,qBAAO,I;YAAP,uB;;UACzB,eI90D2B,QJq0DZ,CAAS,QAAS,OAAIB,C;UACf,OAAO,QAAS,UAAhB,C;YACI,QIv0DuB,QJu0Df,CAAS,QAAS,OAAIB,C;YACR,WF/+DG,MAAO,KE++DO,QF/+DP,EE++DiB,CF/+DjB,C;;UEi/Dd,qBAAO,Q;;QI10DP,yB;O;KAXJ,C;+FAcA,+B;MASmB,kBAAR,iB;MAAQ,sB;;QJ00Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBA AO,I;UAAP,uB;;QACzB,eI50D2B,QJ40DZ,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QI90 DuB,QJ80Df,CAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,qBAAO, Q;;MIn1DP,yB;K;0FAGJ,yB;MJm1DA,sE;MIn1DA,kD;QJ81DI,eIn1DO,iBJm1DQ,W;QACf,IAAI,CAAC,QAAS, UAAAd,C;UAAyB,MAAM,6B;QAC/B,eI1DqC,QJq1DtB,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C ;UACI,QIv1DiC,QJu1DzB,CAAS,QAAS,OAAIB,C;UACR,IIX1DqB,UJw1DN,SAAQ,QAAR,EAakB,CAAIB,CA AX,GAakC,CAAtC,C;YACI,WAAW,C;;;QIz1DnB,OJ41DO,Q;O;KIV2DX,C;sGAcA,2C;MASmB,kBAAR,iB;M AAQ,0B;;QJ41Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,yBAAO,I;UAAP,2B;;QACzB,eI91D2C, QJ81D5B,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIh2DuC,QJg2D/B,CAAS,QAAS,OAA IB,C;UACR,Iij2D2B,UJi2DZ,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGn B,yBAAO,Q;;Mir2DP,6B;K;IAGJ,0C;MAGI,OASe,gBAAR,iBAAQ,EATM,UASN,C;K;kGANnB,yB;MAAA,8D; MAAA,wC;QAMI,OAAe,cAAR,iBAAQ,EAAC,UAAAd,C;O;KANnB,C;IASA,4B;MAMI,OAAO,mB;K;iFAGX,gC; MAOoB,Q;MADhB,IAAI,mBAAJ,C;QAe,OAAO,I;MACN,OAAA,SjBnJoE,QAAQ,W;MiBmJ5F,OAAgB,cAAh B,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;oFAGX,6B;MAK mC,Q;MAAA,OjB5JqD,iBAAQ,W;MiB4J7E,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,g B;K;kGAGJ,yB;MAAA,6B;MAAA,sC;MJwyCA,wE;MIxyCA,2BAQiB,yB;QJgyCjB,wE;eIhyCiB,0B;UAAA,4B; YAAU,kBAAR,iB;YAAQ,aAAe,c;YJuyCzB,gB;YADb,YAAY,C;YACC,6B;YAAb,OAAa,cAAb,C;cAAa,sB;cAA M,OAAO,oBAAmB,cAAnB,EAAMB,sBAAnB,UAAP,EAAoC,IAApC,C;;YIvyC2B,W;W;S;OAAjC,C;MARjB,oC ;QJ+yCiB,gB;QADb,YAAY,C;QACC,OIvyCE,iBJuyCF,W;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBA AmB,cAAnB,EAAMB,sBAAnB,UAAP,EAAoC,IAApC,C;;QIvyCnB,gB;O;KARJ,C;4FAWA,qB;MAKI,OAAO,iB ;K;IAGX,iC;MAII,OAAe,aAAR,iBAAQ,C;K;IC9hBnB,kC;MAEI,gBCmE2D,8BAAY,c;MDIEvE,IAAI,SAAU,OA AV,GAAMB,CAAvB,C;QACW,Q;QAAA,IAAI,cAAQ,GAAZ,C;UAAA,OAAsB,S;;uBAAe,qBAAU,CAAV,C;UA AA,YAAe,SEiNc,WFjNM,CEiNN,CAff,c;UFIMnD,OG8MoD,2BAAL,GAakB,K;;QH9MxE,W;;MAEJ,OAAuB,o BAAhB,wBAAgB,C;K;gFxBD3B,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KAR X,C;gFAWA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;gFAWA,yB;MA AA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;;QAQQ,OAAc,QAAP,MA AO,EAAQ,SAAR,C;;QACHB,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K;IAOJ,sC;;QAQQ,OA Ac,SAAP,MAAO,EAAS,SAAT,C;;QACHB,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K;IAOJ,sC ;QAQQ,OAAiD,OAA1C,MAAO,iBAAQ,e4BtCgB,I5BsCxB,EAAoB,CAAA,c4BtCI,I5BsCJ,IAAY,CAAZ,IAAp B,CAAmC,C;;QACnD,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K;4FAOJ,yB;MAAA,mC;MAA A,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD;MAAA,4B;QA OI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cA Ab,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,QAAP,MAAO,EAAQ,SAAR, C;K;IAGIB,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,SAAP,MAAO,EAAS,SAAT,C;K;IAGIB,4C ;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAiD,OAA1C,MAAO,iBAAQ,e4BxGoB,I5BwG5B,EAAoB,C AAA,c4BxGQ,I5BwGR,IAAY,CAAZ,IAApB,CAAmC,C;K;mFAGrD,8B;MAQI,OAAO,mBAAmB,2BAAS,OAA T,C;K;oFAG9B,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,C;K;oFAG9B,8B;MAQI,OAAO,mBAAmB,2BAAS, OAAT,C;K;IAG9B,uC;MAKI,OAAO,2BAAE,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BAAE,oBAAN,KAAM,CAAf, C;K;IAGX,uC;MAKI,OAAO,2BAAE,KAAf,C;K;IAGX,uC;MAOI,OAAO,2BAAE,KAAf,C;K;IAGX,uC;MAOI,O AAO,2BAAE,KAAf,C;K;IAGX,uC;MgBzHW,ShBgIM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAA S,EAAT,CAAhB,GAakC,K;K;IAG5E,uC;MgBnIW,ShB0IM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2 BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgB7IW,ShBoJM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GA



AgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgBvJW,ShB8JM,qBAAN,KAAM,C;MAAb,OAA4C,UAA  
J,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG9E,uC;MAKI,OAAO,2BA Ae,KAAf,C;K;IAGX,uC;MgBzKW  
,ShBgLM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG5E,uC;M  
gBnLW,ShB0LM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E  
,uC;MgB7LW,ShBoMM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;  
IAG7E,uC;MgBvMW,ShB8MM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAA  
kC,K;K;IAG9E,uC;MAKI,OAAO,2BA Ae,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BA Ae,oBAAN,KAAM,CAAf,C;  
K;IAGX,uC;MgBjOW,ShBsOM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAA  
kC,K;K;IAG7E,uC;MgBzOW,ShB8OM,mBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAh  
B,GAakC,K;K;IAG9E,uC;MAOI,OAAO,2BA Ae,KAAf,C;K;IAGX,uC;MAOI,OAAO,2BA Ae,KAAf,C;K;IAGX,u  
C;MgBrQW,ShB0QM,iBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IA  
G5E,uC;MgB7QW,ShBkRM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,  
K;K;IAG7E,uC;MgBrRW,ShB0RM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,G  
AAkC,K;K;IAG9E,uC;MAOI,OAAO,2BAAS,KAAM,WAAf,C;K;IAGX,uC;MAOI,OAAO,2BAAS,KAAM,WAA  
f,C;K;IAGX,uC;MAKI,OAAO,2BA Ae,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BA Ae,oBAAN,KAAM,CAAf,C;K;I  
AGX,uC;MgBjUW,ShBsUM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,  
K;K;IAG7E,uC;MAOI,OAAO,2BA Ae,KAAf,C;K;IAGX,uC;MAOI,OAAO,2BA Ae,KAAf,C;K;IAGX,+B;MAOI,O  
AAO,sCA Ae,yBAAgB,SAAhB,EAAyB,EAAzB,EAAkC,EAAIC,C;K;IAG1B,iC;MAOI,OAAO,uCAAgB,yBAAg  
B,SAAhB,EAAyB,oBAAH,EAAG,CAAzB,M;K;IAG3B,iC;MAOI,OAAO,sCA Ae,yBAAgB,SAArB,EAAiC,EAAj  
C,EAA0C,EAA1C,C;K;IAG1B,iC;MAOI,OAAO,sCA Ae,yBAAgB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;K;I  
AG1B,iC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAzB,EAA0B,EAA1B,C;K;IAG3B,iC;MAOI,OAA  
O,sCA Ae,yBAAgB,SAAhB,EAAzB,EAA0B,EAA1B,C;K;IAG1B,iC;MAOI,OAAO,uCAAgB,yBAAgB,S  
AAhB,EAAyB,oBAAH,EAAG,CAAzB,M;K;IAG3B,iC;MAOI,OAAO,sCA Ae,yBAAgB,SAArB,EAA8B,EAA9B,  
EAAkC,EAAIC,C;K;IAG1B,iC;MAOI,OAAO,sCA Ae,yBAAgB,SAArB,EAA8B,EAA9B,EAAkC,EAAIC,C;K;IA  
G1B,iC;MAOI,OAAO,uCAAgB,yBAAgB,oBAAL,SAAK,CAArB,EAA+B,EAA/B,M;K;IAG3B,iC;MAOI,OAAO,  
uCAAgB,yBAAgB,SAAhB,EAAzB,EAA0B,EAA1B,C;K;IAG3B,kC;MAOI,OAAO,uCAAgB,yBAAgB,oBAAL,SAAK,C  
AArB,EAA+B,EAA/B,M;K;IAG3B,kC;MAOI,OAAO,uCAAgB,yBAAgB,oBAAL,SAAK,CAArB,EAA+B,EAA/B  
,M;K;IAG3B,kC;MAOI,OAAO,sCA Ae,yBAAgB,SAAhB,EAAyB,EAAzB,EAAkC,EAAIC,C;K;IAG1B,kC;MAOI  
,OAAO,uCAAgB,yBAAgB,SAAhB,EAAyB,oBAAH,EAAG,CAAzB,M;K;IAG3B,kC;MAOI,OAAO,sCA Ae,yBA  
AgB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;K;IAG1B,kC;MAOI,OAAO,sCA Ae,yBAAgB,SAArB,EAAiC,EA  
AjC,EAA0C,EAA1C,C;K;IAG1B,+B;MAII,OAAO,sCA Ae,yBAAgB,cAAhB,EAAzB,eAA0B,CAAC,cAA  
D,IAA7B,C;K;IAG1B,gC;MAII,OAAO,uCAAgB,yBAAgB,cAAhB,EAAzB,eAA0B,CAAC,cAAD,IAA7B,C;K;I  
AG3B,gC;MAII,OAAO,uCAAgB,yBAAgB,cAAhB,EAAzB,eAA0B,CAAC,cAAD,IAA7B,C;K;IAG3B,+B  
;MAII,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,sCA Ae,yBAAgB,eAAhB,EAAuB,cAAvB,EA  
AiC,SAAK,KAAL,GAAY,CAAhB,GAAMB,IAAnB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG1B,iC;MAII,oBAAo  
B,kBAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,  
KAAL,cAAy,CAAhB,GAAMB,IAAnB,GAA8B,IAAD,aAA1D,C;K;IAG3B,iC;MAII,oBAAoB,OAAO,CAA3B,E  
AA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,GAAY,CAAh  
B,GAAMB,IAAnB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG3B,sC;MACI,OAAmB,IAAR,8BAAgC,GAAPC,GAAi  
E,OAAL,SAAK,CAAjE,GAA+E,I;K;IAG1F,wC;MACI,OAAW,mEAAJ,GAAMe,OAAL,SAAK,SAAnE,GAAiF,I;  
K;IAG5F,wC;MACI,OAAW,YAAQ,aAAA,sCA Ae,UAAf,EAA0B,sCA Ae,UAAzC,CAAR,YAAJ,GAAqE,OAAL,  
SAAK,CAArE,GAAMF,I;K;IAG9F,wC;MACI,OAAmB,UAAA,sCA Ae,UAAf,EAA2B,sCA Ae,UAA1C,CAAR,4B  
AAJ,GAA+E,OAAR,YAAL,SAAK,CAAQ,CAA/E,GAA6F,I;K;IAGxG,wC;MACI,OAAmB,UAAA,sCA Ae,UAAf  
,EAA0B,sCA Ae,UAAzC,CAAR,4BAAJ,GAA6E,OAAR,YAAL,SAAK,CAAQ,CAA7E,GAA2F,I;K;IAGtG,qC;M  
ACI,OAAW,iFAAJ,GAA4D,SAAK,QAAjE,GAA8E,I;K;IAGzF,uC;MACI,OAAmB,UAAc,WAAAd,EAAwC,UAA  
xC,CAAR,4BAAJ,GAAqE,YAAL,SAAK,CAArE,GAAKF,I;K;IAG7F,uC;MACI,OAAmB,UAAc,WAAAd,EAAuC,  
UAAvC,CAAR,4BAAJ,GAAmE,YAAL,SAAK,CAAnE,GAAGF,I;K;IAG3F,sC;MACI,OAAmB,UAAe,mCAAf,E  
AA0C,mCAA1C,CAAR,4BAAJ,GAAuE,uBAAL,SAAK,CAAvE,GAAqF,I;K;IAGhG,wC;MACI,OAAmB,UAAe,

mCAAf,EAAyC,mCAAzC,CAAR,4BAAJ,GAAqE,uBAAL,SAAK,CAArE,GAAmF,I;K;IAG9F,uC;MACI,OAAmB,MAAR,8BAAiC,KAArC,GAAmE,QAAL,SAAK,CAAnE,GAaKf,I;K;IAG7F,yC;MACI,OAAW,uEAAJ,GAAqE,QAAL,SAAK,SAArE,GAAoF,I;K;IAG/F,yC;MACI,OAAmB,UAAA,uCAAkB,UAAhB,EAA4B,uCAAkB,UAA5C,CAAR,4BAAJ,GAAiF,QAAR,YAAL,SAAK,CAAQ,CAAjF,GAAgG,I;K;IAG3G,yC;MACI,OAAmB,UAAA,uCAAkB,UAAhB,EAA2B,uCAAkB,UAA3C,CAAR,4BAAJ,GAA+E,QAAR,YAAL,SAAK,CAAQ,CAA/E,GAA8F,I;K;IAGzG,8B;MAMI,OAAO,wBAAy,EAAa,GAaH,CAAG,IAAzB,C;K;IAGX,gC;MAMI,OAAO,kBAAy,oBAAh,EAAG,CAAc,8BAAH,CAAG,EAA1B,C;K;IAGX,gC;MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAaH,CAAG,IAAjC,C;K;IAGX,gC;MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAaH,CAAG,IAAjC,C;K;IAGX,gC;MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAaH,CAAG,IAAjC,C;K;IAGX,gC;MAMI,IAAI,MAAM,CAAV,C;QAAoB,OAAO,iCAAU,M;MACrC,OAAO,yBAAiB,OAAR,EAAQ,GAaH,CAAG,CAAjB,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAV,C;QAAyB,OAAO,gCAAS,M;MACzC,OAAO,wBAAS,EAAQ,GAAH,CAAG,IAAjB,C;K;IAGX,gC;MAMI,OAAO,kBAAy,oBAAH,EAAG,CAAc,8BAAH,CAAG,EAA1B,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAV,C;QAAyB,OAAO,gCAAS,M;MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAaH,CAAG,IAAzB,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAV,C;QAAyB,OAAO,gCAAS,M;MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAaH,CAAG,IAAzB,C;K;IAGX,gC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAy,oBAAL,SAAK,CAAL,SAaKb,EAAQ,8BAAH,CAAG,EAA1B,C;K;IAGX,gC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAO,kBAAS,EAAQ,8BAAH,CAAG,EAAjB,C;K;IAGX,iC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAy,oBAAL,SAAK,CAAL,SAaKb,EAAQ,8BAAH,CAAG,EAA1B,C;K;IAGX,iC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAy,oBAAL,SAAK,CAAL,SAaKb,EAAQ,8BAAH,CAAG,EAA1B,C;K;IAGX,iC;MAMI,OAAO,wBAAy,EAAa,GAaH,CAAG,IAAzB,C;K;IAGX,iC;MAMI,OAAO,kBAAy,oBAAH,EAAG,CAAc,8BAAH,CAAG,EAA1B,C;K;IAGX,iC;MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAaH,CAAG,IAAjC,C;K;IAGX,iC;MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAaH,CAAG,IAAjC,C;K;IAGX,gD;MAQI,OAAW,4BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,+C;MAQI,OAAW,4BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,yD;MAQI,IAAI,iBAAiB,IAAjB,IAAyB,iBAAiB,IAA9C,C;QACI,IAAI,+BA Ae,YAAf,KAAJ,C;UAAiC,MAAM,gCAAyB,6DAAiD,YAAjD,wCAAoF,YAApF,OAAzB,C;QACvC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;QAChC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;;QAGhC,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAA7B,C;UAAkD,OAAO,Y;QACzD,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAA7B,C;UAAkD,OAAO,Y;;MAE7D,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,6BA Ae,YAAf,KAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,yCAAoF,YAApF,iBAAzB,C;MACvC,IAAI,0BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MACHC,IAAI,0BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,yCAAoF,YAApF,iBAAzB,C;MACvC,IAAI,0BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MACHC,IAAI,0BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,yCAAoF,YAApF,iBAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,sC;MAUW,Q;MADP,IAAI,KAAM,UAAV,C;QAAqB,M

AAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAGvB,IAAA,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,MAA7B, CAAN,IAA6C,CAAC,KAAM,0BAAiB,KAAM,MAAvB,EAA8B,SAA9B,CAApD,C;QAAiG,OAAN,KAAM,M; WAEjG,IAAA,KAAM,0BAAiB,KAAM,aAAvB,EAAqC,SAArC,CAAN,IAAoD,CAAC,KAAM,0BAAiB,SAAjB, EAAuB,KAAM,aAA7B,CAA3D,C;QAA+G,OAAN,KAAM,a;;QACvG,gB;MALZ,W;K;IASJ,sC;MAYW,Q;MAJp ,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAAK,EAAy,KAAZ,C;;MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM, gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,gCAAO,KAAM,MAAb,M;QAA4B,OAAN,KAAM,M;WAC5B,g CAAO,KAAM,aAAb,M;QAAMC,OAAN,KAAM,a;;QAC3B,gB;MAHZ,W;K;IAOJ,sC;MAYW,Q;MAJP,IAAI,8C AAJ,C;QACI,OAAY,WAAL,SAAK,EAAc,KAAc,C;;MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB, 4CAAyC,KAAzC,MAAzB,C;MAEvB,gBAAO,KAAM,MAAb,C;QAA4B,OAAN,KAAM,M;WAC5B,gBAAO,KA AM,aAAb,C;QAAMC,OAAN,KAAM,a;;QAC3B,gB;MAHZ,W;K;IAOJ,sC;MAYW,Q;MAJP,IAAI,8CAAJ,C;QA CI,OAAY,WAAL,SAAK,EAAe,KAAf,C;;MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,K AAZC,MAAzB,C;MAEvB,8BAAO,KAAM,MAAb,M;QAA4B,OAAN,KAAM,M;WAC5B,8BAAO,KAAM,aAAb, M;QAAMC,OAAN,KAAM,a;;QAC3B,gB;MAHZ,W;K;IW1rCJ,oD;MAMuF,wC;K;IANvF,8CAOI,Y;MAAuC,8B; K;IAP3C,gF;IkbQA,yC;MAMI,OAAO,sBAAQ,OAAR,KAAoB,C;K;IAWG,2C;MAAA,qB;QAAE,MAAM,8BAA 0B,+CAA4C,aAA5C,MAA1B,C;O;K;IAR1C,uC;MAQI,OAAO,8BAAgB,KAAhB,EAAuB,yBAAvB,C;K;IAGX,4 D;MAcqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;MACX,eAAe,oB;MACf,YAAy,C;MA CZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI, OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;K;IAGX,8C;MAcqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,I;M ACX,eAAe,oB;MACf,YAAy,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,Y AAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,I;K;8EAGX,gC;MASW,sB;;QA2FS,Q;QAAA,2B;Q AAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3FH,SA2FO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP, uB;;;QAC9C,qBAAO,I;;;MA5FP,yB;K;uFAGJ,gC;MAkOoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cA AhB,C;QAAgB,yB;QACZ,IA1Nc,SA0NV,CAAU,OAAV,CAAJ,C;UACI,OAAO,O;;;MA3Nf,OA8NO,I;K;IA3NX, 6B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAc,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,OAAO,QA AS,O;K;iFAGpB,yB;MAAA,iE;MAAA,uC;QAOoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM ,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,sDAAvB,C;O;KARV,C;kGAWA,yB ;MAAA,iE;MAAA,uC;QAWW,Q;QAAA,+B;;UAcs,U;UAAA,6B;UAAhB,OAAgB,gBAAhB,C;YAAgB,2B;YAC Z,aAfwB,SAeX,CAAU,OAAV,C;YAcB,IAAI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;;UAGR,8BAAO,I;;;QApBA,k C;QAAA,iB;UAAmC,MAAM,gCAAuB,iEAAvB,C;;QAAhD,OAAO,I;O;KAXX,C;8GAcA,gC;MAWoB,Q;MAA A,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,aAAa,UAAU,OAAV,C;QAcB,IAAI,cAAJ,C;UACI,OAAO, M;;;MAGf,OAAO,I;K;IAGX,mC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAc,C;QACI,OAAO,I;MACX,O AAO,QAAS,O;K;6FAGpB,gC;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UA AU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;IAGX,wC;MAOiB,Q;MADb,YAAy,C;MACC,2B;M AAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAhB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,OAAO, K;QACX,qB;;MAEJ,OAAO,E;K;+FAGX,yB;MAAA,wE;MAAA,uC;QAOiB,Q;QADb,YAAy,C;QACC,2B;QAA b,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAhB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,OAAO,K;UA CX,qB;;QAEJ,OAAO,E;O;KAbX,C;6FAGBA,yB;MAAA,wE;MAAA,uC;QAQiB,Q;QAFb,gBAAGB,E;QChB,Y AAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAhB,C;UACA,IAAI,UAAU,IAAV,CA AJ,C;YACI,YAAy,K;UChB,qB;;QAEJ,OAAO,S;O;KAdX,C;IAiBA,4B;MAUI,eAAe,oB;MACf,IAAI,CAAC,Q AAS,UAAc,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,WAAW,QAAS,O;MACpB,OAAO,QAAS,UAAhB,C; QACI,OAAO,QAAS,O;MACpB,OAAO,I;K;+EAGX,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAYoB,U AQT,M;QAVP,WAAe,I;QAcF,YAAy,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,O AAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,sDAA vB,C;QAEIB,OAAO,2E;O;KApBX,C;IAuBA,4C;MAQiB,Q;MAFb,gBAAGB,E;MACHB,YAAy,C;MACC,2B;MA Ab,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAhB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,YAAy,K; QChB,qB;;MAEJ,OAAO,S;K;IAGX,kC;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAc,C;QACI,OAAO,I;M ACX,WAAW,QAAS,O;MACpB,OAAO,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,OAAO,I;K;2FAGX,g C;MASoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,C

AAJ,C;UACI,OAAO,O;;MAGf,OAAO,I;K;IAGX,8B;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAC I,MAAM,2BAAUb,oBAAvB,C;MACV,aAAa,QAAS,O;MACtB,IAAI,QAAS,UAAAb,C;QACI,MAAM,gCAAYb,q CAAzB,C;MACV,OAAO,M;K;mFAGX,yB;MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAQoB,UA ST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,O AAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYb,mDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QA GhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAUb,sDAAvB,C;QAEIb,OAAO,6E;O;KAjBX,C;IAoBA,oC;MA MI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,I;MACX,aAAa,QAAS,O;MACtB,IAAI,QAAS,U AAb,C;QACI,OAAO,I;MACX,OAAO,M;K;+FAGX,gC;MAQoB,Q;MAFhB,aAAiB,I;MACjB,YAAY,K;MACI,2B ;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAA O,I;UACIb,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;IAG X,8B;MAWW,Q;MhBhXP,IAAI,EgB+WI,KAAK,ChB/WT,CAAJ,C;QACI,cgB8Wc,sD;QhB7Wd,MAAM,gCAAY B,OAAQ,WAAjC,C;;MgB+WN,UAAK,CAAL,C;QAAU,gB;WACV,+C;QAAiC,OAAAL,SAAK,cAAK,CAAL,C;; QACzB,wBAAa,SAAb,EAAmB,CAAnB,C;MAHZ,W;K;IAOJ,2C;MAQI,OAAO,sBAAkB,SAAlB,EAAwB,SAAx B,C;K;IAGX,wC;MAQI,OAAO,sBAAkB,SAAlB,EAAwB,IAAxB,EAA8B,SAA9B,C;K;IacqE,iD;MAAA,qB;QA AE,yBAAU,EAAG,MAAb,EAAoB,EAAG,MAAvB,C;O;K;IAAkC,oC;MAAE,OAAA,EAAG,M;K;IAXzH,+C;M AWI,OAAO,yBAAqB,sBAAkB,qBAAiB,SAAjB,CAAIB,EAA0C,IAA1C,EAAGD,+BAAhD,CAArB,EAAYG,sBA AzG,C;K;oGAGX,yB;MA80BA,wE;MA90BA,oD;QAU1BiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb, C;UAAa,sB;UA50BT,IAAI,UA40BkB,oBAAmB,cAAAnB,EAAmB,sBAAnB,UA50BIB,EA40B+C,IA50B/C,CAAJ, C;YAA2C,sBA40BQ,IA50BR,C;;QAE/C,OAAO,W;O;KAbX,C;sGAgBA,yB;MAAA,8C;MAAA,0C;MAAA,8B; MASkB,qD;QAAA,qB;UAAE,c;S;O;MATpB,sC;QASW,Q;QAAP,OAAO,uCAAo,iCAAP,gC;O;KATX,C;0GAY A,4C;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAy,WA AI,OAAJ,C;;MACpD,OAAO,W;K;IAGX,2C;MAQI,OAAO,sBAAkB,SAAlB,EAAwB,KAAxB,EAA+B,SAAB,C; K;IAYU,kC;MAAE,iB;K;IATvB,oC;MASW,Q;MAAP,OAAO,4CAAU,oBAAV,kC;K;IAGX,mD;MAQoB,Q;MA AA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAy,WAAI,OAAJ,C;;MACvD, OAAO,W;K;4FAGX,6C;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UA AU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;sFAGX,6C;MAQoB,Q;MAAA,2B; MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;; MAC1D,OAAO,W;K;IAGX,8B;MAWW,Q;MhBzGpB,IAAI,EgBwgBI,KAAK,ChBxgBT,CAAJ,C;QACI,cgBugBc ,sD;QhBtgBd,MAAM,gCAAYb,OAAQ,WAAjC,C;;MgBwgBN,UAAK,CAAL,C;QAAU,sB;WACV,+C;QAAiC,O AAL,SAAK,cAAK,CAAL,C;;QACzB,wBAAa,SAAb,EAAmB,CAAnB,C;MAHZ,W;K;IAOJ,2C;MAQI,OAAO,sB AAKB,SAAlB,EAAwB,SAAxB,C;K;IAWA,2C;MAAA,8B;K;8CACH,Y;MACI,iBAA6B,iBAAZ,gBAAy,C;MAC I,QAAX,UAAW,C;MACX,OAAO,UAAW,W;K;;IAZ9B,6B;MAQI,0C;K;sFASJ,yB;MAAA,sD;Mdjfa,sC;MAA A,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA 5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mc0ef,sC;QAUl,OAAO,sBdpfP,eAAW,iBcofiB, QdpfjB,CAAX,CcofO,C;O;KAVX,C;0GAaA,yB;MAAA,sD;Md3eA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D; eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN, CAA3B,C;W;S;OA+EI,C;Mcoef,sC;QAQI,OAAO,sBd5eP,eAAW,2Bc4e2B,Qd5e3B,CAAX,Cc4eO,C;O;KARX,C; IAWA,uC;MAQI,OAAO,wBAAW,cAAX,C;K;IAWA,uE;MAAA,sC;MAAA,4C;K;kDACH,Y;MACI,iBAAiC,iBA AhB,oBAAgB,C;MACtB,WAAx,UAAW,EAAS,uBAAT,C;MACX,OAAO,UAAW,W;K;;IAZ9B,6C;MAQI,0D;K; wFASJ,yB;MAAA,wE;MAAA,uC;QAaW,kBAAY,oB;QAiFH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,y B;UACZ,WAlFsC,SAkFvB,CAAU,OAAV,C;UvBnEnB,wBAAl,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QuBfA, OAoFO,W;O;KAjGX,C;6FAGBA,yB;MAAA,wE;MAAA,yC;QAaW,kBAAc,oB;QA8BL,Q;QAAA,2B;QAAhB,O AAgB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aA/B4B,WA+BxB,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA/Bh B,OAiCO,W;O;KA9CX,C;6FAGBA,yB;MAAA,wE;MAAA,yD;QAYW,kBAAc,oB;QAiCL,Q;QAAA,2B;QAAhB, OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aAIC4B,WakCxB,CAAY,OAAZ,CAAJ,EAlCyC,cAkCf,CAAe,OA Af,CAA1B,C;;QAiChB,OAoCO,W;O;KAhDX,C;iGAeA,+C;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;Q AAgB,yB;QACZ,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEHb,OAAO,W;K;iGAGX,+D;MAY oB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eA

Ae,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;4FAGX,6C;MAWoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAe,UAAU,OAAV,C;QvBnEnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MuBqEA,OA AO,W;K;gGAGX,yB;MAAA,wE;MAAA,2C;QACl,aAAa,oB;QAgBG,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;U AAgB,yB;UAFo,MAgBP,aAAI,OAAJ,EAhBe,aAgBF,CAAc,OAAAd,CAAb,C;;QAhBhB,OAAuB,M;O;Kaf3B,C;o GAKBA,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,OAAJ,EAAa,cA Ac,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;IAGX,gD;MAMiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA CT,WAAy,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gC;MAMI,OAAO,0BAAa,cAAb,C;K;IAGX,8B;MAMI,O AA4B,qBAAhB,iBAAL,SAAK,CAAgB,C;K;IAGhC,qC;MAMI,OAAO,0BAAa,gBAAb,C;K;IAGX,4B;MAQI,OA AwC,oBAAjC,0BAAa,sBAAb,CAAI,C,C;K;IAG5C,0C;MAYI,OAAO,uBAAmB,SAAnB,EAAyB,SAAzB,6BAAo C,qB;;OAApC,E;K;IAGX,0C;MAQI,OAAO,uBAAmB,SAAnB,EAAyB,SAAzB,6BAAoC,qB;;OAApC,E;K;IAGX ,iD;MAaI,OAAO,kBAAe,SAAf,EAAqB,SAArB,6BAAgC,qB;;OAAhC,E;K;IAGX,iD;MAaI,OAAO,kBAAe,SAAf ,EAAqB,SAArB,6BAAgC,qB;;OAAhC,E;K;SAGX,yB;MAAA,wE;MAAA,gD;MAAA,oD;QAaoB,UAC4B,M;Q AF5C,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,oBAAmB,cAAAnB,EAA mB,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAjBX,C;u GAoBA,yB;MAAA,wE;MAAA,gD;MAAA,oD;QAaoB,UAC4B,M;QAF5C,YAAy,C;QACI,2B;QAAhB,OAAgB, cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,oBAAmB,cAAAnB,EAAmB,sBAAnB,UAAV,EAAuC,OAAvC,C;U ACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAjBX,C;yFAoBA,yB;MAAA,gD;MAAA,oD;QAUo B,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,E AAO,IAAP,C;;QAEhB,OAAO,W;O;KAdX,C;yFAiBA,yB;MAAA,gD;MAAA,oD;QAMoB,Q;QAAA,2B;QAAhB, OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB, OAAO,W;O;KAVX,C;qFAaA,yB;MAAA,wE;MA6BA,+D;MA7BA,yC;QAWW,kBAAU,oB;QA6BD,Q;QAAA,2 B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA9BiD,WA8BvC,CAAY,OAAZ,C;UvBjoBP,U;UADP,YuBm oBe,WvBnoBH,WuBmoBwB,GvBnoBxB,C;UACL,IAAI,aAAJ,C;YACH,auBioBuC,gB;YAA5B,WvBhoBX,auBg oBgC,GvBhoBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuB6nBA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhCT,OAK CO,W;O;KA7CX,C;qFAcA,yB;MAAA,wE;MAkCA,+D;MAICA,yD;QAYW,kBAAU,oB;QAKCD,Q;QAAA,2B;Q AAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAnCiD,WAmCvC,CAAY,OAAZ,C;UvBrpBP,U;UADP,YuBupBe, WvBvpBH,WuBupBwB,GvBvpBxB,C;UACL,IAAI,aAAJ,C;YACH,auBqpBuC,gB;YAA5B,WvBppBX,auBopBg C,GvBppBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuBipBA,iB;UACA,IAAK,WArCyD,cAqCrD,CAAE,OAAf,C AAJ,C;;QArCT,OAuCO,W;O;KAnDX,C;yFAeA,yB;MAAA,+D;MAAA,sD;QAWoB,Q;QAAA,2B;QAAhB,OAA gB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAy,OAAZ,C;UvBjoBP,U;UADP,YuBmoBe,WvBnoBH,WuBmoBwB ,GvBnoBxB,C;UACL,IAAI,aAAJ,C;YACH,auBioBuC,gB;YAA5B,WvBhoBX,auBgoBgC,GvBhoBhC,EAAS,MA AT,C;YACA,e;;YAEA,c;;UuB6nBA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAEt,OAAO,W;O;KAhBX,C;yFAmBA,y B;MAAA,+D;MAAA,sE;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAy,OA AZ,C;UvBrpBP,U;UADP,YuBupBe,WvBvpBH,WuBupBwB,GvBvpBxB,C;UACL,IAAI,aAAJ,C;YACH,auBqpBu C,gB;YAA5B,WvBppBX,auBopBgC,GvBppBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuBipBA,iB;UACA,IAAK ,WAAI,eAAe,OAAf,CAAJ,C;;QAEt,OAAO,W;O;KAjBX,C;0FAoBA,yB;MAAA,kC;MAAA,4C;MAAA,wE;QA UW,sC;QAAA,8C;O;MAVX,oDAWQ,Y;QAA6C,OAAA,oBAAgB,W;O;MAXrE,iDAYQ,mB;QAAoC,gCAAY,O AAZ,C;O;MAZ5C,gF;MAAA,yC;QAUI,2D;O;KAVJ,C;IAGBA,sC;MASI,OAAO,yBAAqB,SAArB,EAA2B,SAA3 B,C;K;IAGX,4C;MASI,OAAO,gCAA4B,SAA5B,EAAkC,SAAI,C;K;IAGX,mD;MASI,OAAoD,gBAA7C,gCAA 4B,SAA5B,EAAkC,SAAI,C,CAA6C,C;K;4GAGxD,yB;MAuNA,wE;MAvNA,oD;QAgOiB,gB;QADb,YAAy,C;Q ACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAvNsB,U;UAAA,wBAuNT,oBAAmB,cAAAnB,EAAmB,sBAAnB,UA vNS,EAuNoB,IAvNpB,W;YAA6C,6B;;;QACHf,OAAO,W;O;KAVX,C;8FAaA,yB;MAAA,wE;MAAA,oD;QAUi B,UACoC,M;QAFjD,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAAI,UAAU,oBAA mB,cAAAnB,EAAmB,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ,C;;QACHB,OAAO,W;O;KAZX,C;IAeA,4C;MASI,O AA6C,gBAAtC,yBAAqB,SAArB,EAA2B,SAA3B,CAAsC,C;K;8FAGjD,yB;MAAA,oD;QA4KoB,Q;QAAA,2B;Q AAhB,OAAgB,cAAhB,C;UAAgB,yB;UArKK,U;UAAA,wBAqKQ,OArKR,W;YAA6C,6B;;;QAC3D,OAAO,W;O; KARX,C;iFAWA,6C;MAOiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,UAAU,IAA V,CAAJ,C;;MACHB,OAAO,W;K;IAGX,gC;MAOI,OAAO,qBAAiB,SAAjB,C;K;IAGcB,6B;MAAE,S;K;IAX7B,+

B;MAWI,OAAy,aAAL,SAAK,EAAW,eAAX,C;K;IAGhB,2C;MAYI,OAAO,qBAAiB,SAAJB,EAAuB,QAAvB,C;K;IAGX,mC;MASiB,Q;MADb,UAAU,sB;MACG,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,GAAL,WAAI,IAAJ,C;;MACvB,OAAO,G;K;6EAGX,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;IAGX,2B;MAQI,OAAO,oBAAW,U;K;6EAGtB,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;IAGX,6B;MAOoB,Q;MADhB,YAAy,C;MACl,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,oBAAmB,qBAAnB,EAAmB,KAAhB,E;;MACtB,OAAO,K;K;iFAGX,yB;MAAA,wE;MAAA,uC;QAOoB,Q;QADhB,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,oBAAmB,qBAAnB,EAAmB,KAAhB,E;;QAC9C,OAAO,K;O;KARX,C;8EAWA,yC;MAYoB,Q;MADhB,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;4FAGX,yB;MAAA,wE;MAAA,gD;QAcOB,UAAiD,M;QAFjE,YAAy,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,cAAc,UAAU,oBAAmB,cAAhB,EAAmB,sBAAnB,UAAV,EAAuC,WAAvC,EAAoD,OAApD,C;;QACpC,OAAO,W;O;KAFx,C;qFAkBA,6B;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;kGAG1B,yB;MAAA,wE;MAAA,oC;QASiB,UAAgC,M;QAD7C,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAAhB,EAAmB,sBAAnB,UAAp,EAAoC,IAApC,C;;O;KATvB,C;IAYA,2B;MAII,OAAO,uB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;iFAGX,+B;MAGW,sB;;QAYP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAc,C;UAAyB,qBAAO,I;UAAp,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAc,C;UAAyB,qBAAO,O;UAAp,uB;;QACzB,eAhBmB,QAgBJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QAnBe,QAmBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAAT,QAAS,W;QACIB,qBAAO,O;;MAzBP,yB;K;6FAGJ,+B;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAc,C;QAAyB,OAAO,I;MACHc,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAc,C;QAAyB,OAAO,O;MACHc,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;iFAGX,yB;MAAA,sE;MZpwCA,iB;MYowCA,sC;QAEI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAc,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZhxCG,MAAO,KYgxCO,QZhxCP,EYgxCiB,CZhxCjB,C;;QYkxCd,OAAO,Q;O;KATBX,C;iFAyBA,yB;MAAA,sE;MZxyCA,iB;MYwyCA,sC;QAEI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAc,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZpzCG,MAAO,KYozCO,QZpzCP,EYozCiB,CZpzCjB,C;;QYszCd,OAAO,Q;O;KATBX,C;iFAyBA,yB;MAAA,sE;MAAA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAc,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZz1CG,MAAO,KYy1CO,QZz1CP,EYy1CiB,CZz1CjB,C;;QY21Cd,OAAO,Q;O;KApBX,C;6FAuBA,yB;MZj3CA,iB;MYi3CA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAc,C;UAAyB,OAAO,I;QACHc,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZ33CG,MAAO,KY23CO,QZ33CP,EY23CiB,CZ33CjB,C;;QY63Cd,OAAO,Q;O;KApBX,C;6FAuBA,+B;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAc,C;QAAyB,OAAO,I;MACHc,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;yFAGX,yB;MAAA,sE;MAAA,kD;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAc,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KATBX,C;qGAyBA,2C;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAc,C;QAAyB,OAAO,I;MACHc,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAakC,CAAtC,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX,iC;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAc,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MZ18CG,MA

AO,KY08CE,GZ18CF,EY08CO,CZ18CP,C;;MY48Cd,OAAO,G;K;IAGX,iC;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MZx+CG,MAAO,KYw+CE,GZx+CF,EYw+CO,CZx+CP,C;;MY0+Cd,OAAO,G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UAAAd,C;K;IAGX,iD;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;iFAGX,+B;MAGW,sB;;QAYP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACzB,eAhBmB,QAgBJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QAnBe,QAmBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MAzBP,yB;K;6FAGJ,+B;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,O;MACHC,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;iFAGX,yB;MAAA,sE;MZj3CA,iB;MYi3CA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZ73CG,MAAO,KY63CO,QZ73CP,EY63CiB,CZ73CjB,C;;QY+3Cd,OAAO,Q;O;KAtBX,C;iFayBA,yB;MAAA,sE;MZr5CA,iB;MYq5CA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZj6CG,MAAO,KYi6CO,QZj6CP,EYi6CiB,CZj6CjB,C;;QYm6Cd,OAAO,Q;O;KAtBX,C;iFayBA,yB;MAAA,sE;MAAA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAtBX,C;6FAyBA,yB;MZ57CA,iB;MY47CA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QAChC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZt8CG,MAAO,KYs8CO,QZt8CP,EYs8CiB,CZt8CjB,C;;QYw8Cd,OAAO,Q;O;KApBX,C;6FAuBA,yB;MZ99CA,iB;MY89CA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QAChC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZx+CG,MAAO,KYw+CO,QZx+CP,EYw+CiB,CZx+CjB,C;;QY0+Cd,OAAO,Q;O;KApBX,C;6FAuBA,+B;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAI B,CAAX,GAakC,CAAtC,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;yFAGX,yB;MAAA,sE;MAAA,kD;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAI B,CAAX,GAakC,CAAtC,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX,iC;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MZrIDG,MAAO,KYqIDe,GZrIDF,EYqIDo,CZrIDP,C;;MYyjDd,OAAO,G;K;IAGX,iC;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MZrIDG,MAAO,KYqIDe,GZrIDF,EYqIDo,CZrIDP,C;;MYulDd,OAAO,G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UAAAd,C;K;IAGX,iD;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,

OAAO,G;K;IAGX,4B;MAQI,OAAO,CAAC,oBAAW,U;K;+EAGvB,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;IAUI,uC;MAAA,qB;QACP,eAAO,EAAP,C;QAAA,OACA,E;O;K;IATR,sC;MAOI,OAAO,kBAAL,qBAAJ,C;K;IAeW,8C;MAAA,iC;QACd,eAAO,KAAP,EAAC,OAAd,C;QAAA,OACA,O;O;K;IAXR,6C;MASI,OAAO,wBAAW,4BAAX,C;K;kFAMX,yB;MAAA,4F;MAAA,uC;QAEI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;QAC/B,kBAaQb,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;QAEIB,OAAO,W;O;KArBX,C;gGAWBA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QAoBmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;QAC/B,YAAy,C;QACZ,kBAaQb,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAAnB,EAAmB,oBAAnB,QAAV,EAAuB,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KATBX,C;4GAYBA,yB;MAAA,wE;MAAA,uC;QAoBmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QAChC,YAAy,C;QACZ,kBAaQb,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAAnB,EAAmB,oBAAnB,QAAV,EAAuB,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KATBX,C;8FAYBA,gC;MAGBI,eAAe,SAAK,W;MACpB,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,kBAaQb,QAAS,O;MAC9B,OAAO,QAAS,UAAhB,C;QACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;MAEIB,OAAO,W;K;IAoBS,2I;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,8C;MAAA,gD;MAAA,kD;MAAA,wB;MAAA,+B;MAAA,kC;K;;;sDAAA,Y;;;cACZ,gB;8BAAA,iCAAM,0BAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;;uCACkB,0B;cACF,wD;cAAhB,gB;;;cAAA,KAAGB,yBAAhB,C;gBAAA,gB;;;cAAGB,oC;cACZ,yBAAc,6BAAU,sBAAV,EAAuB,OAAvB,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;K;IAPgB,wF;MAAA,yD;uBAAA,+H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAjBpB,sD;MAiBI,OAAO,SAAS,iDAAT,C;K;IA4BS,yJ;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,8C;MAAA,8D;MAAA,kD;MAAA,wB;MAAA,yB;MAAA,+B;MAAA,kC;K;;;6DAAA,Y;;;kBAKMc,I;cAJ/C,gB;8BAAA,iCAAM,0BAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;;iCACY,C;uCACM,0B;cACF,+D;cAAhB,gB;;;cAAA,KAAGB,yBAAhB,C;gBAAA,gB;;;cAAGB,oC;cACZ,yBAAc,6BAAU,oBAAmB,uBAAnB,EAAmB,+BAAnB,QAAV,EAAuB,sBAAvC,EAAoD,OAApD,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;K;IARgB,sG;MAAA,yD;uBAAA,6I;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAIbPb,6D;MAkBI,OAAO,SAAS,wDAAT,C;K;IA2BS,4H;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,oD;MAAA,kD;MAAA,4B;MAAA,+B;MAAA,kC;K;;;wDAAA,Y;;;oCACG,wC;cACf,IAAI,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAAA,iCAAM,sBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;cAGI,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;;cACI,yBAAc,6BAAU,sBAAV,EAAuB,mBAAS,OAAhC,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAHJ,gB;;;cAQJ,W;;;K;IAVgB,yE;MAAA,yD;uBAAA,gH;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,+C;MAGBI,OAAO,SAAS,0CAAT,C;K;IA6BS,0I;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,kE;MAAA,kD;MAAA,4B;MAAA,+B;MAAA,yB;MAAA,kC;K;;;+DAAA,Y;;;cAOuC,Q;oCANpC,+C;cACf,IAAI,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAAA,iCAAM,sBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;iCAGgB,C;cACZ,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;;cACI,yBAAc,6BAAU,oBAAmB,uBAAnB,EAAmB,+BAAnB,QAAV,EAAuB,sBAAvC,EAAoD,mBAAS,OAA7D,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAJJ,gB;;;cASJ,W;;;K;IAXgB,uF;MAAA,yD;uBAAA,8H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,sD;MAGBI,OAAO,SAAS,iDAAT,C;K;IAcX,+C;MAkBI,OAAO,yBAAy,OAAZ,EAAqB,SAArB,C;K;IAGX,sD;MAmBI,OAAO,gCAAmB,OAAnB,EAA4B,SAAS5B,C;K;gFAGX,+B;MASoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;4FAGX,+B;MASoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;iFAGX,+B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;iFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;iFAGX,yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KafX,C;iFAkBA,yB;M3B15DA,6B;M2B05DA,sC;QAaoB,Q;QADhB,U3B55DmC,c2B45DnB,C3B55DmB,C;Q2B65DnB,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,M3BhuEiD,c2BguEjD,G3BhuE2D,KAAK,G2Bg



uEzD,SAAS,OAAT,C3BhuEoE,KAAX,IAAf,C;;Q2BkuErD,OAAO,G;O;KAhBX,C;iFAMbA,yB;MX16DA,+B;M  
W06DA,sC;QAaoB,Q;QADhB,UX36DqC,eAAW,oBW26D/B,CX36D+B,CAAX,C;QW46DrB,2B;QAAhB,OAAg  
B,cAAhB,C;UAAgB,yB;UACZ,MXhvEmD,eWgvEnD,GXhvE8D,KAAK,KWgvE5D,SAAS,OAAT,CXhvEuE,KA  
AX,CAAhB,C;;QWkvEvD,OAAO,G;O;KAhBX,C;IAyBe,oD;MAAA,qB;QAAE,e;UAAM,MAAM,gCAAYB,2BA  
AwB,mBAAXB,MAAZB,C;;QAAZ,S;O;K;IANjB,qC;MAMI,OAAO,kBAAl,gCAAJ,C;K;IAGX,oC;MAaI,OAAO,  
sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;K;IAGX,+C;MAkBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAt  
C,EAAwD,SAAxD,C;K;IASA,0D;MAAA,4B;MAAA,sC;K;IAG0B,+E;MAAA,qB;QAAE,IAAI,CAAC,iBAAD,IA  
AY,WAAM,eAAN,CAAhB,C;UAAiC,oBAAU,I;UAA3C,OAAiD,K;;UAAjD,OAA8D,I;O;K;6CAF7F,Y;MACI,k  
BAAc,KAAd,C;MACA,OAAkB,SAAX,eAAW,EAAO,kEAAP,CAA8E,W;K;;IAT5G,qC;MAMI,kD;K;IASBO,6D;  
MAAA,wC;MAAA,4B;K;IAG6B,8D;MAAA,qB;QAAE,OAAM,aAAN,mB;O;K;+CAFIC,Y;MACI,YAAqB,8BA  
AT,qBAAS,C;MACrB,OAAkB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;K;;IAjBxD,sC;MAaI,IAAI,Q9B80KG,  
YAAQ,C8B90Kf,C;QAAwB,OAAO,S;MAC/B,qD;K;IAqBO,6D;MAAA,wC;MAAA,4B;K;IAMiC,8D;MAAA,qB;  
QAAE,OAAM,aAAN,mB;O;K;+CALtC,Y;MACI,YAAqB,4BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;QA  
CI,OAAO,eAAW,W;;QAEIB,OAAkB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;K;;IANB5D,sC;MAaI,qD;K;IAw  
BO,6D;MAAA,wC;MAAA,4B;K;IAMiC,8D;MAAA,qB;QAAE,OAAM,aAAN,mB;O;K;+CALtC,Y;MACI,YAAq  
B,8BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAO,eAAW,W;;QAEIB,OAAkB,YAAX,eAAW,E  
AAU,4CAAV,CAA0B,W;K;;IANB5D,sC;MAaI,qD;K;8FAWJ,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,iBAAM,O  
AAN,C;O;KAPX,C;wFAUA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAYoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,g  
B;QACG,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAl,  
OAAJ,C;;YAEN,MAAO,WAAl,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KANBX,C;IASBA,oC;  
MAMI,OAA6C,UAAtC,YAAW,SAAX,EAAiB,YAAW,OAAX,EAAjB,EAAc,C;K;IAGjD,qC;MASI,OAAy,OA  
AL,SAAK,EAAc,OAAT,QAAS,CAAd,C;K;IAGhB,qC;MASI,OAA+C,UAAx,C,YAAW,SAAX,EAA0B,aAAT,QA  
AS,CAA1B,EAAwC,C;K;IAGnD,sC;MASI,OAAkC,UAA3B,YAAW,SAAX,EAAiB,QAAjB,EAA2B,C;K;4FAGt  
C,yB;MAAA,0C;MAAA,qC;QAOI,OAAO,gBAAK,OAAL,C;O;KAPX,C;IAUA,2D;MAGb+C,oB;QAAA,OAAy,  
C;MAAG,8B;QAAA,iBAA0B,K;MACpF,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,KAA3  
D,C;K;IAGX,sE;MAkBKD,oB;QAAA,OAAy,C;MAAG,8B;QAAA,iBAA0B,K;MACvF,OAAwE,OAAjE,8BAAiB  
,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,IAA3D,CAAiE,EAAI,SAAJ,C;K;IAYpC,4B;MAAY,cAAM,EA  
AN,C;K;IATpD,kC;MASI,OAAO,oBAAgB,SAAhB,EAAcB,KAAtB,EAA6B,UAA7B,C;K;IAGX,6C;MAUI,OAA  
O,oBAAgB,SAAhB,EAAcB,KAAtB,EAA6B,SAA7B,C;K;IAcY,kC;MAAU,aAAK,CAAL,C;K;IAXjC,kC;MAWI,  
OAAO,yBAAY,kBAAZ,C;K;IAeiB,wH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,gD;MAAA,kD;MAAA,4B;M  
AAA,2B;MAAA,wB;MAAA,kC;K;;sDAAA,Y;;oCACL,sC;cACf,IAAI,CAAC,mBAAS,UAAAd,C;gBAAyB,M;;  
gBAAzB,gB;;mCACc,mBAAS,O;cACvB,gB;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;gCACe,mBAA  
S,O;cACpB,gB;8BAAA,iCAAM,6BAAU,kBAAV,EAAMb,eAANb,CAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;c  
ACA,qBAAU,e;cAhd,gB;;cAKJ,W;;K;IATwB,uE;MAAA,yD;uBAAA,4G;YAAA,S;iBAAA,Q;;iBAAA,  
uB;O;K;IAZ5B,6C;MAYI,OAAO,SAAS,0CAAT,C;K;IAYX,8F;MAU6D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA  
,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QA  
AA,YAAoC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAh  
B,C;QAAgB,yB;QACZ,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IA  
Aa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAc,OAAd,EAAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,SAAS,CA  
AT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,  
M;K;IAGX,4F;MAUwC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,  
qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,sBAAP,E  
AAwB,SAAxB,EAAMc,MAANc,EAA2C,OAA3C,EAAoD,KAAPd,EAA2D,SAA3D,EAAcE,SAAtE,CAAI,F,W;  
K;IAOXE,8C;MAAA,mB;QAAE,OAAA,eAAK,W;O;K;IAJ3B,kC;MAII,oCAAgB,8BAAhB,C;K;2FAGJ,qB;MAK  
I,OAAO,S;K;IAGX,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;  
QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAMb,KAAAnB,E;;MAEJ,OAAW,UAAc,CAAb,GAAG  
B,wCAAO,IAAvB,GAAGC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;  
MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAMb,KAAAnB,E;;MAEJ,



AI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;;UAGR,8BAAO,I;;;QAIbA,kC;QAAA,iB;UAAmC,MAAM,gCAAuB,sEA  
AvB,C;;QAAhD,OAAO,I;O;KATX,C;yGAYA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QASoB,Q;QAA  
A,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,aAAa,UAAU,oBAAV,C;UACb,IAAI,cAAJ,C;YACI,OAAO,  
M;;;QAGf,OAAO,I;O;KafX,C;IAkBA,mC;MAII,OCKLgD,qBAAU,CDILnD,GAAe,IAAf,GAAYB,qBAAK,CAAL  
,C;K;wFAGpC,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C  
;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;O;KALX,C;mFAQA,yB  
;MAAA,uD;MAAA,gC;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,qBAAI,KAJ,CA  
AtC,GAAcD,uBAAa,KAAb,E;O;KALjE,C;IAQA,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,2BAA3B,GAAcC  
,qBAAI,KAJ,CAAtC,GAAcD,I;K;0FAGjE,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAIkB,gC;QAAA,6B;QAAA,  
mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,IAAI,UAAU,iCAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,  
OAAO,E;O;KATX,C;wFAYA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR  
,sBAAQ,CAAR,W;QAAAd,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,iCAAK,KAAL,EAAV,CAAJ,C;YACI,O  
AAO,K;;;QAGf,OAAO,E;O;KATX,C;IAYA,4B;MAQI,ICsHgD,qBAAU,CDtH1D,C;QACI,MAAM,2BAAuB,yB  
AAvB,C;MACV,OAAO,qBAAK,2BAAL,C;K;0EAGX,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,iE;MAAA,  
uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAK,CAAQ,CAAb,W;QAAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAA  
c,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,6DAAv  
B,C;O;KAZV,C;IAeA,kC;MAMI,OC4FgD,qBAAU,CD5FnD,GAAe,IAAf,GAAYB,qBAAK,mBAAS,CAAT,IAAL  
,C;K;sFAGpC,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAK,  
CAAQ,CAAb,W;QAAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,C  
AAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;O;KAVX,C;8EAaA,yB;MAAA,mC;MAAA,yC;MAAA,4B;QAQI,O  
AAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;MAOI,IC0DgD,qBAAU,CD1D1D,C;QACI,MAAM,2BAAuB,yB  
AvB,C;MACV,OAAO,qBAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;0FAGX,yB;MAAA,mC;MAAA,qD;MAAA,4  
B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,ICqCgD,qBAAU,CDrC1D,C;QACI,OAAO,I;MA  
CX,OAAO,qBAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,8B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aA  
CH,C;UAAK,MAAM,2BAAuB,yBAAvB,C;aACX,C;UAAK,4BAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAy  
B,0CAAzB,C;;MAHIB,W;K;8EAOJ,yB;MAAA,6C;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MA  
AA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;U  
ACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,MAAM,8BAAyB,wDAAzB,C;YACjB,SAAS,O;  
YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,6DAAvB,C;QAEIB,OAAO,4E;O;Kaf  
X,C;IAkBA,oC;MAII,OAAW,qBAAU,CAAd,GAAiB,qBAAK,CAAL,CAAjB,GAA8B,I;K;0FAGzC,yB;MAAA,6  
C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAgB,c  
AAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,OAAO,I;YACIB,SAAS,  
O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBA,+B;MI  
BzRI,IAAI,EkBiSI,KAAK,CIBjST,CAAJ,C;QACI,ckBgSc,wD;QIB/Rd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MkB  
gSV,OAAO,8BAAc,eAAF,CAAE,EAAa,gBAAb,CAAd,EAAoC,gBAApC,C;K;IAGX,+B;MIBrSI,IAAI,EkB6SI,K  
AAK,CIB7ST,CAAJ,C;QACI,ckB4Sc,wD;QIB3Sd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MkB4SV,OLhH6E,oBKg  
H1D,eAAF,CAAE,EAAa,gBAAb,CLhH0D,C;K;IKmHjF,kC;MIBjTI,IAAI,EkByTI,KAAK,CIBzTT,CAAJ,C;QAC  
I,ckBwTc,wD;QIBvTd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MkBwTV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT  
,IAAY,EAAC,CAAd,CAAIB,C;K;IAGX,mC;MIB7TI,IAAI,EkBqUI,KAAK,CIBrUT,CAAJ,C;QACI,ckBoUc,wD;  
QIBnUd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MkB0UV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY,EAAC,  
CAAd,CAAIB,C;K;2FAGX,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UA  
CI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAy,CAAZ,EAAe,QAAQ,CAAR,IAAf,  
C;QACf,OAAO,E;O;KATX,C;4FAYA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CA  
A/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OL5JoF,oBK4JnE,CL5JmE,EK4JhE,QA  
AQ,CAAR,IL5JgE,C;;QK6J5F,OAAO,E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UA  
AL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI  
,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAy,KAAZ,EAAMB,gBAANB,C;QACf,O  
AAO,E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UAAL,MAAK,EAAL,MAAK,EAAL

,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OLvLqE,oBKuLpD,KLvLoD,C;;QKwL7E,OAAO,E;O;KATX,C;8EAYA,yB;MAAA,yD;MAkFA,oC;MAIFA,uC;QAMW,kBAAS,oB;QAKFM,Q;QAAA,uB;QAAtB,iBAAC,CAAd,wB;UACI,cAAc,qBAAL,KAAJ,C;UACd,IApF6B,SAoFzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QApFxC,OAsFO,W;O;KA5FX,C;8EASA,yB;MAAA,yD;MAyEA,oC;MAzEA,uC;QAMW,kBAAS,oB;QAYEM,Q;QAAA,uB;QAAtB,iBAAC,CAAd,wB;UACI,cAAc,qBAAL,KAAJ,C;UACd,IA3E6B,SA2EzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA3ExC,OA6EO,WA7EqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA5BA,gC;MA+sBA,6C;MAAA,oC;MARuBA,uC;QAQW,kBAAGB,oB;QAouBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA7sB/B,IAvBoC,SAuBhC,CAAU,OA AV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAvB/C,OAYBO,W;O;KAjCX,C;4FAWA,yB;MAAA,yD;MAWA,gC;MA+sBA,6C;MAAA,oC;MA1tBA,uC;QAQW,kBAAGB,oB;QAYtBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA7sB/B,IAZoC,SA YhC,CAAU,OA AV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAZ/C,OAcO,WAd4C,W;O;KARvD,C ;gGAWA,yB;MAAA,gC;MA+sBA,6C;MAAA,oC;MA/sBA,oD;QAsTiB,gB;QADb,YAAY,C;QACC,0B;QAAb,O AAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA7sB/B,IAAI,UAAU,OA AV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAE/C,OAAO,W;O;KAXX,C;oFAcA,yB;MAAA,yD;MAk BA,6C;MAAA,oC;MAAA,gC;MAIBA,uC;QAMW,kBAAY,oB;QAKBH,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C; UAAgB,oC;UAAM,IAAI,CAIBU,SAkBT,CAAU,oBAAV,CAAL,C;YAAyB,WAAY,gBAAO,OAAP,C;;QAlB3D, OAmBO,W;O;KAZBX,C;oFASA,yB;MAAA,yD;MASA,6C;MAAA,oC;MAAA,gC;MATA,uC;QAMW,kBAAY,o B;QASH,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CATU,SAST,CAAU,oBAAV,CAAL ,C;YAAyB,WAAY,gBAAO,OAAP,C;;QAT3D,OAUO,WAVwC,W;O;KANnD,C;wFASA,yB;MAAA,6C;MAAA, oC;MAAA,gC;MAAA,oD;QAMoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,U AAU,oBAAV,CAAL,C;YAAyB,WAAY,gBAAO,OAAP,C;;QAC3D,OAAO,W;O;KAPX,C;kFAUA,yB;MAAA,o C;MAAA,oD;QAM0B,Q;QAAA,uB;QAAtB,iBAAC,CAAd,wB;UACI,cAAc,qBAAL,KAAJ,C;UACd,IAAI,UAAU, oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAExC,OAAO,W;O;KAVX,C;IAaA,sC;MAII,IAAI,OAAQ ,UAAZ,C;QAAuB,OAAO,E;MAC9B,OAAO,yBAAY,OAAZ,C;K;IAGX,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB ,OAAO,E;MAC9B,OAAO,uBAAU,OA AV,C;K;IAGX,sC;MAOc,Q;MAHV,WAAMb,wBAAR,OAAQ,EAAwB,E AAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,E;MACtB,aAAa,mBAAC,IAAd,C;MACH,yB;MAAV,OA AU,cAAV,C;QAAU,mB;QACN,MAAO,gBAAO,qBAAI,CAAJ,CAAP,C;;MAEX,OAAO,M;K;4EAGX,yB;MAA A,8B;MAAA,uC;MAAA,qC;QAKY,Q;QAAR,OAA8B,MAAtB,2DAAsB,EAAM,OAAN,CAAe,W;O;KALjD,C;I AQA,+B;MIB7fI,IAAI,EkBqgBI,KAAK,CIBrgBT,CAAJ,C;QACI,ckBogBc,wD;QIBngBd,MAAM,gCAAYB,OAA Q,WAAjC,C;;MkBogBV,OAAO,8BAAY,CAAZ,EAAiB,eAAF,CAAe,EAAa,gBAAb,CAAjB,C;K;IAGX,+B;MIB zgBI,IAAI,EkBihBI,KAAK,CIBjhBT,CAAJ,C;QACI,ckBghBc,wD;QIB/gBd,MAAM,gCAAYB,OAAQ,WAAjC,C ;MkBgHBV,OLjV4F,oBKiv3E,CLjV2E,EKivtE,eAAF,CAAe,EAAa,gBAAb,CLjVsE,C;K;IKoVhG,kC;MIBrhBI,IAAI,EkB6hBI,KAAK,CIB7hBT,CAAJ,C;QACI,ckB4hBc,wD;QIB3hBd,MAAM,gCAAYB,OAAQ,WAAjC,C;;Mk B4hBV,aAAa,gB;MACb,OAAO,8BAAY,SAAW,eAAF,CAAe,EAAa,MAAb,CAAX,IAAZ,EAA6C,MAA7C,C;K; IAGX,mC;MIBliBI,IAAI,EkB0iBI,KAAK,CIB1iBT,CAAJ,C;QACI,ckByiBc,wD;QIBxiBd,MAAM,gCAAYB,OAA Q,WAAjC,C;;MkByiBV,aAAa,gB;MACb,OL9W6E,oBK8W5D,SAAW,eAAF,CAAe,EAAa,MAAb,CAAX,IL9W 4D,C;K;2FKiXjF,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,C AAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,QAAQ,CAAR,IAAZ,EAAuB,gBAAvB,C;;Q AGf,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;O;KAXX,C;4FAcA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iB AAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OLvYqE,oB KuYpD,QAAQ,CAAR,ILvYoD,C;;QK0Y7E,OAAO,S;O;KAXX,C;oFAcA,yB;MAAA,oC;MAAA,uC;QAM0B,Q; QAAA,uB;QAAtB,iBAAC,CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI,KAAJ,EAAV,CAAL,C;YACI,OAAO,8B AAY,CAAZ,EAAe,KAAf,C;;QAEf,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;O;KAVX,C;oFAaA,yB;MAAA,oC;M AAA,uC;QAM0B,Q;QAAA,uB;QAAtB,iBAAC,CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI,KAAJ,EAAV,CAA L,C;YACI,OL/ZoF,oBK+ZnE,CL/ZmE,EK+ZhE,KL/ZgE,C;;QKia5F,OAAO,S;O;KAVX,C;IAaA,gC;MAII,OAAO ,qBAAC,SAAd,CAAoB,U;K;kFAG/B,yB;MAAA,8B;MAAA,6C;MAAA,4B;QAKY,Q;QAAR,OAA8B,SAAtB,2D

AA5B,CAA W,W;O;KAL7C,C;oFAQA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4EA,6C;MAAA,oC;MAAA,gC;MA5EA,uC;QAWI,eAAmC,cAApB,YAAY,gBAAZ,CAAoB,EAAC,EAAd,C;QAC5B,kBAAY,mBAAoB,QAAPB,C;QAYEH,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAGB,oC;UACZ,WA1E8C,SA0E/B,CAAU,oBAAV,C;UzB9EnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAAR,B,C;;QyBIA,OA4EO,W;O;KAXFX,C;wFAeA,yB;MAAA,0D;MAAAA,yD;MAAA,uE;MA6BA,6C;MAAA,oC;MAAA,gC;MA7BA,yC;QAWI,eAAmC,cAApB,YAAY,gBAAZ,CAAoB,EAAC,EAAd,C;QAC5B,kBAAC,mBAAuB,QAavB,C;QA2BL,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAGB,oC;UACZ,WAAY,aA5BuC,WA4BnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QA5BhB,OA8BO,W;O;KAI1CX,C;wFAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA8BA,6C;MAAA,oC;MAAA,gC;MA9BA,yD;QAUI,eAAmC,cAApB,YAAY,gBAAZ,CAAoB,EAAC,EAAd,C;QAC5B,kBAAC,mBAAoB,QAAPB,C;QA6BL,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAGB,oC;UACZ,WAAY,aA9BoC,WA8BhC,CAAY,oBAAZ,CAAJ,EA9BiD,cA8BvB,CAAe,oBAAf,CAA1B,C;;QA9BhB,OAGCO,W;O;KA3CX,C;4FAcA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sD;QAUoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAGB,oC;UACZ,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;4FAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAGB,oC;UACZ,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EA A0B,eAAe,oBAAf,CAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;wFAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;M AAAAA,oD;QASoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAGB,oC;UACZ,WAAe,UAAU,oBAAV,C;UzB9En B,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAAR,B,C;;QyBgFA,OAAO,W;O;KAZX,C;4FAeA,yB;MAAA,uD;MAA A,0D;MAAA,yD;MAAA,uE;MAGBA,6C;MAAA,oC;MAAA,gC;MAhBA,2C;QAYI,aAAa,mBAA6D,cAAtC,YA AmB,aAAP,gBAAO,EAAa,GAAb,CAAnB,CAAsC,EAAC,EAAd,CAA7D,C;QACG,Q;QAAA,0B;QAAhB,OAAGB ,cAAhB,C;UAGB,oC;UAbO,MAcP,aAAI,oBAAJ,EAd,eAcF,CAAc,oBAAAd,CAAb,C;;QAdhB,OAAuB,M;O;KA b3B,C;+FAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,wD;QAUoB,Q;QAAA,0B;QAAhB,OAAGB,cAAh B,C;UAGB,oC;UACZ,WAAY,aAAI,oBAAJ,EAAa,cAAc,oBAAAd,CAAb,C;;QAEhB,OAAO,W;O;KAbX,C;IAGB A,iD;MAIiB,Q;MAAA,4B;MAAb,OAAa,cAAb,C;QAAa,iC;QACT,WAAY,WAAL,iBAAJ,C;;MAEhB,OAAO,W; K;IAGX,iC;MAII,OAAO,2BAAa,eAAc,YAAmB,eAAP,gBAAO,EAAa,GAAb,CAAnB,CAAd,CAAb,C;K;IAGX,8 B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,iCAAK,CAAL ,EAAP,C;UAAL,K;;UACa,wBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,qC;MAII,OAAO,2BAAa,iBAAgB,gB AAhB,CAAb,C;K;IAGX,6B;MAMIb,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;U AAK,aAAM,iCAAK,CAAL,EAAN,C;UAAL,K;;UACQ,kCAAa,qBAAoB,YAAmB,eAAP,gBAAO,EAAa,GAAb, CAAnB,CAAPB,CAAb,C;UAHL,K;;MAAP,W;K;gFAOJ,yB;MAAA,+D;MA0CA,6C;MAAA,oC;MAAA,gD;MA AA,gC;MA1CA,uC;QAMW,kBAAU,gB;QAwCD,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAGB,oC;UACZ,W AzC6B,SAYCIB,CAAU,oBAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1ChB,OA4CO,W;O;KAIDX,C;8FA SA,yB;MAAA,+D;MAeA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAfA,uC;QAYW,kBAAiB,gB;QACr,gB;QADh B,YAAY,C;QACI,0B;QAAhB,OAAGB,cAAhB,C;UAGB,oC;UACZ,WAfoC,SAezB,EAAU,cAAV,EAAU,sBAA V,WAAmB,oBAAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhBhB,OAKBO,W;O;KA9BX,C;kGAeA,yB;M AAAAA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACI,0B;QAAhB,O AAGB,cAAhB,C;UAGB,oC;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,oBAAAnB,C;UACC,OAAZ, WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAFX,C;oFAkBA,yB;MAAA,6C;MAAA,oC;MAAA,gD;MAAA,g C;MAAA,oD;QAIoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAGB,oC;UACZ,WAAW,UAAU,oBAAV,C;UA CC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;gFAWA,yB;MAAA,wE;MAyBA,6C;MAAA,o C;MAAA,+D;MAAA,gC;MAzBA,yC;QASW,kBAAU,oB;QAYBD,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAA gB,oC;UACZ,UA1BoD,WA0B1C,CAAY,oBAAZ,C;UzBrjBP,U;UADP,YyBujBe,WzBvjBH,WyBujBwB,GzBvjB xB,C;UACL,IAAI,aAAJ,C;YACH,ayBqjBuC,gB;YAA5B,WzBpjBX,ayBojBgC,GzBpjBhC,EAAS,MAAT,C;YAC A,e;;YAEA,c;;UyBijBA,iB;UACA,IAAK,WAAL,oBAAJ,C;;QA5BT,OA8BO,W;O;KAvCX,C;gFAYA,yB;MAAA, wE;MA8BA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,0B;QAAh B,OAAGB,cAAhB,C;UAGB,oC;UACZ,UA/BiD,WA+BvC,CAAY,oBAAZ,C;UzBvkBP,U;UADP,YyBykBe,WzB zkBH,WyBykBwB,GzBzkBxB,C;UACL,IAAI,aAAJ,C;YACH,ayBukBuC,gB;YAA5B,WzBtkBX,ayBskBgC,GzBt kBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UyBmkBA,iB;UACA,IAAK,WajCyD,cAiCrD,CAAe,oBAAf,CAAJ,C ;QAJCT,OAmCO,W;O;KA7CX,C;oFAaA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q

;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;UzBrjBP,U;UADP,YyBujBe ,WzBvjBH,WyBujBwB,GzBvjBxB,C;UACL,IAAI,aAAJ,C;YACH,ayBqjBuC,gB;YAA5B,WzBpjBX,ayBojBgC,G zBpjBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UyBijBA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;O;K AdX,C;oFAiBA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAAhB,OA AgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;UzBvkBP,U;UADP,YyBykBe,WzBzkBH,WyBykBw B,GzBzkBxB,C;UACL,IAAI,aAAJ,C;YACH,ayBukBuC,gB;YAA5B,WzBtkBX,ayBskBgC,GzBtkBhC,EAAS,MA AT,C;YACA,e;;YAEA,c;;UyBmkBA,iB;UACA,IAAK,WAAI,eAAe,oBAAf,CAAJ,C;;QAET,OAAO,W;O;KafX, C;qFAkBA,yB;MAAA,6C;MAAA,oC;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDAS Q,Y;QAAgD,OAAGB,SAAhB,oBAAgB,C;O;MATxE,iDAUQ,mB;QAAuC,gCAAY,oBAAZ,C;O;MAV/C,gF;MA AA,yC;QAQI,2D;O;KARJ,C;wEAca,yB;MAAA,gE;MAyEA,6C;MAAA,oC;MAAA,gC;MAzEA,uC;QAOW,kBA AM,eAAa,gBAAb,C;QAUeA,Q;QAAA,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,WaxEmB,SAwEf,CA AU,iBAAV,CAAJ,C;;QAxEhB,OAyEO,W;O;KAhFX,C;sFAUA,yB;MAAA,gE;MA+BA,6C;MAAA,oC;MAAA,g C;MA/BA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAqCP,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UA Aa,iC;UACT,WAAy,WajC0B,SAiCtB,EAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QajChB,OAK CO,W;O;KAZCX,C;mGAUA,yB;MAAA,+D;MAUA,gC;MAoLA,6C;MAAA,oC;MA9LA,uC;QAOW,kBAaOb,g B;QA8Ld,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UApLsB,U;UAAA,cAVQ,SAUR,EAo LT,cApLS,EAoLT,sBApLS,WaOLA,iBApLA,W;YAA6C,6B;;;QAVhF,OAWO,W;O;KAIBX,C;uGAUA,yB;MAA A,gC;MAoLA,6C;MAAA,oC;MApLA,oD;QA2LiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,i C;UApLsB,U;UAAA,yBAoLT,cApLS,EAoLT,sBApLS,WaOLA,iBApLA,W;YAA6C,6B;;;QACHF,OAAO,W;O;K ARX,C;0FAWA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAY,C;QACC,0 B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ ,C;;QACHB,OAAO,W;O;KAVX,C;qFAaA,yB;MAAA,+D;MAUA,gC;MA2IA,6C;MAAA,oC;MArJA,uC;QAOW, kBAAa,gB;QakJJ,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UA1IK,U;UAAA,cARe,SAQf,CA0IQ,oB A1IR,W;YAAcC,6B;;;QAR3D,OASO,W;O;KAhBX,C;yFAUA,yB;MAAA,gC;MA2IA,6C;MAAA,oC;MA3IA,oD; QA+IoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UA1IK,U;UAAA,wBA0IQ,oBA1IR,W;YAAcC,6B ;;;QAC3D,OAAO,W;O;KANX,C;4EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAA,0B; QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,WAAI,UAAU,iBAAV,CAAJ,C;;QACHB,OAAO,W;O;KAPX,C;I Ae4B,4C;MAAA,mB;QAAE,iC;O;K;IAL9B,iC;MAKI,OAAO,qBAaiB,6BAajB,C;K;wEAGX,yB;MAAA,6C;MA AA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAA C,UAAU,oBAAV,CAAL,C;YAAyB,OAAO,K;;QACtD,OAAO,I;O;KAPX,C;IAUA,2B;MAMI,OAAO,ECrwByC, qBAAU,CDqwBnD,C;K;wEAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAh B,OAAGB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;O; KAPX,C;4EAUA,qB;MAKI,OAAO,gB;K;4EAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAKoB,Q;Q ADhB,YAAY,C;QACI,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAw B,qB;;QAC9C,OAAO,K;O;KANX,C;0EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAUoB,Q;QADh B,kBAakB,O;QACF,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UAAM,cAAc,UAAU,WAAV,EAAuB,oBAAvB, C;;QACpC,OAAO,W;O;KAXX,C;wFAcA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAYoB,UAA8B,M; QAF9C,YAAY,C;QACZ,kBAakB,O;QACF,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UAAM,cAAc,WAAU,cA AV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,oBAAhC,C;;QACpC,OAAO,W;O;KAbX,C;mFAGBa,yB;MAAA, uD;MAAA,oC;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;U ACI,cAAc,UAAU,kCAAI,YAAJ,EAAI,oBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;iGaiB A,yB;MAAA,uD;MAAA,oC;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;U ACI,cAAc,UAAU,KAAV,EAAiB,iCAAI,KAAJ,EAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhB X,C;gFAMBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C; UAAgB,oC;UAAM,OAAO,oBAAP,C;;O;KAJ1B,C;8FAOA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QA OiB,UAAa,M;QAD1B,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP ,WAAgB,iBAAhB,C;;O;KAPvB,C;IAUA,2B;MAGI,OAAO,uB;K;4EAGX,yB;MAMA,uD;MAAA,oC;MANA,sC; QAGW,sB;;UAUP,ICz4BgD,qBAAU,CDy4B1D,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,qBAAK,CAAL,C;U

ACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAdmB,QAcJ,CAAS,oB  
AAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,qBAAK,CAAL,C;YACR,QAjBe,QAiBP,CAAS,cAAT  
,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAvBP,yB;O;  
KAHJ,C;wFAMA,yB;MAAA,uD;MAAA,oC;MAAA,sC;QAOI,ICz4BgD,qBAAU,CDy4B1D,C;UAAe,OAAO,I;Q  
ACtB,cAAc,qBAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;  
QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,qBAAK,CAAL,C;UACR,QA  
AQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O  
;O;KApBX,C;4EAuBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MdznCA,iB;McyCA,sC;QAEiB,Q;QAFb,ICt6BgD,  
qBAAU,CDs6B1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,C  
AAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WdloCG,MAAO,KckoCO,QdloCP,EckoCiB,CdloCj  
B,C;;QcooCd,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;Md1pCA,iB;Mc0pCA,sC;Q  
AeiB,Q;QAFb,IC57BgD,qBAAU,CD47B1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;Q  
ACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WdnqCG,MAAO,KcmqC  
O,QdnqCP,EcmqCiB,CdnqCjB,C;;QcqqCd,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MAAA,uD  
;MAAA,sC;QAaiB,Q;QAFb,IC9BgD,qBAAU,CDg9B1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CA  
AL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,2BAA  
W,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;wFAsBA,yB;MAAA,oC;MAAA,uD;Md3r  
CA,iB;Mc2rCA,sC;QAaiB,Q;QAFb,ICt+BgD,qBAAU,CDs+B1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,  
CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WdlsCG  
,MAAO,KcksCO,QdlsCP,EcksCiB,CdlsCjB,C;;QcosCd,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC;MAAA,u  
D;Md1tCA,iB;Mc0tCA,sC;QAaiB,Q;QAFb,IC1/BgD,qBAAU,CD0/B1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,i  
CAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,  
WdjuCG,MAAO,KciuCO,QdjuCP,EciuCiB,CdjuCjB,C;;QcmuCd,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC;  
MAAA,uD;MAAA,sC;QAWiB,Q;QAFb,IC5gCgD,qBAAU,CD4gC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iC  
AAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IA  
AI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,sE;MAAA,o  
C;MAAA,uD;MAAA,kD;QAaiB,Q;QAFb,ICliCgD,qBAAU,CDkiC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,i  
CAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,I  
AAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;K  
AnBX,C;gGAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICtjCgD,qBAAU,CDsjC1D,C;UAAe,  
OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iC  
AAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WA  
AW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;IAoBA,iC;MAOiB,Q;MAFb,ICtkCgD,qBAAU,CDskC1D,C;QAAe,OAA  
O,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR  
,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UAd,C;K;IAG  
X,iD;MAOiB,Q;MAFb,IC11CgD,qBAAU,CD01C1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,  
kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,C  
AAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MAGI,OAAO,uB;K;4EAGX,yB;MA  
MA,uD;MAAA,oC;MANA,sC;QAGW,sB;;UAUP,ICtnCgD,qBAAU,CDsnC1D,C;YAAe,qBAAO,I;YAAP,uB;;UA  
Cf,cAAc,qBAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UA  
CpB,eAdmB,QAcJ,CAAS,oBAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,qBAAK,CAAL,C;YAC  
R,QAjBe,QAiBP,CAAS,cAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAG  
nB,qBAAO,O;;;QAvBP,yB;O;KAHJ,C;wFAMA,yB;MAAA,uD;MAAA,oC;MAAA,sC;QAOI,ICtnCgD,qBAAU,C  
DsnC1D,C;UAAe,OAAO,I;QACtB,cAAc,qBAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,  
CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,  
qBAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,  
WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;4EAuBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;Md1pCA,iB;MckpCA  
,sC;QAEiB,Q;QAFb,ICnpCgD,qBAAU,CDmpC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EA

AT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,Wd3pCG,MAAO,  
Kc2pCO,Qd3pCP,Ec2pCiB,Cd3pCjB,C;;Qc6pCd,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MA  
AA,uD;MdnrCA,iB;McmrCA,sC;QAeiB,Q;QAFb,ICzqCgD,qBAAU,CDyqC1D,C;UAAe,MAAM,6B;QACrB,eAA  
e,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C  
;UACR,Wd5rCG,MAAO,Kc4rCO,Qd5rCP,Ec4rCiB,Cd5rCjB,C;;Qc8rCd,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MA  
AA,sE;MAAA,oC;MAAA,uD;MAAA,sC;QAaiB,Q;QAFb,IC7rCgD,qBAAU,CD6rC1D,C;UAAe,MAAM,6B;QAC  
rB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,  
EAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;wFAsBA,yB;  
MAAA,oC;MAAA,uD;MdptCA,iB;McotCA,sC;QAaiB,Q;QAFb,ICntCgD,qBAAU,CDmtC1D,C;UAAe,OAAO,I;  
QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CA  
AL,EAAT,C;UACR,Wd3tCG,MAAO,Kc2tCO,Qd3tCP,Ec2tCiB,Cd3tCjB,C;;Qc6tCd,OAAO,Q;O;KAjBX,C;wFAo  
BA,yB;MAAA,oC;MAAA,uD;MdnvCA,iB;McmvCA,sC;QAaiB,Q;QAFb,ICvuCgD,qBAAU,CDuuC1D,C;UAAe,  
OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iC  
AAK,CAAL,EAAT,C;UACR,Wd1vCG,MAAO,Kc0vCO,Qd1vCP,Ec0vCiB,Cd1vCjB,C;;Qc4vCd,OAAO,Q;O;KAj  
BX,C;wFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,sC;QAWiB,Q;QAFb,ICzvCgD,qBAAU,CDyvC1D,C;UAAe,O  
AAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCA  
AK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oF  
AoBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MAAA,kD;QAaiB,Q;QAFb,IC/wCgD,qBAAU,CD+wC1D,C;UAAe,  
MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS  
,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,W  
AAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;gGAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICny  
CgD,qBAAU,CDmyC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAA  
U,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,C  
AAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;IAoBA,iC;MAOiB,Q;MAFb,ICnzCgD  
,qBAAU,CDmzC1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QA  
CI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;M  
AGI,OAAO,4BAAc,UAAAd,C;K;IAGX,iD;MAOiB,Q;MAFb,ICv0CgD,qBAAU,CDu0C1D,C;QAAe,OAAO,I;MA  
CtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,  
UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,4  
B;MAMI,OCt1CgD,qBAAU,C;K;0EDy1C9D,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAA  
A,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,  
OAAO,I;O;KAPX,C;8EAUA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAKmC,Q;QAAA,0B;QAAhB,O  
AAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;QAARc,gB;O;KALJ,C;4FAQA,yB;MAAA,6B;MAAA,sC  
;MA/fA,6C;MAAA,oC;MAAA,gC;MA+fA,2BAQiB,yB;QAvGbjB,6C;QAAA,oC;QAAA,gC;eAugBiB,0B;UAAA,  
4B;YAAE,aAAe,c;YAhgBjB,gB;YADb,YAAY,C;YACC,0B;YAAb,OAAa,cAAb,C;cAAa,iC;cAAM,QAAO,cAAP  
,EAAO,sBAAP,WAAgB,iBAAhB,C;;YAggBmB,W;W;S;OAAzB,C;MARjB,oC;QAxfiB,gB;QADb,YAAY,C;QA  
CC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;QAggBnB,gB;  
O;KARJ,C;8EAWA,yB;MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,ICn4CgD,q  
BAAU,CDm4C1D,C;UACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAakB,qBAAK,CAAL,C;QACD,+B;QAAjB  
,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,iCAAK,KAAL,EAAvB,E;;QAEiB,OAAO,W;O;KAnBX  
,C;4FAsBA,yB;MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,ICz5CgD,qBAAU,  
CDy5C1D,C;UACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAakB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,  
CAAd,yB;UACI,cAAc,oBAAU,KA AV,EAAiB,wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAEiB,OAAO,W;O;  
KAnBX,C;wGAsBA,yB;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IC/6CgD,qBAAU,CD  
+6C1D,C;UACI,OAAO,I;QACX,kBAakB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,o  
BAAU,KA AV,EAAiB,wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAEiB,OAAO,W;O;KAnBX,C;0FAsBA,yB;  
MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAIbqB,Q;QAHjB,ICt8CgD,qBAAU,CDs8C1D,C;UACI,OAAO,I;  
QACX,kBAakB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,i



CAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KApBX,C;uFAuBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCA A9B,C;QACrB,kBAAkB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,k CAAI,cAAJ,EAAI,sBAAJ,WAAV,EAAwB,wBAAxB,E;;QAEIB,OAAO,W;O;KAnBX,C;qGAsBA,yB;MAAA,uD ;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAE0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe, MAAM,mCAA8B,uCAA9B,C;QACrB,kBAAkB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C; UACI,cAAc,oBAAU,KAAV,EAAiB,iCAAI,KAAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;O;K ApBX,C;iHAuBA,yB;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAE0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,Q AAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C; UACI,cAAc,oBAAU,KAAV,EAAiB,iCAAI,KAAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;O;K ApBX,C;mGAuBA,yB;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAAY,wB;QA CZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS ,CAAhB,C;UACI,cAAc,oBAAU,kCAAI,cAAJ,EAAI,sBAAJ,WAAV,EAAwB,wBAAxB,E;;QAEIB,OAAO,W;O; KApBX,C;wFAuBA,yB;MAAA,gD;MAAA,gE;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAgBoB,Q;QAHh B,ICvjDgD,qBAAU,CDujD1D,C;UAAe,OAAO,OAAO,OAAP,C;QACgB,kBAAzB,eAAa,mBAAS,CAAT,IAAb,C ;QAAiC,8B;QAA9C,af5wDO,W;Qe6wDP,kBAAkB,O;QACF,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,c AAc,UAAU,WAAV,EAAuB,oBAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KApBX,C;sGAuB A,yB;MAAA,gD;MAAA,gE;MAAA,mD;MAAA,oC;MAAA,gD;QAIbKb,gC;QAHd,IC/kDgD,qBAAU,CD+kD1D ,C;UAAe,OAAO,OAAO,OAAP,C;QACgB,kBAAzB,eAAa,mBAAS,CAAT,IAAb,C;QAAiC,8B;QAA9C,afpyDO, W;QeqyDP,kBAAkB,O;QACJ,6B;QAAA,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAAV,EAAi B,WAAjB,EAA8B,iCAAK,KAAL,EAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;4FA wBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAgB0B,Q;QAHtB,ICtmDgD,qBAAU,CDsm D1D,C;UAAe,OAAO,W;QACtB,sBAAkB,qBAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAgB,gBAAhB,C;QAA gC,sBAAI,0BAAJ,C;QAA7C,af5zDO,W;Qe6zDe,uB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,oBAAU,0BAAV,E AAuB,iCAAK,KAAL,EAAvB,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KApBX,C;0GAuBA,yB;M AAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAIb0B,Q;QAHtB,IC9nDgD,qBAAU,CD8nD1D,C;UAA e,OAAO,W;QACtB,sBAAkB,qBAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAgB,gBAAhB,C;QAAgC,sBAAI,0B AAJ,C;QAA7C,afp1DO,W;Qeq1De,uB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,oBAAU,KAAV,EAAiB,0BAAj B,EAA8B,iCAAK,KAAL,EAA9B,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KArBX,C;0EAWBA,y B;MA9FA,gD;MAAA,gE;MAAA,6C;MAAA,oC;MAAA,gC;MA8FA,gD;QAcW,sB;;UA5FS,Q;UAHhB,ICvjDgD, qBAAU,CDujD1D,C;YAAe,qBAAO,OA+FH,OA/FG,C;YAAP,uB;;UACuB,kBAAzB,eAAa,mBAAS,CAAT,IAAb ,C;UAAiC,sBA8F3B,OA9F2B,C;UAA9C,af5wDO,W;Ue6wDP,kBA6FmB,O;UA5FH,0B;UAAhB,OAAGB,cAAh B,C;YAAgB,oC;YACZ,cA2FwB,SA3FV,CAAU,WAAV,EAAuB,oBAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UA EX,qBAAO,M;;QAwFP,yB;O;KAdJ,C;wFAiBA,yB;MAxFA,gD;MAAA,gE;MAAA,mD;MAAA,oC;MAwFA,gD; QAEW,6B;;UAAtFO,gC;UAHd,IC/kDgD,qBAAU,CD+kD1D,C;YAAe,4BAAO,OAyFI,OAzFJ,C;YAAP,8B;;UACu B,kBAAzB,eAAa,mBAAS,CAAT,IAAb,C;UAAiC,sBAwFpB,OAxFoB,C;UAA9C,afpyDO,W;UeqyDP,kBAuF0B, O;UAAtFZ,6B;UAAA,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cAqF+B,SArFjB,CAAU,KAAV,EAAiB,WAAjB ,EAA8B,iCAAK,KAAL,EAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;QAKFP,gC;O;KAFJ,C;4E AkBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAOoB,Q;QADhB,UAAe,C;QACC,0B;QAAhB,OAAGB ,cAAhB,C;UAAgB,oC;UACZ,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KAVX,C;wFAaA,yB;MAAA,6 C;MAAA,oC;MAAA,gC;MAAA,sC;QAOoB,Q;QADhB,UAAkB,G;QACF,0B;QAAhB,OAAGB,cAAhB,C;UAAg B,oC;UACZ,OAAO,SAAS,oBAAT,C;;QAEX,OAAO,G;O;KAVX,C;4EAaA,yB;MAAA,6C;MAAA,oC;MAAA,g C;MAAA,sC;QAUoB,Q;QADhB,UAAoB,C;QACJ,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,OAAO,SA AS,oBAAT,C;;QAEX,OAAO,G;O;KAbX,C;4EAgBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB, Q;QADhB,UAAe,C;QACC,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,YAAO,SAAS,oBAAT,CAAP,I;;Q AEJ,OAAO,G;O;KAbX,C;4EAgBA,yB;MAAA,SASoB,gB;MATpB,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAUo B,Q;QADhB,Y;QACgB,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,cAAO,SAAS,oBAAT,CAAP,C;;QAEJ ,OAAO,G;O;KAbX,C;4EAgBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;M7BppDA,6B;M6BopDA,sC;QAWoB,Q;Q

ADhB,U7BppDmC,c6BopDnB,C7BppDmB,C;Q6BqpDnB,0B;QAAhB,0AAgB,cAAhB,C;UAAgB,oC;UACZ,M7  
Bx9DiD,c6Bw9DjD,G7Bx9D2D,KAAK,G6Bw9DzD,SAAS,oBAAT,C7Bx9DoE,KAAx,IAAf,C;;Q6B09DrD,OA  
AO,G;O;KAdX,C;4EAiBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MblqDA,+B;MakqDA,sC;QAWoB,Q;QADhB,  
UbjqDqC,eAAW,oBaiqD/B,CbjqD+B,CAAX,C;QakqDrB,0B;QAAhB,0AAgB,cAAhB,C;UAAgB,oC;UACZ,Mbt  
+DmD,eas+DnD,Gbt+D8D,KAAK,Kas+D5D,SAAS,oBAAT,Cbt+DuE,KAAx,CAAhB,C;;Qaw+DvD,OAAO,G;O  
;KAdX,C;IAiBA,oC;MAWI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAsC,IAAtC,C;K;IAGX,+C;MAGBI,OAAO,sBA  
AS,IAAT,EAAe,IAAf,EAAsC,IAAtC,EAAwD,SAAXD,C;K;IAcsB,oC;MAAE,OAAA,EAAG,W;K;IAXtC,0C;MA  
WI,OAAO,6BAAGB,IAAhB,EAAsB,sBAAtB,C;K;IAGX,uD;MAGBI,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EA  
A8C,IAA9C,EAAgE,SAAhE,C;K;oFAGX,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,u  
C;QAUoB,Q;QAFhB,YAAY,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,0AAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI  
,UAAU,oBAAV,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;YAEN,MAAO,gBAAO,OAAP,C;;;QAGf,OAAO,cAA  
K,KAAL,EAAY,MAAZ,C;O;KAjBX,C;oFAoBA,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;M  
AAA,uC;QAUoB,Q;QAFhB,YAAY,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,0AAgB,cAAhB,C;UAAgB,oC;UAC  
Z,IAAI,UAAU,oBAAV,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;YAEN,MAAO,gBAAO,OAAP,C;;;QAGf,OAAO  
O,cAAK,KAAM,WAAx,EAAuB,MAAO,WAA9B,C;O;KAjBX,C;IAqCgD,6B;MAAE,OAAA,EAAG,W;K;IAjBr  
D,2D;MAGB4C,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACjF,OAAO,sBAAS,IAAT,EAAe,IAAf,E  
AAqB,cAArB,EAAqC,eAArC,C;K;IAGX,sE;MAkBgD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MAQ  
hE,Q;MAPrB,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,eAAe,SAAK,O;MACpB,qBAAqB,YAAW,IAAX,SAAS  
B,WAAW,IAAX,KAAMB,CAAvB,GAA0B,CAA1B,GAAiC,CAAnD,K;MACrB,aAAa,iBAAa,cAAb,C;MACb,Y  
AAY,C;MACZ,0AAgB,CAAT,qBAAiB,QAAXB,C;QACI,UAAU,QAAQ,IAAR,I;QACO,IAAI,MAAM,CAAN,IA  
AW,MAAM,QAAR,C;UAAiC,IAAI,cAAJ,C;YAAoB,e;;YAAc,K;;UAAa,U;QAAjG,qB;QACA,MAAO,WAAI,U  
AAU,8BAAY,KAAZ,EAAmB,UAAAnB,CAAV,CAAJ,C;QACP,gBAAS,IAAT,I;;MAEJ,OAAO,M;K;IAoB6C,qC;  
MAAE,OAAA,EAAG,W;K;IAjB7D,iE;MAGBoD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACzF,O  
AAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA6C,uBAA7C,C;K;IAwByB,2F;MAAA,wB;QAC5B,U  
AAU,QAAQ,YAAR,I;QACV,iBAAqB,MAAM,CAAN,IAAW,MAAM,4BAArB,GAA6B,4BAA7B,GAAyC,G;QA  
DID,OAEA,kBAAU,0CAAy,KAAZ,EAAmB,UAAAnB,CAAV,C;O;K;IAxBR,gF;MAkBWd,sB;QAAA,SAAY,C;  
MAAG,8B;QAAA,iBAA0B,K;MAC7F,oBAAoB,IAApB,EAA0B,MAA1B,C;MACA,cAAc,KAAK,cAAJ,GAAoB,  
yBAAPB,GAAiC,WAAQ,mBAAS,IAAT,GAAgB,CAAhB,IAAR,CAAIC,EAAkE,MAAIE,C;MACd,OAA4B,OA  
Ab,aAAR,OAAQ,CAAa,EAAI,qDAAJ,C;K;IAOhC,kC;MAkBI,ad3hEO,MAAO,Kc2hEU,gBd3hEV,EcghEH,KA  
W2B,Od3hExB,C;Mc4hEd,WAAW,iBAAa,MAAb,C;MACX,aAAU,CAAV,MAAkB,MAAIB,M;QACI,IAAK,WA  
dqB,GAcP,iCAAK,CAAL,EAdO,EAcE,YAdrB,KAcqB,YAAM,CAAN,EAdF,CACrB,C;;MAdT,OAgBO,I;K;wEA  
bX,yB;MAAA,gE;MAAA,oC;MdzHEA,iB;McyHEA,8C;QAQI,ad3hEO,MAAO,Kc2hEK,SAAK,Od3hEV,Ec2hEk  
B,KAAM,Od3hExB,C;Qc4hEd,WAAW,eAAa,MAAb,C;QACX,aAAU,CAAV,MAAkB,MAAIB,M;UACI,IAAK,  
WAAI,UAAU,iCAAK,CAAL,EAAV,EAAmB,6BAAM,CAAN,EAAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAG  
BA,kC;MASW,sB;;QAaP,WAAW,mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,C;UAAc,qBAAO,W;UAAP,uB;;  
QACd,aAAa,iBAAa,IAAb,C;QACb,iBAAc,CAAd,UAAsB,IAAtB,U;UACI,MAAO,WAjBkB,GAiBJ,iCAAK,KA  
AL,EAjBI,EAiBS,iCAAK,QAAQ,CAAR,IAAL,EAjBT,CAiBIB,C;;QAEX,qBAAO,M;;;MAnBP,yB;K;uFAGJ,yB;  
MAAA,qD;MAAA,gE;MAAA,oC;MAAA,uC;QAUI,WAAW,mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,C;UA  
Ac,OAAO,W;QACrB,aAAa,eAAa,IAAb,C;QACb,iBAAc,CAAd,UAAsB,IAAtB,U;UACI,MAAO,WAAI,UAAU,i  
CAAK,KAAL,EAAV,EAAuB,iCAAK,QAAQ,CAAR,IAAL,EAAvB,CAAJ,C;;QAEX,OAAO,M;O;KAhBX,C;IA  
wBoB,8C;MAAA,mB;QAAE,0AAK,WAAAL,eAAK,C;O;K;IAL3B,kC;MAIQ,wC;MAAA,S;QAAkB,OCniE0B,qB  
AAU,C;;MDmiE1D,S;QAAiC,OAAO,W;MACxC,oCAAGB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,0AAK,  
WAAAL,eAAK,C;O;K;IAL3B,kC;MAIQ,wC;MAAA,S;QAAkB,OC3iE0B,qBAAU,C;;MD2iE1D,S;QAAiC,OAAO,  
e;MACxC,oCAAGB,8BAAhB,C;K;IEpwEkC,yC;MAAA,wB;QAAW,OAAA,aAAK,KAAL,ChCsLV,K;O;K;liCtL  
H,wC;MAAA,wB;QAAW,OAAA,aAAK,KAAL,ChC8NV,K;O;K;liC9NC,yC;MAAA,wB;QAAW,OAAA,aAAK,  
KAAL,CjByOV,K;O;K;IkBzOC,0C;MAAA,wB;QAAW,OAAA,aAAK,KAAL,CjCiMV,K;O;K;4FkC5PzC,qB;MA  
UI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CA  
AJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;M

AUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,C  
AAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;  
MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAI,  
CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,q  
B;MAUI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBA  
AI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;uGAuC  
X,yB;MA8gHI,8D;MA9gHJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBAqgHT,cAAR,iBAAQ,C;QArgHhB,OAAO,  
OAAc,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYYA,yB;MA0gHI,8D;MA1gHJ,iD;QASe,o  
BAAS,C;QAAT,S;UAAc,gBAigHT,cAAR,iBAAQ,C;QAjgHhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,a  
AAa,KAAb,C;O;KATjE,C;uGAYYA,yB;MAsgHI,8D;MATgHJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBA6/GT,cAA  
R,iBAAQ,C;QA7/GhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYYA,yB;M  
AkgHI,8D;MA1gHJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBAy/GT,cAAR,iBAAQ,C;QAz/GhB,OAAO,OAAc,s  
BAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYYA,yB;MAAA,sD;MAAA,mC;QASI,OAAy,UA  
AL,SAAK,EAAU,KAAV,C;O;KAThB,C;uGAYYA,yB;MAAA,sD;MAAA,mC;QASI,OAAy,UAAL,SAAK,EAAU,K  
AAV,C;O;KAThB,C;uGAYYA,yB;MAAA,sD;MAAA,mC;QASI,OAAy,UAAL,SAAK,EAAU,KAAV,C;O;KAThB  
,C;uGAYYA,yB;MAAA,sD;MAAA,mC;QASI,OAAy,UAAL,SAAK,EAAU,KAAV,C;O;KAThB,C;iFAYYA,gC;MA  
SW,sB;QA8NS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9NH,SA8NO,CAAU,OAAV,CA  
AJ,C;YAAwB,qBAAO,O;YAAP,uB;QAC9C,qBAAO,I;MA/NP,yB;K;iFAGJ,gC;MASW,sB;QA6NS,Q;QAAA,  
2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA7NH,SA6NO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;  
YAAP,uB;QAC9C,qBAAO,I;MA9NP,yB;K;iFAGJ,gC;MASW,sB;QA4NS,Q;QAAA,2B;QAAhB,OAAgB,cAA  
hB,C;UAAgB,yB;UAAM,IA5NH,SA4NO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;QAC9C,qBA  
AO,I;MA7NP,yB;K;iFAGJ,gC;MASW,sB;QA2NS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAA  
M,IA3NH,SA2NO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;QAC9C,qBAAO,I;MA5NP,yB;K;yF  
AGJ,yB;MA4nBA,+C;MAkuFI,0D;MA91GJ,uC;QASW,qB;UA4nBO,Q;UAAA,OAAa,SAyFX,YAAR,iBAAQ,C  
AztFW,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9nBc,SA8nBV,CAA  
U,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;UAE5B,oBAAO,I;QahoBP,wB;O;KATJ,C;yFAYYA,yB;MAgo  
BA,+C;MA0tFI,0D;MA11GJ,uC;QASW,qB;UAgOBO,Q;UAAA,OAAa,SAitFX,YAAR,iBAAQ,CAjtfW,CAAb,  
W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAloBc,SAkoBV,CAAU,OAAV,CAAJ  
,C;cAAwB,oBAAO,O;cAAP,sB;UAE5B,oBAAO,I;QApoBP,wB;O;KATJ,C;yFAYYA,yB;MAooBA,+C;MAktFI,  
0D;MAT1GJ,uC;QASW,qB;UAooBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAZsFW,CAAb,W;UAAAd,OAAC,  
cAAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtoBc,SAsoBV,CAAU,OAAV,CAAJ,C;cAAwB,oBA  
AO,O;cAAP,sB;UAE5B,oBAAO,I;QAxoBP,wB;O;KATJ,C;yFAYYA,yB;MAwoBA,+C;MA0sFI,0D;MA11GJ,uC  
;QASW,qB;UAwoBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,  
uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtoBc,SA0oBV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB  
;UAE5B,oBAAO,I;QA5oBP,wB;O;KATJ,C;mfAYYA,yB;MAAA,8C;MnCpHA,6B;MmCoHA,4B;QAQI,OnCIH  
mC,cmCkHpB,MAAR,iBAAQ,CnCIHoB,C;O;KmC0GvC,C;mfAWA,yB;MAAA,8C;MnBhHA,+B;MmBgHA,4B;  
QAQI,OnB9GsC,emB8GvB,MAAR,iBAAQ,CnB9GuB,C;O;KmBsG1C,C;mfAWA,yB;MAAA,8C;MpCxLA,+B;  
MoCwLA,4B;QAQI,OpCtLsC,eoCsLvB,MAAR,iBAAQ,CpCtLuB,C;O;KoC8K1C,C;mfAWA,yB;MAAA,8C;MI  
CtLA,iC;MkCsLA,4B;QAQI,OICpLyC,gBkCoL1B,MAAR,iBAAQ,CiCpL0B,C;O;KkC4K7C,C;mfAWA,yB;MA  
AA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CA  
AJ,C;YAAwB,OAAO,O;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;mfAYYA,yB;MAAA,iE;MAAA,uC;  
QAQoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OA  
AO,O;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;mfAYYA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,  
2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;QACrD,MA  
AM,gCAAuB,mDAAvB,C;O;KATV,C;mfAYYA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QAAhB,OAAgB  
,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;QACrD,MAAM,gCAAuB,mDA  
AvB,C;O;KATV,C;IA YA,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;K;IAGpC,mC;MA  
MI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;K;IAGpC,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,G

AAyB,sBAAK,CAAL,C;K;IAGpC,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;K;+FAGp  
C,gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAA  
wB,OAAO,O;MACrD,OAAO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Q  
AAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;MACrD,OAAO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;  
MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;MACrD,OAA  
O,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,C  
AAJ,C;UAAwB,OAAO,O;MACrD,OAAO,I;K;2FAGX,yB;MAkqGI,8D;MALqGJ,iD;QAOe,oBAAS,C;QAAT,S;U  
AAc,gBA2pGT,cAAR,iBAAQ,C;QA3pGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;K  
APjE,C;2FAUA,yB;MAGqGI,8D;MAhGJ,iD;QAOe,oBAAS,C;QAAT,S;UAAc,gBAypGT,cAAR,iBAAQ,C;QA  
pGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;2FAUA,yB;MA8pGI,8D;MA9p  
GJ,iD;QAOe,oBAAS,C;QAAT,S;UAAc,gBAupGT,cAAR,iBAAQ,C;QAvpGhB,OAAO,OAAc,sBAAI,KAAJ,C  
AAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;2FAUA,yB;MA4pGI,8D;MA5pGJ,iD;QAOe,oBAAS,C;QAAT,S;UAA  
c,gBAqpGT,cAAR,iBAAQ,C;QArpGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE  
,C;IAUA,wC;MAQe,oBAAS,C;MAAT,S;QAAC,gBAknGT,gBAAR,iBAAQ,C;MAlnGhB,OAAO,OAAc,sBAAI,  
KAAJ,CAAtC,GAAsD,I;K;IAGjE,wC;MAQe,oBAAS,C;MAAT,S;QAAC,gBA+mGT,gBAAR,iBAAQ,C;MA/mG  
hB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,wC;MAQe,oBAAS,C;MAAT,S;QAAC,gBA4mGT,g  
BAAR,iBAAQ,C;MA5mGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,wC;MAQe,oBAAS,C;M  
AAT,S;QAAC,gBAymGT,gBAAR,iBAAQ,C;MAzmGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,I;K;uFA  
GjE,yB;MAAA,kD;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,OnCtdU,KmCsdIB,C;O;KAPnB,C;uFAUA,yB  
;MAAA,kD;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,OnBrdY,KmBqdpB,C;O;KAPnB,C;uFAUA,yB;MAA  
A,kD;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,OpClhBY,KoCkhBpB,C;O;KAPnB,C;uFAUA,yB;MAAA,k  
D;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,OICjhBc,KkCihBtB,C;O;KAPnB,C;IGAUA,yB;MAAA,sC;Mn  
C5ZA,6B;MmC4ZA,0BAOgC,yB;QnCnahC,6B;emCmagC,6B;UAAA,qB;YAAE,yBnCzZK,cmCyZK,EnCzZL,C  
mCyZL,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;UtC40Bf,0D;YACI,IsC70B0B,UnCzZK,cH  
suCjB,YAAK,KAAL,CGtuCiB,CmCyZL,CtC60B1B,C;cACI,sBAAO,K;cAAP,wB;UAGR,sBAAO,E;QsCj1BP,  
0B;O;KAPJ,C;IGAUA,yB;MAAA,sC;MnBvZA,+B;MmBuZA,0BAOgC,yB;QnB9ZhC,+B;emB8ZgC,6B;UAAA,q  
B;YAAE,yBnBpZQ,emBoZE,EnBpZF,CmBoZR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;Ut  
C80Bf,0D;YACI,IsC/0B0B,UnBpZQ,enBmuCpB,YAAK,KAAL,CmBnuCoB,CmBoZR,CtC+0B1B,C;cACI,sBAA  
O,K;cAAP,wB;UAGR,sBAAO,E;QsCn1BP,0B;O;KAPJ,C;IGAUA,yB;MAAA,sC;MpC9dA,+B;MoC8dA,0BA  
OgC,yB;QpCrehC,+B;eoCqegC,6B;UAAA,qB;YAAE,yBpC3dQ,eoC2dE,EpC3dF,CoC2dR,C;W;S;OAAF,C;MAP  
hC,uC;QAOmB,kBAAR,iB;QAAQ,uB;UtCgyBf,0D;YACI,IsCjyB0B,UpC3dQ,eF4vCpB,YAAK,KAAL,CE5vCo  
B,CoC2dR,CtCiyB1B,C;cACI,sBAAO,K;cAAP,wB;UAGR,sBAAO,E;QsCryBP,0B;O;KAPJ,C;IGAUA,yB;MA  
AA,sC;MIC3dA,iC;MkC2dA,0BAOgC,yB;QIClehC,iC;ekCkegC,6B;UAAA,qB;YAAE,yBICxdW,gBkCwdD,EICx  
dC,CkCwdX,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;UtCkyBf,0D;YACI,IsCnyB0B,UICxd  
W,gBJ2vCvB,YAAK,KAAL,CI3vCuB,CkCwdX,CtCmyB1B,C;cACI,sBAAO,K;cAAP,wB;UAGR,sBAAO,E;Q  
sCvyBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCm5BA,0D;MAAA,+C;MGv1CA,6B;MmCocA,yBAO+B,yB;Q  
nC3c/B,6B;emC2c+B,6B;UAAA,qB;YAAE,yBnCjcM,cmCicI,EnCjcJ,CmCicN,C;W;S;OAAF,C;MAP/B,uC;QAO  
mB,kBAAR,iB;QAAQ,sB;UtCg5BD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,u  
B;YACV,IsCj5ByB,UnCjcM,cHk1CjB,YAAK,KAAL,CGl1CiB,CmCicN,CtCi5BzB,C;cACI,qBAAO,K;cAAP,uB;  
;UAGR,qBAAO,E;QsCr5BP,yB;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCq5BA,0D;MAAA,+C;MmBp1CA,+B;M  
mB+bA,yBAO+B,yB;QnBtc/B,+B;emBsc+B,6B;UAAA,qB;YAAE,yBnB5bS,emB4bC,EnB5bD,CmB4bT,C;W;S;  
OAAF,C;MAP/B,uC;QAOmB,kBAAR,iB;QAAQ,sB;UtCk5BD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UA  
Ad,OAAc,cAAAd,C;YAAc,uB;YACV,IsCn5ByB,UnB5bS,enB+0CpB,YAAK,KAAL,CmB/0CoB,CmB4bT,CtCm5  
BzB,C;cACI,qBAAO,K;cAAP,uB;UAGR,qBAAO,E;QsCv5BP,yB;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCu2B  
A,0D;MAAA,+C;ME72CA,+B;MoCsgBA,yBAO+B,yB;QpC7gB/B,+B;eoC6gB+B,6B;UAAA,qB;YAAE,yBpCng  
BS,eoCmgBC,EpCngBD,CoCmgBT,C;W;S;OAAF,C;MAP/B,uC;QAOmB,kBAAR,iB;QAAQ,sB;UtCo2BD,Q;U  
AAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,IsCr2ByB,UpCngBS,eFw2CpB,  
YAAK,KAAL,CEx2CoB,CoCmgBT,CtCq2BzB,C;cACI,qBAAO,K;cAAP,uB;UAGR,qBAAO,E;QsCz2BP,yB;

O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCy2BA,0D;MAAA,+C;MI52CA,iC;MkCmgBA,yBAO+B,yB;QlC1gB/B,iC;e  
kC0gB+B,6B;UAAA,qB;YAAE,yBICHgBY,gBkCggBF,ElChgBE,CkCggBZ,C;W;S;OAAF,C;MAP/B,uC;QAOMB  
,kBAAR,iB;QAAQ,sB;;UtCs2BD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;Y  
ACV,IsCv2ByB,UlChgBY,gBJu2CvB,YAAK,KAAL,CiV2CuB,CkCggBZ,CtCu2BzB,C;cACI,qBAAO,K;cAAP,u  
B;;;UAGR,qBAAO,E;;;QsC32BP,yB;O;KAPJ,C;iFAUA,yB;MAAA,4C;MnC5eA,6B;MmC4eA,4B;QAWI,OnC7e  
mC,cmC6epB,KAAR,iBAAQ,CnC7eoB,C;O;KmCkevC,C;iFAcA,yB;MAAA,4C;MnB3eA,+B;MmB2eA,4B;QAW  
I,OnB5esC,emB4evB,KAAR,iBAAQ,CnB5euB,C;O;KmBie1C,C;iFAcA,yB;MAAA,4C;MpCtjBA,+B;MoCsJBA,4  
B;QAWI,OpCvjBsC,eoCujBvB,KAAR,iBAAQ,CpCvjBuB,C;O;KoC4iB1C,C;iFAcA,yB;MAAA,4C;MICvjBA,iC;  
MkCujBA,4B;QAWI,OICxjByC,gBkCwjB1B,KAAR,iBAAQ,CiCxB0B,C;O;KkC6iB7C,C;iFAcA,yB;MAAA,+C;  
MAAA,iE;MA83FI,0D;MA93FJ,uC;QAWkB,Q;QAAA,OAAa,SAm3FX,YAn3FF,SAm3FN,QAAQ,CAAn3FW,CA  
Ab,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YA  
AwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KafV,C;iFAkBA,yB;MAAA,+C;MAAA,iE;MAo3FI,0  
D;Map3FJ,uC;QAWkB,Q;QAAA,OAAa,SAy2FX,YAz2FF,SAy2FN,QAAQ,CAz2FW,CAAb,W;QAAd,OAAc,cA  
Ad,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,  
MAAM,gCAAuB,mDAAvB,C;O;KafV,C;iFAkBA,yB;MAAA,+C;MAAA,iE;MA02FI,0D;MA12FJ,uC;QAWkB,  
Q;QAAA,OAAa,SA+1FX,YA/1FF,SA+1FN,QAAQ,CA/1FW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,c  
AAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDA  
AvB,C;O;KafV,C;iFAkBA,yB;MAAA,+C;MAAA,iE;MAg2FI,0D;MAh2FJ,uC;QAWkB,Q;QAAA,OAAa,SAq1F  
X,YAr1FF,SAq1FN,QAAQ,CAr1FW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;  
UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KafV,C;+FAk  
BA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAAy,OnC9sBM,KmC8sBIB,C;O;KAPnB,C;+FAU  
A,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAAy,OpC1wBQ,KoC0wBpB,C;O;KAPnB,C;+FAUA,y  
B;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAAy,OICzwBU,KkCywBtB,C;O;KAPnB,C;IAUA,kC;M  
AQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAQI,OAAW,mBAAJ,  
GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,s  
BAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP  
,IAAL,C;K;6FAGpC,yB;MAAA,+C;MAkuFI,0D;MALuFJ,uC;QASkB,Q;QAAA,OAAa,SAytFX,YAzFF,SAytFN,  
QAAQ,CAztFW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,  
OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAbX,C;6FAGBA,yB;MAAA,+C;MA0tFI,0D;MA1tFJ,u  
C;QASkB,Q;QAAA,OAAa,SAitFX,YAjtFF,SAitFN,QAAQ,CAjtFW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;U  
ACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAbX  
,C;6FAGBA,yB;MAAA,+C;MAktFI,0D;MAItFJ,uC;QASkB,Q;QAAA,OAAa,SAysFX,YAzsFF,SAysFN,QAAQ,C  
AzsFW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,C  
AAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAbX,C;6FAGBA,yB;MAAA,+C;MA0sFI,0D;MA1sFJ,uC;QASk  
B,Q;QAAA,OAAa,SAisFX,YAjsFF,SAisFN,QAAQ,CAjsFW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,c  
AAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAbX,C;qF  
AgBA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;qFAYA,yB;MAAA,mC;  
MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B  
;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO  
,cAAP,C;O;KATX,C;IAYA,sC;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAA  
I,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,sC;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MAC  
V,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,sC;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iB  
AAvB,C;MACV,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,sC;MAQI,IAAI,mBAAJ,C;QACI,MAA  
M,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;iGAGX,yB;MAAA,mC;MAA  
A,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;iGAWA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QA  
QI,OAAO,wBAAa,cAAb,C;O;KARX,C;iGAWA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,c  
AAb,C;O;KARX,C;iGAWA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;I

AWA,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX  
,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,4C;  
MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,4C;MAO  
I,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;qFAGX,yB;MAAA,g  
D;MnCh8BA,6B;MmCg8BA,4B;QAOI,OnC77BmC,cmC67BpB,OAAR,iBAAQ,CnC77BoB,C;O;KmCs7BvC,C;q  
FAUA,yB;MAAA,gD;MnB37BA,+B;MmB27BA,4B;QAOI,OnBx7BsC,emBw7BvB,OAAR,iBAAQ,CnBx7BuB,C  
;O;KmBi7B1C,C;qFAUA,yB;MAAA,gD;MpClgCA,+B;MoCkgCA,4B;QAOI,OpC//BsC,eoC+/BvB,OAAR,iBAA  
Q,CpC//BuB,C;O;KoCw/B1C,C;qFAUA,yB;MAAA,gD;MIC//BA,iC;MkC+/BA,4B;QAOI,OIC5/ByC,gBkC4/B1B,  
OAAR,iBAAQ,CIC5/B0B,C;O;KkCq/B7C,C;qFAUA,yB;MAAA,kF;MAAA,iE;MAAA,wB;MAAA,8B;MAAA,uC  
;QASoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACI,2B;QAaHb,OAAGb,cAAhB,C;UAAgB,yB;UACZ,I  
AAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,  
QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,0D;O;KAlBX,C;  
qFAqBA,yB;MAAA,kF;MAAA,iE;MAAA,0B;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAqB,I;QACrB,  
YAAY,K;QACI,2B;QAaHb,OAAGb,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA  
AJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UA  
AY,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KAlBX,C;qFAqBA,yB;MAAA,kF;MAAA,iE;MAAA,0B  
;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACI,2B;QAaHb,OAAGb,cAAhB,  
C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;Y  
ACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,O  
AAO,2D;O;KAlBX,C;qFAqBA,yB;MAAA,kF;MAAA,iE;MAAA,4B;MAAA,8B;MAAA,uC;QASoB,UAST,M;Q  
AXP,aAAsB,I;QACtB,YAAY,K;QACI,2B;QAaHb,OAAGb,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,C  
AAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IA  
AI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,4D;O;KAlBX,C;IAqBA,oC;MAMI,OA  
AW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAF,GAA4B,I;K;IAGvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,  
sBAAK,CAAL,CAAF,GAA4B,I;K;IAGvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAF,GAA  
4B,I;K;IAGvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAF,GAA4B,I;K;iGAGvC,gC;MASoB  
,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACI,2B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QACZ,IAAI,UAAU,O  
AAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,K  
AAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACI,  
2B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,O  
AAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;i  
GAGX,gC;MASoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACI,2B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QA  
CZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAG  
hB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAsB,I;MACTB  
,YAAY,K;MACI,2B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,K  
AAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MA  
CnB,OAAO,M;K;IAGX,+B;MxBrhDI,IAAI,EwB+hDI,KAAK,CxB/hDT,CAAJ,C;QACI,cwB8hDc,sD;QxB7hDd,  
MAAM,gCAAYB,OAAQ,WAAjC,C;;MwB8hDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,C  
AApB,C;K;IAGX,+B;MxBniDI,IAAI,EwB6iDI,KAAK,CxB7iDT,CAAJ,C;QACI,cwB4iDc,sD;QxB3iDd,MAAM,  
gCAAYB,OAAQ,WAAjC,C;;MwB4iDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;  
K;IAGX,+B;MxBjjDI,IAAI,EwB2jDI,KAAK,CxB3jDT,CAAJ,C;QACI,cwB0jDc,sD;QxBzjDd,MAAM,gCAAYB,  
OAAQ,WAAjC,C;;MwB0jDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,  
+B;MxBjDI,IAAI,EwBykDI,KAAK,CxBzkDT,CAAJ,C;QACI,cwBwkDc,sD;QxBvkDd,MAAM,gCAAYB,OAAQ  
,WAAjC,C;;MwBwkDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,mC;M  
xB7kDI,IAAI,EwBulDI,KAAK,CxBvlDT,CAAJ,C;QACI,cwBslDc,sD;QxBrlDd,MAAM,gCAAYB,OAAQ,WAAj  
C,C;;MwBslDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,mC;MxB3lDI,  
IAAI,EwBqmDI,KAAK,CxBrmDT,CAAJ,C;QACI,cwBomDc,sD;QxBnmDd,MAAM,gCAAYB,OAAQ,WAAjC,C;  
;MwBomDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,mC;MxBzmDI,IA

AI,EwBmnDI,KAAK,CxBnnDT,CAAJ,C;QACI,cwBknDc,sD;QxBjnDd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mw  
BknDV,OAAO,mBAAGB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,mC;MxBvnDI,IAAI,E  
wBioDI,KAAK,CxBjoDT,CAAJ,C;QACI,cwBgoDc,sD;QxB/nDd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MwBgoD  
V,OAAO,mBAAGB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;mGAGX,yB;MAAA,4C;MAAA,qD  
;MAkqEI,8D;MAIqEJ,uC;QASI,iBAypEgB,cAAR,iBAAQ,CAzpEhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UA  
AU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;O;KAdX,C  
;mGAIbA,yB;MAAA,4C;MAAA,qD;MAypEI,8D;MAzpEJ,uC;QASI,iBAgpEgB,cAAR,iBAAQ,CAhpEhB,WAA+  
B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IA  
AL,C;;;QAGf,OAAO,W;O;KAdX,C;mGAIbA,yB;MAAA,4C;MAAA,qD;MAgpEI,8D;MAhpEJ,uC;QASI,iBAuoE  
gB,cAAR,iBAAQ,CAvoEhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YA  
CI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;O;KAdX,C;mGAIbA,yB;MAAA,4C;MAAA,qD;M  
AuoEI,8D;MAvoEJ,uC;QASI,iBA8nEgB,cAAR,iBAAQ,CA9nEhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU  
,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;;QAGf,OAAO,W;O;KAdX,C;2F  
AiBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;  
UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,I  
AAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAEbB,OAAO,I;O;KAlBX,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWi  
B,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IA  
AK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;Q  
AEbB,OAAO,I;O;KAlBX,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;Q  
ACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,U  
AAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAEbB,OAAO,I;O;KAlBX,C;2FAqBA,yB  
;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;  
UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAA  
I,IAAJ,C;YACL,WAAW,I;;;QAEbB,OAAO,I;O;KAlBX,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,g  
B;QAgRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhRa,SAgRT,CAAU,OAAV,CAAJ,C;Y  
AAwB,WAAy,WAAI,OAAJ,C;;QAhR1D,OAIRO,W;O;KA1RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kB  
AAS,gB;QAIrA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjRc,SAiRV,CAAU,OAAV,CAA  
J,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAJR1D,OAKRO,W;O;KA3RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QAS  
W,kBAAS,gB;QAKrA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAIRc,SAkRV,CAAU,OAA  
V,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAlR1D,OAmRO,W;O;KA5RX,C;qFAYA,yB;MAAA,+D;MAAA,  
uC;QASW,kBAAS,gB;QAmRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IANRe,SAmRX,CA  
AU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAnR1D,OAoRO,W;O;KA7RX,C;kGAYA,yB;MAAA,+D  
;MAAA,uC;QAWW,kBAAGB,gB;QAm5HV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA  
11HT,IAzDsC,SAyDIC,EA01HkB,cA11HIB,EA01HkB,sBA11HIB,WA01H2B,IA11H3B,CAAJ,C;YAA2C,sBA01  
HZ,IA11HY,C;;QAzD/C,OA2DO,W;O;KAtEX,C;mGAcA,yB;MAAA,+D;MAAA,uC;QAWW,kBAAGB,gB;QAK5  
HV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAt1HT,IA5DuC,SA4DnC,EAs1HkB,cAt1H  
IB,EAs1HkB,sBA11HIB,WAs1H2B,IA11H3B,CAAJ,C;YAA2C,sBA11HZ,IA11HY,C;;QA5D/C,OA8DO,W;O;KAz  
EX,C;mGAcA,yB;MAAA,+D;MAAA,uC;QAWW,kBAAGB,gB;QAI5HV,gB;QADb,YAAY,C;QACC,2B;QAAb,O  
AAa,cAAb,C;UAAa,sB;UA11HT,IA/DuC,SA+DnC,EAK1HkB,cA11HIB,EAK1HkB,sBA11HIB,WAK1H2B,IA11H3  
B,CAAJ,C;YAA2C,sBAK1HZ,IA11HY,C;;QA/D/C,OAIEO,W;O;KA5EX,C;mGAcA,yB;MAAA,+D;MAAA,uC;Q  
AWW,kBAAGB,gB;QAG5HV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA90HT,IAIEwC,  
SAkEpC,EA80HkB,cA90HIB,EA80HkB,sBA90HIB,WA80H2B,IA90H3B,CAAJ,C;YAA2C,sBA80HZ,IA90HY,C  
;;QAIE/C,OAoEO,W;O;KA/EX,C;uGAcA,6C;MAS2HiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;  
QAAa,sB;QA11HT,IAAI,WA01HkB,cA11HIB,EA01HkB,sBA11HIB,WA01H2B,IA11H3B,CAAJ,C;UAA2C,sBA  
01HZ,IA11HY,C;;MAE/C,OAAO,W;K;uGAGX,6C;MAK2HiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cA  
Ab,C;QAAa,sB;QAt1HT,IAAI,WAs1HkB,cAt1HIB,EAs1HkB,sBA11HIB,WAs1H2B,IA11H3B,CAAJ,C;UAA2C,s  
BA11HZ,IA11HY,C;;MAE/C,OAAO,W;K;uGAGX,6C;MA81HiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,c  
AAb,C;QAAa,sB;QA11HT,IAAI,WAK1HkB,cA11HIB,EAK1HkB,sBA11HIB,WAK1H2B,IA11H3B,CAAJ,C;UAA2

C,sBAk1HZ,IA11HY,C;;MAE/C,OAAO,W;K;uGAGX,6C;MA01HiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OA  
Aa,cAAb,C;QAAa,sB;QA90HT,IAAI,WA80HkB,cA90HIB,EA80HkB,sBA90HIB,WA80H2B,IA90H3B,CAAJ,C;  
UAA2C,sBA80HZ,IA90HY,C;;MAE/C,OAAO,W;K;2FAGX,yB;MAAA,+D;MAAA,uC;QASW,kBAAY,gB;QAg  
DH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAhDY,SAgDX,CAAU,OAAV,CAAL,C;  
YAAyB,WAAY,WAAI,OAAJ,C;;QAhd3D,OAI DO,W;O;KA1DX,C;2FAYA,yB;MAAA,+D;MAAA,uC;QASW,k  
BAAY,gB;QAI DH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAjDa,SAiDZ,CAAU,OA  
AV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAjd3D,OAKDO,W;O;KA3DX,C;2FAYA,yB;MAAA,+D;MAAA  
,uC;QASW,kBAAY,gB;QAKDH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAIDa,SAK  
DZ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAID3D,OAmDO,W;O;KA5DX,C;2FAYA,yB;M  
AAA,+D;MAAA,uC;QASW,kBAAY,gB;QAmDH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,I  
AAI,CAnDc,SAmDb,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAnD3D,OAoDO,W;O;KA7DX,  
C;+FAYA,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV  
,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;+FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OA  
AgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC  
3D,OAAO,W;K;+FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,  
UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;+FAGX,6C;MASoB,Q;MAAA,2  
B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,  
OAAJ,C;;MAC3D,OAAO,W;K;yFAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAA  
M,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;yFAGX,6C;MASoB,Q;  
MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAA  
I,OAAJ,C;;MAC1D,OAAO,W;K;yFAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAA  
M,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;yFAGX,6C;MASoB,Q;  
MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAA  
I,OAAJ,C;;MAC1D,OAAO,W;K;IAGX,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvjEe,W;;MgCwjEtC,OAA  
4D,SA0iDrD,cAAkB,cAAR,iBAAQ,EA1iDN,OAAQ,MA0iDF,EA1iDS,OAAQ,aAAR,GAAuB,CAAvB,IA0iDT,C  
AAIB,CA1iDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCjkEe,W;;MgCkkEtC,OAA4D,SAgjDr  
D,eAAmB,cAAR,iBAAQ,EAhjDP,OAAQ,MAgjDD,EAhjDQ,OAAQ,aAAR,GAAuB,CAAvB,IAgjDR,CAAnB,C  
AhjDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3kEe,W;;MgC4kEtC,OAA4D,UAsjDrD,eAA  
mB,cAAR,iBAAQ,EA tjDP,OAAQ,MA sjDD,EA tjDQ,OAAQ,aAAR,GAAuB,CAAvB,IASjDR,CAAnB,CAtjDqD,C  
;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCrIEe,W;;MgCslEtC,OAA4D,UA4jDrD,gBAAoB,cAAR,i  
BAAQ,EA5jDR,OAAQ,MA4jDA,EA5jDO,OAAQ,aAAR,GAAuB,CAAvB,IA4jDP,CAApB,CA5jDqD,C;K;IAGh  
E,sC;MASKB,Q;MAHd,WAAmB,wBAAR,OAAQ,EA AwB,EA AxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OA  
AO,W;MACtB,WAAW,iBAAgB,IAAhB,C;MACG,yB;MAAd,OA Ac,cAA d,C;QA Ac,uB;QACV,IAAK,WAAI,sB  
AAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MASKB,Q;MAHd,WAAmB,wBAAR,OAAQ,EA AwB,EA AxB,  
C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBA AiB,IAAjB,C;MACG,yB;MAAd,OA Ac,c  
AA d,C;QA Ac,uB;QACV,IAAK,WAAI,sBA AI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MASKB,Q;MAHd,W  
AAmB,wBAAR,OAAQ,EA AwB,EA AxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iB  
AA iB,IAAjB,C;MACG,yB;MAAd,OA Ac,cAA d,C;QA Ac,uB;QACV,IAAK,WAAI,sBA AI,KAAJ,CAAJ,C;;MAET  
,OAAO,I;K;IAGX,sC;MASKB,Q;MAHd,WAAmB,wBAAR,OAAQ,EA AwB,EA AxB,C;MACnB,IAAI,SAAQ,CA  
AZ,C;QAAe,OAAO,W;MACtB,WAAW,iBA AkB,IAAiB,C;MACG,yB;MAAd,OA Ac,cAA d,C;QA Ac,uB;QACV,I  
AAK,WAAI,sBA AI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,2C;MAMI,OAAO,cAAkB,aAAR,iBAAQ,EA AW,  
OAA X,CAAI B,C;K;IAGX,2C;MAMI,OAAO,eAAmB,aAAR,iBAAQ,EA AW,OAA X,CAAnB,C;K;IAGX,2C;MA  
MI,OAAO,eAAmB,aAAR,iBAAQ,EA AW,OAA X,CAAnB,C;K;IAGX,2C;MAMI,OAAO,gBAAoB,aAAR,iBAAQ  
,EA AW,OAA X,CAApB,C;K;IAGX,2C;MAMI,OAAO,cAAkB,cAAR,iBAAQ,EA AW,OAA X,CAAI B,C;K;IAGX,  
2C;MAMI,OAAO,eAAmB,cAAR,iBAAQ,EA AW,OAA X,CAAnB,C;K;IAGX,2C;MAMI,OAAO,eAAmB,aAAR,i  
BAAQ,EA AW,OAA X,CAAnB,C;K;IAGX,2C;MAMI,OAAO,gBAAoB,cAAR,iBAAQ,EA AW,OAA X,CAApB,C;  
K;IAGX,+B;MAGBiB,Q;MxB7xEb,IAAI,EwBuxEI,KAAK,CxBvxET,CAAJ,C;QACI,cwBsxEc,sD;QxBrxEd,MA  
AM,gCAAyB,OAAQ,WAAjC,C;;MwBsxEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAA



T,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,Y  
AA Y,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IA  
AJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,+B;MAGBiB,Q;MxBrzEb,IAAI,EwB+yE  
I,KAAK,CxB/yET,CAAJ,C;QACI,cwB8yEc,sD;QxB7yEd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MwB8yEV,IAAI,  
MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAA  
T,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAA Y,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACE  
,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAE  
R,OAAO,I;K;IAGX,+B;MAGBiB,Q;MxB70Eb,IAAI,EwBu0EI,KAAK,CxBv0ET,CAAJ,C;QACI,cwBs0Ec,sD;Qx  
Br0Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;;MwBs0EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,  
KAAK,cAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,  
C;MACnB,YAA Y,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAA  
K,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,+B;MAGBiB,Q;MxB2Eeb,IA  
AI,EwB+1EI,KAAK,CxB/1ET,CAAJ,C;QACI,cwB81Ec,sD;QxB71Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;;MwB  
81EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,  
MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAA Y,C;MACZ,WAAW,iBAAkB,CA  
AlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;  
UACI,K;;MAER,OAAO,I;K;IAGX,mC;MxB72EI,IAAI,EwBu3EI,KAAK,CxBv3ET,CAAJ,C;QACI,cwBs3Ec,sD;  
QxB3Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;;MwBs3EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WA  
AW,c;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sB  
AAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,U  
AA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MxB14EI,IAAI,EwB  
44EI,KAAK,CxB54ET,CAAJ,C;QACI,cwB24Ec,sD;QxB14Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;;MwB24EV,I  
AAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MA  
CtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAA  
iB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;  
MACT,OAAO,I;K;IAGX,mC;MxBv5EI,IAAI,EwBi6EI,KAAK,CxBj6ET,CAAJ,C;QACI,cwBg6Ec,sD;QxB/5Ed,  
MAAM,gCAAyB,OAAQ,WAAjC,C;;MwBg6EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;M  
ACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OA  
AO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA  
7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MxB56EI,IAAI,EwBs7EI,KAA  
K,CxBt7ET,CAAJ,C;QACI,cwBq7Ec,sD;QxBp7Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;;MwBq7EV,IAAI,MAA  
K,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,  
MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAkB,CAAI  
B,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,  
OAAO,I;K;mGAGX,yB;MAAA,4C;MAAA,gD;MA52CI,8D;MA22CJ,uC;QASI,iBA61CgB,cAAR,iBAAQ,CA71C  
hB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ  
,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;mGAIbA,yB;MAAA,4C;MAAA,gD;MA61CI,8D;MA71CJ,uC;QA  
SI,iBAo1CgB,cAAR,iBAAQ,Cap1ChB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,C  
AAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;mGAIbA,yB;MAAA,4C;M  
AAA,gD;MAo1CI,8D;MAp1CJ,uC;QASI,iBA20CgB,cAAR,iBAAQ,CA30ChB,WAA+B,CAA/B,U;UACI,IAAI,C  
AAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O  
;KAdX,C;mGAIbA,yB;MAAA,4C;MAAA,gD;MA20CI,8D;MA30CJ,uC;QASI,iBAk0CgB,cAAR,iBAAQ,CA10C  
hB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ  
,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;2FAiBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;  
QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,W  
AAI,IAAJ,C;;QAET,OAAO,I;O;KAFX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QAC  
E,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,  
IAAJ,C;;QAET,OAAO,I;O;KAFX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;

QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,  
C;;QAET,OAAO,I;O;KAFX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;QAA  
b,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QA  
ET,OAAO,I;O;KAFX,C;uFAkBA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MA  
AA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAA  
Q,C;O;KAPZ,C;uFAUA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD;  
MAAA,gD;QAaY,QAAR,iBAAQ,EAAQ,SAAR,EAAmB,OAAAnB,C;O;KAbZ,C;uFAgBA,yB;MAAA,kD;MAAA,  
gD;QAaY,QAAR,iBAAQ,EAAQ,SAAR,EAAmB,OAAAnB,C;O;KAbZ,C;uFAgBA,yB;MAAA,kD;MAAA,gD;QAa  
Y,QAAR,iBAAQ,EAAQ,SAAR,EAAmB,OAAAnB,C;O;KAbZ,C;uFAgBA,yB;MAAA,kD;MAAA,gD;QAaY,QAA  
R,iBAAQ,EAAQ,SAAR,EAAmB,OAAAnB,C;O;KAbZ,C;IAgBA,gC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,W;MA  
CtB,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,W;  
MACtB,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,  
W;MACtB,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QAAe,OA  
AO,W;MACtB,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;K;kGAGX,yB;MAAA,8D;MAAA,uC;MAA  
A,4B;QAOI,OAAO,mBAAkB,cAAR,iBAAQ,CAAI,C;O;KAPX,C;kGAUA,yB;MAAA,8D;MAAA,yC;MAAA,4  
B;QAOI,OAAO,oBAAmB,cAAR,iBAAQ,CAAnB,C;O;KAPX,C;mGAUA,yB;MAAA,8D;MAAA,yC;MAAA,4B;  
QAOI,OAAO,qBAAoB,cAAR,iBAAQ,CAApB,C;O;KAPX,C;IAUA,+B;MAMI,sBAAQ,4BAAR,C;K;IAGJ,+B;MA  
MI,sBAAQ,4BAAR,C;K;IAGJ,+B;MAMI,sBAAQ,4BAAR,C;K;IAGJ,+B;MAMI,sBAAQ,4BAAR,C;K;IAGJ,uC;  
MAQI,aA8+BgB,gBAAR,iBAAQ,CA9+BhB,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAA  
R,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CA  
AL,EAAU,IAAV,C;;K;IAIR,uC;MAQI,aA8+BgB,gBAAR,iBAAQ,CAt+BhB,OAA2B,CAA3B,M;QACI,QAAQ,M  
AAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAA  
L,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;IAIR,uC;MAQI,aA89BgB,gBAAR,iBAAQ,CA99BhB,OA  
A2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBA  
AK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;IAIR,uC;MAQI,aA9BgB,  
gBAAR,iBAAQ,CAt9BhB,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW  
,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C  
;;K;IAIR,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QApSI,UAAR,iBAAQ,C;;K;IAySZ,sC;MAMI,IAAI,iBAAO  
,CAAX,C;QACI,iB;QAtSI,UAAR,iBAAQ,C;;K;IA2SZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QAxSI,UAAR  
,iBAAQ,C;;K;IA6SZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QA1SI,UAAR,iBAAQ,C;;K;IA+SZ,6B;MAMoB  
,kBA+nBT,cAAU,iBvB58EO,QuB48EjB,C;MA/nBiB,mB;MAAxB,OAAiC,SrBv3F1B,WqBu3F0B,C;K;IAGrC,8B  
;MAMoB,kBAkoBT,eAAmB,UAAR,iBAAQ,CAAnB,C;MAloBiB,mB;MAAxB,OAAiC,SrBh4F1B,WqBg4F0B,C;  
K;IAGrC,8B;MAMoB,kBAqoBT,eAAW,iBvBx/EM,QuBw/EjB,C;MAroBiB,mB;MAAxB,OAAiC,UrBz4F1B,Wq  
By4F0B,C;K;IAGrC,8B;MAMoB,kBAwoBT,gBAAy,iBvB1/EK,QuB0/EjB,C;MAxoBiB,mB;MAAxB,OAAiC,Ur  
Bl5F1B,WqBk5F0B,C;K;IAGrC,kC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0lBd,cA1lBA,SA0lBU,  
QvB58EO,QuB48EjB,C;MA1lBsB,mB;MAA7B,OrB55FO,W;K;IqB+5FX,kC;MAMI,IAAI,mBAAJ,C;QAAe,OA  
AO,S;MACD,kBA4lBd,eAAmB,UA5lBnB,SA4lBW,QAAQ,CAAnB,C;MA5lBsB,mB;MAA7B,OrBt6FO,W;K;Iq  
By6FX,kC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8lBd,eA9lBA,SA8lBW,QvBx/EM,QuBw/EjB,C;  
MA9lBsB,mB;MAA7B,OrBh7FO,W;K;IqBm7FX,mC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgmBd  
,gBAhmBA,SAGmBY,QvB1/EK,QuB0/EjB,C;MAhmBsB,mB;MAA7B,OrB17FO,W;K;IqB67FX,4C;MAMI,IAAI,  
mBAAJ,C;QAAe,OAAO,S;MACD,kBAkjBd,cAljBA,SAkjBU,QvB58EO,QuB48EjB,C;MAljBsB,8B;MAA7B,Or  
Bp8FO,W;K;IqBu8FX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAojBd,eAAmB,UApjBnB,SAojBW,  
QAAQ,CAAnB,C;MApjBsB,8B;MAA7B,OrB98FO,W;K;IqBi9FX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;M  
ACD,kBASjBd,eAtjBA,SAsjBW,QvBx/EM,QuBw/EjB,C;MATjBsB,8B;MAA7B,OrBx9FO,W;K;IqB29FX,6C;MA  
MI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwjBd,gBAxjBA,SAwjBY,QvB1/EK,QuB0/EjB,C;MAxjBsB,8B;  
MAA7B,OrB1+FO,W;K;IqBq+FX,uC;MAQoB,kBAygbT,cAAU,iBvB58EO,QuB48EjB,C;MAzgBiB,mB;MAAxB  
,OAAiC,YrB7+F1B,WqB6+F0B,C;K;IAGrC,wC;MAQoB,kBA0gBT,eAAmB,UAAR,iBAAQ,CAAnB,C;MA1gBi

B,mB;MAAxB,OAAiC,YrBx/F1B,WqBw/F0B,C;K;IAGrC,wC;MAQoB,kBA2gBT,eAAW,iBvBx/EM,QuBw/EjB,C;MA3gBiB,mB;MAAxB,OAAiC,YrBngG1B,WqBmgG0B,C;K;IAGrC,wC;MAQoB,kBA4gBT,gBAAy,iBvB1/EK,QuB0/EjB,C;MA5gBiB,mB;MAAxB,OAAiC,YrB9gG1B,WqB8gG0B,C;K;4FAGrC,qB;MAQI,OAAO,iB;K;0FAGX,qB;MAQI,OAAO,iB;K;4FA+BX,qB;MAQI,OAAO,iB;K;8FAGX,qB;MAQI,OAAO,iB;K;8FAGX,yB;MAA A,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;O;KARX,C;4FAWA,yB;MAAA,uC;MAAA,4B;QAQI,OAAO,mBAAU,SAAV,C;O;KARX,C;8FAWA,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;O;KARX,C;g GAWA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAy,SAAZ,C;O;KARX,C;IAWA,2C;MASI,OAAy,gBAAL, SAAK,EAAC,KAAc,C;K;IAGhB,2C;MASI,OAAy,gBAAL,SAAK,EAAC,KAAc,C;K;IAGhB,2C;MASI,OAAy,g BAAL,SAAK,EAAC,KAAc,C;K;IAGhB,2C;MASI,OAAy,gBAAL,SAAK,EAAC,KAAc,C;K;IAGhB,2C;MAOI,O AAcB,cAAc,4CAAc,EAAC,oCAAc,C;K;IAGzB,2C;MAOI,OAAqB,cAAc,4CAAc,EAAC,oCAAc,C;K;IAGzB,2C; MAOI,OAAqB,cAAc,4CAAc,EAAC,oCAAc,C;K;IAGzB,2C;MAOI,OAAqB,cAAc,4CAAc,EAAC,oCAAc,C;K;IA GzB,sC;MAQI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAA Y,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAMI,OAAqB,gBAAd,4CAAc, C;K;IAGzB,sC;MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC;MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC; MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC;MAUI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAUI,OAAy,kBA AL,SAAK,C;K;IAGhB,sC;MAUI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAUI,OAAy,kBAAL,SAAK,C;K;IAGh B,sC;MAQW,Q;MAAP,OAAO,sDAAmB,IAAnB,EAAYB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,sC;MA QW,Q;MAAP,OAAO,sDAAmB,IAAnB,EAAYB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,sC;MAQW,Q;M AAP,OAAO,sDAAmB,IAAnB,EAAYB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,sC;MAQW,Q;MAAP,OA AO,sDAAmB,IAAnB,EAAYB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;SFAgJd,yB;MvBxhFA,8C;MuBwhFA,kF; QAmB6D,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvBvhF1H,UuBwhF A,iBvBxhFA,EuBwhFiB,WAAy,QvBxhF7B,EuBwhFsC,iBvBxhFiC,EuBwhFyD,UvBxhFzD,EuBwhFqE,QvBxhF rE,C;QuByhFA,OAAO,W;O;KArBX,C;wFAwBA,yB;MvBxhFA,8C;MuBwhFA,kF;QAmB+D,iC;UAAA,oBAAy B,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvBvhF5H,UuBwhFA,iBvBxhFA,EuBwhFiB,W AAY,QvBxhF7B,EuBwhFsC,iBvBxhFiC,EuBwhFyD,UvBxhFzD,EuBwhFqE,QvBxhFrE,C;QuByhFA,OAAO,W; O;KArBX,C;wFAwBA,yB;MvBxnFA,8C;MuBwnFA,kF;QAmB+D,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAA kB,C;QAAG,wB;UAAA,WAAgB,c;QvBvnF5H,UuBwnFA,iBvBxnFA,EuBwnFiB,WAAy,QvBxnF7B,EuBwnFsC ,iBvBxnFiC,EuBwnFyD,UvBxnFzD,EuBwnFqE,QvBxnFrE,C;QuBynFA,OAAO,W;O;KArBX,C;wFAwBA,yB;M vBxnFA,8C;MuBwnFA,kF;QAmBiE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAA gB,c;QvBvnF9H,UuBwnFA,iBvBxnFA,EuBwnFiB,WAAy,QvBxnF7B,EuBwnFsC,iBvBxnFiC,EuBwnFyD,UvB xnFzD,EuBwnFqE,QvBxnFrE,C;QuBynFA,OAAO,W;O;KArBX,C;kFAwBA,yB;MAAA,uC;MAAA,4B;QASI,OA AO,mBAAU,iBvB58EO,QuB48EjB,C;O;KATX,C;oFAYa,yB;MAAA,gD;MAAA,yC;MAAA,4B;QASI,OAAO,o BAAmB,OAAR,iBAAQ,CAAnB,C;O;KATX,C;oFAYa,yB;MAAA,yC;MAAA,4B;QASI,OAAO,oBAAW,iBvBx/ EM,QuBw/EjB,C;O;KATX,C;oFAYa,yB;MAAA,2C;MAAA,4B;QASI,OAAO,qBAAy,iBvB1/EK,QuB0/EjB,C;O ;KATX,C;oFAYa,yB;MAAA,gD;MAAA,uC;MAAA,qC;QAWI,OAAO,mBAAkB,OAAR,iBAAQ,EAAO,OAAP, CAAlB,C;O;KAXX,C;oFAcA,yB;MAAA,gD;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,EA AO,OAAP,CAAnB,C;O;KAXX,C;oFAcA,yB;MAAA,+C;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR, iBAAQ,EAAO,OAAP,CAAnB,C;O;KAXX,C;oFAcA,yB;MAAA,gD;MAAA,2C;MAAA,qC;QAWI,OAAO,qBAA oB,OAAR,iBAAQ,EAAO,OAAP,CAApB,C;O;KAXX,C;4FAcA,yB;MAAA,0D;MAAA,uC;MAAA,gD;QAaI,OA AO,mBAAkB,YAAR,iBAAQ,EAAy,SAAZ,EAAuB,OAAvB,CAAlB,C;O;KAbX,C;8FAgBA,yB;MAAA,0D;MA AAY,C;MAAA,gD;QAaI,OAAO,oBAAmB,YAAR,iBAAQ,EAAy,SAAZ,EAAuB,OAAvB,CAAnB,C;O;KAbX,C; 8FAgBA,yB;MAAA,0D;MAAA,yC;MAAA,gD;QAaI,OAAO,oBAAmB,YAAR,iBAAQ,EAAy,SAAZ,EAAuB,O AAvB,CAAnB,C;O;KAbX,C;6FAgBA,yB;MAAA,0D;MAAA,2C;MAAA,gD;QAaI,OAAO,qBAAoB,YAAR,iBA AQ,EAAy,SAAZ,EAAuB,OAAvB,CAApB,C;O;KAbX,C;IAGBA,sD;MAWyC,yB;QAAA,YAAiB,C;MAAG,uB; QAAA,UAAe,c;MACHe,OAAR,iBAAQ,EAAK,OnCv8GoB,KmCu8GzB,EAA8B,SAAtB,EAAiC,OAAjC,C;K;IA GZ,wD;MAW2C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACIE,OAAR,iBAAQ,EAAK,OnB38GsB,K mB28G3B,EAAuB,SAAvB,EAAkC,OAAIC,C;K;IAGZ,wD;MAW2C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,U AAe,c;MACIE,OAAR,iBAAQ,EAAK,OpC7gHsB,KoC6gH3B,EAAuB,SAAvB,EAAkC,OAAIC,C;K;IAGZ,wD;M

AW6C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACpE,OAAR,iBAAQ,EAAK,OICjhHwB,KkCihH7B,E  
AAwB,SAAxB,EAAmC,OAAnC,C;K;8FASR,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KA  
AhB,C;8FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;+FAQA,yB;MAAA,0D;  
MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;+FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YA  
AR,iBAAQ,C;O;KAAhB,C;kGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;kG  
AQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;mGAQA,yB;MAAA,8D;MAAA,4  
B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;mGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAA  
Q,C;O;KAAhB,C;iFAEJ,yB;MAAA,uC;MvBvoEA,iD;MuBuoEA,qC;QAOqB,4B;QAAA,gBAAU,OnC9jHM,K;Q  
mC8jHjC,OOAO,mBvBzoEA,2BAxIK,gBAAW,SAAX,EAwIL,CuByoEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;M  
vBzoEA,iD;MuByoEA,qC;QAOI,OOAO,oBvB3oEA,qBuB2oEW,iBvB3oEX,EAxIK,mBuBmxEgB,OnB7jHO,KJ0  
yCvB,CAwIL,CuB2oEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MvB3qEA,iD;MuB2qEA,qC;QAOsB,4B;QAAA,g  
BAAU,OpC1nHO,K;QoC0nHnC,OOAO,oBvB7qEA,2BAxIK,eAAY,SAAZ,EAwIL,CuB6qEA,C;O;KAPX,C;iFA  
UA,yB;MAAA,2C;MvB7qEA,iD;MuB6qEA,qC;QAOuB,4B;QAAA,gBAAU,OICznHQ,K;QkCynHrC,OOAO,qBv  
B/qEA,2BAxIK,gBAAa,SAAb,EAwIL,CuB+qEA,C;O;KAPX,C;IAUA,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;  
MACZ,aAAqB,UAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;MAAhB,OAAGB,cAAhB,C;Q  
AAgB,yB;QAAU,OOAO,cAAP,EAAO,sBAAP,YAAkB,OnCvmHX,K;;MmCwmHjC,OOAO,cAAU,MAAV,C;K;I  
AGX,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IA  
AP,C;MACL,0B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAU,OOAO,cAAP,EAAO,sBAAP,YAAkB,OnBxmH  
T,K;;MmBymHnC,OOAO,eAAW,MAAX,C;K;IAGX,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,U  
AAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAU,  
OOAO,cAAP,EAAO,sBAAP,YAAkB,OpCvqHT,K;;MoCwqHnC,OOAO,eAAW,MAAX,C;K;IAGX,sC;MAQoB,  
UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;M  
AAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAU,OOAO,cAAP,EAAO,sBAAP,YAAkB,OICxqHP,K;;MkCyqHrC,OA  
AO,gBAAy,MAAZ,C;K;iFAGX,yB;MAAA,uC;MvB/tEA,iD;MuB+tEA,sC;QAOI,OOAO,mBvBjuEA,qBuBiuEU,  
iBvBjuEV,EUbiuEoB,QAAS,QvBjuE7B,CuBiuEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MvBjuEA,iD;MuBiuEA,s  
C;QAOI,OOAO,oBvBnuEA,qBuBmuEW,iBvBnuEX,EUbmuEqB,QAAS,QvBnuE9B,CuBmuEA,C;O;KAPX,C;iF  
AUA,yB;MAAA,yC;MvBnwEA,iD;MuBmwEA,sC;QAOI,OOAO,oBvBrwEA,qBuBqwEW,iBvBrwEX,EUbqwEq  
B,QAAS,QvBrwE9B,CuBqwEA,C;O;KAPX,C;iFAUA,yB;MAAA,2C;MvBrwEA,iD;MuBqwEA,sC;QAOI,OOAO  
,qBvBvwEA,qBuBuwEY,iBvBvwEZ,EUbuwEsB,QAAS,QvBvwE/B,CuBuwEA,C;O;KAPX,C;IAUA,2B;MAQI,I  
AAI,iBAAO,CAAX,C;QAAC,YAAU,SAAV,EAAGB,CAAhB,EAAMB,cAAnB,C;K;IAGIB,2B;MAQI,IAAI,iBAA  
O,CAAX,C;QAAC,YAAU,SAAV,EAAGB,CAAhB,EAAMB,cAAnB,C;K;IAGIB,2B;MAQI,IAAI,iBAAO,CAAX,C  
;QAAC,YAAU,SAAV,EAAGB,CAAhB,EAAMB,cAAnB,C;K;IAGIB,2B;MAQI,IAAI,iBAAO,CAAX,C;QAAC,YA  
AU,SAAV,EAAGB,CAAhB,EAAMB,cAAnB,C;K;IAGIB,+C;MAa0B,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,U  
AAe,c;MACzD,oCAAA,2BAaKB,SAaIB,EAA6B,OAA7B,EAAc,cAAtC,C;MACb,YAAU,SAAV,EAAGB,SAAh  
B,EAA2B,OAA3B,C;K;IAGJ,+C;MAa2B,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC1D,oCAAA,2BA  
aKB,SAaIB,EAA6B,OAA7B,EAAc,cAAtC,C;MACb,YAAU,SAAV,EAAGB,SAAhB,EAA2B,OAA3B,C;K;IAG  
J,+C;MAa2B,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC1D,oCAAA,2BAaKB,SAaIB,EAA6B,OAA7  
B,EAAc,cAAtC,C;MACb,YAAU,SAAV,EAAGB,SAAhB,EAA2B,OAA3B,C;K;IAGJ,+C;MAa4B,yB;QAAA,YA  
AiB,C;MAAG,uB;QAAA,UAAe,c;MAC3D,oCAAA,2BAaKB,SAaIB,EAA6B,OAA7B,EAAc,cAAtC,C;MACb,  
YAAU,SAAV,EAAGB,SAAhB,EAA2B,OAA3B,C;K;IAGJ,0D;MAaI,kBAaK,SAAL,EAAGB,OAAhB,C;MAh8C  
Q,WAAR,iBAAQ,EAi8CA,SAj8CA,EAi8CW,OAj8CX,C;K;IAo8CZ,0D;MAaI,kBAaK,SAAL,EAAGB,OAAhB,C  
;MAj8CQ,WAAR,iBAAQ,EAk8CA,SAI8CA,EAk8CW,OAI8CX,C;K;IAq8CZ,0D;MAaI,kBAaK,SAAL,EAAGB,  
OAAhB,C;MAI8CQ,UAAR,iBAAQ,EAm8CA,SAn8CA,EAm8CW,OAn8CX,C;K;IAS8CZ,0D;MAaI,kBAaK,SA  
AL,EAAGB,OAAhB,C;MAN8CQ,WAAR,iBAAQ,EAo8CA,SAP8CA,EAo8CW,OP8CX,C;K;8FAu8CZ,qB;MAQ  
I,OOAO,iBvB3jGiB,Q;K;4FuB8jG5B,qB;MAQI,OOAO,iBvBljGiB,Q;K;8FuBqjG5B,yB;MAAA,gD;MAAA,4B;Q  
AQI,OOAE,OAAR,iBAAQ,C;O;KARnB,C;gGAWA,qB;MAQI,OOAO,iBvBlIGiB,Q;K;IuB2lIGL,gD;MAAA,wB;Q  
AAW,qCAAK,KAAL,C;O;K;IANIC,iC;MAMI,OOAO,iBAAM,cAAN,EAAy,8BAAZ,C;K;IASY,kD;MAAA,wB;  
QAAW,qCAAK,KAAL,C;O;K;IANIC,mC;MAMI,OOAO,iBAAM,cAAN,EAAy,gCAAZ,C;K;IASY,kD;MAAA,w

B;QAAW,qCAAK,KAAL,C;O;K;IANIC,mC;MAMI,OAAO,iBAAM,cAAN,EAAY,gCAAZ,C;K;IASY,kD;MAAA ,wB;QAAW,qCAAK,KAAL,C;O;K;IANIC,mC;MAMI,OAAO,iBAAM,cAAN,EAAY,gCAAZ,C;K;IASiB,gD;MA AA ,wB;QAAW,yBAAK,KAAL,C;O;K;IANvC,iC;MAMI,OJnqIO,eAAW,+BImqIA,gBJnqIA,GAAGB,kBImqIV,8 BJnqIU,CAAhB,CAAX,C;K;gGIsqIX,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SvBppGM,QuBopGjB,C; O;KARX,C;IAiB2B,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IANtC,gC;MAMI,OHvriO,cAAU,gCGurIA,g BHvriA,GA Ae,iBGurIT,6BHvriS,CAAf,CAAV,C;K;8FG0rIX,yB;MAAA,uC;MAAA,4B;QAQI,OAAO,mBAAU, SvBppGO,QuBopGjB,C;O;KARX,C;IAiB4B,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IANvC,iC;MAMI,OF 3sIO,eAAW,kBE2sIA,gBF3sIA,EAAGB,kBE2sIV,8BF3sIU,CAAhB,CAAX,C;K;gGE8sIX,yB;MAAA,gD;MAAA, yC;MAAA,4B;QAQI,OAAO,oBAAgB,OAAL,SAAK,CAAhB,C;O;KARX,C;IAiB6B,kD;MAAA,wB;QAAW,0BA AK,KAAL,C;O;K;IANxC,kC;MAMI,OD/tIO,gBAAY,gCC+tIA,gBD/tIA,GAAiB,mBC+tIX,+BD/tIW,CAAjB,CA AZ,C;K;kGCKuIX,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,SvBtsGK,QuBssGjB,C;O;KARX,C;mGAWA ,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAAyC,cAAIB,YAAY,cAAZ,CAAKB,EAAC,EA Ad,CAAzC,C;QAsEG,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UArEO,MAsEP,aAAI,OAAJ,EAtEe,a AsEF,CAAc,OAAd,CAAb,C;;QAtEhB,OAAuB,M;O;Kaf3B,C;mGakBA,yB;MAAA,0D;MAAA,yD;MAAA,uE; MAAA,2C;QAcI,aAAa,mBAA0C,cAAIB,YAAY,cAAZ,CAAKB,EAAC,EAAd,CAA1C,C;QAsEG,Q;QAAA,2B;Q AAhB,OAAGB,cAAhB,C;UAAgB,yB;UArEO,MAsEP,aAAI,OAAJ,EAtEe,aAsEF,CAAc,OAAd,CAAb,C;;QAtEh B,OAAuB,M;O;Kaf3B,C;kGakBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAA0C,cAA IB,YAAY,cAAZ,CAAKB,EAAC,EAAd,CAA1C,C;QAsEG,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB; UArEO,MAsEP,aAAI,OAAJ,EAtEe,aAsEF,CAAc,OAAd,CAAb,C;;QAtEhB,OAAuB,M;O;Kaf3B,C;mGakBA,y B;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAA2C,cAAIB,YAAY,cAAZ,CAAKB,EAAC,EAAd,CAA3C,C;QAsEG,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UArEO,MAsEP,aAAI,OAAJ,EAtEe,a AsEF,CAAc,OAAd,CAAb,C;;QAtEhB,OAAuB,M;O;Kaf3B,C;uGakBA,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;uGAG X,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OA Ad,CAAb,C;;MAEhB,OAAO,W;K;uGAGX,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;Q ACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;uGAGX,iD;MAYoB,Q;MAAA,2B; MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAA O,W;K;uFAGX,yB;MAAA,+D;MAoLA,gD;MApLA,uC;QASW,kBAAU,gB;QakLD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAnL6B,SAmLIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA pLhB,OAsLO,W;O;KA/LX,C;uFAYA,yB;MAAA,+D;MAsLA,gD;MatLA,uC;QASW,kBAAU,gB;QAoLD,Q;QA AA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WArL6B,SAqLIB,CAAU,OAAV,C;UACC,OAAZ,WAAY, EAAO,IAAP,C;;QAtLhB,OAwLO,W;O;KAjMX,C;uFAYA,yB;MAAA,+D;MAwLA,gD;MAxLA,uC;QASW,kBA AU,gB;QAsLD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAvL6B,SAuLIB,CAAU,OAAV,C; UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxLhB,OA4LO,W;O;KAnMX,C;uFAYA,yB;MAAA,+D;MA0LA,gD;M A1LA,uC;QASW,kBAAU,gB;QAwLD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAZL6B,SA yLIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1LhB,OA4LO,W;O;KArMX,C;qGAYA,yB;MA AA,+D;MA4DA,gD;MA5DA,uC;QAYW,kBAAiB,gB;QA2DR,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAGB, cAAhB,C;UAAgB,yB;UACZ,WA5DoC,SA4DzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAA Z,WAAY,EAAO,IAAP,C;;QA7DhB,OA+DO,W;O;KA3EX,C;qGAeA,yB;MAAA,+D;MA+DA,gD;MA/DA,uC;Q AYW,kBAAiB,gB;QA8DR,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WA /DoC,SA+DzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhEh B,OAkEO,W;O;KA9EX,C;qGAeA,yB;MAAA,+D;MAkEA,gD;MAIEA,uC;QAYW,kBAAiB,gB;QAIER,gB;QAD hB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAIeOC,SAkEzB,EAAU,cAAV,EAAU,sB AAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAnEhB,OAqEO,W;O;KAjFX,C;qGAeA,yB; MAAA,+D;MAqEA,gD;MArEA,uC;QAYW,kBAAiB,gB;QAoER,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAG B,cAAhB,C;UAAgB,yB;UACZ,WArEoC,SAqEzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OA AZ,WAAY,EAAO,IAAP,C;;QAtEhB,OAwEO,W;O;KApFX,C;yGAeA,yB;MAAA,gD;MAAA,oD;QAWoB,UAC S,M;QAFzB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,s

BAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;yGakBA,yB; MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACI,2B;QAAhB,OAAGb,cAAhB,C;UAAgB,yB;U ACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB ,OAAO,W;O;KafX,C;yGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACI,2B;QAAh B,OAAGb,cAAhB,C;UAAgB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OA AZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;yGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS, M;QAFzB,YAAY,C;QACI,2B;QAAhB,OAAGb,cAAhB,C;UAAgB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,sBA AV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;2FakBA,yB;MAA A,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAGb,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C; UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,C;2FACa,yB;MAAA,gD;MAAA,oD;QAOoB ,Q;QAAA,2B;QAAhB,OAAGb,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,E AAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,C;2FACa,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB, OAAGb,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB, OAAO,W;O;KAXX,C;2FACa,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAGb,cAAhB,C;UAA gB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,C;u FAcA,yB;MAAA,wE;MA4HA,+D;MA5HA,yC;QAYW,kBAAU,oB;QA4HD,Q;QAAA,2B;QAAhB,OAAGb,cAA hB,C;UAAgB,yB;UACZ,UA7HoD,WA6H1C,CAAY,OAAZ,C;U/B59IP,U;UADP,Y+B89Ie,W/B99IH,W+B89IwB ,G/B99IxB,C;UACL,IAAI,aAAJ,C;YACH,a+B49IuC,gB;YAA5B,W/B39IX,a+B29IgC,G/B39IhC,EAAS,MAAT,C ;YACA,e;;YAEA,c;;U+Bw9IA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA/HT,OAIiO,W;O;KA7IX,C;uFAeA,yB;MAA A,wE;MAiIA,+D;MAjIA,yC;QAYW,kBAAU,oB;QaiID,Q;QAAA,2B;QAAhB,OAAGb,cAAhB,C;UAAgB,yB;U ACZ,UAIqD,WakI3C,CAAY,OAAZ,C;U/Bh/IP,U;UADP,Y+Bk/Ie,W/BI/IH,W+Bk/IwB,G/BI/IxB,C;UACL,IAAI ,aAAJ,C;YACH,a+Bg/IuC,gB;YAA5B,W/B/+IX,a+B++IgC,G/B/+IhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B4 +IA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApIT,OAsIO,W;O;KAIJX,C;sFAeA,yB;MAAA,wE;MAsIA,+D;MAtIA,y C;QAYW,kBAAU,oB;QAsID,Q;QAAA,2B;QAAhB,OAAGb,cAAhB,C;UAAgB,yB;UACZ,UAvIqD,WauI3C,CA AY,OAAZ,C;U/BpgJP,U;UADP,Y+BsgJe,W/BtgJH,W+BsgJwB,G/BtgJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BogJ uC,gB;YAA5B,W/BngJX,a+BmgJgC,G/BngJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BggJA,iB;UACA,IAAK, WAAI,OAAJ,C;;QAzIT,OA2IO,W;O;KAvJX,C;uFAeA,yB;MAAA,wE;MA2IA,+D;MA3IA,yC;QAYW,kBAAU,o B;QA2ID,Q;QAAA,2B;QAAhB,OAAGb,cAAhB,C;UAAgB,yB;UACZ,UA5IsD,WA4I5C,CAAY,OAAZ,C;U/Bxh JP,U;UADP,Y+B0hJe,W/B1hJH,W+B0hJwB,G/B1hJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BwhJuC,gB;YAA5B,W /BvhJX,a+BuhJgC,G/BvhJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B0hJA,iB;UACA,IAAK,WAAI,OAAJ,C;;Q A9IT,OAgJO,W;O;KA5JX,C;uFAeA,yB;MAAA,wE;MAgJA,+D;MAhJA,yD;QAaW,kBAAU,oB;QAgJD,Q;QAA A,2B;QAAhB,OAAGb,cAAhB,C;UAAgB,yB;UACZ,UajJiD,WaiJvC,CAAY,OAAZ,C;U/B7iJP,U;UADP,Y+B+iJ e,W/B/iJH,W+B+iJwB,G/B/iJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B6iJuC,gB;YAA5B,W/B5iJX,a+B4iJgC,G/B5i JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+ByiJA,iB;UACA,IAAK,WAnJyD,cAmJrD,CAAE,OAAf,CAAJ,C;;QA nJT,OAgJO,W;O;KAIKX,C;uFAGbA,yB;MAAA,wE;MAqJA,+D;MArJA,yD;QAaW,kBAAU,oB;QAqJD,Q;QAA A,2B;QAAhB,OAAGb,cAAhB,C;UAAgB,yB;UACZ,UAtJiD,WAsJvC,CAAY,OAAZ,C;U/BlkJP,U;UADP,Y+Bok Je,W/BpkJH,W+BokJwB,G/BpkJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BkkJuC,gB;YAA5B,W/BjkJX,a+BikJgC,G/ BjkJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B8jJA,iB;UACA,IAAK,WaxJyD,cAwJrD,CAAE,OAAf,CAAJ,C;; QAxJT,OA0JO,W;O;KAvKX,C;uFAGbA,yB;MAAA,wE;MA0JA,+D;MA1JA,yD;QAaW,kBAAU,oB;QA0JD,Q;QAA AA,2B;QAAhB,OAAGb,cAAhB,C;UAAgB,yB;UACZ,UA3JiD,WA2JvC,CAAY,OAAZ,C;U/BvlJP,U;UADP,Y+ BvlJe,W/BzlJH,W+BvlJwB,G/BzlJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BulJuC,gB;YAA5B,W/BtlJX,a+BslJgC,G/ BtlJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BmlJA,iB;UACA,IAAK,WA7JyD,cA6JrD,CAAE,OAAf,CAAJ,C;; QA7JT,OA+JO,W;O;KA5KX,C;uFAGbA,yB;MAAA,wE;MA+JA,+D;MA/JA,yD;QAaW,kBAAU,oB;QA+JD,Q;QAAA,2B;QAAhB,OAAGb,cAAhB,C;UAAgB,yB;UACZ,UAhKiD,WAgKvC,CAAY,OAAZ,C;U/B5mJP,U;UADP, Y+B8mJe,W/B9mJH,W+B8mJwB,G/B9mJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B4mJuC,gB;YAA5B,W/B3mJX,a +B2mJgC,G/B3mJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BwmJA,iB;UACA,IAAK,WAlKyD,cAkKrD,CAAE, OAAf,CAAJ,C;;QAIKT,OAoKO,W;O;KAjLX,C;2FAGbA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAA hB,OAAGb,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/B59IP,U;UADP,Y+B89Ie,W/B99IH,W+B89

IwB,G/B99IxB,C;UACL,IAAI,aAAJ,C;YACH,a+B49IuC,gB;YAA5B,W/B39IX,a+B29IgC,G/B39IhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bw9IA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/Bh/IP,U;UADP,Y+Bk/Ie,W/B/IH,W+Bk/IwB,G/B/IxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bg/IuC,gB;YAA5B,W/B/+IX,a+B++IgC,G/B/+IhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B4+IA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/BpgJP,U;UADP,Y+BsgJe,W/BtgJH,W+BsgJwB,G/BtgJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BogJuC,gB;YAA5B,W/BngJX,a+BmgJgC,G/BngJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BggJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/BxhJP,U;UADP,Y+B0hJe,W/B1hJH,W+B0hJwB,G/B1hJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BwhJuC,gB;YAA5B,W/BvhJX,a+BuhJgC,G/BvhJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B0hJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/B7iJP,U;UADP,Y+B+iJe,W/B/iJH,W+B+iJwB,G/B/iJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B6iJuC,gB;YAA5B,W/B5iJX,a+B4iJgC,G/B5iJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B5iJA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/BlkJP,U;UADP,Y+BokJe,W/BpkJH,W+BokJwB,G/BpkJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BkkJuC,gB;YAA5B,W/BjkJX,a+BikJgC,G/BjkJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B8jJA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/BvlJP,U;UADP,Y+BvlJe,W/BzlJH,W+BvlJwB,G/BzlJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BulJuC,gB;YAA5B,W/BtlJX,a+BslJgC,G/BtlJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BmlJA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/B5mJP,U;UADP,Y+B8mJe,W/B9mJH,W+B8mJwB,G/B9mJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B4mJuC,gB;YAA5B,W/B3mJX,a+B2mJgC,G/B3mJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BwmJA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;+EAqBA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwKO,W;O;KAILX,C;+EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwKO,W;O;KAILX,C;+EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwKO,W;O;KAILX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QAqDP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAtDwB,SAuDpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtDhB,OAuDO,W;O;KAjEX,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QAwdP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAZDwB,SAyDpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAZDhB,OA0DO,W;O;KApEX,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QA2DP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WA5DwB,SA4DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5DhB,OA6DO,W;O;KAvEX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QA8DP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WA/DwB,SA+DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/DhB,OAgeO,W;O;KA1EX,C;iGAaA,6C;MAWiB,UACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;iGAGX,6C;MAWiB,UACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;iGAGX,6C;MAWiB,UACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,

WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;iGAGX,6C;MAWiB,UACiB,M;  
MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,WAAU,cAAV,EAAU,sBA  
AV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;mFAGX,6C;MAQiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;Q  
AAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;mFAGX,6C;MAQiB,Q;MAAA,2B;  
MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;mFAGX,6  
C;MAQiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB  
,OAAO,W;K;mFAGX,6C;MAQiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,I  
AAV,CAAJ,C;;MACHB,OAAO,W;K;IAUiB,6C;MAAA,mB;QAAE,gC;O;K;IAP9B,iC;MAOI,OAAO,qBAAiB,8B  
AAjB,C;K;IAUiB,6C;MAAA,mB;QAAE,gC;O;K;IAP9B,iC;MAOI,OAAO,qBAAiB,8BAAjB,C;K;IAUiB,6C;MA  
AA,mB;QAAE,gC;O;K;IAP9B,iC;MAOI,OAAO,qBAAiB,8BAAjB,C;K;IAUiB,6C;MAAA,mB;QAAE,gC;O;K;IA  
P9B,iC;MAOI,OAAO,qBAAiB,8BAAjB,C;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QA  
AgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;+EAGX,gC;MASo  
B,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,O  
AAO,K;;MACtD,OAAO,I;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,I  
AAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;+EAGX,gC;MASoB,Q;MAAA,2B;M  
AAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,  
OAAO,I;K;+EAGX,yB;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;O;KATnB,C;+EAYA,yB;MAAA,0C  
;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;O;KATnB,C;+EAYA,yB;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iB  
AAQ,C;O;KATnB,C;+EAYA,yB;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;O;KATnB,C;+EAYA,gC;  
MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,O  
AAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,I  
AAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,  
OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+E  
AGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;U  
AAwB,OAAO,I;;MACrD,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cA  
AhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAQo  
B,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;  
UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAh  
B,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAQoB,Q  
;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UA  
AwB,qB;;MAC9C,OAAO,K;K;iFAGX,yC;MAaoB,Q;MADhB,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C  
;QAAGB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;iFAGX,yC;MAaoB,Q;MAD  
hB,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB  
,C;;MACpC,OAAO,W;K;iFAGX,yC;MAaoB,Q;MADhB,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAA  
gB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;iFAGX,yC;MAaoB,Q;MADhB,kB  
AAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;M  
ACpC,OAAO,W;K;+FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAakB,O;MACF,2B;MAAhB,O  
AAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;  
;MACpC,OAAO,W;K;+FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAakB,O;MACF,2B;MAAhB,  
OAAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,  
C;;MACpC,OAAO,W;K;+FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAakB,O;MACF,2B;MAAh  
B,OAAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OA  
AhC,C;;MACpC,OAAO,W;K;0FAGX,yB;MA1uDI,8D;MA0uDJ,gD;QAeoC,Q;QAHhC,YAtvDgB,cAAR,iBAAQ,  
C;QAuvDhB,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAA  
V,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAjBX,C;2FAoBA,yB;MATvDI,8D;MASvDJ,gD;QAeoC,Q;QAHhC,  
YAlwDgB,cAAR,iBAAQ,C;QAmwDhB,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAA



I,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAIwDI,8D;MAkwDJ,gD;QAeoC,Q;QAHhC,YA9wDgB,cAAR,iBAAQ,C;QA+wDhB,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAjBX,C;2FAoBA,yB;MA9wDI,8D;MA8wDJ,gD;QAeoC,Q;QAHhC,YA1xDgB,cAAR,iBAAQ,C;QA2xDhB,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAjBX,C;yGAoBA,yB;MA1zDI,8D;MA0zDJ,gD;QAaI,YAv0DgB,cAAR,iBAAQ,C;QAw0DhB,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;yGAsBA,yB;MAx0DI,8D;MAw0DJ,gD;QAaI,YAr1DgB,cAAR,iBAAQ,C;QAs1DhB,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;yGAsBA,yB;MA1zDI,8D;MA0zDJ,gD;QAaI,YA2DgB,cAAR,iBAAQ,C;QAo2DhB,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;yGAsBA,yB;MAp2DI,8D;MAo2DJ,gD;QAaI,YAj3DgB,cAAR,iBAAQ,C;Qak3DhB,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;uFAsBA,6B;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;K;uFAG1B,6B;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;K;uFAG1B,6B;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;K;qGAG1B,6B;MAUiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;qGAGvB,6B;MAUiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;qGAGvB,6B;MAUiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;IAGvB,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;mFAGX,yB;MA9gEI,8D;MA8gEJ,sC;QAMW,sB;;UAuCP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA7jEgB,cAAR,iBAAQ,C;UA8jEhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3CmB,QA2CJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ce,QA8CP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QApDP,yB;O;KANJ,C;mFASA,yB;MA/gEI,8D;MA+gEJ,sC;QAMW,sB;;UAuDP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA9kEgB,cAAR,iBAAQ,C;UA+kEhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3DmB,QA2DJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9De,QA8DP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QApEP,yB;O;KANJ,C;mFASA,yB;MAhhEI,8D;MAghEJ,sC;QAMW,sB;;UAuEP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA/IEgB,cAAR,iBAAQ,C;UAgmEhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3EmB,QA2EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Fe,QA8FP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QApGP,yB;O;KANJ,C;+FASA,yB;MAIjEI,8D;MAkjEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA7jEgB,cA6jEA,SA7jER,QAAQ,C;QA8jEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KATBX,C;+FAyBA,yB;MAnkEI,8D;MAmkEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA9kEgB,cA8kEA,SA9kER,QAAQ,C;QA+kEhB,IAAI,cAAa,CAAjB,C;UAA

oB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,AAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MApEI,8D;MAoIEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA/IEgB,cA+IEA,SA/IER,QAAQ,C;QAgmEhB,IAAI,cAAa,CAAJB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,AAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MArMEI,8D;MAqmEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAhEgB,cAgnEA,SAhnER,QAAQ,C;QAinEhB,IAAI,cAAa,CAAJB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,AAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MAAA,sE;MATpEI,8D;MpBnwHJ,iB;MoBy5LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtqEG,cAAR,iBAAQ,C;QAsqEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBn6LG,MAAO,KoBm6LO,QpBn6LP,EoBm6LiB,CpBn6LjB,C;;QoBq6Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MARqEI,8D;MpB3wHJ,iB;MoBg7LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArrEG,cAAR,iBAAQ,C;QAqrEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB17LG,MAAO,KoB07LO,QpB17LP,EoB07LiB,CpB17LjB,C;;QoB47Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAprEI,8D;MpBnxHJ,iB;MoBu8LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAPsEG,cAAR,iBAAQ,C;QAosEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBj9LG,MAAO,KoBi9LO,QpBj9LP,EoBi9LiB,CpBj9LjB,C;;QoBm9Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAnsEI,8D;MpB3xHJ,iB;MoB89LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAntEG,cAAR,iBAAQ,C;QamtEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBx+LG,MAAO,KoBw+LO,QpBx+LP,EoBw+LiB,CpBx+LjB,C;;QoB0+Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAIvEI,8D;MpB9wHJ,iB;MoBggMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlwEG,cAAR,iBAAQ,C;QakwEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB1gMG,MAAO,KoB0gMO,QpB1gMP,EoB0gMiB,CpB1gMjB,C;;QoB4gMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAjwEI,8D;MpBtxHJ,iB;MoBuhMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAJxEG,cAAR,iBAAQ,C;QAixEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBjiMG,MAAO,KoBiiMO,QpBjiMP,EoBiiMiB,CpBjiMjB,C;;QoBmiMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAhxEI,8D;MpB9xHJ,iB;MoB8iMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhYEG,cAAR,iBAAQ,C;QAgYehB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBxjMG,MAAO,KoBwjMO,QpBxjMP,EoBwjMiB,CpBxjMjB,C;;QoB0jMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA/xEI,8D;MpBtyHJ,iB;MoBqkMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAYEG,cAAR,iBAAQ,C;QA+yEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB/kMG,MAAO,KoB+kMO,QpB/kMP,EoB+kMiB,CpB/kMjB,C;;QoBilMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA90EI,8D;MA80EJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA51EG,cAAR,iBAAQ,C;QA41EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA71EI,8D;MA61EJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA32EG,cAAR,iBAAQ,C;QA22EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA52EI,8D;MA42EJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA13EG,cAAR,iBAAQ,C;QA03EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA33EI,8D;MA23EJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAz4EG,cA

AR,iBAAQ,C;QAY4EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,C  
AAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;8FAuBA,yB;MA16EI,8D;MpBnwHJ,iB;MoB6q  
MA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,O  
Ax7EG,cAAR,iBAAQ,C;QAw7EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBr  
rMG,MAAO,KoBqrMO,QpBrrMP,EoBqrMiB,CpBrrMjB,C;;QoBurMd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAv7  
EI,8D;MpB3wHJ,iB;MoBksMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAA  
K,CAAL,CAAT,C;QACF,OAr8EG,cAAR,iBAAQ,C;QAq8EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,C  
AAL,CAAT,C;UACR,WpB1sMG,MAAO,KoB0sMO,QpB1sMP,EoB0sMiB,CpB1sMjB,C;;QoB4sMd,OAAO,Q;O  
;KAIBX,C;+FAqBA,yB;MAp8EI,8D;MpBnxHJ,iB;MoButMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,  
I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAI9EG,cAAR,iBAAQ,C;Qak9EhB,aAAU,CAAV,iB;UA  
CI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB/tMG,MAAO,KoB+tMO,QpB/tMP,EoB+tMiB,CpB/tMjB,  
C;;QoBiuMd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAj9EI,8D;MpB3xHJ,iB;MoB4uMA,sC;QAcIB,Q;QAFb,IAAI,  
mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/9EG,cAAR,iBAAQ,C;QA+9  
EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpvMG,MAAO,KoBovMO,QpBp  
vMP,EoBovMiB,CpBpvMjB,C;;QoBsvMd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MA9/EI,8D;MpB9wHJ,iB;MoB4w  
MA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,O  
A5gFG,cAAR,iBAAQ,C;QA4gFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp  
xMG,MAAO,KoBoxMO,QpBpxMP,EoBoxMiB,CpBpxMjB,C;;QoBsxMd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;M  
A3gFI,8D;MpBtxHJ,iB;MoBiyMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBA  
AK,CAAL,CAAT,C;QACF,OAzFG,cAAR,iBAAQ,C;QAYhFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,  
CAAL,CAAT,C;UACR,WpBzyMG,MAAO,KoByyMO,QpBzyMP,EoByyMiB,CpBzyMjB,C;;QoB2yMd,OAAO,Q  
;O;KAIBX,C;+FAqBA,yB;MAxhFI,8D;MpB9xHJ,iB;MoBszMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAA  
O,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtiFG,cAAR,iBAAQ,C;QAsiFhB,aAAU,CAAV,iB;U  
ACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB9zMG,MAAO,KoB8zMO,QpB9zMP,EoB8zMiB,CpB9z  
MjB,C;;QoBg0Md,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAriFI,8D;MpBtyHJ,iB;MoB20MA,sC;QAcIB,Q;QAFb,I  
AAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAnjFG,cAAR,iBAAQ,C;Q  
AmjFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBn1MG,MAAO,KoBm1MO,  
QpBn1MP,EoBm1MiB,CpBn1MjB,C;;QoBq1Md,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAlFI,8D;MAkIFJ,sC;QA  
YiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9IFG,cAA  
R,iBAAQ,C;QA8IFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CA  
AX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MA/IFI,8D;MA+IFJ,sC;QAYiB,Q;Q  
AFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3mFG,cAAR,iBA  
AQ,C;QA2mFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K  
AAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MA5mFI,8D;MA4mFJ,sC;QAYiB,Q;QAF  
b,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxnFG,cAAR,iBAAQ,  
C;QAWNfHb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ  
,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAznFI,8D;MAynFJ,sC;QAYiB,Q;QAFb,IAA  
I,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArFG,cAAR,iBAAQ,C;QAq  
oFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAC  
I,WAAW,C;;;QAGnB,OAAO,Q;O;KAIBX,C;2FAqBA,yB;MAAA,sE;MATqFI,8D;MASqFJ,kD;QAcIB,Q;QAFb,IA  
AI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAprFG,cAAR,iBAAQ,C;  
QAorFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EA  
AkB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;0FAuBA,yB;MAAA,s  
E;MArrFI,8D;MAqrFJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAA  
L,CAAT,C;QACF,OAnsFG,cAAR,iBAAQ,C;QAmsFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,C  
AAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGn  
B,OAAO,Q;O;KApBX,C;2FAuBA,yB;MAAA,sE;MApsFI,8D;MAosFJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAA  
e,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAltFG,cAAR,iBAAQ,C;QaktFhB,aAAU,CA

AV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAATc,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;2FAuBA,yB;MAAA,sE;MAntFI,8D;MAmtFJ,kD;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAjuFG,cAAR,iBAAQ,C;QAiuFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAATc,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;uGAuBA,yB;MALwFI,8D;MAkwFJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAA S,sBAAK,CAAL,CAAT,C;QACF,OA9wFG,cAAR,iBAAQ,C;QA8wFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAATc,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIBX,C;sGAqBA,yB;MA/wFI,8D;MA+wFJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3xFG,cAAR,iBAAQ,C;QA2x FhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAATc,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIBX,C;uGAqBA,yB;MA5xFI,8D;MA4xFJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxyFG,cAAR,iBAAQ,C;QAWyFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAATc,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIBX,C;uGAqBA,yB;MAzyFI,8D;MAyyFJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA rzFG,cAAR,iBAAQ,C;QAqzFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAATc,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIBX,C;IAqBA,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA91FG,gBAAR,iBAAQ,C;MA81FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,InC5mN8D,YmC4mN1D,GnC5mN2E,KAAjB,EmC4mNpD,CnC5mNiF,KAA7B,CmC4mN1D,IAAJ,C;UA Aa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAr2FG,gBAAR,iBAAQ,C;MAq2FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,InBnnN+D,amBmnN3D,GnBnnN6E,KAAIB,EmBmnNrD,CnBnnNmF,KAA9B,CmBmnN3D,IAAJ,C;UA Aa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA52FG,gBAAR,iBAAQ,C;MA42FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IpC1pN4E,0BoC0pNx E,GpC/6M8B,KAAL,GAAiB,GA3O8B,EoC0pNIE,CpC/6MwB,KAAL,GAAiB,GA 3O8B,CoC0pNx E,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAn3FG,gBAAR,iBAAQ,C;MAm3FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IICjqN6E,0BkCiqNzE,GIC77M8B,KAAL,GAAiB,KApO+B,EkCiqNnE,C IC77MwB,KAAL,GAAiB,KApO+B,CkCiqNzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAKI,OAAO,4BAAc,UAA d,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAA d,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAA d,C;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA17FG,gBAAR,iBAAQ,C;MA07FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAj8FG,gBAAR,iBAAQ,C;MAi8FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA+8FG,gBAAR,iBAAQ,C;MA+8FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2 B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;mFAGX,yB;MA9gGI,8D;MA8gGJ,sC;QAMW,sB;;UAuCP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UAcF,cAAc,sBAAK,CAAL,C;UACd,gBA7jGgB,cAAR,iBAAQ,C;U A8jGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UAcPb,eA3CmB,QA2CJ,CAAS,OAAT,C;UAcF,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ce,QA8CP,CAAS,CAAT,C;YACR,IA

AI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QApDP,yB;O;KANJ,C;mFASA,yB;MA/gGI,8D;MA+gGJ,sC;QAMW,sB;;UAuDP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA9kGgB,cAAR,iBAAQ,C;UA+kGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3DmB,QA2DJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9De,QA8DP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QApEP,yB;O;KANJ,C;mFASA,yB;MAhhGI,8D;MAghGJ,sC;QAMW,sB;;UAuEP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA/IGgB,cAAR,iBAAQ,C;UAgmGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3EmB,QA2EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ee,QA8EP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QApFP,yB;O;KANJ,C;mFASA,yB;MAjhGI,8D;MAihGJ,sC;QAMW,sB;;UAuFP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAhGgB,cAAR,iBAAQ,C;UAIinGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3FmB,QA2FJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Fe,QA8FP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QApGP,yB;O;KANJ,C;+FASA,yB;MAIjGI,8D;MAkjGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA7jGgB,cA6jGA,SA7jGR,QAAQ,C;QA8jGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MAnkGI,8D;MAmkGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA9kGgB,cA8kGA,SA9kGR,QAAQ,C;QA+kGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MAplGI,8D;MAolGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA/IGgB,cA+IGA,SA/IGR,QAAQ,C;QAgmGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MArmGI,8D;MAqmGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAhGgB,cAgnGA,SAhnGR,QAAQ,C;QAinGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtpGI,8D;MpB/iHJ,iB;MoBqsNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtqGG,cAAR,iBAAQ,C;QAsqGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB/sNG,MAAO,KoB+sNO,QpB/sNP,EoB+sNiB,CpB/sNjB,C;;QoBitNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MArqGI,8D;MpBvjHJ,iB;MoB4tNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArrGG,cAAR,iBAAQ,C;QAqrGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBtuNG,MAAO,KoBsuNO,QpBtuNP,EoBsuNiB,CpBtuNjB,C;;QoBwuNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAprGI,8D;MpB/jHJ,iB;MoBmvNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAsGG,cAAR,iBAAQ,C;QAosGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB7vNG,MAAO,KoB6vNO,QpB7vNP,EoB6vNiB,CpB7vNjB,C;;QoB+vNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAAnsGI,8D;MpBvkHJ,iB;MoB0wNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAntGG,cAAR,iBAAQ,C;QAmtGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpxNG,MAAO,KoBoxNO,QpBpxNP,EoBoxNiB,CpBpxNjB,C;;QoBsxNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAIvGI,8D;MpB1jHJ,iB;MoB4yNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlwGG,cAAR,iBAAQ,C;QAKwGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBtzNG,MAAO,KoBszNO,QpBtzNP,EoBszNiB,CpBtzNjB,C;;QoBwzNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAjwGI,8D;MpBlkHJ,iB;MoBm0NA,sC;QAgBiB,Q;QAFb,IAAI,mB

AAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAjxGG,cAAR,iBAAQ,C;QAix  
GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB70NG,MAAO,KoB60NO,QpB7  
0NP,EoB60NiB,CpB70NjB,C;;QoB+0Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAhxGI,8D;MpB1kHJ  
,iB;MoB01NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CA  
AT,C;QACF,OAhyGG,cAAR,iBAAQ,C;QAgYghB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,  
C;UACR,WpBp2NG,MAAO,KoBo2NO,QpBp2NP,EoBo2NiB,CpBp2NjB,C;;QoBs2Nd,OAAO,Q;O;KApBX,C;m  
FAuBA,yB;MAAA,sE;MA/xGI,8D;MpBllHJ,iB;MoBi3NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,  
6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/yGG,cAAR,iBAAQ,C;QA+yGhB,aAAU,CAAV,iB;  
UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB33NG,MAAO,KoB23NO,QpB33NP,EoB23NiB,CpB33  
NjB,C;;QoB63Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA90GI,8D;MA80GJ,sC;QAcIB,Q;QAFb,IAA  
I,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA51GG,cAAR,iBAAQ,C;  
QA41GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;  
YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA71GI,8D;MA61GJ,sC;QAcIB,Q;Q  
AFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA32GG,cAAR,iB  
AAQ,C;QA22GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,  
KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA52GI,8D;MA42GJ,sC;Q  
AcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA13GG  
,cAAR,iBAAQ,C;QA03GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAA  
W,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA33GI,8D;MA  
23GJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QAC  
F,OAz4GG,cAAR,iBAAQ,C;QAY4GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,I  
AAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;8FAuBA,yB;MA16GI,8D;MpB  
/iHJ,iB;MoBy9NA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QAcTb,eAAe,SAAS,sBAAK,CAAL,CAA  
T,C;QACF,OAx7GG,cAAR,iBAAQ,C;QAw7GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C  
;UACR,WpBj+NG,MAAO,KoBi+NO,QpBj+NP,EoBi+NiB,CpBj+NjB,C;;QoBm+Nd,OAAO,Q;O;KAIBX,C;+FAq  
BA,yB;MAv7GI,8D;MpBvjHJ,iB;MoB8+NA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QAcTb,eAAe,S  
AAS,sBAAK,CAAL,CAAT,C;QACF,OAr8GG,cAAR,iBAAQ,C;QAq8GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS  
,sBAAK,CAAL,CAAT,C;UACR,WpBt/NG,MAAO,KoBs/NO,QpBt/NP,EoBs/NiB,CpBt/NjB,C;;QoBw/Nd,OAAO  
,Q;O;KAIBX,C;+FAqBA,yB;MAp8GI,8D;MpB/jHJ,iB;MoBmgOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,O  
AAO,I;QAcTb,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA19GG,cAAR,iBAAQ,C;QAk9GhB,aAAU,CAAV,  
iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB3gOG,MAAO,KoB2gOO,QpB3gOP,EoB2gOiB,Cp  
B3gOjB,C;;QoB6gOd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAj9GI,8D;MpBvkHJ,iB;MoBwhOA,sC;QAcIB,Q;QA  
Fb,IAAI,mBAAJ,C;UAAe,OAAO,I;QAcTb,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/9GG,cAAR,iBAAQ  
,C;QA+9GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBhiOG,MAAO,KoBgiO  
O,QpBhiOP,EoBgiOiB,CpBhiOjB,C;;QoBkiOd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MA9/GI,8D;MpB1jHJ,iB;Mo  
BwjOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QAcTb,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF  
,OA5gHG,cAAR,iBAAQ,C;QA4gHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,Wp  
BhkOG,MAAO,KoBgkOO,QpBhkOP,EoBgkOiB,CpBhkOjB,C;;QoBkkOd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;M  
A3gHI,8D;MpBlkHJ,iB;MoB6kOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QAcTb,eAAe,SAAS,sBA  
AK,CAAL,CAAT,C;QACF,OAzhHG,cAAR,iBAAQ,C;QAYhHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,  
CAAL,CAAT,C;UACR,WpBrlOG,MAAO,KoBqlOO,QpBrlOP,EoBqlOiB,CpBrlOjB,C;;QoBulOd,OAAO,Q;O;K  
AIBX,C;+FAqBA,yB;MAxhHI,8D;MpB1kHJ,iB;MoBkmOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;  
QAcTb,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtiHG,cAAR,iBAAQ,C;QAsiHhB,aAAU,CAAV,iB;UACI  
,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB1mOG,MAAO,KoB0mOO,QpB1mOP,EoB0mOiB,CpB1mOj  
B,C;;QoB4mOd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAriHI,8D;MpBllHJ,iB;MoBunOA,sC;QAcIB,Q;QAFb,IAA  
I,mBAAJ,C;UAAe,OAAO,I;QAcTb,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAanjHG,cAAR,iBAAQ,C;QA  
mjHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB/nOG,MAAO,KoB+nOO,Qp  
B/nOP,EoB+nOiB,CpB/nOjB,C;;QoBioOd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAlIHI,8D;MAkiHJ,sC;QAYiB,Q

;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9IHG,cAAR,iBAAQ,C;QA8lHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MA/IHI,8D;MA+IHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3mHG,cAAR,iBAAQ,C;QA2mHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MA5mHI,8D;MA4mHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxnHG,cAAR,iBAAQ,C;QAWNhHb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAznHI,8D;MAynHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAroHG,cAAR,iBAAQ,C;QAqoHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAIBX,C;2FAqBA,yB;MAAA,sE;MAAtqHI,8D;MASqHJ,kD;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAprHG,cAAR,iBAAQ,C;QAorHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;0FAuBA,yB;MAAA,sE;MArrHI,8D;MAqrHJ,kD;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAnsHG,cAAR,iBAAQ,C;QAmsHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;2FAuBA,yB;MAAA,sE;MApsHI,8D;MAosHJ,kD;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAltHG,cAAR,iBAAQ,C;QAktHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;2FAuBA,yB;MAAA,sE;MAntHI,8D;MAmtHJ,kD;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAjuHG,cAAR,iBAAQ,C;QAiuHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KApBX,C;uGAuBA,yB;MAlwHI,8D;MAkwHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9wHG,cAAR,iBAAQ,C;QA8wHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAIBX,C;sGAqBA,yB;MA/wHI,8D;MA+wHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3xHG,cAAR,iBAAQ,C;QA2xHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAIBX,C;uGAqBA,yB;MA5xHI,8D;MA4xHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxyHG,cAAR,iBAAQ,C;QAwyHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAzyHI,8D;MAyyHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA rzHG,cAAR,iBAAQ,C;QAqzHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAIBX,C;IAqBA,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QA Ae,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA9IHG,gBAAR,iBAAQ,C;MA8IHhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,InC5mP8D,YmC4mP1D,GnC5mP2E,KAAjB,EmC4mPpD,CnC5mPiF,KAA7B,CmC4mP1D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QA Ae,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA r2HG,gBAAR,iBAAQ,C;MAq2HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,InBnnP+D,amBnnP3D,GnBnnP6E,KAAIB,EmBnnPrD,CnBnnPmF,KAA9B,CmBnnP3D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QA Ae,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA52HG,gBAAR,iBAAQ,C;MA42HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IpC1pP4E,0BoC0pPxE,GpC/6O8B,KAAL,GAAiB,GA3O8B,EoC0pPIE,CpC/6OwB,KAAL,GAAiB,GA3O8B,CoC0pPxE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBA

AJ,C;QAAe,OAAO,I;MAcTb,UAAU,sBAAK,CAAL,C;MACG,OAn3HG,gBAAR,iBAAQ,C;MAm3HhB,aAAU,C  
AAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IICjqP6E,0BkCiqPzE,GIC7708B,KAAL,GAAiB,KApO+B,EkCiq  
PnE,CIC770wB,KAAL,GAAiB,KApO+B,CkCiqPzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;M  
AKI,OAAO,4BAAc,UAAAd,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAAd,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UA  
Ad,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAAd,C;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;  
MAcTb,UAAU,sBAAK,CAAL,C;MACG,OA17HG,gBAAR,iBAAQ,C;MA07HhB,aAAU,CAAV,iB;QACI,QAAQ  
,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C  
;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MAcTb,UAAU,sBAAK,CAA  
L,C;MACG,OAj8HG,gBAAR,iBAAQ,C;MAi8HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAA  
I,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,i  
D;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MAcTb,UAAU,sBAAK,CAAL,C;MACG,OAx8HG,gBAAR  
,iBAAQ,C;MAw8HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAA  
a,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,m  
BAAJ,C;QAAe,OAAO,I;MAcTb,UAAU,sBAAK,CAAL,C;MACG,OA/8HG,gBAAR,iBAAQ,C;MA+8HhB,aAAU  
,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CA  
AjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO,mB;K;  
iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAA  
gB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,g  
C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,  
OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,  
IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,  
OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;qF  
AGX,6B;MAOmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K  
;qFAGJ,6B;MAOmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,  
gB;K;qFAGJ,6B;MAOmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAAr  
C,gB;K;mGAGJ,6B;MAttrEiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,c  
AAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAGsEnB,gB;K;mGAGJ,6B;MAttrEiB,gB;MADb,YAAY,C;MACC,2B;  
MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAGsEnB,gB;K;mGA  
GJ,6B;MAttrEiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,s  
BAAP,WAAgB,IAAhB,C;;MAGsEnB,gB;K;mGAGJ,6B;MAttrEiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,  
cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAGsEnB,gB;K;qFAGJ,yB;MAAA,  
4F;MA9qII,8D;MA8qIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kB  
AAkB,sBAAK,CAAL,C;QACD,OAjsID,cAAR,iBAAQ,C;QAisIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV  
,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;qFAyBA,yB;MAAA,4F;MA+rII,8D;MA+rII,u  
C;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;  
QACD,OAltID,cAAR,iBAAQ,C;QAktIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,  
CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;qFAyBA,yB;MAAA,4F;MAhtII,8D;MAGtIJ,uC;QAmBqB,Q;QAHjB,I  
AAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAnuID,cAAR,i  
BAAQ,C;QAmuIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,O  
AAO,W;O;KAtBX,C;qFAyBA,yB;MAAA,4F;MAjuII,8D;MAiuIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,  
MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OApvID,cAAR,iBAAQ,C;QAovIhB,iB  
AAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;m  
GAYBA,yB;MAAA,4F;MAIxII,8D;MAKxIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+B  
AA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OArYID,cAAR,iBAAQ,C;QAqyIhB,iBAAc,CAAd,yB;UACI,  
cAAc,UAAU,KAAY,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;mGAYB  
A,yB;MAAA,4F;MAnyII,8D;MAmyIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9  
B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAtzID,cAAR,iBAAQ,C;QAszIhB,iBAAc,CAAd,yB;UACI,cAAc,



UAAU, KAAV, EAAiB, WAAjB, EAA8B, sBAAK, KAAL, CAA9B, C;; QAEIB, OAAO, W; O; KAtBX, C; mGAYBA, yB; MAAA, 4F; MApZII, 8D; MAozIJ, uC; QAmBqB, Q; QAHjB, IAAI, mBAAJ, C; UACI, MAAM, mCAA8B, +BAA9B, C; QACV, kBAakB, sBAAK, CAAL, C; QACD, OA0ID, cAAR, iBAAQ, C; QAU0IhB, iBAAc, CAAd, yB; UACI, cAAc, UAAU, KAAV, EAAiB, WAAjB, EAA8B, sBAAK, KAAL, CAA9B, C;; QAEIB, OAAO, W; O; KAtBX, C; mGAYBA, yB; MAA A, 4F; MAr0II, 8D; MAq0IJ, uC; QAmBqB, Q; QAHjB, IAAI, mBAAJ, C; UACI, MAAM, mCAA8B, +BAA9B, C; QACV, kBAakB, sBAAK, CAAL, C; QACD, OAx1ID, cAAR, iBAAQ, C; QAw1IhB, iBAAc, CAAd, yB; UACI, cAAc, UAAU, KA AV, EAAiB, WAAjB, EAA8B, sBAAK, KAAL, CAA9B, C;; QAEIB, OAAO, W; O; KAtBX, C; +GAYBA, yB; MAT3II, 8D; MAs3IJ, uC; QAkBqB, Q; QAHjB, IAAI, mBAAJ, C; UACI, OAAO, I; QACX, kBAakB, sBAAK, CAAL, C; QACD, OAx4 ID, cAAR, iBAAQ, C; QAw4IhB, iBAAc, CAAd, yB; UACI, cAAc, UAAU, KAAV, EAAiB, WAAjB, EAA8B, sBAAK, K AAL, CAA9B, C;; QAEIB, OAAO, W; O; KArBX, C; +GAwBA, yB; MAT4II, 8D; MAs4IJ, uC; QAkBqB, Q; QAHjB, IAAI, mBAAJ, C; UACI, OAAO, I; QACX, kBAakB, sBAAK, CAAL, C; QACD, OAx5ID, cAAR, iBAAQ, C; QAw5IhB, iBAAc ,CAAd, yB; UACI, cAAc, UAAU, KAAV, EAAiB, WAAjB, EAA8B, sBAAK, KAAL, CAA9B, C;; QAEIB, OAAO, W; O; KArBX, C; +GAwBA, yB; MAT5II, 8D; MAs5IJ, uC; QAkBqB, Q; QAHjB, IAAI, mBAAJ, C; UACI, OAAO, I; QACX, kBA AkB, sBAAK, CAAL, C; QACD, OAx6ID, cAAR, iBAAQ, C; QAw6IhB, iBAAc, CAAd, yB; UACI, cAAc, UAAU, KAAV ,EAAiB, WAAjB, EAA8B, sBAAK, KAAL, CAA9B, C;; QAEIB, OAAO, W; O; KArBX, C; +GAwBA, yB; MAT6II, 8D; M As6IJ, uC; QAkBqB, Q; QAHjB, IAAI, mBAAJ, C; UACI, OAAO, I; QACX, kBAakB, sBAAK, CAAL, C; QACD, OAx7ID ,cAAR, iBAAQ, C; QAw7IhB, iBAAc, CAAd, yB; UACI, cAAc, UAAU, KAAV, EAAiB, WAAjB, EAA8B, sBAAK, KAA L, CAA9B, C;; QAEIB, OAAO, W; O; KArBX, C; iGAwBA, yB; MAT9II, 8D; MAs9IJ, uC; QAmBqB, Q; QAHjB, IAAI, mB AAJ, C; UACI, OAAO, I; QACX, kBAakB, sBAAK, CAAL, C; QACD, OAz+ID, cAAR, iBAAQ, C; QAY+IhB, iBAAc, CA Ad, yB; UACI, cAAc, UAAU, WAAV, EAAuB, sBAAK, KAAL, CAAvB, C;; QAEIB, OAAO, W; O; KAtBX, C; iGAYBA, y B; MAV+II, 8D; MAu+IJ, uC; QAmBqB, Q; QAHjB, IAAI, mBAAJ, C; UACI, OAAO, I; QACX, kBAakB, sBAAK, CAAL, C; QACD, OA1/ID, cAAR, iBAAQ, C; QA0/IhB, iBAAc, CAAd, yB; UACI, cAAc, UAAU, WAAV, EAAuB, sBAAK, KA AL, CAAvB, C;; QAEIB, OAAO, W; O; KAtBX, C; iGAYBA, yB; MAX/II, 8D; MAw/IJ, uC; QAmBqB, Q; QAHjB, IAAI, m BAAJ, C; UACI, OAAO, I; QACX, kBAakB, sBAAK, CAAL, C; QACD, OA3gJD, cAAR, iBAAQ, C; QA2gJhB, iBAAc, C AAd, yB; UACI, cAAc, UAAU, WAAV, EAAuB, sBAAK, KAAL, CAAvB, C;; QAEIB, OAAO, W; O; KAtBX, C; iGAYBA ,yB; MAZgJI, 8D; MAYgJJ, uC; QAmBqB, Q; QAHjB, IAAI, mBAAJ, C; UACI, OAAO, I; QACX, kBAakB, sBAAK, CAA L, C; QACD, OA5hJD, cAAR, iBAAQ, C; QA4hJhB, iBAAc, CAAd, yB; UACI, cAAc, UAAU, WAAV, EAAuB, sBAAK, KAAL, CAAvB, C;; QAEIB, OAAO, W; O; KAtBX, C; +FAYBA, yB; MAAA, 4F; MA1jJI, 8D; MA0jJJ, uC; QAkB0B, UAE U, M; QAJhC, YA1kJgB, cAAR, iBAAQ, C; QA2kJhB, IAAI, QAAQ, CAAZ, C; UAAe, MAAM, mCAA8B, +BAA9B, C; QACrB, kBAakB, uBAAI, YAAJ, EAAI, oBAAJ, Q; QACIB, OAAO, SAAS, CAAhB, C; UACI, cAAc, UAAU, uBAAI, cA AJ, EAAI, sBAAJ, UAAV, EAAwB, WAAxB, C;; QAEIB, OAAO, W; O; KAtBX, C; +FAYBA, yB; MAAA, 4F; MA3kJI, 8D ;MA2kJJ, uC; QAkB0B, UAEU, M; QAJhC, YA3IjgB, cAAR, iBAAQ, C; QA4IjHb, IAAI, QAAQ, CAAZ, C; UAAe, MAA M, mCAA8B, +BAA9B, C; QACrB, kBAakB, uBAAI, YAAJ, EAAI, oBAAJ, Q; QACIB, OAAO, SAAS, CAAhB, C; UAC I, cAAc, UAAU, uBAAI, cAAJ, EAAI, sBAAJ, UAAV, EAAwB, WAAxB, C;; QAEIB, OAAO, W; O; KAtBX, C; +FAYBA, yB; MAAA, 4F; MA5IJI, 8D; MA4IJJ, uC; QAkB0B, UAEU, M; QAJhC, YA5mJgB, cAAR, iBAAQ, C; QA6mJhB, IAAI, Q AAQ, CAAZ, C; UAAe, MAAM, mCAA8B, +BAA9B, C; QACrB, kBAakB, uBAAI, YAAJ, EAAI, oBAAJ, Q; QACIB, O AAO, SAAS, CAAhB, C; UACI, cAAc, UAAU, uBAAI, cAAJ, EAAI, sBAAJ, UAAV, EAAwB, WAAxB, C;; QAEIB, OA AO, W; O; KAtBX, C; +FAYBA, yB; MAAA, 4F; MA7mJI, 8D; MA6mJJ, uC; QAkB0B, UAEU, M; QAJhC, YA7nJgB, cAA R, iBAAQ, C; QA8nJhB, IAAI, QAAQ, CAAZ, C; UAAe, MAAM, mCAA8B, +BAA9B, C; QACrB, kBAakB, uBAAI, YA AJ, EAAI, oBAAJ, Q; QACIB, OAAO, SAAS, CAAhB, C; UACI, cAAc, UAAU, uBAAI, cAAJ, EAAI, sBAAJ, UAAV, EA AwB, WAAxB, C;; QAEIB, OAAO, W; O; KAtBX, C; 6GAYBA, yB; MAAA, 4F; MA9pJI, 8D; MA8pJJ, uC; QAkB0B, Q; Q AFtB, YA9qJgB, cAAR, iBAAQ, C; QA+qJhB, IAAI, QAAQ, CAAZ, C; UAAe, MAAM, mCAA8B, +BAA9B, C; QACrB, kBAakB, uBAAI, YAAJ, EAAI, oBAAJ, Q; QACIB, OAAO, SAAS, CAAhB, C; UACI, cAAc, UAAU, KAAV, EAAiB, sB AAI, KAAJ, CAAjB, EAA6B, WAA7B, C; UACd, qB;; QAEJ, OAAO, W; O; KAvBX, C; 6GA0BA, yB; MAAA, 4F; MAhrJ I, 8D; MAgrJJ, uC; QAkB0B, Q; QAFtB, YAhsJgB, cAAR, iBAAQ, C; QAisJhB, IAAI, QAAQ, CAAZ, C; UAAe, MAAM, mCAA8B, +BAA9B, C; QACrB, kBAakB, uBAAI, YAAJ, EAAI, oBAAJ, Q; QACIB, OAAO, SAAS, CAAhB, C; UACI, c AAc, UAAU, KAAV, EAAiB, sBAAI, KAAJ, CAAjB, EAA6B, WAA7B, C; UACd, qB;; QAEJ, OAAO, W; O; KAvBX, C; 6 GA0BA, yB; MAAA, 4F; MAIsJI, 8D; MAksJJ, uC; QAkB0B, Q; QAFtB, YAltJgB, cAAR, iBAAQ, C; QAMtJhB, IAAI, QA

AQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OA  
AO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;Q  
AEJ,OAAO,W;O;KAvBX,C;6GA0BA,yB;MAAA,4F;MAptJI,8D;MAotJJ,uC;QAKB0B,Q;QAFtB,YApuJgB,cAAR  
,iBAAQ,C;QAquJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAA  
J,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EA  
A6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAvBX,C;yHA0BA,yB;MAtwJI,8D;MASwJJ,uC;QAIb0B,Q;QAF  
tB,YArxJgB,cAAR,iBAAQ,C;QAsxJhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,uBAAI,YAAJ,E  
AAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6  
B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAtBX,C;yHAyBA,yB;MAvxJI,8D;MAuxJJ,uC;QAIb0B,Q;QAFtB,  
YAtyJgB,cAAR,iBAAQ,C;QAuyJhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,uBAAI,YAAJ,EA  
AI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,  
WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAtBX,C;yHAyBA,yB;MAxyJI,8D;MAwyJJ,uC;QAIb0B,Q;QAFtB,Y  
AvzJgB,cAAR,iBAAQ,C;QAwzJhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,uBAAI,YAAJ,EAAI,  
oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,W  
AA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAtBX,C;yHAyBA,yB;MAzzJI,8D;MAyzJJ,uC;QAIb0B,Q;QAFtB,YAx0  
JgB,cAAR,iBAAQ,C;QAY0JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,uBAAI,YAAJ,EAAI,oB  
AAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA  
7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAtBX,C;2GAYBA,yB;MA12JI,8D;MA02JJ,uC;QAKB0B,UAEU,M;QAJhC,  
YA13JgB,cAAR,iBAAQ,C;QA23JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,uBAAI,YAAJ,EA  
AI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAawB,  
WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;2GAYBA,yB;MA33JI,8D;MA23JJ,uC;QAKB0B,UAEU,M;QAJhC,YA  
34JgB,cAAR,iBAAQ,C;QA44JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,uBAAI,YAAJ,EAAI,o  
BAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAawB,WAA  
xB,C;;QAEIB,OAAO,W;O;KAtBX,C;2GAYBA,yB;MA54JI,8D;MA44JJ,uC;QAKB0B,UAEU,M;QAJhC,YA55JgB  
,cAAR,iBAAQ,C;QA65JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ  
,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAawB,WAAxB,C;;  
QAEIB,OAAO,W;O;KAtBX,C;2GAYBA,yB;MA75JI,8D;MA65JJ,uC;QAKB0B,UAEU,M;QAJhC,YA76JgB,cAA  
R,iBAAQ,C;QA86JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;Q  
ACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAawB,WAAxB,C;;QA  
EIB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAKBoB,Q;QAHhB,IAAI,mBAAJ,C;  
UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBrRO,W;Q  
qBstRP,kBAAkB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAauB,OA  
AvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAA  
A,gD;QAKBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,  
IAAb,C;QAA+B,8B;QAA5C,arB9uRO,W;QqB+uRP,kBAAkB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,y  
B;UACZ,cAAc,UAAU,WAAV,EAauB,OAavB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C  
;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAKBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OA  
AP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBvwRO,W;QqBwwRP,kBAAkB,O;QA  
CF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAauB,OAavB,C;UACd,MAAO,W  
AAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAKBoB,Q;QAHh  
B,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QA  
A5C,arBhyRO,W;QqBiyRP,kBAAkB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,  
WAAV,EAauB,OAavB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;6GAYBA,yB;MAAA,g  
D;MAAA,gE;MAlIKI,0D;MAkIKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QAC  
c,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arB1zRO,W;QqB2zRP,kBAAkB,O;QACJ,OArmK  
E,YAAR,iBAAQ,C;QAqmKF,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,  
EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GA0BA,yB;  
MAAA,gD;MAAA,gE;MAPmKI,0D;MAomKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,O

AAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBp1RO,W;QqBq1RP,kBAAkB,O;QACJ,OAvnKE,YAAR,iBAAQ,C;QAunKF,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GA0BA,yB;MAAA,gD;MAAA,gE;MATnKI,0D;MASnKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arB92RO,W;QqB+2RP,kBAAkB,O;QACJ,OAzoKE,YAAR,iBAAQ,C;QAyoKF,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GA0BA,yB;MAAA,gD;MAAA,gE;MAxoKI,0D;MAwoKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBx4RO,W;QqBy4RP,kBAAkB,O;QACJ,OA3pKE,YAAR,iBAAQ,C;QA2pKF,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;mGA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAKB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,cAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,arBl6RO,W;QqBm6Re,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KATBX,C;mGAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAKB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arB37RO,W;QqB47Re,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KATBX,C;mGAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAKB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arBp9RO,W;QqBq9Re,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KATBX,C;mGAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAKB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACqC,kBAAxB,eAAkB,cAAIB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,arB7+RO,W;QqB8+Re,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KATBX,C;iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,cAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,arBvgSO,W;QqBwgSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iHA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arBj3SO,W;QqB4jSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iHA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACqC,kBAAxB,eAAkB,cAAIB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,arBrlSO,W;QqBslSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAxZA,gD;MAAA,gE;MAwZA,gD;QAgBW,sB;;UAAtZS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OAYZH,OAZZG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBAwZzB.OAxZyB,C;UAA5C,arBrtrRO,W;UqBstRP,kBAuZmB,O;UAAtZH,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cAqZwB,SArZV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAKZP,yB;O;KAHBJ,C;iFAMBA,yB;MAIZA,gD;MAAA,gE;MAkZA,gD;QAgBW,sB;;UAhZS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OAmZH,OAnZG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBAkZzB,OAIzYB,C;UAA5C,arB9uRO,W;UqB+uRP,kBAiZmB,O;UAhZH,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cA+YwB,SA/YV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA4YP,yB;O;KAHBJ,C;iFAMBA,yB;M

A5YA,gD;MAAA,gE;MA4YA,gD;QAgBW,sB;;UA1YS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OA6YH,OA7Y  
YG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA4YzB,OA5YyB,C;UAA5C,arBvw  
RO,W;UqBwwRP,kBA2YmB,O;UA1YH,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cAyYwB,SAzYV,C  
AAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAsYP,yB;O;KAhBJ,C;f  
AmBA,yB;MAtYA,gD;MAAA,gE;MA5YA,gD;QAgBW,sB;;UApYS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,  
OAuYH,OAyYG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA5YzB,OA7YyB,C;U  
AA5C,arBhyRO,W;UqBiyRP,kBAqYmB,O;UApYH,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cAmYwB  
,SanYV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAgYP,yB;O;K  
AhBJ,C;+FamBA,yB;MAhYA,gD;MAAA,gE;MA11KI,0D;MAK9KJ,gD;QAIbW,6B;;UA9XO,gC;UAHd,IAAI,mB  
AAJ,C;YAAe,4BAAO,OaiYI,OAjYJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA  
gYIB,OAhykB,C;UAA5C,arB1zRO,W;UqB2zRP,kBA+X0B,O;UA9XZ,OArmKE,YAAR,iBAAQ,C;UAqmKF,m  
B;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cA6X+B,SA7XjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KA  
AL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA0XP,gC;O;KAjBJ,C;+FAoBA,yB;MA1XA  
,gD;MAAA,gE;MApmKI,0D;MA89KJ,gD;QAIbW,6B;;UAxXO,gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OA2  
XI,OA3XJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA0XIB,OA1XkB,C;UAA5C,  
arBp1RO,W;UqBq1RP,kBAyX0B,O;UAxXZ,OAvnKE,YAAR,iBAAQ,C;UAunKF,mB;UAAA,kB;UAAA,kB;UA  
Ad,0D;YACI,cAuX+B,SAvXjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO  
,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAoXP,gC;O;KAjBJ,C;+FAoBA,yB;MAPXA,gD;MAAA,gE;MATnKI,0D;  
MA0+KJ,gD;QAIbW,6B;;UAIXO,gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OAqXI,OAoRjC;YAAP,8B;;UACq  
B,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBAoXIB,OApxkB,C;UAA5C,arB92RO,W;UqB+2RP,kBAm  
X0B,O;UAIXZ,OAzoKE,YAAR,iBAAQ,C;UAYoKF,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cAiX+B,SAjXjB  
,CAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAA  
O,M;;;QA8WP,gC;O;KAjBJ,C;+FAoBA,yB;MA9WA,gD;MAAA,gE;MAxoKI,0D;MA5/KJ,gD;QAIbW,6B;;UA5  
WO,gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OA+WI,OA/WJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,iBAAO,C  
AAP,IAAb,C;UAA+B,sBA8WIB,OA9WkB,C;UAA5C,arBx4RO,W;UqBy4RP,kBA6W0B,O;UA5WZ,OA3pKE,Y  
AAR,iBAAQ,C;UA2pKF,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cA2W+B,SA3WjB,CAAU,KAAV,EAAiB,  
WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAwwP,gC;O;  
KAjBJ,C;mFAoBA,yB;MAAA,wB;MAAA,sC;QAuOB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAGB,cAAh  
B,C;UAAgB,yB;UACZ,MnCvwSiD,SmCuwSjD,GnCvws2D,KAAK,GmCuwSzD,SAAS,OAAT,CnCvwsOE,KAA  
X,IAAf,C;;QmCysrD,OAAG,G;O;KAbX,C;mFAGBA,yB;MAAA,wB;MAAA,sC;QAuOB,Q;QADhB,UAAgB,W  
;QACA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,MnCvxSiD,SmCuxSjD,GnCvxs2D,KAAK,GmCuxSz  
D,SAAS,OAAT,CnCvxsOE,KAAK,IAAf,C;;QmCysrD,OAAG,G;O;KAbX,C;mFAGBA,yB;MAAA,wB;MAAA,s  
C;QAuOB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,MnCvySiD,SmCuySj  
D,GnCvys2D,KAAK,GmCuySzD,SAAS,OAAT,CnCvysOE,KAAK,IAAf,C;;QmCysrD,OAAG,G;O;KAbX,C;m  
FAGBA,yB;MAAA,wB;MAAA,sC;QAuOB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB  
,yB;UACZ,MnCvzSiD,SmCuzSjD,GnCvzs2D,KAAK,GmCuzSzD,SAAS,OAAT,CnCvzsOE,KAAK,IAAf,C;;QmC  
yzSrD,OAAG,G;O;KAbX,C;8FAGBA,+B;MAuOB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAGB,cAAhB,C;  
QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;+FAGX,+B;MAuOB,Q;MADhB,UAAkB,G;MA  
CF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;+FAGX,+B;  
MAuOB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,  
C;;MAEX,OAAO,G;K;+FAGX,+B;MAuOB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAG  
B,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;  
MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAYo  
B,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAE  
X,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;Q  
ACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAh  
B,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAYoB,Q;M  
ADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;MAEJ,

OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB ,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAYoB,Q ;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MA EJ,OAAO,G;K;mFAGX,yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAgB, cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAFx,C;mFAkBA,yB;MAAA,S AWoB,gB;MAXpB,sC;QAYoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAO,S AAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAFx,C;mFAkBA,yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB,Q;QA DhB,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO, G;O;KAFx,C;mFAkBA,yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAgB,c AAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAFx,C;mFAkBA,yB;MnC5xSA, 6B;MmC4xSA,sC;QAaoB,Q;QADhB,UnC9xSmC,cmC8xSnB,CnC9xSmB,C;QmC+xSnB,2B;QAAhB,OAAgB,cA AhB,C;UAAgB,yB;UACZ,MnC1mTiD,cmCkmTjD,GnC1mT2D,KAAK,GmCkmTzD,SAAS,OAAT,CnC1mToE,K AAX,IAAf,C;;QmComTrD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnC/ySA,6B;MmC+ySA,sC;QAaoB,Q;QADhB ,UnCjzSmC,cmCizSnB,CnCjzSmB,C;QmCkzSnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCrmTiD,c mCqnTjD,GnCrmT2D,KAAK,GmCqnTzD,SAAS,OAAT,CnCrmToE,KAAK,IAAf,C;;QmCunTrD,OAAO,G;O;KA hBX,C;mFAmBA,yB;MnCl0SA,6B;MmCk0SA,sC;QAaoB,Q;QADhB,UnCp0SmC,cmCo0SnB,CnCp0SmB,C;Qm Cq0SnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCxoTiD,cmCwoTjD,GnCxoT2D,KAAK,GmCwoT zD,SAAS,OAAT,CnCxoToE,KAAK,IAAf,C;;QmC0oTrD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnCr1SA,6B;M mCq1SA,sC;QAaoB,Q;QADhB,UnCv1SmC,cmCu1SnB,CnCv1SmB,C;QmCw1SnB,2B;QAAhB,OAAgB,cAAhB, C;UAAgB,yB;UACZ,MnC3pTiD,cmC2pTjD,GnC3pT2D,KAAK,GmC2pTzD,SAAS,OAAT,CnC3pToE,KAAK,IA Af,C;;QmC6pTrD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBr2SA,+B;MmBq2SA,sC;QAaoB,Q;QADhB,UnBt2S qC,eAAW,oBmBs2S/B,CnBt2S+B,CAAX,C;QmBu2SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB 3qTmD,emB2qTnD,GnB3qT8D,KAAK,KmB2qT5D,SAAS,OAAT,CnB3qTuE,KAAK,CAAhB,C;;QmB6qTvD,O AAO,G;O;KAhBX,C;mFAmBA,yB;MnBx3SA,+B;MmBw3SA,sC;QAaoB,Q;QADhB,UnBz3SqC,eAAW,oBmBy3 S/B,CnBz3S+B,CAAX,C;QmB03SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB9rTmD,emB8rTnD, GnB9rT8D,KAAK,KmB8rT5D,SAAS,OAAT,CnB9rTuE,KAAK,CAAhB,C;;QmBgsTvD,OAAO,G;O;KAhBX,C; mFAmBA,yB;MnB34SA,+B;MmB24SA,sC;QAaoB,Q;QADhB,UnB54SqC,eAAW,oBmB44S/B,CnB54S+B,CAA X,C;QmB64SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBjtTmD,emBitTnD,GnBjtT8D,KAAK,Km BitT5D,SAAS,OAAT,CnBjtTuE,KAAK,CAAhB,C;;QmBmtTvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB95SA ,+B;MmB85SA,sC;QAaoB,Q;QADhB,UnB/5SqC,eAAW,oBmB+5S/B,CnB/5S+B,CAAX,C;QmBg6SrB,2B;QAAh B,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBpuTmD,emBouTnD,GnBpuT8D,KAAK,KmBouT5D,SAAS,OAAT, CnBpuTuE,KAAK,CAAhB,C;;QmBsuTvD,OAAO,G;O;KAhBX,C;IAmBA,kC;MA2DI,WpBnnTO,MAAO,KoBm nTG,cpBnnTH,EoBikTH,KAkDkB,OpBnnTf,C;MoBonTd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB ,IAAIB,M;QACI,IAAK,WArDqB,GAqDP,sBAAK,CAAL,CARDO,EAAAnB,KAqDqB,CAAM,CAAN,CARDF,CAq DrB,C;;MArDT,OAuDO,I;K;IApDX,kC;MAkEI,WpBtoTO,MAAO,KoBsoTG,cpBtoTH,EoB6kTH,KAyDkB,OpBt oTf,C;MoBuoTd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5DqB,GA4D P,sBAAK,CAAL,CA5DO,EAAAnB,KA4DqB,CAAM,CAAN,CA5DF,CA4DrB,C;;MA5DT,OA8DO,I;K;IA3DX,kC ;MAyEI,WpBzpTO,MAAO,KoBypTG,cpBzpTH,EoBylTH,KAgEkB,OpBzpTf,C;MoB0pTd,WAAW,iBAaA,IAAb ,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAnEqB,GAmEP,sBAAK,CAAL,CAnEO,EAAAnB,KA mEqB,CAAM,CAAN,CAnEF,CAmErB,C;;MAnET,OAqEO,I;K;IAIEX,kC;MAgFI,WpB5qTO,MAAO,KoB4qTG, cpB5qTH,EoBqmTH,KAuEkB,OpB5qTf,C;MoB6qTd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IA AIB,M;QACI,IAAK,WA1EqB,GA0EP,sBAAK,CAAL,CA1EO,EAAAnB,KA0EqB,CAAM,CAAN,CA1EF,CA0ErB ,C;;MA1ET,OA4EO,I;K;+EAzEX,yB;MAAA,gE;MpB9mTA,iB;MoB8mTA,8C;QAWI,WpBnnTO,MAAO,KoBm nTG,cpBnnTH,EoBmnTS,KAAM,OpBnnTf,C;QoBonTd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IA AIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,O AAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MpBjoTA,iB;MoBioTA,8C;QAWI,WpBtoTO,MAAO,KoBsoTG,cp BtoTH,EoBsoTS,KAAM,OpBtoTf,C;QoBuoTd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;U

ACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAM,MAAM,CAAN,CAANB,CAAJ,C;;QAET,OAAO,I;O;K  
AhBX,C;+EAmBA,yB;MAAA,gE;MpBppTA,iB;MoBopTA,8C;QAWI,WpBzpTO,MAAO,KoBypTG,cpBzpTH,E  
oBypTS,KAAM,OpBzpTf,C;QoB0pTd,WAAW,eAAa,IAAb,C;QACX,AAAU,CAAV,MAAkB,IAAIB,M;UACI,IA  
AK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAM,MAAM,CAAN,CAANB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,  
C;+EAmBA,yB;MAAA,gE;MpBvqTA,iB;MoBuqTA,8C;QAWI,WpB5qTO,MAAO,KoB4qTG,cpB5qTH,EoB4qT  
S,KAAM,OpB5qTf,C;QoB6qTd,WAAW,eAAa,IAAb,C;QACX,AAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,W  
AAI,UAAU,sBAAK,CAAL,CAAV,EAAM,MAAM,CAAN,CAANB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;IAm  
BA,kC;MA8DoB,gB;MAHhB,gBAAGB,c;MACHB,WAAW,iBpBhvTJ,MAAO,KoBgvTsB,wBAnDzB,KAmDyB,E  
AAwB,EAAXB,CpBhvTtB,EoBgvTmD,SpBhvTnD,CoBgvTH,C;MACX,QAAQ,C;MACQ,OArDL,KAqDK,W;M  
AAhB,OAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAC,SAAT,C;UAAoB,K;QACpB,IAAK,WAvDqB,GAuDP,  
uBAAK,UAAAL,EAAC,kBAAL,UAvDO,EAuDI,OAuDJ,CAuDrB,C;;MAvDT,OAYDO,I;K;IAtdX,kC;MAuEoB,g  
B;MAHhB,gBAAGB,c;MACHB,WAAW,iBpBrwTJ,MAAO,KoBqwTsB,wBA5DzB,KA4DyB,EAwB,EAAXB,Cp  
BrwTtB,EoBqwTmD,SpBrwTnD,CoBqwTH,C;MACX,QAAQ,C;MACQ,OA9DL,KA8DK,W;MAAhB,OAGB,c  
AAhB,C;QAAGB,yB;QACZ,IAAI,KAAC,SAAT,C;UAAoB,K;QACpB,IAAK,WAhEqB,GAGEP,uBAAK,UAAAL,E  
AAK,kBAAL,UAhEO,EAAGI,OAHEJ,CAGErB,C;;MAhET,OAkEO,I;K;IA/DX,kC;MAGFoB,gB;MAHhB,gBAAG  
B,c;MACHB,WAAW,iBpB1xTJ,MAAO,KoB0xTsB,wBArEzB,KAqEyB,EAwB,EAAXB,CpB1xTtB,EoB0xTmD,  
SpB1xTnD,CoB0xTH,C;MACX,QAAQ,C;MACQ,OAveL,KAuEK,W;MAAhB,OAGB,cAAhB,C;QAAGB,yB;Q  
ACZ,IAAI,KAAC,SAAT,C;UAAoB,K;QACpB,IAAK,WAZEqB,GAYEP,uBAAK,UAAAL,EAAC,kBAAL,UAZEO,  
EAYEI,OAzeJ,CAYErB,C;;MAzET,OA2EO,I;K;IAxEX,kC;MAYFoB,gB;MAHhB,gBAAGB,c;MACHB,WAAW,iB  
pB/yTJ,MAAO,KoB+yTsB,wBA9EzB,KA8EyB,EAwB,EAAXB,CpB/yTtB,EoB+yTmD,SpB/yTnD,CoB+yTH,C;  
MACX,QAAQ,C;MACQ,OAHL,KAqFK,W;MAAhB,OAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAC,SAAT,  
C;UAAoB,K;QACpB,IAAK,WAlFqB,GAKFP,uBAAK,UAAAL,EAAC,kBAAL,UAlFO,EAKFI,OAlFJ,CakFrB,C;;  
MAIFT,OAoFO,I;K;+EAjFX,yB;MAAA,kF;MAAA,gE;MpB1uTA,iB;MoB0uTA,8C;QAcOB,UAEY,M;QAL5B,g  
BAAGB,c;QACHB,WAAW,epBhvTJ,MAAO,KoBgvTsB,wBAAN,KAAM,EAwB,EAAXB,CpBhvTtB,EoBgvTm  
D,SpBhvTnD,CoBgvTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAGB,cAAhB,C;UAGB,yB;UACZ,IAAI,KA  
K,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAAL,EAAC,kBAAL,UAAV,EAAGB,OAARB,CA  
AJ,C;;QAET,OAAO,I;O;KAIBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB/vTA,iB;MoB+vTA,8C;QAcOB,UAE  
Y,M;QAL5B,gBAAGB,c;QACHB,WAAW,epBrwTJ,MAAO,KoBqwTsB,wBAAN,KAAM,EAwB,EAAXB,CpBr  
wTtB,EoBqwTmD,SpBrwTnD,CoBqwTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAGB,cAAhB,C;UAGB,yB;  
UACZ,IAAI,KAAC,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAAL,EAAC,kBAAL,UAAV,E  
AAqB,OAARB,CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBpxTA,iB;MoBoxT  
A,8C;QAcOB,UAEY,M;QAL5B,gBAAGB,c;QACHB,WAAW,epB1xTJ,MAAO,KoB0xTsB,wBAAN,KAAM,EA  
wB,EAAXB,CpB1xTtB,EoB0xTmD,SpB1xTnD,CoB0xTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAGB,cAAh  
B,C;UAGB,yB;UACZ,IAAI,KAAC,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAAL,EAAC,k  
BAAL,UAAV,EAAGB,OAARB,CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;8EAqBA,yB;MAAA,kF;MAAA,gE;MpBzy  
TA,iB;MoByyTA,8C;QAcOB,UAEY,M;QAL5B,gBAAGB,c;QACHB,WAAW,epB/yTJ,MAAO,KoB+yTsB,wBAA  
N,KAAM,EAwB,EAAXB,CpB/yTtB,EoB+yTmD,SpB/yTnD,CoB+yTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,  
OAGB,cAAhB,C;UAGB,yB;UACZ,IAAI,KAAC,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,U  
AAL,EAAC,kBAAL,UAAV,EAAGB,OAARB,CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;IAqBA,kC;MA2DI,WpBn3T  
O,MAAO,KoBm3TG,cpBn3TH,EoBi0TH,KAKdkB,KpBn3Tf,C;MoBo3Td,WAAW,iBAAa,IAAb,C;MACX,AA  
U,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WArDqB,GAqDP,sBAAK,CAAL,CArDO,EAANB,KAqDqB,aAAM,C  
AAN,CArDF,CAqDrB,C;;MARDT,OAuDO,I;K;IAPDX,kC;MAKEI,WpBt4TO,MAAO,KoBs4TG,cpBt4TH,EoB60  
TH,KAyDkB,KpBt4Tf,C;MoBu4Td,WAAW,iBAAa,IAAb,C;MACX,AAAU,CAAV,MAAkB,IAAIB,M;QACI,IAA  
K,WA5DqB,GA4DP,sBAAK,CAAL,CA5DO,EAANB,KA4DqB,aAAM,CAAN,CA5DF,CA4DrB,C;;MA5DT,OA8  
DO,I;K;IA3DX,kC;MAyEI,WpBz5TO,MAAO,KoBy5TG,cpBz5TH,EoBy1TH,KAGekB,KpBz5Tf,C;MoB05Td,W  
AAW,iBAAa,IAAb,C;MACX,AAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAnEqB,GAmEP,sBAAK,CAAL,C  
AnEO,EAANB,KAmEqB,aAAM,CAAN,CAnEF,CAMerB,C;;MANET,OAqEO,I;K;IAIEX,kC;MAGFI,WpB56TO,  
MAAO,KoB46TG,cpB56TH,EoBq2TH,KAuEkB,KpB56Tf,C;MoB66Td,WAAW,iBAAa,IAAb,C;MACX,AAAU,C

AAV,MAAkB,IAAIB,M;QACI,IAAK,WA1EqB,GA0EP,sBAAK,CAAL,CA1EO,EAAAnB,KA0EqB,aAAM,CAAN,CA1EF,CA0ErB,C;;MA1ET,OA4EO,I;K;+EAzEX,yB;MAAA,gE;MpB92TA,iB;MoB82TA,8C;QAWI,WpBn3TO,MAAO,KoBm3TG,cpBn3TH,EoBm3TS,KAAM,KpBn3Tf,C;QoBo3Td,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MpBj4TA,iB;MoBi4TA,8C;QAWI,WpBt4TO,MAAO,KoBs4TG,cpBt4TH,EoBs4TS,KAAM,KpBt4Tf,C;QoBu4Td,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MpBp5TA,iB;MoBo5TA,8C;QAWI,WpBz5TO,MAAO,KoBy5TG,cpBz5TH,EoBy5TS,KAAM,KpBz5Tf,C;QoB05Td,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MpBv6TA,iB;MoBu6TA,8C;QAWI,WpB56TO,MAAO,KoB46TG,cpB56TH,EoB46TS,KAAM,KpB56Tf,C;QoB66Td,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;IAmBA,2B;MAQoB,Q;MADhB,UAAgB,W;MACHB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,MnCjnUiD,SmCinUjD,GnCjnU2D,KAAK,GmCinUzD,OnCjnUoE,KAAAX,IAAf,C;;MmCmnUrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,2B;MACjB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,MnB5nUmD,UmB4nUnD,GnB5nU8D,KAAK,KmB4nU5D,OnB5nUuE,KAAAX,CAAhB,C;;MmB8nUvD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACHB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,MnC7oUiD,SmC6oUjD,GnC7oU2D,KAAK,GAAW,CD2O5C,SoCk6TxB,OpCl6TkC,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;;MmC+oUrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACHB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,MnC3pUiD,SmC2pUjD,GnC3pU2D,KAAK,GAAW,CC4O5C,SkC+6TxB,OIC/6TkC,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;;MmC6pUrD,OAAO,G;K;+EAGX,yB;MAAA,0C;MnC x2TA,6B;MmCw2TA,4B;QAOI,OnCr2TmC,cmCq2TpB,IAAR,iBAAQ,CnCr2ToB,C;O;KmC81TvC,C;+EAUA,yB;MAAA,0C;MnBn2TA,+B;MmBm2TA,4B;QAOI,OnBh2TsC,emBg2TvB,IAAR,iBAAQ,CnBh2TuB,C;O;KmBy1T1C,C;+EAUA,yB;MAAA,sC;MnC53TA,6B;MmC43TA,iBAOiB,yB;QpCz9Tb,6B;eoCy9Ta,c;UAAE,OpCh9ToB,coCg9TpB,EpCh9T8B,KAAL,GAAiB,GAAtB,C;S;OoCg9TtB,C;MAPjB,4B;QA7iBoB,Q;QADhB,UnCp0SmC,cmCo0SnB,CnCP0SmB,C;QmCq0SnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCxoTiD,cmCwoTjD,GnCxoT2D,KAAK,GAAW,CD2O5C,coC65Sf,OpC75SyB,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;;QmC2rUrD,OAjjBO,G;O;KA0iBX,C;+EAUA,yB;MAAA,sC;MnCt4TA,6B;MmCs4TA,iBAOiB,yB;QICl+Tb,6B;ekCk+Ta,c;UAAE,OICz9ToB,ckCy9TpB,EICz9T8B,KAAL,GAAiB,KAAtB,C;S;OkCy9TtB,C;MAPjB,4B;QApiBoB,Q;QADhB,UnCv1SmC,cmCu1SnB,CnCV1SmB,C;QmCw1SnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnC3pTiD,cmC2pTjD,GnC3pT2D,KAAK,GAAW,CC4O5C,ckC+6Sf,OIC/6SyB,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;;QmCqsUrD,OAxiBO,G;O;KAiiBX,C;IC3vUA,mC;MAQoB,UACL,M;MAHX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;K;IAGX,kC;MAQoB,UACL,M;MAHX,aAAa,eAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;K;IAGX,mC;MAQoB,UACL,M;MAHX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;K;IAGX,oC;MAQoB,UACL,M;MAHX,aAAa,iBAAy,cAAZ,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,MpCAiD,SoCAjD,GpCA2D,KAAK,GoCAzD,OpCAoE,KAAAX,IAAf,C;;MoCERD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,2B;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,MpBXmD,UoBWNd,GpBX8D,KAAK,KoBW5D,OpBXuE,KAAAX,CAAhB,C;;MoBavD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,MpC5BiD,SoC4BjD,GpC5B2D,KAAK,GAAW,CD2O5C,SqC/MxB,OrC+MkC,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;;MoC8BrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,MpC1CiD,SoC0CjD,GpC1C2D,KAAK,GAAW,CC4O5C,SmCIMxB,OnCkMkC,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;;MoC4CrD,OAAO,G;K;IC3GX,w

B;MAMI,OrCuCkE,YqCvCvD,CrCuCwE,KAAjB,EqCvCID,CrCuC+E,KAA7B,CqCvCvD,KAAJ,GAAY,CAAZ,GA  
AmB,C;K;IAG9B,wB;MAMI,OrBsCmE,aqBtCxD,CrBsC0E,KAAiB,EqBtCnD,CrBsCiF,KAA9B,CqBtCxD,KA  
AJ,GAAY,CAAZ,GAAmB,C;K;IAG9B,wB;MAMI,OtCKgF,0BsCLrE,CtCgP2B,KAAL,GAAiB,GA3O8B,EsCLh  
E,CtCgPsB,KAAL,GAAiB,GA3O8B,CsCLrE,KAAJ,GAAY,CAAZ,GAAmB,C;K;IAG9B,wB;MAMI,OpClIF,0Bo  
CJtE,CpCwO2B,KAAL,GAAiB,KApO+B,EoCJJE,CpCwOsB,KAAL,GAAiB,KApO+B,CoCJtE,KAAJ,GAAY,CA  
AZ,GAAmB,C;K;mFAG9B,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAA  
S,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,C  
AAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAA  
S,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,C  
AAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;IAUA,4B;MAOc,Q;MADV,UAAU,C;MACA,uB  
;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAG  
X,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,  
EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C  
;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,U  
AAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACv  
B,OAAO,G;K;IAGX,wB;MAMI,OrCjFkE,YqCiFvD,CrCjFwE,KAAjB,EqCiFID,CrCjF+E,KAA7B,CqCiFvD,KAA  
J,GAAY,CAAZ,GAAmB,C;K;IAG9B,wB;MAMI,OrBIFmE,aqBkFxD,CrBIF0E,KAAiB,EqBkFnD,CrBIFiF,KAA9  
B,CqBkFxD,KAAJ,GAAY,CAAZ,GAAmB,C;K;IAG9B,wB;MAMI,OtCnHgF,0BsCmHrE,CtCwH2B,KAAL,GAA  
iB,GA3O8B,EsCmHhE,CtCwHsB,KAAL,GAAiB,GA3O8B,CsCmHrE,KAAJ,GAAY,CAAZ,GAAmB,C;K;IAG9B  
,wB;MAMI,OpCpHiF,0BoCoHtE,CpCgH2B,KAAL,GAAiB,KApO+B,EoCoHJE,CpCgHsB,KAAL,GAAiB,KApO  
+B,CoCoHtE,KAAJ,GAAY,CAAZ,GAAmB,C;K;mFAG9B,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CA  
AN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QA  
OI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MA  
AA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;IAUA,4B;MAOc  
,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAA  
X,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;  
QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MA  
CA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;  
K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,  
GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;gFC7OX,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kB  
AAO,cAAP,C;O;KATX,C;gFAYA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KAT  
X,C;IAYA,sC;;QASQ,OAAc,WAAP,MAAO,EAAS,SAAT,C;;QACHB,+C;UACE,MAAM,2BAAUb,CAAE,QAAz  
B,C;;UAHV,O;;K;IAOJ,sC;;QASQ,OAAc,YAAP,MAAO,EAAU,SAAV,C;;QACHB,+C;UACE,MAAM,2BAAUb,  
CAAE,QAAzB,C;;UAHV,O;;K;4FAOJ,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;  
KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;M  
AMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,WAAP,MAAO,EAAS,SAAT,C;K;IAGIB,4C;MAMI,IAAI,m  
BAAJ,C;QACI,OAAO,I;MACX,OAAc,YAAP,MAAO,EAAU,SAAV,C;K;oFAGIB,8B;MASI,OAAO,WAAW,IA  
AX,IAAmB,2BAAS,OAAT,C;K;oFAG9B,8B;MASI,OAAO,WAAW,IAAX,IAAmB,2BAAS,OAAT,C;K;IAG9B,u  
C;MAMI,OAAO,2BvC4K4B,SuC5KnB,KvC4K6B,KAAL,GAAiB,GAAtB,CuC5K5B,C;K;IAGX,uC;MAMI,OAA  
O,2BvC6K8B,UAAW,oBuC7KhC,KvC6K2B,KAAK,CAAL,UAAN,CuC7K9B,C;K;IAGX,uC;MAMI,OAAO,2Bt  
CwL8B,UAAW,oBsCxLhC,KtCwL2B,KAAK,CAAL,iBAAN,CsCxL9B,C;K;IAGX,uC;MAMY,Q;MAAD,cAAC,  
OtBqF4C,UsBrF5C,KtBqFkD,yBsBrFxC,EtBqFwC,CAAN,CsBrF7C,wBAA8B,2BAA9B,Q;MAAA,W;QAAqC,o  
CtCoPR,SsCpPiB,KtB6KIB,KhBuEW,QAAV,CsCpPQ,C;;MAA5C,a;K;IAGJ,uC;MAMI,OAAO,2BrCyI4B,SqCzI  
nB,KrCyI6B,KAAL,GAAiB,GAAtB,CqCzI5B,C;K;IAGX,uC;MAMI,OAAO,2BrC0I8B,UAAW,oBqC1IhC,KrC0I  
2B,KAAK,CAAL,YAAN,CqC1I9B,C;K;IAGX,kC;MASI,OAAO,uCAAgB,yBvCmHY,SuCnHI,SvCmHM,KAAL,  
GAAiB,GAAtB,CuCnHZ,EvCmHY,SuCnHmB,EvCmHT,KAAL,GAAiB,GAAtB,CuCnHZ,EAA4C,EAA5C,C;K;I  
AG3B,kC;MASI,OAAO,uCAAgB,yBAAGB,SAAhB,EAA5B,EAAtB,EAA0B,EAA1B,C;K;IAG3B,kC;MASI,OAA



O,wCAAiB,yBAAGB,SAAhB,EAAAsB,EAAtB,M;K;IAG5B,kC;MASI,OAAO,uCAAGB,yBrCgFY,SqChFI,SrCgF  
M,KAAAL,GAAiB,KAAtB,CqChFZ,ErCgFY,SqChFmB,ErCgFT,KAAAL,GAAiB,KAAtB,CqChFZ,EAA4C,EAA5C,  
C;K;IAG3B,gC;MAMI,OAAO,uCAAGB,yBAAGB,cAAhB,EAAAsB,eAAtB,EAA6B,CAAC,cAAD,IAA7B,C;K;IA  
G3B,gC;MAMI,OAAO,wCAAiB,yBAAGB,cAAhB,EAAAsB,eAAtB,EAA8B,cAAD,aAA7B,C;K;IAG5B,iC;MAMI,  
oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAGB,yBAAGB,eAAhB,EAAuB,cAAvB,EAAiC,S  
AAK,KAAAL,GAAy,CAAhB,GAAmB,IAAnB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG3B,iC;MAMI,oBAAoB,kB  
AAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,wCAAiB,yBAAGB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAA  
L,cAAy,CAAhB,GAAmB,IAAnB,GAA8B,IAAD,aAA1D,C;K;IAG5B,iC;MAQI,IvC/OgF,0BuC+O5E,EvCjKc,K  
AAL,GAAiB,GA3O8B,EuC+Ote,6BAAM,UvCJsB,KAAAL,GAAiB,GA3O8B,CuC+O5E,KAAJ,C;QAA2B,OAAO,  
iCAAU,M;MACHc,WvC6BuB,SuC7B5B,SvC6BsC,KAAAL,GAAiB,GAAtB,C;MuC7BV,YAAK,W;MAA9B,OtCj  
D6D,oBAhJP,SAAU,CD8N7B,SuC7BV,EvC6BoB,KAAAL,GAAiB,GAAtB,CC9N6B,MAAK,GDAK,KCAO,KAA  
Z,IAAf,CAgJO,C;K;IsCoDjE,iC;MAQI,ItC3OkE,YsC2O9D,EtC3O+E,KAAjB,EsC2OxD,4BAAK,UtC3OgF,KAA  
7B,CsC2O9D,KAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OtC7D6D,csC6DtD,StC7DsD,EAhJP,SsC6MtC,EtC7  
MgD,KAAK,GAAy,CsC6M5D,WtC7M4D,MAAZ,IAAf,CAgJO,C;K;IsCgEjE,iC;MAQI,ItB/OmE,asB+O/D,EtB/  
OiF,KAAIB,EsB+OzD,6BAAM,UtB/OiF,KAA9B,CsB+O/D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OtBzE  
+D,iBsByExD,StBzEwD,EA7IP,UsBsNx,C,EtBtNmD,KAAK,UAAy,ChByP/C,UAAW,oBAAL,CsCnCb,WtCmC  
sB,MAAK,CAAL,iBAAN,CgBzP+C,MAAZ,CAAhB,CA6IO,C;K;IsB4EnE,iC;MAQI,IrC3QiF,0BqC2Q7E,ErCvC  
kC,KAAAL,GAAiB,KApO+B,EqC2QvE,8BAAO,UrCvCqB,KAAAL,GAAiB,KApO+B,CqC2Q7E,KAAJ,C;QAA4B,  
OAAO,iCAAU,M;MACjC,WrCNuB,SqCM5B,SrCnS,C,KAAAL,GAAiB,KAAtB,C;MqCMV,YAAK,W;MAA9B,Ot  
CrF6D,oBAhJP,SAAU,CC+N7B,SqCMV,ErCNoB,KAAAL,GAAiB,KAAtB,CD/N6B,MAAK,GCAK,KDAO,KAA  
Z,IAAf,CAgJO,C;K;IsCwFjE,kD;MAUI,OtCjRkE,YsCiRvD,StCjRwE,KAAjB,EsCiRhD,YtCjR6E,KAA7B,CsCiR  
vD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,OtBtRmE,asBsRxD,StBtR0E,KAAIB,EsBsRjD,YtBtR+  
E,KAA9B,CsBsRxD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,OvC3TgF,0BuC2TrE,SvChF2B,KAA  
L,GAAiB,GA3O8B,EuC2T9D,YvChFoB,KAAAL,GAAiB,GA3O8B,CuC2TrE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;  
IAGtD,kD;MAUI,OrChUiF,0BqCgUtE,SrC5F2B,KAAAL,GAAiB,KApO+B,EqCgU/D,YrC5FoB,KAAAL,GAAiB,K  
ApO+B,CqCgUtE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OtCrUkE,YsCqUvD,StCrUwE,KAAjB,E  
sCqUhD,YtCrU6E,KAA7B,CsCqUvD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OtB1UmE,asB0UxD,  
StB1U0E,KAAIB,EsB0UjD,YtB1U+E,KAA9B,CsB0UxD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,O  
vC/WgF,0BuC+WrE,SvCpI2B,KAAAL,GAAiB,GA3O8B,EuC+W9D,YvCpIoB,KAAAL,GAAiB,GA3O8B,CuC+W  
rE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OrCpXiF,0BqCoXtE,SrChJ2B,KAAAL,GAAiB,KApO+B,E  
qCoX/D,YrChJoB,KAAAL,GAAiB,KApO+B,CqCoXtE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,4D;MAUI,ItCz  
XkE,YsCyX9D,YtCzX+E,KAAjB,EsCyX/C,YtCzX4E,KAA7B,CsCyX9D,IAAJ,C;QAAiC,MAAM,gCAAyB,oDA  
AiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,ItC1XkE,YsC0X9D,StC1X+E,KAAjB,EsC0XvD,YtC1XoF,K  
AA7B,CsC0X9D,IAAJ,C;QAAyB,OAAO,Y;MACHc,ItC3XkE,YsC2X9D,StC3X+E,KAAjB,EsC2XvD,YtC3XoF,  
KAA7B,CsC2X9D,IAAJ,C;QAAyB,OAAO,Y;MACHc,OAAO,S;K;IAGX,4D;MAUI,ItBjYmE,asBiY/D,YtBjYiF,  
KAAIB,EsBiYhD,YtBjY8E,KAA9B,CsBiY/D,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAA  
pF,MAAzB,C;MACvC,ItBiYmE,asBkY/D,StBiYiF,KAAIB,EsBkYxD,YtBiYsF,KAA9B,CsBkY/D,IAAJ,C;QAAy  
B,OAAO,Y;MACHc,ItBnYmE,asBmY/D,StBnYiF,KAAIB,EsBmYxD,YtBnYsF,KAA9B,CsBmY/D,IAAJ,C;QAA  
yB,OAAO,Y;MACHc,OAAO,S;K;IAGX,4D;MAUI,IvCzagF,0BuCya5E,YvC9LkC,KAAAL,GAAiB,GA3O8B,EuC  
ya7D,YvC9LmB,KAAAL,GAAiB,GA3O8B,CuCya5E,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAo  
F,YAApF,MAAzB,C;MACvC,IvC1agF,0BuC0a5E,SvC/LkC,KAAAL,GAAiB,GA3O8B,EuC0arE,YvC/L2B,KAAAL,  
GAAiB,GA3O8B,CuC0a5E,IAAJ,C;QAAyB,OAAO,Y;MACHc,IvC3agF,0BuC2a5E,SvChMkC,KAAAL,GAAiB,G  
A3O8B,EuC2arE,YvChM2B,KAAAL,GAAiB,GA3O8B,CuC2a5E,IAAJ,C;QAAyB,OAAO,Y;MACHc,OAAO,S;K;I  
AGX,4D;MAUI,IrCjbiF,0BqCib7E,YrC7MkC,KAAAL,GAAiB,KApO+B,EqCib9D,YrC7MmB,KAAAL,GAAiB,KAp  
O+B,CqCib7E,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IrCibiF,  
0BqCkb7E,SrC9MkC,KAAAL,GAAiB,KApO+B,EqCkbtE,YrC9M2B,KAAAL,GAAiB,KApO+B,CqCkb7E,IAAJ,C;  
QAAyB,OAAO,Y;MACHc,IrCnbiF,0BqCmb7E,SrC/MkC,KAAAL,GAAiB,KApO+B,EqCmbtE,YrC/M2B,KAAAL,G  
AAiB,KApO+B,CqCmb7E,IAAJ,C;QAAyB,OAAO,Y;MACHc,OAAO,S;K;IAGX,uC;MAcW,Q;MAJP,IAAI,8CA

AJ,C;QACI,OAAy,WAAL,SAAK,EAAe,KAAf,C;;MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4C  
AAyC,KAAzC,MAAzB,C;MAEvB,ItC9b8D,YsC8b9D,StC9b+E,KAAjB,EsC8bvD,KAAM,MtC9b8E,KAA7B,Cs  
C8b9D,K;QAA4B,OAAN,KAAM,M;;QAC5B,ItC/b8D,YsC+b9D,StC/b+E,KAAjB,EsC+bvD,KAAM,atC/b8E,KA  
A7B,CsC+b9D,K;UAAmC,OAAN,KAAM,a;;UAC3B,gB;;MAHZ,W;K;IAOJ,uC;MAcW,Q;MAJP,IAAI,8CAAJ,C  
;QACI,OAAy,WAAL,SAAK,EAAgB,KAAhB,C;;MAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4C  
AAyC,KAAzC,MAAzB,C;MAEvB,ItB3c+D,asB2c/D,StB3ciF,KAAIB,EsB2cxD,KAAM,MtB3cgF,KAA9B,CsB2c  
/D,K;QAA4B,OAAN,KAAM,M;;QAC5B,ItB5c+D,asB4c/D,StB5ciF,KAAIB,EsB4cxD,KAAM,atB5cgF,KAA9B,  
CsB4c/D,K;UAAmC,OAAN,KAAM,a;;UAC3B,gB;;MAHZ,W;K;IC/fj,2B;MAUoB,Q;MADhB,UAAgB,W;MAC  
A,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MvCoDiD,SuCpDjD,GvCoD2D,KAAK,GuCpDzD,OvCoDo  
E,KAAx,IAAf,C;;MuClDrD,OAAO,G;K;IAGX,2B;MAUoB,Q;MADhB,UAAiB,2B;MACD,2B;MAAhB,OAAgB,  
cAAhB,C;QAAgB,yB;QACZ,MvBuCmD,UuBvCnD,GvBuC8D,KAAK,KuBvC5D,OvBuCuE,KAAx,CAAhB,C;;  
MuBrCvD,OAAO,G;K;IAGX,2B;MAUoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB  
,yB;QACZ,MvCoBiD,SuCpBjD,GvCoB2D,KAAK,GAAW,CD2O5C,SwC/PxB,OxC+PkC,KAAL,GAAiB,GAAtB,  
CC3O4C,MAAX,IAAf,C;;MuClBrD,OAAO,G;K;IAGX,2B;MAUoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,  
OAAgB,cAAhB,C;QAAgB,yB;QACZ,MvClID,SuCjJD,GvClID,KAAK,GAAW,CC4O5C,SsChPxB,OtCgPkC,KA  
AL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;;MuCFrD,OAAO,G;K;;;ICuCP,iD;MAAA,qE;MAAgB,4B;MANp  
B,uC;MAMI,Y;K;IACA,4D;MAAA,qE;MAAgC,wBAAM,OAAN,Q;MAPpC,uC;MAOI,Y;K;IACA,mE;MAAA,q  
E;MAAmD,6BAAM,OAAN,EAAe,KAAf,C;MARvD,uC;MAQI,Y;K;IACA,0D;MAAA,qE;MAAiC,wBAAM,KA  
AN,Q;MATrC,uC;MASI,Y;K;ICxGJ,gC;K;;;ICuBoC,wC;8BAAsC,O;K;;;yCC0RtE,6B;MA  
SI,MAAM,yB;K;;;0CAyDV,sB;MASI,OAAO,I;K;;;;ICnYf,wB;K;kCAEI,Y;MAA4B,sB;K;;IAMhC,  
wB;K;kCAEI,Y;MAA4B,mC;K;;IAMhC,yB;K;mCAEI,Y;MAA4B,uB;K;;IAMhC,uB;K;ICAEL,Y;MAA4B,qB;K;;I  
AMhC,wB;K;kCAEI,Y;MAA4B,sB;K;;IAMhC,yB;K;mCAEI,Y;MAA4B,uB;K;;IAMhC,0B;K;oCAEI,Y;MAA4B,  
wB;K;;IAMhC,2B;K;qCAEI,Y;MAA4B,yB;K;;ICtDM,oD;MAA2C,uB;MAAjB,gB;MAC5D,sBAAGC,InBkCU,I;  
MmBjC1C,iBAAmC,YAAO,CAAX,GAAC,SAAS,IAAvB,GAAiC,SAAS,I;MACzE,cAA4B,cAA5B,GAAqC,KnB  
gCK,ImBhC1C,GAAqD,mB;K;gDAErD,Y;MAAkC,qB;K;iDAEIC,Y;MACI,YAAy,W;MACZ,IAAI,UAAS,mBA  
Ab,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAa,O  
AAN,KAAM,C;K;;IAQgB,mD;MAAyC,sB;MAAjB,gB;MACzD,sBAAGC,I;MACHC,iBAAmC,YAAO,CAAX,GA  
Ac,SAAS,IAAvB,GAAiC,SAAS,I;MACzE,cAA4B,cAAJ,GAAa,KAAb,GAAwB,mB;K;+CAEHd,Y;MAAkC,qB;  
K;+CAEIC,Y;MACI,YAAy,W;MACZ,IAAI,UAAS,mBAAb,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QA  
C3B,iBAAU,K;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAO,K;K;;IAQuB,oD;MAA4C,uB;MAAIB,gB;MAC5D,sBAA  
iC,I;MACjC,iBAAmC,uBAAO,CAAX,GAAC,sBAAS,IAAT,MAAd,GAAiC,sBAAS,IAAT,M;MACHC,cAA6B,cA  
AJ,GAAa,KAAb,GAAwB,mB;K;gDAEjD,Y;MAAkC,qB;K;iDAEIC,Y;MACI,YAAy,W;MACZ,IAAI,cAAS,mBA  
AT,CAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAGV,8BAAQ,SAAR,C;;MAEJ,  
OAAO,K;K;;IC9DX,oD;MA6CA,uC;MatCl,IAAI,SAAQ,CAAZ,C;QAAe,MAAa,gCAAyB,wBAAzB,C;MAC5B,I  
AAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAyB,wEAAzB,C;MAG5C,aAGyB,K;MAEZB,YAGuF,OAA/D,0BAA0  
B,KpBcR,IoBdlB,EAAc,YpBcpB,IoBdlB,EAAyD,IAAZD,CAA+D,C;MAEvF,YAGuB,I;K;yCAEvB,Y;MAAwC,  
mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;wCAExC,Y;MAMqC,OAAI,YAAO,CAAX,GAAC,aAA  
Q,SAAtB,GAAgC,aAAQ,S;K;uCAE7E,iB;MACI,iDAA6B,kBAAa,KAAM,UAAAnB,KAC7B,eAAS,KAAM,MAAf  
,IAAwB,cAAQ,KAAM,KAAtC,IAA8C,cAAQ,KAAM,KAD/B,CAA7B,C;K;yCAGJ,Y;MACI,OAAI,cAAJ,GAAe,  
EAAf,GAAwB,OAAM,OAAK,UpBRG,IoBQR,UAAkB,SpBRV,IoBQR,KAAN,SAAqC,SAArC,I;K;yCAE5B,Y;  
MAAkC,OAAI,YAAO,CAAX,GAAC,oBAAE,UAAF,+BAAU,SAAV,eAAqB,SAAnC,GAA8C,oBAAE,UAAF,qC  
AAgB,SAAhB,gBAA4B,CAAC,SAAD,IAA5B,C;K;IAEHf,qC;MAAA,yC;K;kEACI,sC;MAQ2F,2BAAgB,UAAh  
B,EAA4B,QAA5B,EAAc,IAAtC,C;K;;IAT/F,iD;MAAA,gD;QAAA,+B;;MAAA,yC;K;;IAiBA,mD;MA6CA,sC;  
MatCl,IAAI,SAAQ,CAAZ,C;QAAe,MAAa,gCAAyB,wBAAzB,C;MAC5B,IAAI,SAAQ,WAAZ,C;QAA2B,MAA  
a,gCAAyB,wEAAzB,C;MAG5C,aAGwB,K;MAExB,YAGuB,0BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C  
;MAEvB,YAGuB,I;K;wCAEvB,Y;MAAuC,kCAAuB,UAAvB,EAA8B,SAA9B,EAAoC,SAApC,C;K;uCAEvC,Y;  
MAMqC,OAAI,YAAO,CAAX,GAAC,aAAQ,SAAtB,GAAgC,aAAQ,S;K;sCAE7E,iB;MACI,gDAA4B,kBAAa,KA  
AM,UAAAnB,KAC5B,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KAAtC,IAA8C,cAAQ,KAAM,KADhC,CAA5

B,C;K;wCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,MAAK,UAAL,QAAa,SAAb,IAAN,SAA2B,S  
AA3B,I;K;wCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,cAAqB,SAAnC,GAAGD,U  
AAF,2BAAgB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,C;K;IAEHF,oC;MAAA,wC;K;iEACI,sC;MAQwF,0BAAe,U  
AAf,EAA2B,QAA3B,EAAqC,IAArC,C;K;;;IAT5F,gD;MAAA,+C;QAAA,8B;;MAAA,wC;K;;IAiBA,oD;MA6CA,  
uC;MATCI,IAAI,gBAAJ,C;QAAgB,MAAA,gCAAyB,wBAAzB,C;MAC7B,IAAI,sCAAJ,C;QAA4B,MAAA,gCAAy  
B,yEAAzB,C;MAG7C,aAGyB,K;MAEzB,YAGwB,4BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAExB,  
YAGwB,I;K;yCAExB,Y;MAAwC,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;wCAExC,Y;MAMqC  
,OAAI,uBAAO,CAAX,GAAc,2BAAQ,SAAR,KAAAd,GAAgC,2BAAQ,SAAR,K;K;uCAErE,iB;MACI,iDAA6B,k  
BAAa,KAAM,UAAAnB,KAC7B,mBAAS,KAAM,MAAf,KAAwB,kBAAQ,KAAM,KAAAd,CAAxB,IAA8C,kBAA  
Q,KAAM,KAAAd,CADjB,CAA7B,C;K;yCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,iCAAM,eAA  
W,8BAAW,EAAX,CAAX,CAAN,MAAoC,cAAU,6BAAU,EA AV,CAAV,CAApC,CAAN,MAAuE,cAAU,6BAA  
U,EA AV,CAAV,CAA vE,CAAiG,Q;K;yCAE7H,Y;MAAkC,OAAI,uBAAO,CAAX,GAAgB,UAAF,qBAAU,SAA  
V,yBAAqB,SAArB,WAAAd,GAAgD,UAAF,2BAAgB,SAAhB,yBAA6B,SAAD,aAA5B,W;K;IAEHF,qC;MAAA,y  
C;K;kEACI,sC;MAQ4F,2BAAgB,UAAhB,EAA4B,QAA5B,EAA sC,IAAtC,C;K;;;IAThG,iD;MAAA,gD;QAAA,+  
B;;MAAA,yC;K;;;6CCIKA,iB;MAGkD,+BAAS,UAAT,UAAkB,wBAAS,iBAAT,M;K;oCAEpE,Y;MAKgC,oCA  
AQ,iBAAR,K;K;;I7CpBd,wC;MA sBlB,iC;MATBsD,2BAAgB,KAAhB,EAAuB,YAAvB,EAAqC,CAArC,C;K;kFA  
C7B,Y;MAAQ,8B;K;yFACD,Y;MAAQ,6B;K;2CAExC,iB;MAA8C,qBAAS,KAAT,IAAkB,SAAS,S;K;kCAEzE,Y  
;MAKkC,oBAAQ,S;K;iCAE1C,iB;MACI,2CAAuB,kBAAa,KAAM,UAAAnB,KACvB,eAAS,KAAM,MAAf,IAAw  
B,cAAQ,KAAM,KADf,CAA vB,C;K;mCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OA AK,UwBkBS,IxBI  
Bd,UAAkB,SwBkJ,IxBIBd,K;K;mCAE5B,Y;MAAkC,2BAAE,UAAF,+BAAU,SAAV,C;K;IAEIC,+B;MAAA,m  
C;MACI,aAC8B,cAAY,OAAF,CAA E,CAAZ,EAAwB,OAAF,CAA E,CAAxB,C;K;;;IAFIC,2C;MAAA,0C;QAAA,  
yB;;MAAA,mC;K;;IASiB,uC;MA sBjB,gC;MATBmD,0BAAe,KAAf,EAA sB,YAA tB,EAAoC,CAApC,C;K;iFAC3  
B,Y;MAAQ,iB;K;wFACD,Y;MAAQ,gB;K;0CAEvC,iB;MAA6C,qBAAS,KAAT,IAAkB,SAAS,S;K;iCAExE,Y;M  
AKkC,oBAAQ,S;K;gCAE1C,iB;MACI,0CAA sB,kBAAa,KAAM,UAAAnB,KACtB,eAAS,KAAM,MAAf,IAAwB,c  
AAQ,KAAM,KADhB,CAAtB,C;K;kCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,MAAK,UAAL,QAAa,SA  
Ab,I;K;kCAE5B,Y;MAAkC,OAAE,UAAF,qBAAU,S;K;IAE5C,8B;MAAA,kC;MACI,aAC6B,aAAS,CAAT,EAA  
Y,CAAZ,C;K;;;IAFjC,0C;MAAA,yC;QAAA,wB;;MAAA,kC;K;;IASkB,wC;MA sBlB,iC;MATBsD,2BAAgB,KAA  
hB,EAAuB,YAAvB,K;K;kFAC7B,Y;MAAQ,iB;K;yFACD,Y;MAAQ,gB;K;2CAExC,iB;MAA8C,kCAAS,KAAT,  
UAAkB,sBAAS,SAAT,M;K;kCAEhE,Y;MAKkC,kCAAQ,SAAR,K;K;iCAEIC,iB;MACI,2CAAuB,kBAAa,KAA  
M,UAAAnB,KACvB,mBAAS,KAAM,MAAf,KAAwB,kBAAQ,KAAM,KAAAd,CADD,CAA vB,C;K;mCAGJ,Y;MA  
CI,OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,eAAW,8BAAW,EAAX,CAAX,CAAN,MAAoC,cAAU,6BAAU,E  
AAV,CAAV,CAApC,CAA8D,Q;K;mCAEIF,Y;MAAkC,OAAE,UAAF,qBAAU,SAAV,W;K;IAEIC,+B;MAAA,m  
C;MACI,aAC8B,qB;K;;;IAFIC,2C;MAAA,0C;QAAA,yB;;MAAA,mC;K;;I8C9EJ,gB;MAAA,oB;K;8BAIL,Y;MA  
A0B,oB;K;;;IAJ9B,4B;MAAA,2B;QAAA,U;;MAAA,oB;K;ICEA,yC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,uC  
;MAAA,0C;O;MAII,kE;MAEA,wF;MAEA,oF;MAEA,wE;MAEA,kE;MAEA,oF;MAEA,sF;MAEA,8E;MAEA,wE  
;MAEA,sF;MAEA,uF;MAEA,iE;MAEA,6E;MAEA,iE;MAEA,2E;K;;IA5BA,8C;MAAA,6B;MAAA,sC;K;;IAEA,  
yD;MAAA,6B;MAAA,iD;K;;IAEA,uD;MAAA,6B;MAAA,+C;K;;IAEA,iD;MAAA,6B;MAAA,yC;K;;IAEA,8C;M  
AAA,6B;MAAA,sC;K;;IAEA,uD;MAAA,6B;MAAA,+C;K;;IAEA,wD;MAAA,6B;MAAA,gD;K;;IAEA,oD;MAA  
A,6B;MAAA,4C;K;;IAEA,iD;MAAA,6B;MAAA,yC;K;;IAEA,wD;MAAA,6B;MAAA,gD;K;;IAEA,wD;MAAA,6  
B;MAAA,gD;K;;IAEA,6C;MAAA,6B;MAAA,qC;K;;IAEA,mD;MAAA,6B;MAAA,2C;K;;IAEA,6C;MAAA,6B;  
MAAA,qC;K;;IAEA,kD;MAAA,6B;MAAA,0C;K;;IAhCJ,mC;MAAA,+oB;K;;IAAA,wC;MAAA,a;aAAA,O;UAA  
A,2C;aAAA,kB;UAAA,sD;aAAA,gB;UAAA,oD;aAAA,U;UAAA,8C;aAAA,O;UAAA,2C;aAAA,gB;UAAA,oD;a  
AAA,iB;UAAA,qD;aAAA,a;UAAA,iD;aAAA,U;UAAA,8C;aAAA,iB;UAAA,qD;aAAA,iB;UAAA,qD;aAAA,M;  
UAAA,0C;aAAA,Y;UAAA,gD;aAAA,M;UAAA,0C;aAAA,W;UAAA,+C;;UAAA,uE;;K;;IAqCA,4C;MAAA,e;M  
AAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;O;MAMI,0E;MAEA,0E;MAEA,4E;K;;IAJA,kD;MAAA,gC;MAAA,0  
C;K;;IAEA,kD;MAAA,gC;MAAA,0C;K;;IAEA,mD;MAAA,gC;MAAA,2C;K;;IAVJ,sC;MAAA,sI;K;;IAAA,2C;M  
AAA,a;aAAA,Q;UAAA,+C;aAAA,Q;UAAA,+C;aAAA,S;UAAA,gD;;UAAA,0E;;K;;IAwB8B,gC;MAAC,oC;K;;I  
AQE,0B;MAAC,qB;QAAA,iD;MAAA,kB;K;;IAEIC,sB;K;;IAMA,4B;K;;IC/EA,yB;K;;IAQA,6B;K;;ICnBA,mB;

MAEI,UAAU,IAAI,C;MACd,OAAW,OAAO,CAAX,GAAC,GAAd,GAAuB,MAAM,CAAN,I;K;IAGIC,qB;MACI,  
UAAU,SAAI,CAAJ,C;MACV,OAAW,kBAAO,CAAX,GAAC,GAAd,GAAuB,QAAM,CAAN,C;K;IAGIC,mC;MA  
EI,OAAO,IAAI,IAAI,CAAJ,EAAO,CAAP,IAAY,IAAI,CAAJ,EAAO,CAAP,CAAZ,IAAJ,EAA2B,CAA3B,C;K;I  
AGX,qC;MACI,OAAO,MAAI,MAAI,CAAJ,EAAO,CAAP,WAAY,MAAI,CAAJ,EAAO,CAAP,CAAZ,CAAJ,EA  
A2B,CAA3B,C;K;IAGX,qD;MAkBI,WAAO,CAAP,C;QAD2E,OAC3D,SAAS,GAAb,GAakB,GAAIB,GAA2B,M  
AAM,iBAAiB,GAAjB,EAAsB,KAAtB,EAA6B,IAA7B,CAAN,I;WACvC,WAAO,CAAP,C;QAF2E,OAE3D,SAA  
S,GAAb,GAakB,GAAIB,GAA2B,MAAM,iBAAiB,KAAjB,EAawB,GAAxB,EAA6B,CAAC,IAAD,IAA7B,CAA  
N,I;;QAC/B,MAAa,gCAAyB,eAAzB,C;K;IAGzB,uD;MAkBI,sBAAO,CAAP,C;QAD+E,OAC/D,sBAAS,GAAT,  
MAAJ,GAakB,GAAIB,GAA2B,aAAM,mBAAiB,GAAjB,EAAsB,KAAtB,EAA6B,IAA7B,CAAN,C;WACvC,sB  
AAO,CAAP,C;QAF+E,OAE/D,sBAAS,GAAT,MAAJ,GAakB,GAAIB,GAA2B,QAAM,mBAAiB,KAAjB,EAaw  
B,GAAxB,EAA8B,IAAD,aAA7B,CAAN,C;;QAC/B,MAAa,gCAAyB,eAAzB,C;K;IC7DjB,kD;MAAA,8B;MACI,  
aAAY,C;K;oDACZ,Y;MAAyB,oBAAQ,gBAAL,O;K;iDACrC,Y;MAAgD,Q;MAA1B,IAAI,aAAQ,gBAAL,OAaHb  
,C;QAAA,OAAsB,iBAAL,iBAAJ,EAAL,yBAAJ,O;;QAakB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAPhF,oC;M  
AEI,IAD8D,IAC9D,S;QACI,UAA0B,K;QAF0B,2C;;QAAA,QAAM,IAAN,C;eASxD,c;YATwD,OAStC,qBAaQb,  
KAArB,C;eACIB,W;YAVwD,OAuzC,kBAakB,KAAIB,C;eACf,Y;YAXwD,OAwxC,mBAaMB,KAAaB,C;eAC  
hB,W;YAZwD,OAYzC,kBAakB,KAAIB,C;eACf,U;YAbwD,OAa1C,iBAAiB,KAAjB,C;eACd,W;YAdwD,OAcz  
C,kBAakB,KAAIB,C;eACf,Y;YAfWd,OAexC,mBAaMB,KAAaB,C;eAChB,a;YAhBwD,OAgbvC,oBAAoB,KA  
ApB,C;;YACT,MAAM,6BAAsB,2DAA+C,IAA/C,CAAtB,C;;K;IAIuC,2D;MAAA,kC;MAAS,0B;MAC9D,aAAY,  
C;K;2DACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;+DACvC,Y;MAA2D,Q;MAA9B,IAAI,aAAQ,kBAAM,OAaIB,C;  
QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJnF,qC;  
MACyD,oD;K;IAON,wD;MAAA,kC;MAAS,uB;MACxD,aAAY,C;K;wDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;  
yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAaIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBA  
AN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJhF,kC;MACmD,iD;K;IAOE,yD;MAAA,kC;MAAS,w  
B;MAC1D,aAAY,C;K;yDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;2DACvC,Y;MAAyD,Q;MAA9B,IAAI,aAAQ,k  
BAAM,OAaIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAA  
vB,C;K;;IAJf,mC;MACqD,kD;K;IAOF,wD;MAAA,kC;MAAS,uB;MACxD,aAAY,C;K;wDACZ,Y;MAAyB,oB  
AAQ,kBAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAaIB,C;QAAA,OAAwB,mBAAM,iB  
AAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJhF,kC;MACmD,iD;K;IAOF,uD;MA  
AA,kC;MAAS,sB;MACiD,aAAY,C;K;uDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;uDACvC,Y;MAAuD,Q;MAA9  
B,IAAI,aAAQ,kBAAM,OAaIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAY  
B,UAAF,WAAvB,C;K;;IAJ/E,iC;MACiD,gD;K;IAOI,yD;MAAA,kC;MAAS,wB;MAC1D,aAAY,C;K;yDACZ,Y;  
MAAyB,oBAAQ,kBAAM,O;K;2DACvC,Y;MAAyD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAaIB,C;QAAA,OAAwB  
,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJf,mC;MACqD,kD;K;I  
AOE,0D;MAAA,kC;MAAS,yB;MAC5D,aAAY,C;K;0DACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;6DACvC,Y;MAA  
0D,Q;MAA9B,IAAI,aAAQ,kBAAM,OAaIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,M  
AAM,2BAAYB,UAAF,WAAvB,C;K;;IAJf,oC;MACuD,mD;K;IAOJ,wD;MAAA,kC;MAAS,uB;MACxD,aAAY,  
C;K;wDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAaIB,C  
;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJhF,kC  
;MACmD,iD;K;IAOpB,gC;MAAC,wB;K;;IAEhC,+B;MAC8C,MAAM,mC;K;IAEpD,8C;MAEI,IAAI,qBAAJ,C;Q  
ACI,OAAO,C5ByIIF,W4BzIrE,U5ByIqE,E4BzIzD,Q5ByIyD,C;;Q4BvIxF,OAAS,CAAY,qBAAsB,UAAtB,EAak  
C,QAaIC,C;;K;IAI7B,2C;MAEI,IAAI,KAAY,kBAaHb,C;QAGI,KAAY,mBAakB,QAaIB,C;;QAEH,QAAT,SA  
A+C,CAaIB,IAAJ,C,KAAiC,EAakB,O;;K;IAIvD,sC;MAGwB,Q;MADpB,gBAAgB,IAaHb,KAAgB,E;MACI,IA  
AI,OCnGkB,ODmGT,OAAT,EAaQb,WAArB,CAAJ,C;QACbB,OAAL,aAAJ,GAaMB,KAAM,WAAzB,GAAY,C,I  
;;QAEzC,c;;MAHJ,wB;MAKA,kBAakB,K;MACIB,iBAAiB,W;MACjB,OAAO,S;K;IAIa,sB;MAAC,U;K;iCACrB  
,iB;MACI,OAAO,mCAAsB,WAAK,KAAM,E;K;mCAG5C,Y;MACI,OAAO,M;K;mCAGX,Y;MACI,OAaUC,oB  
AAaNB,UAA5B,IAAe,EAAa,CAaMB,C;K;0CAG3C,iB;MACI,OAAR,IAAL,EAaw,GAAN,K;K;kCAGL,Y;MAEI,  
OAAO,M;K;;+DAIf,gB;MAEI,YAAY,MAAY,IAAK,OAajB,C;MACZ,sBAAU,IAAV,a;QACI,UAAU,KAAK,CA  
AL,C;QACV,IAAI,oBAAJ,C;UACI,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAAL,C;;UAE1B,MAAM,CA

AN,IAAW,G;;;MAGnB,OAAO,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;K;IAG3B,2B;MAMW,WAAO,S  
;MAIBd,YAAY,MAAY,IAAK,OAAjB,C;MACZ,sBAAU,IAAV,a;QACI,UAAU,KAAK,CAAL,C;QACV,IAAI,oB  
AAJ,C;UACI,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAAL,C;;UAE1B,MAAM,CAAN,IAAW,G;;;MAYn  
B,OATO,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;K;IAY3B,oC;MAWI,WAAqB,S;MACrB,IAAI,qBAA  
mB,CAAY,OAAAd,KAA2B,SAAhD,C;QAJCA,YAAY,MAKCM,IAICW,OAAjB,C;QACZ,sBAiCkB,IAjCIB,a;UAC  
I,UAGCc,IAhCJ,CAAK,CAAL,C;UACV,IAAI,oBAAJ,C;YACI,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GA  
AL,C;;YAE1B,MAAM,CAAN,IAAW,G;;;QA4Bf,OAzBG,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;;QA2  
BnB,WAAW,C;QACX,OBAAU,IAAV,e;UACY,IAAoB,I;UAA5B,eAAQ,QAAoB,OAApB,IAAQ,CAAH,GAAG,  
CAAY,OAApB,oCAAR,K;;QAEJ,aAAa,IAAjB,CAAC,YAAgB,CAAH,IAAG,C;QE3FjB,IF4FyB,CE5FhB,OAAL  
,KAAkB,SAAtB,C;UF4F4B,ME3FxB,UF2FqB,CE3FF,O;;QF4FnB,OAAO,C;QACP,OBAAU,IAAV,e;UAE0B,YA  
CX,M;UAFX,YAAU,IAAQ,CAAH,GAAG,C;UACI,SAAJ,KAAI,O;UAAiB,aAAU,CAAV,kB;YACI,OAAO,aAA  
P,EAAO,qBAAP,YAAiB,MAAI,CAAJ,C;;;QAGzB,OAAO,M;;K;IAIf,0B;MACgC,WAAS,c;MAAT,YAAhC,EAA  
E,MAAM,KAAiD,CAA3C,SAA2C,C;MAWrD,eAAiB,I;MAXW,OA YrB,K;K;IAVX,uB;MAC6B,WAAS,W;MAA  
T,YAAsB,IAA/C,WAA+C,CAAnC,EAAE,MAAM,KAAK,CAAC,SAAD,CAAsB,C;MAQ/C,eAAiB,I;MARQ,OA  
SIB,K;K;IAPX,uB;MAC6B,WAAS,W;MAAT,YAA7B,EAAE,MAAM,KAA2C,CAArC,SAAqC,C;MAK/C,eAAiB  
,I;MALQ,OAMIB,K;K;2DAJX,uB;MAGI,eAAiB,I;MACjB,OAAO,K;K;KEG9MX,yB;MAAA,0B;MAAA,uB;QAS  
I,OAAoB,OAAb,ItD0Q+B,KAAAL,GAAiB,KsD1Q9B,C;O;KATxB,C;ICiQc,2C;MAAC,8C;MACiC,eAAsB,C;MA  
CtB,wBAA+B,C;MAC/B,gBAA6B,I;MAC7B,mBAAsC,I;MACtC,qBAAYC,I;MAEzC,yBAAGD,yBAAMb,Q;MA  
EnE,sBAAGD,I;K;wFAFhD,Y;MAAA,6B;K;0CAIA,Y;MAEY,kBADr,M;MAAA,U;MAAA,2C;QAAA,e;;QAES,  
gBADD,2CAAQ,yCAAR,gDAAwD,IAAxD,6BAAiE,I;QACzD,sB1CwEd,S;Q0C1EF,S1C2EG,S;;M0C3EH,a;K;i  
DAIJ,kB;MACI,kBAAC,IAAd,C;MACiC,oB;MCuBrB,Q;MADR,IdtBsB,MCsBtB,W;QADJ,mBACiB,I;;QADjB,  
mBAEY,QDvBc,MCuBd,+D;;MDvBZ,yC;MACA,2BAAMC,MAAO,kBAA1C,C;MAGA,OAAO,IAAP,C;Q1CoC  
Y,gB0CnCH,S;;QACD,iBAAiB,8B;QAGjB,IAAI,0BAAJ,C;UACI,qBAAC,e;;UAEd,oBAAQ,0B;UACR,wBAAy,k  
B;;;UAIZ,cAAc,oB;UACd,IAAI,YAAY,yBAAhB,C;YAAqC,M;UACrC,kBAAGB,O;UACHb,qBAAMb,I;;UAEnB  
,kBAAGB,I;UACHb,qBAAMb,S;;QAGvB,gC;QAEA,IAAI,wCAAJ,C;UAEI,YAAU,U;;UAGV,U;UAAA,0C;YET  
hB,8BDgDQ,WAAO,qBAAP,CChDR,C;YFSgB,a;;YAAA,a;UAAA,mB;YAEK,UEpBrB,oBDgDQ,WD5B+B,eC4  
B/B,CChDR,C;;UFqBgB,M;;;K;mDAMhB,Y;MACI,kBAAKB,mB;MACIB,IAAI,uBAAuB,gBAAgB,IAA3C,C;QA  
CI,uCAAQ,yCAAR,EAAmC,wCAA+B,WAA/B,C;;MAEvC,sBAAoB,mC;K;;IAM5B,iC;MAAA,qC;K;gGAEQ,Y;  
M7C0DyC,MAAM,6B6C1DjC,uC7C0D+D,WAA9B,C;K;yD6CxDnD,kB;M7CwD6C,MAAM,6B6CvDzC,uC7Cu  
DuE,WAA9B,C;K;+C6CpDnD,Y;MAAKC,8C;K;;IARtC,6C;MAAA,4C;QAAA,2B;;MAAA,qC;K;IGyDA,mG;IA  
AA,yH;IAAA,6F;MAKW,kC;MAAS,4C;K;IALpB,sEAMQ,Y;MACI,Q;MAAA,sC;QAAiB,U;;MACjB,OAAO,oB;  
K;IARnB,6G;sJAJIA,iC;MAGBU,OAAK,SAAL,CAAiB,UAAjB,EAA6B,KAA7B,C;K;wJAEV,2C;MAiBU,OAAK  
,SAAL,CAAiB,QAAjB,EAA2B,UAA3B,EAAuC,KAAvC,C;K;wJAEV,kD;MAKU,OAAK,SAAL,CAAiB,QAAjB,  
EAA2B,KAA3B,EAAkC,UAAIC,EAA8C,KAA9C,C;K;IAGc6C,oG;MAAA,mB;QAC3C,OAAK,iCAAL,CAAiB,k  
BAAjB,C;O;K;IA/BZ,6D;MA0BI,IAAS,SAAY,OAAjB,IAA2B,CAA/B,C;QAAA,OAES,SAAL,CAAiB,UAAjB,E  
AA6B,IAA7B,C;;QA8D0B,Q;QAhE9B,4DAImD,0DAJnD,EAGe8B,qBA5DS,UA4DT,qCAhE9B,C;;K;IAwCmD,  
wH;MAAA,mB;QAC3C,OAAK,iCAAL,CAAiB,gBAAjB,EAA2B,kBAA3B,C;O;K;IAhCZ,yE;MA2BI,IAAS,SA  
AY,OAAjB,IAA2B,CAA/B,C;QAAA,OAES,SAAL,CAAiB,QAAjB,EAA2B,UAA3B,EAAuC,IAAvC,C;;QA0B0B,  
Q;QA5B9B,4DAImD,sEAJnD,EA4B8B,qBAxBs,UAWBT,qCA5B9B,C;;K;IASJ,gC;MAWK,kBAAD,M;MAAA,k  
BAAC,qEAAD,4DAA2C,S;K;6CAG/C,yB;MAAA,mG;MAAA,yH;MAAA,6F;QAKW,kC;QAAS,4C;O;MALpB,s  
EAMQ,Y;QACI,Q;QAAA,sC;UAAiB,U;;QACjB,OAAO,oB;O;MARnB,6G;MAAA,oC;QAKkC,Q;QAA9B,mEA  
A8B,oEAA9B,C;O;KALJ,C;iFC7HA,a;MAC6C,OAAA,MAAA,YAAW,CAAX,C;K;ICM3B,iC;;MAA6E,Q;MAA  
A,+BAAS,I;sCAAIB,O,2DAAA,O;;;K;IAC/F,2B;MAAA,iD;MAAuB,oBAAK,IAAL,EAAW,IAAX,C;MAAv  
B,Y;K;IACA,sC;MAAA,iD;MAAuC,oBAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,oC;MAAA,iD;MAAwC,  
oBAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAI+B,mC;;MAA6E,Q;MAAA,+BAAS,I;sCAAIB,O,2DAAA,O;;  
;K;IACnG,+B;MAAA,mD;MAAuB,sBAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,0C;MAAA,mD;MA  
AuC,sBAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,wC;MAAA,mD;MAAwC,sBAAK,SAAL,EAAGB,KAAh  
B,C;MAAxC,Y;K;IAGsC,0C;MAA0D,qBAAU,OAAV,EAAmB,KAAAnB,C;;K;;IACHG,sC;MAAA,0D;MAAuB,6B

AAK,IAAL,EA AW,IAAX,C;MAAvB,Y;K;IACA,iD;MAAA,0D;MAAuC,6BAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,+C;MAAA,0D;MAAwC,6BAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG8C,kD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IACxG,8C;MAAA,kE;MAAuB,qCAAK,IAAL,EA AW,IAAX,C;MAAvB,Y;K;IACA,yD;MAAA,kE;MAAuC,qCAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,uD;MAAA,kE;MAAwC,qCAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG2C,+C;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IACrG,2C;MAAA,+D;MAAuB,kCAAK,IAAL,EA AW,IAAX,C;MAAvB,Y;K;IACA,sD;MAAA,+D;MAAuC,kCAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,oD;MAAA,+D;MAAwC,kCAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG+C,4C;8BAAwD,O;;K;;IACvG,+C;MAAA,mE;MAAuB,sCAAK,IAAL,C;MAAvB,Y;K;IAGqD,yD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC/G,qD;MAAA,yE;MAAuB,4CAAK,IAAL,EA AW,IAAX,C;MAAvB,Y;K;IACA,gE;MAAA,yE;MAAuC,4CAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,8D;MAAA,yE;MAAwC,4CAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAGmD,uD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC7G,mD;MAAA,uE;MAAuB,0CAAK,IAAL,EA AW,IAAX,C;MAAvB,Y;K;IACA,8D;MAAA,uE;MAAuC,0CAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,4D;MAAA,uE;MAAwC,0CAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAI2C,wC;sCAAG,E,O;;K;;IAC3G,2C;MAAA,+D;MAAuB,kCAAK,IAAL,C;MAAvB,Y;K;IAI0C,uC;8BAAwD,O;;K;;IACIG,0C;MAAA,8D;MAAuB,iCAAK,IAAL,C;MAAvB,Y;K;IAGwC,qC;8BAAwD,O;;K;;IACHG,wC;MAAA,4D;MAAuB,+BAAK,IAAL,C;MAAvB,Y;K;IAIJ,wC;MACmD,mBAAM,OAAN,EA Ae,KA Af,C;;K;;IAC/C,oC;MAAA,wD;MAAuB,sBAAK,IAAL,Q;MAAvB,Y;K;IACA,+C;MAAA,wD;MAAgC,2BAAK,OAAL,EAAC,IAAd,C;MAAhC,Y;K;IACA,+C;MAAA,wD;MAAiD,IAAY,I;MAAzB,2BAAa,SAAR,OAAQ,CAAb,EAAYB,sDAzB,C;MAApC,Y;K;IAG4C,yC;8BAAwD,O;;K;;IACpG,4C;MAAA,gE;MAAuB,mCAAK,IAAL,C;MAAvB,Y;K;IAIyC,sC;8BAAwD,O;;K;;IACjG,yC;MAAA,6D;MAAuB,gCAAK,IAAL,C;MAAvB,Y;K;IAGkD,sD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC5G,kD;MAAA,sE;MAAuB,yCAAK,IAAL,EA AW,IAAX,C;MAAvB,Y;K;IACA,6D;MAAA,sE;MAAuC,yCAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,2D;MAAA,sE;MAAwC,yCAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG0D,8D;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IACpH,0D;MAAA,8E;MAAuB,iDAAK,IAAL,EA AW,IAAX,C;MAAvB,Y;K;IACA,qE;MAAA,8E;MAAuC,iDAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,mE;MAAA,8E;MAAwC,iDAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;6FCIGJ,yB;MAEI,OAAG,GAAG,CAAC,QAAD,C;K;mFAGV,oB;MAEI,OAAJ,GAAL,GAAG,G;K;6ETVN,a;MAK8C,cAAvC,C;K;6ECHP,Y;MAG+C,S;K;IA6B/C,2B;MAG4D,0BAAe,WAAf,C;K;IAE5D,mC;MAIwF,0BAAe,WAAf,C;K;IAExF,mC;MAKwE,0BAAe,WAAf,C;K;IAGxE,4B;MAI8D,Q;MAH1D,aAAkB,GAAL,O;MACtB,aAAkB,GAAL,O;MACtB,YAAiB,C;MACjB,OAAO,QAAQ,MAAR,IAAkB,QAAQ,MAAjC,C;QAAyC,IAAI,KAAJ,IAAa,IAAI,YAAJ,EAAL,oBAAJ,O;;MACtD,OAAO,G;K;IAIX,wD;MAMuC,Q;MALnC,aAAa,MAAO,OAAM,CAN,EAAS,OAAT,C;MA0BpB,IAzBc,MAyBL,OAAL,KAAkB,SAAtB,C;QAZBsB,MA0BIB,UA1BU,MA0BS,O;;MAzBvB,YAAiB,MAAO,O;MACxB,IAAI,UAAU,KAAAd,C;QACI,gBAAgB,O;QACHB,OAAO,QAAQ,OAaf,C;UAAwB,OAAO,YAAP,EAAO,oBAAP,UAAkB,Y;;MAE9C,OAAO,M;K;IAGX,gD;MAKoB,UAAmB,M;MAJnC,aAAa,KAAM,Q;MACnB,MAAO,OAAP,IAAiB,UAAW,K;MAc5B,IAbc,KAAI,OAAL,KAAkB,SAAtB,C;QAbqB,MAcjB,UAdU,KAcS,O;;MAbvB,YAAiB,KAAM,O;MACP,4B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAY,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAC9C,OAAO,M;K;IAGX,yD;MAEoB,UAAgB,M;MADhC,YAAAY,U;MACI,4B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAY,IAAI,cAAJ,EAAL,sBAAJ,YAAe,O;;MAC3C,OAAO,G;K;oFAGX,oB;MACI,IAAI,IAAK,OAAL,KAAkB,SAAtB,C;QACI,YAAc,IAAK,O;;K;0EAI3B,wB;MAA+D,OAAA,MAAa,QAAO,GAAP,EAAY,OAAZ,C;K;IS/F5E,mC;MAOI,kBAAkB,MAAa,eAAc,SAAd,C;MAC/B,iBAAiB,MAAa,eAAc,IAAd,C;MAC9B,OAAW,gBAAe,UAnB,GAA+B,SAA/B,GAAyC,CAAC,S;K;0ECUrD,2B;MAKyE,OAAA,MAAa,gBAAe,IAAf,C;K;4EAyBtF,2B;MAKsE,OAAA,MAAa,eAAc,IAAd,C;K;kEAGnF,qB;MACgD,OAAA,MAAa,KAAK,UAAAS,GAAT,EAAC,IAAd,C;K;wEACHC,qB;MAAQ,OAAK,SAAY,a;K;0EACxB,qB;MAAQ,OAAK,SAAY,c;K;IC3D5D,0D;MAGI,OAAO,I;K;ICHX,sC;MAMsD,OAAA,SAAY,UAAAS,WAAW,KAAAX,CAAT,C;K;ItDKIE,uC;Mf2nBW,Q;MAAA,IernBgB,KfqnbZ,IAAS,CAAT,IernBY,KfqnbE,IAAS,wBAA3B,C;QAAA,OAAc,UernBtB,KfqnbB,C;;QernBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Mf4nBW,Q;MAAA,IetnBgB,KfsnBZ,IAAS,CAAT,IetnBY,KfsnBE,IAAS,0BAA3B,C;QAAA,OAAc,UetnBtB,KfsnBsB,C;;QetnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Mf6nBW,Q;MAAA,IevnBgB,KfunBZ,IAAS,CAAT,IevnBY,KfunBE,IAAS,0BAA3B,C;QAAA,OAAc,UevnBtB,KfunBsB,C;;QevnBb,

MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Mf8nBW,Q;MAAA,IexnBgB,KfwnBZ,I  
AAS,CAAT,IexnBY,KfwnBE,IAAS,0BAA3B,C;QAAA,OAAcS,UexnBtB,KfwnBsB,C;;QexnBb,MAAM,8BAA0  
B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Mf+nBW,Q;MAAA,IeznBgB,KfynBZ,IAAS,CAAT,Iezn  
BY,KfynBE,IAAS,0BAA3B,C;QAAA,OAAcS,UeznBtB,KfynBsB,C;;QeznBb,MAAM,8BAA0B,iCAAuB,gBAAv  
B,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MfgoBW,Q;MAAA,Ie1nBgB,Kf0nBZ,IAAS,CAAT,Ie1nBY,Kf0nBE,IAAS,  
0BAA3B,C;QAAA,OAAcS,Ue1nBtB,Kf0nBsB,C;;Qe1nBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MA  
AtC,W;K;IAGJ,uC;MfioBW,Q;MAAA,Ie3nBgB,Kf2nBZ,IAAS,CAAT,Ie3nBY,Kf2nBE,IAAS,0BAA3B,C;QAAA  
,OAAcS,Ue3nBtB,Kf2nBsB,C;;Qe3nBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;  
MfkoBW,Q;MAAA,Ie5nBgB,Kf4nBZ,IAAS,CAAT,Ie5nBY,Kf4nBE,IAAS,0BAA3B,C;QAAA,OAAcS,Ue5nBtB,  
Kf4nBsB,C;;Qe5nBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,wC;MfmoBW,Q;MAA  
A,Ie7nBgB,Kf6nBZ,IAAS,CAAT,Ie7nBY,Kf6nBE,IAAS,0BAA3B,C;QAAA,OAAcS,Ue7nBtB,Kf6nBsB,C;;Qe7n  
Bb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,2B;MAII,OAAO,cAAa,SAAb,C;K;oFAG  
X,yB;MAAA,gD;MAAA,4B;QAKI,OAAcS,OAA/B,SAA+B,C;O;KAL1C,C;oFAQA,yB;MAAA,gD;MAAA,4B;Q  
AKI,OAAuC,OAAhC,SAAgC,C;O;KAL3C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAqC,OAA9B,SAA8B,  
C;O;KALzC,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAcS,OAA/B,SAA+B,C;O;KAL1C,C;oFAQA,yB;MA  
AA,gD;MAAA,4B;QAKI,OAAuC,OAAhC,SAAgC,C;O;KAL3C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OA  
AwC,OAAjC,SAAiC,C;O;KAL5C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAyC,OAAIC,SAAkC,C;O;KA  
L7C,C;IAYW,2C;MAAA,8B;MAAS,uB;K;4FACW,Y;MAAQ,OAAA,gBAAY,O;K;6CAC3C,Y;MAAkC,OAAA,g  
BfunP/B,YAAQ,C;K;oDetnPX,mB;MAAgD,OAAy,WAAZ,gBAAY,EAAS,OAAT,C;K;iDAC5D,iB;MACI,oCAA  
a,2BAAkB,KAAIB,EAAYB,SAAZB,C;MACb,OAAO,6BAAY,KAAZ,E;K;mDAEX,mB;MAES,Q;MAAL,IAAI,e  
AAC,uFAAD,CAAJ,C;QAAgC,OAAO,E;MACvC,OAAMB,UAAZ,gBAAY,EAAQ,OAAR,C;K;uDAEvB,mB;MA  
ES,Q;MAAL,IAAI,eAAC,uFAAD,CAAJ,C;QAAgC,OAAO,E;MACvC,OAAMB,cAAZ,gBAAY,EAAY,OAAY,C;  
K;;IApB/B,6B;MAII,0C;K;IAqBj,+C;MAAI,OAAy,kBAAL,SAAK,EAkB,KAAIB,C;K;IAqBhB,0C;MASI,OAA  
Y,oBAAL,SAAK,C;K;IAehB,0C;MAYI,OAAy,oBAAL,SAAK,C;K;IAkBhB,2C;MAWI,OAAy,cAAL,SAAK,EA  
Ac,KAAd,C;K;IAGhB,2C;MAWI,OAAy,cAAL,SAAK,EAAc,KAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,SA  
K,EAAC,KAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,SAAK,EAAc,KAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,  
SAAK,EAAC,KAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,SAAK,EAAc,KAAd,C;K;IAGhB,4C;MAWI,OAAy,c  
AAL,SAAK,EAAC,KAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,SAAK,EAAC,KAAd,C;K;IAGhB,4C;MAWI,OA  
AY,cAAL,SAAK,EAAC,KAAd,C;K;IAwHhB,sC;MAOI,OAAy,gBAAL,SAAK,C;K;IAGhB,sC;MAOI,OAAy,gB  
AAL,SAAK,C;K;IAGhB,uC;MAOI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAy,gBAAL,SAAK,C;K;IA  
GhB,uC;MAOI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OA  
AY,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAy,gBAAL,SAAK,  
C;K;IAoFhB,sC;MASI,OAAy,gBAAL,SAAK,C;K;IAGhB,sC;MASI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MAS  
I,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAy,gBAAL,SA  
AK,C;K;IAGhB,uC;MASI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;  
MASI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAy,gBAAL,SAAK,C;K;wFAsGhB,yB;MAAA,8C;MAA  
A,kF;QAmBoE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACvI,UAA  
U,SAAV,EAAGB,WAAhB,EAA6B,iBAA7B,EAAGD,UAAhD,EAA4D,QAA5D,C;QACA,OAAO,W;O;KArBX,C;  
wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;U  
AAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAAiF,iBAAjF,EAAoG,UAApG,EAAgH,QAAhH,C;Q  
ACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBsE,iC;UAAA,oBAAyB,C;QAAG,0B;UA  
AA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACnI,UAAU,SAAV,EAA2C,WAA3C,EAAmF,iBAAnF,EAAcG,  
UAAtG,EAAkH,QAAIH,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBkE,iC;UA  
AA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QAC/H,UAAU,SAAV,EAAYC,WA  
AzC,EAA+E,iBAA/E,EAAkG,UAAIG,EAA8G,QAA9G,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8  
C;MAAA,kF;QAmBoE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACj  
I,UAAU,SAAV,EAA0C,WAA1C,EAAiF,iBAAjF,EAAoG,UAApG,EAAgH,QAAhH,C;QACA,OAAO,W;O;KArB  
X,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBsE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,w

B;UAAA,WAAgB,gB;QACnI,UAAU,SAAV,EAA2C,WAA3C,EAAmF,iBAAnF,EAAsg,UAAAtG,EAAkH,QAAIH ,C;QACA,OAAO,W;O;KArBX,C;uFAwBA,yB;MAAA,8C;MAAA,kF;QAmBwE,iC;UAAA,oBAAyB,C;QAAG,0 B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACrI,UAAU,SAAV,EAA4C,WAA5C,EAAqF,iBAArF,EA AwG,UAAxG,EAAoH,QAAPh,C;QACA,OAAO,W;O;KArBX,C;yFAwBA,yB;MAAA,8C;MAAA,kF;QAmB0E,i C;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACvI,UAAU,SAAV,EAA6C ,WAA7C,EAAuF,iBAAvF,EAA0G,UAA1G,EAAsh,QAAAtH,C;QACA,OAAO,W;O;KArBX,C;yFAwBA,yB;MAA A,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;Q ACjI,UAAU,SAAV,EAA0C,WAA1C,EAAiF,iBAAjF,EAAoG,UAApG,EAAgH,QAAhH,C;QACA,OAAO,W;O;K ArBX,C;oFAwBA,qB;MAOI,OAAY,SAAY,Q;K;oFAG5B,qB;MAOI,OAAY,SAAY,Q;K;oFAG5B,qB;MAOI,OA AY,SAAY,Q;K;qFAG5B,qB;MAOI,OAAY,SAAY,Q;K;IAG5B,8B;MAMW,WAAS,W;MAAT,YAA2B,SAAY,Q; MwCl7B9C,eAAiB,I;MxCk7BjB,OwCj7BO,K;K;qFxCo7BX,qB;MAOI,OAAY,SAAY,Q;K;qFAG5B,qB;MAOI,O AAY,SAAY,Q;K;IAG5B,8B;MAMW,WAAS,c;MAAT,YAA8B,SAAY,Q;MwC/8BjD,eAAiB,I;MxC+8BjB,OwC9 8BO,K;K;Ixci9BX,8B;MAMW,WAAS,W;MAAT,YAA2B,SAAY,Q;MwCx9B9C,eAAiB,I;MxCw9BjB,OwCv9B O,K;K;IxCo9BX,uC;MD5oCI,IAAI,ECspCI,WAAW,CDtpCf,CAAJ,C;QACI,cCqpCoB,0C;QDppCpB,MAAM,gC AAYB,OAAQ,WAAjC,C;;MCqpCV,OAAO,SAAS,SAAT,EAAe,cAAU,OAAV,CAAF,C;K;IAGX,uC;MD1pCI,IA AI,ECcoqCI,WAAW,CDppCf,CAAJ,C;QACI,cCmqCoB,0C;QDlqCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MCm qCV,OAAO,SAAS,SAAT,EAAe,eAAW,OAAX,CAAF,C;K;IAGX,uC;MDxqCI,IAAI,ECKrCI,WAAW,CDlrCf,CA AJ,C;QACI,cCirCoB,0C;QDhrCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MCirCV,OAAO,SAAS,SAAT,EAAe,eA AS,OAAT,CAAF,C;K;IAGX,uC;MDtrCI,IAAI,ECgsCI,WAAW,CDhsCf,CAAJ,C;QACI,cC+rCoB,0C;QD9rCpB, MAAM,gCAAYB,OAAQ,WAAjC,C;;MC+rCH,WAAS,W;MAAT,YAAsB,gBAAGB,SAAhB,EAAhB,OAAtB,K;M wChhC7B,eAAiB,I;MxCghCjB,OwC/gCO,K;K;IxckhCX,uC;MDpsCI,IAAI,EC8sCI,WAAW,CD9sCf,CAAJ,C;Q ACI,cC6sCoB,0C;QD5sCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MC6sCV,OAAO,SAAS,SAAT,EAAe,iBAAW, OAAX,CAAF,C;K;IAGX,uC;MDltCI,IAAI,EC4tCI,WAAW,CD5tCf,CAAJ,C;QACI,cC2tCoB,0C;QD1tCpB,MAA M,gCAAYB,OAAQ,WAAjC,C;;MC2tCV,OAAO,SAAS,SAAT,EAAe,iBAAy,OAAZ,CAAF,C;K;IAGX,uC;MDhu CI,IAAI,EC0uCI,WAAW,CD1uCf,CAAJ,C;QACI,cCyCoB,0C;QDxuCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;; M CYuCH,WAAS,c;MAAT,YAAYB,gBAAGB,SAAhB,EAAhB,OAAtB,EAA+B,KAA/B,C;MwC1jChC,eAAiB,I;M xC0jCjB,OwCzjCO,K;K;IxC4jCX,uC;MD9uCI,IAAI,ECwwCI,WAAW,CDxvCf,CAAJ,C;QACI,cCuvCoB,0C;QDt vCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MCuvCH,WAAS,W;MAAT,YAAsB,SAAS,SAAT,EAAe,iBAAU,OA AV,CAAF,C;MwCxxkC7B,eAAiB,I;MxCwkCjB,OwCvkCO,K;K;IxCo0kCX,uC;MD5vCI,IAAI,ECuwCI,WAAW,C DvwCf,CAAJ,C;QACI,cCswCoB,0C;QDrwCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MCswCV,OAAO,gBAAGB ,SAAhB,EAAhB,OAAtB,EAA+B,IAA/B,C;K;IAGX,sD;MAWI,oCAAa,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsg C,gBAAtC,C;MACb,OAAY,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAa,2BAAkB,SAAl B,EAA6B,OAA7B,EAAsgC,gBAAtC,C;MACb,OAAY,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MA UI,oCAAa,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsgC,gBAAtC,C;MACb,OAAY,SAAY,OAAM,SAAN,EAAiB,O AAjB,C;K;IAG5B,sD;MAUI,oCAAa,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsgC,gBAAtC,C;MACb,OAAY,SAAY ,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAa,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsgC,gBAAt C,C;MACN,WAAS,W;MAAT,YAA2B,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;MwC9pC9C,eAAiB,I;MxC8pCj B,OwC7pCO,K;K;IxCgqCX,sD;MAUI,oCAAa,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsgC,gBAAtC,C;MACb,OA AY,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAa,2BAAkB,SAAlB,EAA6B,OAA7B,EAA sC,gBAAtC,C;MACb,OAAY,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,uD;MAUI,oCAAa,2BAAkB,SA AlB,EAA6B,OAA7B,EAAsgC,gBAAtC,C;MACN,WAAS,c;MAAT,YAA8B,SAAY,OAAM,SAAN,EAAiB,OAAjB ,C;MwCxsCjD,eAAiB,I;MxCwsCjB,OwCvsCO,K;K;IxCo0sCX,uD;MAUI,oCAAa,2BAAkB,SAAlB,EAA6B,OAA7 B,EAAsgC,gBAAtC,C;MACN,WAAS,W;MAAT,YAA2B,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;MwCttC9C,eA AiB,I;MxCstCjB,OwCrtCO,K;K;IxCwtCX,wD;MAWgD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC /E,oCAAa,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsgC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EA AyB,OAAzB,C;K;IAGrB,wD;MAWgD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/E,oCAAa,2BA AkB,SAAlB,EAA6B,OAA7B,EAAsgC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OAAzB,C; K;IAGrB,wD;MAWkd,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACjF,oCAAa,2BAAkB,SAAlB,EA



A6B,OAA7B,EAAc,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAc,SAAd,EAAyB,OAAzB,C;K;IAGrB,wD;M  
AW8C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC7E,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EA  
AsC,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAc,SAAd,EAAyB,OAAzB,C;K;IAGrB,wD;MAWgD,yB;QAA  
A,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/E,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,gBAAtC,C;  
MACR,SAAY,MAAK,OAAL,EAAc,SAAd,EAAyB,OAAzB,C;K;IAGrB,wD;MAWkD,yB;QAAA,YAAiB,C;MA  
AG,uB;QAAA,UAAe,gB;MACjF,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACR,SAAY,M  
AAK,OAAL,EAAc,SAAd,EAAyB,OAAzB,C;K;IAGrB,wD;MAWoD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,U  
AAe,gB;MACnF,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EA  
Ac,SAAd,EAAyB,OAAzB,C;K;IAGrB,yD;MAWsD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACrF,o  
CAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAc,SAAd,EAAyB,  
OAAzB,C;K;IAGrB,yD;MAWgD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/E,oCAAA,2BAAkB,S  
AAlB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAc,SAAd,EAAyB,OAAzB,C;K;iFA  
GrB,8B;MAKI,OAAy,SAAY,QAAO,CAAQ,OAAR,CAAP,C;K;iFAG5B,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwI  
O,gCaxIK,eAAY,OAAZ,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,gBA  
Aa,OAAb,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,gBAAW,OAAX,EA  
wIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,mBAAY,OAAZ,CAwIL,C;O;KA7  
IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,kBAaA,OAAb,EAwIL,C;O;KA7IX,C;gFAQA,y  
B;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCaxIK,kBAAc,OAAd,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;M  
AxIA,qC;QAKI,OAwIO,gCaxIK,sBAaE,OAaf,CAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,  
OAwIO,gCaxIK,mBAAY,OAAZ,CAwIL,C;O;KA7IX,C;IAQA,sC;MAKI,OAAO,oBAaOB,SAApB,EAA0B,QAA  
1B,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAaHb,IAAP,CAAxB,EAAcD,  
SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KA  
aHb,IAAP,CAAxB,EAAcD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK  
,EAAO,mBAAO,QAAS,KAaHb,IAAP,CAAxB,EAAcD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OA  
AO,oBAaOB,SAApB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QA  
AS,KAaHb,IAAP,CAAxB,EAAcD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL  
,SAAK,EAAO,mBAAO,QAAS,KAaHb,IAAP,CAAxB,EAAcD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;M  
AII,OAAO,oBAaOB,SAApB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBA  
AO,QAAS,KAaHb,IAAP,CAAxB,EAAcD,SAAK,OAA3D,EAAiE,QAAjE,C;K;iFAGX,+B;MAKI,OAAy,SAAY,  
QAAO,QAAP,C;K;iFAG5B,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAaQB,SAArB,EAA2B,QAA3B,C;O;KAL  
X,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAaQB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;  
MAAA,iD;MAAA,sC;QAKI,OAAO,qBAaQB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MA  
AA,sC;QAKI,OAAO,qBAaQB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,O  
AAO,qBAaQB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAaQB,  
SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAaQB,SAArB,EAA2B,  
QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAaQB,SAArB,EAA2B,QAA3B,C;O;K  
ALX,C;8FAQA,8B;MAKI,OAAy,SAAY,QAAO,CAAQ,OAAR,CAAP,C;K;IAoBL,2B;MAAsB,OAAA,CAAE,iB  
AAU,CAAV,C;K;IAP/C,2B;MAOI,IAAI,mBAAO,CAAX,C;QAwQY,eAxQO,WAwQP,C;K;IANhB,2B;MAQI,I  
AAI,mBAAO,CAAX,C;QAAC,UAUU,SAAV,C;K;IAGIB,wC;MAQI,IAAI,mBAAO,CAAX,C;QAAC,cAAc,SAAd  
,EAAoB,UAApB,C;K;IAGIB,gD;MAewD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACvF,oCAAA,2B  
AAkB,SAAlB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,gBAAc,SAAd,EAAoB,SAApB,EAA+B,OAA/B,EAA  
wC,cAAxC,C;K;IAGJ,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACHe,oCAAA,2BAAkB,S  
AAlB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAAPB,C;MACvB,KA  
AT,QAAS,C;K;IAGb,gD;MAakC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACjE,oCAAA,2BAAkB,S  
AAlB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAAPB,C;MACvB,KA  
AT,QAAS,C;K;IAGb,gD;MAagC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/D,oCAAA,2BAAkB,S  
AAlB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAAPB,C;MACvB,KA  
AT,QAAS,C;K;IAGb,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACHe,oCAAA,2BAAkB,S

AAIB,EAA6B,OAA7B,EAAcC,gBAAtC,C;MACb,gBAAc,SAAd,EAA8C,SAA9C,EAAyD,OAAzD,EAAkE,cAAI  
E,C;K;IAGJ,gD;MAAkC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACjE,oCAAA,2BAAkB,SAAlB,EA  
A6B,OAA7B,EAAcC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAApB,C;MACvB,KAAT,QAAS,  
C;K;IAGb,gD;MAAmC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACIE,oCAAA,2BAAkB,SAAlB,EA  
A6B,OAA7B,EAAcC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAApB,C;MACvB,KAAT,QAAS,  
C;K;IAGb,gD;MAAiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACHe,oCAAA,2BAAkB,SAAlB,EA  
A6B,OAA7B,EAAcC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAApB,C;MACvB,KAAT,QAAS,C  
;K;iFAGb,iC;MAOI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAOI,  
SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UA  
L,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UAAL,C;K;IAGhB,yC;M  
AMI,IAAI,mBAAO,CAAX,C;QAAC,gBAAc,SAAd,EAAoB,UAApB,C;K;IAGIB,+D;MAa0E,yB;QAAA,YAAiB,  
C;MAAG,uB;QAAA,UAAe,gB;MACzG,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAcC,gBAAtC,C;MACb,gB  
AAc,SAAd,EAAoB,SAApB,EAA+B,OAA/B,EAawC,UAAxC,C;K;IAGJ,mC;MAII,OAAO,EAAS,MAAM,MAA  
K,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAA  
M,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EA  
AS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,O  
AAO,EAAS,MAAM,MAAK,SAAL,C;K;IAOH,kD;MAAA,wB;QAAW,qCAAK,KAAL,E;O;K;IAJIC,oC;MAII,O  
AAO,iBAAM,gBAAN,EAAY,gCAAZ,C;K;IuDnpEX,oB;MAAA,wB;MAEI,6B;MACA,gC;MAKuB,UAAT,MAA  
S,EAAT,MAAS,EAAT,M;MAFV,eAAe,kE;MACf,iBAAiB,eAAS,GAAT,C;MACE,sBAAT,QAAS,C;MAAT,mB;  
MAAA,kB;MAAA,kB;MAAV,8C;QACI,WAAW,oBAAS,CAAT,CzC2BuB,IyC3BIC,IAA+B,C;MAInC,qBAaQB  
,48C;MACrB,WAAW,mBAAmB,cAAAnB,EAAMC,UAAAnC,EAA+C,IAA/C,C;MACX,YAAY,eAAS,IAAK,OAAL  
,GAAY,CAAZ,IAAT,C;MACZ,0BAAU,IAAV,e;QACI,MAAM,MAAI,CAAJ,IAAN,IAAe,MAAM,GAAN,IAAW,  
KAAK,GAAL,CAAX,I;MAEnB,yBAAoB,K;MAGpB,oBAAoB,m/D;MACpB,4BAAuB,mBAAmB,aAAAnB,EAA  
kC,UAAIC,EAA8C,IAA9C,C;K;;IAvB/B,gC;MAAA,+B;QAAA,c;;MAAA,wB;K;IA2BA,qC;MAKkB,IAJP,I;MA  
CH,WAAO,EAAP,C;QAae,W;WACf,WAAO,IAAP,C;QAAGB,OAAI,CAAC,KAAO,CAAR,MAAc,CAAIB,GAA  
qB,QAAS,CAA9B,GAAqC,OAAS,E;;QAEID,QAAM,KAAK,CAAX,C;eACI,C;YAACK,eAAS,E;YAAAd,K;eACA,  
C;YAACK,OAAC,QAAS,CAAV,GAAiB,E;YAAtB,K;;YACQ,cAAS,E;YAHrB,K;;MAJR,W;K;IAYJ,qC;MAII,SA  
AS,SzCRiC,I;MyCU1C,YAAY,kBAAkB,sBAAS,kBAA3B,EAA8C,EAA9C,C;MACZ,YAAY,sBAAS,kBAAT,CA  
A2B,KAA3B,C;MACZ,WAAW,sBAAS,qBAAT,CAA8B,KAA9B,C;MACX,YAAY,kBAAkB,IAAIB,EAawB,KA  
AK,KAAL,IAAxB,C;MAEZ,OAAW,UAAS,EAAb,GAAyC,mDAAzC,GAAoD,K;K;IAG/D,8D;MAKiB,UAIE,M;  
MARf,aAAa,eAAS,YAAT,C;MACb,YAAY,C;MACZ,UAAU,C;MACV,YAAY,C;MACC,yB;MAAb,OAAa,cAAb  
,C;QAAa,iC;QACT,aAAa,WAAW,IzCxBc,IyCwBzB,C;QACb,MAAM,MAAQ,CAAC,SAAW,EAZ,KAASB,K;  
QACpC,IAAI,SAAS,EAAb,C;UACI,OAAO,cAAP,EAAO,sBAAP,YAAkB,G;UACIB,MAAM,C;UACN,QAAQ,C;  
;UAER,gBAAS,CAAT,I;;MAGR,OAAO,M;K;ICIE,X,+B;MAII,eAAe,CAAC,iBAAO,CAAP,IAAD,IAAa,CAAb,I  
;MACf,IAAI,WAAW,CAAF,C;QAAkB,M;MACIB,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QAC  
I,UAAU,sBAAK,KAAL,C;QACV,sBAAK,KAAL,EAAC,sBAAK,YAAL,CAAd,C;QACA,sBAAK,YAAL,EAAqB  
,GAAR,B,C;QACA,mC;;K;IrDbR,wB;MAOI,OAAW,oBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAM,B,C;K;mFAG9  
B,yB;MAkBA,iB;MAiBA,uB;QAMI,OAKBO,MAAO,KAI BC,CAkBD,EAI BY,CAkBZ,C;O;KAXBIB,C;mFASA,y  
B;MASA,iB;MATA,uB;QAMI,OASO,MAAO,KATC,CASD,EATY,CASZ,C;O;KAFiB,C;mFASA,yB;MAAA,iB;  
MAAA,uB;QAMI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KANIB,C;mFASA,gB;MAMI,OAAW,kBAAK  
,CAAL,MAAJ,GAAY,CAAZ,GAAM,B,C;K;mFAG9B,yB;MAAA,iB;MAAA,uB;QAQI,OAAO,MAAO,KAAI,CA  
AJ,EAAO,CAAP,C;O;KARIB,C;mFAWA,yB;MAAA,iB;MAAA,uB;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,C  
AAP,C;O;KARIB,C;IAWA,2B;MAOI,OAAO,SAAM,CAAN,EAAS,SAAM,CAAN,EAAS,CAAT,CAAT,C;K;mF  
AGX,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KAN  
IB,C;mFASA,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,  
C;O;KANIB,C;mFASA,mB;MAMW,UAAe,CAPeX,iBAoEc,CAPeD,MAAJ,GAoEe,CAPeF,GAoEkB,C;MAAZB,  
OAAa,CAPeF,iBAAK,GAAL,MAAJ,GAoEM,CAPeN,GAAM,B,G;K;mFAuE9B,yB;MAAA,iB;MAAA,0B;QAQI,

OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KARIB,C;mFAWA,yB;MAAA,iB;MAAA,0B;QA  
QI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KARIB,C;IAWA,4B;MAQc,Q;MADV,UAAU,  
C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAAM,SAAM,GAAN,EA AW,CAAX,C;;MACV  
B,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAi  
B,MAxHV,MAAO,KAwHe,GAxHf,EAwHoB,CxHpB,C;;MAyHd,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UA  
AU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAIIV,MAAO,KAkIe,GAlIf,EAKIoB,CAlIp  
B,C;;MAMId,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAA  
V,M;QAAiB,MA5IV,MAAO,KA4Ie,GA5If,EA4IoB,CA5IpB,C;;MA6Id,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,  
UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAuB,UAAM,G;QAAZ,MA7IN,oBA6IuB,CA7  
IvB,MAAJ,GAAY,GA AZ,GA6I2B,C;;MACIC,OAAO,G;K;IAGX,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAA  
U,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MA9IV,MAAO,KA8Ie,GA9If,EA8IoB,CA9IpB,C;;MA+Id,OAAO  
,G;K;IAGX,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MA/IV,  
MAAO,KA+Ie,GA/If,EA+IoB,CA/IpB,C;;MAGJd,OAAO,G;K;IAGX,wB;MAOI,OAAW,oBAAK,CAAL,MAAJ,G  
AAY,CAAZ,GAAMb,C;K;mFAG9B,yB;MAkBA,iB;MAIBA,uB;QAMI,OAKBO,MAAO,KAlBC,CkBD,EAlBY,  
CkBZ,C;O;KAXBIB,C;mFASA,yB;MASA,iB;MATA,uB;QAMI,OASO,MAAO,KATC,CASD,EATY,CASZ,C;O  
;KAlfB,C;mFASA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KANIB,C;m  
FASA,gB;MAMI,OAAW,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAMb,C;K;mFAG9B,yB;MAAA,iB;MAAA,uB  
;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KARIB,C;mFAWA,yB;MAAA,iB;MAAA,uB;QAQI,OAA  
O,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KARIB,C;IAWA,2B;MAOI,OAAO,SAAM,CAAN,EAAS,SAAM,CAA  
N,EAAS,CAAT,CAAT,C;K;mFAGX,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAO,KAAM,CAAN,EA AiB,CA  
AjB,EAA4B,CAA5B,C;O;KANIB,C;mFASA,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAO,KAAM,CAAN,EA  
AiB,CAAjB,EAA4B,CAA5B,C;O;KANIB,C;mFASA,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAO,KAAI,CA  
AJ,EAAO,CAAP,EAAU,CAAV,C;O;KANIB,C;mFASA,mB;MAMW,UAAe,CAPeX,iBAoEc,CAPeD,MAAJ,GAo  
Ee,CAPeF,GAoEkB,C;MAAzB,OAAa,CAPeF,iBAAK,GAAL,MAAJ,GAoEM,CAPeN,GAAMb,G;K;mFAuE9B,y  
B;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KARIB,C;mFAW  
A,yB;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KARIB,C;IAW  
A,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAAM,SAAM,G  
AAN,EA AW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;  
QAAU,QAAA,KAAV,M;QAAiB,MAxHV,MAAO,KAwHe,GAxHf,EAwHoB,CxHpB,C;;MAyHd,OAAO,G;K;I  
AGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAIIV,MAA  
O,KAkIe,GAlIf,EAKIoB,CAlIpB,C;;MAMId,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,  
KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MA5IV,MAAO,KA4Ie,GA5If,EA4IoB,CA5IpB,C;;MA6Id,OAAO,G  
;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAuB,UAAM,  
G;QAAZ,MA7IN,oBA6IuB,CA7IvB,MAAJ,GAAY,GA AZ,GA6I2B,C;;MACIC,OAAO,G;K;IAGX,4B;MAQc,Q;  
MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MA9IV,MAAO,KA8Ie,GA9If,E  
A8IoB,CA9IpB,C;;MA+Id,OAAO,G;K;IAGX,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,  
QAAA,KAAV,M;QAAiB,MA/IV,MAAO,KA+Ie,GA/If,EA+IoB,CA/IpB,C;;MAGJd,OAAO,G;K;IsDvaX,iB;MAA  
A,qB;MAEI,0BAA0B,gBACTb,EADsB,EACd,IADc,EACN,IADM,EACE,IADF,EACU,IADV,EACkB,IADIB,EA  
C0B,IADIB,EACkC,IADIC,EAC0C,IAD1C,EACkD,IADID,EAC0D,IAD1D,EACkE,IADIE,EAC0E,IAD1E,EACK  
F,IADIF,EAC0F,IAD1F,EACkG,IADIG,EAC0G,IAD1G,EACKH,IADIH,EAC0H,IAD1H,EACKI,IADII,EAETb,IA  
FsB,EAEd,IAFc,EAEN,IAFM,EAEE,IAFF,EAEU,IAFV,EAekB,IAFIB,EAE0B,IAF1B,EAekC,IAFIC,EAE0C,IA  
F1C,EAekD,KAFID,EAE0D,KAF1D,EAekE,KAFIE,EAE0E,KAF1E,EAekF,KAFIF,EAE0F,KAF1F,EAekG,KA  
FIG,EAE0G,KAF1G,E;K;;IAF9B,6B;MAAA,4B;QAAA,W;;MAAA,qB;K;IAQA,0C;MAKI,aAAa,C;MACb,UAA  
U,KAAM,OAAN,GAAa,CAAb,I;MACV,aAAa,E;MACb,YAAY,C;MACZ,OAAO,UAAU,GAAjB,C;QACI,SAAS  
,CAAC,SAAS,GAAT,IAAD,IAAiB,CAAjB,I;QACT,QAAQ,MAAM,MAAN,C;QACR,IAAI,SAAS,KAAb,C;UAC  
L,SAAS,SAAS,CAAT,I;aACR,IAAI,WAAU,KAA d,C;UACD,OAAO,M;;UAEP,MAAM,SAAS,CAAT,I;;MAEd,O  
AAO,UAAc,SAAS,KAAb,GAAoB,CAApB,GAA2B,CAArC,K;K;IAGX,mC;MAKI,SAAS,S3CCiC,I;M2CA1C,Y  
AAY,kBAAb,mBAAM,mBAAxB,EAAoC,EAAPC,C;MACZ,WAAW,KAAK,mBAAM,mBAAN,CAAiB,KAAj

B,CAAL,I;MACX,OAAW,OAAO,EAAX,GAAe,IAAf,GAAyB,E;K;IAGpC,gC;MAII,OAAO,6BAAoB,C;K;IC7C/  
B,kB;MAAA,sB;MAEI,6B;MACA,8B;MACA,gC;MAKuB,UAAT,MAAS,EAAT,MAAS,EAAT,M;MAFV,eAAe,  
kE;MACf,iBAAiB,eAAS,GAAT,C;MACE,sBAAT,QAAS,C;MAAT,mB;MAAA,kB;MAAA,kB;MAAV,8C;QACI,  
WAAW,oBAAS,CAAT,C5C0BuB,I4C1B1C,IAA+B,C;;MAInC,qBAAqB,sW;MACrB,WAAW,mBAAmB,cAAAnB,  
EAAmC,UAAAnC,EAA+C,GAA/C,C;MACX,YAAY,eAAS,IAAK,OAAAd,C;MACZ,0BAAU,IAAV,e;QACI,IAAI,  
QAAK,CAAT,C;UAAy,MAAM,GAAN,IAAW,KAAC,GAAL,C;;UACIB,MAAM,GAAN,IAAW,MAAM,MAAI,  
CAAJ,IAAN,IAAe,KAAC,GAAL,CAAf,I;;MAEpB,yBAAoB,K;MAGpB,kBAAkB,0U;MACIB,0BAAqB,mBAA  
mB,WAAAnB,EAAgC,UAAhC,EAA4C,GAA5C,C;MAGrB,oBAAoB,i8B;MACpB,4BAAuB,mBAAmB,aAAAnB,E  
AAkC,UAAIC,EAA8C,GAA9C,C;K;;IA7B/B,8B;MAAA,6B;QAAA,Y;;MAAA,sB;K;IAiCA,iC;MAII,OAAO,6B  
AAmB,C;K;IAG9B,oC;MAIW,wCAAmB,C;MAAnB,U;QAA6B,wB5CRM,a4CQN,C;;MAApC,W;K;IAGJ,oC;M  
AIW,wCAAmB,C;MAAnB,U;QAA6B,wB5CfM,a4CeN,C;;MAApC,W;K;IAGJ,kC;MAQI,SAAS,S5C1BiC,I;M4C  
2B1C,YAAY,kBAAkB,oBAAO,kBAAZB,EAA4C,EAA5C,C;MAEZ,iBAAiB,oBAAO,kBAAP,CAAYB,KAAZB,C  
;MACjB,eAAe,aAAa,oBAAO,mBAAP,CAA0B,KAA1B,CAAb,GAAGD,CAAhD,I;MACf,WAAW,oBAAO,qBAA  
P,CAA4B,KAA5B,C;MAEX,IAAI,KAAC,QAAT,C;QACI,OAAO,C;;MAGX,kBAAkB,OAAS,C;MAE3B,IAAI,g  
BAAe,CAAnB,C;QACI,YAAY,C;QACZ,gBAAGB,U;QACHb,aAAU,CAAV,OAAa,CAAb,M;UACI,yBAAC,QAA  
S,KAAV,GAAqB,GAAIC,K;UACA,IAAI,YAAY,EAAb,C;YACI,OAAO,C;;UAEX,gBAAS,CAAT,I;UACA,yB  
AAc,QAAS,KAAV,GAAqB,GAAIC,K;UACA,IAAI,YAAY,EAAb,C;YACI,OAAO,C;;UAEX,gBAAS,CAAT,I;;  
QAEJ,OAAO,C;;MAGX,IAAI,QAAQ,CAAZ,C;QACI,OAAO,W;;MAGX,eAAgB,KAAC,UAAAL,I;MACHb,cAAg  
B,QAAQ,EAAZ,GAAkB,WAAW,CAA7B,GAAoC,Q;MACHd,OAAQ,SAAU,IAAI,OAAJ,IAAV,CAAD,GAA2B,  
C;K;ICnGtC,0B;MAAA,8B;MACI,+BAA+B,gBAC3B,GAD2B,EACnB,GADmB,EACX,GADW,EACH,GADG,E  
ACK,GADL,EACa,GADb,EACqB,GADrB,EAC6B,IAD7B,EACqC,IADrC,EAC6C,IAD7C,EACqD,IADrD,EAC6  
D,IAD7D,EACqE,IADrE,EAC6E,IAD7E,EACqF,IADrF,EAC6F,KAD7F,EACqG,KADrG,EAC6G,KAD7G,EACq  
H,KADrH,EAC6H,KAD7H,E;MAG/B,gCAAGC,gBAC5B,CAD4B,EACzB,CADyB,EACtB,CADsB,EACnB,CAD  
mB,EACbB,CADgB,EACb,CADa,EACV,CADU,EACP,EADO,EACH,CADG,EACA,EADA,EACI,CADJ,EACO,  
CADP,EACU,EADV,EACc,EADd,EACkB,EADiB,EACsB,CADtB,EACyB,CADzB,EAC4B,CAD5B,EAC+B,CA  
D/B,EACKC,CADIC,E;K;;IAJpC,sC;MAAA,qC;QAAA,oB;;MAAA,8B;K;IASA,qC;MACI,YAAY,kBAAkB,4BA  
Ae,wBAAjC,EAakD,SAaID,C;MACZ,OAAO,SAAS,CAAT,IAAc,aAAO,4BAAe,wBAAf,CAA+B,KAA/B,IAAw  
C,4BAAe,yBAAf,CAAGC,KAAhC,CAAxC,IAAP,C;K;ICXzB,qC;MACI,OAAe,IAAR,8BAAgB,IAAhB,KACY,I  
AAR,8BAAgB,IADpB,C;K;ICCX,wC;M5CiBW,Q;MAAA,I4CXgB,K5CWZ,IAAS,CAAT,I4CXY,K5CWE,IAAS,  
2BAA3B,C;QAAA,OAAc,qB4CXtB,K5CWsB,C;;Q4CXb,MAAM,8BAA0B,mCAAYB,gBAAZB,MAA1B,C;;M  
AAAtC,W;K;ICRj,sC;MAEI,WAAW,ShDkC+B,I;MgDhC1C,IAAY,GAAR,oBAAgB,GAAhB,KAakC,GAAR,oBA  
AgB,GAA1C,CAAJ,C;QACI,OAA8B,OAAtB,KAAC,CAAC,OAAO,CAAP,IAAD,IAAa,CAAb,IAAL,KAAsB,C;;  
MAGIC,IAAY,IAAR,oBAAgB,IAAhB,KAakC,IAAR,oBAAgB,IAA1C,CAAJ,C;QACI,OAAO,S;;MAEX,OAAO,  
wB;K;ICPX,wC;MxCqTe,WwC7SY,KxC6SZ,IAAS,C;MAAT,S;QAAc,OwC7SF,KxC6SE,IAqgHT,gBAAR,iBAA  
Q,C;;MArgHT,U;MAAA,S;QAAA,SAAsC,sBwC7StB,KxC6SsB,C;;QwC7Sb,MAAM,8BAA0B,iCAAuB,cAAvB,  
MAA1B,C;;MAAtC,a;K;IAGJ,wC;MxCsTe,WwC9SY,KxC8SZ,IAAS,C;MAAT,S;QAAc,OwC9SF,KxC8SE,IAig  
HT,gBAAR,iBAAQ,C;;MAjgHT,U;MAAA,S;QAAA,SAAsC,sBwC9StB,KxC8SsB,C;;QwC9Sb,MAAM,8BAA0B  
iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MxCuTe,WwC/SY,KxC+SZ,IAAS,C;MAAT,S;QAAc,OwC/  
SF,KxC+SE,IA6/GT,gBAAR,iBAAQ,C;;MA7/GT,U;MAAA,S;QAAA,SAAsC,sBwC/StB,KxC+SsB,C;;QwC/Sb,  
MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MxCwTe,WwChTY,KxCgTZ,IAAS,C;MA  
AT,S;QAAc,OwChTF,KxCgTE,IAy/GT,gBAAR,iBAAQ,C;;MAz/GT,U;MAAA,S;QAAA,SAAsC,sBwChTtB,Kx  
CgTsB,C;;QwChTb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IASO,6C;MAAA,8B;MAAS,uB;  
K;8FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAGD,OAA  
A,gBAAY,gBAAS,OAAT,C;K;mDAC5D,iB;MACI,oCAAA,2BAAkB,KAA1B,EAAyB,SAAZB,C;MACb,OAAO,6  
BAAY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MACvC,OxCs  
rBO,UwCtrBA,gBxCsrBR,QAAQ,EwCtrBoB,O3EgOF,KmCsdLB,C;K;yDwCprBX,mB;MAES,Q;MAAL,IAAI,eA  
AC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MACvC,OxCy6BO,cwCz6BA,gBxCy6BR,QAAQ,EwCz6BwB,O3E2NN,  
KmC8sBIB,C;K;;IwC/7BnB,6B;MAMI,4C;K;IA2BO,6C;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBA

AY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAiD,OAAA,gBAAY,gBAAS,OAAT,C;K;m  
DAC7D,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;  
MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OxCqqBO,UwCrqBA,gBxCqqBR,QA  
AQ,EwCrqBoB,O3DgNA,KmBqdpB,C;K;yDwCnqBX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAi  
C,OAAO,E;MACxC,OxCw5BO,cwCx5BA,gBxCw5BR,QAAQ,EwCx5BwB,O3D2MJ,KmB6sBpB,C;K;;IwC96Bn  
B,6B;MAMI,4C;K;IA2BO,6C;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MA  
AkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAiD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC7D,iB;MACI,oCAAA  
,2BAAkB,KAAIB,EAAyB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eA  
AC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OxCopBO,UwCppBA,gBxCopBR,QAAQ,EwCppBoB,O5EkIA,K  
oCkhBpB,C;K;yDwClpBX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OxCu4  
BO,cwCv4BA,gBxCu4BR,QAAQ,EwCv4BwB,O5E6HJ,KoC0wBpB,C;K;;IwC75BnB,8B;MAMI,4C;K;IA2BO,6C  
;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDA  
C9C,mB;MAAkD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC9D,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,SA  
AzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAAkC,  
OAAO,E;MACzC,OxCmoBO,UwCnoBA,gBxCmoBR,QAAQ,EwCnoBoB,O1EkHE,KkCihBtB,C;K;yDwCjoBX,  
mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAAkC,OAAO,E;MACzC,OxCs3BO,cwCt3BA,gBxCs3BR,Q  
AAQ,EwCt3BwB,O1E6GF,KkCywBtB,C;K;;IwC54BnB,8B;MAMI,4C;K;ICtIJ,qC;MAII,SAAS,SID+BiC,I;MkD9  
B1C,OAAa,CAAN,gBAAc,EAAd,KACU,EAAN,gBAAc,EADIB,KAEL,OAAM,GAFV,KAGI,KAAK,IAAL,KAC  
C,OAAM,IAAN,KACS,IAAN,gBAAc,IADjB,KAEG,OAAM,IAFT,IAGG,OAAM,IAHT,IAIG,OAAM,IAJT,IAK  
G,OAAM,IALT,IAMG,OAAM,KAPV,CAHJ,C;K;;;mCCTP,gB;;K;;ICAJ,wB;K;;IAIA,wB;K;;IAIA,wB;K;;IAKiC  
,uB;MAAC,oB;QAAA,OAA0B,E;MAA1B,gB;K;;IAEiC,kB;K;;IAqCqC,sB;MAAC,gB;K;;IAgCN,4B;MAAC,sB;  
K;;IAEjC,uB;K;;IA8DmC,4B;MAAC,kB;K;;IAEpC,oB;K;;IAMCa,+B;K;;ICvLA,oB;K;;IAIA,wB;K;;oF7DLA,qB;  
MAKqE,uCoCHtB,E;K;IgpCK/C,yB;MAAA,kD;MAAA,4B;QAQsE,mBAAY,SAAZ,C;O;KARtE,C;IAUA,iC;MA  
GI,OAAsB,UAAy,QAAvB,KAAmC,SAA9C,GACe,UAAy,UAD3B,GAGI,gBAAgB,UAAhB,C;K;IAGR,qC;MA  
EI,YoC1B2C,E;MpC2B3C,eAAe,UAAW,W;MAC1B,OAAO,QAAS,UAAhB,C;QACU,KAAy,MAAK,QAAS,OA  
Ad,C;MACTB,OAAO,K;K;IAGX,8C;MAQc,Q;MANV,IAAI,KAAM,OAAN,GAAa,UAAW,KAA5B,C;QACI,OA  
AO,gBAAgB,UAAhB,C;;MAEX,eAAe,UAAW,W;MAC1B,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,MA  
AM,YAAN,EAAM,oBAAN,UAAiB,QAAS,O;;MAE9B,IAAI,QAAQ,KAAM,OAAlB,C;QACI,MAAM,KAAN,IA  
Ae,I;;MAEnB,OAAO,K;K;IAIX,yB;MAG6C,sBAAY,OAaz,E;K;wGAE7C,yB;MAAA,+D;MAAA,gC;QAI0B,gB  
AAf,gB;QAAqB,aJW5B,W;QIXA,OJYO,SIZoC,Q;O;KAJ/C,C;yGAOA,yB;MAAA,4E;MAAA,gE;MAAA,0C;QA  
II,qBAAqB,QAArB,C;QAC8B,gBAAvB,eAAa,QAAb,C;QAA6B,aJGpC,W;QIHA,OJIO,SIJ4C,Q;O;KALvD,C;IA  
SA,wB;MAG2C,oBAAU,OAAV,E;K;sGAE3C,yB;MAAA,uE;MAAA,gC;QAI8B,gBAAnB,oB;QAAyB,aJvHc,W;  
QIUA,OJTO,SISwC,Q;O;KAJnD,C;wGAOA,yB;MAAA,wE;MAAA,0C;QAIsc,gBAA3B,mBAAiB,QAAjB,C;QA  
AiC,aJjBxC,W;QliBA,OJhBO,SIgBgD,Q;O;KAJ3D,C;IAQA,qB;MAIuD,oBAAU,IAAV,E;K;sGAEvD,yB;MAAA  
,wE;MAAA,gC;QAIiC,gBAAtB,oB;QAA4B,aJ/BnC,W;QI+BA,OJ9BO,SI8B2C,Q;O;KAJtD,C;uGAOA,yB;MAA  
A,uE;MAAA,0C;QAIyC,gBAA9B,mBAAoB,QAApB,C;QAAoC,aJtC3C,W;QIsCA,OJrCO,SIqCmD,Q;O;KAJ9D,  
C;IAQA,mC;MAOqB,Q;MAAA,kC;MAAjB,iBAAc,CAAd,yB;QACI,sBAAK,KAAL,EAAC,KAAd,C;;K;IAIR,+B;  
MAMuD,sBAAQ,4BAAR,C;K;IAEvD,6B;MAIwE,kBAAhB,0B;MAAwB,uB;MAAxB,OJJE7C,W;K;IImEX,4B;M  
AQI,gBAAgB,SAAhB,EAAsB,cAAtB,C;K;IAGJ,2C;MAQI,gBAAgB,SAAhB,EAAsB,UAAtB,C;K;IAGJ,2C;MA  
CI,IAAI,IAAK,KAAL,IAAa,CAAjB,C;QAAoB,M;MAEpB,YAAY,YAAY,IAAZ,C;MACZ,gBAAc,KAAd,EAaq  
B,UAArB,C;MAEA,aAAU,CAAV,MAAkB,KAAM,OAAXB,M;QACI,iBAAK,CAAL,EAU,MAAM,CAAN,CA  
AV,C;;K;IAIR,uC;MACI,OAAO,gBAAkB,IAAlB,O;K;IAGX,iF;MAII,oCAAA,2BAAkB,UAAIB,EAA8B,QAA9B  
,EAAwC,MAAO,OAA/C,C;MACb,gBAAgB,WAAW,UAAx,I;MACHb,oCAAA,2BAAkB,iBAAIB,EAAqC,oBAA  
oB,SAApB,IAArC,EAAoE,WAAy,OAAhF,C;MAEb,IAAI,WAAkB,QAAO,WAAp,CAAIB,IAAyC,WAAkB,QA  
AO,MAAP,CAA/D,C;QACI,eAAsB,MAAY,UAAS,UAAT,EAaqB,QAArB,C;QACtB,WAAy,KAAI,QAAJ,EA  
Ac,iBAAd,C;;QAExB,IAAI,WAAW,WAAx,IAA0B,qBAAqB,UAAAnD,C;UACI,iBAAc,CAAd,UAAsB,SAAtB,U;Y  
ACI,YAAY,oBAAoB,KAApB,IAAZ,IAAyC,OAAO,aAAa,KAAb,IAAP,C;;;UAG7C,mBAAc,YAAY,CAAZ,IAA  
d,aAAmC,CAAnC,Y;YACI,YAAY,oBAAoB,OAAPB,IAAZ,IAAyC,OAAO,aAAa,OAAb,IAAP,C;;;K;8GAMzD,

qB;MAEgF,gB;K;kGAehF,yB;MAAA,4D;MAAA,4B;QAC8E,OAAK,aAAL,SAAK,C;O;KADnF,C;sGAIA,gC;M  
AEI,OAAI,SAAJ,GAEL,SAFJ,GAII,SN83BoB,Q;K;IM13B5B,mC;MAEI,IAAI,QAAQ,CAAZ,C;QACI,oB;;MAEJ,  
OAAO,K;K;IAGX,mC;MAEI,IAAI,QAAQ,CAAZ,C;QACI,oB;;MAEJ,OAAO,K;K;IAIX,mC;MAIqD,mB;K;IAEr  
D,wC;MPzNI,IAAI,EOgOI,YAAY,CPhOhB,CAAJ,C;QACI,cO+NqB,gC;QP9NrB,MAAM,gCAAYB,OAAQ,WA  
AjC,C;;K;IOiOd,8C;MAAoE,Y;K;I8D1PV,qC;MAAiC,6B;K;uDAlvF,mB;MACI,qB;MACA,eAAe,e;MACf,OAA  
O,QAAS,UAAhB,C;QACI,IAAI,OAAA,QAAS,OAAO,EAAMB,OAAAnB,CAAJ,C;UACI,QAAS,S;UACT,OAAO,I  
;;MAGf,OAAO,K;K;yDAGX,oB;MAGoB,Q;MAFhB,qB;MACA,eAAe,K;MACC,0B;MAAhB,OAAgB,cAAhB,C  
;QAAgB,yB;QACZ,IAAI,eAAI,OAAJ,CAAJ,C;UAAkB,WAAW,I;;MAEjC,OAAO,Q;K;IAKuC,sE;MAAA,qB;Q  
AAE,OAAO,gBAAN,mB;O;K;4DAFpD,oB;MAEY,Q;MADR,qB;MACA,OAAoC,YAA5B,iEAA4B,EAAU,oDA  
AV,C;K;IAKU,sE;MAAA,qB;QAAE,QAAO,gBAAP,mB;O;K;4DAFpD,oB;MAEY,Q;MADR,qB;MACA,OAAoC  
,YAA5B,iEAA4B,EAAU,oDAAV,C;K;gDAGxC,Y;MACI,qB;MACA,eAAe,IAAK,W;MACpB,OAAO,QAAS,UA  
AhB,C;QACI,QAAS,O;QACT,QAAS,S;;K;iDAIjB,Y;MAE8B,OAAA,IAAK,U;K;yDAGnC,Y;K;;IC3CgD,+B;MA  
AiC,oC;MACjF,gBAA8B,C;K;8CAM9B,mB;MAMI,qB;MACA,iBAAI,SAAJ,EAAU,OAAV,C;MACA,OAAO,I;  
K;mDAGX,2B;MAMc,UACF,M;MANR,oCAAA,4BAAMB,KAAAnB,EAA0B,SAAI1B,C;MAEb,qB;MACA,aAAa,  
K;MACb,cAAc,K;MACJ,0B;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,kBAAI,eAAJ,EAAI,uBAAJ,WAAc,CA  
Ad,C;QACA,UAAU,I;;MAEd,OAAO,O;K;0CAGX,Y;MACI,qB;MACA,yBAAY,CAAZ,EAAe,SAAF,C;K;IAKiB,  
gE;MAAA,qB;QAAE,OAAO,gBAAN,mB;O;K;sDAFvB,oB;MACI,qB;MACA,OAAO,kBAAU,8CAAV,C;K;IAK  
U,gE;MAAA,qB;QAAE,QAAO,gBAAP,mB;O;K;sDAFvB,oB;MACI,qB;MACA,OAAO,kBAAU,8CAAV,C;K;6C  
AIX,Y;MAAQd,iD;K;mDAErD,mB;MAAoD,0BAAQ,OAAO,KAAoB,C;K;kDAExE,mB;MACqB,Q;MAAA,6B;  
MAAjB,iBAAc,CAAd,yB;QACI,IAAI,wBAAI,KAAJ,GAAC,OAAAd,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K  
;sDAGX,mB;MACI,iBAAc,sBAAd,WAA+B,CAA/B,U;QACI,IAAI,wBAAI,KAAJ,GAAC,OAAAd,CAAJ,C;UACI,  
OAAO,K;;MAGf,OAAO,E;K;iDAGX,Y;MAA6D,iCAAA,CAAb,C;K;yDAC7D,iB;MAAuE,sDAAiB,KAAjB,C;K  
;oDAGvE,8B;MAA4E,uCAAQ,IAAR,EAAc,SAAd,EAAyB,OAAzB,C;K;wDAE5E,8B;MAII,eAAe,0BAAa,SAAb  
,C;MACf,YAAO,UAAU,SAAV,I;MnEuDX,iBAAc,CAAd,UAAAsB,KAAAtB,U;QmEtDiB,e;QACA,iB;;K;2CAIjB,i  
B;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,oC  
AAa,uBAAc,IAAd,EAAoB,KAApB,C;K;6CAGxB,Y;MAG+B,OAAA,oCAAA,yBAAGB,IAAhB,C;K;IAG5C,kD;  
MAAA,oB;MACI,eACsB,C;MACtB,cAlqB,E;K;yDAErB,Y;MAAkC,sBAAQ,gB;K;sDAE1C,Y;MAEW,Q;MADP  
,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,eAAO,mBAAP,EAAO,2BAAP,O;MACA,OAAO,wBAAI,WA  
AJ,C;K;wDAGX,Y;MtE5CJ,IAAI,EsE6CU,gBAAQ,EtE7CIB,CAAJ,C;QACI,csE4CwB,sE;QtE3CxB,MAAM,6BA  
AsB,OAAQ,WAA9B,C;;MsE6CF,6BAAS,WAAAT,C;MACA,eAAQ,W;MACR,cAAO,E;K;;IAOqB,6D;MAHpC,o  
B;MAGmD,wD;MAG3C,oCAAA,4BAAMB,KAAAnB,EAA0B,WAAyB,KAAAnD,C;MACb,eAAa,K;K;iEAGjB,Y;M  
AAAsC,sBAAQ,C;K;+DAE9C,Y;MAAgC,mB;K;8DAEhC,Y;MACI,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;M  
AE1B,eAAO,mCAAP,EAAO,YAAP,C;MACA,OAAO,wBAAI,WAAJ,C;K;mEAGX,Y;MAAoC,sBAAQ,CAAR,I;  
K;+DAEpC,mB;MACI,wBAAI,YAAJ,EAAW,OAAAX,C;MACA,mC;MACA,cAAO,E;K;+DAGX,mB;MtE1FJ,IAA  
I,EsEmFU,gBAAQ,EtEnFIB,CAAJ,C;QACI,csEkFwB,4E;QtEjFxB,MAAM,6BAAsB,OAAQ,WAA9B,C;;MsEkFF  
,wBAAI,WAAJ,EAAU,OAAV,C;K;;IAIgb,+D;MAAuF,8B;MAAtF,kB;MAA0C,4B;MAC/D,eAAyB,C;MAGrB,o  
CAAA,2BAAkB,gBAAIB,EAA6B,OAA7B,EAAc,WAAK,KAA3C,C;MACb,eAAa,UAAU,gBAAV,I;K;wDAGjB  
,0B;MACI,oCAAA,4BAAMB,KAAAnB,EAA0B,YAA1B,C;MAEb,WAAK,aAAI,mBAAY,KAAZ,IAAJ,EAAuB,OA  
AvB,C;MACL,mC;K;wDAGJ,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,OAAO,wBAAK,mB  
AAY,KAAZ,IAAL,C;K;6DAGX,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,aAAa,WAAK,kB  
AAS,mBAAY,KAAZ,IAAT,C;MACIB,mC;MACA,OAAO,M;K;wDAGX,0B;MACI,oCAAA,2BAAkB,KAAIB,EA  
AyB,YAAzB,C;MAEb,OAAO,WAAK,aAAI,mBAAY,KAAZ,IAAJ,EAAuB,OAAvB,C;K;mGAGO,Y;MAAQ,mB  
;K;2DAE/B,Y;MAA+C,WAAK,iB;K;;ICxMN,8B;MAAiC,sB;MAwCnF,uBAAoC,I;MA+CpC,yBAA6C,I;K;IAIF  
R,oD;MAAC,wB;MAGIC,gBAAqB,K;K;IFAHa,Y;MAAA,yB;K;uGAKZ,Y;MAAQ,oB;K;8DAE9B,oB;MAKLeA  
Ae,IAAK,S;MACpB,gBAAc,Q;MACd,OAAO,Q;K;wDAGX,Y;MAA+B,iEAAc,IAAd,C;K;wDAC/B,Y;MAAkC,i  
EAAc,IAAd,C;K;sDACIC,iB;MAA4C,+DAAY,IAAZ,EAAkB,KAAIB,C;K;;IAIB5C,8E;MAAA,wE;MAAsC,2CA  
AK,KAAAM,IAAX,EAAgB,KAAAM,MAAtB,C;MAAtC,Y;K;IASBJ,+C;MACsE,6B;K;mEACIE,mB;MAAmD,kCA  
Ac,OAAAd,C;K;iEAEnD,mB;MAAiD,gCAAY,OAAZ,C;K;;yCAIrD,Y;MACI,YAAQ,Q;K;IAOQ,+F;MAAA,sD;M

AAS,6B;K;uFACb,mB;MAAwC,MAAM,qCAA8B,8BAA9B,C;K;mFAC9C,Y;MACI,4BAAwB,Q;K;4FAG5B,mB  
;MAAsD,sDAAY,OAAZ,C;K;IAI3C,oH;MAAA,kD;K;4GACH,Y;MAAkC,OAAA,0BAAc,U;K;yGACHD,Y;MAA  
yB,OAAA,0BAAc,OAAO,I;K;2GAC9C,Y;MAAwB,0BAAc,S;K;;sFAL9C,Y;MACI,oBAAoB,oCAAQ,W;MAC5  
B,6G;K;0FAOJ,mB;MACI,qB;MACA,IAAI,+CAAY,OAAZ,CAAJ,C;QACI,4BAAwB,cAAO,OAAP,C;QACxB,O  
AAO,I;;MAEX,OAAO,K;K;oIAGY,Y;MAAQ,OAAA,4BAAwB,K;K;4FAEvD,Y;MAAsC,4BAAwB,iB;K;;0FA9B  
1E,Y;MACI,IAAI,4BAAJ,C;QACI,6F;;MA+BJ,OAAO,mC;K;kDAKf,gB;MAEyB,Q;MADrB,qB;MACqB,OAAA,  
I9E8Q2D,QAAQ,W;M8E9QxF,OAAqB,cAArB,C;QAAqB,wB;QAAf,U9EiMsD,U;Q8EjMjD,Y9E8MiD,Y;Q8E7  
MxD,iBAAI,GAJ,EAAS,KAAT,C;;K;IAQc,iG;MAAA,sD;MAAS,oC;K;yFACf,mB;MAAwC,MAAM,qCAA8B,  
gCAA9B,C;K;qFAC9C,Y;MAAuB,4BAAwB,Q;K;8FAE/C,mB;MAAsD,wDAAc,OAAc,C;K;IAI3C,sH;MAAA,k  
D;K;8GACH,Y;MAAkC,OAAA,0BAAc,U;K;2GACHD,Y;MAAyB,OAAA,0BAAc,OAAO,M;K;6GAC9C,Y;MAA  
wB,0BAAc,S;K;;wFAL9C,Y;MACI,oBAAoB,oCAAQ,W;MAC5B,+G;K;sIAOmB,Y;MAAQ,OAAA,4BAAwB,K;  
K;8FAEvD,Y;MAAsC,4BAAwB,iB;K;;4FAnB1E,Y;MACI,IAAI,8BAAJ,C;QACI,iG;;MAoBJ,OAAO,qC;K;gDA  
Gf,e;MACI,qB;MACA,WAAW,YAAQ,W;MACnB,OAAO,IAAK,UAAZ,C;QACI,YAA,Y,IAAK,O;QACjB,QAA  
Q,KAAM,I;QACd,IAAI,YAAO,CAAP,CAAJ,C;UACI,YAA,Y,KAAM,M;UACIB,IAAK,S;UACL,OAAO,K;;;MA  
Gf,OAAO,I;K;kDAIX,Y;K;;IC3I+C,8B;MAAiC,oC;K;0CAEHf,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;  
MAC3B,IAAI,0BAAJ,C;QAAsB,OAAO,K;MAC7B,OAAO,mCAAY,mBAAU,IAAV,EAAGB,KAaHb,C;K;4CAG  
vB,Y;MAG+B,OAAA,mCAAY,2BAAkB,IAAIB,C;K;;ICbT,0B;MAAuD,8B;MAAIC,4B;MACvD,4BAAkC,K;K;g  
CAkBiC,Y;MAEI,qB;MACA,4BAAa,I;MACb,OAAO,I;K;qCAGX,Y;K;iDAGA,uB;K;iFAG8B,Y;MAAQ,OAAA,  
oBAAM,O;K;sCAC5C,iB;MACyC,Q;MAAA,oCAAM,0BAAW,KAAX,CAAN,4D;K;sCACzC,0B;MAIW,IAAa,I;  
MAHpB,qB;MACA,0BAAW,KAAX,C;MAEoB,gBAAb,qBAAM,KAAN,C;MAAqB,qC;MAA5B,OAAO,CAAa,O  
tE8BjB,SsE9BI,2D;K;oCAGX,mB;MACI,qB;MACM,oBAAY,MAAK,OAAL,C;MACIB,qC;MACA,OAAO,I;K;s  
CAGX,0B;MACI,qB;MACM,oBAAY,QAAO,mCAAoB,KAAP,CAAP,EAAMC,CAAnC,EAAsC,OAAIc,C;MA  
CIB,qC;K;yCAGJ,oB;MACI,qB;MACA,IAAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAE/B,uBAAA,oBxEioDoB,Q  
MjrD0C,YkEgDrD,QIEhDqD,CNirD1C,C;MwEhoDpB,qC;MACA,OAAO,I;K;yCAGX,2B;MACI,qB;MACA,mC  
AAoB,KAAP,C;MAEA,IAAI,UAAS,SAAb,C;QAAMB,OAAO,oBAAO,QAAP,C;MAC1B,IAAI,QAAS,UAAb,C  
;QAAwB,OAAO,K;MAE3B,IADE,KACf,e;QAAQ,OAAO,oBAAO,QAAP,C;WACf,IAFE,KAef,O;QAAK,uBIE  
7DqD,YkE6D7C,QIE7D6C,CNirD1C,QwEpnD6B,oBxEonD7B,C;;QwEnnDR,uBAAoC,cAA5B,oBAA4B,EAUV,  
CAAU,EAAP,KAAO,CAAY,QIE9DE,YkE8DK,QIE9DL,CkE8DF,EAA4C,cAAN,oBAAM,EAAY,KAaz,EAAM  
B,SAAnB,CAA5C,C;;MAG5D,qC;MACA,OAAO,I;K;2CAGX,iB;MACI,qB;MACA,0BAAW,KAAX,C;MACA,q  
C;MACA,OAAW,UAAS,sBAAb,GACG,oBAAY,MADf,GAGG,oBAAY,QAAO,KAAP,EAAC,CAAd,CAAIB,CA  
AmC,CAAnC,C;K;uCAGR,mB;MAEkB,Q;MADd,qB;MACc,2B;MAAd,mD;QACI,IAAI,4BAAM,KAAN,GAAg  
B,OAaHb,CAAJ,C;UACU,oBAAY,QAAO,KAAP,EAAC,CAAd,C;UACIB,qC;UACA,OAAO,I;;MAGf,OAAO,K;  
K;8CAGX,8B;MACI,qB;MACA,qC;MACM,oBAAY,QAAO,SAAP,EAakB,UAAU,SAAV,IAAIB,C;K;gCAGtB,  
Y;MACI,qB;MACA,uB9BhHuC,E;M8BiHvC,qC;K;wCAIJ,mB;MAA+C,OAAM,QAAN,oBAAM,EAQ,OAAR,  
C;K;4CAErD,mB;MAAmD,OAAM,YAAN,oBAAM,EAAY,OAAZ,C;K;mCAEzD,Y;MAA0B,uBAAc,oBAAd,C;  
K;0CAE1B,iB;MAGe,UAGL,MAHK,EAMO,M;MAPIB,IAAI,KAAM,OAAN,GAAa,SAajB,C;QACI,OAAO,2D;;  
MAGc,gBAAxB,eAAK,SAAL,IAAK,gBAAL,yB;MxEuwBL,UAAU,SAAV,EwEvwBsC,KxEuwBtC,EAD+F,CA  
C/F,EADoH,CACpH,EADuI,gBACvI,C;MwErwBI,IAAI,KAAM,OAAN,GAAa,SAajB,C;QACI,MAAM,SAAN,I  
AAc,6E;;MAGIB,OAAO,K;K;kCAGX,Y;MACI,OAAO,EAAS,MAAM,MAAK,oBAAL,C;K;yCAI1B,Y;MACI,IA  
AI,yBAAJ,C;QAAgB,MAAM,oC;K;+CAG1B,iB;MACI,oCAAa,kCAAYB,SAazB,C;MADoB,Y;K;wDAIrC,iB;M  
ACI,oCAAa,mCAA0B,SAa1B,C;MAD6B,Y;K;;IAIJ9C,+B;MAAA,mD;MAG8B,sB9BRa,E8BQb,C;MAH9B,Y;K  
;IAKA,kD;MAAA,mD;MAIkD,sB9BdP,E8BcO,C;MAJID,Y;K;IAMA,2C;MAAA,mD;MAGqD,sBIENa,YkEMR,  
QIENQ,CkEMb,C;MAHrD,Y;K;ICrBJ,0C;MACI,IAAI,6BAAJ,C;QACU,KAAY,MAAK,UAAAL,C;;QAEIB,UAAU  
,KAAV,EAawC,CAAxC,EAaiD,cAAN,KAAM,CAAjD,EAA4D,eAAW,UAAAX,CAA5D,C;;K;IAMiB,kD;MAAA  
,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAaw,CAAX,C;O;K;IAFpD,4C;MACI,IAAI,6BAAJ,C;QACI,iBAA  
iB,gC;QACX,KAAY,MAAK,UAAAL,C;;QAEIB,UAAU,KAAV,EAawC,CAAxC,EAaiD,cAAN,KAAM,CAAjD,E  
AA4D,UAA5D,C;;K;IAIR,gE;MACI,IAAI,aAAY,UAAU,CAAV,IAAZ,CAAJ,C;QACI,UAAU,KAAV,EAawC,S  
AAxC,EAAMd,UAAU,CAAV,IAAnD,EAAGe,UAAhE,C;;K;IAMiB,gC;MAAGB,OAAE,iBAAF,CAAE,EAU,C

AAV,C;K;IAF3C,0B;MACI,IAAI,6BAAJ,C;QACI,iBAAiB,gB;QACX,KAAY,MAAK,UAAAL,C;;QAEIB,UAAU, KAAV,EAAwC,CAAxC,EAAiD,cAAN,KAAM,CAAJD,EAA4D,cAA5D,C;;K;;IAaa,kD;MAAoB,QAAC,IAAM,C AAP,KAAa,IAAM,CAAnB,K;K;IARzC,uC;MACI,sC;QAAiC,OAAjC,yB;;MACA,4BAA4B,K;MAE5B,YAAAY,E; MAGZ,iBAAc,CAAd,UAAaB,GAAtB,U;QAAiC,KAAY,MAAK,KAAL,C;MAC7C,iBAAiB,kC;MACX,KAAY,M AAK,UAAAL,C;MACIB,mBAAc,CAAd,YAAaB,KAAM,OAA5B,Y;QACI,QAAQ,MAAM,UAAQ,CAAR,IAAN,C ;QACR,QAAQ,MAAM,OAAAN,C;QACR,IAAI,CAAC,IAAM,CAAP,OAAc,IAAM,CAAPB,KAA0B,KAAK,CAA nC,C;UAAaC,OAAO,K;;MAEjD,4BAA4B,I;MAC5B,OAAO,I;K;IAIX,2D;MACI,aAAa,gBAAMB,KAAM,OAAz B,O;MACb,aAAa,YAAU,KAAV,EAAiB,MAAjB,EAAyB,KAAzB,EAAgC,YAAhC,EAA8C,UAA9C,C;MACb,IA AI,WAAW,KAAf,C;QACI,aAAU,KAAV,OAAiB,YAAjB,M;UAA+B,MAAM,CAAN,IAAW,OAAO,CAAP,C;;K; IAII,4D;MAEI,IAAI,UAAaB,GAAb,C;QACI,OAAO,K;;MAGX,aAAa,CAAC,QAAQ,GAAR,IAAD,IAAgB,CAA hB,I;MACb,WAAW,YAAU,KAAV,EAAiB,MAAjB,EAAyB,KAAzB,EAAgC,MAAhC,EAAwC,UAAxC,C;MAC X,YAAAY,YAAU,KAAV,EAAiB,MAAjB,EAAyB,SAAS,CAAT,IAAZB,EAAqC,GAAR,C,EAA0C,UAA1C,C;MAE Z,aAAiB,SAAS,MAAb,GAAqB,KAArB,GAAgC,M;MAG7C,gBAAGB,K;MACb,iBAAiB,SAAS,CAAT,I;MACj B,aAAU,KAAV,OAAiB,GAAjB,M;QAEQ,iBAaA,MAAb,IAAuB,cAAc,GAAR,C;UACI,gBAAGB,KAAK,SAAL ,C;UACb,iBAAiB,MAAM,UAAAN,C;UAEjB,IAAI,UAAW,SAAQ,SAAR,EAAmB,UAAANB,CAAX,IAA6C,CAAj D,C;YACI,OAAO,CAAP,IAAY,S;YACZ,6B;;YAEA,OAAO,CAAP,IAAY,U;YACZ,+B;;eAGR,iBAaA,MAAb,C; UACI,OAAO,CAAP,IAAY,KAAK,SAAL,C;UACZ,6B;;UAGA,OAAO,CAAP,IAAY,MAAM,UAAAN,C;UACZ,+ B;;MAMZ,OAAO,M;K;ICrGX,4C;MAMoB,UACM,M;MAHtB,IAAI,iBAAJ,C;QAAkB,OAAO,C;MACzB,aAAa, C;MACb,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAEQ,oB;UAAmB,U;;UACnB,I1BFiC,MAAa,Y0BEn C,O1BFmC,C0BE9C,C;YAAwD,iCAAhC,OAAgC,C;iBAExD,uC;YAAmC,2BAAR,OAAQ,C;eACnC,wC;YAAm C,2BAAR,OAAQ,C;eACnC,sC;YAAmC,2BAAR,OAAQ,C;eACnC,uC;YAAmC,2BAAR,OAAQ,C;;YAEA,kBAA R,OAAQ,C;;QATvC,wB;QAYA,SAAS,MAAK,MAAL,QAAC,WAAAd,I;;MAEb,OAAO,M;K;;ICTP,uC;MAAA,2 C;K;2DACI,0B;MAA2D,sBAAU,MAAV,C;K;gEAE3D,iB;MAA6C,Q;MAAA,wEAAqB,C;K;;IAHtE,mD;MAAA ,kD;QAAA,iC;;MAAA,2C;K;;MC0BA,iC;MAKA,8B;MA6CA,0BAAMe,I;;IAzEnE,kC;MAAA,oB;MAA+B,8C; K;2CAE3B,mB;MAAYD,MAAM,qCAA8B,iCAA9B,C;K;uCAC/D,Y;MACI,WAAa,Q;K;uDAGjB,mB;MAAgE,O AAA,WAAa,uBAAc,OAAAd,C;K;0CAE7E,Y;MAAwE,OAAA,iCAAY,W;K;qDAEPf,mB;MACI,IAAI,iBAAS,OA AT,CAAJ,C;QACI,WAAa,cAAO,OAAQ,IAAf,C;QACb,OAAO,I;;MAEX,OAAO,K;K;wFAGY,Y;MAAQ,OAAA, WAAa,K;K;;8BA6ChD,Y;MACI,0BAAY,Q;K;0CAIHb,e;MAAMD,OAAA,0BAAY,gBAAS,GAAT,C;K;4CAE/D, iB;MAAMe,gBAAZ,0B;MAAY,c;;QvE+mDnD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP, e;;QACrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAm,IuE/mDmD,uBAAS,gBvE+mD9C,OuE/mDwD,MA AV,QvE+mD5D,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;MuEhndgD,iB;K;kFAInD,Y;MACI,IAAI,+BA AJ,C;QACI,0BAAW,qB;;MAEf,OAAO,sC;K;uCAGf,Y;MAAgF,iC;K;kCAEHf,e;MAA+C,OAAA,0BAAY,WAAI ,GAAJ,C;K;oCAE3D,sB;MAAgD,OAAA,0BAAY,aAAI,GAAJ,EAAS,KAAT,C;K;qCAE5D,e;MAAYC,OAAA,0B AAY,cAAO,GAAP,C;K;+EAEvB,Y;MAAQ,OAAA,0BAAY,K;K;;IA5DID,0C;MAAA,iD;MAAuD,8B;MAvC3D, mB;MAwCQ,8BAAMB,W;MACnB,2BAAGB,WAAAY,S;MAFhC,Y;K;IAKA,+B;MAAA,iD;MAGuB,aAAK,kEAA L,Q;MAHvB,Y;K;IAKA,4D;MAAA,iD;MAQ8D,qB;M7EpC9D,IAAI,E6EsCQ,mBAAMB,C7EtC3B,CAAJ,C;QA CI,c6EqCgC,+C;Q7EpChC,MAAM,gCAAYB,OAAQ,WAAjC,C;;MAFV,IAAI,E6EuCQ,cAAc,C7EvCtB,CAAJ,C; QACI,gB6EsC2B,yC;Q7ErC3B,MAAM,gCAAYB,SAAQ,WAAjC,C;;M6E0BV,Y;K;IAcA,gD;MAAA,iD;MAA2C ,eAAK,eAAL,EAAaB,GAAtB,Q;MAA3C,Y;K;IAGA,yC;MAAA,iD;MAG8C,qB;MAC1C,KAAK,gBAAO,QAAP, C;MAJt,Y;K;IAqCJ,4B;MAK8E,gBAAnE,aAAmB,gEAAAnB,C;MAA2E,wB;MAAlF,O1EvCO,S;K;;M2EjEP,uB;; kCAyCA,mB;MACI,UAAU,gBAAL,aAAI,OAAJ,EAAa,IAAb,C;MACd,OAAO,W;K;8BAGX,Y;MACI,gBAAL,Q; K;uCAOR,mB;MAA6D,OAAA,gBAAL,mBAAY,OAAZ,C;K;gCAEjE,Y;MAAYC,OAAA,gBAAL,U;K;iCAE7C,Y; MAAqD,OAAA,gBAAL,KAAK,W;K;qCAE9D,mB;MAAkD,OAAA,gBAAL,cAAO,OAAP,CAAJ,Q;K;+EAEpB,Y ;MAAQ,OAAA,gBAAL,K;K;;IA5D1C,6B;MAAA,iD;MAGoB,8B;MAZxB,mB;MAAq,oBAAM,gB;MAJv,Y;K;IA OA,yC;MAAA,iD;MAG2C,8B;MAAnB/C,mB;MAoBQ,oBAAM,eAAgB,QAAS,KAAzB,C;MACN,qBAAO,QAAP, C;MALJ,Y;K;IAQA,4D;MAAA,iD;MAQ2D,8B;MAhC/D,mB;MAiCQ,oBAAM,eAAgB,eAAhB,EAAiC,UAAjC, C;MATV,Y;K;IAYA,gD;MAAA,iD;MAA2C,eAAK,eAAL,EAAaB,GAAtB,Q;MAA3C,Y;K;IAEA,oC;MAAA,iD; MAM0C,8B;MA5C9C,mB;MA6CQ,oBAAW,G;MAPf,Y;K;IAmCJ,+B;MAKuC,gBAA5B,eAAQ,eAAR,C;MAAo



C,6B;MAA3C,O3ENO,S;K;I4EzD6B,uC;MAAC,kC;MAErC,oBAaKc,kB;MACIC,sBAAYB,C;K;2EAHY,Y;MAA  
A,8B;K;2FAGrC,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;gDAGA,sB;MACI,eAAe,aAAS,qBAAY,GAAZ,C;MA  
CxB,mBAAmB,6BAAsB,QAAiB,C;MACnB,IAAI,oBAAJ,C;QAEI,kBAAW,QAAx,IAAuB,mCAAY,GAAZ,EA  
AiB,KAAjB,C;;QAEvB,IAAI,6BAAJ,C;UAEI,YAA+B,Y;UAC/B,IAAI,aAAS,gBAAO,KAAM,IAAb,EAakB,GA  
AIB,CAAb,C;YACI,OAAO,KAAM,gBAAS,KAAT,C;;YAEb,kBAAW,QAAx,IAAuB,CAAQ,KAAR,EAAe,mCA  
AY,GAAZ,EAAiB,KAAjB,CAAf,C;YACvB,6B;YACA,OAAO,I;;;UAIX,YAAuC,Y;UACvC,cAAkB,wBAAN,KA  
AM,EAAiB,GAAjB,C;UACIB,IAAI,eAAJ,C;YACI,OAAO,OAAM,gBAAS,KAAT,C;;UAEX,KAAy,MAAK,mC  
AAY,GAAZ,EAAiB,KAAjB,CAAL,C;;;MAG1B,6B;MAEA,OAAO,I;K;iDAGX,e;MAEuB,Q;MADnB,eAAe,aAA  
S,qBAAY,GAAZ,C;MACL,oCAAsB,QAAiB,C;MAAA,iB;QAAmC,OAAO,I;;MAA7D,mBAAmB,I;MACnB,IAA  
I,6BAAJ,C;QACI,YAAgC,Y;QACHC,IAAI,aAAS,gBAAO,KAAM,IAAb,EAakB,GAAIB,CAAb,C;U5BzDR,04B  
0D6B,iB5B1DvB,C4B0DmC,Q5B1DnC,C;U4B2DM,6B;UACA,OAAO,KAAM,M;;UAEb,OAAO,I;;;QAGX,YAA  
uC,Y;QACvC,8BAAc,KAAd,iB;UACI,cAAY,MAAM,KAAN,C;UACZ,IAAI,aAAS,gBAAO,GAAP,EAYY,OAA  
M,IAAIB,CAAb,C;YACI,IAAI,KAAM,OAAN,KAAc,CAAIB,C;cACU,KAAN,UAA2B,C;c5BtE/C,04BwEqC,iB5  
BxE/B,C4BwE2C,Q5BxE3C,C;;c4B2EoB,KAAy,QAAO,KAAP,EAAc,CAAd,C;;YAEtB,6B;YAEA,OAAO,OAA  
M,M;;;MAIzB,OAAO,I;K;0CAGX,Y;MACI,oBAaAa,kB;MACb,YAAO,C;K;mDAGX,e;MAAYC,uBAAS,GAAT,  
S;K;8CAEzC,e;MAA+B,Q;MAAA,+BAAS,GAAT,8B;K;+CAE/B,e;MACuB,Q;MAAA,oCAAsB,aAAS,qBAAY,  
GAAZ,CAA/B,C;MAAA,iB;QAAoD,OAAO,I;;MAA9E,mBAAmB,I;MACnB,IAAI,6BAAJ,C;QACI,YAAgC,Y;Q  
ACHC,IAAI,aAAS,gBAAO,KAAM,IAAb,EAakB,GAAIB,CAAb,C;UACI,OAAO,K;;UAEP,OAAO,I;;;QAGX,YA  
AuC,Y;QACvC,OAAa,wBAAN,KAAM,EAAiB,GAAjB,C;;K;uDAlrB,0B;MACI,sB;;Q7F+nCY,Q;QAaHb,iD;UA  
AgB,cAAhB,e;UAAAsB,I6F/nCK,aAAS,gB7F+nCA,O6F/nCa,IAAb,M7F+nCd,C;YAAwB,qBAAO,O;YAAP,uB;;;  
QAC9C,qBAAO,I;;;M6FhoCH,yB;K;IAIO,8E;MAAA,wD;MACH,aAAY,E;MAEZ,YAA0B,MAAa,MAAK,qCAA  
L,C;MACvC,gBAaE,E;MAEf,oBAA4B,I;MAC5B,eAAc,K;MACd,iBAaAgB,E;MACHb,iBAaQc,I;K;yEAErC,Y;  
MACI,IAAI,6BAAwB,YAA5B,C;QACI,gBAaQb,iBAAqD,O;QAC1E,IAAI,4DAAc,SAaIB,C;UACI,OAAO,C;;  
MAGf,IAAI,yDAAa,SAAK,OAAtB,C;QACI,oBAaE,2CAAW,UAAK,aAAL,CAAX,C;QACf,eAAU,iC;QACV,iB  
AAY,C;QACZ,OAAO,C;;QAEp,oBAaE,I;QACf,OAAO,C;;K;mEAI,f,Y;MACI,IAAI,eAAS,EAAb,C;QACI,aAAQ,  
oB;MACZ,OAAO,eAAS,C;K;gEAGpB,Y;MAEOB,Q;MADhB,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACN,  
IAAI,YAAJ,C;QACZ,yBAAqD,cAArD,C;;QAEa,OAAb,iB;;MAHJ,oB;MAKA,iBAaIB,S;MACjB,aAAQ,E;MAC  
R,OAAO,S;K;kEAGX,Y;M/E/CR,I+EgDyB,c/EhDrB,QAAJ,C;QACI,cAhByB,0B;QAIbZb,MAAM,6BAAsB,OA  
AQ,WAA9B,C;;M+E+CE,6BAAYB,cAAO,6BAAY,IAAnB,C;MACzB,iBAAY,I;MAEZ,uC;K;;6CatDZ,Y;MAEI,  
2D;K;4DAyDJ,oB;MACI,mBAAmB,kBAAW,QAAx,C;MACnB,OAAW,iBAaIB,SAArB,GAAgC,IAAhC,GAA0  
C,Y;K;;;wCCtKrD,Y;MACI,aAAR,MAAM,OAAe,CAAP,IAAO,C;MAEb,OAAO,KAAP,IAAgB,C;M7BXpB,06  
BYqB,M7BZf,C6BYuB,K7BZvB,C;M6BaF,OAAO,M;K;;ICNuB,qC;MAAC,kC;MAEnC,oBAaKc,kB;MACIC,sB  
AAyB,C;K;yEAHU,Y;MAAA,8B;K;yFAGnC,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;iDAWA,e;MACI,IAAI,0  
BAAJ,C;QAAoB,OAAO,K;MAC3B,OAAO,kBAAW,GAAX,MAAoB,S;K;4CAG/B,e;MACI,IAAI,0BAAJ,C;QA  
AoB,OAAO,I;MAC3B,YAAY,kBAAW,GAAX,C;MACZ,OAAW,UAAU,SAArB,GAAgC,KAaHc,GAA2D,I;K;8  
CAI/D,sB;MjFVA,IAAI,EiFWQ,uBjFXR,CAAJ,C;QACI,cAda,qB;QAEb,MAAM,gCAAYB,OAAQ,WAAjC,C;;Mi  
FUN,eAAe,kBAAW,GAAX,C;MACf,kBAAW,GAAX,IAAkB,K;MAEIB,IAAI,aAAa,SAAjB,C;QACI,6B;QAEA,  
OAAO,I;;QAGP,OAAO,Q;;K;+CAIf,e;MACI,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B,YAAY,kBAAW,GAAX,  
C;MACZ,IAAI,UAAU,SAAd,C;Q9BnDJ,O8BoDyB,iB9BpDnB,C8BoD+B,G9BpD/B,C;Q8BqDE,6B;QAEA,OAA  
O,K;;QAGP,OAAO,I;;K;wCAKf,Y;MACI,oBAaAa,kB;MACb,YAAO,C;K;IAKA,0E;MAAA,oD;MACH,cAAkC,M  
AAa,MAAK,mCAAL,C;MAC/C,kBAa4B,qBAAL,WAAK,C;MAC5B,iBAA+B,I;K;iEAE/B,Y;MAAkC,OAAA,e  
AAS,U;K;8DAE3C,Y;MAIuB,gB;MAHnB,UAAU,eAAS,O;MACnB,iBAAU,G;MAES,+E;MAAnB,OAAO,iD;K;  
gEAGX,Y;MAEKc,UAA9B,M;MAAA,oC;MAA8B,YAAa,c;MjFchD,uB;MAeP,IAfoB,KAehB,QAAJ,C;QACI,cA  
hByB,0B;QAIbZb,MAAM,6BAAsB,OAAQ,WAA9B,C;;QAEb,sBAnBgB,K;;MiFde,oBAAO,sFAAP,C;K;;2CAjB  
nC,Y;MACI,yD;K;IAqBkd,0F;MAAA,8B;MAAA,oD;K;kHAC9B,Y;MAAQ,uB;K;oHACN,Y;MAAQ,6CAAuB,g  
BAAvB,C;K;2EAE9B,oB;MAAwC,OAAA,2BAAuB,aAAI,gBAAJ,EAAS,QAAT,C;K;qEAE/D,Y;MAA+B,OAA  
A,mCAAY,uBAAc,IAAd,C;K;qEAC3C,Y;MAAkC,OAAA,mCAAY,uBAAc,IAAd,C;K;mEAC9C,iB;MAA4C,OA  
AA,mCAAY,qBAAY,IAAZ,EAakB,KAaIB,C;K;;gDAR5D,e;MAASd,iE;K;;;MCItD,sBAOsC,I;MA6CtC,yB;MA

OA,4BAaKc,K;;IArIE,sD;MAZpC,oB;MAYyD,0CAAqC,GAArC,EAA0C,KAA1C,C;MACrD,oBAAuC,I;MACv  
C,oBAAuC,I;K;wDAEvC,oB;MACl,WAAMb,iB;MACnB,OAAa,mEAAS,QAAT,C,K;;IAIrB,wC;MAAA,oB;MA  
A+B,8C;K;IAE3B,sD;MAAA,oB;MACl,cACsC,I;MAEtC,cACsC,I;MAGIC,cAAO,iC;K;6DAIX,Y;MACl,OAAO,  
gBAAS,I;K;0DAGpB,Y;MAEI,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MAEtB,cAAc,0B;MACd,cAAO,O;MA  
Ca,gBAAb,OAAQ,a;;MAAf,c/E0DS,S+E1DoB,KAAO,iC/E0DzC,GAAqB,SAArB,GAA+B,I;M+EzD1B,OAAO,O  
;K;4DAGX,Y;MIFwBR,IAAI,EkFvBc,eAAQ,IIFuBtB,CAAJ,C;QACl,cAdW,e;QAEX,MAAM,6BAASB,OAAQ,W  
AA9B,C;;MkFxBE,WAAc,iB;MAGP,oCAAP,0BAAO,C;MACP,gCAAI,cAAO,0BAAO,IAAd,C;MAEJ,cAAO,I;K  
;;iDAIf,mB;MAAyD,MAAM,qCAA8B,iCAA9B,C;K;6CAC/D,Y;MACl,WAAMb,Q;K;6DAGvB,mB;MAAgE,OA  
AA,WAAMb,uBAAc,OAAd,C;K;gDAEnF,Y;MAAwE,qD;K;2DAExE,mB;MACl,qB;MACA,IAAI,iBAAS,OAAT  
,CAAJ,C;QACl,WAAMb,cAAO,OAAQ,IAAf,C;QACnB,OAAO,I;;MAEX,OAAO,K;K;8FAGY,Y;MAAQ,OAAA  
,WAAMb,K;K;sDAEID,Y;MAAsC,WAAMb,iB;K;;iDAa7D,qB;MIFrBA,IAAI,EkF0BM,0BAAQ,IAAR,IAAgB,0  
BAAQ,IIF1B9B,CAAJ,C;QACl,cAdW,e;QAEX,MAAM,6BAASB,OAAQ,WAA9B,C;;MkF0BN,YAAAY,mB;MAC  
Z,IAAI,SAAS,IAAb,C;QACl,sBAAO,S;QACP,yBAAO,S;QACP,yBAAO,S;;QAGK,YAAa,KAAM,a;QIFIBhC,uB  
;QAEp,IAfoB,KAEhB,CAAJ,C;UACl,gBAhByB,0B;UAiBzB,MAAM,6BAASB,SAAQ,WAA9B,C;;UAEN,sBAnB  
gB,K;;QkFkBZ,+B;QAEA,yBAAO,K;QACP,yBAAO,K;QAEp,qBAAa,S;QACb,qBAAa,S;;K;+CAIrB,qB;MAII,I  
AAI,SAAK,aAAL,KAAC,SAAlB,C;QAEI,sBAAO,I;;QAEp,IAAI,wBAAS,SAAb,C;UAEI,sBAAO,sB;;QAEX,qD  
AAc,sB;QACd,qDAAc,sB;;MAEIB,yBAAO,I;MACP,yBAAO,I;K;oCA8CX,Y;MAEI,qB;MACA,4BAAa,I;MACb,  
OAAO,I;K;oCAGX,Y;MACl,qB;MACA,kBAAI,Q;MACJ,sBAAO,I;K;gDASX,e;MAAMd,OAAA,kBAAI,mBAA  
Y,GAAZ,C;K;kDAEvD,iB;MACiC,Q;MAAA,0B;MAAA,iB;QAAQ,OAAO,K;;MAA5C,WAA6B,I;;QAEzB,IAAI,  
OAAA,IAAK,MAAL,EAAC,KAAd,CAAJ,C;UACl,OAAO,I;;QAEX,OAAO,cAAA,IAAK,aAAL,C;;MACF,iBAA  
S,mBAAT,C;MACT,OAAO,K;K;6CAIX,Y;MAAoF,uC;K;wCAEpF,e;MAAMd,Q;MAAJ,QAAI,OAAJ,kBAAI,W  
AAI,GAAJ,CAAJ,6B;K;0CAE/C,sB;MACl,qB;MAEA,UAAU,kBAAI,WAAI,GAAJ,C;MACd,IAAI,OAAO,IAAX  
,C;QACl,eAAe,mCAAW,GAAX,EAAGB,KAAhB,C;QACf,kBAAI,aAAI,GAAJ,EAAS,QAAT,C;QACK,wBAAT,  
QAAS,C;QACT,OAAO,I;;QAEp,OAAO,GAAI,gBAAS,KAAT,C;;K;2CAInB,e;MACl,qB;MAEA,YAAAY,kBAAI,  
cAAO,GAAP,C;MACHB,IAAI,SAAS,IAAb,C;QACU,sBAAN,KAAM,C;QACN,OAAO,KAAM,M;;MAEjB,OAA  
O,I;K;qFAGmB,Y;MAAQ,OAAA,kBAAI,K;K;6CAE1C,Y;MACl,IAAI,yBAAJ,C;QAAgB,MAAM,oC;K;;IANg1  
B,mC;MAAA,uD;MAGuB,qB;MA9J3B,yB;MA+JQ,sBAAM,gB;MAJV,Y;K;IAOA,iD;MAAA,uD;MAAoD,qB;M  
AlKxD,yB;MAoKc,Q;MAAN,sBAAM,+D;MAFV,Y;K;IAKA,kE;MAAA,uD;MAQ8D,eAAM,eAAN,EAAuB,UA  
AvB,Q;MA/KIE,yB;MAGLQ,sBAAM,gB;MATV,Y;K;IA YA,sD;MAAA,uD;MAA2C,qBAAK,eAAL,EAASB,GA  
AtB,Q;MAA3C,Y;K;IAEA,+C;MAAA,uD;MAG2C,qB;MAxL/C,yB;MAyLQ,sBAAM,gB;MACN,KAAK,gBAAO  
,QAAP,C;MALT,Y;K;IA6EJ,kC;MAKwD,gBAA7C,qBAAYB,eAAzB,C;MAAqD,wB;MAA5D,O/EjMO,S;K;;oC  
gFvCP,Y;MAEK,Q;MAA8B,CAA9B,2EAA8B,S;MAC/B,OAAO,I;K;6CAGX,Y;MAA+C,gBAAI,iB;K;;IAhCnD,  
wC;MAAA,uD;MAAMd,eAAM,GAAN,Q;MAPvD,yB;MAOI,Y;K;IAEA,qC;MAAA,uD;MAGuB,eAAM,oBAAN  
,Q;MAZ3B,yB;MASI,Y;K;IAKA,+C;MAAA,uD;MAG8C,eAAM,oBAAN,Q;MAjBID,yB;MAkBQ,qBAAO,QAA  
P,C;MAJJ,Y;K;IAOA,kE;MAAA,uD;MAQ8D,eAAM,qBAASB,eAATB,EAAuC,UAAvC,CAAN,Q;MA7BIE,yB;M  
AqBI,Y;K;IAUA,sD;MAAA,uD;MAA2C,qBAAK,eAAL,EAASB,GAATB,Q;MAA3C,Y;K;IAGBJ,qC;MAKMD,gB  
AAxC,mBAAc,qBAAd,C;MAAgD,6B;MAAvD,OhFoBO,S;K;;kFiFzEX,uB;MAQI,OAAO,O;K;ICXX,sB;K;mC  
ACI,Y;MACl,mBAAM,IAAN,C;K;2CAGJ,mB;MACl,mBAAM,OAAN,C;MACA,c;K;ICAKJ,Y;K;;IAKuB,oC;M  
AA8B,qB;MAA7B,gC;K;2CACxB,mB;MAEI,oBA+DyC,OA/Dd,OA+Dc,C;MA9DzC,iBAAa,OAAM,aAAN,C;K;  
;IAIrB,8B;MAEoC,qB;K;iDACHC,mB;MACl,OAAQ,KAAI,OAAJ,C;K;mDAGZ,mB;MACl,OAAQ,KAAI,OAAJ,  
C;K;2CAGZ,Y;MACl,OAAQ,KAAI,EAAJ,C;K;;IAIhB,0B;MAEqC,qB;MACjC,cAAa,E;K;6CAEb,mB;MACl,eA  
oCyC,OApCxB,OAoCwB,C;K;qCAjC7C,Y;MACl,cAAS,E;K;;IAIjB,sC;MAE4C,yB;K;yDACxC,mB;MACl,QAw  
ByC,OAxB1B,OAwB0B,C;MAvBzC,QAAQ,CxEqJoF,awErJhE,IxEqJgE,EwErJ1D,CxEqJ0D,C;MwEpJ5F,IAAI,  
KAAK,CAAT,C;QACl,4BAAU,CxE+J0E,WwE/J9D,CxE+J8D,EwE/J3D,CxE+J2D,C;QwE9JpF,Y;QACA,IAAI,C  
xE0JiE,WwE1JrD,IAAI,CAAJ,IxE0JqD,C;;MwExJzE,4BAAU,C;K;iDAGd,Y;MACl,OAAQ,KAAI,WAAJ,C;MA  
CR,cAAS,E;K;;IAWjB,yB;MACiD,cAAa,KAAb,C;K;IAEjD,mB;MAEI,MAAO,U;K;IAGX,4B;MAEI,MAAO,iB  
AAQ,OAAR,C;K;IAGX,wB;MAEI,MAAO,eAAM,OAAN,C;K;IAGX,kB;MACqC,MAAM,qCAA8B,sCAA9B,C;  
K;IAE3C,wB;MAC4C,MAAM,qCAA8B,4CAA9B,C;K;IClGID,mD;MACl,0B;MASA,gBAA2B,a;K;2FAFvB,Y;M

AAQ,OAAA,eAAS,Q;K;oDAIrB,kB;MACI,UAAU,IAAK,S;MAEX,YAAQ,2CAAR,C;QACI,gBAAc,MAAO,M;  
WAEzB,YAAQ,yBAAR,C;QACI,gBAAc,yC;QACd,eAAS,oBAAW,MAAX,C;;QAEI,MAAM,6BAAsB,iBAAtB,  
C;K;4CAItB,Y;MAOW,Q;MALP,IAAI,kBAAW,2CAAf,C;QACI,gBAAS,yB;QACT,OAAO,yB;;MAEX,aAAa,IA  
AK,S;MAEd,eAAW,yCAAX,C;QAAsB,gC;WACtB,0C;QAA4B,MAAM,MAAO,U;;QACjC,a;MAHZ,W;K;;IA7B  
J,gD;MAAA,0D;MACyD,6BAAK,QAAL,EAAe,2CAAf,C;MADzD,Y;K;;;;ICRA,2C;MAAA,+D;MAAuB,iC;MA  
F3B,iC;MAEI,Y;K;IACA,sD;MAAA,+D;MAAuC,6BAAM,OAAN,Q;MAH3C,iC;MAGI,Y;K;IACA,6D;MAAA,+  
D;MAAmD,kCAAM,OAAN,EAAe,KAAf,C;MAJvD,iC;MAII,Y;K;IACA,oD;MAAA,+D;MAAiC,6BAAM,KAA  
N,Q;MALrC,iC;MAKI,Y;K;Ix4C4CJ,yE;MASI,sC;MAAA,4C;K;IATJ,iGAWY,Y;MAAQ,2B;KAXpB,E;IAAA,0D  
AaQ,kB;MACI,wBAAW,MAAX,C;K;IAdZ,sF;IyC5C2E,0C;M1CkKhE,Q;MADP,e0ChKA,M1CgKA,C;MACO,Q  
0CjKP,M1CiKO,+D;M0ChKX,W;K;;+FCuHA,gB;MACI,aAAa,IAAb,MAAa,E;MACb,KAAK,MAAL,C;MACA,  
OAAO,M;K;wFC3HX,yB;MAAA,uD;MAAA,wC;QAWqG,OAAC,cAAL,SAAK,EAAiB,IAAjB,EAAuB,IAAvB,  
C;O;KAX1G,C;wFAaA,yB;MAAA,uD;MAAA,wC;QAWoG,OAAC,cAAL,SAAK,EAAiB,IAAjB,EAAuB,IAAvB,  
C;O;KAXzG,C;8ECbA,yB;MAAA,6C;MAAA,sC;QA0yD,OAAC,SAAL,SAAK,EAAy,QAAZ,C;O;KAP9D,C;8E  
ASA,yB;MAAA,6C;MAAA,wC;QAWkE,OAAC,SAAL,SAAK,EAAa,UAAb,S;O;KAXvE,C;OFaAa,yB;MAAA,  
mD;MAAA,wC;QAWqE,OAAC,YAAL,SAAK,EAAGB,UAAhB,S;O;KAX1E,C;kFCZI,yB;MAAA,iD;MAAA,4B;  
QA Ae,OAAC,WAAL,SAAK,C;O;KAApB,C;wFAYA,yB;MAAA,uD;MAAA,4B;QA Ae,OAAC,cAAL,SAAK,C;O  
;KAApB,C;IC5BJ,gC;MAAoE,gCAAqB,OAARb,C;K;IAEIC,uC;MAAC,wB;K;iDAC/B,iB;MACI,eAAQ,KAAR,C  
;K;8CAGJ,Y;MAAyC,iCAAuB,cAAvB,M;K;;ICCO,6C;MAAA,8B;MAAS,uB;K;8FACIC,Y;MAAQ,OAAA,gBA  
AY,O;K;mDAE3C,iB;MACI,IADoC,KACpC,IAAG,CAAH,IADoC,KACpC,IAAM,sBAAN,C;QAD8B,OACX,gB  
AAy,MAAK,KAAL,C;;QACvB,MAAM,8BAA0B,WAAQ,KAAR,6BAAMC,sBAAnC,MAA1B,C;K;;IARtB,8B;  
MAGoD,4C;K;wECFpD,yB;MAAA,uC;MAAA,4B;QA0sC,MAAL,SAAK,C;O;KAPtC,C;kFASA,yB;MAAA,iD;  
MAAA,kC;QAWuD,OAAC,WAAL,SAAK,EAAC,IAAd,C;O;KAX5D,C;+ECfA,qB;MAI8C,gB;K;iFAE9C,qB;M  
AIsE,OAAC,S;K;kFAE3E,qB;MAMyE,gB;K;IAEzE,6B;MAiBa,UAPF,M;MAFP,QAAC,S;MAGV,cAAK,UAAAL,  
U;QACI,mBAAK,UAAAL,G;;QACJ,I/CzBqC,MAAa,Y+CyBvC,C/CzBuC,C+CyBID,C;UAC6B,8BAAzB,CAAyB,  
C;;UAGN,UAAIB,uDAakB,Y;;MAP3B,a;K;IC9BJ,2B;MAEI,MAAM,yBAAqB,OAARb,C;K;IAGV,sB;MAEI,M  
AAM,uBAAMb,cAAnB,C;K;IAGV,2B;MAEI,MAAM,6BAAsB,OAAtB,C;K;IAGV,iC;MAEI,MAAM,4CAAqC,u  
BAAqB,YAARb,8BAARc,C;K;ICIBV,8B;MC8CW,kB1GqBiD,oB;M0GM9C,Q;MAAA,OAAC,0B;MAAf,OAAU,  
cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBAakB,sBAAY,GAAZ,C;QAKfID,U;QAJFnE,W  
1GuKJ,a0GvKgB,G1GuKhB,EyG1OoB,CCmEkC,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CAiFhD,GDpJrC,CC  
oJqC,GAA6B,UAJfjC,WaIFiC,6DDpJnD,IAAM,CAAN,IzG0OpB,C;;MyG1OA,OCqEO,W;K;IC3EqC,gD;MAAC  
,oC;K;;;;IC0CjD,qB;MAK0B,Q;MADtB,UAAmB,E;MACnB,wBAAsB,KAAtB,gB;QAAsB,aAAA,KAAtB,M;QA  
AK,IAAC,0BAAD,EAAO,2B;QACR,IAAI,IAAJ,IAAY,K;;MAEHb,OAAO,G;K;IAGX,+B;MAMgB,Q;MADZ,W  
AA0B,MAAa,MAAK,KAAL,C;MACvC,wBAAY,IAAZ,gB;QAAY,UAAA,IAAZ,M;QACI,IAAU,KAAy,gBA Ae,  
GAaf,CAAtB,C;UACI,UAAK,GAAL,IAAY,MAAM,GAAN,C;;MAGpB,OAAO,S;K;qEC5DX,yB;MAAA,iB;M  
AAA,oB;QAOkD,OAAA,MAAW,KAAI,CAAJ,C;O;KAP7D,C;qEASA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA  
,MAAW,KAAI,CAAJ,C;O;KAP7D,C;qEASA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAAW,KAAI,CAAJ,C;  
O;KAP7D,C;uEASA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,  
yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA  
,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;yEAWA,yB;MAAA,iB;MAAA,uB;QAKb+D,OAAA,  
MAAW,OAAM,CAAN,EAAS,CAAT,C;O;KAIB1E,C;uEAoBA,yB;MAAA,iB;MAAA,oB;QAUMD,OAAA,MAA  
W,MAAK,CAAL,C;O;KAV9D,C;uEAYA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O  
;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAUMD,OAAA,MAAW,MAAK,CAAL,C;O;KAV9D,C;yEAYA,y  
B;MAAA,iB;MAAA,oB;QAYoD,OAAA,MAAW,OAAM,CAAN,C;O;KAZ/D,C;yEAca,yB;MAAA,iB;MAAA,o  
B;QAYoD,OAAA,MAAW,OAAM,CAAN,C;O;KAZ/D,C;yEAca,yB;MAAA,iB;MAAA,oB;QAaoD,OAAA,MAA  
W,OAAM,CAAN,C;O;KAb/D,C;yEAca,yB;MAAA,iB;MAAA,uB;QAS+D,OAAA,MAAW,OAAM,CAAN,EAAS,  
CAAT,C;O;KAT1E,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAQmD,OAAA,MAAW,MAAK,CAAL,C;O;KAR9D  
,C;qEAUA,yB;MAAA,iB;MAAA,oB;QAUKD,OAAA,MAAW,KAAI,CAAJ,C;O;KAV7D,C;yEAYA,yB;MAAA,i  
B;MAAA,oB;QAcOD,OAAA,MAAW,OAAM,CAAN,C;O;KAd/D,C;IAGBA,sB;MAcI,IAAI,QAAQ,GAAR,IAAe,

SAAQ,GAA3B,C;QAAgC,OAAO,wCAA0,I;MAC9C,OAAO,IAAW,KAAI,CAAJ,CAAX,GAA0B,IAAW,KAAI,IAAJ,C;K;mEAG1C,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,MAAW,KAAI,CAAJ,C;O;KAX5D,C;yEAaA,yB;MAAA,iB;MAAA,oB;QAOoD,OAAA,MAAW,OAAM,CAAN,C;O;KAP/D,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOmD,OAAA,MAAW,MAAK,CAAL,C;O;KAP9D,C;uEASA,yB;MAAA,iB;MAAA,oB;QAgBmD,OAAA,MAAW,OAAM,CAAN,C;O;KAhB9D,C;uEakBA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;O;KAV9D,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAUoD,OAAA,MAAW,OAAM,CAAN,C;O;KAV/D,C;+EAYA,yB;MAAA,iB;MAAA,oB;QAUuD,OAAA,MAAW,OAAM,CAAN,C;O;KAVIE,C;IAYA,kB;MAQI,IAAI,IAAI,GAAJ,KAAW,GAAf,C;QACI,OAAO,IAAW,OAAM,CAAN,C;;MAEtB,YAzBgD,MAAW,OAYzC,CazByC,C;MA0B3D,OAAW,QAAQ,CAAR,KAAa,GAAxB,GAA6B,KAA7B,GAtC+C,MAAW,MAcCb,CAtCa,C;K;qEAyC9D,yB;MAAA,iB;MAAA,oB;QAUkD,OAAA,MAAW,KAAI,CAAJ,C;O;KAV7D,C;uEAYA,yB;MAAA,iB;MAAA,oB;QAWmD,OAAA,MAAW,MAAK,CAAL,C;O;KAX9D,C;wEAca,yB;MAAA,iB;MAAA,uB;QAO6D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPxE,C;wEASA,yB;MAAA,iB;MAAA,uB;QAO6D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPxE,C;qEAWA,yB;MAAA,iB;MAAA,+B;QAayD,OAAA,MAAW,KAAI,SAAJ,EAAU,CAAV,C;O;KAbpE,C;uEAea,yB;MAAA,iB;MAAA,+B;QAOsD,OAAA,MAAW,KAAI,SAAJ,EAAU,CAAZ,C;O;KAPjE,C;iGAmBsD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAW,KAAI,SAAJ,C;O;KAAAnB,C;+EAaT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAW,MAAK,SAAL,C;O;KAAAnB,C;iFAE7C,yB;MAAA,6C;MAAA,kC;QAK8D,OAAK,SAAL,SAAK,EAAC,IAAd,C;O;KALnE,C;IAkBqC,4B;MACjC,gBAAO,CAAP,C;QADyC,OACrB,QAAP,CAAC,SAAM,C;WACpB,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAA0,kBAA/B,C;QAFyC,OAEW,S;WACpD,kBAAQ,wCAA0,UAAf,C;QAHyC,OAGb,YAAY,SAAL,SAAK,C;;QAHc,OAI5B,OAAL,SAAK,CAAL,GAAgB,S;K;IAG5B,2B;MAKI,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAA0,kBAA/B,C;QADwC,OACY,S;WACpD,kBAAQ,GAAR,C;QAFwC,OAEzB,wCAA0,U;;QACP,WAAc,UAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAc,CAAd,GAAqB,EAAX,C,E;QAHgB,OjDhb6B,MAAa,gBAAe,IAAf,C;;K;IiDsbtF,6B;MAKI,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAA0,kBAA/B,C;QAD0C,OACU,S;WACpD,kBAAQ,GAAR,C;QAF0C,OAE3B,CAAC,wCAA0,U;;QACR,WAAc,UAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAc,EAAd,GAAsB,CAAZ,C,E;QAHkB,OjD1b2B,MAAa,gBAAe,IAAf,C;;K;liDictF,oC;MAUI,IAAK,QAAL,SAAK,CAAL,IAAmB,QAAH,EAAG,CAAnB,C;QADuD,OACzB,wCAA0,I;WACrC,WAAM,SAAN,C;QAFuD,OAEzC,E;WACd,SAAK,SAAL,C;QAHuD,OAGrC,OAAL,SAAK,C;;QAHqC,OAI1B,SAAL,SAAK,C;K;IAIjC,+B;MAYI,uB;QAAW,MAAM,gCAAYB,yBAAZB,C;WACjB,gBAAO,UAAp,C;QAFyC,OAEjB,U;WACxB,gBAAO,WAAP,C;QAHyC,OAGjB,W;;QAHiB,OAIv,YAAvB,IAAW,OAAM,SAAN,CAAY,C;K;IAGnC,gC;MAYI,uB;QAAW,MAAM,gCAAYB,yBAAZB,C;WACjB,oD;QAF2C,+B;WAG3C,oD;QAH2C,+B;;QAAA,OAIz,uBAAvB,IAAW,OAAM,SAAN,CAAY,C;K;uEASnC,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;yEASA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;2EAWA,yB;MAAA,iB;MAAA,uB;QAKB4D,OAAA,MAA6C,OAA1B,CAA0B,EAAZ,CAAY,C;O;KAIBzG,C;yEAoBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;yEAYA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAZjF,C;2EAca,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAZjF,C;2EAca,yB;MAAA,iB;MAAA,oB;QAakD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAbjF,C;2EAea,yB;MAAA,iB;MAAA,uB;QAS4D,OAAA,MAA6C,OAA1B,CAA0B,EAAZ,CAAY,C;O;KATzG,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAQiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAR/E,C;uEAUA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAV7E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QACKD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAdjF,C;uEAgBA,yB;MAAA,mC;MAAA,0B;QAc6D,OAAmC,IAA7B,CAA6B,EAAZ,IAAY,C;O;KAdhG,C;qEAgBA,yB;MAAA,iB;MAAA,oB;QAW+C,OAAA,MAA6B,KAAZ,CAAY,C;O;KAX5E,C;2EAaA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAPjF,C;yEASA,yB;MAAA,iB;MAAA,oB;QAOiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAP/E,C;yEASA,yB;MAAA,iB;MAAA,oB;QAgBiD,OAAA,MAA+B,OAAZ,CAAY,C;O;KA

hBhF,C;yEakBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;2EAYA,yB;M  
AAA,iB;MAAA,oB;QAUkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAVjF,C;iFAYA,yB;MA3gBA,iB;MA2gBA,o  
B;QAUqD,OA3gBE,MAAW,OA2gBF,CA3gBE,C;O;KAigBIE,C;2EAYA,yB;MAAA,uC;MAAA,oB;QAQkD,OA  
AoB,MAAZ,CAAY,C;O;KARtE,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;  
O;KAV7E,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAX/E,C;wEAeA,y  
B;MAAA,iB;MAAA,uB;QAO0D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPrE,C;wEASA,yB;MAAA,i  
B;MAAA,uB;QAO0D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPrE,C;SEAYA,yB;MAAA,iB;MAAA,+  
B;QAAsD,OAAA,MAA8C,KAA1B,SAA0B,EAAZ,CAAY,C;O;KAbpG,C;uEAeA,yB;MAAA,iB;MAAA,+B;QAO  
oD,OAAA,MAA8C,KAA1B,SAA0B,EAAZ,CAAY,C;O;KAPIG,C;kGAmBoD,yB;MAAA,iB;MAAA,4B;QAAQ,  
OAAA,MAAgC,KAAZ,SAAY,C;O;KAAxC,C;gFAaT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAiC,MAAZ,S  
AAY,C;O;KAAzC,C;gFAE3C,yB;MAAA,6C;MAAA,kC;QAO8D,OAA0C,SAArC,SAAqC,EAAZ,IAAY,C;O;KA  
PxG,C;iFASA,yB;MAAA,6C;MAAA,kC;QAK4D,OAA0C,SAArC,SAAqC,EAAZ,IAAY,C;O;KALtG,C;oFAQA,y  
B;MAAA,iD;MAAA,4B;QAYmD,OAAW,WAAX,SAAW,C;O;KAZ9D,C;sFAcA,yB;MAAA,mD;MAAA,4B;QA  
YqD,OAAW,YAAX,SAAW,C;O;KAZhE,C;IAoBA,kB;MAUqC,OAAI,IAAI,CAAR,GAAY,CAAC,CAAD,OAA  
M,CAAIB,GAA0B,C;K;wEAE/D,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,  
C;O;KAL/D,C;wEAOA,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAL/  
D,C;mGAiBgD,yB;MAAA,mC;MAAA,4B;QAAQ,WAAI,SAAJ,C;O;KAAR,C;IAShB,+B;MAC5B,gBAAO,CAA  
P,C;QADoC,OAcxB,E;WACZ,gBAAO,CAAP,C;QAFoC,OAExB,C;;QAFwB,OAG5B,C;K;IAKZ,kB;MASuC,OA  
AI,eAAI,CAAR,GAAY,CAAD,aAAX,GAAMB,C;K;wEAE1D,gB;MAKuD,OAAI,kBAAK,CAAL,MAAJ,GAAY,  
CAAZ,GAAMB,C;K;wEAE1E,gB;MAKuD,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAMB,C;K;mGAYxB,  
yB;MAAA,mC;MAAA,4B;QAAQ,WAAI,SAAJ,C;O;KAAR,C;IASjB,+B;MAC7B,2BAAO,CAAP,C;QADqC,OA  
CzB,E;WACZ,2BAAO,CAAP,C;QAFqC,OAEzB,C;;QAFyB,OAG7B,C;K;IC1kCZ,4B;MAI4C,qBAAQ,S;K;IAEp  
D,4B;MAI2C,qBAAQ,S;K;IAEnD,+B;MAGiD,qBAAQ,wCAAO,kBAAf,IAAoC,cAAQ,wCAAO,kB;K;IAEpG,iC;  
MAGgD,qBAAQ,uCAAM,kBAAd,IAAmC,cAAQ,uCAAM,kB;K;IAEjG,6B;MAG+C,QAAC,qBAAD,IAAiB,CA  
AC,kB;K;IAEjE,+B;MAG8C,QAAC,uBAAD,IAAiB,CAAC,kB;K;IAGhE,iC;MAOI,QAAQ,S;MACR,IAAI,CAA  
C,IAAM,UAAP,KAAAsB,CAAE,KAAK,CAAP,GAAC,UAApC,K;MACJ,IAAI,CAAC,IAAM,SAAP,KAAAsB,CAA  
E,KAAK,CAAP,GAAC,SAAP,C;K;MACJ,IAAI,CAAC,IAAM,SAAP,KAAAsB,CAAE,KAAK,CAAP,GAAC,SAAP  
C,K;MACJ,IAAI,CAAC,IAAM,QAAP,KAAAsB,CAAE,KAAK,CAAP,GAAC,QAAP,C;K;MACJ,IAAI,CAAC,IAAM,  
KAAP,KAAAsB,CAAE,KAAK,EAA7B,K;MACJ,OAAO,C;K;kGAGX,yB;MAAA,iB;MAAA,4B;QAM2D,OAAA,  
MAAO,OAAM,SAAN,C;O;KANIE,C;IAQA,0C;MAOI,YATuD,MAAO,OAS9B,EAAf,aAAQ,CAAC,SAAD,IAA  
R,CAAe,CAT8B,CAS9D,I;K;IAEJ,sC;MAOI,OAAI,cAAQ,CAAZ,GAAe,CAAf,GAAsB,CAAE,IAAI,EAAJ,GAIB  
+B,MAAO,iB;K;IAoBIE,qC;MAQI,oBAAS,CAAC,SAAD,IAAT,C;K;IAEJ,yC;MAaI,oBAAI,QAAJ,GAaiB,cAA  
K,EAAI,GAaQb,Q;K;IAG1C,0C;MAaI,oBAAI,EAAJ,GAAoB,QAAPB,GAaiC,cAAK,Q;K;IAG1C,mC;MAMI,O  
AAK,alDhEmD,uBkDgEnD,CAAL,GAA0B,alDjE6B,sBkDiE7B,CAA1B,I;K;IAEJ,2C;MAMU,WAAW,SIDxEuC,  
c;MkDyEpD,e;QADJ,OACS,KA7E8C,MAAO,OIDGP,sBkDHO,CA6ErD,I;;QADT,OA5EuD,MAAO,OA8EID,IA9  
EkD,C;;K;IAiFIE,4C;MAMU,UAAU,SIDpFuC,a;MkDqFnD,c;QADJ,OACS,KAAqB,sBIDpF0B,uBkDoF1B,CAAr  
B,I;;QADT,OAEgB,sBAAJ,GAAL,C;K;IAGpB,wC;MAOU,WAAW,SID/FuC,c;MkDgGpD,e;QAAK,UAAAS,kBIDj  
GqC,sBkDiGrC,C;QADIB,OIDjG4C,MAAa,KAAK,UAAAS,GAAT,EkDkGvB,CIDIGuB,C;;QkDmGID,aAAa,kBA  
AL,IAAK,C;QAFzB,OIDjG4C,MAAa,KAAK,UkDmG7C,CIDnG6C,EAAC,MAAd,C;;K;IkDsGIE,uC;MAOU,UA  
AU,SID5GuC,a;MkD6GnD,c;QAAK,WAAa,iBID5GkC,uBkD4GIC,C;QADtB,OID7G4C,MAAa,KAAK,UkD8Gh  
D,CID9GgD,EAAC,IAAd,C;;QkD+GID,YAAS,iBAAJ,GAAL,C;QAFrB,OID7G4C,MAAa,KAAK,UAAAS,KAAT,E  
kD+GrB,CID/GqB,C;;K;IkDkHIE,2C;MAaI,IAAI,CAAC,WAAa,EAAAd,MAAqB,CAAzB,C;QACI,UAAU,SID/Hy  
C,a;QkDgInD,WAAW,SID/HyC,c;QkDgIpD,aAAa,GAAL,IAAI,QAAR,GAaQb,IAAK,MAAK,CAAC,QAAD,IAA  
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAL,MAAK,CAAC,QAAD,IAAL,C;QACxC,OAAW,CAAC,W  
AAa,EAAAd,MAAqB,CAAhC,GIDpIwC,MAAa,KAAK,UkDoIIB,MIDpIkB,EkDoIV,OIDpIU,CkDoIID,GIDpIwC,  
MAAa,KAAK,UkDoIS,OIDpIT,EkDoIkB,MIDpIIB,C;;QkDsInD,Q;QAAA,IAAI,CAAC,WAAa,EAAAd,MAAqB,C  
AAzB,C;UAAA,OAA4B,S;;uBIDpIiB,uB;UkDoIP,alDrIM,sB;UkDqI5C,OIDtIiC,MAAa,KAAK,kBAAC,MAAd,C;  
;QkDsIID,W;;K;kFAKR,yB;MAAA,4C;MAAA,sC;QAaiE,6BAAW,CAAC,QAAD,IAAX,C;O;KAbjE,C;qECvKA

,kC;MAII,OAAO,SAA8B,MAAK,WAAL,C;K;uEAGzC,8C;MAII,OAAO,SAA8B,MAAK,WAAL,EAAkB,UAAI  
B,C;K;ICtCzC,iC;MACI,gBAAH,IAAI,OAAO,EAAG,GAAE,IAAI,IAAI,CAAC,CAAD,EAAI,EAJ,CAAd,GAA  
yB,CAAhC,C;K;;IAKJ,sC;MACI,cAAO,QAAP,GAAkB,QAAQ,Q;K;ICP9B,yC;K;;IAWA,+B;K;;4GAYA,yB;MA  
AA,gC;MAAA,yD;MAAA,sC;QAQI,OAAK,qBAAL,SAAK,iB;O;KART,C;ICPI,2B;MAAS,Q;MAAD,OAAwB,C  
AAvB,iEAAuB,Q;K;IAMhC,+B;MAAQ,iBAAU,SAAV,C;K;;ICtB+B,4B;MACvC,8B;K;gEAAA,Y;MAAA,4B  
;K;2FAII,Y;MzGO4B,MAAM,yB;K;kCyGLtC,iB;MACI,OAAO,oCAA0B,oBAAU,KAAM,OAAhB,C;K;oCAGrC  
,Y;MAC+B,gB;MAAA,8FAA0B,C;K;oCAEzD,Y;MAEI,OAAO,oBAAQ,eAAR,C;K;;IAIyB,kC;MAAuB,sBAAc,  
MAAd,C;MACL,Q;MAAtD,4BAAmC,CAAmB,OAAZ,MAAY,WAAnB,kC;K;8FAAnC,Y;MAAA,gC;K;oDAEA,  
iB;MACW,cAAgB,W;MAAvB,OjEoEuD,MAAa,QiEpEpD,KjEoEoD,EAAY,OAAZ,C;K;;iEhEjC,0E;MAIvC,sB  
AAc,MAAd,C;MAFA,wC;MACA,8C;K;2CAEA,iB;MACI,IAAI,0CAAJ,C;QAAsC,OAAO,K;MAC7C,OAAa,uC  
AAO,KAAP,CAAN,IAAuB,+BAAmB,KAAM,kBAAZB,C;K;iGAGD,Y;MAAQ,6B;K;uDAEzC,iB;MACI,OAAO,  
0BAAmB,KAAnB,C;K;;IAIf,6B;MAAA,iC;MAAoC,sBAAoB,MAApB,C;MACHC,4BAAkC,S;K;+FAAIC,Y;MA  
AA,gC;K;qDAEA,iB;MAAgD,Y;K;2FAG5C,Y;MAAQ,MAAM,qCAA8B,6CAA9B,C;K;yCAEIB,iB;MAA4C,iB  
AU,I;K;2CAEtD,Y;MAA+B,Q;K;;IAVnC,yC;MAAA,wC;QAAA,uB;;MAAA,iC;K;IAaA,uB;K;yFACqC,Y;M5G  
0EY,MAAM,6B4G1EJ,oC5G0EkC,WAA9B,C;K;4F4GzEf,Y;M5GyES,MAAM,6B4GzED,uC5GyE+B,WAA9B,C  
;K;+C4GvEnD,iB;M5GuE6C,MAAM,6B4GvEG,uC5GuE2B,WAA9B,C;K;mC4GrEnD,iB;MAA4C,iBAAU,I;K;q  
CAEtD,Y;MAA+B,Q;K;;oHCnE/B,qB;MAAQ,2B;K;;ICKZ,gE;MAMI,qBAAU,UAAV,EAAg  
C,OAAV,WAAU,CAAhC,EAA0C,gBAA1C,C;K;IAEJ,8B;MAC2C,iC;K;IAE3C,kC;MAC+C,qBAAU,cAAA,KA  
AM,WAAN,CAAV,EAA8B,KAAM,UAApC,EAA+C,IAA/C,C;K;IAE/C,2D;MAM0B,IAAN,I;MAAA,QAAM,Q  
AAN,C;aACZ,I;UAAA,K;aACA,K;;UAAA,K;;UAFY,K;MAAhB,oB;MAMA,OAAO,uBAAmB,IAAnB,EAAqC  
,OAAZ,WAAY,CAArC,EAA+C,SAA/C,EAA0D,KAA1D,C;K;IAGX,kC;MAEI,OAAA,uCAAkB,K;K;IAEpB,8C;  
MAEI,OAAA,uCAAkB,mBAAU,IAAV,C;K;IAEpB,8C;MAEI,OAAA,uCAAkB,mBAAU,IAAV,C;K;IAEpB,kD;  
MAEI,OAAA,uCAAkB,uBAAc,IAAd,C;K;IC/CI,8D;MACpB,sC;MACA,sC;MACA,kD;K;mEAFa,Y;MAAA,gC;  
K;kEACA,Y;MAAA,+B;K;yEACA,Y;MAAA,sC;K;iCAEA,iB;MACI,0CACQ,wBAAc,KAAM,WAAPB,CADR,I  
AC0C,uBAAa,KAAM,UAAAnB,CAD1C,IAC0E,0BAAoB,KAAM,iB;K;mCAExG,Y;MACI,SAAC,CAAW,SAAX,  
eAAW,CAAX,GAAwB,EAAxB,QAAuC,SAAV,cAAU,CAAvC,IAAD,IAAsD,EAAtD,QAA4E,SAAjB,qBAAiB,C  
AA5E,I;K;mCAEJ,Y;MACKB,UACO,M;MADrB,aAAc,2D;MAEV,cAAU,IAAV,C;QAA6B,SAAX,eAAW,W;WA  
C7B,IAAA,MAAO,WAAP,S;QAAoC,SAAP,MAAO,W;;QAC5B,+B;MAHZ,2B;MAMA,WACQ,cAAU,UAAAd,G  
AAyB,EAAzB,GACe,eAAV,cAAU,EAAa,IAAb,EAAmB,GAAnB,EAAwB,GAAxB,C;MACnB,eAAmB,qBAAJ,  
GAAsB,GAAtB,GAA+B,E;MAE9C,OAAO,iBAaIB,IAAjB,GAAwB,Q;K;;IAIvC,wB;MAAA,4B;MACI,4BAAw  
C,I;MACx,2BAAGD,W;MACHD,kCAAYC,K;K;0FAFzC,Y;MAAA,gC;K;yFACA,Y;MAAA,+B;K;gGACA,Y;M  
AAA,sC;K;sCACA,Y;MAAKC,gB;K;;IAJtC,oC;MAAA,mC;QAAA,kB;;MAAA,4B;K;IC7BsC,oE;MACIC,0B;M  
ACA,wC;MACA,kC;MACA,oC;K;SEAHa,Y;MAAA,0B;K;6EACA,Y;MAAA,iC;K;0EACA,Y;MAAA,8B;K;2EA  
CA,Y;MAAA,+B;K;4CAEA,Y;MAAKC,gB;K;;8CANtC,Y;MACI,gB;K;8CADJ,Y;MAEI,uB;K;8CAFJ,Y;MAGI,o  
B;K;8CAHJ,Y;MAII,qB;K;gDAJJ,kD;MAAA,8BACI,kCADJ,EAEl,uDAFJ,EAGI,8CAHJ,EAIi,IDAJJ,C;K;4CAA  
A,Y;MAAA,c;MACI,qD;MACA,4D;MACA,yD;MACA,0D;MAJJ,a;K;0CAAA,iB;MAAA,4IACI,oCADJ,IAEL,kD  
AFJ,IAGI,4CAHJ,IAII,8CAJJ,I;K;ICAA,4B;MAAA,gC;MAEI,gBACe,wBAAoB,MAApB,EAA6D,KAA7D,EAAo  
E,gCAApE,C;MAEf,mBACkB,wBAAoB,MAApB,EAAGe,QAAhE,EAA0E,mCAA1E,C;MAEIB,oBACmB,+B;M  
AEnB,oBACmB,wBAAoB,OAAPB,EAaKE,SAAIE,EAA6E,oCAA7E,C;MAEnB,iBACgB,wBAAoB,MAApB,EA  
A8D,MAA9D,EAASe,iCAAtE,C;MAEHb,kBACiB,wBAAoB,MAApB,EAA+D,OAA/D,EAAwE,kCAAxE,C;MA  
EjB,gBACe,wBAAoB,MAApB,EAA6D,KAA7D,EAAoE,gCAApE,C;MAEf,kBACiB,wBAAoB,MAApB,EAA+D,  
OAA/D,EAAwE,kCAAxE,C;MAEjB,mBACkB,wBAAoB,MAApB,EAAGe,QAAhE,EAA0E,mCAA1E,C;MAEIB,  
kBACiB,wBAAoB,KAAPB,EAAiE,OAAjE,EAA0E,kCAA1E,C;MAEjB,mBACkB,wBAAoB,MAApB,EAAGe,Q  
AAhE,EAA0E,mCAA1E,C;MAEIB,sBACqB,wBAAoB,KAAPB,EAaKE,WAAIE,EAA+E,sCAA/E,C;MAErB,yB  
ACwB,wBAAoB,KAAPB,EAAqE,cAArE,EAAqF,yCAArF,C;MAExB,sBACqB,wBAAoB,WAAPB,EAAwE,WA  
AxE,EAAqF,sCAArF,C;MAErB,sBACqB,wBAAoB,SAAPB,EAASe,WAAIE,EAAmF,sCAAnF,C;MAErB,uBACs  
B,wBAAoB,UAApB,EAAwE,YAAxE,EAAf,uCAAtF,C;MAEtB,qBACoB,wBAAoB,UAApB,EAASe,UAAIE,E  
AAkF,qCAAI,F,C;MAEpB,sBACqB,wBAAoB,KAAPB,EAaKE,WAAIE,EAA+E,sCAA/E,C;MAErB,uBACsB,wB

AAoB,YAApB,EAA0E,YAA1E,EAAwF,uCAAxF,C;MAEtB,wBACuB,wBAAoB,YAApB,EAA2E,aaa3E,EAA0  
F,wCAA1F,C;K;IAMkB,qE;MAAA,qB;QAAE,OvE/DD,OuE+DU,EAAT,KAAiB,UAAjB,IAAkC,EAAY,OAAf,K  
AA0B,a;O;K;+CAJpG,iB;MAE2B,Q;MAAhB,U;MAAA,KAAgB,OAAhB,eAAgB,CAAI,KAAJ,CAAhB,U;QAAA  
,a;QACH,aaaA,wBAAoB,QAApB,EAA+D,kBAA/D,EACoB,mDADpB,C;QAEg,eAAhB,UAAqC,M;QAHIC,SA  
IH,M;MAJJ,a;K;IA7D+E,8C;MAAE,6B;K;IAGO,iD;MAAE,0B;K;IAME,kD;MAAE,8B;K;IAGZ,+C;MAAE,6B;  
K;IAGC,gD;MAAE,6B;K;IAGR,8C;MAAE,6B;K;IAGI,gD;MAAE,6B;K;IAGC,iD;MAAE,6B;K;IAGH,gD;MAA  
E,yB;K;IAGD,iD;MAAE,6B;K;IAGM,oD;MAAE,mC;K;IAGO,uD;MAAE,gC;K;IAGL,oD;MAAE,6B;K;IAGJ,oD  
;MAAE,6B;K;IAGE,qD;MAAE,8B;K;IAGR,mD;MAAE,4B;K;IAGJ,oD;MAAE,6B;K;IAGQ,qD;MAAE,8B;K;IA  
GC,sD;MAAE,+B;K;IA5DvH,wC;MAAA,uC;QAAA,sB;MAAA,gC;K;ICCA,2B;MAEW,Q;MAAA,IAAI,KAA  
Y,SAAQ,MAAR,CAAhB,C;QACH,kBAAW,MAAX,C;QAEA,kBAAW,MAAX,C;MAHJ,W;K;IAOJ,8B;MAC4  
E,QAAM,QAAS,OAAf,C;aACxE,C;UADwE,OACnE,WAAW,SAAS,CAAT,CAAX,C;aACL,C;UAFwE,OAEnE,+  
B;UAFmE,OAGhE,iB;K;IAGZ,oC;MAEU,IAAN,I;MAAA,QxEhB0C,OwEgB3B,CAAf,C;aACI,Q;UAA6B,OAA  
jB,8BAAiB,Y;UAA7B,K;aACA,Q;UAAy,OAAI,CAAY,C/DbhC,G+DamC,CAAf,MAAkC,CAAtC,GAAyC,8BA  
AiB,SAA1D,GAAwE,8BAAiB,Y;UAArG,K;aACA,S;UAA8B,OAAjB,8BAAiB,a;UAA9B,K;aACA,U;UAA+B,O  
AAjB,8BAAiB,eAAgB,CAAY,OAA5B,C;UAA/B,K;UAGQ,6B;YAAsC,OAAjB,8BAAiB,kB;eACtC,0B;YAAmC  
,OAAjB,8BAAiB,e;eACnC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAAoC,OAAjB,8BAAiB,gB;eACpC,yB;  
YAAkC,OAAjB,8BAAiB,c;eACiC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAAoC,OAAjB,8BAAiB,gB;eAC  
pC,4B;YAAqC,OAAjB,8BAAiB,iB;eACrC,6B;eACA,sB;YAAkC,OAAjB,8BAAiB,W;YAE9B,kBAAkB,MAAA,  
gBA Ae,CAAf,CAAkB,Y;YAE7C,oBAAgB,MAAhB,C;CAAiD,OAAjB,8BAAiB,S;iBACjD,oBAAgB,KAAhB,C;c  
AAgD,OAAjB,8BAAiB,e;eAE5C,cAA0B,W;cAC1B,kBAAW,OAAx,C;UAXxB,K;MAAA,W;K;IAGCJ,4B;  
MAMW,Q;MAJP,IAAI,WAAW,MAAf,C;QAA6B,OAAO,8BAAiB,Y;MAErD,eAAsB,MAAY,W;MAE3B,IAAI,  
gBAAJ,C;QACH,IAAI,QAAS,SAAT,QAAJ,C;UACI,aaaA,qBAiB,MAAJB,C;UACb,oBAAsB,M;UACtB,a;UA  
ES,OAAT,QAAS,S;QAGb,4BAAiB,MAAJB,C;MATJ,W;K;ICrCJ,0B;MAII,sBAAY,C;K;qEACH,4B;MAIkE,iB  
AAy,KAAZ,C;K;2EAEIE,qB;MAI8D,gB;K;ICIDb,2C;MAC7C,qBAAwC,Q;K;iDAExC,Y;MACmB,Q;MAAA,yB  
;MAAA,iB;QAAe,MAAM,6BAAsB,0CAAtB,C;MAApC,eAAe,I;MACf,qBAAc,I;MACd,OAAO,QAAS,W;K;I  
CLa,kD;MADrC,e;MACsC,0B;MAAyB,gB;MAD/D,iB;MAAA,uB;K;IAAA,mC;MAAA,sC;O;MAEI,qEAGW,CA  
HX,EAGc,IAHd,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,  
iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,+EAGgB,CAHhB,EAGmB,IAHnB,C;MAKA,yEAGa,CAHb,EAGgB,I  
AHhB,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,6EAGe,CAHf,EAGkB,IAHIB,C;MAKA,6FAGuB,CA  
HvB,EAG0B,IAH1B,C;MAKA,yFAGqB,CAHrB,EAGwB,IAHxB,C;MAKA,4EAGc,EAHd,EAGkB,IAHIB,C;MA  
KA,0EAGa,EAHb,EAGiB,IAHjB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,C;MAKA,8EAGe,EAHf,EAGmB,I  
AHnB,C;MAKA,wFAGoB,EAHpB,EAGwB,IAHxB,C;MAKA,gEAGQ,EAHR,EAGY,IAHZ,C;MAKA,8DAGO,E  
AHP,EAGW,IAHX,C;MAKA,wEAGY,EAHZ,EAGgB,IAHhB,C;MAKA,oEAGU,EAHV,EAGc,IAHd,C;MAKA,k  
FAGiB,EAHjB,EAGqB,IAHrB,C;MAKA,oFAGkB,EAHIB,EAGsB,IAHtB,C;MAKA,gFAGgB,EAHhB,EAGoB,I  
AHpB,C;MAKA,4FAGsB,EAHtB,EAG0B,IAH1B,C;MAKA,oFAGkB,EAHIB,EAGsB,IAHtB,C;MAKA,wEAGY,  
EAHZ,EAGgB,IAHhB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,  
C;MAKA,0EAGa,EAHb,EAGiB,IAHjB,C;MAKA,oGAG0B,EAH1B,EAG8B,IAH9B,C;MAKA,gGAGwB,EAHxB  
,EAG4B,IAH5B,C;MAUA,oC;K;IA3JA,+C;MAAA,yB;MAAA,uC;K;IAKA,qD;MAAA,yB;MAAA,6C;K;IAKA  
,qD;MAAA,yB;MAAA,6C;K;IAKA,qD;MAAA,yB;MAAA,6C;K;IAKA,oD;MAAA,yB;MAAA,4C;K;IAKA,iD;  
MAAA,yB;MAAA,yC;K;IAKA,qD;MAAA,yB;MAAA,6C;K;IAKA,mD;MAAA,yB;MAAA,2C;K;IAKA,2D;M  
AAA,yB;MAAA,mD;K;IAKA,yD;MAAA,yB;MAAA,iD;K;IAKA,kD;MAAA,yB;MAAA,0C;K;IAKA,iD;MAA  
A,yB;MAAA,yC;K;IAKA,oD;MAAA,yB;MAAA,4C;K;IAKA,mD;MAAA,yB;MAAA,2C;K;IAKA,wD;MAAA,  
yB;MAAA,gD;K;IAKA,4C;MAAA,yB;MAAA,oC;K;IAKA,2C;MAAA,yB;MAAA,mC;K;IAKA,gD;MAAA,yB;  
MAAA,wC;K;IAKA,8C;MAAA,yB;MAAA,sC;K;IAKA,qD;MAAA,yB;MAAA,6C;K;IAKA,sD;MAAA,yB;MA  
AA,8C;K;IAKA,oD;MAAA,yB;MAAA,4C;K;IAKA,0D;MAAA,yB;MAAA,kD;K;IAKA,sD;MAAA,yB;MAAA,  
8C;K;IAKA,gD;MAAA,yB;MAAA,wC;K;IAKA,oD;MAAA,yB;MAAA,4C;K;IAKA,oD;MAAA,yB;MAAA,4C;  
K;IAKA,iD;MAAA,yB;MAAA,yC;K;IAKA,8D;MAAA,yB;MAAA,sD;K;IAKA,4D;MAAA,yB;MAAA,oD;K;8  
CAKA,gB;MAG2D,OAAK,iBAAL,IAAK,CAAL,KAA2B,IAAK,c;K;IAE3F,kC;MAAA,sC;K;uDACI,oB;MAEQ,I

ADE,QACF,IAAG,CAAH,IADE,QACF,IAAM,EAAN,C;QADJ,OACgB,sBAAS,QAAT,C;WACZ,IAFE,QAEF,IAAG,EAH,IAFE,QAEF,IAAO,EAAP,C;QAFJ,OAEiB,sBAAS,WAAW,CAAX,IAAT,C;;QACL,MAAM,gCAAyB,eAAY,QAAZ,qBAAZB,C;K;;;IAL1B,8C;MAAA,yB;MAAA,6C;QAAA,4B;;MAAA,sC;K;;IA7JJ,+B;MAAA,+yC;K;;IAAA,oC;MAAA,a;aAAA,Y;UAAA,4C;aAAA,kB;UAAA,kD;aAAA,kB;UAAA,kD;aAAA,kB;UAAA,kD;aAAA,iB;UAAA,iD;aAAA,c;UAAA,8C;aAAA,kB;UAAA,kD;aAAA,gB;UAAA,gD;aAAA,wB;UAAA,wD;aAAA,sB;UAAA,sD;aAAA,e;UAAA,+C;aAAA,c;UAAA,8C;aAAA,iB;UAAA,iD;aAAA,gB;UAAA,gD;aAAA,qB;UAAA,qD;aAAA,S;UAAA,yC;aAAA,Q;UAAA,wC;aAAA,a;UAAA,6C;aAAA,W;UAAA,2C;aAAA,kB;UAAA,kD;aAAA,mB;UAAA,mD;aAAA,iB;UAAA,iD;aAAA,uB;UAAA,uD;aAAA,mB;UAAA,mD;aAAA,a;UAAA,6C;aAAA,iB;UAAA,iD;aAAA,iB;UAAA,iD;aAAA,c;UAAA,8C;aAAA,2B;UAAA,2D;aAAA,yB;UAAA,yD;;UAAA,6D;;K;;ICKiD,2C;uBAA+B,O;;K;;IAC5E,8C;MAAA,kE;MAAuB,qCAAK,IAAL,C;MAAvB,Y;K;ICD8B,gC;MAe9B,gBAAiC,YAAY,SAAhB,GAA2B,OAA3B,GAAwC,E;K;uFAGjE,Y;MAAQ,OAAO,aAAY,O;K;yCAE/B,iB;MACW,gBAAP,a;MrGoGG,Q;MAAA,IqGpGc,KrGoGV,IAAS,CAAT,IqGpGU,KrGoGI,IAAS,2BAA3B,C;QAAA,OAAc,qBqGpGxB,KrGoGwB,C;;QqGpGf,MAAM,8BAA0B,mCAAyB,WAAzB,MAA1B,C;;MAAhC,W;K;kDAEJ,gC;MAAgF,OAAA,a1GiMY,W0GjMK,U1GiML,E0GjMiB,Q1GiMjB,C;K;6C0G/L5F,iB;MACI,qCAAU,KAAV,C;MACA,OAAO,I;K;6CAGX,iB;MACI,iBAAGB,SAAN,KAAM,C;MACHB,OAAO,I;K;6CAGX,uC;MACI,OAAA,IAAK,qBAAY,wBAAS,MAArB,EAA6B,UAA7B,EAAyC,QAazC,C;K;sCAET,Y;MAayB,UAEK,M;MAL1B,eAAe,E;MACf,YAAY,aAAO,OAAP,GAAgB,CAAhB,I;MACZ,OAAO,SAAS,CAAhB,C;QACI,UAAU,0BAAO,YAAP,EAAO,oBAAP,Q;QACV,IAAQ,eAAJ,GAAl,CAAJ,IAAwB,SAAS,CAArC,C;UACI,WAAW,0BAAO,cAAP,EAAO,sBAAP,U;UACX,IAAS,gBAAL,IAAK,CAAT,C;YACI,WAAW,+BAAW,iBAAX,wBAaKb,gBAaIB,C;;YAEX,WAAW,+BAAW,gBAAX,wBAaIB,iBAaJB,C;;UAGf,gCAAY,GAAZ,C;;MAGR,gBAAS,Q;MACT,OAAO,I;K;6CAGX,iB;MAOI,iBAAGB,SAAN,KAAM,C;MACHB,OAAO,I;K;6CAGX,iB;MAQI,iBAAU,K;MACV,OAAO,I;K;6CAGX,iB;MAQI,iBAAGB,eAAN,KAAM,C;MACHB,OAAO,I;K;6CAGX,iB;MAC2C,2BAAO,KAAP,C;K;6CAE3C,iB;MAOI,gBAAA,IAAK,SAAL,IAAe,wBAAS,MAAxB,C;MACA,OAAO,I;K;uCAGX,Y;MAU6B,kB;K;qDAE7B,2B;K;8CAcA,kB;MAO0C,OAAA,IAAY,SAAY,SAAQ,MAAR,C;K;8CAEIE,8B;MAQ2D,OAAA,IAAY,SAAY,SAAQ,MAAR,EAAgB,UAAhB,C;K;kDAEnF,kB;MAQ8C,OAAA,IAAY,SAAY,aAAY,MAAZ,C;K;kDAEtE,8B;MASI,IAAI,MpGuGwC,YAAU,CoGvGID,IAAoB,aAAa,CAArC,C;QAAwC,OAAO,E;MAC/C,OAAO,IAAY,SAAY,aAAY,MAAZ,EAAoB,UAApB,C;K;4CAGnC,wB;MAWI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a1GmB+E,W0GnB9D,C1GmB8D,E0GnB3D,K1GmB2D,C0GnB/E,YAA6B,KAA7B,IAAqC,a1GgB2B,W0GhBV,K1GgBU,C;M0GfzE,OAAO,I;K;6CAGX,wB;MAQI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a1GK+E,W0GL9D,C1GK8D,E0GL3D,K1GK2D,C0GL/E,uBAA6B,kBAA7B,IAAqC,a1GE2B,W0GFV,K1GEU,C;M0GDzE,OAAO,I;K;6CAGX,wB;MAUI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a1GX+E,W0GW9D,C1GX8D,E0GW3D,K1GX2D,C0GW/E,GAAmC,eAAN,KAAM,CAAnC,GAAsD,a1GdU,W0GcO,K1GdP,C;M0GezE,OAAO,I;K;6CAGX,wB;MAA1,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a1G9B+E,W0G8B9D,C1G9B8D,E0G8B3D,K1G9B2D,C0G8B/E,GAAmC,SAAN,KAAM,CAAnC,GAAgD,a1GjCgB,W0GiCC,K1GjCD,C;M0GkCzE,OAAO,I;K;6CAGX,wB;MAWI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a1G/C+E,W0G+C9D,C1G/C8D,E0G+C3D,K1G/C2D,C0G+C/E,GAAmC,SAAN,KAAM,CAAnC,GAAgD,a1GIDgB,W0GkDC,K1GIDD,C;M0GmDzE,OAAO,I;K;6CAGX,wB;MACuD,2BAAO,KAAP,EAAC,KAAc,C;K;6CAEvD,wB;MAUI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,eAAe,wBAAS,M;MACxB,gBAAC,IAAK,S1GnEqE,W0GmEpD,C1GnEoD,E0GmEjD,K1GnEiD,C0GmE1E,GAAkC,QAAIC,GAA6C,IAAK,S1GtES,W0GsEQ,K1GtER,C;M0GuEzE,OAAO,I;K;gDAGX,qB;MAcI,IAAI,YAAY,CAAhB,C;QACI,MAAM,gCAAyB,0BAAuB,SAAvB,MAAZB,C;;MAGV,IAAI,aAAa,WAAjB,C;QACI,gBAAS,a1G1F2E,W0G0F1D,C1G1F0D,E0G0FvD,S1G1FuD,C;;Q0G4FpF,aAAU,WAAV,MAAuB,SAAvB,M;UACI,qCAAU,CAAV,C;;K;gDAKZ,sB;MAQI,oCAAA,4BAAmB,UAAAnB,EAA+B,WAA/B,C;MAEb,OAAO,a1G/GkE,W0G+GjD,U1G/GiD,C;K;gd0GkH7E,gC;MAQI,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,WAAzC,C;MAEb,OAAO,a1GzHiF,W0GyHhE,U1GzHgE,E0GyHpD,Q1GzHoD,C;K;yC0G4H5F,Y;K;uCACa,Y;MAAkC,oB;K;oCAEIC,Y;MAOI,gBAAS,E;MACT,OAAO,I;K;0CAGX,wB;MAQI,oCAAA,2BAaKb,KAAIB,EAAyB,WAAzB,C;MAEb,gBAAS,a1GjK+E,W0GiK9D,C1GjK8D,E0GiK3D,K1GjK2D,C0GiK/E,uBAA6B,kBAA7B,IAAqC,a1GpK2B,W0GoKV,QAAQ,CAAR,I1GpKU,C;K;+C0GuK7E,uC;MAYI,yBAaKb,UAAIB,EAA8B,QAA9B,EAAwC,WAAxC,C;MAEA,gBA



Ac,IAAK,S1GILqE,W0GkLpD,C1GILoD,E0GkLjD,U1GILiD,C0GkL1E,GAAuC,KAAvC,GAA+C,IAAK,S1GrL  
O,W0GqLU,Q1GrLV,C;M0GsLzE,OAAO,I;K;kDAGX,wC;MACI,IAAI,aAAa,CAAb,IAAkB,aAAa,MAAnC,C;Q  
ACI,MAAM,8BAA0B,iBAAc,UAAAd,kBAAMc,MAA7D,C;;MAEV,IAAI,aAAa,QAAjB,C;QACI,MAAM,gCAAy  
B,gBAAa,UAAb,qBAAqC,QAArC,MAAzB,C;;K;+CAId,iB;MAYI,oCAAa,2BAAkB,KAAIB,EAAyB,WAAzB,C;  
MAEb,gBAAS,a1G7M+E,W0G6M9D,C1G7M8D,E0G6M3D,K1G7M2D,C0G6M/E,GAA6B,a1GhNmC,W0GgNI  
B,QAAQ,CAAR,I1GhNkB,C;M0GiNzE,OAAO,I;K;kDAGX,gC;MAWI,yBAAkB,UAAIB,EAA8B,QAA9B,EAA  
wC,WAAxC,C;MAEA,gBAAS,a1G9N+E,W0G8N9D,C1G9N8D,E0G8N3D,U1G9N2D,C0G8N/E,GAAkC,a1GjO  
8B,W0GiOb,Q1GjOa,C;M0GkOzE,OAAO,I;K;kDAGX,gE;MAc+C,iC;QAAA,oBAAyB,C;MAAG,0B;QAAA,aA  
AkB,C;MAAG,wB;QAAA,WAAgB,IAAK,O;MAKIF,IACf,I;MALhB,oCAAa,4BAAmB,UAAAnB,EAA+B,QAA/B  
,EAAyC,WAAzC,C;MACb,oCAAa,4BAAmB,iBAAnB,EAAc,oBAAoB,QAApB,GAA+B,UAA/B,IAAtC,EAAiF  
,WAAy,OAA7F,C;MAEb,eAAe,iB;MACf,iBAAc,UAAAd,UAA+B,QAA/B,U;QACI,YAAy,eAAZ,EAAy,uBAAZ,  
UAA0B,yBAAO,KAAP,C;;K;kDAIIC,uC;MAcI,iBAAgB,iBAAN,KAAM,EAAe,UAAf,EAA2B,QAA3B,C;MACH  
B,OAAO,I;K;kDAGX,uC;MAYI,gBAAgB,KAAM,W;MAcTb,oCAAa,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAy  
C,SAAU,OAAAnD,C;MAEb,iBAAU,S1G3R8E,W0G2R1D,U1G3R0D,E0G2R9C,Q1G3R8C,C;M0G4RxF,OAAO,I;  
K;kDAGX,8C;MAGBI,oCAAa,4BAAmB,KAAnB,EAA0B,IAAK,OAA/B,C;MAEb,gBAAS,a1GjT+E,W0GiT9D,C  
1GjT8D,E0GiT3D,K1GjT2D,C0GiT/E,GAAmC,iBAAN,KAAM,EAAe,UAAf,EAA2B,QAA3B,CAAnC,GAA0E,a  
1GpTV,W0GoT2B,K1GpT3B,C;M0GqTzE,OAAO,I;K;kDAGX,8C;MAGBI,oCAAa,4BAAmB,KAAnB,EAA0B,W  
AA1B,C;MAEb,gBAAgB,KAAM,W;MAcTb,oCAAa,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,SAAU,OAAAnD  
,C;MAEb,gBAAS,a1G1U+E,W0G0U9D,C1G1U8D,E0G0U3D,K1G1U2D,C0G0U/E,GAA6B,S1G1UkD,W0G0U9  
B,U1G1U8B,E0G0UIB,Q1G1UkB,C0G0U/E,GAAyE,a1G7UT,W0G6U0B,K1G7U1B,C;M0G8UzE,OAAO,I;K;;I  
AliBX,6C;MAAA,uD;MAKoC,2B;MALpC,Y;K;IAQA,8C;MAAA,uD;MAC4C,0BAAK,OAAQ,WAAb,C;MAD5  
C,Y;K;IAGA,qC;MAAA,uD;MACuB,0BAAK,EAAL,C;MADvB,Y;K;2EA4hBJ,qB;MAOgE,OAAA,SAAK,Q;K;u  
EAErE,mC;MAQ+E,SAAK,aAAI,KAJ,EAAW,KAAX,C;K;+EAEPf,kD;MAaI,OAAA,SAAK,kBAAS,UAAT,E  
AAqB,QAArB,EAA+B,KAA/B,C;K;+EAET,4B;MAY6E,OAAA,SAAK,kBAAS,KAAT,C;K;qFAEIF,2C;MAWo  
G,OAAA,SAAK,qBAAy,UAAZ,EAAwB,QAAxB,C;K;uFAEZG,2E;MAe2E,iC;QAAA,oBAAyB,C;MAAG,0B;Q  
AAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;MAC7I,SAAK,qBAAy,WAAZ,EAAyB,iBAAzB,EAA4C,  
UAA5C,EAAwD,QAAxD,C;K;qFAET,kD;MAeI,OAAA,SAAK,qBAAy,KAAZ,EAAMB,UAAAnB,EAA+B,QAA/  
B,C;K;uFAET,kD;MAaI,OAAA,SAAK,qBAAy,KAAZ,EAAMB,UAAAnB,EAA+B,QAA/B,C;K;qFAET,yD;MAiBI  
,OAAA,SAAK,qBAAy,KAAZ,EAAMB,KAAnB,EAA0B,UAA1B,EAAc,QAAc,C;K;uFAET,yD;MAiBI,OAA  
A,SAAK,qBAAy,KAAZ,EAAMB,KAAnB,EAA0B,UAA1B,EAAc,QAAc,C;K;qF3GhsBT,qB;MAMoD,OA6B  
W,8BAAy,cAfrB,YAAy,CAAZ,C;K;yFAZtD,qB;MAYsD,OAeS,8BAAy,cAfrB,YAAy,CAAZ,C;K;iFAEtD,qB;  
MAaoD,OAaW,8BAAy,c;K;qFAE3E,yB;MAAA,uD;MAAA,4B;QAMoD,+B;O;KANpD,C;IAQA,kC;MAYI,gB  
AiB2D,8BAAy,c;MAhBvE,OAaW,SAAU,OAAV,GAAmB,CAAvB,GAA0B,SAA1B,GAAoC,qBAAU,CAAV,C;  
K;iFAG/C,qB;MAaoD,OAaW,8BAAy,c;K;IAE3E,kC;MAU+C,mC;K;IAE/C,oC;MAGoD,QAAQ,cAAA,sCAAK,  
mBAAL,EAAyB,sCAAK,mBAA9B,CAAR,6B;K;IAEPd,mC;MAGmD,QAAQ,cAAA,sCAAK,kBAAL,EAAwB,s  
CAAK,kBAA7B,CAAR,6B;K;IAO/C,iC;MAAQ,OAAA,oCAAa,iBAAQ,2BAAR,C;K;IAEzB,8B;MAOI,IAAI,YA  
AO,GAAX,C;QACI,OAAO,I;;MAEX,OAAO,gCAA8C,mD;K;IAGzD,6B;MAUI,IAAI,CAAQ,kBAAK,GAAL,CA  
AR,iCAAoB,CAAQ,kBAAK,EAAL,CAAR,6BAAXB,C;QACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OA  
AO,K;;MAEX,OAAO,uB;K;IAGX,oC;MAUI,IAAI,CAAQ,kBAAK,GAAL,CAAR,iCAAoB,CAAQ,kBAAK,EAA  
L,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,CAAR,6BAA5C,C;QACI,OAAO,I;;MAEX,IAAI,YAAO,GAA  
X,C;QACI,OAAO,K;;MAGX,OAAO,0BAAiB,uB;K;IAG5B,4B;MASI,IAAI,CAAQ,kBAAK,EAAL,CAAR,6BAA  
J,C;QACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MAEX,OAAO,sB;K;IAGX,gC;MAUI,IAAI,  
CAAQ,kBAAK,EAAL,CAAR,6BAAJ,C;QACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MAEX,  
OAAO,0B;K;IAGX,gC;MAUI,IAAI,CAAQ,kBAAK,GAAL,CAAR,6BAAJ,C;QACI,OAAO,I;;MAEX,IAAI,YAA  
O,GAAX,C;QACI,OAAO,K;;MAEX,OAAO,0B;K;IAGX,gC;MASI,IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MAE  
X,OAAO,gCAAoD,yD;K;IAG/D,iC;MAUI,OAAO,aAAQ,EAAR,IAAoB,CAAQ,mBAAU,GAAV,CAAR,6B;K;IA  
G/B,iC;MAMiD,kC;K;iF4GtPjD,yB;MAAA,+C;MAAA,4B;QAMuD,OAaK,UAAL,SAAK,C;O;KAN5D,C;IAQA,  
gC;MAMiD,4B;MAAA,S;QAAGB,cAAA,S3G4LC,c2G5LD,EAAoB,MAApB,C;;MAAhB,W;K;IAEjD,6B;MAIOc

,Q;MAAA,yDAaKb,kBAaKb,SAaIB,C;K;IAE5D,oC;MAKoS,Q;MAAA,yCAAA,KAAb,oBAAuB,kBAaKb,SAaIB,C;K;IAG3E,8B;MAI4C,Q;MAAA,0DAaMB,kBAaKb,SAaIB,C;K;IAE/D,qC;MAKsD,Q;MAAA,0CAAc,KAA d,oBAAwB,kBAaKb,SAaIB,C;K;IAE9E,0B;MAIwC,Q;MAAA,wDAaIB,kBAaKb,SAaIB,C;K;IAEzD,mC;MA KkD,Q;MAAA,wCAAY,KAAZ,oBAAsB,kBAaKb,SAaIB,C;K;IAExE,2B;MAI0C,Q;MAAA,yDAaKb,kBAaKb, SAaIB,C;K;IAE5D,oC;MAKoS,Q;MAAA,yCAAA,KAAb,oBAAuB,kBAaKb,SAaIB,C;K;IAE3E,6B;MAIyF,kB AA1C,CAAO,S;MACID,IAAO,QrHeD,WqHfC,CAAH,IAAc,CAAM,kBAApB,KrHeE,WqHf6B,KAAM,GAAN,IA AkB,kBAajD,CAAJ,C;QACI,4B;MAFsC,OrHiBnC,W;K;6EqHZX,yB;MAAA,6C;MAAA,4B;QAKmD,0B;O;K ALnD,C;IAOA,mC;MAIgG,kBAA1C,CAAO,S;MAAR,OACjD,EAAK,QrH2BgB,WqH3BhB,CAAH,IAAc,CAA M,kBAApB,KrH2BmB,WqH3BY,KAAM,GAAN,IAaKb,kBAajD,CAAF,CrH2BO,GAAqB,WAArB,GAA+B,I;K ;yFqHxB1C,yB;MAAA,yD;MAAA,4B;QAK0D,gC;O;KAL1D,C;iFAOA,yB;MAAA,6C;MAAA,mC;QAO6D,OA Aa,SAAR,SAAQ,EAAS,KAAT,C;O;KAP1E,C;iFASA,yB;MAAA,6C;MAAA,mC;QAO8D,OAAa,SAAR,SAAQ,E AAS,KAAT,C;O;KAP3E,C;IASA,sC;MAMqD,OAAA,SAAY,UAAS,WAAW,KAAX,CAAT,C;K;IAEjE,4B;MAA sC,QAAM,S3G4EsB,c2G5E5B,C;aACIC,K;aAAA,M;aAAA,M;UADkC,OACT,I;;UADS,OAE1B,K;;K;IAGZ,2B; MAKI,IAAI,EAAU,CAAV,sBAAa,EAAb,CAAJ,C;QACI,MAAM,gCAAYB,WAAQ,KAAR,kCAAzB,C;;MAEV, OAAO,K;K;IAGX,8B;MAA2D,Q;MACvD,YAAQ,EAAR,IAAe,QAAQ,EAAvB,C;QAA8B,cAAO,E;WACrC,YA AQ,EAAR,IAAe,QAAQ,EAAvB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;WAC9B,YAAQ,EAAR,IAAe,QAAQ,G AAvB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;WAC9B,WAAO,GAAP,C;QAAMb,S;WACnB,YAAQ,KAAR,IA AoB,QAAQ,KAA5B,C;QAAwC,cAAO,KAAP,GAaKb,EAAIB,I;WACx,C,YAAQ,KAAR,IAAoB,QAAQ,KAA5B, C;QAAwC,cAAO,KAAP,GAaKb,EAAIB,I;;QAC3B,sBAAL,IAAK,C;MrH9CN,a;MqHuCgD,OAQ/C,WAAJ,GA AiB,EAAjB,GAAyB,E;K;ICIJG,2C;MAHPC,e;MAGqC,kB;MAHrC,iB;MAAA,uB;K;IAAA,kC;MAAA,qC;O;MA II,qEACY,GADZ,C;MAEA,iEAIU,GAJV,C;K;;IAFA,+C;MAAA,wB;MAAA,uC;K;;IAEA,6C;MAAA,wB;MAAA ,qC;K;;IANJ,8B;MAAA,mF;K;;IAAA,mC;MAAA,a;aAAA,a;UAAA,4C;aAAA,W;UAAA,0C;;UAAA,4D;;K;;IAa wG,4B;MAAE,OAAA,EAAG,M;K;IAA7G,qC;MAAQE,iCAAa,EAAb,EAA0B,OAA1B,0BAAmC,cAAAnC,C;K;IA QIC,2B;MAAC,kB;K;;sCALpC,Y;MAKoS,iB;K;wCALpC,iB;MAAA,sBAKoC,qCALpC,C;K;oCAAA,Y;MAAA, OAKoS,iDALpC,M;K;oCAAA,Y;MAAA,c;MAKoS,sD;MALpC,a;K;kCAAA,iB;MAAA,2IAKoS,sCALpC,G;K;I AqB0B,iC;MA8PtB,6B;MArPA,eACoS,O;MACpC,eACoS,QAAAR,OAAQ,C;MACTD,uBAAoS,WAAO,OAAP,E AAwB,QAAAR,OAAQ,EAAQ,IAAR,CAAxB,C;MACpC,6BAA2C,I;MAI3C,oCAAKD,I;K;0CAHID,Y;MACI,Q;M AAA,U;MAAA,gD;QAAA,a;;QAA8D,gBAAvC,WAAO,YAAP,EAAwB,QAAAR,YAAQ,EAAQ,IAAR,CAAxB,C; QAA8C,6BtHmCnE,S;QsHnCF,StHoCG,S;;MsHpCH,a;K;iDAGJ,Y;MACI,Q;MAAA,U;MAAA,uD;QAAA,a;;QtH VG,gB;QsHWC,IAAY,aAAR,YAAQ,EAAW,EAAX,CAAR,IAAmC,WAAAR,YAAQ,EAAS,EAAT,CAAvC,C;UA AA,eACI,oB;;UAEA,OAAO,WAAO,MAA2B,UAAf,YAAR,YAAQ,qBAAU,EAAV,EAAe,qBAAQ,EAAR,EAA3 B,MAAP,EAA2D,QAAAR,YAAQ,EAAQ,IAAR,CAA3D,C;QACb,4B;QAAO,oCtH0BP,S;QsH/BF,StHgCG,S;;Ms HhCH,a;K;sCAQJ,iB;MAEkB,MAAd,oBAAC,C;MACd,YAAy,oBAAC,MAAK,KAAM,WAAx,C;MAC1B,OAA O,iBAaIB,KAAM,MAAN,KAAe,CAAhC,IAAQ,C,oBAAC,UAAAd,KAA2B,KAAM,O;K;8CAGjF,iB;MAEkB,MAA d,oBAAC,C;MACd,OAAO,oBAAC,MAAK,KAAM,WAAx,C;K;wCAGzB,wB;MAGI,IAAI,QAAQ,CAAR,IAAa, QAAQ,KAAM,OAA/B,C;QACI,MAAM,8BAA0B,0BAAuB,KAAvB,wBAA8C,KAAM,OAA9E,C;;MAEV,cAAc, 0B;MACd,oBAAoS,K;MACpB,OAAO,OAAQ,MAAK,KAAM,WAAx,C;K;mCAGnB,6B;MAS4C,0B;QAAA,aA AkB,C;MAC1D,IAAI,aAAa,CAAb,IAaKb,aAAa,KAAM,OAAzC,C;QACI,MAAM,8BAA0B,gCAA6B,UAA7B,w BAAyD,KAAM,OAAzF,C;;MAEV,OAAqB,SAAd,oBAAC,EAAS,KAAM,WAAf,EAA2B,UAA3B,EAAuC,oBAA vC,C;K;IAeG,6E;MAAA,mB;QAAE,+BAAK,aAAL,EAAy,kBAAZ,C;O;K;IAA2B,uC;MAAW,OAAA,KAAM,O; K;sCAZ1E,6B;MAQ+C,0B;QAAA,aAaKb,C;MAC7D,IAAI,aAAa,CAAb,IAaKb,aAAa,KAAM,OAAzC,C;QACI, MAAM,8BAA0B,gCAA6B,UAA7B,wBAAyD,KAAM,OAAzF,C;;MAEV,OAAO,mBAAiB,6CAAjB,EAA8C,sB AA9C,C;K;0CAGX,iB;MAMI,OAA2B,SAa3B,iCAA2B,EAAS,KAAM,WAAf,EAA2B,CAA3B,EAA8B,oBAA9 B,C;K;sCAE/B,wB;MAGI,IAAI,QAAQ,CAAR,IAAa,QAAQ,KAAM,OAA/B,C;QACI,MAAM,8BAA0B,0BAAuB ,KAAvB,wBAA8C,KAAM,OAA9E,C;;MAEV,OAA2B,SAApB,0BAAoS,EAAS,KAAM,WAAf,EAA2B,KAA3B, EAAkC,oBAAIC,C;K;IA4BL,mD;MAAA,qB;QAAE,2BAAoS,EAAPB,EAAwB,mBAAxB,C;O;K;sCAxB5B,8B; MAqBI,IAAI,CAAA,YAAZ,WAAy,EAAS,EAAT,CAAb,IAA+B,CAAA,YAAZ,WAAy,EAAS,EAAT,CAAhD,C; QACI,OAAO,KAAM,W5G2E4E,S4G3EnD,oB5G2EmD,E4G3EpC,W5G2EoS,C;;M4GzE7F,OAAO,qBAAQ,KA

AR,EAAe,iCAAf,C;K;sCAGX,4B;MAMI,YAAY,kBAAK,KAAL,C;MACZ,IAAI,aAAJ,C;QAAMb,OAAO,KAA  
M,W;MAEhC,gBAAGb,C;MACbB,aAAa,KAAM,O;MACnB,SAAS,mBAAc,MAAd,C;;QAEI,iBAAiB,oB;QACj  
B,EAAG,gBAAO,KAAP,EAAC,SAAd,EAAyB,UAAW,MAAM,MAA1C,C;QACH,EAAG,gBAAO,UAAU,UAAV  
,CAAP,C;QACH,YAAY,UAAW,MAAM,aAAjB,GAAgC,CAAhC,I;QACZ,QAAQ,UAAW,O;;MACd,oBAAy,M  
AAZ,IAAsB,aAAtB,C;MAET,IAAI,YAAY,MAAhB,C;QACI,EAAG,gBAAO,KAAP,EAAC,SAAd,EAAyB,MAAz  
B,C;;MAGP,OAAO,EAAG,W;K;2CAGd,8B;MA0BgB,Q;MALZ,IAAI,CAAA,YAAZ,WAAY,EAAS,EAAT,CAAb  
,IAA+B,CAAA,YAAZ,WAAY,EAAS,EAAT,CAAhD,C;QACI,uBAA+B,QAAR,YAAQ,EAAQ,GAAR,C;QAC/B,  
OAAO,KAAM,W5GoB4E,S4GpBnD,WAAO,YAAP,EAAGb,gBAAhB,C5GoBmD,E4GpBhB,W5GoBgB,C;;M4G  
jBjF,yBAAK,KAAL,C;MAAA,iB;QAAe,OAAO,KAAM,W;;MAAxC,YAAY,I;MCoLO,gBAAhB,sB;MDjLC,yBt  
G2LgF,0BsG3LzD,CtG2LyD,EsG3LhD,WAAM,MtG2L0C,CAAKC,WsG3LIH,C;MACA,yBAAO,uCAAP,C;MA  
CA,yBtGyLgF,0BsGzLnD,WAAM,KAAZ,GAAmB,CAAnB,ItGyLyD,EsGzL7B,YtGyL6B,CAAKC,WsGzLIH,C;  
MAHJ,OtHIJG,SuHoUqC,W;K;oCD3K5C,wB;MAO6C,qB;QAAA,QAAa,C;MAMxC,Q;MALd,wBAAwB,KAAx  
B,C;MtHrIG,SsHsIW,qBAAQ,KAAR,C;MAAd,cAAuC,UAAS,CAAb,GAAgB,EAAhB,GAA2B,OAAH,EAAG,E  
AAK,QAAQ,CAAR,IAAL,C;MAC9D,ajI3JgD,gB;Mii4JhD,gBAAGb,C;MAEF,yB;MAAd,OAAc,cAAc,C;QAAC,  
uB;QACV,MAAO,WAAU,mBAAN,KAAM,EAAY,SAAZ,EAAuB,KAAM,MAAM,MAAnC,CAA0C,WAApD,C;  
QACP,YAAY,KAAM,MAAM,aAAZ,GAA2B,CAA3B,I;;MAEhB,MAAO,WAAU,mBAAN,KAAM,EAAY,SAAZ  
,EAAuB,KAAM,OAA7B,CAAqC,WAA/C,C;MACP,OAAO,M;K;IAgBS,yI;MAAA,wC;MAAA,6B;MAAA,yB;M  
AAA,0C;MAAA,oC;MAAA,0C;MAAA,yB;MAAA,6B;MAAA,8B;MAAA,8B;MAAA,kC;K;;;gEAAA,Y;;;;iCA  
CA,mCAAK,wBAAL,C;cACZ,IAAI,4BAAiB,6BAAS,CAA9B,C;gBACI,gB;gCAAA,iCAAM,wBAAM,WAAZ,O  
;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBADJ,gB;;;;;cAEI,M;;qCAGY,C;sCACC,C;cAEjB,gB;;;sCACqB,+B;cACj  
B,gB;8BAAA,iCtGuI4E,mBsGvItE,wBtGuIsD,EsGvItD,oBtGuIsD,EsGvI3C,qBAAW,MAAM,MtGuI0B,CAAKC,  
WsGvI9G,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cACA,uBAAy,qBAAW,MAAM,aAAjB,GAAgC,CAAhC,I;cACZ,  
mBAAQ,qBAAW,O;cAJvB,KAKS,qDALt,EAKS,qBALt,OAKyB,2BAAQ,CAAR,IALzB,KAKsC,gBALtC,S;gB  
AAA,gB;;;cAAA,gB;;cAOA,gB;8BAAA,iCtGkIgF,mBsGII1E,wBtGkI0E,EsGII1D,oBtGkI0D,EsGII/C,wBAAM,  
OtGkIyC,CAAKC,WsGIIH,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAhBA,OAgBA,a;;;;;K;IAjBY,sF;MAAA,  
yD;uBAAA,6H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;8CAbpB,wB;MAUuD,qB;QAAA,QAAa,C;MAChE,wBAA  
wB,KAAxB,C;MAEA,OAAO,SAAS,gDAAT,C;K;+BAxBX,Y;MAMyC,OAAA,oBAAc,W;K;IAEvD,2B;MAAA,+  
B;MAmBI,uBAA4B,WAAO,uBAAP,EAAC,GAAjC,C;MAC5B,2BAAgC,WAAO,SAAP,EAaoB,GAApB,C;MA  
GhC,iCAAsC,WAAO,KAAP,EAAC,GAAjB,C;K;oDatBtC,mB;MAIwD,oBAAM,oBAAO,OAAP,CAAN,C;K;+C  
AExD,mB;MAIoD,OAAA,O5GnEyC,S4GmEnB,oB5GnEmB,E4GmEJ,M5GnEI,C;K;0D4GqE7F,mB;MAI+D,OA  
AA,O5GzE8B,S4GyER,wB5GzEQ,E4GyEW,M5GzEX,C;K;gE4G8E7F,mB;MAAgE,OAAA,O5G9E6B,S4G8EP,8  
B5G9EO,E4G8EkB,M5G9EIB,C;K;;;I4GwDjG,uC;MAAA,sC;QAAA,qB;;MAAA,+B;K;;IA5PA,4C;MAAA,+C;M  
ACKe,kBAAK,OAAL,EAAC,MAAM,MAAN,CAAd,C;MADIE,Y;K;IAGA,sC;MAAA,+C;MAC6C,kBAAK,OAAL,  
EAAC,UAAd,C;MAD7C,Y;K;IA4RO,kG;MAAA,kC;MAAA,8C;MAAA,kC;MAAA,kC;MACH,uBAA+B,a;MA  
I/B,sF;MAOA,sBAA0C,I;K;+FAX1C,Y;MAAA,2B;K;+FAEI,Y;MAAQ,qBAAA,kBN/R8C,CM+RxC,CN/RwC,C  
M+R9C,C;K;gGAEZ,Y;MAAA,4B;K;IAY2B,oG;MAAA,kC;MAAS,uB;K;mJACG,Y;MAAQ,OAAA,kBAAM,O;  
K;wGACrC,iB;MAAuC,Q;MAAA,eAAA,kBN/SG,CM+SG,KN/SH,CM+SH,mBAAGb,E;K;;qGAJnE,Y;MACI,IA  
AI,2BAAJ,C;QACI,yH;;MAKJ,OAAO,kC;K;4CAGf,Y;MACI,OAAy,SAAZ,wBAAy,EAAS,kBAAT,EAaoB,kB  
AAM,UAAV,GAAqB,8BAAuB,kBAAM,MAA7B,CAArB,GAA8D,kBAAM,aAAN,GAAqB,CAArB,IAA9E,EAAS  
sG,wBAATG,C;K;gEAehB,iB;MACI,IAAI,QAAc,iBAAN,kBAAM,CAAIb,C;QACI,YAAkB,kBAAY,YAAW,KA  
AX,C;QAC9B,IAAa,KAAT,sBAAiB,KAArB,C;UACI,YAAkB,kBAAY,YAAW,QAAQ,CAAR,IAAX,C;UAC9B,IA  
AAa,KAAT,sBAAiB,KAArB,C;YACI,OAAO,QAAQ,CAAR,I;;;MAInB,OAAO,QAAQ,CAAR,I;K;IAjCiC,oE;M  
AAA,kC;MAA+B,6B;K;mHACHD,Y;MAAQ,OAAA,kBAAM,O;K;IACqC,4E;MAAA,qB;QAAE,yBAAK,EAAL,  
C;O;K;qEAA5E,Y;MAAiD,OAAqB,OAAb,aAAR,oBAAQ,CAAA,EAAL,iEAAJ,CAAIb,W;K;wEACvF,iB;MAA4  
C,Q;MAAA,eAAA,kBNpSU,CMoSJ,KNpSI,CMoSv,YAAoB,oBAApB,O;K;;;IAdxD,uD;MACI,sBAAiB,I;MACj  
B,YAAY,eAAK,KAAL,C;MACZ,IAAI,aAAJ,C;QAAMb,OAAO,I;MAC1B,YAAY,aAAA,KAAM,MAAN,EAaa,  
sBAAy,CAAZ,IAAb,C;MAEZ,mE;K;IA2Cj,iD;MAM+B,UAKO,M;MATIC,YAAY,C;MACZ,aAAa,mBAAc,WA  
AY,OAA1B,C;MAEb,OAAO,QAAQ,WAAY,OAA3B,C;QACI,WAAW,wBAAy,YAAZ,EAAY,oBAAZ,Q;QACX

,IAAI,SAAQ,EAAZ,C;UACI,IAAI,UAAS,WAAY,OAAzB,C;YACI,MAAM,gCAAyB,mCAAzB,C;UAEV,MAAO ,gBAAO,wBAAY,cAAZ,EAAy,sBAAZ,UAAP,C;eACJ,IAAI,SAAQ,EAAZ,C;UACH,IAAI,UAAS,WAAY,OAAz B,C;YACI,MAAM,gCAAyB,kCAAzB,C;UAEV,IAAI,uBAAY,KAAZ,MAAsB,GAA1B,C;YACI,MAAM,gCAAy B,4DAAzB,C;UAEV,IAAI,EAAuB,kBAAK,EAAL,CAAvB,0CAAy,KAAZ,EAAJ,C;YACI,MAAM,gCAAyB,mC AAzB,C;UAEV,eAA2B,eAAZ,WAAY,EAAe,KAAf,EAAzB,KAAM,YAAy,KAAxC,C;UAC3B,iBAAwD,MAAv C,W5G7KMe,W4G6K7C,K5G7K6C,E4G6KtC,Q5G7KsC,C4G6K5B,C;UAExD,IAAI,cAAc,KAAM,YAAy,KAA pC,C;YACI,MAAM,8BAA0B,sBAAmB,UAAAnB,oBAA1B,C;UAEV,MAAO,gBAAO,KAAM,YAAN,aAAkB,UA A1B,CAAP,C;UACP,QAAQ,Q;UAER,MAAO,gBAAO,IAAP,C;MAGf,OAAO,MAAO,W;K;IAGlB,2D;MAEI,Y AAY,aAAa,CAAb,I;MACZ,iBAAiB,qBAAK,UAAAL,IAAmB,E;MAGpC,OAAO,QAAQ,gBAAR,IAAkB,CAAe,k BAAK,EAAL,CAAF,wCAAK,KAAL,EAAzB,C;QACI,oBAAoB,CAAC,aAAa,EAAb,IAAD,KAAqB,qBAAK,KA AL,IAAc,EAAAnC,K;QACpB,IAAqB,CAAjB,qCAAyB,UAA7B,C;UACI,aAAa,a;UACb,qB;UAEA,K;MAGR,O AAO,K;K;I5GrX,yB;MAQiB,Q;MADb,aAAa,E;MACb,wBAAa,KAAb,gB;QAAa,WAAb,UAAa,KAAb,O;QACI, 8BAAU,IAAV,C;MAEJ,OAAO,M;K;IAGX,yC;MAa+B,Q;MAH3B,IAAI,SAAS,CAAT,IAAc,SAAS,CAAvB,IA A4B,CAAA,KAAM,OAAN,GAAa,MAAb,QAAzB,MAAd,C;QACI,MAAM,8BAA0B,WAAS,KAAM,OAaf,kB AA+B,MAA/B,kBAAGD,MAA1E,C;MACV,aAAa,E;MACc,gBAAS,MAAT,I;MAA3B,iBAAc,MAAd,wB;QACI, 8BAAU,MAAM,KAAN,CAAV,C;MAEJ,OAAO,M;K;IAGX,mC;MAOiB,Q;MADb,aAAa,E;MACb,wBAAa,SAA b,gB;QAAa,WAAb,UAAa,SAAb,O;QACI,8BAAU,IAAV,C;MAEJ,OAAO,M;K;IAGX,2D;MAY2C,0B;QAAA,a AAKB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;MACjF,oCAAa,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,SAA K,OAA9C,C;MACb,aAAa,E;MACb,iBAAc,UAAAd,UAA+B,QAA/B,U;QACI,8BAAU,UAAK,KAAL,CAAV,C;M AEJ,OAAO,M;K;IASkB,gD;MAAA,qB;QAAE,+CAAI,EAAJ,E;O;K;IAN/B,kC;MAMI,OAAO,kBAAU,gBAAV, EAAkB,+BAAIB,C;K;IAiBiC,oE;MAAA,qB;QAAE,+CAAI,qBAAa,EAAb,IAAJ,E;O;K;IAd9C,wD;MAYqC,0B; QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;MAC3E,oCAAa,4BAAmB,UAAAnB,EAA+B,QAA/B,EA AyC,gBAAzC,C;MACb,OAAO,kBAAU,WAAW,UAAAX,IAAV,EAAiC,2CAAjC,C;K;IAGX,mC;MAQI,OAAO,W AAW,SAAX,EAAiB,CAAjB,EAAoB,gBAAPB,EAA0B,KAA1B,C;K;IAGX,mF;MAeI,0B;QAAA,aAAkB,C;MAC IB,wB;QAAA,WAAgB,SAAK,O;MACrB,sC;QAAA,yBAAKC,K;MAEIC,oCAAa,4BAAmB,UAAAnB,EAA+B,QA A/B,EAAyC,SAAK,OAA9C,C;MACb,OAAO,WAAW,SAAX,EAAiB,UAAjB,EAA6B,QAA7B,EAAuC,sBAAvC, C;K;IAGX,sC;MAQI,OAAO,WAAW,SAAX,EAAiB,CAAjB,EAAoB,gBAAPB,EAA4B,KAA5B,C;K;IAGX,sF;M AeI,0B;QAAA,aAAkB,C;MACIB,wB;QAAA,WAAgB,SAAK,O;MACrB,sC;QAAA,yBAAKC,K;MAEIC,oCAAa, 4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,gBAAzC,C;MACb,OAAO,WAAW,SAAX,EAAiB,UAAjB,EAA6B,Q AA7B,EAAuC,sBAAvC,C;K;uFAGX,qB;MAMwD,OAAA,SAAY,c;K;mFAEpE,qB;MAWsD,OAAA,SAAY,c;K; uFAEIE,qB;MAMwD,OAAA,SAAY,c;K;mFAEpE,qB;MAWsD,OAAA,SAAY,c;K;yFAEIE,qC;MACoF,OAAA,S AAY,SAAQ,GAAR,EAAa,SAAb,C;K;iGAEHg,qC;MACwF,OAAA,SAAY,aAAy,GAAZ,EAAiB,SAAjB,C;K;+F AEpG,kC;MACiF,OAAA,SAAY,YAAW,CAAX,EAAc,QAAd,C;K;2FAE7F,wB;MACgE,OAAA,SAAY,UAAS,C AAT,C;K;iFAE5E,iC;MACqE,OAAA,SAAY,WAAU,UAAV,C;K;mFAEjF,2C;MACoF,OAAA,SAAY,WAAU,U AAV,EAAzB,QAAtB,C;K;4EAEHg,0B;MAGuD,OAAA,SAAY,QAAO,GAAP,C;K;wEAEnE,4B;MAGgE,OAAA, SAAY,OAAM,KAAN,C;K;yFAK5E,2C;MACyF,OAAA,SAAY,SAAQ,OAAR,EAAiB,WAAjB,C;K;IAErG,iD;M AOkD,0B;QAAA,aAAsB,K;MACpE,IAAI,UAAJ,C;QACI,SAAS,SAAK,O;QACd,SAAS,KAAM,O;QACf,UTGG, MAAO,KSHM,ETGN,ESHU,ETGV,C;QSFV,IAAI,QAAO,CAAX,C;UAAc,OAAO,KAAK,EAAL,I;QACrB,iBA Ac,CAAd,UAAzB,GAAtB,U;UACI,eAAe,qBAAK,KAAL,C;UACf,gBAAGB,iBAAM,KAAN,C;UAEhB,IAAI,aA AY,SAAhB,C;YACI,WAAoB,cAAT,QAAS,C;YACpB,YAAzB,cAAV,SAAU,C;YAEtB,IAAI,aAAy,SAAhB,C;c ACwB,kBAAT,Q;cAAX,WDI02C,gCAAy,cAfrB,YAAy,CAAZ,C;cCkPZ,kBAAV,S;cAAZ,YDnO2C,gCAAy,c AfrB,YAAy,CAAZ,C;cCoPIC,IAAI,aAAy,SAAhB,C;gBACI,OAAgB,iBAAT,QAAS,EAAU,SAAV,C;QAKhC ,OAAO,KAAK,EAAL,I;QAEP,OAAO,4BAAU,KAAV,C;K;IAIf,4C;MAOqF,oCAAkB,KAAIB,C;K;IAErF,wD; MASI,OAAW,UAAJ,GACE,4BAAL,SAAK,EAA4B,KAA5B,CADF,GAGE,kBAAL,SAAK,EAAkB,KAAIB,C;K; IAIkD,oD;MAAU,OAAE,UAAF,CAAE,EAAU,CAAV,EAA0B,IAA1B,C;K;IAIvE,+C;MAAQ,oC;K;2F8G/SZ,oC ;MACiF,O9G2Me,kB8G3ME,oBAAH,EAAG,C9G2MF,E8G3Mc,S9G2Md,C;K;mG8GzMhG,oC;MACqF,O9G2M e,sB8G3MM,oBAAH,EAAG,C9G2MN,E8G3MkB,S9G2MIB,C;K;I8GzMpG,mD;MAIoD,0B;QAAA,aAAsB,K;M ACtE,IAAI,CAAC,UAAAL,C;QACI,O9GsMqF,qB8GtM7D,M9GsM6D,E8GtMrD,C9GsMqD,C;Q8GpMrF,OAAO,

yBAAc,CAAd,EAAiB,MAAjB,EAAyB,CAAzB,EAA4B,MAAO,OAAnc,EAA2C,UAA3C,C;K;IAGf,iE;MAIqE,0  
B;QAAA,aAAsB,K;MACvF,IAAI,CAAC,UAAAL,C;QACI,O9G2LqF,qB8G3L7D,M9G2L6D,E8G3LrD,U9G2LqD,  
C;;Q8GzLrF,OAAO,yBAAc,UAAAd,EAA0B,MAA1B,EAAkC,CAAIC,EAAqC,MAAO,OAA5C,EAAoD,UAApD,  
C;K;IAGf,iD;MAIkD,0B;QAAA,aAAsB,K;MACpE,IAAI,CAAC,UAAAL,C;QACI,O9GmLoE,mB8GnL9C,M9Gm  
L8C,C;;Q8GjLpE,OAAO,yBAAc,mBAAS,MAAO,OAAhB,IAAd,EAAc,MAATC,EAA8C,CAA9C,EAAiD,MAA  
O,OAAxD,EAAgE,UAAhE,C;K;IAGf,mC;MAGI,aACa,S9G0L2D,O8G1LhD,K9G0LgD,C;M8GzLxE,OAAO,kB  
AAkB,MAAO,OAAP,KAAe,C;K;IAG5C,4B;MAKoD,gCAAU,C;MAAV,U;QAAuB,kBAAR,yB;QAAQ,c;;UrH2n  
DvD,U;UADhB,IAAI,0CAAsB,qBAA1B,C;YAAqC,aAAO,I;YAAP,e;;UACrB,+B;UAAhB,OAAgB,gBAAhB,C;Y  
AAgB,2B;YAAM,IAAI,CqH3nD4D,aAAT,qBrH2nDxC,OqH3nDwC,CAAS,CrH2nDhE,C;cAAyB,aAAO,K;cAAP  
,e;;UAC/C,aAAO,I;;QqH5nDgE,iB;;MAAvB,W;K;IAEpD,gD;MASiD,0B;QAAA,aAAsB,K;MAOxC,Q;MAN3B,  
IAAI,iBAAJ,C;QAAkB,OAAO,a;MACzB,IAAI,aAAJ,C;QAAMb,OAAO,K;MAC1B,IAAI,CAAC,UAAAL,C;QAAi  
B,OAAO,kBAAQ,KAAr,C;MAExB,IAAI,SAAK,OAAAL,KAAe,KAAM,OAAzB,C;QAAiC,OAAO,K;MAEb,OA  
AL,SAAK,O;MAA3B,iBAAc,CAAd,wB;QACI,eAAe,qBAAK,KAAL,C;QACf,gBAAgB,iBAAM,KAAN,C;QACH  
B,IAAI,CAAU,SAAT,QAAS,EAAO,SAAP,EAAkB,UAAIB,CAAd,C;UACI,OAAO,K;;MAIf,OAAO,I;K;IAIX,sF  
;MACkH,0B;QAAA,aAAsB,K;MACpI,oCAAKB,UAAIB,EAA8B,KAA9B,EAAqC,WAArC,EAAkD,MAAID,EA  
A0D,UAA1D,C;K;IAGJ,+B;MAYI,OxGmMmD,mBAAS,CwGnM5D,G9GwH4F,oB8GxHzD,C9GwHyD,E8GxHt  
D,C9GwHsD,CAvC9B,c8GjFrC,G9GqHoD,oB8GrHZ,C9GqHY,C8GrH7E,GAAyE,S;K;IAG7E,iC;MASI,OxGuL  
mD,mBAAS,CwGvL5D,G9G4G4F,oB8G5GzD,C9G4GyD,E8G5GtD,C9G4GsD,CAIB9B,c8G1FrC,G9GyGoD,oB  
8GzGZ,C9GyGY,C8GzG7E,GAAyE,S;K;IAG7E,8B;MAOiB,IAAN,I;M3H/FP,IAAI,E2H8F1,KAAK,C3H9FT,CA  
AJ,C;QACI,c2H6Fc,oD;Q3H5Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;;M2H6FH,QAAM,CAAN,C;aACH,C;UAA  
K,S;UAAAL,K;aACA,C;UAAU,OAAAL,SAAK,W;UAAV,K;;UAEL,aAAa,E;UACb,IAAI,ExGgKoC,qBAAU,CwGh  
K9C,CAAJ,C;YACI,QAAQ,SAAK,W;YACb,YAAY,C;YACZ,OAAO,IAAP,C;cACI,IAAI,CAAC,QAAU,CAAX,  
MAAiB,CAArB,C;gBACI,UAAU,C;;cAEd,QAAQ,UAAW,C;cACnB,IAAI,UAAS,CAAb,C;gBACI,K;;cAEJ,KAA  
K,C;;;UAGb,OAAO,M;;MAnBf,W;K;IAwBJ,4D;MAOqE,0B;QAAA,aAAsB,K;MACvF,O9GkFiG,kB8GIFnF,W  
AAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,KAAhB,GAA2B,IAA1D,C9GkFmF,E8GIFIB,6BA  
AM,iCAAwB,QAAXB,C9GkFY,C;K;I8GhFrG,4D;MAM+D,0B;QAAA,aAAsB,K;MACjF,O9GyEiG,kB8GzEnF,  
WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAF,CAAb,EAA6C,UAAJ,GAAgB,KAAhB,GAA2B,IAApE,C9GyEm  
F,E8GzEA,oBAAR,OAAQ,C9GyEA,C;K;I8GvErG,iE;MAC0E,0B;QAAA,aAAsB,K;MAC5F,O9GqEiG,kB8GrEn  
F,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,IAAhB,GAA0B,GAAzD,C9GqEmF,E8GrEpB,  
6BAAM,iCAAwB,QAAXB,C9GqEc,C;K;I8GnErG,iE;MACoE,0B;QAAA,aAAsB,K;MACtF,O9GiEiG,kB8GjEnF,  
WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAF,CAAb,EAA6C,UAAJ,GAAgB,IAAhB,GAA0B,GAAnc,C9GiEm  
F,E8GjEF,oBAAR,OAAQ,C9GiEE,C;K;I+G7OrG,kD;MAEL,IAAI,gBAAJ,C;QAASB,MAAM,6BAAYB,qCAAKC,  
QAAQ,CAAR,IAAIC,CAAzB,C;MAC5B,OAAO,CAAC,IAAD,I;K;IAGX,iF;MAQI,IAAI,EAAS,KAAT,oBAAiB,  
KAAjB,KAA2B,SAAS,QAAXC,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;MAEX,UAA  
U,kBAAO,KAAP,C7GwBgC,I;M6GvB1C,IAAI,EAAQ,KAAR,kBAAgB,KAAhB,CAAJ,C;QACI,OAAO,UAAU,  
CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;MAEX,OAAO,SAAW,CAAC,OAAS,IAAV,KAAqB,EAAhC,IAAwC,  
MAAQ,I;K;IAG3D,yE;MAQI,IAAI,SAAU,EA AV,MAAkB,CAAIB,IAAuB,SAAS,QAAPC,C;QACI,OAAO,UAA  
U,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;MAEX,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,GAAV,  
MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;MAEX,OAAQ,SAAU,CAAX  
,GAAkB,KAAIB,GAA4B,I;K;IAGvC,yE;MASI,IAAI,SAAS,QAAb,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,  
EAAoB,gBAApB,C;;MAGX,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,EA AV,MAAiB,CAArB,C;QA  
CI,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;UAEL,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;aAER  
,IAAI,SAAU,EA AV,MAAiB,EAAR,B,C;QACH,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;UAEL,OAAO,UAAU,CA  
AV,EAAa,KAAb,EAAoB,gBAApB,C;;aAER,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QACH,OAAO,UAAU,CAA  
V,EAAa,KAAb,EAAoB,gBAApB,C;;MAGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI,OAAO,UAAU,CAAV,  
EAAa,KAAb,EAAoB,gBAApB,C;;MAEX,YAAY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU,  
GAAV,MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;MAGX,OAAQ,SA  
U,EAAX,GAAoB,SAAU,CAA9B,GAAqC,KAArC,GAA+C,O;K;IAG1D,yE;MASI,IAAI,SAAS,QAAb,C;QACIU

AAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;MAGJ,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,EA  
AV,MAAiB,CAArB,C;QACI,IAAI,SAAU,GAAV,KAAkB,GAAtB,C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,  
EAAoB,gBAApB,C;;aAER,IAAI,SAAU,EAAV,MAAiB,CAArB,C;QACH,IAAI,SAAU,GAAV,MAAkB,GAAtB,  
C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;aAER,IAAI,SAAU,EAAV,IAAgB,CAApB,C;Q  
ACH,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;aACJ,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QA  
CH,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;MAGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI  
,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;MAEX,YAAY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C  
;MAC7B,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;  
;MAGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;M  
AEX,YAAY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QACI,OA  
AO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;;MAEX,OAAQ,SAAU,EAAX,GAAoB,SAAU,EAA9B,GA  
AuC,SAAU,CAAjD,GAAwD,KAAxD,GAaKE,O;K;;;IAMb7E,oE;MAkB0B,UAGJ,MAHI,EAKJ,MALI,EAMJ,M  
ANI,EASJ,MATI,EAUJ,MAVI,EAWJ,MAXI,EAgBA,MAhBA,EAiBA,MAjBA,EAKBA,MAiBA,EAoBA,MApBA  
,EAqBA,OArBA,EASBA,OAAtBA,EAuBA,O;M5H9JtB,IAAI,E4HgII,cAAc,CAAd,IAAmB,YAAY,MAAO,OAAtC  
,IAAgD,cAAc,Q5HhIIE,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;;M4HgIV,YAAY,cA  
AU,CAAC,WAAW,UAAAX,IAAD,IAA0B,CAA1B,IAAV,C;MACZ,gBAAgB,C;MACHb,gBAAgB,U;MAEhB,OA  
AO,YAAY,QAAAnB,C;QACI,WAAW,mBAAO,gBAAP,EAAO,wBAAP,Q7G1H2B,I;Q6G4HIC,WAAO,GAAP,C;  
UACI,MAAM,kBAAN,EAAM,0BAAN,YAA0B,OAAL,IAAK,C;eAC9B,WAAO,IAAP,C;UACI,MAAM,kBAAN,  
EAAM,0BAAN,YAA4C,OAARb,QAAS,CAAV,GAAgB,GAAM,C;UAC5C,MAAM,kBAAN,EAAM,0BAAN,YA  
A+C,OAAxB,OAAS,EAAV,GAAmB,GAAM,C;eAEnD,WAAO,KAAP,IAAiB,QAAQ,KAAzB,C;UACI,MAAM,k  
BAAN,EAAM,0BAAN,YAA6C,OAAtB,QAAS,EAAV,GAAiB,GAAM,C;UAC7C,MAAM,kBAAN,EAAM,0BA  
AN,YAAuD,OAAB,QAAS,CAAV,GAAiB,EAAiB,GAA2B,GAAM,C;UACvD,MAAM,kBAAN,EAAM,0BAAN,  
YAA+C,OAAxB,OAAS,EAAV,GAAmB,GAAM,C;;UAG/C,gBAAgB,uBAAuB,MAAvB,EAA+B,IAA/B,EAAqC,  
SAArC,EAAgD,QAahD,EAA0D,gBAA1D,C;UACHb,IAAI,aAAa,CAAjB,C;YACI,MAAM,kBAAN,EAAM,0BA  
AN,YAAqB,0BAA0B,CAA1B,C;YACrB,MAAM,kBAAN,EAAM,0BAAN,YAAqB,0BAA0B,CAA1B,C;YACrB,  
MAAM,kBAAN,EAAM,0BAAN,YAAqB,0BAA0B,CAA1B,C;;YAErB,MAAM,kBAAN,EAAM,0BAAN,YAAkD  
,OAA3B,aAAc,EAAf,GAASB,GAAM,C;YACID,MAAM,mBAAN,EAAM,2BAAN,aAA6D,OAARc,aAAc,EAAf,  
GAAuB,EAAxB,GAAiC,GAAM,C;YAC7D,MAAM,mBAAN,EAAM,2BAAN,aAA4D,OAAPc,aAAc,CAAf,GAA  
sB,EAAvB,GAAgC,GAAM,C;YAC5D,MAAM,mBAAN,EAAM,2BAAN,aAAoD,OA7B,YAAc,EAAf,GAAwB,  
GAAM,C;YACpD,6B;;;MAMhB,OAAW,KAAM,OAAN,KAAc,SAAIB,GAA6B,KAA7B,GAA8C,UAAAN,KAA  
M,EAAO,SAAP,C;K;;IAQzD,mE;MAiByB,Q;M5H9LrB,IAAI,E4HwLI,cAAc,CAAd,IAAmB,YAAY,KAAM,OA  
ArC,IAA6C,cAAc,Q5HxL/D,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;;M4HwLV,gBA  
AgB,U;MACHb,oBAAoB,sB;MAEpB,OAAO,YAAY,QAAAnB,C;QACI,WAAW,KAAmB,CAAb,gBAAa,EAAb,w  
BAAa,O;QAE1B,YAAQ,CAAR,C;UACI,aAAc,gBAAY,OAAL,IAAK,CAAZ,C;aACIB,YAAS,CAAT,KAAc,EA  
Ad,C;UACI,WAAW,eAAe,KAAf,EAASB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC,EAAiD,gBAAjD,C;UACX,IA  
AI,QAAQ,CAAZ,C;YACI,aAAc,gBAAO,gBAAP,C;YACd,yBAAa,CAAC,IAAD,IAAb,K;;YAEA,aAAc,gBAAY,  
OAAL,IAAK,CAAZ,C;YACd,wBAAa,CAAb,I;;eAGR,YAAS,CAAT,KAAc,EAAd,C;UACI,aAAW,eAAe,KAAf,  
EAASB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC,EAAiD,gBAAjD,C;UACX,IAAI,UAAQ,CAAZ,C;YACI,aAAc,g  
BAAO,gBAAP,C;YACd,yBAAa,CAAC,MAAD,IAAb,K;;YAEA,aAAc,gBAAY,OAAL,MAAK,CAAZ,C;YACd,w  
BAAa,CAAb,I;;eAGR,YAAS,CAAT,KAAc,EAAd,C;UACI,aAAW,eAAe,KAAf,EAASB,IAAtB,EAA4B,SAA5B,  
EAAuC,QAAvC,EAAiD,gBAAjD,C;UACX,IAAI,UAAQ,CAAZ,C;YACI,aAAc,gBAAO,gBAAP,C;YACd,yBAA  
a,CAAC,MAAD,IAAb,K;;YAEA,WAAW,MAAD,GAAQ,KAAR,IAAqB,EAARb,GAA2B,K;YACtC,UAAW,SAA  
S,IAAV,GAAoB,K;YAC9B,aAAc,gBAAY,OAAL,IAAK,CAAZ,C;YACd,aAAc,gBAAW,OAAL,GAAL,CAAX,C;  
YACd,wBAAa,CAAb,I;;UAIJ,UAAU,CAAV,EAAa,SAAb,EAawB,gBAAxB,C;UACA,aAAc,gBAAO,gBAAP,C  
;;;MAK1B,OAAO,aAAc,W;K;ICtQzB,uC;MAU2D,OAAwB,CAAxB,2BAAwB,mBAAS,SAAT,C;K;IAEnF,oC;M  
AKI,OAAQ,OAawB,mBAAL,SAAK,CAAX,C;K;IAGZ,6C;MAMI,IAAI,cAAS,SAAb,C;QACI,iBAASB,SAAY,Y;  
QACIC,IAAI,kBAAJ,C;UACS,SAAL,eAA+B,iBAAc,SAAd,E;;UAE/B,UAAW,WAAI,SAAJ,C;;;K;IAUnB,6C;M  
AC4B,UAAjB,M;MAAP,OAAO,WAAiB,OAAS,SAAY,YAAjB,4CAA+D,W;K;IAI9E,iC;MACI,gBAAqB,sB;MA

CrB,iBAAsB,E;MACTB,kBAA+B,E;MAC/B,uBAAiC,C;K;uDAEjC,qB;MACc,qBAAV,SAAU,EAAC,EAAd,EAAkB,EAAlB,C;MACV,OAAO,aAAO,W;K;gDAGlB,qB;MAA6D,gBAAR,c;MAAQ,c;;Q3I4IY7C,Q;QAaHb,wBAAgB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UAAAsB,IAAc,O2I5IY+B,c3I4IY7C,C;YAAwB,aAAO,I;YAAP,e;;;QAC9C,aAAO,K;;;M2I7IY8C,iB;K;sDAErD,wC;MACI,KAAK,qBAAL,SAAK,EAAC,MAAd,EAAsB,SAAtB,CAAL,C;QAAyC,M;MAEzC,YAAY,SAAK,M;MACjB,OAAO,aAAP,C;QACI,KAAM,qBAAN,KAAM,EAAC,MAAd,EAAsB,aAAtB,CAAN,C;UAA8C,M;QAC9C,QAAQ,KAAM,M;;;K;sDAItB,wC;MASgB,IAAiB,IAAjB,EA2BE,M;MAnCd,aAAO,gBAAO,MAAP,CAAe,gBAAO,SAAP,C;MACTB,gBAAgB,SAAK,W;MACrB,IAAI,eAAQ,SAAR,CAAJ,C;QACI,aAAO,gBAAO,kCAAP,CAA2C,gBAAO,SAAP,CAAkB,gBAAO,KAAP,C;QACpE,OAAO,K;;;MAEH,cAAY,MAAK,SAAL,C;MAEpB,YAAY,CAAiB,OAAZ,SAAY,MAAjB,2D;MACZ,IAAI,aAAJ,C;Q1HyBG,S0HxBwB,WAAN,KAAM,EAQ,SAAR,C;QAAvB,iBAAoD,KAAK,CAAT,GAAY,CAAZ,GAAMB,KAAe,gBAAf,I;QACnE,IAAI,eAAc,CAAIb,C;UAAqB,aAAO,gBAAO,SAAP,CAAkB,gBAAO,IAAP,C;QAC9C,IAAI,eI68MoC,YAAU,C0G9MID,C;UACI,kBAAW,K;UACX,uBAAgB,U;;;UAehB,QAAQ,wBAaiB,KAAjB,EAawB,UAAxB,C;;;QAEZ,IAAI,M1GgNuC,UAAS,C0GhNpD,C;UAEuB,U;UAAA,IAAI,eAAc,CAAIb,C;YAAA,SAaqB,C;;;Y3Gq+BpC,U;YADhB,YAAY,C;YACI,oB2Gr+B+C,S3Gq+B/C,C;YAAhB,OAAgB,gBAaHb,C;CAAgB,sC;CAAM,I2Gr+BgE,U3Gq+BiD,oB2Gr+BkD,MAAK,E3Gq+BrE,C;gBAawB,qB;;;Y2Gr+Bf,SA4B,I3Gs+BpD,K2Gt+BoD,I;UAA/C,yB;U7GorCC,kB;UADb,YAAY,C;UACC,S6GnrCK,aAN,KAAM,C7GmrCL,W;UAAb,OAAa,gBAAb,C;YAAa,wB;Y6GlrCG,I7GkrCU,oBAAmB,cAAnB,EAAMB,sBAAnB,U6GlrCN,gBAAJ,C;cAA2B,aAAO,uB;YACI C,aAAO,gB7GirCgC,I6GjrChC,CAAa,gBAAO,IAAP,C;;;UAGxB,aAAO,gBAAO,KAAP,CAAc,gBAAO,IAAP,C;;;QAGzB,aAAO,gBAAO,SAAP,CAAkB,gBAAO,IAAP,C;;;MAG7B,iBAaiB,mC;MACjB,IrIuHoD,CqIvHhD,UrIuHiD,UqIvHrD,C;QACI,uBAauB,SAAS,M;QACTB,8B;QAAV,OAAU,gBAAV,C;UAAU,qB;UACJ,qBAAF,CAAE,EAAC,gBAAd,EAAGC,cAAhC,C;;;MAGV,OAAO,I;K;yDAGX,6B;MAIwB,Q;MAHpB,mBAawB,C;MACxB,gBAAqB,C;MACrB,mBAawB,C;MACJ,OzHyIjB,MAAO,KyHzIgB,eAAS,OAAT,GAakB,oBAaiB,IzHyIhB,EyHzIiD,KAAM,OAAN,GAae,UAAf,IzHyIjD,C;MyHzIV,eAAY,CAAZ,oB;QACI,QAAQ,iBAAY,iBAAN,KAAM,CAAN,GAakB,GAAIB,IAAN,C;QACR,IAAI,MAAK,2BAakB,iBAAT,eAAS,CAAT,GAaqB,GAARb,IAAT,CAAT,C;UAA6C,K;QAC7C,IAAI,MAAK,EAAT,C;UACI,8BAAGB,CAAhB,I;UACA,eAAe,S;UACf,YAAY,G;;;MAGpB,IAAI,gBAAGB,CAApB,C;QAAuB,OAAO,K;MAC9B,OAAO,eAAe,CAAf,IAAoB,iBAAY,iBAAN,KAAM,CAAN,IAAmB,YAAnB,GAakC,CAAIc,KAAN,MAA+C,EAAIE,C;QACI,8BAAGB,CAAhB,I;MAGJ,OAAa,YAAN,KAAM,EAAS,YAAT,CAAN,IAA+B,cAAW,eAAe,CAAf,IAAX,uCAA/B,C;K;;;yHC/H+C,Y;MAAQ,W;K;IAEtE,gD;MACKB,UAMP,M;MANO,IAAI,aAAY,CAAhB,C;QACV,Y;;;QAEA,UxBsY8C,MAAW,KwBtY/C,IxBsY+C,EwBtYtC,QxBsYsC,C;QwBrYzD,OAAA,IAAO,OxB2UmC,MAAW,KwB3UpC,KxB2UoC,CwB3UxC,GAAa,GAAnB,CAAP,GAAiC,GAAjC,GxBwV2C,MAAW,MwBxVV,KxBwVU,C;;;MwB5V1D,kB;MAMO,IxByUuC,MAAW,KwBzU1C,OxByU0C,CwBzU9C,GAAe,MAAnB,C;QAEmC,SAa9B,OAAy,SAaQ,QAAR,C;;;QAGpB,exBoU0C,MAAW,KwBpUIC,OxBoUkC,C;QwBnUrD,qBAA8B,QAAy,axBgRC,MAAW,MAvCV,MAAW,OwBzOU,QxByOV,CAuCD,CwBhRA,GAAwB,QAAP,C;QAC1C,SAAI,UAAU,CAAd,GAAiB,MAAG,cAApB,GAAyC,c;;;MAP7C,a;K;IAWJ,6C;MACI,OAAa,KAAY,gBAae,OAaf,EAawB,MAAK,4BAA2B,QAA3B,CAAL,EAAXB,C;K;ICtBQ,4C;MAFrC,e;MAEsC,0B;MAFtC,iB;MAAA,uB;K;IAAA,mC;MAAA,sC;O;MAGI,uEAGY,GAHZ,C;MAIA,yEAGa,MAHb,C;MAIA,yEAGa,SAHb,C;MAIA,+DAGQ,KAHR,C;MAIA,+DAGQ,MAHR,C;MAIA,2DAGM,MAHN,C;MAIA,yDAGK,OAHL,C;K;IAxBA,gD;MAAA,yB;MAAA,wC;K;IAIA,iD;MAAA,yB;MAAA,yC;K;IAIA,iD;MAAA,yB;MAAA,yC;K;IAIA,4C;MAAA,yB;MAAA,oC;K;IAIA,4C;MAAA,yB;MAAA,oC;K;IAIA,0C;MAAA,yB;MAAA,kC;K;IAIA,yC;MAAA,yB;MAAA,iC;K;IA3BJ,+B;MAAA,4Q;K;IAAA,oC;MAAA,a;AAAA,a;UAAA,6C;aAAA,c;UAAA,8C;aAAA,c;UAAA,8C;aAAA,S;UAAA,yC;aAAA,S;UAAA,yC;aAAA,O;UAAA,uC;aAAA,M;UAAA,sC;UAAA,6D;K;IAiCa,4D;MAGW,Q;MADP,0BAA2C,iBAAjB,UAAW,cAAM,EAU,UAAW,cAArB,C;MAEvC,0BAAsB,CAAtB,C;QAA2B,gBAAS,UAAW,cAAX,GAAMB,UAAW,cAAvC,C;QACnB,Y;MAHZ,W;K;IAOJ,oE;MAGW,Q;MADP,0BAA2C,iBAAjB,UAAW,cAAM,EAU,UAAW,cAArB,C;MAEvC,0BAAsB,CAAtB,C;QAA2B,sBAA8C,uBAArC,UAAW,cAAX,GAAMB,UAAW,cAAO,CAA9C,C;QACnB,Y;MAHZ,W;K;IAOJ,8D;MAGW,Q;MADP,0BAA2C,iBAAjB,UAAW,cAAM,EAU,UAAW,cAArB,C;MAEvC,0BAAsB,CAAtB,C;QACI,YAAkD,uBAA

rC,UAAW,cAAX,GAAmB,UAAW,cAAO,C;QACID,aAAa,eAAQ,KAAR,C;QAET,sBAAS,KAAT,GAakB,KAAL  
B,E;UAA2B,a;aAC3B,uBAAQ,CAAR,C;;;aAIR,0BAAsB,CAAtB,C;QAA2B,iBAA8C,uBAArC,UAAW,cAAX,G  
AAmB,UAAW,cAAO,CAA9C,C;;QACnB,Y;MAXZ,W;K;ICrDJ,+B;MAAA,mC;MAUuB,wB;MALf,aAAR,OAA  
O,OAAQ,KAAL,WAAy,IAAG,OAAO,SAAX,IAAwB,CAAC,CAAC,OAAO,SAAS,K;MADpE,sBAGQ,MAHR,G  
AIQ,iBAAa,OAAb,CAJR,GAMQ,qBAAW,OAAX,IAAA,4GACO,+B;K;4CAIf,Y;MAAmC,OAAA,mBAAa,U;K;;  
;IAfpD,2C;MAAA,0C;QAAA,yB;;MAAA,mC;K;IAwB2B,+B;MAAC,sB;K;IAEW,+D;MAAA,0C;MAAS,mB;M  
ACxC,iBAAgB,yBAAQ,S;K;8DACxB,Y;M7HyEG,Q6HxEC,8BAAQ,QAAO,cAAP,C;MAAyB,c9IZIC,EAAI,CA  
AJ,C;M8IY2C,Y9IuF3C,EAAI,CAAJ,C;M8IvFC,OAA4D,aAAR,OAAQ,qCAAR,aAAiD,aAN,KAAM,yCAAjD,  
C;K;;qCAH5D,Y;MAAmC,mD;K;sCAMnC,Y;MAAkC,qC;K;;IAKF,4C;MAAiC,4E;MAAhC,8B;K;2CACjC,Y;M  
AA8B,OAAA,gBAAY,M;K;+CAC1C,Y;MAAkC,2C;K;;IAGtC,6B;MAAA,iC;MAEoC,4E;K;uCACHC,Y;MAA8B  
,OAAe,U;K;2CAC7C,Y;MAAkC,+B;K;;IAJtC,yC;MAAA,wC;QAAA,uB;;MAAA,iC;K;IC1CA,gD;MAQ+B,kBA  
ApB,wBAAC,IAAd,C;MAA0B,I9HgEjC,a;M8HhEA,O9HiEO,W;K;I8H9DX,gD;MAQqD,kBAA1B,gBAAhB,sCA  
AgB,EAAc,IAAd,EAAoB,IAApB,C;MAAiC,sB9HoEID,W8HpEkD,C;MAAxD,O9HqEO,W;K;I+HzFX,yC;MAEk  
D,8B;MAAA,OCGN,aDHWB,yBAAa,QAAb,mCCGxB,ChH+xBgC,sB;K;I+GhyB5E,2C;MhJggIW,kBAAY,gB;M  
AoGH,Q;MAAhB,wBgJ7IIqB,UhJ6IIrB,gB;QAAGB,cgJ7IIK,UhJ6IIrB,M;QAAsB,IAAI,CgJ7IIkB,sBhJ6IIP,OgJ7II  
O,ChJ6IIrB,C;UAAyB,WAAy,WAAI,OAAJ,C;;MgJ7II3D,qBhJ8IIO,W;MgJ7IIP,I1IgNwD,C0IhNpD,c1IgNqD,U0  
IhNzD,C;Q/GgKuC,U;Q+G/JnC,qB/G+JyD,OAAtB,+B+G/Jd,mB/G+Jc,uBAAsB,CAAQ,W;QuGkO7C,kBAAhB,s  
B;QQ/XC,0C;QACA,IAAI,E/G8QoC,0BAAU,C+G9Q9C,CAAJ,C;UACI,2BAAO,GAAP,C;;QAEW,sCAAa,GAA  
b,C;QALnB,sB/H4DG,WuHoUqC,W;QqzXxC,OAAO,I;;MAGX,OAAO,K;K;IAGX,8C;MAOmB,c;;QhJi3YC,Q;  
QAAhB,wBgJj3YI,UhJi3YJ,gB;UAAgB,cgJj3YZ,UhJi3YJ,M;UAAsB,IgJj3YD,sBhJi3Ye,OgJj3Yf,ChJi3YC,C;YA  
AwB,aAAO,I;YAAP,e;;;QAC9C,aAAO,K;;;MgJl3YP,e;QACI,kBAA6B,MAAX,UAAW,C;Q/GyIM,U;Q+GxIb,a/  
GwImC,OAAtB,+B+GxIvB,mB/GwIuB,uBAAsB,CAAQ,W;Q+GxIX,kBC/BjB,aD+BD,MC/BC,ChHg1C6C,uBA  
AzB,CAAyB,C;QbnmB9E,kBAAS,gB;QA2FA,U;QAAA,+B;QAAhB,OAAgB,gBAAhB,C;UAAgB,6B;UAAM,I4  
HzyB4C,4B5HyB9B,S4HzyB8B,C5HyB5C,C;YAAwB,WAAy,WAAI,SAAJ,C;;Q4HzyBtD,sBAAmF,e5H0yBh  
F,W4H1yBgF,EAAa,GAAb,C;QACnF,OAAO,I;;MAGX,OAAO,K;K;IEnCP,iC;MAAQ,8BAAY,IAAK,UAAjB,IA  
A8B,uBAAY,IAAK,mB;K;IAOvD,oC;MAAQ,8BAAY,IAAK,a;K;ICZ7B,4B;MAGI,OAAO,yBAAP,C;QACI,sBA  
AY,mCAAZ,C;;K;IAIR,uC;MAOI,sBAAY,sCAAgB,gBAAE,IAAf,CAA5B,C;MACA,OAAO,S;K;ICbP,4B;MAA  
Q,mB;K;IACR,mC;MACI,eAAO,K;K;IAKX,4B;MAAQ,mB;K;IACR,mC;MACI,eAAO,K;K;IHCbF,sJ;MAEyC,q  
B;QAAA,QAakB,I;MAAM,qB;QAAA,QAakB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,yB;QAAA,YAAsB,I;MA  
AM,kC;QAAA,qBAA+B,I;MAAM,qC;QAAA,wBAakC,K;MAAO,+C;QAAA,kCAA4C,K;MAAO,4C;QAAA,+B  
AAyC,K;MACtT,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAA  
e,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,uBAAF,IAA6B,qB;MAC7  
B,EAAE,iCAAF,IAAuC,+B;MACvC,EAAE,8BAAF,IAAoC,4B;MACpC,OAAO,C;K;+GAw0BX,wD;MAEwC,6B  
;QAAA,gBAAYB,E;MAAL,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;M  
AC/I,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MA  
CIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6EA6CX,4B;MAE6D,iBAAY,KAAZ,C;K;6EAE7D,mC;MAEo  
E,UAAy,KAAZ,IAAqB,K;K;6EAuBzF,4B;MAE8D,iBAAY,KAAZ,C;K;6EAE9D,mC;MAEqE,UAAy,KAAZ,IA  
AqB,K;K;6EAuB1F,4B;MAEqE,iBAAY,KAAZ,C;K;6EAERe,mC;MAE4E,UAAy,KAAZ,IAAqB,K;K;6EAuBjG,  
4B;MAE+D,iBAAY,KAAZ,C;K;6EAE/D,mC;MAEsE,UAAy,KAAZ,IAAqB,K;K;6EAuB3F,4B;MAEgE,iBAAY,  
KAAZ,C;K;6EAEhE,mC;MAEuE,UAAy,KAAZ,IAAqB,K;K;6EAuB5F,4B;MAE6D,iBAAY,KAAZ,C;K;6EAE7  
D,mC;MAEoE,UAAy,KAAZ,IAAqB,K;K;6EAuBzF,4B;MAE8D,iBAAY,KAAZ,C;K;6EAE9D,mC;MAEqE,UAA  
y,KAAZ,IAAqB,K;K;6EAuB1F,4B;MAEiE,iBAAY,KAAZ,C;K;6EAEjE,mC;MAEwE,UAAy,KAAZ,IAAqB,K;  
K;6EAuB7F,4B;MAEkE,iBAAY,KAAZ,C;K;6EAEIE,mC;MAEyE,UAAy,KAAZ,IAAqB,K;K;6GC3oC9F,wD;M  
AEqC,6B;QAAA,gBAA+B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WA  
AqB,K;MACpJ,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAA  
kB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;mIAiCX,+B;MAEgD,mC;QAAA,sBAAGC,K;MAC5  
E,QAAQ,E;MACR,EAAE,qBAAF,IAA2B,mB;MAC3B,OAAO,C;K;4EC9CX,4B;MAEgE,iBAAY,KAAZ,C;K;4E  
AgChE,4B;MAEyE,iBAAY,KAAZ,C;K;4EAIbZ,E,4B;MAEmE,iBAAY,KAAZ,C;K;4EAYnE,4B;MAE0E,iBAA



Y,KAAZ,C;K;oIC7a1E,4H;MAE8C,qB;QAAA,QAAiB,E;MAAI,6B;QAAA,gBAAGC,E;MAAW,iC;QAAA,oBAA  
2D,E;MAAW,iC;QAAA,oBAA2D,E;MAAW,qC;QAAA,wBAmJvJ,U;;MAnJqO,+B;QAAA,kBAmJrO,U;;MAnJ6  
S,4B;QAAA,eAA+B,S;MAC3a,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,eAAF,IAAqB,a;MACrB,E  
AAE,mBAAF,IAAyB,iB;MACzB,EAAE,mBAAF,IAAyB,iB;MACzB,EAAE,uBAAF,IAA6B,qB;MAC7B,EAAE,i  
BAAF,IAAuB,e;MACvB,EAAE,cAAF,IAAoB,Y;MACpB,OAAO,C;K;wIAYX,mC;MAEgD,2B;QAAA,cAAuB,E;  
MAAI,0B;QAAA,aAAsB,E;MAC7F,QAAQ,E;MACR,EAAE,aAAF,IAAmB,W;MACnB,EAAE,YAAF,IAAkB,U;  
MACiB,OAAO,C;K;8HAKEX,+D;MAEqG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAA  
A,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,SA  
AF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;4HAwBX,iE;M  
AE0C,4B;QAAA,eAAwB,E;MAAI,wB;QAAA,WAAyB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAA  
uB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IA  
AgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACHb,  
OAAO,C;K;sGAUqE,qB;MAAQ,OAAW,U;K;sGAEnB,qB;MAAQ,OAAW,U;K;4GAehB,qB;MAAQ,OAAc,a;K;  
wGAS1B,qB;MAAQ,OAAy,W;K;0HAEX,qB;MAAQ,OAAqB,oB;K;kGASnD,qB;MAAQ,OAAS,Q;K;oGAehB,q  
B;MAAQ,OAAU,S;K;sGAejB,qB;MAAQ,OAAW,U;K;wHAEV,qB;MAAQ,OAAoB,mB;K;wHAE5B,qB;MAAQ,  
OAAoB,mB;K;kHAE/B,qB;MAAQ,OAAiB,gB;K;kHAEzB,qB;MAAQ,OAAiB,gB;K;oHASd,qB;MAAQ,OAAkB,  
iB;K;oHAE1B,qB;MAAQ,OAAkB,iB;K;oHAE1B,qB;MAAQ,OAAkB,iB;K;wIAehB,qB;MAAQ,OAA4B,2B;K;4  
FC1MnI,uD;MAE8B,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;  
QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHJ,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,  
QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;M  
ACHb,OAAO,C;K;kGAuBX,sE;MAEiC,6B;QAAA,gBAA8B,I;MAAM,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,S  
AAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvL,QAA  
Q,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,S  
AAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;kGA8DX,8U;  
MAEiC,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UA  
AgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QA  
AA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAA  
O,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAA  
uB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;Q  
AAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;  
MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAu  
B,K;MAAO,wB;QAAA,WAAqB,K;MAC3wB,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,  
O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,I  
AAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,  
UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;  
MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,gBAAF,IAAsB,c;MACtB,E  
AAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,I  
AAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MA  
CZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IA  
AgB,Q;MACHb,OAAO,C;K;wGAgDX,kQ;MAEoC,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO  
sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6  
B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAA  
A,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MA  
AO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,  
K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7IB,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;  
MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBA  
AF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,gBAAF,IAAs  
B,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,

EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;kGAsCX,iX;MAEiC,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,yB;QAAA,YAAkB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACr2B,QAA Q,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,W AAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,E AAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;M ACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF ,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MA CxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iB AAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB ,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAA E,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;kGA2BX, 0E;MAEiC,oB;QAAA,OAAgB,E;MAAI,2B;QAAA,cAAwB,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,S AAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtM,QAA Q,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,MAAF,IAAY,I;MACZ,EAA E,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q; MAChB,OAAO,C;K;wGAmDX,4S;MAEoC,mB;QAAA,MAAe,E;MAAI,oB;QAAA,OAAgB,E;MAAI,wB;QAAA ,WAAiB,C;MAAG,sB;QAAA,SAAmB,K;MAAO,2B;QAAA,cAAwB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,w B;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K ;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,g BAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO, 8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C; MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjtB,QAAQ,E;M ACR,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QA AF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAC hB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAA F,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a; MACrB,EAAE,iBA AF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EA AE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IA Ac,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OA AO,C;K;8GAuBX,6D;MAEuC,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;M AAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7K,QAAQ,E;MAC R,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe, O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wECnBX,4B;MAEyE,iB AAY,KAAZ,C;K;wEAzE,2B;MAEgG,iBAAY,IAAZ,C;K;wEAwBhG,oC;MAE+F,UAAAY,KAAZ,IAAqB,M;K;w EAmFpH,2B;MAEqE,iBAAY,IAAZ,C;K;wEAErE,kC;MAE2E,UAAAY,IAAZ,IAAoB,K;K;wEAAssC/F,4B;MAEyE, iBAAY,KAAZ,C;K;wEA0BzE,4B;MAEyE,iBAAY,KAAZ,C;K;wEAsBzE,4B;MAEuE,iBAAY,KAAZ,C;K;wEAy BvE,4B;MAE6E,iBAAY,KAAZ,C;K;2FA4C7E,gD;MAEiC,qB;QAAA,QAAiD,I;MAAM,uB;QAAA,UAAoB,K;M AAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACiK,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MAC b,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;uE

A+UX,4B;MAEuE,iBAAY,KAAZ,C;K;wEAEvE,2B;MAE6F,iBAAY,IAAZ,C;K;wEAqN7F,4B;MAEyE,iBAAY, KAAZ,C;K;wEAEzE,oC;MAE2F,UAAy,KAAZ,IAAqB,M;K;+FAuehH,wD;MAEmC,6B;QAAA,gBAA8B,I;MA AM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR, EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAA gB,Q;MAChB,OAAO,C;K;uGAuIX,mB;MAEuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MACR,EAAE,SAAF,I AAE,O;MACf,OAAO,C;K;+HAyCX,iB;MAEmD,qB;QAAA,QAAkB,I;MACjE,QAAQ,E;MACR,EAAE,OAAF,IA Aa,K;MACb,OAAO,C;K;+FA0MX,sE;MAEmC,oB;QAAA,OAAgB,I;MAAM,wB;QAAA,WA0+G4B,S;;MA1+G wB,kB;QAAA,KAAc,E;MAAI,wB;QAAA,WAAoB,I;MAAM,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAAoB,I; MAAM,qB;QAAA,QAAiB,I;MAAM,oB;QAAA,OAAgB,I;MACnP,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MAC Z,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,IAAF,IAAU,E;MACV,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF, IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO, C;K;qIAGDX,iB;MAEsD,qB;QAAA,QAAkB,I;MACpE,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,OAAO,C; K;+GAKBX,qB;MAE2C,yB;QAAA,YAAmB,S;MAC1D,QAAQ,E;MACR,EAAE,SAAF,IAAe,S;MACf,OAAO,C; K;wEAKCX,4B;MAEqF,iBAAY,KAAZ,C;K;yFAgCrF,4V;MAEgC,4B;QAAA,eAA8B,I;MAAM,uB;QAAA,UAA gB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAA A,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB ;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;M AAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iB AA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6 B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I ;MAAM,sB;QAAA,SAAc,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WA AqB,K;MAC9yB,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,I AAE,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,S AAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf, EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAA wB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;M ACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE ,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAA Y,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,U AAF,IAAgB,Q;MAChB,OAAO,C;K;wEAWEX,2B;MAE+D,iBAAY,IAAZ,C;K;iGA2D/D,gD;MAEoC,qB;QAAA, QAAc,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACII,QAA Q,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,U AAF,IAAgB,Q;MAChB,OAAO,C;K;qGA2BX,yD;MAEsC,sB;QAAA,SAAkB,E;MAAI,sB;QAAA,SAAkB,E;MA AI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC5J,QAAQ,E;MACR, EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB, U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;6GAuBX,oD;MAE0C,yB;QAAA,YAAsB,K;MAAO,uB; QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE, WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q; MAChB,OAAO,C;K;2FAoFX,kF;MAEiC,uB;QAAA,UAAmB,E;MAAI,wB;QAAA,WAAoB,E;MAAI,sB;QAAA, SAAc,C;MAAG,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAA A,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjN,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF ,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EA AE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;iHAyBX ,0D;MAEqE,sB;QAAA,SAAc,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA, WAAqB,K;MACzK,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,I AAE,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wEAmXX,4B;MAE kE,iBAAY,KAAZ,C;K;wEAEIE,2B;MAEoE,iBAAY,IAAZ,C;K;wEUpE,4B;MAEsE,iBAAY,KAAZ,C;K;wEAE tE,2B;MAEwE,iBAAY,IAAZ,C;K;wEAaxE,4B;MAE+D,iBAAY,KAAZ,C;K;wEAE/D,2B;MAEiE,iBAAY,IAAZ,

C;K;mGA0CjE,8G;MAEqC,gC;QAAA,mBAooF8C,M;;MApoFe,gC;QAAA,mBAmpFT,S;;MANpFyE,oC;QAAA,  
uBA8pFjE,S;;MA9pF6I,2B;QAAA,cAAoB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,6B;QAAA,gBAyqFIO,K;;MA  
xqFvE,QAAQ,E;MACR,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,sBAAF,I  
AA4B,oB;MAC5B,EAAE,aAAF,IAAmB,W;MACnB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,eAAF,IAAqB,a;MA  
CrB,OAAO,C;K;+FAwCX,mF;MAEmC,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAakB,E;MAAI,2B;QAAA,cAA  
uB,E;MAAI,sB;QAAA,SAAYC,I;MAAM,qB;QAAA,QAA6B,E;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA  
,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACxQ,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF  
,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,E  
AAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6FA4  
BX,2B;MAEkC,+B;QAAA,kBAA4B,K;MAC1D,QAAQ,E;MACR,EAAE,iBAAF,IAAuB,e;MACvB,OAAO,C;K;2  
FA2DX,iE;MAEiC,wB;QAAA,WAAqB,K;MAAO,oB;QAAA,OAAe,C;MAAG,sB;QAAA,SAakB,E;MAAI,uB;Q  
AAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,U  
AAF,IAAgB,Q;MACHb,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MAC  
f,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;yFA8FX,6B;MAEgC,oB;QAAA,  
OA+7E6C,S;;MA/7EL,2B;QAAA,cCl2He,M;;MDm2HnF,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,  
aAAF,IAAmB,W;MACnB,OAAO,C;K;wEAoDX,0B;MAE+D,iBAAY,GAZ,C;K;wEAE/D,iC;MAEqE,UAAAY,G  
AAZ,IAAmB,K;K;+FAoDxF,oF;MAEmC,mB;QAAA,MAAe,I;MAAM,wB;QAAA,WAAoB,I;MAAM,wB;QAAA  
,WAAoB,I;MAAM,mB;QAAA,MAAe,E;MAAI,2B;QAAA,cAAwB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;Q  
AAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvO,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,  
UAAF,IAAgB,Q;MACHb,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,KAAF,IAAW,G;MACX,EAAE,aAAF,IAAmB  
,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAA  
O,C;K;iFAwNX,yC;MAE4B,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;  
MACtG,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;  
MACHb,OAAO,C;K;6FAwBX,iD;MAEkC,sB;QAAA,SAaE,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,a  
AAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IA  
Ae,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;uGASX,mB;MAEuC,  
uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GAYX,kC;MAE0C,u  
B;QAAA,UAAoB,K;MAAO,oB;QAAA,OAAiB,K;MAAO,uB;QAAA,UAAoB,K;MAC7G,QAAQ,E;MACR,EAA  
E,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;wEakEX,4B;M  
AE6D,iBAAY,KAAZ,C;K;wEAU7D,4B;MAEsE,iBAAY,KAAZ,C;K;wEAeEtE,2B;MAEwE,iBAAY,IAAZ,C;K;u  
GAsCxE,oH;MAEuC,yB;QAAA,YAAsB,K;MAAO,0B;QAAA,aAAuB,S;MAAW,6B;QAAA,gBAA0B,S;MAAW,  
uB;QAAA,UAAoB,K;MAAO,iC;QAAA,oBAA8B,S;MAAW,qC;QAAA,wBAakC,S;MAAW,+B;QAAA,kBAak  
C,S;MAC1R,QAAQ,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,eAAF,IA  
AqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,mBAAF,IAAYB,iB;MACzB,EAAE,uBAAF,IAA6B,qB;MAC  
7B,EAAE,iBAAF,IAAuB,e;MACvB,OAAO,C;K;mGAgFX,oB;MAEqC,wB;QAAA,WAAqB,K;MACtD,QAAQ,E;  
MACR,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;wEA+MX,2B;MAEiE,iBAAY,IAAZ,C;K;2GakCjE,c;MAE  
yC,kB;QAAA,KAAgB,S;MACrD,QAAQ,E;MACR,EAAE,IAAF,IAAU,E;MACV,OAAO,C;K;2FAuMX,gB;MAG  
I,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;wEAgBX,4B;MAEiE,iBAAY,KAAZ,C;K;wEAEjE,  
oC;MAE4E,iBAAY,aAAZ,C;K;wEAuT5E,4B;MAEmE,iBAAY,KAAZ,C;K;uFA2CnE,sB;MAE+B,iB;QAAA,IAA  
a,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAC9F,QAAQ,E;MACR,E  
AAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;  
MACT,OAAO,C;K;qFA0CX,+B;MAE8B,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,qB;QAAA,QAAi  
B,G;MAAK,sB;QAAA,SAakB,G;MACtG,QAAQ,E;MACR,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C  
;MACT,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,OAAO,C;K;wEAOX,4B;MAEmE,iBAAY,K  
AAZ,C;K;yFAiHnE,oB;MAEgC,wB;QAAA,WAY2B+C,M;;MAx2B3E,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;  
MACHb,OAAO,C;K;6FAeX,+B;MAEkC,oB;QAAA,OAAgB,S;MAAW,mB;QAAA,MAAe,S;MAAW,wB;QAAA,  
WAq1BR,M;;MAp1B3E,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MACX,EAAE,  
UAAF,IAAgB,Q;MACHb,OAAO,C;K;6GAWCX,yD;MAE0C,qB;QAAA,QAAiB,E;MAAI,uB;QAAA,UAAoB,K;

MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpK,QAAQ,E;M  
ACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAA  
kB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;yGAIcX,mC;MAEWc,qB;QAAA,QA2wByD,Q;MA  
3wBK,sB;QAAA,SA2wBL,Q;MA3wBoE,wB;QAAA,WA4vBtF,M;MA3vB3E,QAAQ,E;MACR,EAAE,OAAF,I  
AAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;2FAYX,2B;MAEiC,m  
B;QAAA,MAuWb0C,Q;MAvwBJ,0B;QAAA,aAAsB,S;MACzF,QAAQ,E;MACR,EAAE,KA AF,IAAW,G;MACX  
,EAAE,YAAF,IAAkB,U;MACIB,OAAO,C;K;+GAYX,0B;MAE2C,uB;QAAA,UaqvBgC,Q;MARvBU,qB;QAAA,  
QAqvBV,Q;MApvBvE,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;  
wEAgCX,4B;MAE+D,iBAAY,KAAZ,C;K;qFAyaY,qB;MAAQ,OAAU,S;K;6FAEd,qB;MAAQ,OAAc,a;K;uFAEz  
B,qB;MAAQ,OAAW,U;K;iFASxB,qB;MAAQ,OAAG,E;K;iFAEX,qB;MAAQ,OAAQ,O;K;uFAEb,qB;MAAQ,OA  
AW,U;K;uFAS3B,qB;MAAQ,OAAW,U;K;mFAErB,qB;MAAQ,OAAS,Q;K;qFAEhB,qB;MAAQ,OAAU,S;K;yFA  
ShB,qB;MAAQ,OAA Y,W;K;uFAErB,qB;MAAQ,OAAW,U;K;+FAEf,qB;MAAQ,OAAe,c;K;uFAE3B,qB;MAAQ,  
OAAW,U;K;uFAEnB,qB;MAAQ,OAAW,U;K;mFASrB,qB;MAAQ,OAAS,Q;K;iFAEIB,qB;MAAQ,OAAQ,O;K;6  
EAEIB,qB;MAAQ,OAAM,K;K;uFAET,qB;MAAQ,OAAW,U;K;qFASIB,qB;MAAQ,OAAU,S;K;qFAEIB,qB;MA  
AQ,OAAU,S;K;6EASR,qB;MAAQ,OAAM,K;K;mFAEX,qB;MAAQ,OAAS,Q;K;+EAEnB,qB;MAAQ,OAAO,M;  
K;+EAS/B,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;mFAEf,qB;MAAQ,OAAS,Q;K;mFAShB,qB;  
MAAQ,OAAQ,O;K;iFAEhB,qB;MAAQ,OAAQ,O;K;iFAEhB,qB;MAAQ,OAAQ,O;K;mFASd,qB;MAAQ,OAAQ,  
O;K;+EAEIB,qB;MAAQ,OAAM,K;K;+EAEB,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;mFAEf,qB;  
MAAQ,OAAS,Q;K;6EASd,qB;MAAQ,OAAM,K;K;qFAEV,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,  
Q;K;2FAEb,qB;MAAQ,OAAa,Y;K;6FAEpB,qB;MAAQ,OAAc,a;K;mFAE3B,qB;MAAQ,OAAS,Q;K;6EAS1B,qB  
;MAAQ,OAAM,K;K;6EAEEd,qB;MAAQ,OAAM,K;K;qFAEV,qB;MAAQ,OAAU,S;K;+EASjB,qB;MAAQ,OAAO,  
M;K;mFAEb,qB;MAAQ,OAAS,Q;K;+EASrB,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;iFASjB,qB;  
MAAQ,OAAO,M;K;6FAER,qB;MAAQ,OAAc,a;K;qFAE1B,qB;MAAQ,OAAU,S;K;iFASb,qB;MAAQ,OAAO,M;  
K;uFAEZ,qB;MAAQ,OAAU,S;K;yFAS9B,qB;MAAQ,OAA Y,W;K;+EAE1B,qB;MAAQ,OAAM,K;K;qFAEX,qB;  
MAAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;+EASrB,qB;MAAQ,OAAO,M;K;6FAER,qB;MAAQ,OAAc,  
a;K;qFAS1B,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;+EASX,qB;MAAQ,OAAO,M;K;mFAEb,q  
B;MAAQ,OAAS,Q;K;iFASnB,qB;MAAQ,OAAO,M;K;qFAEZ,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAA  
S,Q;K;kFASj,qB;MAAQ,OAAQ,O;K;oFAEf,qB;MAAQ,OAAS,Q;K;8EAEPB,qB;MAAQ,OAAM,K;K;oFAEV,q  
B;MAAQ,OAAU,S;K;mFASzC,qB;MAAQ,OAAS,Q;K;mFAEjB,qB;MAAQ,OAAS,Q;K;qFAEhB,qB;MAAQ,OA  
AU,S;K;qFAEIB,qB;MAAQ,OAAU,S;K;wIEx+M7E,wM;MAEiD,qB;QAAA,QAakB,I;MAAM,sB;QAAA,SAAM  
B,I;MAAM,2B;QAAA,cAAwB,I;MAAM,yB;QAAA,YAAsB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,a  
AAuB,I;MAAM,sB;QAAA,SAAMB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,gC;QAA  
A,mBAA6B,I;MAAM,+B;QAAA,kBAA4B,I;MAAM,gC;QAAA,mBAA6B,I;MAAM,uB;QAAA,UAAoB,I;MAA  
M,4B;QAAA,eAAyB,I;MAAM,wB;QAAA,WAAqB,I;MAAM,uB;QAAA,UAAoB,I;MACrF,QAAQ,E;MACR,EA  
AE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,  
S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,QAAF,IAAc,M;MACd,EAAE  
,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IA  
AuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB  
,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;wHAsDX,wM;MAEYc,qB;QAAA,Q  
AAqB,S;MAAW,sB;QAAA,SAAsB,S;MAAW,2B;QAAA,cAA4B,S;MAAW,yB;QAAA,YAA0B,S;MAAW,0B;Q  
AAA,aAA6B,S;MAAW,0B;QAAA,aAA6B,S;MAAW,sB;QAAA,SAAuB,S;MAAW,0B;QAAA,aAA0B,S;MAAW  
,0B;QAAA,aAA0B,S;MAAW,gC;QAAA,mBAAoC,S;MAAW,+B;QAAA,kBAAmC,S;MAAW,gC;QAAA,mBAA  
oC,S;MAAW,uB;QAAA,UAAwB,S;MAAW,4B;QAAA,eAA4B,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QA  
AA,UAAmB,S;MACtnB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aA  
AF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U  
;MACIB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,  
kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,I  
AAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OA

AO,C;K;sHAYX,kN;MAEwC,wB;QAAA,WAA4C,S;MAAW,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,SAAkB,S;  
MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aA  
AsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,gC;QAA  
A,mBAA4B,S;MAAW,+B;QAAA,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;M  
AAW,4B;QAAA,eAAwB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MAC9IB,QAAQ,E;M  
ACR,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,  
IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;M  
ACIB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kB  
AAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IA  
Ae,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAA  
O,C;K;0HAsDX,wM;MAE0C,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;M  
AAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,sB;QAAA,SAAk  
B,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,+B;QAA  
A,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAwB,S;MAA  
W,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACziB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb  
,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,I  
AAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACIB  
,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kB  
AAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;  
MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;gHAYDX,wM;MAEqC,qB;QAAA,QAAc,S;MAAW,sB;QAAA,  
SAAe,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;Q  
AAA,aAAsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAmB,S;MAAW,0B;QAAA,aAAmB,S;MAA  
W,gC;QAAA,mBAA6B,S;MAAW,+B;QAAA,kBAA4B,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,uB;QAAA,UA  
AmB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACxB,Q  
AAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EA  
AE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,QAAF,IA  
Ac,M;MACd,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kBAAF,IAAwB,gB;MACx  
B,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAA  
F,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;8HAqBX,gD;M  
AEsE,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAChJ,QAAQ,E;MAC  
R,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAA  
gB,Q;MAChB,OAAO,C;K;sIAoBX,gD;MAEgD,qB;QAAA,QAAiB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;Q  
AAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SA  
AF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wHAWCX,wB;  
MAEyC,qB;QAAA,QAAiB,K;MAAO,qB;QAAA,QAAiB,K;MAC9E,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MA  
Cb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;kGAYBX,oB;MAE8B,mB;QAAA,MAAe,S;MAAW,mB;QAAA,MA  
Ae,S;MACnE,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;oHA  
YX,kC;MAEuC,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,mB;QAAA,MAAe,S;MAAW,mB;Q  
AAA,MAAe,S;MACpI,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,KAA  
F,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;gGAYX,oB;MAE6B,mB;QAAA,MAAY,S;MAA  
W,mB;QAAA,MAAY,S;MAC5D,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MAC  
X,OAAO,C;K;kHAYX,kC;MAEsC,qB;QAAA,QAAc,S;MAAW,qB;QAAA,QAAc,S;MAAW,mB;QAAA,MAAY,  
S;MAAW,mB;QAAA,MAAY,S;MACvH,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;  
MACb,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;gIAeX,wB;MAE6C,qB;QAA  
A,QAAkB,S;MAAW,qB;QAAA,QAAkB,S;MACxF,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF  
,IAAa,K;MACb,OAAO,C;K;oIAeX,wB;MAE+C,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MACxF,QA  
AQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;4FAKX,Y;MAGI,QAAQ,E  
;MACR,OAAO,C;K;oFAKX,Y;MAGI,QAAQ,E;MACR,OAAO,C;K;8FAKX,Y;MAGI,QAAQ,E;MACR,OAAO,C

;K;kGASX,oB;MAE8B,wB;QAAA,WAAkC,S;MAC5D,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHB,OAA  
O,C;K;4FAUmE,qB;MAAQ,OAAO,M;K;8FAEd,qB;MAAQ,OAAQ,O;K;4FASrB,qB;MAAQ,OAAO,M;K;0GAE  
R,qB;MAAQ,OAAc,a;K;8FAE7B,qB;MAAQ,OAAO,M;K;gGAEd,qB;MAAQ,OAAQ,O;K;8FASjB,qB;MAAQ,O  
AAO,M;K;gHAEL,qB;MAAQ,OAAiB,gB;K;wGASrC,qB;MAAQ,OAAa,Y;K;0GAEpB,qB;MAAQ,OAAc,a;K;w  
GAEvB,qB;MAAQ,OAAa,Y;K;oFCroB7F,4B;MAE6E,iBAAY,KAAZ,C;K;iGASnB,qB;MAAQ,OAAS,Q;K;6FAE  
nB,qB;MAAQ,OAAO,M;K;+FAEd,qB;MAAQ,OAAQ,O;K;iGASF,qB;MAAQ,OAAU,S;K;+FAEnB,qB;MAAQ,O  
AAS,Q;K;mGAS3B,qB;MAAQ,OAAW,U;K;mGAEnB,qB;MAAQ,OAAW,U;K;6GC1D/E,mb;MAEmC,yB;QAA  
A,YAAkB,C;MAAG,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,wB;QAAA,WAAmB,G;MAAI,k  
C;QAAA,qBAA6B,G;MAAI,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAA  
G,2B;QAAA,cAAuB,E;MAAI,yB;QAAA,YAAsB,K;MAAO,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;  
MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UA  
AkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QA  
AA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MA  
AO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBA  
A0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;  
QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAGB,I;MAAM,sB;QAAA,SAAE,C;MA  
AG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACl/B,QAAQ,E;MACR  
,EAAE,WAAF,IAAiB,S;MACjB,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAg  
B,Q;MACHB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EA  
AE,OAAF,IAAa,K;MACb,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,  
O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,I  
AAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE  
,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MA  
Cf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EA  
AE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IA  
0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC  
1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAk  
B,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6GC1BX,0C;MAEwC,oB;QAAA,OAAiB,I;MAAM,sB  
;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MACpI,QAAQ,E;MACR,EAAE,  
MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,  
OAAO,C;K;4EAmIX,4B;MAEKe,iBAAY,KAAZ,C;K;4EAEIE,qC;MAE2E,UAAAY,KAAZ,IAAqB,O;K;4EAIbhG,  
4B;MAEuE,iBAAY,KAAZ,C;K;4EAEvE,qC;MAE+E,UAAAY,KAAZ,IAAqB,O;K;4EAIbP,G,4B;MAEuE,iBAAY,  
KAAZ,C;K;4EAEvE,qC;MAE+E,UAAAY,KAAZ,IAAqB,O;K;4EAIgP,G,4B;MAEoE,iBAAY,KAAZ,C;K;2EAEpE,  
qC;MAE4E,UAAAY,KAAZ,IAAqB,O;K;4EAKcJ,G,4B;MAE6E,iBAAY,KAAZ,C;K;4EAE7E,qC;MAEQf,UAAAY,K  
AAZ,IAAqB,O;K;4EAgP1G,4B;MAEQe,iBAAY,KAAZ,C;K;4EAErE,qC;MAE6E,UAAAY,KAAZ,IAAqB,O;K;uFJ  
57BIG,+H;MAE8B,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAAmB,S;MAAW,oB;QAAA,OAAGB,S;MAAW,w  
B;QAAA,WAAoB,S;MAAW,8B;QAAA,iBAA0B,S;MAAW,oB;QAAA,OAAGB,S;MAAW,2B;QAAA,cAAmC,S;  
MAAW,qB;QAAA,QAAuB,S;MAAW,wB;QAAA,WAA6B,S;MAAW,yB;QAAA,YAAqB,S;MAAW,yB;QAAA,  
YAAsB,S;MAAW,wB;QAAA,WAAe,S;MAC5Z,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IA  
Ae,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,gBAAF,IAAsB,c;MACtB,EA  
AE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,OAAF,IAAa,K;MACb,EAAE,UAAF,IAAgB,  
Q;MACHB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,QAAF,IAAc,Q;MACd,OAAO  
,C;K;yFA0CX,uC;MAE+B,sB;QAAA,SAAiB,G;MAAK,0B;QAAA,aAAAsB,I;MAAM,uB;QAAA,UAAmB,S;MAC  
hG,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACIB,EAAE,SAAF,IAAe,O;MACf  
,OAAO,C;K;qFAUgD,qB;MAAQ,OAAG,E;K;mFAEX,qB;MAAQ,OAAQ,O;K;iFAEjB,qB;MAAQ,OAAO,M;K;  
mFAEd,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;mFAEIB,qB;MAAQ,OAAQ,O;K;mFAEhB,qB;M  
AAQ,OAAQ,O;K;mFAEhB,qB;MAAQ,OAAQ,O;K;qFASF,qB;MAAQ,OAAG,E;K;yFAER,qB;MAAQ,OAAW,U  
;K;mFAEtB,qB;MAAQ,OAAQ,O;K;mFAEjB,qB;MAAQ,OAAO,M;K;qFAEd,qB;MAAQ,OAAQ,O;K;yFAEb,qB;

MAAQ,OAAW,U;K;mFAEtB,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;qFAEjB,qB;MAAQ,OAAS,Q;K;uFAEjB,qB;MAAQ,OAAS,Q;K;mGAEV,qB;MAAQ,OAAgB,e;K;iGAZB,qB;MAAQ,OAe,c;K;qFAE9B,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;yFASzB,qB;MAAQ,OAAW,U;K;+FAEhB,qB;MAAQ,OAac,a;K;uFAE1B,qB;MAAQ,OAAU,S;K;iFAErB,qB;MAAQ,OAAO,M;K;iFASD,qB;MAAQ,OAAO,M;K;iGAER,qB;MAAQ,OAac,a;K;uFAE1B,qB;MAAQ,OAAU,S;K;yFAS9B,qB;MAAQ,OAAU,S;K;yFAEjB,qB;MAAQ,OAAW,U;K;qFAErB,qB;MAAQ,OAAS,Q;K;yFAEf,qB;MAAQ,OAAW,U;K;+FAEhB,qB;MAAQ,OAac,a;K;qGAEnB,qB;MAAQ,OAAiB,gB;K;qFAS3B,qB;MAAQ,OAAS,Q;K;mFAE1B,qB;MAAQ,OAAQ,O;K;uFAEf,qB;MAAQ,OAAS,Q;K;mFASxB,qB;MAAQ,OAAQ,O;K;mFAEjB,qB;MAAQ,OAAO,M;K;yFAEZ,qB;MAAQ,OAAU,S;K;qFAEpB,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;qGAET,qB;MAAQ,OAAiB,gB;K;+FKnR/F,gB;MAEkC,oB;QAAA,OAAGB,E;MAC9C,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;+FAiBX,8B;MAEkC,4B;QAAA,eAAqB,S;MAAW,oB;QAAA,OAAGB,E;MAC9E,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;0EAUX,4B;MAE6D,iBAAY,KAAZ,C;K;+GC6B7D,sJ;MAEsC,mB;QAAA,MA4GuD,M;;MA5GG,oB;QAAA,OAAGB,E;MAAI,oB;QAAA,OAAGB,E;MAAI,mB;QAAA,MAAe,E;MAAI,qB;QAAA,QAAiB,S;MAAW,oB;QAAA,OAAGB,S;MAAW,qB;QAAA,QA AiB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,uB;QAAA,UAAmB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,kC;QAAA,qBAA+B,K;M AAO,sB;QAAA,SAAmB,K;MAAO,oB;QAAA,OAAa,I;MAAM,uB;QAAA,UAAc,E;MAC/gB,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MACX,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,UAAF,IAAgB,Q;MAC hB,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,QA AF,IAAc,M;MACd,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GAWX,+B;MAEsE,oB;QAAA,OAAGB,S;MACIF,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAA E,MAAF,IAAY,I;MACZ,OAAO,C;K;qHASX,e;MAEyC,mB;QAAA,MAAe,E;MACpD,QAAQ,E;MACR,EAAE, KAAF,IAAW,G;MACX,OAAO,C;K;mHAYBX,+D;MAEqE,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;M AAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACrK,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MA CpB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,I AAgB,Q;MAChB,OAAO,C;K;iGAUwE,qB;MAAQ,OAAU,S;K;6FAEnB,qB;MAAQ,OAAS,Q;K;+FAEhB,qB;M AAQ,OAAU,S;K;2FASvB,qB;MAAQ,OAAO,M;K;yFAEhB,qB;MAAQ,OAAM,K;K;yFAEd,qB;MAAQ,OAAM, K;K;yGCrJ3F,uB;MAEsC,qB;QAAA,QAAiB,S;MAAW,oB;QAAA,ORy9MW,S;;MQx9MzE,QAAQ,E;MACR,EA AE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;6HAuCX,mF;MAEgD,oB;QAAA,OAAa,S; MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,sB;QAAA,SAA2C,S;MAAW,qB;QAAA,QA A6B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/S,QAA Q,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAA E,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MA CIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;uGA2DX,qC;MAEqC,mC;QAAA,sBAAGC,K;MAAO,oB;QAA A,OA4UD,Q;;MA3UvE,QAAQ,E;MACR,EAAE,qBAAF,IAA2B,mB;MAC3B,EAAE,MAAF,IAAY,I;MACZ,OA AO,C;K;yGAmBX,yC;MAEsC,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB, K;MAChH,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB, Q;MAChB,OAAO,C;K;yGAsBX,2B;MAGI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe, O;MACf,OAAO,C;K;+FA8BX,sE;MAEoD,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAqB,K;MAAO,uB;QA AA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpL,QAAQ,E;MACR,EAAE,SA AF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MA Cf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;6GAuBX,0D;MAE2D,sB;QAA A,SAAkB,M;MAAQ,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/J, QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE, YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;2GAaX,qC;MAE4D,sB;QAAA,SAAkB,S; MAAW,uB;QAAA,UAA0B,S;MAC/G,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;



MACd,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;uHAuCX,mF;MAE6C,oB;QAAA,OAAa,S;MAAW,sB;QAAA,S  
AAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,sB;QAAA,SAAmD,S;MAAW,qB;QAAA,QAA6B,S;MAAW,uB;Q  
AAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpT,QAAQ,E;MACR,EAAE,M  
AAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MA  
Cd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IA  
AgB,Q;MACHb,OAAO,C;K;qGA+BX,6D;MAEoC,4B;QAAA,eAAyB,K;MAAO,4B;QAAA,eAAyB,K;MAAO,0B  
;QAAA,aAAuB,K;MAAO,yB;QAAA,YAAqB,S;MACnJ,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAA  
E,cAAF,IAAoB,Y;MACpB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,WAAF,IAAiB,S;MACjB,OAAO,C;K;yGAKB  
X,4C;MAEsC,oB;QAAA,OAAgB,S;MAAW,uB;QAAA,UAAoB,S;MAAW,wB;QAAA,WAAsB,S;MAAW,uB;QA  
AA,UAA8B,S;MAC3J,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,EAAE,UAA  
F,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;+FAkCmE,qB;MAAQ,OAAa,Y;K;6FAEtB,qB;MA  
AQ,OAAy,W;K;+FAEnB,qB;MAAQ,OAAa,Y;K;6FAEtB,qB;MAAQ,OAAy,W;K;6FAEpB,qB;MAAQ,OAAy,  
W;K;6FAStC,qB;MAAQ,OAAy,W;K;6FAEpB,qB;MAAQ,OAAy,W;K;uFAEvB,qB;MAAQ,OAAS,Q;K;qFAEn  
B,qB;MAAQ,OAAO,M;K;uFASX,qB;MAAQ,OAAS,Q;K;yFAEjB,qB;MAAQ,OAAS,Q;K;qGAEX,qB;MAAQ,O  
AAe,c;K;iFAEhC,qB;MAAQ,OAAM,K;K;iGCharE,0E;MAEoC,gC;QAAA,mBAA6B,K;MAAO,sB;QAAA,SAAk  
B,C;MAAG,qB;QAAA,QAAiB,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA  
,WAAqB,K;MAC3L,QAAQ,E;MACR,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,QAAF,IAAc,M;MACd,EAAE,  
OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MA  
ChB,OAAO,C;K;mFAU8E,qB;MAAQ,OAAG,E;K;+FAEL,qB;MAAQ,OAac,a;K;iFAE7B,qB;MAAQ,OAAO,M;  
K;yFAEX,qB;MAAQ,OAAW,U;K;+EAEvB,qB;MAAQ,OAAO,M;K;+EAEf,qB;MAAQ,OAAO,M;K;oEtJlvG,yB  
;MAAA,kF;MAAA,0B;MAAA,uB;QAaI,IAAI,OAAO,CAAP,IAA8B,OAAO,KAAzC,C;UACI,MAAM,8BAAYB,  
wBAAqB,IAA9C,C;;QAEV,OAAy,OAAL,IAAK,C;O;KAhBhB,C;0EAwCiC,qB;MAAQ,OAAA,SAAK,I;K;IuInB  
V,6B;MAAC,qB;QAAA,8C;MAAA,kB;K;IACjC,2C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,yC;MAAA,4C;O;  
MAKI,0E;MAEA,sE;K;;IAFA,kD;MAAA,+B;MAAA,0C;K;;IAEA,gD;MAAA,+B;MAAA,wC;K;;IAPJ,qC;MAA  
A,yF;K;;IAAA,0C;MAAA,a;aAAA,S;UAAA,+C;aAAA,O;UAAA,6C;;UAAA,8D;;K;;IA0BmC,sC;MACnC,8B;K;  
;IAMqC,sC;MACrC,8B;K;;IC5DJ,iC;K;;ICMA,4B;K;;IA6BA,gD;K;;IC5BA,qC;K;;IA0BA,+B;K;;ICNqC,uC;MA  
CjC,uB;QAAA,UAAsB,E;MACtB,qB;QAAA,+C;MADA,sB;MACA,kB;K;IAEA,4C;MAAA,e;MAAA,iB;MAAA,  
uB;K;IAAA,0C;MAAA,6C;O;MAKI,4E;MAGA,wE;K;;IAHA,mD;MAAA,gC;MAAA,2C;K;;IAGA,iD;MAAA,gC  
;MAAA,yC;K;;IARJ,sC;MAAA,2F;K;;IAAA,2C;MAAA,a;aAAA,S;UAAA,gD;aAAA,O;UAAA,8C;;UAAA,+D;;  
K;;IAyByB,4B;MACzB,8B;K;;IC/C4C,8B;K;kDAI5C,mB;MAA6D,c;;QrJ2rD7C,Q;QADhB,IAAI,mCAAsB,cAA  
1B,C;UAAqC,aAAO,K;UAAP,e;;QACrB,sB;QAaHb,OAAGB,cAAhB,C;UAAgB,2B;UAAM,IqJ3rD6C,OrJ2rD/B,  
SqJ3rD+B,UrJ2rD7C,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;MqJ5rDsD,iB;K;uDAE7D,oB;MACa,c;;Qr  
JmqDG,Q;QADhB,IAAI,cqJlqDA,QrJkqDA,iBqJlqDA,QrJkqDsB,UAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,O  
qJnqDZ,QrJmqDY,W;QAaHb,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CqJnqDP,oBrJmqDkB,OqJnqDlB,CrJ  
mqDG,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MqJpqDH,iB;K;2CAEJ,Y;MAAkC,qBAAQ,C;K;IAEqB,q  
E;MAAA,qB;QAC3D,OAAL,OAAO,uBAAX,GAAiB,mBAAjB,GAA6C,SAAH,EAAG,C;O;K;4CADjD,Y;MAAk  
C,4BAAa,IAAb,EAAmB,GAAmB,EAAwB,GAAxB,kBAA6B,wCAA7B,C;K;2CAIIC,Y;MAI4C,uBAAgB,IAAhB,  
C;K;mDAE5C,iB;MAI4D,yBAAgB,IAAhB,EAAsB,KAAtB,C;K;;IC/BhE,8B;MAAA,e;MAAA,iB;MAAA,uB;K;I  
AAA,4B;MAAA,+B;O;MACI,4C;MACA,kD;MACA,0C;MACA,8C;K;;IAHA,mC;MAAA,kB;MAAA,2B;K;;IAC  
A,sC;MAAA,kB;MAAA,8B;K;;IACA,kC;MAAA,kB;MAAA,0B;K;;IACA,oC;MAAA,kB;MAAA,4B;K;;IAJJ,wB;  
MAAA,sH;K;;IAAA,6B;MAAA,a;aAAA,O;UAAA,gC;aAAA,U;UAAA,mC;aAAA,M;UAAA,+B;aAAA,Q;UAAA  
,iC;;UAAA,6D;;K;;IAOA,4B;MAKI,mD;MACA,2BAA4B,I;K;yCAE5B,Y;MAEiB,IAAN,I;M5JUX,IAAI,E4JXQ,  
mD5JWR,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;;M4JZC,QAAM,oBAAN,M;aACH,  
M;UAAc,Y;UAAAd,K;aACA,O;UAAe,W;UAAf,K;;UACQ,wC;UAHL,K;;MAAP,W;K;sCAOJ,Y;MAIW,Q;MAHP,  
IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,mD;MAEA,OAAO,2F;K;4DAGX,Y;MACI,iD;MACA,kB;MA  
CA,OAAO,kD;K;+CAeX,iB;MAII,2BAAY,K;MACZ,gD;K;sCAGJ,Y;MAII,+C;K;;ICjDkC,wB;MAoFtC,oC;MAP  
FgE,6B;K;sCAIhE,Y;MAAuC,0C;K;2CAEvC,mB;MAAwD,uB;;QvJkU3C,Q;QADb,YAAy,C;QACC,sB;QAAb,O  
AAa,cAAb,C;UAAa,sB;UACT,IuJnUmE,OvJmUrD,IuJnUqD,UvJmUnE,C;YACI,sBAAO,K;YAAP,wB;;UACJ,qB

::QAEJ,sBAAO,E;;;MuJvUiD,0B;K;+CAExD,mB;MAA4D,sB;;;QvJ2V5D,eAAoB,0BAAa,SAAb,C;QACpB,OAA  
O,QAAS,cAAhB,C;UACI,IuJ7VsE,OvJ6VxD,QAAS,WuJ7V+C,UvJ6VtE,C;YACI,qBAAO,QAAS,Y;YAAhB,uB;  
::QAGR,qBAAO,E;;;MuJjWqD,yB;K;0CAE5D,Y;MAA+C,+CAAiB,CAAjB,C;K;kDAE/C,iB;MAAyD,+CAAiB,  
KAAjB,C;K;6CAEzD,8B;MAA8D,gCAAQ,IAAR,EAAc,SAAd,EAAyB,OAAzB,C;K;IAEIC,wD;MAAgF,uB;MA  
A/E,kB;MAAmC,4B;MAC5D,eAAyB,C;MAGrB,+DAAkB,gBAAiB,EAA6B,OAA7B,EAAcS,WAAK,KAA3C,C;  
MACA,eAAa,UAAU,gBAAV,I;K;iDAGjB,iB;MACI,+DAAkB,KAAiB,EAAyB,YAAzB,C;MAEA,OAAO,wBAA  
K,mBAAy,KAAZ,IAAL,C;K;4FAGY,Y;MAAQ,mB;K;;oCAGnC,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAA  
O,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,2DAAc,IAAd,EAAoB,KAApB,C;K;sCAGX,Y;M  
AG+B,oEAAgB,IAAhB,C;K;IAE/B,2C;MAAA,oB;MACI,eACsB,C;K;kDAEtB,Y;MAAkC,sBAAQ,gB;K;+CAE1  
C,Y;MAEe,gB;MADX,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;MACX,iE;MAAX,OAAO,+B;K;;IAO0B,sD;M  
AHZC,oB;MAGwD,iD;MAGhD,gEAAmB,KAAmB,EAA0B,WAAkB,KAA5C,C;MACA,eAAa,K;K;0DAGjB,Y;M  
AAsC,sBAAQ,C;K;wDAE9C,Y;MAAgC,mB;K;uDAEhC,Y;MACI,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;  
MAC1B,OAAO,yBAAI,mCAAJ,EAAI,YAAJ,E;K;4DAGX,Y;MAAoC,sBAAQ,CAAR,I;K;;IAGxC,kC;MAAA,sC  
;K;iEACI,uB;MACI,IAAI,QAAQ,CAAR,IAAa,SAAS,IAA1B,C;QACI,MAAM,8BAA0B,YAAS,KAAT,gBAAuB,  
IAAjD,C;;K;kEAIId,uB;MACI,IAAI,QAAQ,CAAR,IAAa,QAAQ,IAAzB,C;QACI,MAAM,8BAA0B,YAAS,KAAT  
,gBAAuB,IAAjD,C;;K;iEAIId,oC;MACI,IAAI,YAAy,CAAZ,IAAiB,UAAU,IAA/B,C;QACI,MAAM,8BAA0B,gB  
AAa,SAAb,mBAAkC,OAAIC,gBAAkD,IAA5E,C;;MAEV,IAAI,YAAy,OAAhB,C;QACI,MAAM,gCAAyB,gBA  
Aa,SAAb,oBAAmC,OAA5D,C;;K;kEAIId,sC;MACI,IAAI,aAAa,CAAb,IAAkB,WAAW,IAAjC,C;QACI,MAAM,8  
BAA0B,iBAAc,UAAAd,oBAAqC,QAArC,gBAAsD,IAAhF,C;;MAEV,IAAI,aAAa,QAAjB,C;QACI,MAAM,gCAA  
yB,iBAAc,UAAAd,qBAAsC,QAA/D,C;;K;+DAId,a;MAEc,UACsB,M;MAFhC,iBA Ae,C;MACL,mB;MAAV,OAA  
U,cAAV,C;QAAU,mB;QACN,aAAW,MAAK,UAAAL,SAAiB,6DAAiB,CAAIC,K;;MAEf,OAAO,U;K;6DAGX,oB  
;MAIiB,Q;MAHb,IAAI,CAAE,KAAF,KAAU,KAAM,KAApB,C;QAA0B,OAAO,K;MAEjC,oBAAoB,KAAM,W;  
MACb,mB;MAAb,OAAa,cAAAb,C;QAAa,sB;QACT,gBAAgB,aAAc,O;QAC9B,IAAI,cAAQ,SAAR,CAAJ,C;UAC  
I,OAAO,K;;MAGf,OAAO,I;K;;IAjDf,8C;MAAA,6C;QAAA,4B;;MAAA,sC;K;;ICnFwC,uB;MAyHxC,mC;MAz  
CA,uBAC6B,I;MAmC7B,yBACsC,I;K;8CAnHtC,e;MACI,OAAO,6BAAc,GAAd,S;K;gDAGX,iB;MAAwE,gBAA  
R,Y;MAAQ,c;;QxJkrDxD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAp,e;;QACrB,2B;QAAhB  
,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IwJlrDwD,OxJkrD1C,OwJlrD6C,MAAH,QxJkrDxD,C;YAAwB,aAAO,I;  
YAAP,e;;QAC9C,aAAO,K;;MwJnrDyD,iB;K;kDAEhE,iB;MAEL,IAAI,gCAAJ,C;QAA+B,OAAO,K;MACtC,UA  
AU,KAAM,I;MACHB,YAAy,KAAM,M;MrKiNO,Q;MqKhNzB,erKgN4C,CAAnB,mDAAmB,YqKhNzB,GrKgN  
yB,C;MqK9M5C,IAAI,eAAS,QAAT,CAAJ,C;QACI,OAAO,K;;MAIP,6B;MAAA,W;QrK0NqB,U;QqK1ND,UrK0  
NoB,CAAnB,uDAAmB,oBqK1NP,GrK0NO,C;;MqK1N5C,W;QACI,OAAO,K;;MAGX,OAAO,I;K;mCAIX,iB;M  
AMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAyB,OAAO,K;MACHC,IAAI,cAAQ,K  
AAM,KAAiB,C;QAAwB,OAAO,K;MAEV,gBAAAd,KAAM,Q;MAAQ,c;;QxJ6nDT,Q;QADhB,IAAI,wCAAsB,mB  
AA1B,C;UAAqC,aAAO,I;UAAp,e;;QACrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CwJ7nDK,2  
BxJ6nDM,OwJ7nDN,CxJ6nDT,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MwJ9nDH,iB;K;sCAGJ,e;MAA  
wC,Q;MAAA,4CAAc,GAAd,8B;K;qCAGxC,Y;MAK+B,OAAQ,SAAR,YAAQ,C;K;oCAEvC,Y;MAAkC,qBAAQ  
,C;K;mFACnB,Y;MAAQ,OAAA,YAAQ,K;K;IAWnB,0E;MAAA,wC;MAAS,sB;K;8EACb,mB;MAAsD,+CAAY,  
OAAZ,C;K;IAI3C,sG;MAAA,kD;K;8FACH,Y;MAAkC,OAAA,0BAAc,U;K;2FACHD,Y;MAAyB,OAAA,0BAAc,  
OAAO,I;K;;wEAJtD,Y;MACI,oBAAoB,6BAAQ,W;MAC5B,+F;K;sHAMmB,Y;MAAQ,OAAA,qBAAiB,K;K;;mF  
Ab5D,Y;MACI,IAAI,4BAAJ,C;QACI,+E;;MAcJ,OAAO,mC;K;IAOwD,uD;MAAA,qB;QAAE,2CAAS,EAAT,C;  
O;K;qCAAzE,Y;MAAkC,OAAQ,eAAR,YAAQ,EAAa,IAAb,EAAmB,GAAnB,EAAwB,GAAxB,kBAA6B,iCAA7  
B,C;K;+CAE1C,iB;MAAuD,+BAAS,KAAM,IAAf,IAAsB,GAAtB,GAA4B,wBAAS,KAAM,MAAf,C;K;+CAEnF,  
a;MAAwC,OAAI,MAAM,IAAV,GAAGB,YAAhB,GAAoC,SAAF,CAAE,C;K;IAWtD,4E;MAAA,wC;MAAS,6B;  
K;gFACf,mB;MAAsE,iDAAc,OAAd,C;K;IAI3D,wG;MAAA,kD;K;gGACH,Y;MAAkC,OAAA,0BAAc,U;K;6FA  
ChD,Y;MAAyB,OAAA,0BAAc,OAAO,M;K;;0EAJtD,Y;MACI,oBAAoB,6BAAQ,W;MAC5B,iG;K;wHAMmB,Y  
;MAAQ,OAAA,qBAAiB,K;K;;qFAB5D,Y;MACI,IAAI,8BAAJ,C;QACI,mF;;MAcJ,OAAO,qC;K;oDAMf,e;MAA  
8D,gBAAR,Y;MAAQ,sB;;QxJiJ9C,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IwJjJsD,OxJiJx  
C,OwJjJ2C,IAAH,MxJiJtD,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MwJlJ+C,yB;K;IAEtD,iC;MA

AA,qC;K;4DAEI,a;MAAiE,gC;MAAX,OAAU,CAAC,kBAAN,CAAM,0DAAmB,CAApB,KAA4B,oBAAjC,CAA  
iC,8DAAqB,CAAjD,C;K;4DACHe,a;MAAyD,OAAU,SAAL,CAAO,IAAF,mBAAL,CAAY,MAAP,C;K;0DACnE,  
oB;MACI,IAAI,gCAAJ,C;QAA+B,OAAO,K;MACtC,OAAO,OAAA,CAAE,IAAF,EAAS,KAAM,IAAf,KAAAsB,O  
AAA,CAAE,MAAF,EAAW,KAAM,MAAJB,C;K;;IANrC,6C;MAAA,4C;QAAA,2B;;MAAA,qC;K;;IChIqC,uB;  
MAkBrC,mC;MAIB+D,6B;K;mCAE/D,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,  
C;QAAAsB,OAAO,K;MAC7B,OAAO,sDAAU,IAAV,EAAGB,KAAhB,C;K;qCAGX,Y;MAG+B,qEAakB,IAAIB,C  
;K;IAE/B,iC;MAAA,qC;K;gEACI,a;MAEoB,Q;MADhB,iBA Ae,C;MACC,mB;MAAhB,OAAgB,cAAhB,C;QAAg  
B,yB;QACC,U;QAAb,2BAAa,yEAAuB,CAApC,K;;MAEJ,OAAO,U;K;wDAGX,oB;MACI,IAAI,CAAE,KAAF,K  
AAU,KAAM,KAApB,C;QAA0B,OAAO,K;MACjC,OAAO,CvK4OsG,qBuK5OxF,KvK4OwF,C;K;;luKvPrH,6C;  
MAAA,4C;QAAA,2B;;MAAA,qC;K;;MCghBA,kC;MA9hBA,cAAwB,C;MACxB,yB;MAEA,sBAAYB,C;;kFAAz  
B,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;4CA8BA,uB;MAOI,IAAI,cAAc,CAAIB,C;QAAqB,MAAM,6BAAsB,  
mBAAtB,C;MAC3B,IAAI,eAAe,kBAAY,OAA/B,C;QAAqC,M;MACrC,IAAI,uBAAGB,qDAApB,C;QACI,qBAA  
c,gBAAYB,gBAAZ,WAAy,EAAC,EAAd,CAAZB,O;QACd,M;;MAGJ,kBAakB,uDAAY,kBAAY,OAAxB,EAAs  
B,WAA9B,C;MACIB,oBAAa,WAAb,C;K;0CAGJ,uB;MAII,kBAakB,gBAAMb,WAAAnB,O;M/J20BtB,U+J10BI,k  
B/J00BJ,E+J10ByB,W/J00BzB,E+J10BsC,C/J00BtC,E+J10ByC,W/J00BzC,E+J10B+C,kBAAY,O/J00B3D,C;MA  
AA,U+Jz0BI,kB/Jy0BJ,E+Jz0ByB,W/Jy0BzB,E+Jz0BsC,kBAAY,OAAZ,GAAMb,WAAAnB,I/Jy0BtC,E+Jz0B+D,  
C/Jy0B/D,E+Jz0BkE,W/Jy0BIE,C;M+Jx0BI,cAAO,C;MACP,qBAAC,W;K;yCAGIB,yB;MAGW,Q;MAAP,OAAO,  
2BAAY,aAAZ,4D;K;yCAGX,iB;MAA2C,OAAI,SAAS,kBAAY,OAAzB,GAA+B,QAAQ,kBAAY,OAApB,IAA/B  
,GAA6D,K;K;yCAExG,iB;MAA2C,OAAI,QAAQ,CAAZ,GAAe,QAAQ,kBAAY,OAApB,IAAf,GAA6C,K;K;2CA  
ExF,iB;MACoD,0BAAY,cAAO,KAAP,IAAZ,C;K;yCAEpD,iB;MAA2C,OAAI,UAAqB,cAAZ,kBAAY,CAAZB,G  
AAoC,CAApC,GAA2C,QAAQ,CAAR,I;K;yCAEtF,iB;MAA2C,OAAI,UAAS,CAAb,GAA4B,cAAZ,kBAAY,CA  
A5B,GAA2C,QAAQ,CAAR,I;K;mCAEtF,Y;MAAkC,qBAAQ,C;K;iCAE1C,Y;MAGwB,IAAI,cAAJ,C;QAAe,MA  
AM,2BAAuB,sBAAvB,C;;QAnBIC,Q;QAmBa,OAnBb,2BAmBkG,WAnB1G,4D;;K;uCAqBX,Y;MAG+B,Q;MAA  
A,IAAI,cAAJ,C;QAAA,OAAe,I;;QAxBnC,U;QAwBoB,OAxBpB,6BAwByD,WAxBzD,gE;;MAwBoB,W;K;gCA  
E/B,Y;MAGuB,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;;QA7BjC,Q;QA6BY,OA7BZ,2BAQyC,mBAA  
Y,cAqB0D,sBArB1D,IAAZ,CARzC,4D;;K;sCA+BX,Y;MAG8B,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAI  
C,U;QAKcM,B,OAIcN,B,6BAQyC,mBAAY,cA0BiB,sBA1BjB,IAAZ,CARzC,gE;;MAkCmB,W;K;0CAE9B,mB;M  
AII,sBA Ae,YAAO,CAAP,IAAf,C;MAEA,cAAO,mBAAY,WAAZ,C;MACP,mBAAY,WAAZ,IAAoB,O;MACpB,  
wBAAQ,CAAR,I;K;yCAGJ,mB;MAII,sBA Ae,YAAO,CAAP,IAAf,C;MAEA,mBA7CgD,mBAAY,cA6C1C,SA7C  
kC,IAAZ,CA6ChD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAu  
B,sBAAvB,C;MA7Dd,Q;MA+DP,cA/DO,2BA+DmB,WA/DnB,4D;MAGeP,mBAAY,WAAZ,IAAoB,I;MACpB,c  
AAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,OAAI,cAAJ,GAAe,I  
AAf,GAAyB,kB;K;sCAE9D,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MAErB,wBAzEgD,mBA  
AY,cAyEtB,sBAzEsB,IAAZ,C;MARzC,Q;MAkFP,cAlFO,2BAkFmB,iBAIFnB,4D;MAmFP,mBAAY,iBAAZ,IAA  
iC,I;MACjC,wBAAQ,CAAR,I;MACA,OAAO,O;K;4CAGX,Y;MAGoC,OAAI,cAAJ,GAAe,IAAf,GAAyB,iB;K;q  
CAE7D,mB;MAEI,mBAAQ,OAAR,C;MACA,OAAO,I;K;uCAGX,0B;MACI,oCAAa,4BAAMb,KAAAnB,EAAs0B,  
SAA1B,C;MAEb,IAAI,UAAS,SAAb,C;QACI,mBAAQ,OAAR,C;QACA,M;aACG,IAAI,UAAS,CAAb,C;QACH,o  
BAAS,OAAT,C;QACA,M;;MAGJ,sBA Ae,YAAO,CAAP,IAAf,C;MA2BA,oBAjIgD,mBAAY,cAi1B,KAjI0B,IA  
AZ,C;MAMhD,IAAI,QAAS,SAAD,GAAQ,CAAR,IA Ae,CAA3B,C;QAEI,+BAA+B,mBAAY,aAAZ,C;QAC/B,s  
BAAsB,mBAAY,WAAZ,C;QAEtB,IAAI,4BAA4B,WAAhC,C;UACI,mBAAY,eAAZ,IAA+B,mBAAY,WAAZ,C;  
U/JgrB3C,U+J/qBY,kB/J+qBZ,E+J/qBiC,kB/J+qBjC,E+J/qB8C,W/J+qB9C,E+J/qBoD,cAAO,CAAP,I/J+qBpD,E+  
J/qB8D,2BAA2B,CAA3B,I/J+qB9D,C;;UAAA,U+J7qBY,kB/J6qBZ,E+J7qBiC,kB/J6qBjC,E+J7qB8C,cAAO,CA  
AP,I/J6qB9C,E+J7qBwD,W/J6qBxD,E+J7qB8D,kBAAY,O/J6qB1E,C;U+J5qBY,mBAAY,kBAAY,OAAZ,GAAM  
B,CAAnB,IAAZ,IAAoC,mBAAY,CAAZ,C;U/J4qBhD,U+J3qBY,kB/J2qBZ,E+J3qBiC,kB/J2qBjC,E+J3qB8C,C/J  
2qB9C,E+J3qBiD,C/J2qBjD,E+J3qBoD,2BAA2B,CAA3B,I/J2qBpD,C;;Q+JxqBQ,mBAAY,wBAAZ,IAAwC,O;Q  
ACxC,cAAO,e;;QAGP,WArJ4C,mBAAY,cAqJ/B,SArJ+B,IAAZ,C;QAUJ5C,IAAI,gBAAGB,IAApB,C;U/JkqBR,U  
+JjqBY,kB/JiqBZ,E+JjqBiC,kB/JiqBjC,E+JjqB8C,gBAAGB,CAAhB,I/JiqB9C,E+JjqBiE,a/JiqBjE,E+JjqBgF,I/JiqB  
hF,C;;UAAA,U+J/pBY,kB/J+pBZ,E+J/pBiC,kB/J+pBjC,E+J/pB8C,C/J+pB9C,E+J/pBiD,C/J+pBjD,E+J/pBoD,I/J+

pBpD,C;U+J9pBY,mBAAY,CAAZ,IAAiB,mBAAY,kBAAY,OAAZ,GAAMb,CAAnB,IAAZ,C;U/J8pB7B,U+J7pBY,kB/J6pBZ,E+J7pBiC,kB/J6pBjC,E+J7pB8C,gBAAGb,CAAhB,I/J6pB9C,E+J7pBiE,a/J6pBjE,E+J7pBgF,kBAAY,OAAZ,GAAMb,CAAnB,I/J6pBhF,C;;Q+J1pBQ,mBAAY,aAAZ,IAA6B,O;;MAEjC,wBAAQ,CAAR,I;K;oDAGJ,mC;MAGkD,UAIxB,M;MANtB,eAAe,QAAS,W;MAEsB,OAAZ,kBAAY,O;MAA9C,iBAAc,aAAAd,wB;QACI,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,K;QACzB,mBAAY,KAAZ,IAAqB,QAAS,O;;MAEZ,oB;MAAtB,mBAAc,CAAd,8B;QACI,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,K;QACzB,mBAAY,OAAZ,IAAqB,QAAS,O;;MAGIC,wBAAQ,QAAS,KAAjB,I;K;0CAGJ,oB;MACI,IAAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAC/B,sBAAe,IAAK,KAAAL,GAAY,QAAS,KAArB,IAAf,C;MACA,8BAiLgD,mBAAY,cAsLvB,SAtLuB,IAAZ,CAsLhD,EAA4C,QAA5C,C;MACA,OAAO,I;K;0CAGX,2B;MACI,oCAAa,4BAAMb,KAAAnB,EAA0B,SAA1B,C;MAEb,IAAI,QAAS,UAAb,C;QACI,OAAO,K;aACJ,IAAI,UAAAS,SAAb,C;QACH,OAAO,oBAAO,QAAP,C;;MAGX,sBAAe,IAAK,KAAAL,GAAY,QAAS,KAArB,IAAf,C;MAEA,WArMgD,mBAAY,cAqMnC,SArMmC,IAAZ,C;MAAsMhD,oBAAtMgD,mBAAY,cAsM1B,KAtM0B,IAAZ,C;MAuMhD,mBAAMb,QAAS,K;MAE5B,IAAI,QAAS,SAAD,GAAQ,CAAR,IAAe,CAA3B,C;QAGI,kBAAkB,cAAO,YAAP,I;QAEiB,IAAI,iBAAiB,WAAR,B,C;UACI,IAAI,eAAe,CAAnB,C;Y/J0mBZ,U+JzmBgB,kB/JymBhB,E+JzmBqC,kB/JymBrC,E+JzmBkD,W/JymBiD,E+JzmB+D,W/JymB/D,E+JzmBqE,a/JymBrE,C;;Y+JvmBgB,4BAAe,kBAAY,OAA3B,I;YACA,sBAAAsB,gBAAGb,WAAhB,I;YACtB,kBAAkB,kBAAY,OAAZ,GAAMb,WAAnB,I;YAEiB,IAAI,eAAe,eAAnB,C;c/JmmBhB,U+JlmBoB,kB/JkmBpB,E+JlmByC,kB/JkmBzC,E+JlmBsD,W/JkmBtD,E+JlmBmE,W/JkmBnE,E+JlmByE,a/JkmBzE,C;;cAAA,U+JhmBoB,kB/JgmBpB,E+JhmByC,kB/JgmBzC,E+JhmBsD,W/JgmBtD,E+JhmBmE,W/JgmBnE,E+JhmByE,cAAO,WAAP,I/JgmBzE,C;cAAA,U+J/IBoB,kB/J+IBpB,E+J/IByC,kB/J+IBzC,E+J/IBsD,C/J+IBtD,E+J/IByD,cAAO,WAAP,I/J+IBzD,E+J/IB6E,a/J+IB7E,C;;;UAAA,U+J3iBY,kB/J2iBZ,E+J3iBiC,kB/J2iBjC,E+J3iB8C,W/J2iB9C,E+J3iB2D,W/J2iB3D,E+J3iBiE,kBAAY,O/J2iB7E,C;U+J1iBY,IAAI,gBAAGb,aAApB,C;Y/J0iBZ,U+JziBgB,kB/JylBhB,E+JziBqC,kB/JylBrC,E+JzliBkD,kBAAY,OAAZ,GAAMb,YAAnB,I/JylBiD,E+JzliBmF,C/JylBnF,E+JzliBsF,a/JylBtF,C;;YAAA,U+JvlBgB,kB/JulBhB,E+JvlBqC,kB/JulBrC,E+JvlBkD,kBAAY,OAAZ,GAAMb,YAAnB,I/JulBiD,E+JvlBmF,C/JulBnF,E+JvlBsF,Y/JulBtF,C;YAAA,U+JtlBgB,kB/JslBhB,E+JtlBqC,kB/JslBrC,E+JtlBkD,C/JslBiD,E+JtlBqD,Y/JslBrD,E+JtlBmE,a/JslBnE,C;;Q+JnlBQ,cAAO,W;QACP,8BAAuB,mBAAY,gBAAGb,YAAhB,IAAZ,CAAvB,EAAkE,QAAlE,C;;QAIA,2BAA2B,gBAAGb,YAAhB,I;QAE3B,IAAI,gBAAGb,IAApB,C;UACI,IAAI,QAAO,YAAP,SAAuB,kBAAY,OAAvC,C;Y/J2kBZ,U+J1kBgB,kB/J0kBhB,E+J1kBqC,kB/J0kBrC,E+J1kBkD,oB/J0kBID,E+J1kBwE,a/J0kBxE,E+J1kBuF,I/J0kBvF,C;;Y+JxkBgB,IAAI,wBAAwB,kBAAY,OAAx,C;c/JwkBhB,U+JvkBoB,kB/JukBpB,E+JvkByC,kB/JukBzC,E+JvkBsD,uBAAuB,kBAAY,OAAnc,I/JukBtD,E+JvkB+F,a/JukB/F,E+JvkB8G,I/JukB9G,C;;c+JrkBoB,mBAAMb,OAAO,YAAP,GAASB,kBAAY,OAAIC,I;c/JqkBvC,U+JpkBoB,kB/JokBpB,E+JpkByC,kB/JokBzC,E+JpkBsD,C/JokBtD,E+JpkByD,OAAO,YAAP,I/JokBzD,E+JpkB8E,I/JokB9E,C;cAAA,U+JnkBoB,kB/JmkBpB,E+JnkByC,kB/JmkBzC,E+JnkBsD,oB/JmkBtD,E+JnkB4E,a/JmkB5E,E+JnkB2F,OAAO,YAAP,I/JmkB3F,C;;;UAAA,U+J/jBY,kB/J+jBZ,E+J/jBiC,kB/J+jBjC,E+J/jB8C,Y/J+jB9C,E+J/jB4D,C/J+jB5D,E+J/jB+D,I/J+jB/D,C;U+J9jBY,IAAI,wBAAwB,kBAAY,OAAx,C,C;Y/J8jBZ,U+J7jBgB,kB/J6jBhB,E+J7jBqC,kB/J6jBrC,E+J7jBkD,uBAAuB,kBAAY,OAAnc,I/J6jBiD,E+J7jB2F,a/J6jB3F,E+J7jB0G,kBAAY,O/J6jBtH,C;;YAAA,U+J3jBgB,kB/J2jBhB,E+J3jBqC,kB/J2jBrC,E+J3jBkD,C/J2jBiD,E+J3jBqD,kBAAY,OAAZ,GAAMb,YAAnB,I/J2jBrD,E+J3jBsF,kBAAY,O/J2jBiG,C;YAAA,U+J1jBgB,kB/J0jBhB,E+J1jBqC,kB/J0jBrC,E+J1jBkD,oB/J0jBiD,E+J1jBwE,a/J0jBxE,E+J1jBuF,kBAAY,OAAZ,GAAMb,YAAnB,I/J0jBvF,C;;Q+JvjBQ,8BAAuB,aAAvB,EAAcS,QAAtC,C;;MAGJ,OAAO,I;K;uCAGX,iB;MACI,oCAAa,2BAAkB,KAAIB,EAAyB,SAAzB,C;MAjRN,Q;MAmRP,OAnRO,2BAQyC,mBAAY,cA2Q3B,KA3Q2B,IAAZ,CARzC,4D;K;uCAsRX,0B;MACI,oCAAa,2BAAkB,KAAIB,EAAyB,SAAzB,C;MAEb,oBAjRgD,mBAAY,cAiR1B,KAjR0B,IAAZ,C;MARzC,Q;MA0RP,iBA1RO,2BA0RsB,aA1RtB,4D;MA2RP,mBAAY,aAAZ,IAA6B,O;MAE7B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,MAAoB,E;K;yCAExE,mB;MAIsB,IAIA,IAJA,EAIuB,M;MAPzC,WA3RgD,mBAAY,cA2RnC,SA3RmC,IAAZ,C;MA6RhD,IAAI,cAAO,IAAX,C;QACI,iBAAc,WAAd,UAAyB,IAAZB,U;UACI,IAAI,gBAAW,mBAAY,KAAZ,CAAX,CAAJ,C;YAAmC,OAAO,QAAQ,WAAR,I;;aAE3C,IAAI,eAAQ,IAAZ,C;QACW,kB;QAAuB,SAAZ,kBAAY,O;QAARc,qD;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,WAAR,I;;QAE9C,mBAAc,CAAd,YAASB,IAAtB,Y;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,kBAAY,OAAPB,GA2B,WAA3B,I;;MAIID,OAAO,E;K;6CAGX,mB;MAIsC,UAOJ,MAPI,EAOa,M;MAV/C,WA9SgD,mBAAY,cA8

SnC,SA9SmC,IAAZ,C;MAgThD,IAAI,cAAO,IAAX,C;QACkC,kB;QAA9B,iBAAc,OAAO,CAAP,IAAd,yB;UAC I,IAAI,gBAAW,mBAAy,KAAZ,CAAX,CAAJ,C;YAAmC,OAAO,QAAQ,WAAR,I;;aAE3C,IAAI,cAAO,IAAX,C ;QACH,mBAAc,OAAO,CAAP,IAAd,aAA8B,CAA9B,Y;UACI,IAAI,gBAAW,mBAAy,OAAZ,CAAX,CAAJ,C;Y AAmC,OAAO,UAAQ,kBAAy,OAAPB,GAA2B,WAA3B,I;;QAEpB,uBAAZ,kBAAy,C;QAAiB,oB;QAA3C,wD; UACI,IAAI,gBAAW,mBAAy,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,WAAR,I;;MAIID,OAAO,E;K;wC AGX,mB;MACI,YAAy,mBAAQ,OAAR,C;MACZ,IAAI,UAAS,EAAb,C;QAAiB,OAAO,K;MACxB,sBAAS,KA AT,C;MACA,OAAO,I;K;4CAGX,iB;MACI,oCAAa,2BAAkB,KAAiB,EAAYB,SAAzB,C;MAEb,IAAI,UAAS,sBA Ab,C;QACI,OAAO,iB;aACJ,IAAI,UAAS,CAAb,C;QACH,OAAO,kB;;MAGX,oBAhVgD,mBAAy,cAgV1B,KAh V0B,IAAZ,C;MARzC,Q;MAyVP,cAzVO,2BAyVmB,aAzVnB,4D;MA2VP,IAAI,QAAQ,aAAS,CAArB,C;QAEI, IAAI,iBAAiB,WAARb,C;U/Joer,U+JneY,kB/JmeZ,E+JneiC,kB/JmejC,E+Jne8C,cAAO,CAAP,I/Jme9C,E+JnewD, W/JmexD,E+Jne8D,a/Jme9D,C;;UAAA,U+JjeY,kB/JjeZ,E+JjeiC,kB/JjeC,E+Jje8C,C/Jje9C,E+JjeiD,C/JjeD,E+Jje oD,a/JiepD,C;U+JheY,mBAAy,CAAZ,IAAiB,mBAAy,kBAAy,OAAZ,GAAmB,CAAnB,IAAZ,C;U/Jge7B,U+J/d Y,kB/J+dZ,E+J/diC,kB/J+djC,E+J/d8C,cAAO,CAAP,I/J+d9C,E+J/dwD,W/J+dxD,E+J/d8D,kBAAy,OAAZ,GAA mB,CAAnB,I/J+d9D,C;;Q+J5dQ,mBAAy,WAAZ,IAAoB,I;QACpB,cAAO,mBAAy,WAAZ,C;;QAGP,wBAjW4C ,mBAAy,cAiWIB,sBAjWkB,IAAZ,C;QAmW5C,IAAI,iBAAiB,iBAArB,C;U/JsdR,U+JrdY,kB/JqdZ,E+JrdiC,kB/J qdjC,E+Jrd8C,a/Jqd9C,E+Jrd6D,gBAAGB,CAAhB,I/Jqd7D,E+JrdgF,oBAAoB,CAAPB,I/JqdhF,C;;UAAA,U+JndY ,kB/JmdZ,E+JndiC,kB/JmdjC,E+Jnd8C,a/Jmd9C,E+Jnd6D,gBAAGB,CAAhB,I/Jmd7D,E+JndgF,kBAAy,O/Jmd5F ,C;U+JldY,mBAAy,kBAAy,OAAZ,GAAmB,CAAnB,IAAZ,IAAoC,mBAAy,CAAZ,C;U/JkdH,U+JjdY,kB/JidZ ,E+JjdiC,kB/JidjC,E+Jjd8C,C/Jid9C,E+JjdiD,C/JidjD,E+JjdoD,oBAAoB,CAAPB,I/JidpD,C;;Q+J9cQ,mBAAy,iBA AZ,IAAiC,I;;MAErC,wBAAQ,CAAR,I;MAEA,OAAO,O;K;6CAGX,oB;MAAkE,0B;;QAa5C,wD;QART,aAAL,I AAK,U;QAAL,Y;UAA8B,SAAZ,kB9K6wOnB,YAAQ,C;;Q8K7wOX,W;UACI,yBAAO,K;UAAP,2B;;QAEJ,WA 1XgD,mBAAy,cA0XnC,SA1XmC,IAAZ,C;QA2XhD,cAAc,W;QACd,eAAe,K;QAEf,IAAI,cAAO,IAAX,C;UACI, iBAAc,WAAAd,UAAyB,IAAzB,U;YACI,cAAc,mBAAy,KAAZ,C;YAGd,IAjBsE,CAAU,wBAiBIE,0EAjBkE,CAi BhF,C;cACI,mBAAy,gBAAZ,EAAY,wBAAZ,YAAyB,O;;cAEzB,WAAW,I;;UAGP,OAAZ,kBAAy,EAAC,IAA L,EAAW,OAAZ,EAAB,IAAPB,C;;UAGE,oB;UAAuB,SAAZ,kBAAy,O;UAArC,uD;YACI,gBAAc,mBAAy,O AAZ,C;YACd,mBAAy,OAAZ,IAAqB,I;YAGrB,IA/BsE,CAAU,wBA+BIE,kFA/BkE,CA+BhF,C;cACI,mBAAy,g BAAZ,EAAY,wBAAZ,YAAyB,S;;cAEzB,WAAW,I;;UAGnB,UAAU,mBAAy,OAAZ,C;UAEV,mBAAc,CAAd,Y AAsB,IAAtB,Y;YACI,gBAAc,mBAAy,OAAZ,C;YACd,mBAAy,OAAZ,IAAqB,I;YAGrB,IA5CsE,CAAU,wBA4 CIE,kFA5CkE,CA4ChF,C;cACI,mBAAy,OAAZ,IAAuB,S;cACvB,UAAU,mBAAy,OAAZ,C;cAEV,WAAW,I;;; QAIvB,IAAI,QAAJ,C;UACI,YAAO,mBAAy,UAAU,WAAV,IAAZ,C;QAEX,yBAAO,Q;;MAvDuD,6B;K;6CAEI E,oB;MAAkE,0B;;QAW5C,wD;QART,aAAL,IAAK,U;QAAL,Y;UAA8B,SAAZ,kB9K6wOnB,YAAQ,C;;Q8K7w OX,W;UACI,yBAAO,K;UAAP,2B;;QAEJ,WA1XgD,mBAAy,cA0XnC,SA1XmC,IAAZ,C;QA2XhD,cAAc,W;QA Cd,eAAe,K;QAEf,IAAI,cAAO,IAAX,C;UACI,iBAAc,WAAAd,UAAyB,IAAzB,U;YACI,cAAc,mBAAy,KAAZ,C; YAGd,IAf+E,wBAejE,0EAfiE,CAe/E,C;cACI,mBAAy,gBAAZ,EAAY,wBAAZ,YAAyB,O;;cAEzB,WAAW,I;;U AGP,OAAZ,kBAAy,EAAC,IAAL,EAAW,OAAZ,EAAB,IAAPB,C;;UAGE,oB;UAAuB,SAAZ,kBAAy,O;UAAr C,uD;YACI,gBAAc,mBAAy,OAAZ,C;YACd,mBAAy,OAAZ,IAAqB,I;YAGrB,IA7B+E,wBA6BjE,kFA7BIE,CA 6B/E,C;cACI,mBAAy,gBAAZ,EAAY,wBAAZ,YAAyB,S;;cAEzB,WAAW,I;;UAGnB,UAAU,mBAAy,OAAZ,C; UAEV,mBAAc,CAAd,YAAsB,IAAtB,Y;YACI,gBAAc,mBAAy,OAAZ,C;YACd,mBAAy,OAAZ,IAAqB,I;YAGr B,IA1C+E,wBA0CjE,kFA1CiE,CA0C/E,C;cACI,mBAAy,OAAZ,IAAuB,S;cACvB,UAAU,mBAAy,OAAZ,C;;cA EV,WAAW,I;;;QAIvB,IAAI,QAAJ,C;UACI,YAAO,mBAAy,UAAU,WAAV,IAAZ,C;QAEX,yBAAO,Q;;MarD uD,6B;K;2CAEIE,qB;MASsB,IAII,IAJJ,EAKM,MALN,EAaA,MAbA,EAauB,MAbvB,EAkBI,MAIBJ,EAmBM,M AnBN,EA+BI,M;MAvCb,aAAL,IAAK,U;MAAL,Y;QAA8B,SAAZ,kB9K6wOnB,YAAQ,C;;M8K7wOX,W;QACI ,OAAO,K;MAEX,WA1XgD,mBAAy,cA0XnC,SA1XmC,IAAZ,C;MA2XhD,cAAc,W;MACd,eAAe,K;MAEf,IAA l,cAAO,IAAX,C;QACI,iBAAc,WAAAd,UAAyB,IAAzB,U;UACI,cAAc,mBAAy,KAAZ,C;UAGd,IAAI,UAAU,0E AAV,CAAJ,C;YACI,mBAAy,gBAAZ,EAAY,wBAAZ,YAAyB,O;;YAEzB,WAAW,I;;QAGP,OAAZ,kBAAy,EA AK,IAAL,EAAW,OAAZ,EAAB,IAAPB,C;;QAGE,oB;QAAuB,SAAZ,kBAAy,O;QAArC,uD;UACI,gBAAc,mB AAY,OAAZ,C;UACd,mBAAy,OAAZ,IAAqB,I;UAGrB,IAAI,UAAU,kFAAV,CAAJ,C;YACI,mBAAy,gBAAZ,E AAY,wBAAZ,YAAyB,S;;YAEzB,WAAW,I;;QAGnB,UAAU,mBAAy,OAAZ,C;QAEV,mBAAc,CAAd,YAAsB,I

AAtB,Y;UACI,gBAAc,mBAAY,OAAZ,C;UACd,mBAAY,OAAZ,IAAqB,I;UAGrB,IAAI,UAAU,kFAAV,CAAJ,C;YACI,mBAAY,OAAZ,IAAuB,S;YACvB,UAAU,mBAAY,OAAZ,C;;YAEV,WAAW,I;;;MAIvB,IAAI,QAAJ,C;QACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;MAEX,OAAO,Q;K;iCAGX,Y;MACI,WA7agD,mBAAY,cA6anC,SA7amC,IAAZ,C;MA8ahD,IAAI,cAAO,IAAX,C;QACgB,OAAZ,kBAAY,EAk,IAAL,EAaw,WAAx,EAaiB,IAAjB,C;;QACT,IxKtS6C,CAAC,cwKsS9C,C;UACS,OAAZ,kBAAY,EAk,IAAL,EAaw,WAAx,EAaiB,kBAAY,OAA7B,C;UACA,OAAZ,kBAAY,EAk,IAAL,EAaw,CAAX,EAac,IAAd,C;;;MAEhB,cAAO,C;MACP,YAAO,C;K;2CAGX,iB;MAGe,IAAC,IAAD,EAcJ,M;MAfP,WACW,eAAC,OAAI,KAAM,OAAN,IAAc,SAaIB,GAAwB,KAAxB,GAAmC,aAAa,KAAb,EAaOB,SAAPB,CAAPC,uB;MAEX,WA7bgD,mBAAY,cA6bnC,SA7bmC,IAAZ,C;MA8bhD,IAAI,cAAO,IAAX,C;Q/J2XJ,U+J1XQ,kB/J0XR,E+J1X6B,I/J0X7B,EAD+F,CAC/F,E+J1XgD,W/J0XhD,E+J1XiE,I/J0XjE,C;;Q+JzXW,IxKtT6C,CAAC,cwKsT9C,C;U/JyXX,U+JxXQ,kB/JwXR,E+JxX6B,I/JwX7B,E+JxXuD,C/JwXvD,E+JxXuE,W/JwXvE,E+JxXwF,kBAAY,O/JwXpG,C;UAAA,U+JvXQ,kB/JuXR,E+JvX6B,I/JuX7B,E+JvXuD,kBAAY,OAAZ,GAAmB,WAAAnB,I/JuXvD,E+JvX6F,C/JuX7F,E+JvX2G,I/JuX3G,C;;;M+JrXI,IAAI,IAAK,OAAL,GAAY,SAAhB,C;QACI,KAAK,SAAL,IAAa,I;;MAIjB,OAAO,qD;K;mCAGX,Y;MAEI,OAAO,qBAAQ,gBAAmB,SAAnB,OAAR,C;K;+CAGX,iB;MAC0D,4BAAQ,KAAR,C;K;+CAC1D,Y;MAA0C,qB;K;IAE1C,gC;MAAA,oC;MACI,0BrHriBuC,E;MqHsiBvC,sBAAiC,U;MACjC,4BAAuC,E;K;yDAEvC,oC;MAEI,kBAAkB,eAAe,eAAGB,CAA/B,K;MACIB,IAAI,eAAc,WAAAd,QAA4B,CAAhC,C;QACI,cAAc,W;MACIB,IAAI,eAAc,UAAAd,QAA6B,CAAjC,C;QACI,cAAkB,cAAc,UAAIB,GAAGC,UAAhC,GAAMd,U;MACrE,OAAO,W;K;;;IAZf,4C;MAAA,2C;QAAA,0B;;MAAA,oC;K;qDagBa,qB;MAEI,WAVEgD,mBAAY,cAuenC,SAvemC,IAAZ,C;MAwehD,WAAe,kBAAa,cAAO,IAAxB,GAA8B,WAA9B,GAAwC,cAAO,kBAAY,OAAnB,I;MACnD,UAAU,IAAV,EAAGB,cAAhB,C;K;;IA5iBJ,iD;MAAA,oD;MAGwC,+B;MApB5C,sB;MAqBsB,Q;MACV,wBAAmB,CAAnB,C;QAawB,4D;WACxB,sBAAkB,CAAIB,C;QAAuB,uBAAa,eAAb,O;;QACf,MAAM,gCAAYB,uBAAoB,eAA7C,C;MAHIB,0B;MAJJ,Y;K;IAWA,kC;MAAA,oD;MAGoB,+B;MA/BxB,sB;MAGCQ,sBAAc,qD;MAJIB,Y;K;IAOA,4C;MAAA,oD;MAG2C,+B;MATc/C,sB;MAuQC,sBzJrB8D,YyJqBhD,QzJrBgD,C;MyJsB9D,aAAO,mBAAY,O;MACnB,IAAI,mB9K+qPD,YAAQ,C8K/qPX,C;QAA2B,sBAAc,qD;MAN7C,Y;K;IC5BJ,4B;MAMoB,Q;M/KghqBA,U;MADhB,UAAe,C;MACf,uD;QAAGB,cAAhB,iB;QACI,YAAgB,O+KlhqBiB,O/KkhqBjC,I;;M+KlhqBJ,aAAa,iB/KohqBN,G+KphqBM,C;MACb,wBAAGB,SAAhB,gB;QAAGB,gBAAA,SAAhB,M;QACW,SAAP,MAAO,EAAO,SAAP,C;;MAEX,OAAO,M;K;IAGX,0B;MASiB,Q;MAFb,YAAY,iBAAa,gBAAb,C;MACZ,YAAY,iBAAa,gBAAb,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;K;gGAGX,qB;MAWW,4B;MAAA,U;QAAqB,OAAL,S/K0qPhB,YAAQ,C;;M+K1qPf,W;K;oFAGJ,mC;MAUI,O/K6pPO,qBAAQ,C+K7pPf,GA Ae,cAAf,GAAMC,S;K;IAGvC,iD;MAMI,IAAI,cAAS,KAAb,C;QAAoB,OAAO,I;MAC3B,IAAI,qBAAgB,aAAhB,IAAiC,SAAK,OAAL,KAAa,KAAm,OAAxD,C;QAA8D,OAAO,K;MAErE,4C;QACI,SAAS,UAAK,CAAL,C;QACT,SAAS,MAAM,CAAN,C;QAEt,IAAI,OAAO,EAAX,C;UACI,Q;eACG,IAAI,cAAc,UAAIB,C;UACH,OAAO,K;;QAIP,0BAAsB,kBAAtB,C;UAA4C,IAAI,CAAI,kBAAH,EAAG,EAakB,EAaIB,CAAR,C;YAA+B,OAAO,K;eACIF,8BAAsB,sBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,+BAAsB,uBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,6BAAsB,qBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,8BAAsB,sBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,iCAAsB,yBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OAAO,K;eAE9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,sCAAsB,8BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,oCAAsB,4BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAac,EAAd,CAAR,C;YAA2B,OAAO,K;eAEtE,IAAI,YAAM,EAAN,CAAJ,C;UAAc,OAAO,K;;MAIrC,OAAO,I;K;IAGX,4C;MAKI,IAAI,iBAAJ,C;QAakB,OAAO,M;MACzB,aAAa,CAAK,eAAL,gBAAK,EAaA,SAAb,CAAL,GAA6C,CAA7C,QAAiD,CAAjD,I;MvC6SkB,kBAAxB,mBuC5SY,MvC4SZ,C;MuC3SH,oDzK5BgD,gByK4BhD,C;MADJ,O9JnCO,WuH+U6C,W;K;Iu

CvSxD,mE;MAEI,IAAY,SAAR,0BAAJ,C;QACI,MAAO,gBAAO,OAAP,C;QACP,M;;MAEJ,SAAU,WAAI,SAAJ ,C;MACV,MAAO,gBAAO,EAAP,C;MAEP,4C;QACI,IAAI,MAAK,CAAT,C;UACI,MAAO,gBAAO,IAAP,C;;QA EX,cAAc,UAAK,CAAL,C;QAEV,IADE,OACF,S;UAAmB,MAAO,gBAAO,MAAP,C;aAC1B,mBAFE,OAEP,E;U AA2B,4BAAR,OAAQ,EAA4B,MAA5B,EAAoC,SAAPc,C;aAC3B,uBAHE,OAGF,E;UAAmB,MAAO,gBA Ae,g BAAR,OAAQ,CAAf,C;aAC1B,wBAJE,OAIF,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAf,C;aAC1B,sBAL E,OAkF,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAf,C;aAC1B,uBANE,OAMF,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAf,C;aAC1B,wBAPE,OAOF,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAf,C;aAC1B,yB ARE,OAQF,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAf,C;aAC1B,uBATE,OASF,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAf,C;aAC1B,0BAVE,OAUF,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAf,C;aE1B,k BAZE,OAyF,c;UAAmB,MAAO,gBA Ae,kBAAR,OAAQ,CAAf,C;aAC1B,kBAbE,OAaF,e;UAAmB,MAAO,gBA Ae,kBAAR,OAAQ,CAAf,C;aAC1B,kBAdE,OAcf,a;UAAmB,MAAO,gBA Ae,kBAAR,OAAQ,CAAf,C;aAC1B,k BAFE,OAeF,c;UAAmB,MAAO,gBA Ae,kBAAR,OAAQ,CAAf,C;UAEP,MAAO,gBAAO,OAAQ,WAAf,C;;MAII C,MAAO,gBAAO,EAAP,C;MACP,SAAU,kBAAmB,iBAAV,SAAU,CAAnB,C;K;ICpJd,uC;MAIqD,+CAAwC,iB AAO,CAA/C,IAAoD,mC;K;IAEzG,4D;MAWQ,kBADE,SACF,O;QADJ,OACc,S;WACV,kBAFE,SAEF,c;QAEQ, yCAAwB,MAAO,KAAP,GAAC,CAAtC,C;UAJZ,OAId,S;;UAJvD,OAK6B,mBAAL,SAAK,CAAT,GAA+B,sBA A/B,GAAgD,S;;QALpE,OAoGB,oCAAJ,GAA0C,sBAA1C,GAA2D,mB;K;IAG3E,gD;MAWQ,kBADE,SACF,O; QADJ,OACc,S;WACV,kBAFE,SAEF,c;QAFJ,OAe8B,mBAAL,SAAK,CAAT,GAA+B,sBAA/B,GAAgD,S;;QAFr E,OAAGB,oCAAJ,GAA0C,sBAA1C,GAA2D,mB;K;IAG3E,kD;MAKI,OAAl,oCAAJ,GAA0C,sBAA1C,GAA2D,o B;K;IAE/D,kD;MAKI,OAAl,oCAAJ,GAA0C,oBAA1C,GAA2D,iB;K;I1KnD/D,yB;MAAA,6B;K;sCACI,Y;MAA kC,Y;K;0CACIC,Y;MAAsC,Y;K;wCACtC,Y;MAAgC,Q;K;4CACChC,Y;MAAoC,S;K;mCACpC,Y;MAA+B,MAA M,6B;K;uCACrC,Y;MAAmC,MAAM,6B;K;;IAN7C,qC;MAAA,oC;QAAA,mB;;MAAA,6B;K;IASA,qB;MAAA, yB;MACI,+C;K;iCAEA,iB;MAA4C,qCAAoB,KAAM,U;K;mCACtE,Y;MAA+B,Q;K;mCAC/B,Y;MAAkC,W;K;i FAEX,Y;MAAQ,Q;K;kCAC/B,Y;MAAkC,W;K;yCACIC,mB;MAAmD,Y;K;8CACnD,oB;MAAmE,OAAA,QAAS ,U;K;sCAE5E,iB;MAAwC,MAAM,8BAA0B,iDAA8C,KAA9C,MAA1B,C;K;wCAC9C,mB;MAA8C,S;K;4CAC9 C,mB;MAAkD,S;K;mCAEID,Y;MAA6C,kC;K;uCAC7C,Y;MAAqD,kC;K;+CACrD,iB;MACI,IAAI,UAAS,CAAb ,C;QAAGB,MAAM,8BAA0B,YAAS,KAAnC,C;MACTB,OA AO,2B;K;0CAGX,8B;MACI,IAAI,cAAa,CAAb,IAA kB,YAAW,CAAjC,C;QAAoC,OA AO,I;MAC3C,MAAM,8BAA0B,gBAAa,SAAb,mBAAkC,OAA5D,C;K;wCAG V,Y;MAAiC,8B;K;;IA5BrC,iC;MAAA,gC;QAAA,e;;MAAA,yB;K;IA+BA,iC;MAA8D,6BAAkB,SAAlB,EAAoC ,KAApC,C;K;IAE5B,8C;MAAC,oB;MAA0B,0B;K;yFACIC,Y;MAAQ,OAAA,WAAO,O;K;0CACtC,Y;MAAkC, OAAA,WNqpP3B,YAAQ,C;K;iDMpqPf,mB;MAA6C,OA AO,SAAP,WAAO,EAAS,OAAT,C;K;sDACpD,oB;MA AsE,c;;Qc4nDtD,Q;QADhB,IAAI,cd3nDyD,Qc2nDzD,iBd3nDyD,Qc2nDnC,UAA1B,C;UAAqC,aAAO,I;UAAP,e; ;QACrB,Od5nD6C,Qc4nD7C,W;QAaHb,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAAI,Cd5nDkD,oBc4nDvC,Od5 nDuC,Cc4nDtD,C;YAAyB,aAAO,K;YAAP,e;;;QAC/C,aAAO,I;;Md7nDsD,iB;K;2CAC7D,Y;MAAuC,OA AO,qB AAP,WAAO,C;K;0CAC9C,Y;MAC+C,gBAAP,W;MAAA,OA AwB,cAAxB,GegKpC,SfhKoC,GekKpC,SN83BoB ,Q;K;;IT7hC5B,qB;MAIsC,8B;K;IAEtC,4B;MAIqD,OAAl,QAAS,OAAT,GAAGB,CAApB,GAAGC,OAAT,QAAS ,CAAhC,GAA8C,W;K;mFAEnG,yB;MAAA,qD;MAAA,mB;QAK0C,kB;O;KAL1C,C;+FAOA,yB;MAAA,+D;M AAA,mB;QAMwD,uB;O;KANxD,C;2FAQA,yB;MAAA,+D;MAAA,mB;QAMoD,uB;O;KANpD,C;IAQA,mC;M AKI,OAAl,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAAxB,GAAyC,iBAAU,sBAAkB,QAAlB,EAAwC,IAAxC, CAAV,C;K;IAE7C,iC;MAKI,OAAl,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAAxB,GAAyC,iBAAU,sBAAkB, QAAlB,EAAwC,IAAxC,CAA V,C;K;IAE7C,gC;MAI2D,OAAl,eAAJ,GAAqB,OA AO,OAAP,CAArB,GAA0C,W; K;IAErG,mC;MAImE,OAAS,cAAT,QAAS,C;K;gFAE5E,yB;MAAa,gE;MAbA,6B;QAYBI,WAAW,eAduE,IAcvE, C;QWCX,iBAAc,CAAd,UXfkF,IWef,U;UXA6B,eAf2D,IAevD,CWCtB,KXDsb,CAAJ,C;;QAFyC,OA GB/D,I;O; KA3BX,C;8FAaA,yB;MAAA,gE;MAAA,6B;QAYI,WAAW,eAAa,IAAb,C;QWCX,iBAAc,CAAd,UXAO,IWAP, U;UXA6B,eAAl,KWCtB,KXDsb,CAAJ,C;;QAC7B,OA AO,I;O;KADX,C;wFAiBA,yB;Me1FA,+D;Mf0FA,gC;Qet F0B,gBAAf,gB;QfsGkB,aW3FzB,W;QX2FA,OW1FO,SIZoC,Q;O;KfsF/C,C;yFAwBA,yB;Me3GA,4E;MAAA,gE; Mf2GA,0C;QevGI,qBf2HyB,Qe3HzB,C;QAC8B,gBAAvB,ef0HkB,Qe1HIB,C;Qf0H4B,aWvHnC,W;QXuHA,OWt HO,SIJ4C,Q;O;KfsGvD,C;IAiCI,mC;MAAQ,uBAAG,iBAAO,CAAP,IAAH,C;K;IAQR,qC;MAAQ,OAAA,SAAK, KAAL,GAAY,CAAZ,I;K;4FAEZ,qB;MAK4D,QAAC,mB;K;kGAE7D,qB;MAWI,OA AO,qBAAgB,SAAK,U;K;sF

AGhC,yB;MAAA,qD;MAAA,4B;QAKgE,uCAAQ,W;O;KALxE,C;sFAOA,yB;MAAA,qD;MAAA,4B;QAKoD,uCAAQ,W;O;KAL5D,C;sFAOA,mC;MASI,OAAI,mBAAJ,GAAe,cAAf,GAAmC,S;K;4FAGvC,+B;MAQoH,OAAA,SAAK,qBAAY,QAAZ,C;K;IAGzH,uC;MAK+E,kBAAhB,0B;MAAwB,+B;MAAxB,OW5MpD,W;K;IX+MX,yC;MAAkD,QAAM,cAAN,C;aAC9C,C;UAD8C,OACzC,W;aACL,C;UAF8C,OAeZc,OAAO,sBAAK,CAAL,CAAP,C;;UAFyC,OAGtC,S;;K;IAGZ,8D;MAgBkE,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACjG,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,cAAc,MAAd,EAAsB,OAAtB,C;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;K;IAGX,4E;MAe8E,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC7G,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,UAAW,SAAQ,MAAR,EAAgB,OAAhB,C;QAErB,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;K;kGAGX,yB;MAAA,8D;MAAA,4D;MAsBqC,8D;QAAA,qB;UAAE,qBAAc,iBAAS,EAAT,CAAd,EAA4B,WAA5B,C;S;O;MATBvC,+D;QAKBI,yB;UAAA,YAAiB,C;QACjB,uB;UAAA,UAAe,c;QAGf,+BAAa,SAAb,EAAwB,OAAxB,EAAiC,oCAAjC,C;O;KATBJ,C;IA6BA,mE;MAMBoC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACnE,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,WAAW,MAAX,C;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;K;IAGX,8C;MAMQ,gBAAY,OAAZ,C;QAAuB,MAAM,gCAAYB,gBAAa,SAAb,mCAAKD,OAAID,OAAzB,C;WAC7B,gBAAY,CAAZ,C;QAAiB,MAAM,8BAA0B,gBAAa,SAAb,yBAA1B,C;WACvB,cAAU,IAAV,C;QAAkB,MAAM,8BAA0B,cAAW,OAAAX,gCAA2C,IAA3C,OAA1B,C;K;IAChC,8B;MAEOC,MAAM,wBAAoB,8BAApB,C;K;IAE1C,8B;MAEOC,MAAM,wBAAoB,8BAApB,C;K;;;wF2GjB1C,yB;M1GgCA,wE;M0GhCA,uC;QAmBW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAKB,sBAAY,GAAZ,C;UACIB,W1GuKJ,a0GvKgB,G1GuKhB,E0GrMyC,SA8BIB,CAAU,GAAV,EAAe,WAAf,EAA4B,CAA5B,EAA+B,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CAAnE,C1GuKvB,C;;Q0GrMA,OAGCO,W;O;KANDX,C;4FAsBA,6C;MAwBc,Q;MAAA,OAAA,SAAK,iB;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBAAKB,sBAAY,GAAZ,C;QACIB,W1GuKJ,a0GvKgB,G1GuKhB,E0GvKuB,UAAU,GAAV,EAAe,WAAf,EAA4B,CAA5B,EAA+B,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CAAnE,C1GuKvB,C;;M0GrKA,OAAO,W;K;iFAGX,yB;MAAA,gB;MAAA,8B;M1GtBA,wE;M0GsBA,6D;QAnCW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAKB,sBAAY,GAAZ,C;UA8BwE,U;UA7B1F,W1GuKJ,a0GvKgB,G1GuKhB,E0G1IkC,UA7BD,GA6BC,EA7BoB,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CA6BzC,GAAW,qBA7B3B,GA6B2B,EA7BT,CA6BS,CAAX,GAA6C,UA7BxD,WA6BwD,6DAA5D,EA7BiB,CA6BjB,C1G0IIC,C;;Q0G3IA,OA1BO,W;O;KAGX,C;kFA0BA,yB;MAAA,gB;MAAA,8B;MAAA,0E;QAIcC,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA6DQ,WA7DU,WAAy,GAAZ,C;UA6DuF,U;UAAjG,W1G2GZ,a0GvKgB,G1GuKhB,E0G3GiD,UA5DhB,GA4DgB,EA5DK,uBAAuB,CA4DjE,WA5D8E,mBAAY,GAAZ,CA4D1B,GAAW,qBA5D1C,GA4D0C,EA5DxB,CA4DwB,CAAX,GAA6C,UA5DvE,WA4DuE,6DAA5D,EA5DE,CA4DF,C1G2GjD,C;;Q0G5GA,OACY,W;O;KA7BhB,C;iFAgCA,yB;MAAA,gB;MAAA,8B;M1GhFA,wE;M0GgFA,qD;QA7FW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAKB,sBAAY,GAAZ,C;UAKFiD,U;UAjFnE,W1GuKJ,a0GvKgB,G1GuKhB,E0GtFgC,UAjFsB,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CAiFhD,kBAA6B,UAjFjC,WAIFiC,6DAAvC,EAjFmB,CAiFnB,C1GsFhC,C;;Q0GvFA,OA9EO,W;O;KA6DX,C;oFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAtFc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA2GQ,WA3GU,WAAy,GAAZ,C;UA2GgE,U;UAA1E,W1G6DZ,a0GvKgB,G1GuKhB,E0G7D+C,UA1GO,uBAAuB,CA0GjE,WA1G8E,mBAAY,GAAZ,CA0GjC,kBAA6B,UA1GhD,WA0GgD,6DAvC,EA1GI,CA0GJ,C1G6D/C,C;;Q0G9DA,OACY,W;O;KAvBhB,C;qFA0BA,yB;MAAA,gB;MAAA,8B;M1G9H



A,wE;M0G8HA,uC;QA3IW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;U  
ACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKb,sBAAY,GAAZ,C;UACC,oB;UAKIc,U;UAAjC,IAIId,uBAAuB,  
CAAC,WAAY,mBAAY,GAAZ,CAkItF,C;YADA,mBAjI+C,C;;YAiI/C,mBACkB,UAIIW,GAKIX,EAAe,UAIIC,  
WakID,6DAAf,EAI16B,CAkI7B,C;;UAIIB,W1GuKJ,a0GvKgB,G1GuKhB,mB;;Q0GvCA,OA9HO,W;O;KA2GX,  
C;sFAwBA,yB;MAAA,gB;MAAA,8B;MAAA,oD;QAxIc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB  
;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA6JQ,WA7JU,WAAY,GAAZ,C;UACC,oB;UA8Jc,U;UAAjC,IA9Jk  
D,uBAAuB,CA4JjE,WA5J8E,mBAAY,GAAZ,CA8JtF,C;YADA,mBA7J+C,C;;YA6J/C,mBACkB,UA9JW,GA8JX  
,EAAe,UA9JC,WA8JD,6DAAf,EA9J6B,CA8J7B,C;;UAFV,W1GWZ,a0GvKgB,G1GuKhB,mB;;Q0GXA,OAAy,  
W;O;KAvBhB,C;IA6BA,6C;MArKc,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sB  
AAM,CAAN,C;QACV,kBA+KG,WA/Ke,WAAY,GAAZ,C;QA2GgE,U;QAoE/E,W1GPP,a0GvKgB,G1GuKhB,E0  
GomC,CA9KmB,uBAAuB,CA8KtE,WA9KmF,mBAAY,GAAZ,CA0GjC,GAoErC,CAPeQc,GAA6B,UA1GhD,W  
A0GgD,6DAoEnD,IAAM,CAAN,I1GPnC,C;;M0GOA,OAAO,W;K;IgeNp0B,oC;MAAC,kB;MAAuB,kB;K;;wCA  
N7D,Y;MAMsC,iB;K;wCANtC,Y;MAM6D,iB;K;0CAN7D,wB;MAAA,wBAMsC,qCANtC,EAM6D,qCAN7D,C;  
K;sCAA,Y;MAAA,OAMsC,mDANtC,IAM6D,wCAN7D,O;K;sCAA,Y;MAAA,c;MAMsC,sD;MAAuB,sD;MA  
N7D,a;K;oCAA,iB;MAAA,4IAMsC,sCANtC,IAM6D,sCAN7D,I;K;wFrKEA,yB;MAAA,kC;MAAA,4C;MAAA,  
kD;QAMuF,wC;O;MANvF,4CAOI,Y;QAAuC,8B;O;MAP3C,8E;MAAA,2B;QAMuF,2C;O;KANvF,C;IACsC,2C;  
MAAC,wC;K;0CACnC,Y;MAAqD,4BAAiB,wBAAjB,C;K;;IAIzD,yC;MAI4D,OAAI,oCAAJ,GAA2B,SAAK,KA  
AhC,GAA0C,I;K;IAEtG,uD;MAI0E,OAAI,oCAAJ,GAA2B,SAAK,KAAhC,GAA0C,S;K;IAGpH,8B;MAMoB,Q;  
MADhB,aAAa,gB;MACG,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACL,OAAP,MAAO,EAAO,OAAP,C;;M  
AEX,OAAO,M;K;IAGX,4B;MAUiB,Q;MAHb,mBAAmB,mCAAwB,EAAxB,C;MACnB,YAAY,iBAAa,YAAb,C;  
MACZ,YAAY,iBAAa,YAAb,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,KAAM,WAAI,IAAK,MAAT,  
C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;K;wFUxDX,qB;MAKqE,gB;K;IAErE,i  
C;MAMoE,4BAAiB,SAAjB,C;K;uFAEpE,gC;MAKI,OAAGB,mBAAhB,C;QAAGB,8B;QAAM,UAAU,OAAP,C;;  
K;IAMY,oC;MAAC,0B;MACnC,eAAoB,C;K;yCACpB,Y;MAAwC,OAAA,eAAS,U;K;sCACjD,Y;MAA6E,Q;MA  
AhC,wBAAa,oBAAmB,mBAAnB,EAAmB,2BAAnB,QAAb,EAA0C,eAAS,OAAnD,C;K;;sF4J5BjD,yB;MAAA,4  
E;MAAA,gB;MAAA,8B;MAAA,+C;QAUiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;O;KAVjC,C;wFAY  
A,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAWiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;O;  
KAXjC,C;sFAaA,+C;MAQL,SAAK,aAAI,QAAS,aAAb,EAAmB,KAAmB,C;K;ICnCT,8C;MAUI,IAAI,wCAAJ,C;  
QACI,OAAO,SAAK,4BAAqB,GAARb,C;MAET,4B;M5KoTI,Q;MALX,YAAY,oB4K/Sa,G5K+Sb,C;MACZ,IAAI  
,iBAAiB,CAAC,4B4KhTG,G5KgTH,CAAtB,C;Q4KhTgC,MAAM,2BAAuB,wCAAvB,C;;Q5KoTIC,2BAAO,sE;;  
M4KpTX,+B;K;IAGJ,8C;MAUQ,kBADE,SACF,kB;QADJ,OACkC,YAAT,SAAK,IAAI,EAAy,YAAZ,C;;QADIC  
,OAEY,uBAAmB,SAAnB,EAAyB,YAAzB,C;K;IAGhB,gD;MAWQ,kBADE,SACF,yB;QADJ,OACyC,cAAT,SA  
AK,IAAI,EAAy,YAAZ,C;;QADzC,OAEY,8BAA0B,SAA1B,EAAgC,YAAhC,C;K;;Iac0B,4C;MAAC,wB;M  
AAoC,0B;K;qEAApC,Y;MAAA,yB;K;0CACvC,iB;MAA4C,OAAI,OAAL,QAAL,EAAO,KAAP,C;K;4CACHD,Y;  
MAA+B,OAAI,SAAJ,QAAL,C;K;4CACnC,Y;MAAkC,OAAA,QAAL,W;K;0FACf,Y;MAAQ,OAAA,QAAL,K;K;2  
CACnC,Y;MAAkC,OAAA,QAAL,U;K;qDACtC,e;MAA4C,OAAA,QAAL,mBAAY,GAAZ,C;K;uDACHD,iB;MAA  
gE,OAAA,QAAL,qBAAC,KAAc,C;K;6CACpE,e;MAA+B,OAAA,QAAL,WAAI,GAAL,C;K;0FACT,Y;MAAQ,OA  
AA,QAAL,K;K;4FACH,Y;MAAQ,OAAA,QAAL,O;K;6FACJ,Y;MAAQ,OAAA,QAAL,Q;K;8DAEvD,e;MAAmD,g  
BAAJ,Q;MAAI,4B;M5K4PxC,Q;MALX,YAAY,oB4KvPyD,G5KuPzD,C;MACZ,IAAI,iBAAiB,CAAC,4B4KxP+  
C,G5KwP/C,CAAtB,C;QACI,2B4KzPwE,mB;;Q5K4PxE,2BAAO,sE;;M4K5PoC,+B;K;;IAGN,mD;MAAC,wB;M  
AA2C,0B;K;4EAA3C,Y;MAAA,yB;K;iDAC1C,iB;MAA4C,OAAI,OAAL,QAAL,EAAO,KAAP,C;K;mDACHD,Y;  
MAA+B,OAAI,SAAJ,QAAL,C;K;mDACnC,Y;MAAkC,OAAA,QAAL,W;K;iGACf,Y;MAAQ,OAAA,QAAL,K;K;k  
DACnC,Y;MAAkC,OAAA,QAAL,U;K;4DACtC,e;MAA4C,OAAA,QAAL,mBAAY,GAAZ,C;K;8DACHD,iB;MA  
AgE,OAAA,QAAL,qBAAC,KAAc,C;K;oDACpE,e;MAA+B,OAAA,QAAL,WAAI,GAAL,C;K;iGACf,Y;MAAQ,O  
AAA,QAAL,K;K;mGACH,Y;MAAQ,OAAA,QAAL,O;K;oGACU,Y;MAAQ,OAAA,QAAL,Q;K;sDAE5E,sB;MAA  
yC,OAAA,QAAL,aAAI,GAAL,EAAS,KAAT,C;K;uDAC7C,e;MAAkC,OAAA,QAAL,cAAO,GAAP,C;K;yDACtC,  
gB;MAA2C,QAAL,gBAAO,IAAP,C;K;gDAC/C,Y;MAAuB,QAAL,Q;K;qEAE3B,e;MAAmD,gBAAJ,Q;MAAI,4B;  
M5KuOxC,Q;MALX,YAAY,oB4KIOyD,G5KkOzD,C;MACZ,IAAI,iBAAiB,CAAC,4B4KnO+C,G5KmO/C,CAAt

B,C;QACI,2B4KpOwE,mB;;Q5KuOxE,2BAAO,sE;;M4KvOoC,+B;K;;I5KvFnD,oB;MAAA,wB;MACI,8C;K;gCA  
EA,iB;MAA4C,oCAAsB,KAAM,U;K;kCACxY,Y;MAA+B,Q;K;kCAC/B,Y;MAAkC,W;K;gFAEX,Y;MAAQ,Q;K  
;CAC/B,Y;MAAkC,W;K;2CAEIC,e;MAA+C,Y;K;6CAC/C,iB;MAAsD,Y;K;mCACtD,e;MAAwC,W;K;mFACY,  
Y;MAAQ,6B;K;gFAC/B,Y;MAAQ,6B;K;kFACI,Y;MAAQ,8B;K;uCAEjD,Y;MAAiC,6B;K;;IAjBrC,gC;MAAA,+  
B;QAAA,c;;MAAA,wB;K;IAoBA,oB;MAMuE,Q;MAA7B,OAA6B,uE;K;IAEvE,wB;MAaI,OAAI,KAAM,OAAN  
,GAAa,CAAjB,GAA0B,QAAN,KAAM,EAAM,qBAAc,YAA,Y,KAAM,OAAIB,CAAd,CAAN,CAA1B,GAA6E,U;  
K;kFAEjF,yB;MAAA,oD;MAAA,mB;QAO8C,iB;O;KAP9C,C;8FASA,yB;MAAA,wE;MAAA,mB;QAQ4D,2B;O;  
KAR5D,C;IAUA,+B;MAYiD,gBAA7C,qBAAoB,YAA,Y,KAAM,OAAIB,CAApB,C;MAAqD,wB;MAArD,OUJO,  
S;K;wFVMX,yB;MAAA,4D;MAAA,mB;QAOsD,qB;O;KAPtD,C;IASA,4B;MAM8G,gBAAvC,eAAc,YAA,Y,KA  
AM,OAAIB,CAAd,C;MAA+C,wB;MAA/C,OUR5D,S;K;4FVuBX,yB;MAAA,wE;MAAA,mB;QAK8D,2B;O;KA  
L9D,C;IAOA,8B;MAU+E,OAAM,QAAN,KAAM,EAAM,qBAAc,YAA,Y,KAAM,OAAIB,CAAd,CAAN,C;K;sFA  
ErF,yB;MchBA,wE;MdgBA,gC;QcZiC,gBAAtB,oB;Qd8BiB,aU7DxB,W;QV6DA,OU5DO,SI8B2C,Q;O;KdYtD,C  
;uFA0BA,yB;McnCA,uE;MdmCA,0C;Qc/ByC,gBAA9B,mBdqDiB,QcrDjB,C;QdqD2B,aU3FIC,W;QV2FA,OU1F  
O,SIqCmD,Q;O;Kd+B9D,C;4FAoCA,qB;MAK+D,QAAC,mB;K;kGAEhE,qB;MAWI,OAAO,qBAAGB,mB;K;sFA  
G3B,yB;MAAA,oD;MAAA,4B;QAM2D,uCAAQ,U;O;KANnE,C;sFAQA,mC;MASI,OAAI,mBAAJ,GAAe,cAAf,  
GAAmC,S;K;yFAEvC,yB;MAyBA,kC;MAAA,8B;MAzBA,iC;QAgCiC,Q;QAx2E,OAwBxD,CAAnB,wDAAmB  
,oBAxBoE,GAwBpE,C;O;KAhCpD,C;+EAUA,yB;MAAA,kC;MAAA,8B;MAAA,iC;QAKiC,Q;QAA7B,OAAgD,  
CAAnB,wDAAmB,YAAI,GAAJ,C;O;KALpD,C;+EAOA,iC;MAKI,sBAAI,GAAJ,EAAS,KAAT,C;K;4FAGJ,yB;  
MAAA,kC;MAAA,8B;MAAA,iC;QAOiC,Q;QAA7B,OAAgD,CAAnB,wDAAmB,oBAAY,GAAZ,C;O;KAPpD,C;  
gGASA,4B;MASsG,OAAA,SAAK,qBAAc,KAAd,C;K;kFAG3G,yB;MAAA,gD;MAAA,8B;MAAA,iC;QASiC,Q;  
QAA7B,OAAuD,CAA1B,+DAA0B,eAAO,GAAP,C;O;KAT3D,C;6FAWA,qB;MAWoE,oB;K;6FAEpE,qB;MAW  
oE,sB;K;kFAEpE,yB;MAAA,6B;MAAA,4B;QAIgE,qBAAK,aAAL,EAAU,eAAV,C;O;KAJhE,C;2FAMA,wC;MA  
MiF,Q;MAAA,mCAAI,GAAJ,oBAAY,c;K;uGAG7F,yB;MAAA,gB;MAAA,8B;MAAA,+C;QAMe,Q;QALX,YA  
AY,oBAAI,GAAJ,C;QACZ,IAAI,iBAAiB,CAAC,4BAAY,GAAZ,CAATB,C;UACI,OAAO,c;;UAGP,OAAO,sE;;O  
;KANf,C;IAUA,oC;MAUkD,uCAAqB,GAARb,C;K;sFAEID,wC;MAUW,Q;MADP,YAA,Y,oBAAI,GAAJ,C;MAC  
L,IAAI,aAAJ,C;QACH,aAAa,c;QACb,sBAAI,GAAJ,EAAS,MAAT,C;QACA,a;;QAEA,Y;;MALJ,W;K;wFASJ,qB  
;MAMwF,OAAA,iBAAQ,W;K;wFAEhG,qB;MAMgH,OAAA,iBAAQ,W;K;4FAExH,6C;Maq1BoB,Q;MAAA,Ob  
h1BT,iBag1BS,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;Qbh1Ba,Wai1Bb,aAAGB,Obj1Be,Iai1B/B,Ebj1BsC,Sai  
1BZ,CAAE,OAAf,CAA1B,C;;Mbj1BhB,OAA6B,W;K;wFAGjC,6C;Ma60BoB,Q;MAAA,Obr0BT,iBaq0BS,W;MA  
AhB,OAAgB,cAAhB,C;QAAGB,yB;Qbr0Ba,Was0Bb,abt0B0B,Sas0BtB,CAAY,OAAZ,CAAJ,EAAYC,Obt0BC,M  
as0B1C,C;;Mbt0BhB,OAA6B,W;K;IAGjC,kC;MAIyB,Q;MAArB,wBAAqB,KAARb,gB;QAAqB,aAAA,KAARb,  
M;QAAK,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;K;IAIR,oC;MAIyB,Q;MAAA,uB;MA  
ArB,OAAqB,cAArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;K;I  
AIR,oC;MAIyB,Q;MAAA,uB;MAArB,OAAqB,cAArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;QACP,  
sBAAI,GAAJ,EAAS,KAAT,C;;K;wFAIR,yB;MAAA,0D;MAAA,uE;MAAA,uC;QASW,kBAAY,mBAAoB,YAA  
Y,cAAZ,CAApB,C;Qa8xBH,Q;QAAA,Obh1BT,iBag1BS,W;QAAhB,OAAgB,cAAhB,C;UAAGB,yB;Ubh1Ba,Wai  
1Bb,aAAGB,Obj1Be,Iai1B/B,Eb/xB2C,Sa+xBjB,CAAE,OAAf,CAA1B,C;;Qb/xBhB,OAlD6B,W;O;KAyCjC,C;oF  
AYA,yB;MAAA,0D;MAAA,uE;MAAA,uC;QAYW,kBAAU,mBAAoB,YAA,Y,cAAZ,CAApB,C;Qa+wBD,Q;QA  
AA,Obr0BT,iBaq0BS,W;QAAhB,OAAgB,cAAhB,C;UAAGB,yB;Ubr0Ba,Was0Bb,abhXByC,SagxBrC,CAAY,OA  
AZ,CAAJ,EAAYC,Obt0BC,Mas0B1C,C;;QbhxBhB,OAtD6B,W;O;KA0CjC,C;0FAeA,yB;MAAA,wE;MAAA,uC;  
QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,SA3FsE,QAAQ,W;QA2F5F,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,U  
AAU,KAAM,IAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,EAAe,KAAM,MAArB,C;;;QAGf,OAAO,M;O;  
KAbX,C;8FAGBA,yB;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,SA3GsE,QAAQ,W;QA2  
G5F,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,KAAM,MAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,  
EAAe,KAAM,MAArB,C;;;QAGf,OAAO,M;O;KAbX,C;yFAiBA,6C;MAOoB,Q;MAAA,OAAA,SA3HoE,QAAQ,  
W;MA2H5F,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,WAAY,aAAI,OAAQ,IA  
AZ,EAAiB,OAAQ,MAAzB,C;;;MAGpB,OAAO,W;K;qFAGX,yB;MAAA,wE;MAAA,uC;QAOW,kBAAS,oB;QA  
fA,Q;QAAA,OA3HoE,iBAAQ,W;QA2H5F,OAAgB,cAAhB,C;UAAGB,yB;UACZ,IAcmC,SAd/B,CAAU,OAAV,

CAAJ,C;YACI,WAAy,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;;QAapB,OAVO,W;O;KAGX,C;+FAUA,6  
C;MAOoB,Q;MAAA,OAAA,SapJoE,QAAQ,W;MAoJ5F,OAAgB,cAAhB,C;QAAGb,yB;QACZ,IAAI,CAAC,UA  
AU,OAAV,CAAL,C;UACI,WAAy,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;;MAGpB,OAAO,W;K;2FAG  
X,yB;MAAA,wE;MAAA,uC;QAOW,kBAAY,oB;QafH,Q;QAAA,OApJoE,iBAAQ,W;QAoJ5F,OAAgB,cAAhB,  
C;UAAgB,yB;UACZ,IAAI,CackC,SAdjC,CAAU,OAAV,CAAL,C;YACI,WAAy,aAAI,OAAQ,IAAZ,EAAiB,OA  
AQ,MAAzB,C;;;QAapB,OAVO,W;O;KAGX,C;IAUA,0B;MAQqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAA  
M,cAAN,C;eACH,C;YAAK,iB;YAAL,K;eACA,C;YAAK,aAAU,8BAAJ,GAakB,sBAAK,CAAL,CAAIB,GAA+  
B,oBAAW,OAAhD,C;YAAL,K;YACQ,0BAAM,qBAAoB,YAAY,cAAZ,CAApB,CAAN,C;YAhL,K;QAAP,W;;  
MAMJ,OAAoC,oBAA7B,mBAAM,oBAAN,CAA6B,C;K;IAGxC,yC;MAIwB,SAApB,WAAoB,Y;MAApB,kB;K;  
IAEJ,4B;MAM6D,QAAM,gBAAN,C;aACzD,C;UADyD,OACpD,U;aACL,C;UAFyD,OAEpD,MAAM,UAAK,CA  
AL,CAAN,C;;UAFoD,OAGjD,mBAAM,qBAAoB,YAAY,gBAAZ,CAApB,CAAN,C;;K;IAGZ,yC;MAIwB,OAAp  
B,WAAoB,Y;MAApB,kB;K;IAEJ,4B;MAM4D,OAA6B,oBAA7B,mBAAM,oBAAN,CAA6B,C;K;IAEzF,yC;MAI  
wB,SAApB,WAAoB,Y;MAApB,kB;K;IAEJ,4B;MAMqD,QAAM,cAAN,C;aACjD,C;UADiD,OAC5C,U;aACL,C;  
UAFiD,OC/X8B,uB;;Ud+X9B,OAGzC,uB;;K;IAGZ,iC;MAMmE,4BAAC,SAAd,C;K;IAEnE,yC;MAKI,WAAoB,0  
B;MAApB,kB;K;IAEJ,kC;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAAoB,MAAM,IAAN,C;;QAAqC,kB  
AApB,qBAAC,SAAd,C;QAA4B,wBAAS,UAAT,EAAqB,WAArB,C;QAAjE,OUhiBO,W;;MVgiBP,W;K;IAEJ,mC  
;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAA0B,MAAN,KAAM,C;;QAAiC,kBAApB,qBAAC,SAAd,C;Q  
AA4B,4B;QAAne,OUziBO,W;;MVyiBP,W;K;IAEJ,mC;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAA0B,  
QAAN,KAAM,C;;QAAiC,kBAApB,qBAAC,SAAd,C;QAA4B,0B;QAAne,OUljBO,W;;MVkjBP,W;K;IAEJ,mC;M  
AOwB,kBAApB,qBAAC,SAAd,C;MAA4B,4B;MAA5B,OAA4C,oBU3jBrC,WV2jBqC,C;K;IAEhD,iC;MAOwB,k  
BAApB,qBAAC,SAAd,C;MAA4B,+B;MAA5B,OUpkBO,W;K;0FVukBX,2B;MAKI,sBAAI,IAAK,MAAT,EAAg  
B,IAAK,OAAR,C;K;4FAGJ,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;O;KALJ,C;4FAQA,yB;MAAA,  
gD;MAAA,mC;QAKI,kBAAO,KAAP,C;O;KALJ,C;4FAQA,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;  
O;KALJ,C;4FAQA,0B;MAKI,yBAAO,GAAP,C;K;IAGJ,kC;MAOwB,kBAAf,aAAL,SAAK,C;MAsCL,6B;MatC  
A,OAA+C,oBUtnBxC,WVsnBwC,C;K;IAEnD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAqCK,YAAL,gBAAK,O;  
MARCV,OAAgD,oBUhoBzC,WVgoByC,C;K;IAEpD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAoCK,YAAL,gBA  
AK,O;MApCV,OAAgD,oBUloBzC,WV0oByC,C;K;IAEpD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAMCK,YAA  
L,gBAAK,O;MANCV,OAAgD,oBUppBzC,WVopByC,C;K;4FAEpD,0B;MAMI,uBAAO,GAAP,C;K;8FAGJ,yB;  
MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAC,EAAU,IAAV,C;O;KANd,C;8FASA,yB;MAAA,sD;MAAA,k  
C;QAMc,UAAV,SAAK,KAAC,EAAU,IAAV,C;O;KANd,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SA  
AK,KAAC,EAAU,IAAV,C;O;KANd,C;IAUA,wC;MACsD,QAAM,cAAN,C;aACID,C;UADkD,OAC7C,U;aACL,  
C;UAFkD,gB;;UAAA,OAG1C,S;;K;oF6KtwBZ,yB;MAAA,8D;MAAA,8B;MAAA,qC;QAUiC,Q;QAA7B,OAA2  
D,CAA9B,sEAA8B,eAAO,OAAP,C;O;KAV/D,C;wFAYA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7  
B,OAA2D,CAA9B,sEAA8B,oBAAU,QAAV,C;O;KAT/D,C;wFAWA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASi  
C,Q;QAA7B,OAA2D,CAA9B,sEAA8B,oBAAU,QAAV,C;O;KAT/D,C;4FAWA,8B;MAKI,SAAK,WAAI,OA AJ,  
C;K;4FAGT,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;O;KALT,C;4FAQA,yB;MAAA,gD;  
MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;O;KALT,C;4FAQA,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,S  
AAK,EAAO,QAAP,C;O;KALT,C;8FAQA,8B;MAKI,SAAK,cAAO,OAAP,C;K;8FAGT,yB;MAAA,sD;MAAA,sC  
;QAKS,UAAL,SAAK,EAAU,QAAP,C;O;KALT,C;8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAA  
U,QAAP,C;O;KALT,C;8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAP,C;O;KALT,C;IA  
QA,qC;MAIU,IAIe,I;MAHjB,kBADE,QACF,c;QAAiB,OAAO,yBAAO,QAAP,C;;QAEpB,aAAsB,K;QACT,0B;Q  
AAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,oBAAI,IAAJ,CAAJ,C;YAAe,SAAS,I;;QAC5B,OAAO,M;;K;IAKnB,  
uC;MAKiB,Q;MADb,aAAsB,K;MACT,0B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,oBAAI,IAAJ,CAAJ,C;  
UAAe,SAAS,I;;MAE5B,OAAO,M;K;IAGX,uC;MAII,OAAO,yBAAgB,OAAT,QAAS,CAAhB,C;K;IAGX,0C;MA  
IW,iBAAmB,gCAAT,QAAS,EAAgC,SAAhC,C;MAIHG,Q;MAkH7B,OAIH2D,CAA9B,sEAA8B,oBAAU,UAAV,  
C;K;IAqH/D,0C;MAII,UAAmB,8BAAT,QAAS,C;MACnB,09K0EwD,C8K1EjD,G9K0EkD,U8K1EID,IAAoB,4B  
AAU,GAAP,C;K;IAG/B,0C;MAII,OpLqoPO,EoLroPA,QpL6jPA,YAAQ,CAwER,CoLroPA,IAAyB,4BAAmB,8B  
AAT,QAAS,CAAnB,C;K;IAGpC,0C;MAIW,iBAAmB,gCAAT,QAAS,EAAgC,SAAhC,C;MA7HG,Q;MA6H7B,O

A7H2D,CAA9B,sEAA8B,oBAAU,UAAV,C;K;IAGl/D,0C;MAII,IpLunPO,EoLvnPH,QpL+iPG,YAAQ,CAwER,C  
oLvnPP,C;QACI,OAAO,4BAAmB,8BAAT,QAAS,CAAnB,C;;QAEP,OAAO,wB;K;IAGf,0C;MAII,UAAmB,8BA  
AT,QAAS,C;MACnB,I9K0CwD,C8K1CpD,G9K0CqD,U8K1CzD,C;QACI,OAAO,4BAAU,GAAV,C;;QAEP,OA  
AO,wB;K;IAGf,kC;MACI,a9KmCwD,CAAC,mB;M8K1CzD,iB;MACA,OAAO,M;K;IAIX,2C;MAKkF,gCAAc,S  
AAAd,EAAyB,IAAzB,C;K;IAEIF,2C;MAKkF,gCAAc,SAAd,EAAyB,KAAzB,C;K;IAEIF,sE;MACI,iBAAa,KAAb,  
C;MnKlJgB,kBmKmJX,oB;MACD,OAAO,qBAAP,C;QACI,IAAI,UAAU,kBAAV,6BAAJ,C;UACI,oB;UACA,W  
AAS,I;;MAGrB,OAAO,Q;K;oFAIX,4B;MAM6D,kCAAS,KAAT,C;K;IAE7D,gC;MAKiD,IAAI,mBAAJ,C;QAAe,  
MAAM,2BAAuB,gBAAvB,C;;QAARb,OAAMe,2BAAS,CAAT,C;K;IAEpH,sC;MAKwD,OAAI,mBAAJ,GAAe,I  
AAf,GAAyB,2BAAS,CAAT,C;K;IAEjF,+B;MAKgD,IAAI,mBAAJ,C;QAAe,MAAM,2BAAuB,gBAAvB,C;;QAA  
rB,OAAMe,2BAAS,2BAAT,C;K;IAEnH,qC;MAKuD,OAAI,mBAAJ,GAAe,IAAf,GAAyB,2BAAS,2BAAT,C;K;I  
AEhF,2C;MAK8E,kCAAc,SAAd,EAAyB,IAAzB,C;K;IAE9E,2C;MAK8E,kCAAc,SAAd,EAAyB,KAAzB,C;K;IA  
E9E,wE;MAEgB,UAGS,MAHT,EAcY,MAZ,EAc6B,M;MAfzC,IAAI,uCAAJ,C;QACI,OAAoC,cAA5B,sEAA4B,  
EAAc,SAAd,EAAyB,uBAAzB,C;MAExC,iBAAsB,C;MACD,oC;MAArB,qBAakB,CAAIb,mC;QACI,cAAc,sBA  
AK,SAAL,C;QACd,IAAI,UAAU,OAAV,MAAsB,uBAA1B,C;UACI,Q;QAEJ,IAAI,eAAc,SAAIb,C;UACI,sBAA  
K,UAAAL,EAAmB,OAAnB,C;QAEJ,+B;;MAEJ,IAAI,aAAa,cAAjB,C;QACwB,oC;QAAiB,mB;QAARc,oE;UACI,  
2BAAS,WAAT,C;QAEJ,OAAO,I;;QAEP,OAAO,K;;K;IChS+B,wC;MAAkC,uB;MAAjC,0B;K;4FACpB,Y;MAA  
Q,OAAA,eAAS,K;K;iDACxC,iB;MAAkC,mCAAS,0BAAoB,KAApB,CAAT,C;K;;IAGT,gC;MAAyC,8B;MAAx  
C,0B;K;oFACH,Y;MAAQ,OAAA,eAAS,K;K;yCACxC,iB;MAAkC,mCAAS,0BAAoB,KAApB,CAAT,C;K;mCA  
EiC,Y;MAAuB,eAAS,Q;K;8CACCh,iB;MAAuC,OAAA,eAAS,kBAAS,0BAAoB,KAApB,CAAT,C;K;yCAEhD,0  
B;MAA8C,OAAA,eAAS,aAAI,0BAAoB,KAApB,CAAJ,EAAgC,OAAhC,C;K;yCACvD,0B;MACI,eAAS,aAAI,2  
BAAqB,KAArB,CAAJ,EAAiC,OAAjC,C;K;;IAIjB,+C;MACoB,Q;MAAA,kC;MAAhB,IAAa,CAAT,0BAAJ,C;Q  
AAA,OAA2B,8BAAY,KAAZ,I;;QAAuB,MAAM,8BAA0B,mBAAgB,KAAhB,2BAA0C,gBAAG,2BAAH,CAA1  
C,OAA1B,C;K;IAE5D,gD;MACoB,Q;MAAA,qB;MAAhB,IAAa,CAAT,0BAAJ,C;QAAA,OAA5B,iBAAO,KAAp  
,I;;QAAkB,MAAM,8BAA0B,oBAAiB,KAAjB,2BAA2C,gBAAG,cAAH,CAA3C,OAA1B,C;K;IAGID,+B;MAK+  
C,gCAAqB,SAArB,C;K;IAE/C,iC;MAM6D,wBAAa,SAAb,C;K;;;IxKpC7D,oD;MAQuF,wC;K;IARvF,8CASI,Y;  
MAAuC,8B;K;IAT3C,gF;IyKY8G,wC;MAAA,mB;QAAE,kBAAS,aAAT,C;O;K;IATH,yB;MASqG,oCAAS,sBA  
AT,C;K;8FAErG,yB;MAAA,kD;MzKdA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;  
O;MAT3C,8E;MyKiB2I,qD;QAAA,mB;UAAE,gBAAS,qBAAT,C;S;O;MAH7I,gC;QAGkI,kCAAS,mCAAT,C;O;  
KAHII,C;IACA,2B;MAQI,eAAe,6B;MACf,oBAA0B,+BAAN,KAAM,EAAwC,QAAxC,EAA+D,QAA/D,C;MAC  
1B,OAAO,Q;K;8FAGX,yB;MAAA,kD;MAAA,gC;QAGkI,gBAAS,aAAT,C;O;KAHII,C;IAGB0C,yB;K;+CAoBtC,  
kC;MAOI,IAAI,uCAA0B,QAAS,UAAvC,C;QAAkD,M;MACID,OAAO,sBAAS,QAAS,WAAIB,e;K;+CAGX,kC;  
MAQqD,6BAAS,QAAS,WAAIB,e;K;;;IAezD,mC;MAA2C,wB;MACvC,eAAoB,C;MACpB,mBAA4B,I;MAC  
5B,sBAAyC,I;MACzC,gBAAoC,I;K;gDAEpC,Y;MACI,OAAO,IAAP,C;QACI,QAAM,YAAN,C;eACI,C;YAAA,  
K;eACA,C;YACI,IAAI,kCAAE,UAAAnB,C;cACI,eAAQ,C;cACR,OAAO,I;;cAEP,sBAAe,I;;YALvB,K;eAOA,C;Y  
AAc,OAAO,K;eACrB,C;eAAA,C;YAAgC,OAAO,I;;YAC/B,MAAM,yB;;QAGIB,eAAQ,C;QACR,WAAW,4B;Q  
ACX,gBAAW,I;QACX,IzH/FR,oBDgDQ,W0H+CY,kB1H/CZ,CChDR,C;;K;6CyHmGA,Y;MACU,IASe,I;MATrB  
,QAAM,YAAN,C;aACI,C;aAAA,C;UAA5C,OAAO,qB;aAC7C,C;UACI,eAAQ,C;UACR,OAAO,kCAAE,O;aAE1  
B,C;UACI,eAAQ,C;UACR,aACa,mF;UACb,mBAAy,I;UACZ,OAAO,M;;UAEH,MAAM,yB;;K;uDAItB,Y;MACI  
,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;;QAA8B,OAAO,W;K;2DAG/D,Y;MAA4C,QAAM,YAAN,C;aACxC,  
C;UADwC,OAC1B,6B;aACd,C;UAFwC,OAExB,6BAAsB,sBAAtB,C;;UAFwB,OAGhC,6BAAsB,uCAAoC,YAA  
1D,C;;K;IAOqC,4E;MAAA,oB;QACzC,wCAAW,C;QAAX,OACA,yB;O;K;oDALR,+B;MACI,mBAAy,K;MACZ  
,eAAQ,C;MACR,OAA6C,0CAAtC,c;K;IAUsC,+E;MAAA,oB;QACzC,wCAAW,C;QAAX,OACA,yB;O;K;yDAN  
R,kC;MACI,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,M;MACzB,sBAAe,Q;MACf,eAAQ,C;MACR,OAA6C,6CAAt  
C,c;K;2DAMX,kB;M1HjBO,Q;MADP,e0HoBI,M1HpbJ,C;MACO,Q0HmBH,M1HnBG,+D;M0HoBH,eAAQ,C;K  
;kGAIR,Y;MAAQ,0C;K;;IzK1LhB,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;sFAAA,yB;MA  
AA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;O;MAT3C,8E;MAAA,2B;QAQuF,2  
C;O;KARvF,C;IAiBgE,+C;MAAA,mB;QAAE,sB;O;K;IALIE,kC;MAKuD,OAAkB,2CAAT,+BAAS,E;K;IAEzE,8  
B;MAK6D,OAAI,Qb2rPtD,YAAQ,Ca3rP0C,GAAWB,eAAxB,GAAsD,WAAT,QAAS,C;K;IAEnH,yB;MAG8C,kC

;K;IAE9C,yB;MAAA,6B;K;uCACI,Y;MAA6C,kC;K;2CAC7C,a;MAA4B,kC;K;2CAC5B,a;MAA4B,kC;K;;;IAHh  
C,qC;MAAA,oC;QAAA,mB;;MAAA,6B;K;oFAMA,yB;MAAA,2D;MAAA,4B;QAM4D,uCAAQ,e;O;KANpE,C;I  
AgB4F,mH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wD;MAAA,kC;K;;;kDAAA,Y;;;;;cACxFeA  
Ae,uBAAa,W;cAC5B,IAAI,QAAS,UAAb,C;gBACI,gB;gCAAA,sCAAS,QAAT,O;oBAAA,2C;yBAAA,yB;gBAA  
A,Q;;gBAEA,gB;gCAAA,sCAAS,iCAAT,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;;;;cAJJ,W;;cAAA,W;;;;;K;IADwF,gE;MAAA,yD;uBAAA,uG;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAP5F,4C;MAOmF,gBAAS,uCAAT,  
C;K;IAGBb,4B;MAAE,OAAA,EAAG,W;K;IAP3E,8B;MAO8D,4BAAQ,cAAR,C;K;IAUQ,8B;MAAE,OAAA,EA  
AG,W;K;IAR3E,8B;MAQ8D,4BAAQ,gBAAR,C;K;IAM1B,8B;MAAE,S;K;IAJtC,wC;MAEgB,Q;MADZ,IAAI,8  
CAAJ,C;QACI,OAA4C,CAApC,2EAAoC,kBAAQ,QAAR,C;;MAEHd,OAAO,uBAAmB,SAAAnB,EAAyB,gBAAz  
B,EAAiC,QAAjC,C;K;IAGX,4B;MAYiB,Q;MAFb,YAAY,gB;MACZ,YAAY,gB;MACC,2B;MAAb,OAAa,cAAb,  
C;QAAa,sB;QACT,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAS  
,KAAT,C;K;IAGX,+B;MAQqD,6BAAS,4BAAT,C;K;IAW0B,+G;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,0C;  
MAAA,4C;MAAA,0B;MAAA,kC;K;;;mDAAA,Y;;;;;kCAC9D,0C;cACb,gB;;;;;cAAA,IAAO,iBPyFkD,UOzFzD,  
C;gBAAA,gB;;;cACI,QAAQ,yBAAO,iBAAQ,iBAAO,KAAf,C;cACf,WAAkB,WAAP,iBAAO,C;cACIB,YAAgB,  
IAAI,iBAAO,KAAf,GAAqB,iBAAO,aAAI,CAAJ,EAAO,IAAP,CAA5B,GAA8C,I;cAC1D,gB;8BAAA,iCAAM,K  
AAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAJJ,gB;;;cAMJ,W;;;;;K;IAR+E,4D;MAAA,yD;uBAAA,mG;Y  
AAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAT/E,uC;MASmE,gBAAY,kCAAZ,C;K;IAkBhC,0D;MAE/B,wB;QAAA,WA  
AgC,I;MADhC,0B;MACA,0B;MACA,4B;K;IAGuC,0E;MAAA,oD;MACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,  
E;MACrB,gBAAmB,I;K;oEAEnB,Y;MACI,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCA  
AU,IAAV,MAAmB,sCAAvB,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;MAGR,iBAAY,C;K;8DAGhB,Y;  
MASW,Q;MARP,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aA  
Aa,a;MACb,gBAAW,I;MACX,iBAAY,E;MAEZ,OAAO,yE;K;IEAGX,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,iB  
;MACJ,OAAO,mBAAa,C;K;;2CAhC5B,Y;MAAuC,yD;K;;IA2C3C,qD;MAAY,0B;MAAmC,gC;K;IACJ,gF;MAA  
A,0D;MACnC,gBAAe,oCAAS,W;K;IEACxB,Y;MACI,OAAO,6CAAY,aAAS,OAArB,C;K;OEAEX,Y;MACI,OA  
AO,aAAS,U;K;;8CAPxB,Y;MAAuC,4D;K;qDAWvC,oB;MACI,OAAO,uBAA4B,eAA5B,EAA5C,kBAAtC,EAA  
mD,QAAAnD,C;K;;IAUf,4D;MAAY,0B;MAAmC,gC;K;IACJ,8F;MAAA,wE;MACnC,gBAAe,2CAAS,W;MACxB,  
aAAY,C;K;wEACZ,Y;MAC0C,Q;MAAtC,OAAO,oDAAY,oBAAmB,iBAAnB,EAAmB,yBAAnB,QAAZ,EAAyC,  
aAAS,OAAID,C;K;2EAGX,Y;MACI,OAAO,aAAS,U;K;;qDARxB,Y;MAAuC,mE;K;;IAkB3C,oC;MAAY,0B;K;I  
AC6C,wE;MACjD,gBAAe,gCAAS,W;MACxB,aAAY,C;K;6DACZ,Y;MAC2C,Q;MAAvC,OAAO,iBAAa,oBAA  
mB,iBAAnB,EAAmB,yBAAnB,QAAb,EAA0C,aAAS,OAAAnD,C;K;gEAGX,Y;MACI,OAAO,aAAS,U;K;;0CARx  
B,Y;MAAqD,wD;K;;IAMBzD,0D;MACI,4B;MACA,4B;MACA,4B;K;IAEuC,sE;MAAA,gD;MACnC,iBAAgB,gC  
AAU,W;MAC1B,iBAAgB,gCAAU,W;K;4DAC1B,Y;MACI,OAAO,sCAAU,cAAU,OAAPB,EAA4B,cAAU,OAAt  
C,C;K;+DAGX,Y;MACI,OAAO,cAAU,UAAV,IAAuB,cAAU,U;K;;yCARhD,Y;MAAuC,uD;K;;IAc3C,6D;MACI,  
0B;MACA,gC;MACA,0B;K;IAEuC,4E;MAAA,sD;MACnC,gBAAe,kCAAS,W;MACxB,oBAAiC,I;K;+DAEjC,Y;  
MACI,IAAI,CAAC,2BAAL,C;QACI,MAAM,6B;MACV,OAAO,gCAAE,O;K;KEAG1B,Y;MACI,OAAO,2B;K;+E  
AGX,Y;MACQ,Q;MAAJ,IAAI,iEAA2B,KAA/B,C;QACI,oBAAe,I;MAEnB,OAAO,yBAAP,C;QACI,IAAI,CAAC  
,aAAS,UAAAd,C;UACI,OAAO,K;;UAEP,cAAc,aAAS,O;UACvB,uBAAuB,wCAAS,2CAAY,OAAZ,CAAT,C;UA  
CvB,IAAI,gBAAiB,UAArB,C;YACI,oBAAe,gB;YACf,OAAO,I;;;MAInB,OAAO,I;K;;4CA9Bf,Y;MAAuC,0D;K;  
;IAoC9B,6I;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,4C;MAAA,kD;MAAA,gD;MAAA,wB;MAAA,yB;MAAA  
,kC;K;;;yDAAA,Y;;;;;kBAGyC,I;iCAFIC,C;cACI,sD;cAAhB,gB;;;;;cAAA,KAAgB,yBAAhB,C;gBAAA,gB;;;cA  
AgB,oC;cACZ,aAAa,6BAAU,oBAAmB,uBAAnB,EAAmB,+BAAnB,QAAV,EAAuC,OAAvC,C;cACb,gB;8BAA  
A,sCAAS,4BAAS,MAAT,CAAT,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;;;K;IANS,0F;M  
AAA,yD;uBAAA,iI;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IADb,wD;MACI,gBAAS,kDAAT,C;K;;;IAoByB,qD;M  
ACzB,0B;MACA,8B;MACA,0B;MC3TA,IAAI,ED+TQ,qBAAc,CC/TtB,CAAJ,C;QACI,cD8T2B,+CAA4C,iB;QC  
7TvE,MAAM,gCAAYB,OAAQ,WAAjC,C;;MAFV,IAAI,EDgUQ,mBAAy,CChUpB,CAAJ,C;QACI,gBD+TyB,6  
CAA0C,e;QC9TnE,MAAM,gCAAYB,SAAQ,WAAjC,C;;MAFV,IAAI,EDiUQ,mBAAy,iBCjUpB,CAAJ,C;QACI,  
gBDgUkC,0DAAuD,eAAvD,WAAmE,iB;QC/TrG,MAAM,gCAAYB,SAAQ,WAAjC,C;;K;sFDkUa,Y;MAAQ,yB  
AAW,iBAAX,I;K;yCAE/B,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,eAAhB,GAAqC,gBAAY,eAAZ,EAA5B,oBA

Aa,CAAb,IAAtB,EAAsC,eAAtC,C;K;yCAC9E,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,IAAhB,GAA0B,gBAAy ,eAAZ,EAAsB,iBAAtB,EAaKc,oBAAa,CAAb,IAAIC,C;K;IAEzC,8D;MAAA,wC;MAEtB,gBAAe,2BAAS,W;M ACxB,gBAAe,C;K;0DAEf,Y;MAEI,OAAO,gBAAW,kCAAX,IAAyB,aAAS,UAAzC,C;QACI,aAAS,O;QACT,qC ;K;2DAIR,Y;MACI,a;MACA,OAAQ,gBAAW,gCAAZ,IAAyB,aAAS,U;K;wDAG7C,Y;MACI,a;MACA,IAAI,iBA AY,gCAAhB,C;QACI,MAAM,6B;MACV,qC;MACA,OAAO,aAAS,O;K;;qCAvBxB,Y;MAA0B,mD;K;;IAgCA,u C;MAC1B,0B;MACA,oB;MC3WA,IAAI,ED+WQ,gBAAS,CC/WjB,CAAJ,C;QACI,cD8WsB,yCAAsC,YAAtC,M ;QC7WtB,MAAM,gCAAyB,OAAQ,WAAjC,C;;K;0CDgXV,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,eAAhB,GA AqC,gBAAy,eAAZ,EAAsB,CAAtB,EAAYB,YAAzB,C;K;0CAC9E,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,IAA hB,GAA0B,iBAAa,eAAb,EAAuB,CAAvB,C;K;IAE5B,gE;MACnC,YAAW,yB;MACX,gBAAe,4BAAS,W;K;yDA ExB,Y;MACI,IAAI,cAAQ,CAAZ,C;QACI,MAAM,6B;MACV,6B;MACA,OAAO,aAAS,O;K;4DAGpB,Y;MACI, OAAO,YAAO,CAAP,IAAY,aAAS,U;K;;sCAZpC,Y;MAAuC,oD;K;;IA5B3C,gD;MACI,0B;MACA,4B;K;IAEuC, 0E;MAAA,oD;MACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;oEAEnB,Y;MACI,IAAI,aA AS,UAAb,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IAAV,CAAJ,C;UACI,iBAAY,C;UACZ,gBAAW,I;U ACX,M;;;MAGR,iBAAY,C;K;8DAGhB,Y;MAMiB,Q;MALb,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mB AAa,CAAjB,C;QACI,MAAM,6B;MACV,aACa,gF;MAGb,gBAAW,I;MACX,iBAAY,E;MACZ,OAAO,M;K;iEA GX,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAIC5B,Y;MAAuC,yD;K;;IA2Cb,u C;MAC1B,0B;MACA,oB;MC5bA,IAAI,ED+bQ,gBAAS,CC/bjB,CAAJ,C;QACI,cD8bsB,yCAAsC,YAAtC,M;QC 7btB,MAAM,gCAAyB,OAAQ,WAAjC,C;;K;0CDgcV,a;MIxXO,SJxXmC,eAAQ,CAAR,I;MAAD,OAA4B,KAAK, CAAT,GAAY,yBAAZ,GAAuC,iBAAa,eAAb,EAAuB,EAAvB,C;K;0CACxG,a;MIvXO,SJuXmC,eAAQ,CAAR,I; MAAD,OAA4B,KAAK,CAAT,GAAY,yBAAZ,GAAuC,gBAAy,eAAZ,EAAsB,YAAtB,EAA6B,EAA7B,C;K;IA EjE,gE;MACnC,gBAAe,4BAAS,W;MACxB,YAAW,yB;K;2DAEX,Y;MAEI,OAAO,YAAO,CAAP,IAAY,aAAS, UAA5B,C;QACI,aAAS,O;QACT,6B;;K;yDAIR,Y;MACI,a;MACA,OAAO,aAAS,O;K;4DAGpB,Y;MACI,a;MAC A,OAAO,aAAS,U;K;;sCAnBxB,Y;MAAuC,oD;K;;IA6B3C,gD;MACI,0B;MACA,4B;K;IAGuC,0E;MAAA,oD;M ACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;gEAEnB,Y;MACI,OAAO,aAAS,UAAhB,C; QACI,WAAW,aAAS,O;QACpB,IAAI,CAAC,wCAAU,IAAV,CAAL,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ ,M;;;MAGR,iBAAY,C;K;8DAGhB,Y;MAMqB,Q;MALjB,IAAI,mBAAa,EAAjB,C;QACI,a;MAEJ,IAAI,mBAAa, CAAjB,C;QACI,aACa,gF;QACb,gBAAW,I;QACX,iBAAY,C;QACZ,OAAO,M;;MAEX,OAAO,aAAS,O;K;iEAG pB,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,a;MACJ,OAAO,mBAAa,CAAb,IAAkB,aAAS,U;K;;2CAIC1C,Y;MA AuC,yD;K;;IAuCN,+C;MAAC,sB;MAAiC,gC;K;0CACnE,Y;MAAuC,4BAAiB,aAAO,WAAxB,EAAoC,kBAApC ,C;K;;IAGP,+C;MAAuE,2B;MAAtE,sB;MAAiC,gC;MACIE,kBAAuB,c;K;6CAEvB,Y;MACI,OAAO,aAAO,UAA d,C;QACI,WAAW,aAAO,O;QACIB,UAAU,mBAAy,IAAZ,C;QAEV,IAAI,eAAS,WAAI,GAAJ,CAAb,C;UACI, mBAAQ,IAAR,C;UACA,M;;;MAIR,W;K;;IAKgC,0D;MAAC,wC;MAAuC,kC;K;IACrC,0E;MAAA,oD;MACnC, gBAAmB,I;MACnB,iBAAqB,E;K;oEAErB,Y;MACI,gBAAe,mBAAa,EAAjB,GAAqB,+CAArB,GAA4C,2CAAa, 4BAAb,C;MACvD,iBAAgB,qBAAJ,GAAsB,CAAtB,GAA6B,C;K;8DAG7C,Y;MAMiB,Q;MALb,IAAI,iBAAY,C AAhB,C;QACI,iB;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,8D;MAEb,iBAAY,E;MACZ, OAAO,M;K;iEAGX,Y;MACI,IAAI,iBAAY,CAAhB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAxB5B,Y;MAAu C,yD;K;;IA6B3C,kC;MAWI,OAAW,iDAAJ,GAAwC,SAAXC,GAAd,4BAAwB,SAAXB,C;K;IAeIB,uD;MAAA, qB;QAAE,6B;O;K;IAX7C,wC;MAWI,OAA2D,cAApD,sBAAkB,YAAIB,EAAgC,qCAAhC,CAAoD,C;K;IAqBrC, iD;MAAA,mB;QAAE,mB;O;K;IAIB5B,gD;MAeI,OAAI,YAAJ,GACI,2BADJ,GAGI,sBAAkB,+BAAIB,EAA4B, YAA5B,C;K;IAER,wD;MAcI,6BAAkB,YAAIB,EAAgC,YAAhC,C;K;ILxpBJ,oB;MAAA,wB;MACI,8C;K;gCAE A,iB;MAA4C,oCAAmB,KAAM,U;K;kCACrE,Y;MAA+B,Q;K;kCAC/B,Y;MAAkC,W;K;gFAEX,Y;MAAQ,Q;K;i CAC/B,Y;MAAkC,W;K;wCACIC,mB;MAAmD,Y;K;6CACnD,oB;MAAmE,OAAA,QAAS,U;K;kCAE5E,Y;MAA 6C,kC;K;uCAE7C,Y;MAAiC,6B;K;;IADrC,gC;MAAA,+B;QAAA,c;;MAAA,wB;K;IAkBA,oB;MAIoC,6B;K;IAE pC,2B;MAMmD,OAAI,QAAS,OAAT,GAAgB,CAApB,GAAgC,MAAT,QAAS,CAAhC,GAA6C,U;K;iFAEHg,yB ;MAAA,mD;MAAA,mB;QAKwC,iB;O;KALxC,C;6FAOA,yB;MAAA,uE;MAAA,mB;QAQsD,2B;O;KARtD,C;I AUA,kC;MAKiE,OAAS,aAAT,QAAS,EAAa,qBAAc,YAAY,QAAS,OAARB,CAAd,CAAb,C;K;uFAE1E,yB;MA AA,2D;MAAA,mB;QAGgD,qB;O;KAHhD,C;IAKA,+B;MAC2D,OAAS,aAAT,QAAS,EAAa,eAAQ,YAAY,QAA S,OAARB,CAAR,CAAb,C;K;2FAEpE,yB;MAAA,uE;MAAA,mB;QAMwD,2B;O;KANxD,C;IAQA,iC;MAKmE,O

AAS,aAAT,QAAS,EAAa,qBAAc,YAAy,QAAS,OAArB,CAAd,CAAAb,C;K;IAE5E,+B;MAMyD,OAAI,eAAJ,GA  
AqB,MAAM,OAAN,CAArB,GAAyC,U;K;IAEIG,kC;MAQI,OAAgB,gBAAT,QAAS,EAAgB,sBAAhB,C;K;sFAG  
pB,yB;MavBA,uE;MbuBA,gC;QanB8B,gBAAnB,oB;QbqCiB,aS/CxB,W;QT+CA,OS9CO,SISwC,Q;O;KbmBnD,  
C;wFA0BA,yB;Ma1CA,wE;Mb0CA,0C;QatCsC,gBAA3B,mBb4DiB,QA5DjB,C;Qb4D2B,aS7EIC,W;QT6EA,OS5  
EO,SIgBgD,Q;O;KbsC3D,C;sFA+BA,yB;MAAA,mD;MAAA,4B;QAEkD,uCAAQ,U;O;KAF1D,C;IAIA,wC;MA  
AgD,QAAM,cAAN,C;aAC5C,C;UAD4C,OACvC,U;aACL,C;UAF4C,OAEvC,MAAM,oBAAW,OAAjB,C;;UAFu  
C,OAGpC,S;;K;IKnKZ,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;I0KLA,yC;MzK4BI,IAAI,E  
yK3BI,OAAO,CAAP,IAAY,OAAO,CzK2BvB,CAAJ,C;QACI,cyK3BI,aAAJ,GACI,yEADJ,GAGI,8C;QzKyBJ,M  
AAM,gCAAyB,OAAQ,WAAjC,C;;K;IyKnBM,mI;MAAA,mB;QAAE,wBAAiB,gCAAjB,EAA6B,YAA7B,EAAm  
C,YAAnC,EAAyC,sBAAzC,EAAyD,mBAAzD,C;O;K;IAFtB,gF;MACI,oBAAoB,IAApB,EAA0B,IAA1B,C;MAC  
A,oCAAgB,6EAAhB,C;K;IAKyB,yL;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wC;MAAA,gD;MA  
AA,sD;MAAA,4D;MAAA,wB;MAAA,0B;MAAA,uB;MAAA,0B;MAAA,wB;MAAA,qB;MAAA,4B;MAAA,kC;  
K;;;2DAAA,Y;;;cACrB,4BAAiC,eAAL,uBAAK,EAAa,IAAb,C;+BACvB,0BAAO,uBAAP,I;cACV,IAAI,kBAA  
O,CAAX,C;oCACiB,iBAAa,qBAAb,C;kCACF,C;gBACD,6C;gBAAV,iB;;;sCAaa,gBAAc,qBAAd,C;gBACH,+C;  
gBAAV,gB;;;cAAA,KAAU,2BAAV,C;gBAAA,gB;;;cAAU,kC;cACN,mBAAO,WAAI,GAAJ,C;cACP,IAAI,m  
BAAO,SAAX,C;gBACI,IAAI,mBAAO,KAAP,GAAc,uBAAiB,C;kBAA0B,sBAAS,mBAAO,kBAAuB,uBAAvB,  
C;kBAA8B,gB;;;kBAAxE,gB;;;gBADJ,gB;;;cAGI,gB;8BAAA,iCAAU,8BAAJ,GAAiB,mBAAjB,GAA6B,iBAA  
U,mBAAV,CAAnC,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cACA,mBAAO,qBAAy,uBAAZ,C;cAJX,gB;;;cAFJ,gB;  
;cASA,IAAI,iCAAJ,C;gBACI,gB;;;gBADJ,iB;;;cACI,IAAO,mBAAO,KAAAd,IAAqB,uBAArB,C;gBAAA,gB;;;c  
ACI,gB;8BAAA,iCAAU,8BAAJ,GAAiB,mBAAjB,GAA6B,iBAAU,mBAAV,CAAnC,O;kBAAA,2C;uBAAA,yB;  
cAAA,Q;;cACA,mBAAO,qBAAy,uBAAZ,C;cAFX,gB;;;cAIA,IjL4K4C,CiL5KxC,mBjL4KyC,UiL5K7C,C;gBA  
AyB,iB;gCAAA,iCAAM,mBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAAzB,iB;;;cAjCR,W;;cA4BI,iB;;;c  
A1BJ,iB;;;cAGI,KAAU,yBAAV,C;gBAAA,iB;;;6BAAU,sB;cACN,IAAI,kBAAO,CAAX,C;gBAAgB,oCAAQ,CA  
AR,I;gBAAW,iB;;;gBAA3B,iB;;;cACA,iBAAO,WAAI,YAAJ,C;cACP,IAAI,iBAAO,KAAP,KAAe,uBAAnB,C;g  
BACI,iB;gCAAA,iCAAM,iBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBADJ,iB;;;cAEL,IAAI,8BAAJ,C;gBA  
AiB,iBAAO,Q;;gBAAa,oBAAAS,iBAAU,uBAAV,C;cAC9C,kBAAO,c;cAHX,iB;;;cAHJ,iB;;;cASA,IjL+LgD,CiL/L  
5C,iBjL+L6C,UiL/LjD,C;gBACI,IAAI,qCAAkB,iBAAO,KAAP,KAAe,uBAArC,C;kBAA2C,iB;kCAAA,iCAAM,i  
BAAN,O;sBAAA,2C;2BAAA,yB;kBAAA,Q;;kBAA3C,iB;;;gBADJ,iB;;;cAdJ,W;;cAcI,iB;;;cAZJ,iB;;;cAkCJ,W;  
;;K;IARCyB,sI;MAAA,yD;uBAAA,6K;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAF7B,6E;MACI,IAAI,CAA  
C,QAAS,UAAAd,C;QAAyB,OAAO,2B;MACHC,OAAO,WAAkB,0EAAiB,C;K;IAwCwB,6B;MAA8B,uB;MAA7B,  
kB;MACHC,mBAA6B,C;MAC7B,eAAyB,C;K;2CAEzB,8B;MACI,+DAAkB,SAAI,IAAI,EAA6B,OAA7B,EAA5C,W  
AAK,KAA3C,C;MACA,mBAAiB,S;MACjB,eAAa,UAAU,SAAV,I;K;0CAGjB,iB;MACI,+DAAkB,KAAIB,EAA  
yB,YAAzB,C;MAEA,OAAO,wBAAK,mBAAy,KAAZ,IAAL,C;K;qFAGY,Y;MAAQ,mB;K;;IASR,wC;MAAqD,u  
B;MAApD,sB;MzKrDxB,IAAI,EyKuDQ,cAAc,CzKvDtB,CAAJ,C;QACI,cyKsD2B,wE;QzKrD3B,MAAM,gCAA  
yB,OAAQ,WAAjC,C;;MAFV,IAAI,EyKwDQ,cAAc,aAAO,OzKxD7B,CAAJ,C;QACI,gByKuDqC,wFAA+E,aAA  
O,O;QzKtD3H,MAAM,gCAAyB,SAAQ,WAAjC,C;;MyK2DV,kBAAuB,aAAO,O;MAC9B,oBAA8B,C;MAE9B,s  
BAAyB,U;K;kFAAzB,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;uCAGA,iB;MAGW,Q;MAFP,+DAAkB,KAAIB,  
EAAyB,SAAzB,C;MAEA,OAAO,sBAmGmC,CAnG5B,iBAmG6B,GAnGV,KAmGU,IAAD,IAAa,eAnGhD,4D;K  
;kCAGX,Y;MAAe,qBAAQ,e;K;IAEgB,4D;MAAA,sC;MAAS,2B;MAC5C,eAAoB,oB;MACpB,eAAoB,4B;K;8D  
AEpB,Y;MAKgB,Q;MAJZ,IAAI,iBAAS,CAAAb,C;QACI,W;;QAGA,mBAAQ,sCAAO,YAAP,4DAAR,C;QACA,e  
AoFkC,CAPf1B,YAoF2B,GAPfB,CAoFa,IAAD,IAAa,+B;QANf/C,mC;;K;;oCAXZ,Y;MAAuC,kD;K;2CAGvC,i  
B;MAGIE,UAQ1C,MAR0C,EAe1C,MAf0C,EAqBtD,M;MATBP,aACQ,KAAM,OAAN,GAAa,IAAK,KAAtB,GA  
AkC,UAAN,KAAM,EAAO,IAAK,KAAZ,CAAIC,GAAyD,kD;MAE7D,WAAW,IAAK,K;MAEHb,WAAW,C;MA  
CX,UAAU,iB;MAEV,OAAO,OAAO,IAAP,IAAe,MAAM,eAA5B,C;QACI,OAAO,IAAP,IAAe,wBAAO,GAAP,g  
E;QACf,mB;QACA,iB;;MAGJ,MAAM,C;MACN,OAAO,OAAO,IAAd,C;QACI,OAAO,IAAP,IAAe,wBAAO,GA  
AP,gE;QACf,mB;QACA,iB;;MAEJ,IAAI,MAAO,OAAP,GAAc,IAAK,KAAvB,C;QAA6B,OAAO,IAAK,KAAZ,I  
AAoB,I;MAEjD,OAAO,uD;K;mCAGX,Y;MACI,OAAO,qBAAQ,gBAAa,SAAb,OAAR,C;K;4CAGX,uB;MAKI,k  
BAAoD,eAAjC,mBAAy,mBAAa,CAAzB,IAA8B,CAA9B,IAAiC,EAAa,WAAb,C;MACpD,gBAAoB,sBAAc,CA

AIB,GAA4B,UAAP,aAAO,EAAO,WAAP,CAA5B,GAAqD,qBAAQ,gBAAa,WAAb,OAAR,C;MACrE,OAAO,eA  
AW,SAAX,EAA5B,SAAtB,C;K;qCAGX,mB;MAII,IAAI,aAAJ,C;QACI,MAAM,6BAAsB,qBAAtB,C;;MAGV,cA  
6B0C,CA7BnC,iBA6BoC,GA7BjB,SA6BiB,IAAD,IAAa,eA7BvD,IAAmC,O;MACnC,6B;K;+CAGJ,a;MzKhJA,I  
AAI,EyKoJQ,KAAK,CzKpJb,CAAJ,C;QACI,cyKmJkB,wC;QzKIJB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MAFV  
,IAAI,EyKqJQ,KAAK,SzKrJb,CAAJ,C;QACI,gByKoJqB,wEAA8D,S;QzKnJnF,MAAM,gCAAYB,SAAQ,WAAjC  
,C;;MyKqJN,IAAI,IAAI,CAAR,C;QACI,YAAY,iB;QACZ,UAGbS,C,AhB5B,KAgB6B,GAhBf,CAGBe,IAAD,IA  
Aa,e;QAdnD,IAAI,QAAQ,GAAZ,C;UACW,OAAP,aAAO,EAAK,IAAL,EAAW,KAAx,EAakB,eAAiB,C;UACA,  
OAAP,aAAO,EAAK,IAAL,EAAW,CAAX,EAAC,GAAd,C;;UAEA,OAAP,aAAO,EAAK,IAAL,EAAW,KAAx,E  
AAkB,GAAiB,C;;QAGX,oBAAa,G;QACb,wBAAQ,CAAR,I;K;qCAKR,wB;MAC8C,QAAC,YAAO,CAAP,IAA  
D,IAAa,e;K;;IA9G3D,0C;MAAA,oD;MAA6B,uBAAK,gBAAMb,QAAnB,OAAL,EAAmC,CAAnC,C;MAA7B,Y;  
K;ICvFJ,0C;MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAY,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAJB  
,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OtL+B4E,0BsL/BrE,kBAAM,CAAN,CtL0Q2B,KAAL,GAAiB,G  
A308B,EsL/B1D,KtL0QgB,KAAL,GAAiB,GA308B,CsL/BrE,IAAP,C;UACI,a;;QACJ,OtL6B4E,0BsL7BrE,kBA  
AM,CAAN,CtLwQ2B,KAAL,GAAiB,GA308B,EsL7B1D,KtLwQgB,KAAL,GAAiB,GA308B,CsL7BrE,IAAP,C;  
UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,  
CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,uC;MA  
GI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;Q  
ACI,UAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,UAAU,  
KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAY,kBAAM  
,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAJB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OpLM6E,0BoLNtE,  
kBAAM,CAAN,CpL0O2B,KAAL,GAAiB,KApO+B,EoLN3D,KpL0OgB,KAAL,GAAiB,KApO+B,CoLNtE,IAAP  
,C;UACI,a;;QACJ,OpLI6E,0BoLJtE,kBAAM,CAAN,CpLwO2B,KAAL,GAAiB,KApO+B,EoLJ3D,KpLwOgB,KA  
AL,GAAiB,KApO+B,CoLJtE,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;U  
ACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UAC  
A,a;;MAGR,OAAO,C;K;IAGX,yC;MAGI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,  
QAAO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MA  
CJ,IAAI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,I;  
MACR,QAAQ,K;MACR,YAAY,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAJB,IAAN,C;MACZ,OAAO,K  
AAK,CAAZ,C;QACI,OrLnB8D,YqLmBvD,kBAAM,CAAN,CrLnBwE,KAAjB,EqLmB5C,KrLnByE,KAA7B,CqL  
mBvD,IAAP,C;UACI,a;;QACJ,OrLrB8D,YqLqBvD,kBAAM,CAAN,CrLrBwE,KAAjB,EqLqB5C,KrLrByE,KAA  
7B,CqLqBvD,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,C  
AAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OA  
AO,C;K;IAGX,yC;MAGI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,C  
AAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,K  
AAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,I;MACR,QAAQ,K;M  
ACR,YAAY,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAJB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QAC  
I,OrK5C+D,aqK4CxD,kBAAM,CAAN,CrK5C0E,KAAiB,EqK4C7C,KrK5C2E,KAA9B,CqK4CxD,IAAP,C;UACI  
,a;;QACJ,OrK9C+D,aqK8CxD,kBAAM,CAAN,CrK9C0E,KAAiB,EqK8C7C,KrK9C2E,KAA9B,CqK8CxD,IAAP,  
C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAA  
M,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,yC;  
MAGI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,  
C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,YA  
AU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAKR,gD;MAI6E,UAAU,KAAV,EAAiB,SAAjB,EAA4B,UAA  
U,CAAV,IAA5B,C;K;IAC7E,gD;MAC6E,YAAU,KAAV,EAAiB,SAAjB,EAA4B,UAAU,CAAV,IAA5B,C;K;IAC  
7E,gD;MAC6E,YAAU,KAAV,EAAiB,SAAjB,EAA4B,UAAU,CAAV,IAA5B,C;K;IAC7E,gD;MAC6E,YAAU,K  
AAV,EAAiB,SAAjB,EAA4B,UAAU,CAAV,IAA5B,C;K;IxK9I7E,0C;MF0BI,IAAI,EEjBI,SAAU,OAAP,GAAiB,  
CFiBrB,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;;MEIBV,OAAO,oBAAoB,CAAPB,E  
AAuB,CAAvB,EAA0B,SAA1B,C;K;IAGX,8C;MACe,Q;MAAX,wBAAW,SAAX,gB;QAAW,SAAX,SAAX,M;Q



ACI,SAAS,GAAG,CAAH,C;QACT,SAAS,GAAG,CAAH,C;QACT,WAAW,cAAc,EAAAd,EAAkB,EAAIB,C;QAC  
X,IAAI,SAAQ,CAAZ,C;UAAe,OAAO,I;;MAE1B,OAAO,C;K;sGAGX,yB;MAAA,8D;MAAA,iC;QASI,OAAO,c  
AAc,SAAS,CAAT,CAAd,EAA2B,SAAS,CAAT,CAA3B,C;O;KATX,C;sGAYA,sC;MASI,OAAO,UAAW,SAAQ,  
SAAS,CAAT,CAAR,EAAqB,SAAS,CAAT,CAArB,C;K;IAatB,6B;MAWY,Q;MALR,IAAI,MAAM,CAAV,C;QA  
Aa,OAAO,C;MACpB,IAAI,SAAJ,C;QAAe,OAAO,E;MAcTb,IAAI,SAAJ,C;QAAe,OAAO,C;MAGtB,OAA8B,iB  
AAtB,mDAAsB,EAAU,CAAV,C;K;IAaZ,6C;MAAA,uB;QAAU,2BAAoB,CAApB,EAAuB,CAAvB,EAA0B,iBA  
A1B,C;O;K;IAVhC,8B;MF7CI,IAAI,EEsDI,SAAU,OAAV,GAAiB,CfIDrB,CAAJ,C;QACI,cAda,qB;QAeb,MAA  
M,gCAAyB,OAAQ,WAAjC,C;;MEqDV,OAAO,eAAW,2BAAX,C;K;0FAIX,yB;MAAA,sC;MAAA,oC;MAAA,u  
BAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,E  
AA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MAPf,2B;QAOI,sBAAW,0BAAX,C;O;KAPJ,C;0FASA,yB;M  
AAA,oC;MAQe,gE;QAAA,uB;UAAU,iBAAsB,kB;UAAtB,eAAkC,gB;UAAIC,OA1Dd,UAAW,SAAQ,SA0DW,C  
A1DX,CAAR,EAAqB,SA0DC,CA1DD,CAArB,C;S;O;MAkDtB,uC;QAQI,sBAAW,sCAAX,C;O;KARJ,C;4GAU  
A,yB;MAAA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/  
Ed,cAAc,SA+EGb,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MAPf,2B;QAOI,sBAAW,o  
CAAX,C;O;KAPJ,C;8GASA,yB;MAAA,oC;MAUe,0E;QAAA,uB;UAAU,iBAAsB,kB;UAAtB,eAAkC,gB;UAAIC  
,OA/Ed,UAAW,SAAQ,SA+EW,CA/EX,CAAR,EAAqB,SA+EC,CA/ED,CAArB,C;S;O;MAqEtB,uC;QAUI,sBAA  
W,gDAAX,C;O;KAVJ,C;kFAYA,yB;MAAA,sC;MAAA,oC;MAAA,oBAQe,yB;QA9Gf,8D;eA8Ge,yC;UAAA,uB;  
YACP,sBAAsB,WAAy,SAAQ,CAAR,EAAW,CAAX,C;YACIC,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OA  
A0B,e;;cAAqB,eAAsB,gB;cAArE,OA vGG,cAAc,SAuG8C,CAvG9C,CAAd,EAA2B,SAuGoC,CAvGpC,CAA3B,  
C;;YAsGH,W;W;S;OADO,C;MARf,sC;QAQI,sBAAW,kCAAX,C;O;KARJ,C;oFAaA,yB;MAAA,oC;MAQe,0E;Q  
AAA,uB;UACP,sBAAsB,WAAy,SAAQ,CAAR,EAAW,CAAX,C;UACIC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;Y  
AAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAtB,eAAkC,gB;YAAjF,OA xGG,UAAW,SAAQ,SAwGyC,CAXGzC,CA  
AR,EAAqB,SAwG+B,CAXG/B,CAArB,C;;UAuGd,W;S;O;MATR,kD;QAQI,sBAAW,8CAAX,C;O;KARJ,C;sGAa  
A,yB;MAAA,sC;MAAA,oC;MAAA,8BAQe,yB;QAxIf,8D;eAwIe,mD;UAAA,uB;YACP,sBAAsB,qBAAsB,SAA  
Q,CAAR,EAAW,CAAX,C;YAC5C,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cA  
ArE,OAjIG,cAAc,SAiI8C,CAjI9C,CAAd,EAA2B,SAiIoC,CAjIpC,CAA3B,C;;YAgiH,W;W;S;OADO,C;MARf,sC  
;QAQI,sBAAW,4CAAX,C;O;KARJ,C;wGAaA,yB;MAAA,oC;MAQe,8F;QAAA,uB;UACP,sBAAsB,qBAAsB,SA  
AQ,CAAR,EAAW,CAAX,C;UAC5C,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,k  
B;YAAtB,eAAkC,gB;YAAjF,OAIG,UAAW,SAAQ,SAkIyC,CAIIZC,CAAR,EAAqB,SAkI+B,CAII/B,CAArB,C;;  
UAIId,W;S;O;MATR,kD;QAQI,sBAAW,wDAAX,C;O;KARJ,C;kGAcA,yB;MAAA,oC;MAOe,wE;QAAA,uB;UA  
CP,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,CAAX,C;UAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+  
C,mBAAW,CAAX,EAAc,CAAd,C;S;O;MATvD,wC;QAOI,sBAAW,4CAAX,C;O;KAPJ,C;IAmBe,oD;MAAA,uB  
;QACP,sBAAsB,SAAU,SAAQ,CAAR,EAAW,CAAX,C;QAAhC,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+  
C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IATIE,uC;MAOI,sBAAW,kCAAX,C;K;IAYc,wE;MAAA,uB;Q  
ACV,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,CAAX,C;QAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GA  
A+C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IATIE,+C;MAOI,sBAAc,4CAAd,C;K;IAaW,+C;MAAA,uB;Q  
AEH,UAAM,CAAN,C;UADJ,OACe,C;aACX,c;UAFJ,OA EiB,E;aACb,c;UAHJ,OAGiB,C;;UAHjB,OAIY,kBAA  
W,SAAQ,CAAR,EAAW,CAAX,C;O;K;IAZ/B,gC;MAOI,sBAAW,6BAAX,C;K;4FASJ,yB;MAAA,4D;MAAA,w  
D;MAAA,mB;QAQe,kBAAW,cAAX,C;O;KAPrE,C;IAGBe,8C;MAAA,uB;QAEH,UAAM,CAAN,C;UADJ,OAC  
e,C;aACX,c;UAFJ,OA EiB,C;aACb,c;UAHJ,OAGiB,E;;UAHjB,OAIY,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O  
;K;IAZ/B,+B;MAOI,sBAAW,4BAAX,C;K;0FASJ,yB;MAAA,4D;MAAA,sD;MAAA,mB;QA0oE,iBAAU,cAAV,  
C;O;KAPpE,C;IASA,wB;MAK4F,Q;MAA7B,OAA6B,4F;K;IAE5F,wB;MAK4F,Q;MAA7B,OAA6B,4F;K;IAE5F,  
gC;MAM+D,IAEJ,IAFI,EAGJ,M;MAFvD,kBAD2D,SAC3D,sB;QADqD,OAC5B,SAAK,W;WAC9B,WAF2D,SA  
E3D,wC;QAFqD,OAEE,4F;WACvD,WAH2D,SAG3D,wC;QAHqD,OAGE,gG;;QAHF,OAI7C,uBAAmB,SAAnB,  
C;K;IAIuB,wC;MAAC,4B;K;2CACChC,gB;MAAwC,OAAA,eAAW,SAAQ,CAAR,EAAW,CAAX,C;K;4CACnD,Y  
;MACgC,sB;K;;IAGpC,kC;MAAA,sC;K;+CACI,gB;MAAoE,OAAE,iBAAF,CAAE,EAAU,CAAV,C;K;gDActE,  
Y;MAC8C,2C;K;;IAHID,8C;MAAA,6C;QAAA,4B;;MAAA,sC;K;IAMA,kC;MAAA,sC;K;+CACI,gB;MAAoE,O  
AAE,iBAAF,CAAE,EAAU,CAAV,C;K;gDActE,Y;MAC8C,2C;K;;IAHID,8C;MAAA,6C;QAAA,4B;;MAAA,sC;

K;8EyKjTA,4B;MAUI,OAAK,iBAAL,SAAK,EAAU,KAAV,C;K;ICTT,iC;K;;;oDayDI,0C;MAiB+D,oB;QAAA,2C;aAjB/D,kG;K;;IAoBJ,uC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,qC;MAAA,wC;O;MASI,4E;MAMA,8E;MAOA,4E;MAOA,kE;K;;IApBA,mD;MAAA,2B;MAAA,2C;K;;IAMA,oD;MAAA,2B;MAAA,4C;K;;IAOA,mD;MAAA,2B;MAAA,2C;K;;IAOA,8C;MAAA,2B;MAAA,sC;K;;IA7BJ,iC;MAAA,+K;K;;IAAA,sC;MAAA,a;aAAA,c;UAAA,gD;aAAA,e;UAAA,iD;aAAA,c;UAAA,gD;aAAA,S;UAAA,2C;;UAAA,oE;;K;;oFAqCA,mB;K;;;;;;;;;;;;;;;;I7HmBiD,gD;MAAA,oB;QACzC,WAAW,sBAAmB,YAAF,CAAE,CAAnB,C;QACX,cAAM,IAAN,C;QADA,OA EA,IAAK,a;O;K;;;IAthb,+B;K;;iFAUA,yB;MAAA,4B;MAAA,mC;QAMI,6BDgDQ,WChDkB,KDgDIB,CChDR,C;O;KANJ,C;2GAQA,yB;MAAA,4B;MDgDQ,kD;MChDR,uC;QAOI,6BDgDQ,WAAO,cChDW,SDgDX,CAAP,CChDR,C;O;KAPI,C;+FAUA,yB;MAAA,kC;MAAA,mD;MAAA,yE;QASI,sC;QAAA,4C;O;MATJ,iGAWY,Y;QAAQ,2B;OAXpB,E;MAAA,0DAaQ,kB;QACI,wBAAW,MAAX,C;O;MadZ,sF;MAAA,sC;QASI,0D;O;KATJ,C;IAiBA,gD;MAaI,4BAA0D,YAAzC,wCAA6B,UAA7B,CAAYC,CAA1D,EAAyE,yBAAzE,C;K;IAEJ,4D;MAcI,4BAAoE,YAAAnD,0CAA6B,QAA7B,EAAuC,UAAvC,CAAmD,CAApE,EAAmF,yBAAnF,C;K;IAEJ,+C;MAU6C,YAAzC,wCAA6B,UAA7B,CAAYC,CAtEzC,oBDgDQ,WCSBsD,kBDtBtD,CChDR,C;K;IAyEJ,2D;MAWuD,YAAAnD,0CAA6B,QAA7B,EAAuC,UAAvC,CAAmD,CAPFnD,oBDgDQ,WCoCgE,kBDpChE,CChDR,C;K;IAuFJ,+C;MAYI,OAA6C,8BAAtC,c;K;8EAZX,yB;MAAA,oE;MAAA,6E;MAyID,gD;QAAA,oB;UAcZC,WAAW,sBAAmB,YAAF,CAAE,CAAnB,C;UACX,cAAM,IAAN,C;UADA,OAEA,IAAK,a;S;O;MAfb,sC;QAYW,mBAAsC,8BAAtC,6B;QAAP,OAAO,kD;O;KAZX,C;qGA0BI,yB;MAAA,2D;MAAA,mB;QACI,MAAM,6BAAoB,0BAApB,C;O;KADV,C;;M8HzIA,yC;;IAAA,uC;MAAA,2C;K;;IAAA,mD;MAAA,kD;QAAA,iC;;MAAA,2C;K;+EakBA,wB;K;oDAaA,e;MAK2C,IAAI,IAAJ,EAGK,M;MAL5C,IAAI,+CAAJ,C;QAEI,OAAW,GAAl,kBAAS,IAAK,IAAd,CAAR,GAA4B,cAAI,OAAJ,GAAl,iBAAQ,IAAR,CAAJ,yCAA5B,GAAYD,I;;MAGpE,OAAW,8CAA4B,GAAhC,GAaQc,8EAARc,GAAoD,I;K;yDAI/D,e;MAGI,IAAI,+CAAJ,C;QACI,OAAW,GAAl,kBAAS,IAAK,IAAd,CAAJ,IAA0B,GAAl,iBAAQ,IAAR,CAAJ,QAA9B,GAAYD,mCAAZD,GAAoF,I;;MAE/F,OAAW,8CAA4B,GAAhC,GAaQc,mCAARc,GAAgE,I;K;;;ICtChD,oD;MACf,cAAc,GAAl,kBAAS,OAAQ,IAAjB,C;MACIB,IAAI,YAAY,mCAAhB,C;QADA,OACuC,O;;QAEnc,kBAakB,oBAAQ,yCAAR,C;QACIB,IAAI,mBAAJ,C;UAJJ,OAI6B,oBAAgB,OAAhB,EAAyB,OAAzB,C;;UACrB,WAAW,OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,mCAAb,GAAoC,oBAAgB,OAAhB,EAAyB,WAAzB,CAApC,GACI,oBAAgB,oBAAgB,IAAhB,EAAsB,OAAtB,CAAhB,EAAgD,WAAhD,C;;K;8CAdxB,mB;MAKI,OAAI,YAAY,mCAAhB,GAAuC,IAAvC,GACI,OAAQ,cAAK,IAAL,EA AW,4BAAAX,C;K;;;qDAiCz,e;MAEyB,Q;MADrB,OACI,OAAA,IAAK,IAAL,EAAy,GA AZ,CAAJ,GAAqB,0EAARb,GAAoC,I;K;sDAExC,8B;MACI,iBAAU,OAAV,EAAmB,IAAnB,C;K;0DAEJ,e;MACI,OAAI,OAAA,IAAK,IAAL,EAAy,GA AZ,CAAJ,GAAqB,mCAARb,GAAgD,I;K;;;IC1DP,8C;MAAC,wB;K;kFAAA,Y;MAAA,yB;K;;IAiCe,wD;MAEjE,kC;MAEA,4BAAqC,mDAAJ,GAakD,OAAQ,qBAA1D,GAA0E,O;K;4DAE3G,mB;MAA6C,+BAAS,OAAT,C;K;6DAC7C,e;MAA8C,eAAQ,IAAR,IAAgB,8BAAe,G;K;;IAGjF,+C;MAW2C,IAAI,IAAJ,EAGV,M;MAL7B,IAAI,+CAAJ,C;QAEI,OAAW,GAAl,kBAAS,SAAK,IAAd,CAAR,GAA4B,cAAI,OAAJ,GAAl,iBAAQ,SAAR,CAAJ,yCAA5B,GAAYD,I;;MAGpE,OAAW,SAAK,IAAL,KAAa,GA AjB,GAAsB,mFAAtB,GAAqC,I;K;IAGhD,6C;MAUI,IAAI,+CAAJ,C;QACI,OAAW,GAAl,kBAAS,SAAK,IAAd,CAAJ,IAA0B,GAAl,iBAAQ,SAAR,CAAJ,QA A9B,GAAYD,mCAAZD,GAAoF,S;;MAE/F,OAAW,SAAK,IAAL,KAAa,GA AjB,GAAsB,mCAATB,GAAiD,S;K;IAG5D,iC;MAAA,qC;MAKI,4B;K;oDACA,Y;MAAiC,0C;K;kDAEjC,e;MAAYD,W;K;mDACzD,8B;MAA4E,c;K;mDAC5E,mB;MAAwE,c;K;uDACxE,e;MAA8D,W;K;+CAC9D,Y;MAAsC,Q;K;+CACtC,Y;MAAYC,8B;K;;;IAB7C,6C;MAAA,4C;QAAA,2B;;MAAA,qC;K;IAqB8B,wC;MAC1B,kB;MACA,wB;K;4CAGA,e;MAGQ,Q;MAFJ,UAAU,I;MACV,OAAO,IAAP,C;QACI,YAAA,GAAl,UAAJ,aAAY,GA AZ,W;UAAwB,W;;QACxB,WAAW,GAAl,O;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,iBAAK,GAAL,C;;K;6CAKnB,8B;MACI,iBAAU,WAAK,cAAK,OAAL,EAAC,SAAd,CAAf,EAAyC,cAAzC,C;K;iDAEJ,e;UAGW,I;MAFP,+BAAQ,GAAR,U;QAAoB,OAAO,W;;MAC3B,cAAc,WAAK,kBAAS,GAAT,C;MAEf,gBAAY,WAAZ,C;QAAoB,W;WACpB,gBAAY,mCAAZ,C;QAAqC,qB;;QAC7B,2BAAgB,OAAhB,EAAyB,cAAzB,C;MAHZ,W;K;uCAOJ,Y;MAIc,IAAI,IAAJ,Q;MAHV,UAAU,I;MACV,WAAW,C;MACX,OAAO,IAAP,C;QACU,uBAAI,OAAJ,GAAl,OAAJ,gC;QAAA,mB;UAAgC,OAAO,I;;QAA7C,MAAM,M;QACN,mB;;K;2CAIR,mB;MACI,+BAAI,OAAQ,IAAZ,GAAoB,OAAPB,C;K;8CAEJ,mB;MAQ4B,Q;MAPxB,UAAU,O;MACV,OAAO,IAAP,C;QACI,IAAI,CAAC,gBAAS,GAAl,UAAb,CAAL,C;UAA4B,OAAO,K;QACnC,WAAW,GAAl,O;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,gBAAS,0EA

AT,C;;;K;uCAKnB,iB;MACI,gBAAS,KAAT,KAakB,yCAA4B,KAAM,SAAN,KAAGB,AA5C,IAAsD,KAAM,e  
AAy,IAAZ,CAA9E,C;K;yCAEJ,Y;MAA+B,OAAK,SAAL,WAAK,CAAL,GAA0B,SAAR,cAAQ,CAA1B,I;K;IA  
GZ,uD;MACX,OAAI,G5JyHoC,YAAU,C4JzHID,GAAMB,OAAQ,WAA3B,GAA6C,GAAF,UAAQ,O;K;yCAF3D  
,Y;MACI,aAAM,kBAAK,EAAL,EAAS,+BAAT,CAAN,GAEL,G;K;IAMO,8E;MAAA,6B;QAAyB,Q;QAAT,iBA  
AS,sBAAT,EAAS,8BAAT,UAAoB,O;QAAQ,W;O;K;+CAJ3D,Y;MAOsB,Q;MANIB,QAAQ,a;MACR,eAAe.gBA  
A+B,CAA/B,O;MACf,gBAAY,CAAZ,C;MACA,kBAAK,kBAAL,EAAW,oDAAX,C;M/KtFJ,IAAI,E+KuFM,YA  
AS,C/KvFf,CAAJ,C;QACI,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;M+KuFN,OAAO,+BAAW,qDA  
AX,C;K;IAGa,8C;MACpB,kD;MADqB,wB;K;IACrB,gD;MAAA,oD;MACI,4B;K;;;IADJ,4D;MAAA,2D;QAAA,0  
C;;;MAAA,oD;K;yDAIA,Y;MAA0C,gBAAT,a;M7Lm9YrB,Q;MADhB,kB6Ll9YmD,mC;M7Lm9YnD,wBAAgB,S  
AAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAwB,yBAAa,OAAb,C;M6Ln9YT,O7Lo9Y9B,W;K;;;I8LtoZX,o  
E;MA4BI,MAAM,wBAAoB,sEAApB,C;K;8GA5BV,yB;MAAA,2D;MAAA,sC;QA4BI,MAAM,6BAAoB,sEAAp  
B,C;O;KA5BV,C;IA0CoC,mC;MAAQ,4D;K;IAE5C,4C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;  
O;MAK0C,oG;MAAQb,gF;MAAW,4E;K;IAAhC,+D;MAAA,gC;MAAA,uD;K;IAAQb,qD;MAAA,gC;MAAA,6  
C;K;IAAW,mD;MAAA,gC;MAAA,2C;K;IAL1E,sC;MAAA,sJ;K;IAAA,2C;MAAA,a;aAAA,qB;UAAA,4D;aA  
AA,W;UAAA,kD;aAAA,S;UAAA,gD;UAAA,qF;K;6ECnDA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA  
3B,SAAL,GAAuB,KAAS,C;O;KAHvF,C;2EAKA,yB;MAAA,0B;MAAA,mC;QAGqD,OAAgC,OAA1B,SAAL,G  
AAsB,KAAS,C;O;KAHrF,C;6EAKA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA3B,SAAL,GAAuB,KAAS,  
C;O;KAHvF,C;6EAKA,yB;MAAA,0B;MAAA,4B;QAGqC,OAAqB,OAAp,CAAR,SAAE,C;O;KAH1D,C;+EAMA  
,yB;MAAA,4B;MAAA,mC;QAGyD,OAAiC,QAA3B,SAAL,GAAuB,KAAS,C;O;KAH1F,C;6EAKA,yB;MAAA,4  
B;MAAA,mC;QAGwD,OAAgC,QAA1B,SAAL,GAAuB,KAAS,C;O;KAHxF,C;+EAKA,yB;MAAA,4B;MAAA,m  
C;QAGyD,OAAiC,QAA3B,SAAL,GAAuB,KAAS,C;O;KAH1F,C;+EAKA,yB;MAAA,4B;MAAA,4B;QAGuC,O  
AAqB,QAAP,CAAR,SAAE,C;O;KAH5D,C;ICpCA,qC;K;ICAA,mB;K;IAOA,iB;K;IAOA,2C;K;IAOA,wB;K;I  
AQA,0B;K;IAOA,sB;K;IAOA,4B;K;IAOA,6C;K;IA+BuC,wE;MAEnC,uB;QAAA,UAAsB,E;MACtB,qB;QAA  
A,8B;MACA,2B;QAAA,qE;MACA,yB;QAAA,YAAqB,E;MAJrB,sB;MACA,sB;MACA,kB;MACA,8B;MACA,0  
B;K;IAGJ,iD;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,+C;MAAA,kD;O;MAKI,wG;MACA,wG;MACA,8F;K;I  
AFA,iE;MAAA,qC;MAAA,yD;K;IACA,iE;MAAA,qC;MAAA,yD;K;IACA,4D;MAAA,qC;MAAA,oD;K;IAPJ,2  
C;MAAA,6K;K;IAAA,gD;MAAA,a;aAAA,kB;UAAA,8D;aAAA,kB;UAAA,8D;aAAA,a;UAAA,yD;UAAA,6E;;  
K;IAUA,wB;K;ICjGA,qB;MAAA,yB;K;0CAII,Y;MAO6D,uB;K;2HAE7D,yB;MAAA,+D;MAAA,kC;MAAA,0F  
;MAAA,6F;MAAA,4E;QAUI,wC;QAAS,2C;O;MAVb,mEAWQ,wC;QAA6E,sBAAS,QAAT,EAAMB,QAANB,EA  
A6B,QAA7B,C;O;MAXrF,oG;MAAA,yC;QAUI,wDAA+B,YAA/B,C;O;KAVJ,C;uHAcA,yB;MAAA,+D;MAAA,  
kC;MAAA,wF;MAAA,yF;MAAA,0E;QACI,wC;QAAS,2C;O;MADB,kEAeQ,wC;QAAuF,6BAAS,QAAT,EAAMB,  
QAANB,EAA6B,QAA7B,C;O;MAf/F,kG;MAAA,yC;QACI,sDAA+B,YAA/B,C;O;KADJ,C;IA3BJ,iC;MAAA,gC;  
QAAA,e;MAAA,yB;K;IAGDiC,sB;MAC7B,eAAwB,I;K;4CAExB,6B;MACW,Q;MAAA,mB;MAAA,iB;QAAS,M  
AAM,6BAAsB,cAAy,QAAS,aAArB,uCAATB,C;MAATB,OAAO,I;K;4CAGX,oC;MACI,eAAa,K;K;;;kDC9CjB,  
6B;;K;;;iEA+CA,6B;;K;ICrDuC,0C;MACvC,uBAAoB,Y;K;wDAEPB,wC;MAM6F,W;K;uDAE7F,wC;K;oDA  
MA,6B;MACI,OAAO,oB;K;oDAGX,oC;MACI,eAAe,IAAK,gB;MACpB,IAAI,CAAC,0BAAa,QAAb,EAAuB,QA  
AvB,EAAiC,KAAjC,CAAL,C;QACI,M;MAEJ,uBAAa,K;MACb,yBAAY,QAAZ,EAAsB,QAATB,EAAGC,KAAh  
C,C;K;4EC9BR,wC;MAqBI,OAAO,e;K;4EAGX,+C;MAuBI,cAAI,KAAJ,C;K;4EAIJ,wC;MAmBI,OAAO,cAAI,  
OAAJ,C;K;4EAGX,+C;MAqBI,cAAI,OAAJ,EAAa,KAAb,C;K;IC/FJ,kB;MA6PI,4B;K;+BAtoA,Y;MAOiC,6BAA  
S,EAAT,C;K;uCAEjC,iB;MAW2C,4BAAQ,CAAR,EAAW,KAAX,C;K;uCAE3C,uB;MAakB,Q;MAHd,iBAAiB,I  
AAjB,EAAuB,KAAvB,C;MACA,QAAQ,QAAQ,IAAR,I;MACR,IAAI,IAAI,CAAJ,IAAS,MAAK,WAAIB,C;QAC  
c,IAAI,MAAM,CAAC,CAAD,IAAN,OAAy,CAAhB,C;UACN,eAAe,SAAS,CAAT,C;UACf,6BAAS,QAAT,C;U  
AEA,K;YAEI,WAAW,cAAU,KAAC,C;YAC1B,IAAI,OAAO,C;UACN,gBAAO,CAAP,IAAY,CAAZ,GAAgB,C  
AAhB,SAAqB,CAArB,C;UACT,Q;QATJ,c;QAWA,OAAO,OAAO,GAAP,I;QAEp,OAAO,IAAP,C;UACI,YAA  
U,c;UACV,IAAW,IAAP,qBAAkB,KAAtB,C;YAA6B,OAAO,K;K;gCAKhD,Y;MAOmC,OAAU,oBAAV,cAAU,  
CAAS,WAAI,EAAJ,CAANB,yBAA6B,cAA7B,E;K;wCAEnC,iB;MAW8C,iCAAY,KAAZ,C;K;wCAE9C,uB;MAi  
BkB,Q;MAPd,mBAAiB,IAAjB,EAAuB,KAAvB,C;MACA,QAAQ,eAAQ,IAAR,C;MACR,IAAI,eAAI,CAAR,C;Q  
ACI,O;QACA,IAAI,aAAO,CAAD,aAAN,GAAY,CAAZ,CAAJ,C;UACI,WAAW,CAAE,Q;UACb,YAAa,qBAAO,

EAAP,CAAW,Q;UAEpB,AAQ,CAAR,C;YACI,eAAe,SAAS,IAAT,C;YAEf,OAAMb,oBAAnB,sBAAS,QAAT,C  
AAmB,CAAnB,iB;iBAEJ,cAAS,CAAT,C;YAEI,OAAU,oBAAV,cAAU,CAAV,iB;;YAEA,iBAae,SAAS,KAAT,  
C;YACf,OAAMb,oBAAnB,sBAAS,UAAT,CAAmB,CAAS,WAAI,EAAJ,CAA5B,KAAiD,oBAAV,cAAU,CAAV,  
iBAAvC,C;;UAXR,U;;UAeA,K;;YAEI,WAAW,eAAW,oBAAK,CAAL,C;YACtB,IAAI,YAAO,CAAP,C;;UACC,s  
BAAO,CAAP,MAAY,+BAAI,CAAJ,EAAZ,eAAqB,CAArB,C;UACT,MAAM,C;;QAEV,OAAO,SAAO,GAAP,C;  
;QAEp,OAAO,IAAP,C;UACI,YAAU,e;UACV,IAAW,IAAP,0CAAkB,KAAIB,CAAJ,C;YAA6B,OAAO,K;;K;m  
CAKhD,Y;MAKyC,6BAAS,CAAT,MAAe,C;K;kCAExD,Y;MAKuC,uBAAgB,sBAAS,EAAT,CAAhB,EAA8B,sB  
AAS,EAAT,CAA9B,C;K;0CAEvC,iB;MASoD,+BAAW,GAAX,EAAgB,KAAhB,C;K;0CAEpD,uB;MAcY,Q;MA  
FR,mBAAiB,IAAjB,EAAuB,KAAvB,C;MACA,WAAW,QAAQ,I;MACX,IAAS,WAAI,IAAK,CAAL,IAA0B,SA  
AL,IAAK,CAA1B,IAA8C,SAAN,KAAM,CAAID,C;QACJ,SAAS,qBAAgB,QAAQ,CAAR,GAAY,OAAO,CAAn  
C,C;QACT,cAAO,EAAP,GAAY,E;;QAEZ,cAAO,oBAAE,I;;MAJ1B,Y;MAMA,OAAW,KAAK,KAAT,GAASB,S  
AAN,KAAM,CAAtB,GAASc,C;K;iCAGjD,Y;MAKqC,6BAAS,EAAT,IAA0B,Q;K;IAWK,oF;MAAA,mB;QAAE,  
uBAAa,iBAAb,sBAAqC,eAArC,+BAAqE,aAAM,OAA3E,M;O;K;iDATtE,qC;MxLjLA,IAAI,EwL0LqB,CAAb,8  
BAAgB,KAAM,OxL1L9B,GwL0LiD,CAAX,0BAAc,KAAM,OxL1L1D,GwL0LsC,KxL1LtC,CAAJ,C;QACI,cwL  
yLgE,kDxLzLID,E;QACd,MAAM,gCAAYB,OAAQ,WAAjC,C;;MAFV,IAAI,EwL2LQ,aAAa,OxL3LrB,CAAJ,C;  
QACI,gBwL0LgC,mF;QxLzLhC,MAAM,gCAAYB,SAAQ,WAAjC,C;;MwL2LN,YAAY,CAAC,UAAU,SAAV,IA  
AD,IAAwB,CAAxB,I;MAEZ,mBAAe,SAAf,C;MrLzEJ,iBAAc,CAAd,UqL0EW,KrL1EX,U;QqL2EQ,QAAQ,c;Q  
ACR,MAAM,UAAU,IAAoB,OAAf,CAAE,C;QACpB,MAAM,aAAW,CAAX,IAAN,IAAgC,OAAV,CAAE,KAA  
K,CAAG,C;QAChC,MAAM,aAAW,CAAX,IAAN,IAAiC,OAAx,CAAE,KAAK,EAAL,C;QACjC,MAAM,aAAW,  
CAAX,IAAN,IAAiC,OAAx,CAAE,KAAK,EAAL,C;QACjC,0BAAY,CAAZ,I;;MAGJ,gBAAgB,UAAU,UAAV,I;  
MACHB,SAAS,sBAAS,YAAY,CAAZ,IAAT,C;MACT,aAAU,CAAV,MAAkB,SAAIb,M;QACI,MAAM,aAAW,C  
AAX,IAAN,IAAqC,OAAf,EAAG,MAAK,IAAI,CAAJ,IAAL,CAAY,C;;MAGzC,OAAO,K;K;yCACX,uD;MAvB4  
C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,KAAM,O;aARrF,0H;K;yCAiCA,iB;MAOyD,8BAAU,KAAY,E  
AAiB,CAAJB,EAAoB,KAAM,OAA1B,C;K;yCAEzD,gB;MAKkD,8BAAU,cAAU,IAAV,CAAV,C;K;IAGID,0B;  
MAAA,8B;MAO2B,iB;MACvB,uBAAoC,uB;K;IAEpC,qC;MAAA,yC;MACI,4B;K;wDAEA,Y;MAAiC,mC;K;;I  
AHrC,iD;MAAA,gD;QAAA,+B;;MAAA,yC;K;8CAMA,Y;MAAkC,8C;K;gDAEIC,oB;MAA4C,OAAA,oBAAc,k  
BAAS,QAAT,C;K;uCAC1D,Y;MAA8B,OAAA,oBAAc,U;K;+CAC5C,iB;MAAwC,OAAA,oBAAc,iBAAQ,KAA  
R,C;K;+CACtD,uB;MAAmD,OAAA,oBAAc,iBAAQ,IAAR,EAAC,KAAd,C;K;wCAEjE,Y;MAAgC,OAAA,oBAA  
c,W;K;gDAC9C,iB;MAA2C,OAAA,oBAAc,kBAAS,KAAT,C;K;gDACzD,uB;MAAuD,OAAA,oBAAc,kBAAS,I  
AAT,EAAe,KAAf,C;K;2CAErE,Y;MAAsC,OAAA,oBAAc,c;K;0CAEpD,Y;MAAoC,OAAA,oBAAc,a;K;kDACID  
,iB;MAAiD,OAAA,oBAAc,oBAAW,KAAX,C;K;kDAC/D,uB;MAA+D,OAAA,oBAAc,oBAAW,IAAX,EAAiB,K  
AAjB,C;K;yCAE7E,Y;MAAkC,OAAA,oBAAc,Y;K;iDAEhD,iB;MAAsD,OAAA,oBAAc,mBAAU,KAAY,C;K;iD  
ACpE,gB;MAA+C,OAAA,oBAAc,mBAAU,IAAV,C;K;yDAC7D,qC;MACI,OAAA,oBAAc,mBAAU,KAAY,EA  
AiB,SAAjB,EAA4B,OAA5B,C;K;;IAtCtB,sC;MAAA,qC;QAAA,oB;;MAAA,8B;K;;IA0CJ,wB;MAAuC,yBAAa,I  
AAb,EAAmB,IAAK,IAAI,EAA5B,C;K;IAEvC,wB;MAawC,yBAAa,IAAK,QAAIB,EAA2B,IAAK,YAAI,EAAJ,C  
AAQ,QAAxC,C;K;IAGxC,mC;MAUI,IAAA,KAAM,UAAU,C;QAAmB,MAAM,gCAAYB,uCAAoC,KAA7D,C;  
WACzB,IAAA,KAAM,KAAN,GAAa,UAAb,C;QAF8C,OAEhB,0BAAQ,KAAM,MAAd,EAAqB,KAAM,KAAN,  
GAAa,CAAb,IAArB,C;WAC9B,IAAA,KAAM,MAAN,GAAC,WAAAd,C;QAH8C,OAGf,0BAAQ,KAAM,MAAN,  
GAAC,CAAd,IAAR,EAAYB,KAAM,KAA/B,IAAuC,CAAvC,I;;QAHe,OAIc,mB;K;IAGZ,oC;MAUI,IAAA,KAA  
M,UAAU,C;QAAmB,MAAM,gCAAYB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAAN,+C;QAFiD,OAEIB,2  
BAAS,KAAM,MAAf,EAA5B,KAAM,KAAN,yBAAa,CAAb,EAAtB,C;WAC/B,IAAA,KAAM,MAAN,+C;QAHi  
D,OAGjB,2BAAS,KAAM,MAAN,8BAAc,CAAd,EAAT,EAA0B,KAAM,KAAhC,0BAAwC,CAAxC,E;;QAHiB,  
OAIzC,oB;K;IAOZ,yB;MAAYC,YjFrTkB,MAAO,OiFqTpB,KjFrToB,CiFqTzB,I;K;IAEzC,4C;MAEI,OAAA,SA  
K,KAAK,EAAL,GAAU,QAAf,GAAyC,CAAX,CAAC,QAAD,IAAW,KAAI,E;K;IAEjD,uC;MxLtVI,IAAI,EwLsV  
uD,QAAQ,IxLtV/D,CAAJ,C;QACI,cwLqVuE,+B;QxLpVvE,MAAM,gCAAYB,OAAQ,WAAjC,C;;K;IwLqVd,yC;  
MxLvVI,IAAI,EwLuVyD,sBAAQ,IAAR,KxLvVzD,CAAJ,C;QACI,cwLsVyE,+B;QxLrVzE,MAAM,gCAAYB,OA  
AQ,WAAjC,C;;K;IwLsVd,yC;MxLxVI,IAAI,EwLwV6D,QAAQ,IxLxVrE,CAAJ,C;QACI,cwLuV6E,+B;QxLrV7E  
,MAAM,gCAAYB,OAAQ,WAAjC,C;;K;IwLwVd,yC;MAAYD,oCAA0B,IAA1B,qBAAiC,KAAjC,kB;K;ICrXzD,6

B;MAOqC,OpMmYE,SoMnYF,mBpMmYE,C;K;IoMjYvC,sC;MASgD,6BAAS,WAAT,EAAa,KAAb,C;K;IAEhD,4C;MAUI,qBAAqB,IAArB,EAA2B,KAA3B,C;MAEA,iBAaIB,IpMqQgB,KoMrQhB,GAAiB,W;MACiC,kBAaKB,KpMoQe,KoMpQf,GAaKB,W;MAEpC,mBAAmB,0BAAQ,UAAR,EAAoB,WAApB,IAAqC,W;MACxD,OpMsWmC,SoMtW5B,YpMsW4B,C;K;IoMnWvC,sC;MAWI,IAAA,KAAM,UAAN,C;QAAMB,MAAM,gCAAYB,uCAoC,KAA7D,C;;QACzB,IpMGkE,YoMHIE,KAAM,KpMG6E,KAAjB,EoMHRD,4BAAK,UpMG6E,KAA7B,CoMHIE,K;UAFiD,OAEiB,sBAAS,KAAM,MAAf,EpMqBsB,SoMrBA,KAAM,KpMqBI,KAAK,GAAW,CoMrBb,WpMqBa,MAAX,IAAf,CoMrBtB,C;;UAC/B,IpMEkE,YoMFIE,KAAM,MpME6E,KAAjB,EoMFpD,4BAAK,UpME4E,KAA7B,CoMFIE,K;YAHiD,OpMuBI,SoMpBrB,sBpMiCsB,SoMjCb,KAAM,MpMiCiB,KAAK,GAAy,CoMjC1B,WpMiC0B,MAAZ,IAAf,CoMjCtB,EAA2B,KAAM,KAAjC,CpMoB+B,KAAK,GAAW,CoMpBN,WpMoBM,MAAX,IAAf,C;;YoMvBJ,OAIzC,mB;;;K;IAGZ,8B;MAOuC,OpL0VG,UoL1VH,oBpL0VG,C;K;IoLxV1C,uC;MASmD,8BAAU,2BAAV,EAAe,KAAf,C;K;IAEnD,6C;MAUI,sBAAsB,IAAtB,EAA4B,KAA5B,C;MAEA,iBAaIB,IpLwNkB,KoLxNlB,8B;MACjB,kBAaKB,KpLuNiB,KoLvNjB,8B;MAEiB,mBAAmB,2BAAS,UAAT,EAAqB,WAAR,+B;MACnB,OpL6TsC,UoL7T/B,YpL6T+B,C;K;IoL1T1C,uC;MAWI,IAAA,KAAM,UAAN,C;QAAMB,MAAM,gCAAYB,uCAoC,KAA7D,C;;QACzB,IpL7CmE,aoL6CnE,KAAM,KpL7C+E,KAAiB,EoL6CtD,6BAAM,UpL7C8E,KAA9B,CoL6CnE,K;UAFoD,OAEpB,uBAAU,KAAM,MAAhB,EpLhCuB,UoLgCA,KAAM,KpLhCK,KAAK,KAAW,ChBsQ7C,UAAW,oBAAL,CoMtOyB,WpMsOzB,MAAK,CAAL,iBAAN,CgBtQ6C,MAAX,CAAhB,CoLgCvB,C;;UACHC,IpL9CmE,aoL8CnE,KAAM,MpL9C+E,KAAiB,EoL8CrD,6BAAM,UpL9C6E,KAA9B,CoL8CnE,K;YAHoD,OpL9BG,UoLiCtB,uBpLpBuB,UoLoBb,KAAM,MpLpBkB,KAAK,UAAy,ChByP/C,UAAW,oBAAL,CoMrOc,WpMqOd,MAAK,CAAL,iBAAN,CgBzP+C,MAAZ,CAAhB,CoLoBvB,EAA4B,KAAM,KAAiC,CpLjCiC,KAAK,KAAW,ChBsQ7C,UAAW,oBAAL,CoMrOgC,WpMqOhC,MAAK,CAAL,iBAAN,CgBtQ6C,MAAX,CAAhB,C;;YoL8BH,OAI5C,oB;;;K;IAGZ,sC;MAQI,4BAAU,KjK4+FH,QiK5+FP,C;MACA,OAAO,K;K;IAGX,uC;MAKsD,OjK2iG3C,eiK3iG2C,4BAAU,IAAV,CjK2iG3C,C;K;IiKziGX,4D;MAOGD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,KAAM,K;MACrF,4BAAU,KjKy9FH,QiKz9FP,EAA+B,SAA/B,EAA0C,OAA1C,C;MACA,OAAO,K;K;IAIX,2C;MzLrHI,IAAI,EX2B8D,YoM0FD,KpM1FkB,KAAjB,EoM0FO,IpM1FsB,KAA7B,CoM0FD,IzLrH7D,CAAJ,C;QACI,cyLoH6E,+B;QzLnH7E,MAAM,gCAAYB,OAAQ,WAAjC,C;;K;IyLoHd,4C;MzLrHI,IAAI,EKmc+D,aoLmFC,KpLnFiB,KAAiB,EoLmFS,IpLnFqB,KAA9B,CoLmFC,IzLrHhE,CAAJ,C;QACI,cyLqHgF,+B;QzLpHhF,MAAM,gCAAYB,OAAQ,WAAjC,C;;K;IoLpBc,6C;MASCxB,oC;MA/BA,iB;MANA,Y;MACA,Y;MACA,Y;MACA,Y;MACA,Y;MACA,sB;MILYA,IAAI,E0LLQ,CAAC,WAAK,QAAL,GAAU,QAAY,GAAe,QAaf,GAAoB,QAARB,MAA2B,C1LKnC,CAAJ,C;QACI,c0LNwC,wD;QILOxC,MAAM,gCAAYB,OAAQ,WAAjC,C;;MGoHV,iBAAC,CAAd,UuLxHW,EvLwHX,U;QuLxHiB,c;;K;qCAGjB,Y;MAGI,QAAQ,Q;MACR,IAAI,IAAO,MAAO,C;MACIB,WAAI,Q;MACJ,WAAI,Q;MACJ,WAAI,Q;MACJ,SAAS,Q;MACT,WAAI,E;MACJ,IAAK,IAAO,KAAM,CAAd,GAAsB,EAAtB,GAA8B,MAAO,C;MACzC,WAAI,C;MACJ,gCAAU,MAAV,I;MACA,OAAO,IAAI,aAAJ,I;K;8CAGX,oB;MACI,OAAU,cAAV,cAAU,EAAc,QAAd,C;K;IAEd,kC;MAAA,sC;MACI,4B;K;;IADJ,8C;MAAA,6C;QAAA,4B;;MAAA,sC;K;;IA7BA,gD;MAAA,sD;MACQ,yBAAK,KAAL,EAAy,KAAZ,EAAmB,CAAnB,EAAsB,CAAtB,EAA+B,CAAN,KAAzB,EAAuC,SAAU,EAAX,GAAoB,UAAW,CAArE,C;MADR,Y;K;ICbiD,8C;MACjD,4B;MACA,0C;K;oEADA,Y;MAAA,2B;K;2EACA,Y;MAAA,kC;K;uCAGA,iB;MACI,OAAO,0CAAgC,kBAAa,KAAM,UAAnB,KAC/B,mBAAS,KAAM,MAAf,KAAwB,0BAAgB,KAAM,aAAtB,CADO,CAAhC,C;K;yCAIX,Y;MACI,OAAW,cAAJ,GAAe,EAaf,GAAuB,MAAW,SAAN,UAAW,CAAX,QAAqC,SAAb,iBAaA,CAArC,I;K;yCAGIC,Y;MAAkC,OAAE,UAAf,qBAAU,iB;K;;IAGhD,kC;MAM6E,2BAAgB,SAAhB,EAAsB,IAAtB,C;K;;0DAYzE,iB;MAA2C,qCAAiB,UAAjB,EAAwB,KAAxB,KAAkC,8BAAiB,KAAjB,EAAwB,iBAAxB,C;K;iDAC7E,Y;MAAkC,QAAC,8BAAiB,UAAjB,EAAwB,iBAAxB,C;K;;IACr,gD;MAI3B,gBAAqB,K;MACrB,uBAA4B,Y;K;0FACD,Y;MAAQ,oB;K;iGACD,Y;MAAQ,2B;K;2DAE1C,gB;MAA+D,YAAK,C;K;mDAEpE,iB;MAAgD,gBAAS,aAAT,IAAmB,SAAS,oB;K;0CAC5E,Y;MAAkC,SAAE,iBAAU,oBAAZ,C;K;yCAEIC,iB;MACI,OAAO,4CAA+B,kBAAa,KAAM,UAAnB,KAC9B,kBAAU,KAAM,SAAhB,IAA0B,yBAAiB,KAAM,gBADnB,CAA/B,C;K;2CAIX,Y;MACI,OAAW,cAAJ,GAAe,EAaf,GAAuB,MAAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAAc,CAAvC,I;K;2CAGIC,Y;MAAkC,OAAE,aAAf,qBAAW,oB;K;;IAGjD,oC;MAOqF,6BAAkB,SAAiB,EAAwB,IAAxB,C;K;IAQvD,+C;MAI1B,gBAAqB,K;MACrB,uBAA4B,Y;K;yFACF,Y;MAAQ,oB;K;gGACD,Y;MAAQ,2B;K;0DAEzC,gB;MAA6D,YAAK,C;K;kDAEIE,iB;MAA+C,gBAAS,aAAT,IAAmB,SAAS,oB;K;yCAC3E,Y;MAAk

C,SAAE,iBAAU,oBAAZ,C;K;wCAEIC,iB;MACI,OAAO,2CAA8B,kBAAa,KAAM,UAAAnB,KAC7B,kBAAU,KAAM,SAAhB,IAA0B,yBAAiB,KAAM,gBADpB,CAA9B,C;K;0CAIX,Y;MACI,OAAW,cAAJ,GAAe,EAAf,GAAuB,MAAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAAc,CAAvC,I;K;0CAGIC,Y;MAAkC,OAAE,aAAF,qBAAW,oB;K;;IAGjD,oC;MAOKf,4BAAiB,SAAjB,EAAuB,IAAvB,C;K;oFAGIF,8B;MAQI,0BAAmB,2BAAS,OAAT,C;K;IAGvB,+C;MACI,IAAI,CAAC,UAAL,C;QAAiB,MAAM,gCAAyB,iCAA8B,IAA9B,iBAAzB,C;K;IC5I3B,gC;MAcW,Q;MADP,IAAI,CAAC,6BAAW,KAAX,CAAL,C;QAAwB,MAAM,uBAAmB,sC/EjBzC,oB+EiByC,CAAnB,C;;MAC9B,OAAO,sD;K;IAMX,oC;MAAkC,Q;MAA9B,OAAW,6BAAW,KAAX,CAAJ,GAAuB,sDAAvB,GAAuC,I;K;,,,,;ICvBhB,yC;MA2B9B,uC;MA1BA,wB;MAIA,gB;M7LQA,IAAI,E6LDS,iBAAY,IAAb,MAAuB,iBAAvB,C7LCR,CAAJ,C;QACI,c6LDQ,iBAAY,IAAhB,GACI,8CADJ,GAGI,sCAA0B,aAA1B,qC;Q7LDR,MAAM,gCAAyB,OAAQ,WAAjC,C;;K;yC6LKV,Y;MAAwC,Q;MAAA,oB;MACpC,iB;QAD8B,OACtB,G;WACR,oD;QAF8B,OAEF,SAAL,SAAK,C;WAC5B,6C;QAH8B,OAGd,iBAAK,SAAL,C;WACHB,8C;QAJ8B,OAIb,kBAAM,SAAN,C;;QAJa,mC;K;IAOIC,qC;MAAA,yC;MACI,YAGqC,oBAAgB,IAAhB,EAAkB,IAAtB,C;K;iGAQJ,Y;MAAQ,gB;K;4DAEzC,gB;MAOI,8DAAqC,IAArC,C;K;gEAEJ,gB;MAMI,uDAA8B,IAA9B,C;K;4DAEJ,gB;MAMI,wDAA+B,IAA/B,C;K;;;IArCR,iD;MAAA,gD;QAAA,+B;;MAAA,yC;K;;;2CArCJ,Y;MAWI,oB;K;2CAXJ,Y;MAeI,gB;K;6CAfJ,0B;MAAA,2BAWI,8CAXJ,EAeI,kCAfJ,C;K;yCAAA,Y;MAAA,c;MAWI,yD;MAIA,qD;MAfJ,a;K;uCAAA,iB;MAAA,4IAWI,4CAXJ,IAeI,oCAfJ,I;K;ICLA,kC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,gC;MAAA,mC;O;MAYI,4D;MAKA,8C;MAKA,gD;K;;IAVA,2C;MAAA,sB;MAAA,mC;K;;IAKA,oC;MAAA,sB;MAAA,4B;K;;IAKA,qC;MAAA,sB;MAAA,6B;K;;;IAtBJ,4B;MAAA,mG;K;;;IAAA,iC;MAAA,a;aAAA,W;UAAA,wC;aAAA,I;UAAA,iC;aAAA,K;UAAA,kC;;UAAA,6D;;K;;6ECAA,yB;MAAA,4F;MAAA,2B;QASI,MAAM,mCAA8B,0EAA9B,C;O;KATV,C;ICKCA,+D;MAaW,Q;MAAP,OAAO,8CAA0,KAAP,EAAC,UAAd,EAA0B,QAA1B,oC;K;IAGX,kC;MAIiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;mFAGX,qB;MAGwD,gCAA0,EAAP,C;K;qFAExD,4B;MAG4E,OAAA,yBAAO,KAAP,CALpB,gBAAO,EAAP,C;K;qFAOxD,4B;MAGmE,OAAA,yBAAO,KAAP,CAVX,gBAAO,EAAP,C;K;IAaxD,wD;MAEQ,sB;QAAqB,yBAAO,UAAU,OAAV,CAAP,C;WACrB,sD;QAA4B,yBAAO,OAAP,C;WAC5B,2B;QAAMb,yBAAO,kBAAP,C;;QACX,yBA Ae,SAAR,OAAQ,CAAf,C;K;IIL7EhB,+B;MAY6B,kBAAIB,QAAQ,SAAR,EAAC,EAAd,C;MACH,IX0EE,WWIEE,GAAK,CAAT,C;QAAy,MAAM,gCAAyB,oEAAzB,C;MADtB,OX4EO,W;K;IWvEX,wC;MAGBW,Q;MAAA,qCAAiB,KAAjB,C;MAAA,iB;QAA2B,MAAM,gCAAyB,8BAAO,SAAP,4CAA+C,KAAxE,C;;MAAxC,OAAO,I;K;IAGX,qC;MAY6B,kBAAIB,QAAQ,SAAR,EAAC,EAAd,C;MAAP,OXmEqB,WWnEa,IAAM,CXmEjC,GAAqB,WAArB,GAA+B,I;K;IWhE1C,8C;MAGBI,WAAW,KAAX,C;MAC4B,kBAArB,QAAQ,SAAR,EAAC,KAAd,C;MAAP,OX+CqB,WW/CgB,IAAM,CX+CpC,GAAqB,WAArB,GAA+B,I;K;IW5C1C,gC;MAWI,IAAY,CAAR,8BAAW,CAAf,C;QACI,OAAO,YAAM,SAAN,C;;MAEX,MAAM,gCAAyB,SAAM,SAAN,4BAAzB,C;K;IAGV,yC;MAkBW,Q;MANP,IAAI,EAAU,CAAV,sBAAa,EAAb,CAAJ,C;QACI,MAAM,gCAAyB,oBAAiB,KAAjB,4CAAzB,C;;MAEV,IAAI,YAAO,CAAP,IAAY,aAAQ,KAAxB,C;QACI,MAAM,gCAAyB,WAAQ,SAAR,mDAAwD,KAAjF,C;;MAEH,IAAI,YAAO,EAAX,C;QACH,mBAAM,SAAN,C;;QAEA,0BAAM,SAAN,IAAa,EAAb,C;;MAHJ,W;K;IAuFJ,8B;MAWsC,+B;K;0EAEtC,4B;MAM8D,OAAK,oBAAL,SAAK,CAAL,GAakB,K;K;IAEhF,gD;MAQoC,0B;QAAA,aAAsB,K;MActD,IAAI,cAAQ,KAAZ,C;QAAMb,OAAO,I;MAC1B,IAAI,CAAC,UAAL,C;QAAiB,OAAO,K;MAExB,gBAAqB,cAAL,SAAK,C;MACrB,iBAAuB,cAAN,KAAM,C;MAEhB,yBAAa,U;MAAb,U;QAA2B,OfFrMyB,oBEqMzB,SFrMyB,CAAY,cAfrB,YAAy,CAAZ,CEoNhB,KFrMyB,oBEqMI,UFrMJ,CAAY,cAfrB,YAAy,CAAZ,C;;MEoNID,W;K;IAGJ,gC;MAGyC,QAAQ,cAAA,sCAAk,cAAL,EAAoB,sCAAk,cAAzB,CAAR,6B;K;ImL3OzC,6C;MAc6B,4B;QAAA,eAAuB,G;MACHD,wCAAsB,EAAtB,EAA0B,YAA1B,C;K;IAEJ,mE;MAKwC,yB;QAAA,YAAoB,E;MAAI,4B;QAAA,eAAuB,G;MjMGnF,IAAI,CmBwR+C,CAAC,Q8K1R5C,Y9K0R4C,CnBxRpD,C;QACI,ciMHic,wC;QjMIjC,MAAM,gCAAyB,OAAQ,WAAjC,C;;MiMHV,cAAY,gB;MAEC,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAMb,OAAM,KAAzB,CAAT,I;MAAT,wBAAiD,kBAAkB,SAAIb,C;MA0E9D,gBAAgB,iBA1ET,OA0ES,C;M3Lg7CT,kBAAoB,gB;MAoSd,gB;MADb,YAAy,C;MACC,O2L9xDN,O3L8xDM,W;kBAAb,OAAa,cAAb,C;QAAA,sB;QA1RsB,U;QAAA,cA0RT,oBAAmB,cAAnB,EAAMb,sBAAnB,U;Q2L/sDI B,kB;;YAHA,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,Q3LktDG,I2LltDH,C;UAC5C,a;;UAEA,4B;UA9E+B,uB;;Y/KgHzB,kC;YAAA,wBZ6qDyC,IY7qDzC,C;YAAA,qB;YAAA,oB;YAAA,oB;YAAAd,gE;cACI,I+KjHkD,CAAI,aAAH,U/KiHrC,YZ4qDqC,IY5qDrC,YAAK,OAAL,E+KjHqC,CAAG,C/KiHtD,C;gBACI,sBAAO,O;gBAAP,

wB;;;YAGR,sBAAO,E;;;U+KrHH,iD;UAGI,gCAA2B,EAA3B,C;YAHJ,2BAGqC,I;iBACjC,IAAK,a3LyxD0C,I2LzxD1C,gBAAYB,uBAAzB,CAAL,C;YAJJ,2B3L6xDmD,IOjmDsB,WoLxLI,0BAAuC,mBAAvC,IpLwLJ,C;;YoL5LzE,2BAKY,I;;UAYER,iE9LJD,yB8LIC,4B3L+sD+C,I;;QA1RpB,8B;UAA6C,6B;;;M2LpgDhF,OAIgFK,S3Lo7CE,W2Lp7CF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAvET,+B;MAeyC,gCAAc,EAAd,C;K;IAEzC,6C;MAGgC,yB;QAAA,YAAoB,E;MAM3C,Q;MALL,cAAY,gB;M3LurBL,kBAAS,gB;MA2FA,U;MAAA,S2LhxBM,O3LgxBN,W;MAAhB,OAAgB,gBAAhB,C;QAAgB,2B;QAAM,Ia3hB6B,CAAC,Qb2hBhB,Oa3hBgB,Cb2hB9B,C;UAAwB,WAA,Y,WAAI,OAAJ,C;;M2L9wBrD,kB3L+wBE,W;MAMrBA,oBAAM,iBAAa,qCAAwB,EAxB,CAAb,C;MAuEA,U;MAAA,+B;MAAb,OAAa,gBAAb,C;QAAa,wB;QACT,aAAY,uBAAC,IAAd,E;;M2L5gDhB,sBAAsB,CAGjB,oB3L0gDE,a2L1gDF,CAHiB,mBAGF,C;MAEP,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAMB,OAAAM,KAAzB,CAAT,I;MAAT,wBAAiD,kBAAkB,SAAI,B,C;MAMc9D,gBAAgB,iBAnCT,OAmCS,C;M3Lg7CT,oBAAoB,gB;MAoSd,kB;MADb,YAAY,C;MACC,S2LvDN,O3LuvDM,W;MAAb,OAAa,gBAAb,C;QAAa,0B;QA1RsB,U;QAAA,cA0RT,oBAAMb,cAAnB,EAAMb,sBAAnB,U;Q2L/sDIB,kB;Q3Lq7C2B,c2Lx7C3B,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,Q3LktDG,M2LltDH,C3Lw7CjB,G2Lv7C3B,I3Lu7C2B,G2Lr7C3B,oBAxcmG,Q3LuvDpD,M2LvDoD,kBAwCnG,Y9LJD,yB8LIC,4B3L+sD+C,MA1RpB,U;UAA6C,+B;;;M2L79ChF,OAOCK,S3Lo7CE,a2Lp7CF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAjCI,8C;MAAA,qB;QAEAG,IAAG,QAAG,EAAG,CAAH,C;UAEQ,IAAA,EAAG,OAAH,GAAY,cAAO,OAAAnB,C;YAHZ,OAGyC,c;;YAHZC,OAIoB,E;;UAJpB,OAoy,iBAAS,E;O;K;IAfjC,0C;MAKgC,sB;QAAA,SAAiB,M;MAC7C,OAYK,eAXA,OADL,uBACK,EAAl,4BAAJ,CAWA,EAAa,IAAb,C;K;IAET,gC;MAAwC,uB;;Q/KmDtB,gC;QAAA,gC;QAAA,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,I+KpD+C,CAAI,aAAH,U/KoDIC,iCAAK,KAAL,E+KpDkC,CAAG,C/KoDnD,C;YACI,sBAAO,K;YAAP,wB;;;QAGR,sBAAO,E;;;Mf3CA,4B;M8Lb6B,OAA8C,OAAAM,EAAY,GAAC,gBAAd,GAA0B,E;K;IAGpF,wC;MAAkB,W;K;IAC9B,oD;MAAA,uB;QAAkB,wBAAS,I;O;K;IAFvC,mC;MACI,IAAA,M9KkMgD,YAAU,C8KIM1D,C;QAD4C,OACxB,wB;;QADwB,OAEPc,kC;K;mBAGZ,yB;M3L86CA,+D;MAoSA,wE;M2LltDA,sF;QAKI,gBAAGB,2B;Q3Lg7CT,kBAAoB,gB;QAoSd,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA1RsB,U;UAAA,cA0RT,oBAAMb,cAAnB,EAAMb,sBAAnB,U;U2L/sDIB,kB;U3Lq7C2B,c2Lx7C3B,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,Q3LktDG,I2LltDH,C3Lw7CjB,G2Lv7C3B,I3Lu7C2B,G2Lr7C3B,sC3L+sD+C,I2L/sD/C,a9LJD,yB8LIC,4B3L+sD+C,IA1RpB,U;YAA6C,6B;;;Q2Lz7ChF,OAMK,S3Lo7CE,W2Lp7CF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;O;KAbT,C;6EvEkSA,0B;MAGmE,OAAA,SAAK,gBAAO,GAAP,C;K;qFAExE,yB;MAAA,yD;MAAA,gC;QAO2B,gBAAhB,oB;QAAsB,avHrU7B,W;QuHqUA,OvHpUO,SuHoUqC,W;O;KAPhD,C;uFAUA,yB;MAAA,iE;MAAA,0C;QAQmC,gBAAxB,mBAAc,QAAd,C;QAA8B,avHhVrC,W;QuHgVA,OvHUO,SuH+U6C,W;O;KARxD,C;IAWA,oC;MAIiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;IAGX,oC;MAIiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;qFAGX,qB;MAG8D,gCAAO,EAAP,C;K;qFAE9D,4B;MAGkF,OAAA,yBAAO,KAAP,CALpB,gBAAO,EAAP,C;K;qFAO9D,4B;MAG4E,OAAA,yBAAO,KAAP,CAVd,gBAAO,EAAP,C;K;qFAY9D,4B;MAGyE,OAAA,yBAAO,KAAP,CAfX,gBAAO,EAAP,C;K;qFAiB9D,4B;MAG8E,OAAA,yBAAO,KAAP,CAPhB,gBAAO,EAAP,C;K;qFAsB9D,4B;MAGyE,OAAA,yBAAO,KAAP,CAzBX,gBAAO,EAAP,C;K;qFA2B9D,4B;MAG4E,OAAA,yBAAO,KAAP,CA9Bd,gBAAO,EAAP,C;K;I/H/a9D,iC;MAK0C,iCAAqB,EAArB,C;K;IAE1C,0C;MAQmB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;;MAA5C,UAAU,I;MACV,IAAI,MAAM,sCAAK,UAAW,MAAM,sCAAK,UAAvC,C;QAAkD,OAAO,I;MACzD,OAAW,OAAJ,GAAl,C;K;IAGf,kC;MAK4C,kCAAsB,EAATB,C;K;IAE5C,2C;MAQmB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;;MAA5C,UAAU,I;MACV,IAAI,MAAM,uCAAM,UAAZ,IAAYB,MAAM,uCAAM,UAAZC,C;QAAoD,OAAO,I;MAC3D,OAAW,QAAJ,GAAl,C;K;IAGf,gC;MAKwC,gCAAoB,EAAPB,C;K;IAExC,yC;MAQI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAAGB,qBAAK,CAAL,C;MACHB,IAAI,YAAY,EAAbB,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAExB,QAAQ,C;QAER,IAAI,cAAa,EAAbB,C;UACI,aAAa,I;UACb,QAAQ,W;eACL,IAAI,cAAa,EAAbB,C;UACH,aAAa,K;UACb,QAAQ,W;;UAER,OAAO,I;QAEX,QAAQ,C;QACR,aAAa,K;QACb,QAAQ,W;;MAIZ,uBAAuB,S;MAEvB,qBAaqB,gB;MACrB,aAAa,C;MACb,aAAU,KAAV,MAAsB,MAATB,M;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAAbB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACTB,IAAI,SAAS,cAAb,C;UACI,IAAI,mBAAkB,gBAATB,C;YACI,i

BAAiB,QAAQ,KAAR,I;YAEjB,IAAI,SAAS,cAAb,C;cACI,OAAO,I;;;YAGX,OAAO,I;;;QAIf,6BAAU,KAAV,C;  
QAEA,IAAI,UAAS,QAAQ,KAAR,IAAT,CAAJ,C;UAA4B,OAAO,I;QAEnC,kBAAU,KAAV,I;;MAGJ,OAAW,U  
AAJ,GAAgB,MAAhB,GAA4B,CAAC,MAAD,I;K;IAGvC,iC;MAK0C,iCAAqB,EAARb,C;K;IAE1C,0C;MAQI,W  
AAW,KAAAX,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MA  
CA,S;MAEA,gBAAgB,qBAAK,CAAL,C;MACHb,IAAI,YAAY,EAAbB,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,  
OAAO,I;QAExB,QAAQ,C;QAER,IAAI,cAAa,EAajB,C;UACI,aAAa,I;UACb,gC;eACG,IAAI,cAAa,EAajB,C;U  
ACH,aAAa,K;UACb,6B;;UAEA,OAAO,I;;QAEX,QAAQ,C;QACR,aAAa,K;QACb,6B;;MAIJ,2C;MAEA,qBAAq  
B,gB;MACrB,e;MACA,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAaiB,K  
AAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IAAI,uBAAS,cAAT,KAAJ,C;UACI,IAAI,uBAAK  
B,gBAAlB,CAAJ,C;YACI,iBAaiB,8BAAQ,KAAR,E;YAEjB,IAAI,uBAAS,cAAT,KAAJ,C;cACI,OAAO,I;;;YAG  
X,OAAO,I;;;QAIf,6CAAU,KAAV,E;QAEA,IAAI,uBAAS,8BAAQ,KAAR,EAAT,KAAJ,C;UAA4B,OAAO,I;QAE  
nC,6CAAU,KAAV,E;;MAGJ,OAAW,UAAJ,GAAgB,MAAhB,GAA6B,MAAD,a;K;IAIvC,kC;MAAYD,MAAM,0  
BAAsB,6BAA0B,KAA1B,MAAtB,C;K;uEwBhI/D,yB;MAAA,oC;MAAA,uC;QAII,iBAaiB,C;QACjB,eAAe,mB  
AAS,CAAT,I;QACf,iBAaiB,K;QAEjB,OAAO,cAAc,QAARb,C;UACI,YAAGb,CAAC,UAAL,GAAiB,UAAjB,G  
AAiC,Q;UAC7C,YAAY,UAAU,iCAAk,KAAL,EAav,C;UAEZ,IAAI,CAAC,UAAL,C;YACI,IAAI,CAAC,KAA  
L,C;cACI,aAAa,I;;cAEb,0BAAc,CAAd,I;;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;;cAEA,sBAAY,CAAZ,I;;;QAIZ,O  
AAO,8BAAY,UAZ,EAawB,WAAW,CAAX,IAAxB,C;O;KAZBX,C;yEA4BA,yB;MAAA,8B;MA5BA,oC;MA4  
BA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QA5BD,iBAaiB,C;QACjB,eAAe,qBAAS,CAAT,I;QACf,iBAaiB,K;QAEj  
B,OAAO,cAAc,QAARb,C;UACI,YAAGb,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;UAC7C,YAsBwB,SAAtBZ,CA  
AU,mCAAK,KAAL,EAav,C;UAEZ,IAAI,CAAC,UAAL,C;YACI,IAAI,CAAC,KAAL,C;cACI,aAAa,I;;cAEb,0B  
AAc,CAAd,I;;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;;cAEA,sBAAY,CAAZ,I;;;QAWZ,OAPo,gCAAY,UAZ,EA  
AwB,WAAW,CAAX,IAAxB,CAOGC,W;O;KAJ3C,C;IFAMA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAiUB,UA  
AL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI  
,IAAI,CAAC,UAAU,iCAAk,KAAL,EAav,CAAL,C;YACI,OAAO,8BAAY,KAAZ,EAAMb,gBAAnB,C;QAEf,O  
AAO,E;O;KARX,C;mFAWA,yB;MAAA,8B;MAXA,mD;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;Q  
AAsB,oB;;UAXJ,kC;UAAA,qBAAL,WAAK,C;UAAL,qB;UAAA,oB;UAAA,oB;UAAd,0D;YACI,IAAI,CAUyB,  
SAVxB,CAAU,mCAAK,KAAL,EAav,CAAL,C;cACI,mBAAO,gCAAY,KAAZ,EAAMb,kBAAnB,C;cAAP,qB;;  
UAER,mBAAO,E;;;QAOP,OAA4C,2B;O;KAJhD,C;6EAMA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;Q  
AIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAac,cAAd,C;UAAc,uB;UACV,IAAI,CAA  
C,UAAU,iCAAk,KAAL,EAav,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EAae,QAAQ,CAAR,IAAf,C;;QAEf,OA  
AO,E;O;KARX,C;+EAWA,yB;MAAA,8B;MAXA,mD;MAAA,+C;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBA  
AtB,2D;QAAsB,kB;;UAXT,U;UAAA,SAAa,SAAR,YAAL,WAAK,CAAQ,CAAb,W;UAAd,OAac,gBAAd,C;YA  
Ac,yB;YACV,IAAI,CAUuB,SAvtB,CAAU,mCAAK,KAAL,EAav,CAAL,C;cACI,iBAAO,gCAAY,CAAZ,EAae  
,QAAQ,CAAR,IAAf,C;cAAP,mB;;UAER,iBAAO,E;;;QAOP,OAA0C,yB;O;KAJ9C,C;IAMA,kC;MAhEI,iBAaiB  
,C;MACjB,eAAe,mBAAS,CAAT,I;MACf,iBAaiB,K;MAEjB,OAAO,cAAc,QAARb,C;QACI,YAAGb,CAAC,UA  
AL,GAAiB,UAAjB,GAAiC,Q;QAC7C,YA6DgE,4BA7D1C,iCAAk,KAAL,EA6D0C,E;QA3DhE,IAAI,CAAC,U  
AAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K  
;;YAEA,sBAAY,CAAZ,I;;MAkDiD,OA9CtD,8BAAY,UAZ,EAawB,WAAW,CAAX,IAAxB,C;K;IAGDX,kC;  
MAZCK,Q;MAAsB,kBAAtB,2D;MA5BD,iBAaiB,C;MACjB,eAAe,qBAAS,CAAT,I;MACf,iBAaiB,K;MAEjB,O  
AAO,cAAc,QAARb,C;QACI,YAAGb,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,YAkEoD,4BAIE9B,mCA  
AK,KAAL,EAkE8B,E;QAhEpD,IAAI,CAAC,UAAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAA  
c,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;MAuDqC,OAnD1C,gCAAY,UAZ,E  
AAwB,WAAW,CAAX,IAAxB,CAOGC,W;K;IA8C3C,uC;MAGsE,oB;;QA3C/C,gC;QAAA,gC;QAAL,mB;QAAA  
,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CA0CsE,4BA1C3D,iCAAk,KAAL,EA0C2D,EA1C1E,C;YACI,mBAAO,8  
BAAY,KAAZ,EAAMb,gBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;;MAuC2D,uB;K;IAEtE,uC;MAICK,Q;MAAs  
B,kBAAtB,2D;MAAsB,oB;;QAXJ,kC;QAAA,wBAAL,WAAK,C;QAAL,qB;QAAA,oB;QAAA,oB;QAAd,0D;UA  
CI,IAAI,CA+C0D,4BA/C/C,mCAAK,KAAL,EA+C+C,EA/C9D,C;YACI,mBAAO,gCAAY,KAAZ,EAAMb,kBA  
AnB,C;YAAP,qB;;QAER,mBAAO,E;;;MA4C+C,OArCV,2B;K;IAuChD,qC;MAGoE,kB;;QApCID,Q;QAAA,OA



Aa,WAAR,yBAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,CAmCkE,4BAnCvD,iCAAK,KAAL,EA mCuD,EAnCtE,C;YACI,iBAAO,8BAAY,CAAZ,EA Ae,QAAQ,CAAR,IAAf,C;YAAP,mB;;;QAER,iBAAO,E;;;MAGCyD,qB;K;IAEpE,qC;MA3BK,Q;MAAsB,kBAAtB,2D;MAAsB,kB;;QAXT,U;QAAA,SAAa,WAAR,eAAL,WA AK,CAAQ,CAAb,W;QAAd,OAAC,gBAAd,C;UAAc,yB;UACV,IAAI,CAwCsD,4BAx3C3,mCAAK,KAAL,EA wC2C,EAxC1D,C;YACI,iBAAO,gCAAY,CAAZ,EA Ae,QAAQ,CAAR,IAAf,C;YAAP,mB;;;QAER,iBAAO,E;;;MAqC6C,OA9BV,yB;K;IAGC9C,2B;MA9FI,iBAAiB,C;MACjB,eAAe,mBAAS,CAAT,I;MACf,iBAAiB,K;MAEj B,OAAO,cAAc,QAARb,C;QACI,YAAgB,CAAC,UAAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,mCAAsB,iCAAK,KA AL,EAAtB,E;QAEA,IAAI,CAAC,UAAAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAC,CAAd,I ;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;;MAGF+B,OA5EpC,8BAAY,UAAZ,EA AwB,WA AW,CAAX,IAAxB,C;K;yEA8EX,yB;MAAA,8B;MAAA,qC;MAAA,4B;QAI2C,Q;QAAD,OAAuB,KAAtB,2DA AsB,CAAO,W;O;KAJxE,C;IAMA,gC;MAGoD,oB;;QAI E7B,gC;QAAA,gC;QAAL,mB;QAAA,kB;QAAA,kB;QA Ad,0D;UACI,IAAI,wBAAW,iCAAK,KAAL,EAAX,EA AJ,C;YACI,mBAAO,8BAAY,KA AZ,EA AmB,gBAAnB,C ;YAAP,qB;;;QAER,mBAAO,E;;;MAsEyC,uB;K;mFAEpD,yB;MAAA,8B;MAAA,+C;MAAA,4B;QAIgD,Q;QAA D,OAAuB,UAAtB,2DAAsB,CAAY,W;O;KAJf,C;IAMA,8B;MAGkD,kB;;QApEhC,Q;QAAA,OAAa,WAAR,yB AAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,wBAAW,iCAAK,KAAL,EAAX,EA AJ,C;YACI,iB AAO,8BAAY,CAAZ,EA Ae,QAAQ,CAAR,IAAf,C;YAAP,mB;;;QAER,iBAAO,E;;;MAGEuC,qB;K;+EAEID,yB; MAAA,8B;MAAA,2C;MAAA,4B;QAI8C,Q;QAAD,OAAuB,QAAtB,2DAAsB,CAAU,W;O;KAJ9E,C;IAMA,8C; MAU8C,uB;QAAA,UAAgB,E;MAO5C,Q;MANd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAYB,oBAAiB,MAAj B,wBAAzB,C;MACV,IAAI,UAAU,SAAK,OAA nB,C;QACI,OAA Y,mBAAL,SAAK,EAAY,CAAZ,EA Ae,SAAK, OAApB,C;MAEhB,SAAS,mBAAC,MAAd,C;MACK,gBAAS,SAAK,OAA d,I;MAAd,aAAU,CAAV,iB;QACI,EA A G,gBAAO,OAAP,C;MACP,EAAG,gBAAO,SAAP,C;MACH,OAAO,E;K;IAGX,gD;MASwC,uB;QAAA,UAAgB, E;MACnD,Q;MAAD,OAAuB,SAAtB,6DAAsB,EAAS,MAAT,EA AiB,OAAjB,CAA0B,W;K;IAErD,4C;MAU4C,u B;QAAA,UAAgB,E;MAQ1C,Q;MAPd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAYB,oBAAiB,MAAjB,wBAAzB ,C;MACV,IAAI,UAAU,SAAK,OAA nB,C;QACI,OAA Y,mBAAL,SAAK,EAAY,CAAZ,EA Ae,SAAK,OAApB,C; MAEhB,SAAS,mBAAC,MAAd,C;MACT,EAAG,gBAAO,SAAP,C;MACW,gBAAS,SAAK,OAA d,I;MAAd,aAAU ,CAAV,iB;QACI,EAAG,gBAAO,OAAP,C;MACP,OAAO,E;K;IAGX,8C;MASsC,uB;QAAA,UAAgB,E;MACjD, Q;MAAD,OAAuB,QAAtB,6DAAsB,EA AO,MAAP,EA Ae,OA Af,CAAwB,W;K;2FAEnD,qB;MAWI,OAAO,qBA AgB,SAAK,OAA L,KAAe,C;K;+EAG1C,qB;MAMoD,4BAAU,C;K;sFAE9D,qB;MAMuD,0BAAS,C;K;mFAMhE, yB;MAAA,2C;MAAA,4B;QAMuD,QAAC,kB;O;KANxD,C;yFAQA,yB;MAAA,2C;MAAA,4B;QAWI,OAAO,qB AAqB,QAAL,SAAK,C;O;KAXhC,C;IAiB4D,+C;MAAA,kC;MAAS,uB;MACjE,eAAoB,C;K;gDAEPB,Y;MAA2C ,gB;MAAA,iE;MAAJ,4C;K;+CAEvC,Y;MAAyC,sBAAQ,yB;K;;IARrD,+B;MAG4D,4C;K;+EAQ5D,qB;MAE8C, uCAAQ,E;K;+EAEtD,mC;MASI,OA5DgD,qBAAU,CA4D1D,GAAe,cAAf,GAAmC,S;K;6EAEvC,yB;MAAA,2C; MAAA,0C;QASI,OAAI,kBAAJ,GAAe,cAAf,GAAmC,S;O;KATvC,C;IAeI,mC;MAAQ,uBAAG,mBAAS,CAAT,I AAH,C;K;IAMR,qC;MAAQ,OAAA,SAAK,OAA L,GAAc,CAAd,I;K;IAEZ,8C;MAIuB,Q;MAAA,0BAAS,CAAT, I;MAAnB,OAAgB,CAAT,8BACgB,gBAAZ,qBAAK,KAAL,CAAY,CADhB,IAEoB,eAAhB,qBAAK,QAAQ,CA AR,IAAL,CAAgB,C;K;IAG/B,uC;MAGuD,ONpKyC,oBMoK/B,KAAM,MNpKyB,EMoKIB,KAAM,aAAN,GAA qB,CAArB,INpKkB,C;K;IMsKhG,yC;MAGqE,qCAAY,KAAM,MAAIB,EAAYB,KAAM,aAAN,GAAqB,CAArB,IA AzB,C;K;uFAErE,iC;MAS2E,2BAAY,KA AZ,EA AmB,GAAnB,C;K;mFAE3E,2C;MAO0D,wB;QAAA,WAAgB ,gB;MAAkB,OAAA,8BAAY,UAAZ,EA AwB,QA AxB,CAAK,W;K;IAE9H,uC;MAG6D,OAAA,8BAAY,KAAM, MAAIB,EAAYB,KAAM,aAAN,GAAqB,CAArB,IAAzB,CAAiD,W;K;IAE9G,sE;MAImD,qC;QAAA,wBAAGC,S; MAC/E,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAA S,EAAPB,GAAwB,qBAAxB,GN1M4F,oBM0M/B,CN1M+ B,EM0M5B,KN1M4B,C;K;IM6MhG,wE;MAIqD,qC;QAAA,wBAAGC,S;MACjF,YAAY,sBAAQ,SAAR,C;MAC Z,OAAW,UAA S,EAAPB,GAAwB,qBAAxB,GNnN4F,oBMmN/B,CNnN+B,EMmN5B,KNnN4B,C;K;IMsNhG,qE ;MAIkD,qC;QAAA,wBAAGC,S;MAC9E,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAA S,EAAPB,GAAwB,qBA AxB,GN5N4F,oBM4N/B,QAAQ,CAAR,IN5N+B,EM4NpB,gBN5NoB,C;K;IM+NhG,uE;MAIoD,qC;QAAA,wBA AgC,S;MACHf,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAA S,EAAPB,GAAwB,qBAAxB,GNrO4F,oBMqO/B, QAAQ,SAAU,OAAIB,INrO+B,EMqOL,gBNrOK,C;K;IMwOhG,0E;MAIuD,qC;QAAA,wBAAGC,S;MACnF,YA AY,0BAAY,SAAZ,C;MACZ,OAAW,UAA S,EAAPB,GAAwB,qBAAxB,GN9O4F,oBM8O/B,CN9O+B,EM8O5B,

KN9O4B,C;K;IMiPhG,4E;MAIyD,qC;QAAA,wBAAGC,S;MACrF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAA S,EAAPB,GAAwB,qBAAXB,GNvP4F,oBMuP/B,CNvP+B,EMuP5B,KNvP4B,C;K;IM0PhG,yE;MAIsD,qC;QAAA ,wBAAGC,S;MACIF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAA S,EAAPB,GAAwB,qBAAXB,GNhQ4F,oBMg Q/B,QAAQ,CAAR,INhQ+B,EMgQpB,gBNhQoB,C;K;IMmQhG,2E;MAIwD,qC;QAAA,wBAAGC,S;MACpF,YA AY,0BAAY,SAAZ,C;MACZ,OAAW,UAA S,EAAPB,GAAwB,qBAAXB,GNzQ4F,oBMvYQ/B,QAAQ,SAAU,OAA IB,INzQ+B,EMyQL,gBNzQK,C;K;IM4QhG,oE;MAOI,IAAI,WAAW,UAAf,C;QACI,MAAM,8BAA0B,gBAAa,Q AAb,oCAAKD,UAAID,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,qBAAY,SAAZ,EAakB,CAAIB,EAAqB,UAA rB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,qBAAY,SAAZ,EAakB,QAAlB,EAA4B,gBAA5B,C;MAC H,OAAO,E;K;yFAGX,yB;MAAA,8B;MAAA,qD;MAAA,+D;QAOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EAAa,U AAb,EAAYB,QAazB,EAAMC,WAAnc,CAAGD,W;O;KAP3E,C;IASA,uD;MAOI,+BAaA,KAAM,MAAnB,EAA 0B,KAAM,aAN,GAAqB,CAArB,IAA1B,EAakD,WAAID,C;K;yFAEJ,yB;MAAA,8B;MAAA,qD;MAAA,gD;Q AOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EAAa,KAAb,EAAoB,WAApB,CAAiC,W;O;KAP5D,C;IASA,sD;MASI ,IAAI,WAAW,UAAf,C;QACI,MAAM,8BAA0B,gBAAa,QAAb,oCAAKD,UAAID,OAA1B,C;MAEV,IAAI,aAY, UAAhB,C;QACI,OAAy,mBAAL,SAAK,EAAY,CAAZ,EAAe,gBAaf,C;MAEHB,SAAS,mBAAC,oBAAU,QAAY, GAAqB,UAArB,KAAd,C;MACT,EAAG,qBAAY,SAAZ,EAakB,CAAIB,EAAqB,UAArB,C;MACH,EAAG,qBA AY,SAAZ,EAakB,QAAlB,EAA4B,gBAA5B,C;MACH,OAAO,E;K;uFAGX,yB;MAAA,8B;MAAA,mD;MAAA,k D;QASK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAY,UAAZ,EAawB,QAaxB,CAAKC,W;O;KAT7D,C;IAWA,yC ;MAKqE,8BAAY,KAAM,MAAlB,EAAYB,KAAM,aAN,GAAqB,CAArB,IAAZB,C;K;uFAErE,yB;MAAA,8B;M AAA,mD;MAAA,mC;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAY,KAaz,CAAmB,W;O;KAP9C,C;IASA, yC;MAKI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,OAAO,8BAAY,MAAO,OAAnB,EAA2B,gBAA3B,C;MAEX,O AAO,8BAAY,CAAZ,EAAe,gBAaf,C;K;IAGX,2C;MAKI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,ON3XyE,oBM2 XxD,MAAO,ON3XiD,C;MM6X7E,OAAO,S;K;IAGX,yC;MAKI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,OAAO,8B AAY,CAAZ,EAAe,mBAAS,MAAO,OAahB,IAAf,C;MAEX,OAAO,8BAAY,CAAZ,EAAe,gBAaf,C;K;IAGX,2 C;MAKI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,ON9YwF,oBM8YvE,CN9YuE,EM8YpE,mBAAS,MAAO,OAahB, IN9YoE,C;MMgz5F,OAAO,S;K;IAGX,sD;MAMI,IAAK,qBAAU,MAAO,OAAP,GAAgB,MAAO,OAavB,IAA V,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,OAAO,8BAAY,MAAO,OA AnB,EAA2B,mBAAS,MAAO,OAahB,IAA3B,C;MAEX,OAAO,8BAAY,CAAZ,EAAe,gBAaf,C;K;IAGX,wD;M AMI,IAAK,qBAAU,MAAO,OAAP,GAAgB,MAAO,OAavB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IA AmE,sBAAS,MAAT,CAAvE,C;QACI,ONTawF,oBMsavE,MAAO,ONTagE,EMsaxD,mBAAS,MAAO,OAahB,INt awD,C;MMwa5F,OAAO,S;K;IAGX,mD;MAKmf,oCAAKB,SAAlB,EAA6B,SAa7B,C;K;IAEnF,mD;MAKuE,sC AAKB,SAAlB,EAA6B,SAa7B,C;K;IAEvE,iF;MAIsE,qC;QAAA,wBAAGC,S;MACIG,YAAY,sBAAQ,SAAR,C;M ACL,Q;MAAA,IAAI,UAA S,EAAb,C;QAAA,OAAiB,qB;QA5JvB,U;QA4JM,OA5JgB,aAAtB,+DAAsB,EA4JyC, CA5JzC,EA4J4C,KA5J5C,EA4JmD,WA5JnD,CAAGD,W;MA4JvE,W;K;IAGJ,mF;MAIwE,qC;QAAA,wBAAGC, S;MACpG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAA S,EAAb,C;QAAA,OAAiB,qB;QArKvB,U;QAq KM,OArKgB,aAAtB,+DAAsB,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAGD,W;MAqKvE, W;K;IAGJ,gF;MAIqE,qC;QAAA,wBAAGC,S;MACjG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAA S,EAAb,C;QAAA,OAAiB,qB;QAA2B,iBAAa,QAAQ,CAAR,I;QAAb,eAAwB,gB;QA9K1E,U;QA8KM,OA9KgB,aA AtB,+DAAsB,EAAa,UAAb,EAAYB,QAazB,EA8K4D,WA9K5D,CAAGD,W;MA8KvE,W;K;IAGJ,kF;MAIuE,qC ;QAAA,wBAAGC,S;MACnG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAA S,EAAb,C;QAAA,OAAiB,q B;QAA2B,iBAAa,QAAQ,SAAU,OAAIB,I;QAAb,eAAuC,gB;QAvLzF,U;QAuLM,OAvLgB,aAAtB,+DAAsB,EA Aa,UAAb,EAAYB,QAazB,EAuL2E,WAvL3E,CAAGD,W;MAuLvE,W;K;IAGJ,oF;MAI2E,qC;QAAA,wBAAGC, S;MACvG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAA S,EAAb,C;QAAA,OAAiB,qB;QAA2B,iBAAa, QAAQ,SAAU,OAAIB,I;QAAb,eAAuC,gB;QAhmzF,U;QAmmM,OAhmGgB,aAAtB,+DAAsB,EAAa,UAAb,EAAY B,QAazB,EAgm2E,WAhm3E,CAAGD,W;MAGmV,E,W;K;IAGJ,sF;MAIyE,qC;QAAA,wBAAGC,S;MACrG,YA AY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAA S,EAAb,C;QAAA,OAAiB,qB;QAA2B,iBAAa,QAAQ,CAAR, I;QAAb,eAAwB,gB;QazM1E,U;QayMM,OAzmGgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAazB,EAyM4D,W AzM5D,CAAGD,W;MAyMvE,W;K;IAGJ,qF;MAI0E,qC;QAAA,wBAAGC,S;MACtG,YAAY,0BAAY,SAAZ,C; MACL,Q;MAAA,IAAI,UAA S,EAAb,C;QAAA,OAAiB,qB;QAlNvB,U;QAKNM,OAInGgB,aAAtB,+DAAsB,EAK

NyC,CAINzC,EAKn4C,KAIN5C,EAKNmD,WAlNnD,CAAgD,W;:MAkNvE,W;K;IAGJ,uF;MAI4E,qC;QAAA,wB  
AAgC,S;MACxG,YAAy,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;:QA3NvB  
,U;QA2NM,OA3NgB,aAAtB,+DAAsB,EA2NyC,CA3NzC,EA2N4C,KA3N5C,EA2NmD,WA3NnD,CAAgD,W;:  
MA2NvE,W;K;+EAOJ,yC;MAQoF,OAAA,KAAM,iBAAQ,SAAR,EAAc,WAAd,C;K;+EAE1F,uC;MAOI,OAAA,  
KAAM,iBAAQ,SAAR,EAAc,SAAd,C;K;yFAEV,yC;MAMyF,OAAA,KAAM,sBAAa,SAAb,EAAmB,WAAAnB,C;  
K;+FAE/F,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAeW,Q;QAAA,IApe4C,mBAAS,CAoerD,C;uBAAkB,oBAAU,  
iCAAK,CAAL,EAAV,E;UAAA,YNljBoD,oBMkjBrB,CNljBqB,C;UMkjBtE,OLrjBwD,2BAAL,GAAkB,K;:UKqj  
BrE,OAAyD,S;QAAhE,W;O;KafJ,C;IGakBA,yB;MAAA,oC;MAAA,uC;QAeI,OAtfmD,mBAAS,CAsf5D,GAAy  
B,UAAU,iCAAK,CAAL,EAAV,CAAmB,WAAAnB,GNpkBoD,oBMokBV,CNpkBU,CMokB7E,GAA2E,S;O;Kaf/  
E,C;+EAmBA,4B;MAIsE,OAAA,KAAM,iBAAQ,SAAR,C;K;IAE5E,0F;MAKI,IAAK,cAAc,CAAf,IAAsB,aAAa,  
CAAnC,IAA0C,cAAa,SAAK,OAAL,GAAC,MAAd,IAAb,CAA1C,IAAiF,eAAc,KAAM,OAAN,GAAe,MAAf,IAA  
d,CAArF,C;QACI,OAAO,K;:MAGX,iBAAc,CAAd,UAAsB,MAAtB,U;QACI,IAAI,CAA0B,SAAZB,qBAAK,aAA  
a,KAAb,IAAL,CAAyB,EAAO,iBAAM,cAAc,KAAAd,IAAN,CAAP,EAAmC,UAAAnC,CAA9B,C;UACI,OAAO,K;:  
MAEf,OAAO,I;K;IAGX,mD;MAG+C,0B;QAAA,aAAsB,K;MACjE,OAAA,SAAK,OAAL,GAAC,CAAd,IAA2B,S  
AAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;K;IAE/B,iD;MAG6C,0B;QAAA,aAAsB,K;MAC/D,O  
AAA,SAAK,OAAL,GAAC,CAAd,IAAmC,SAAhB,qBAAK,2BAAL,CAAgB,EAAO,IAAP,EAAa,UAAb,C;K;IAE  
vC,qD;MAGyD,0B;QAAA,aAAsB,K;MAC3E,IAAI,CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;QACI,OAAy  
,WAAL,SAAK,EAAW,MAAX,C;:QAEZ,OAAO,6BAAkB,CAAIB,EAAqB,MAArB,EAA6B,CAA7B,EAAGC,MA  
AO,OAAvC,EAA+C,UAA/C,C;K;IAGf,iE;MAG0E,0B;QAAA,aAAsB,K;MAC5F,IAAI,CAAC,UAAD,IAAe,6BA  
Af,IAAiC,0BAArC,C;QACI,OAAy,aAAL,SAAK,EAAW,MAAX,EAAmB,UAAAnB,C;:QAEZ,OAAO,6BAAkB,U  
AAIB,EAA8B,MAA9B,EAAc,CAAtC,EAAyC,MAAO,OAAhD,EAAwD,UAAxD,C;K;IAGf,mD;MAGuD,0B;Q  
AAA,aAAsB,K;MACzE,IAAI,CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;QACI,OAAy,SAAL,SAAK,EAAS,  
MAAT,C;:QAEZ,OAAO,6BAAkB,mBAAS,MAAO,OAAhB,IAAIB,EAA0C,MAA1C,EAakD,CAAID,EAAqD,M  
AAO,OAA5D,EAAoE,UAApE,C;K;IAMf,wD;MAQ8D,0B;QAAA,aAAsB,K;MACHf,qBfjnBO,MAAO,KeinBa,S  
AAK,OfjnBIB,EeinB0B,KAAM,OfjnBhC,C;MemnBd,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA8B,SAAR,qBAA  
K,CAAL,CAAQ,EAAO,iBAAM,CAAN,CAAP,EAA8B,UAA9B,CAArC,C;QACI,a;:MAEJ,IAAS,mBAAL,SAAK  
,EAAmB,IAAI,CAAJ,IAAnB,CAAL,IAAwC,mBAAN,KAAM,EAAmB,IAAI,CAAJ,IAAnB,CAA5C,C;QACI,a;:  
MAEJ,OAAO,8BAAY,CAAZ,EAAe,CAAf,CAAkB,W;K;IAG7B,wD;MAQ8D,0B;QAAA,aAAsB,K;MACHf,iBA  
AiB,SAAK,O;MACtB,kBAAkB,KAAM,O;MACxB,qBfxoBO,MAAO,KewoBa,UfxoBb,EewoByB,WfxoBzB,C;M  
e0oBd,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA+C,SAAZB,qBAAK,aAAa,CAAb,GAAiB,CAAjB,IAAL,CAAyB,  
EAAO,iBAAM,cAAc,CAAd,GAakB,CAAIB,IAAN,CAAP,EAAgD,UAAhD,CAAtD,C;QACI,a;:MAEJ,IAAS,mB  
AAL,SAAK,EAAmB,aAAa,CAAb,GAAiB,CAAjB,IAAnB,CAAL,IAAqD,mBAAN,KAAM,EAAmB,cAAc,CAAd  
,GAakB,CAAIB,IAAnB,CAAZD,C;QACI,a;:MAEJ,OAAO,8BAAY,aAAa,CAAb,IAAZ,EAA4B,UAA5B,CAAwC  
,W;K;IAMnD,8D;MAQqD,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAMnE,UAAkB,M;MAL3C,IAAI,  
CAAC,UAAD,IAAe,KAAM,OAAN,KAAC,CAA7B,IAAkC,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,  
ONjtBwF,kB8G3ME,oBxG45BrE,IwG55BqE,C9G2MF,EMitB7D,UNjtB6D,C;:MMotBnE,uBAAX,UAAW,EAAc  
,CAAd,C;MAAkB,oC;kBAA3C,gD;QACI,kBAAkB,qBAAI,KAAJ,C;QACR,c;:UjCikXE,U;UAAhB,4BiCjkXQ,Kj  
CikXR,kB;YAAgB,cAAhB,UiCjkXQ,KjCikXR,S;YAAsB,IiCjXC,SAAH,UjCikXgB,oBiCjkXhB,CAAG,0BjCik  
XD,C;cAAwB,aAAO,I;cAAP,e;:UAC9C,aAAO,K;:QiCkXH,e;UACI,OAAO,K;:MAEf,OAAO,E;K;IAGX,kE;M  
ASyD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACxG,IAAI,CAAC,UAAD,IAAe,KAAM,OAAN,K  
AAc,CAA7B,IAAkC,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,ONruB4F,sB8G3MM,oBxGg7BzE,IwG  
h7ByE,C9G2MN,EMquB7D,UNruB6D,C;:kBMyuBhG,iBAAyB,eAAX,UAAW,EAAa,2BAAb,CAAZB,WAAwD,  
CAAxD,U;QACI,kBAAkB,qBAAI,KAAJ,C;QACR,c;:UjCyIXE,Q;UAAhB,wBiCziXQ,KjCyiXR,gB;YAAgB,cAA  
hB,UiCziXQ,KjCyiXR,O;YAAsB,IiCziXC,SAAH,UjCyiXgB,oBiCziXhB,CAAG,0BjCyiXD,C;cAAwB,aAAO,I;c  
AAP,e;:UAC9C,aAAO,K;:QiC1iXH,e;UACI,OAAO,K;:MAGf,OAAO,E;K;IAIX,8E;MAA2G,oB;QAAA,OAAg  
B,K;MAOrG,UAKA,M;MAXIB,cAAkB,CAAC,IAAL,GACV,aAAW,gBAAX,UAAW,EAAc,CAAd,CAAX,EAAc  
C,eAAT,QAAS,EAAa,gBAAb,CAAtC,CADU,GAGV,SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,EAAmD,gBA  
AT,QAAS,EAAc,CAAd,CAAnD,C;MAEJ,IAAI,iCAAkB,yBAAtB,C;QACkB,yB;QAAd,OAAc,CAAd,C;UAAc,u

B;UACV,IAAU,cAAN,KAAM,EAAc,CAAd,EAAiB,SAAjB,EAAuB,KAAvB,EAA8B,KAAM,OAApC,EAA4C,U  
AA5C,CAAV,C;YACI,OAAO,K;;;QAGD,2B;QAAd,OAAc,gBAAd,C;UAAc,2B;UACV,IAAU,kBAAN,KAAM,E  
AAkB,CAAIB,EAAqB,SAArB,EAA2B,OAA3B,EAaKc,KAAM,OAAxC,EAAGD,UAAhD,CAAV,C;YACI,OAA  
O,O;;;MAGnB,OAAO,E;K;IAGX,qE;MAUsB,UAMA,M;MAfIB,IAAI,CAAC,UAAD,IAAe,OAAQ,KAAR,KAAG  
B,CAAnC,C;QACI,aAAqB,UAR,OAAQ,C;QACrB,YAAgB,CAAC,IAAL,GAAW,sBAAQ,MAAR,EAAgB,UA  
AhB,CAAX,GAA4C,0BAAY,MAAZ,EAAoB,UAApB,C;QACxD,OAAW,QAAQ,CAAZ,GAAe,IAAf,GAAyB,U  
AAS,MAAT,C;;MAGpC,cAAkB,CAAC,IAAL,GAAW,aAAW,gBAAX,UAAW,EAAc,CAAd,CAAX,EAA6B,gB  
AA7B,CAAX,GAAoD,SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,EAA0C,CAA1C,C;MAEIE,IAAI,6BAAJ,C;Q  
ACkB,yB;oBAAd,OAAc,cAAd,C;UAAc,yB;UACmB,sB;;Yb7sBrB,U;YAAA,Sa6sBa,Ob7sBb,W;YAAhB,OAAg  
B,gBAAhB,C;cAAGB,2B;cAAM,IA6sBgC,cb7sBIB,Oa6sBkB,EAAc,CAAd,sBb7sBIB,Oa6sBmD,OAAjC,ab7sBhC  
,C;gBAAwB,qBAAO,O;gBAAP,uB;;;YAC9C,qBAAO,I;;;Ua4sBC,uC;UACA,IAAI,sBAAJ,C;YACI,OAAO,YAA  
S,cAAT,C;;;QAGD,2B;oBAAd,OAAc,gBAAd,C;UAAc,2B;UACmB,wB;;YbntBrB,U;YAAA,SamtBa,ObntBb,W;  
YAAhB,OAAgB,gBAAhB,C;cAAGB,6B;cAAM,IamtBgC,kBbntBIB,SamtBkB,EAaKb,CAAIB,sBbntBIB,SamtBu  
D,OAArC,abntBhC,C;gBAAwB,uBAAO,S;gBAAP,uB;;;YAC9C,uBAAO,I;;;UaktBC,2C;UACA,IAAI,wBAAJ,C;  
YACI,OAAO,YAAS,gBAAT,C;;;MAInB,OAAO,I;K;IAGX,iE;MAY+D,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,  
aAAsB,K;MACtG,4BAAU,OAAV,EAAmB,UAAAnB,EAA+B,UAA/B,EAaKd,KAAID,C;K;IAEJ,mE;MAYmE,0B  
;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACIH,4BAAU,OAAV,EAAmB,UAAAnB,EAA+B,UAA/B,EA  
AkD,IAAID,C;K;IAEJ,kE;MAWgE,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACvG,gB;MAAA,8CA  
AU,OAAV,EAAmB,UAAAnB,EAA+B,UAA/B,EAaKd,KAAID,mDAAmE,E;K;IAEvE,sE;MAYoE,0B;QAAA,aA  
AkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnH,gB;MAAA,8CAAU,OAAV,EAAmB,UAAAnB,EAA+B,UAA/B,EA  
AkD,IAAID,mDAaKE,E;K;IAKtE,6D;MAM4C,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACnF,OAA  
W,cAAc,gCAAzB,GACI,sBAAW,mBAAY,IAAZ,CAAX,EAA8B,UAA9B,EAA0C,UAA1C,CADJ,GNz2B4F,kB8  
G3ME,oBxGujC5E,IwGvjC4E,C9G2MF,EM42BpE,UN52BoE,C;K;IM+2BhG,+D;MAQgD,0B;QAAA,aAAkB,C;  
MAAG,0B;QAAA,aAAsB,K;MACvF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,gB  
AA5B,EAAoC,UAApC,CADJ,GNx3B4F,kBM23B1E,MN33B0E,EM23BIE,UN33BkE,C;K;IM83BhG,iE;MAQgD  
,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MAC/F,OAAW,cAAc,gCAAzB,GACI,0BAAe,mBAAY,IA  
AZ,CAAf,EAaKc,UAAIC,EAA8C,UAA9C,CADJ,GNp4BgG,sB8G3MM,oBxGklChF,IwGllCgF,C9G2MN,EMu4  
BpE,UNv4BoE,C;K;IM04BpG,mE;MAQoD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnG,OAAW  
,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,UAA/B,EAaKd,IAAID,CADJ,  
GNn5BgG,sBMs5B1E,MNt5B0E,EMs5BIE,UNt5BkE,C;K;IMy5BpG,mD;MAM+D,0B;QAAA,aAAsB,K;MACjF,  
OAAI,yBAAJ,GACI,sBAAQ,KAAR,UAA4B,UAA5B,KAA2C,CAD/C,GAGI,sBAAQ,KAAR,EAAe,CAAf,EAaK  
B,gBAAIB,EAA0B,UAA1B,KAAyC,C;K;IAIjD,kD;MAMsD,0B;QAAA,aAAsB,K;MACxE,6BAAQ,IAAR,UAA2  
B,UAA3B,KAA0C,C;K;kFAE9C,4B;MAI0E,OAAA,KAAM,yBAAGB,SAAhB,C;K;IAM3C,yE;MACjC,oB;MAC  
A,8B;MACA,oB;MACA,kC;K;IAG8C,sF;MAAA,gE;MAC1C,iBAAqB,E;MACrB,yBAAwC,WAAX,yCAAW,EA  
AS,CAAT,EAAY,oCAAM,OAAIB,C;MACxC,uBAA2B,sB;MAC3B,gBAA0B,I;MAC1B,eAAmB,C;K;0EAEEnB,Y  
;MACI,IAAI,uBAaKb,CAAtB,C;QACI,iBAAY,C;QACZ,gBAAW,I;;QAEX,IAAI,4CAAQ,CAAR,IAAa,uDAAa,y  
CAA1B,IAAmC,uBAaKb,yCAAM,OAA/D,C;UACI,gBAAW,qCAAyB,iBAAN,yCAAM,CAAzB,C;UACX,uBA  
AkB,E;;UAEIB,YAAkB,iDAAN,yCAAM,EAAa,oBAAb,C;UACIB,IAAI,SAAS,IAAb,C;YACI,gBAAW,qCAAyB  
,iBAAN,yCAAM,CAAzB,C;YACX,uBAaKb,E;;YAEIB,IAAK,QAAiB,KAAjB,aAAL,EAAY,SAAU,KAAV,a;Y  
ACZ,gBAAW,gCAAwB,KAAxB,C;YACX,yBAAoB,QAAQ,MAAR,I;YACpB,uBAaKb,0BAAwB,WAAU,CAAd  
,GAAiB,CAAjB,GAAwB,CAA5C,K;;;QAG1B,iBAAY,C;;K;oEAIpB,Y;MAKiB,Q;MAJb,IAAI,mBAAa,EAajB,C  
;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,mE;MAEb,gBAAW,I;MACX,iBAAY,  
E;MACZ,OAAO,M;K;uEAGX,Y;MACI,IAAI,mBAAa,EAajB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;iDA9C5B  
,Y;MAA8C,+D;K;;IAGEU,0E;MAAA,0C;QhB1mCjD,SgB2mCH,sBAAW,kBAAX,EAAuB,YAAvB,EAaKd,kBA  
AID,C;QAAA,OAAwE,KAAK,CAAT,GAAY,IAAZ,GAAsB,OAAM,CAAN,C;O;K;IAdIG,iF;MAUkE,0B;QAAA,  
aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MAC7H,wBAAwB,KAAxB,C;MAEA,OAA  
O,4BAAwB,SAAXB,EAA8B,UAA9B,EAA0C,KAA1C,EAAiD,gDAAjD,C;K;IAwBiD,gF;MAAA,0C;QAAkB,Q;  
QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kBAArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAA

O,OAAtB,CAAtF,O;O;K;IAIB9E,mF;MAc0E,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAA  
A,QAAa,C;MACrI,wBAAwB,KAAxB,C;MACA,qBAAGC,OAAX,UAAW,C;MAEHc,OAAO,4BAAwB,SAAXB,E  
AA8B,UAA9B,EAA0C,KAA1C,EAAiD,sDAAjD,C;K;IAIX,wC;MnBltCI,IAAI,EmBmtCI,SAAS,CnBntCb,CAAJ,  
C;QACI,cmBktCkB,8C;QnBjtCIB,MAAM,gCAAYB,OAAQ,WAAjC,C;;K;ImBkuCgE,sD;MAAA,qB;QAAE,yCA  
AU,EAAV,C;O;K;IAZhf,mE;MAWmE,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACzG,OAAsE,OAAt  
E,+BAAkB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,EAAL,iCAAJ,C;K;IAE1E,yD;MAWyD,0B;QAAA,  
aAAsB,K;MAAO,qB;QAAA,QAAa,C;MAC/F,IAAI,UAAW,OAAX,KAAmB,CAAvB,C;QACI,gBAAGB,WAAW,  
CAAX,C;QACHB,IAAI,EAAC,SAh/BuC,YAAU,CAg/BID,CAAJ,C;UACI,OAAO,mBAAM,SAAN,EAAiB,UAAj  
B,EAA6B,KAA7B,C;;;MAI2E,kBAAb,cAAAtE,+BAAkB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,C;Mb  
8OtE,kBAAM,iBAaA,qCAAwB,EAAXB,CAAb,C;MAuEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT  
,WAAy,WatTgF,uBbsTIE,IatTkE,CbsThF,C;;MatThB,ObuTO,W;K;Ia5SmE,wD;MAAA,qB;QAAE,yCAAU,EAA  
V,C;O;K;IARhf,qE;MAOiE,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACvG,OAAsE,OAAtE,6BAAkB,  
UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,EAAL,mCAAJ,C;K;IAE1E,2D;MAOuD,0B;QAAA,aAAsB,K;  
MAAO,qB;QAAA,QAAa,C;MAC7F,IAAI,UAAW,OAAX,KAAmB,CAAvB,C;QACI,OAAO,mBAaOb,oBAAd,  
WAAW,CAAX,CAAc,CAApB,EAAGC,UAAhC,EAA4C,KAA5C,C;;MAG+E,kBAAb,cAAAtE,6BAAkB,UAAIB,U  
AA2C,UAA3C,EAA+D,KAA/D,CAAsE,C;MbqNtE,kBAAM,iBAaA,qCAAwB,EAAXB,CAAb,C;MAuEA,Q;MA  
AA,6B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,Wa7RgF,uBb6RIE,Ia7RkE,Cb6RhF,C;;Ma7RhB,Ob8RO,  
W;K;Ia3RX,0D;MASI,wBAAwB,KAAxB,C;MAEA,oBAaOb,C;MACpB,gBAAGB,sBAAQ,SAAR,EAAMB,aAA  
nB,EAakC,UAAIC,C;MACHB,IAAI,cAAa,EAAb,IAAmB,UAAAS,CAAhC,C;QACI,OAAO,OAAO,SAAK,WAAZ,  
C;;MAGX,gBAAGB,QAAQ,C;MACxB,aAAa,iBAAsB,SAAJ,GAAqB,eAAN,KAAM,EAAa,EAAb,CAArB,GAA2  
C,EAA7D,C;;QAET,MAAO,WA36B6E,8BA26B/D,aA36B+D,EA26BhD,SA36BgD,CAAkC,WA26B/G,C;QACP,  
gBAAGB,YAAy,SAAU,OAAtB,I;QAEhB,IAAI,aAAa,MAAO,KAAP,MAAe,QAAQ,CAAR,IAAf,CAAjB,C;UAA  
2C,K;QAC3C,YAAy,sBAAQ,SAAR,EAAMB,aAAAnB,EAakC,UAAIC,C;;MACP,sBAAa,EAAb,C;MAET,MAAO  
,WAI7BiF,8BAk7BnE,aAI7BmE,EAk7BpD,gBAI7BoD,CAAkC,Wak7BnH,C;MACP,OAAO,M;K;2EAGX,mC;M  
AOmD,qB;QAAA,QAAa,C;MAAmB,OAAA,KAAM,eAAM,SAAN,EAAY,KAAZ,C;K;+FAEzF,mC;MAU6D,qB;  
QAAA,QAAa,C;MAAuB,OAAA,KAAM,yBAAGB,SAAhB,EAAsB,KAAtB,C;K;IAEvG,iC;MAK2D,mCAAGB,M  
AAhB,EAawB,IAAxB,EAA8B,IAA9B,E;K;IAE3D,0B;MAKgD,OAAe,UAAf,uBAaE,C;K;IAqB/D,uD;MAQsB,  
Q;MAPIB,IAAI,iCAAKB,yBAAtB,C;QACI,OAAy,SAAL,SAAK,EAAO,KAAP,EAA2B,IAA3B,C;;MAGhB,IAAI  
,cAAS,KAAb,C;QAAoB,OAAO,I;MAC3B,IAAI,qBAAGB,aAAhB,IAAiC,SAAK,OAAL,KAAe,KAAM,OAAID,  
C;QAAkE,OAAO,K;MAEvD,uB;MAAIB,aAAU,CAAV,gB;QACI,IAAI,CAAS,SAAR,qBAAK,CAAL,CAAQ,EA  
AO,iBAAM,CAAN,CAAP,EAA8B,IAA9B,CAAb,C;UACI,OAAO,K;;;MAIf,OAAO,I;K;IAGX,6C;MAQsB,Q;M  
APIB,IAAI,iCAAKB,yBAAtB,C;QACI,OAAO,kBAAQ,KAAR,C;;MAGX,IAAI,cAAS,KAAb,C;QAAoB,OAAO,I;  
MAC3B,IAAI,qBAAGB,aAAhB,IAAiC,SAAK,OAAL,KAAe,KAAM,OAAID,C;QAAkE,OAAO,K;MAEvD,uB;  
MAAIB,aAAU,CAAV,gB;QACI,IAAI,qBAAK,CAAL,MAAW,iBAAM,CAAN,CAAF,C;UACI,OAAO,K;;;MAIf,  
OAAO,I;K;IAGX,oC;MAU+C,QAAM,SAAN,C;aAC3C,M;UAD2C,OACjC,I;aACV,O;UAF2C,OAehC,K;;UACH  
,MAAM,gCAAYB,mDAAGD,SAAZE,C;;K;IAGIB,0C;MAUsD,QAAM,SAAN,C;aACID,M;UADkD,OACxC,I;aA  
CV,O;UAFkD,OAevC,K;;UAFuC,OAG1C,I;K;I+Kr8CZ,sB;MAAA,0B;MAIL,aAC+B,e;MAC/B,cACgC,e;MACH  
C,WAC6B,e;MAC7B,YAC8B,e;MAC9B,eACiC,e;MACjC,YAC8B,gB;MAC9B,aAC+B,gB;MAC/B,YAC8B,gB;  
MAC9B,aAC+B,gB;MAC/B,eACiC,gB;MACjC,iBACmC,gB;MACnC,qBAEuC,gB;MACvC,sBAEwC,gB;MACx  
C,kBACoC,gB;MACpC,cACgC,gB;MACHC,iBACmC,gB;MACnC,iBACmC,gB;MACnC,iBACmC,gB;MACnC,Y  
AC8B,gB;MAC9B,aAC+B,iB;MAC/B,aAC+B,iB;MAC/B,uBACyC,iB;MACzC,wBAC0C,iB;MAC1C,sBACwC,i  
B;MACxC,uBACyC,iB;MACzC,wBAC0C,iB;MAC1C,sBACwC,iB;MACxC,cACgC,iB;MACHC,oBACsC,iB;MA  
CtC,cACgC,iB;MACHC,gBACKC,iB;MACiC,aAC+B,iB;MAC/B,mBACqC,iB;MACrC,YAC8B,iB;MAC9B,UAC4  
B,iB;MAC5B,mBACqC,iB;MACrC,gBACKC,iB;MACiC,mBACqC,iB;MACrC,sBACwC,iB;MAExC,sBAGwC,gB  
;MAExC,uBAGyC,gB;K;;;IA7F7C,kC;MAAA,iC;QAAA,gB;;MAAA,0B;K;;;;2FCuE0C,Y;MAAQ,oCAAa,IA  
Ab,C;K;IAiBpB,yC;MAAQb,kB;K;mIAC3C,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;  
MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB  
B,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,Y

AAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;qIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;gDAEnD,Y;MAMoC,OAAA,UAAM,YAAAY,iBAAQ,CAAR,EAAY,UAAM,YAAAY,KAA7B,C;K;;6EhEjH9D,yB;MAAA,iD;MAAA,4B;QAI4C,kBAAM,SAAN,C;O;KAJ5C,C;+EAMA,yB;MAAA,gD;MAAA,oC;QAI+D,kBAAM,SAAN,EAAY,MAAZ,C;O;KAJ/D,C;+EAMA,yB;MAAA,oC;MAAA,qC;QAIqE,sBAAM,SAAN,EAAY,OAAZ,C;O;KAJrE,C;IvIY4B,4B;MAMbxB,gC;MAMb6C,0B;MAW7B,UAEA,MAFA,EAGA,M;MALZ,IkIjC8D,IIIc9D,C;QACI,IAAI,kBAAJ,C;UACQ,mB;UAAJ,IAAI,sEAAAsB,SAAtB,EAAJ,C;YAAqC,MAAM,sBAAiB,YAAF,+CAAf,C;;UAEvC,qB;UAAJ,IAAI,0EAAuB,UAAvB,EAAJ,C;YAAuC,MAAM,sBAAiB,YAAF,gDAAf,C;UACzC,qB;UAAJ,IAAI,kEAA+B,mBAA/B,CAAJ,C;YAAwD,MAAM,sBAAiB,YAAF,mCAAf,C;;K;mFAZID,Y;MAAQ,kCAAa,CAAb,C;K;+FACU,Y;MAAQ,OAAA,eAAS,QAAT,GAAqB,C;K;qCACvE,Y;MAA0B,QADwB,eAAS,QAAT,GAAqB,CAC7C,MAAqB,C;K;sCAC/C,Y;MAA2B,QAFuB,eAAS,QAAT,GAAqB,CAE5C,MAAqB,C;K;yFACxB,Y;MAAQ,OAAI,kBAAJ,mF;K;IAahC,8B;MAAA,kC;MACI,YAC4B,gB;MAE5B,gBACgC,iBAAiB,UAAjB,C;MACHC,4BAAAsC,uC;K;mDAEtC,yC;MAGI,2BAAoB,KAApB,EAA2B,UAA3B,EAAuC,UAAvC,C;K;iJAM8B,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,sD;O;KAAR,C;iJAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,sD;O;KAAR,C;iJAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,sD;O;KAAR,C;mJAKF,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAKH,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;yIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;yIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;yIAKH,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;yIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;yIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;qIAKL,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;qIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;qIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;mIAKJ,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;mIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;mIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;uDAK9B,iB;MAK+C,OAAM,WAAN,KAAM,yC;K;uDAErD,iB;MAKgD,OAAM,aAAN,KAAM,yC;K;uDAEtD,iB;MASKD,OAAM,aAAN,KAAM,yC;K;wDAGxD,iB;MAKgD,OAAM,WAAN,KAAM,0C;K;wDAEtD,iB;MAKiD,OAAM,aAAN,KAAM,0C;K;wDAEvD,iB;MASmD,OAAM,aAAN,KAAM,0C;K;wDAGzD,iB;MAKgD,OAAM,WAAN,KAAM,0C;K;wDAEtD,iB;MAKiD,OAAM,aAAN,KAAM,0C;K;wDAEvD,iB;MASmD,OAAM,aAAN,KAAM,0C;K;mDAGzD,iB;MAK2C,OAAM,WAAN,KAAM,qC;K;mDAEjD,iB;MAK4C,OAAM,aAAN,KAAM,qC;K;mDAEID,iB;MAS8C,OAAM,aAAN,KAAM,qC;K;mDAGpD,iB;MAK2C,OAAM,WAAN,KAAM,qC;K;mDAEjD,iB;MAK4C,OAAM,aAAN,KAAM,qC;K;mDAEID,iB;MAS8C,OAAM,aAAN,KAAM,qC;K;iDAGpD,iB;MAKyC,OAAM,WAAN,KAAM,mC;K;iDAE/C,iB;MAK0C,OAAM,aAAN,KAAM,mC;K;iDAEhD,iB;MAS4C,OAAM,aAAN,KAAM,mC;K;gDAGID,iB;MAKwC,OAAM,WAAN,KAAM,kC;K;gDAE9C,iB;MAKyC,OAAM,aAAN,KAAM,kC;K;gDAE/C,iB;MAS2C,OAAM,aAAN,KAAM,kC;K;iDAEjD,iB;;QAY4C,OACxC,cAAc,KAAAd,EAAiC,KAAjC,C;;QACF,+C;UACE,MAAM,6BAAyB,sCAAmC,KAAAnC,OAazB,EAAsE,CAAtE,C;;UAHkC,O;;K;0DAM5C,iB;;QAMqD,OACjD,cAAc,KAAAd,EAAiC,IAAjC,C;;QACF,+C;UACE,MAAM,6BAAyB,0CAAuC,KAAvC,OAazB,EA0E,CAAIE,C;;UAH2C,O;;K;uDAMrD,iB;;QAWmD,OAC/C,cAAc,KAAAd,EAAiC,KAAjC,C;;QACF,+C;UAFiD,OAG/C,I;;UAH+C,O;;K;gEAMnD,iB;;QAK4D,OACxD,cAAc,KAAAd,EAAiC,IAAjC,C;;QACF,+C;UAF0D,OAGxD,I;;UAHwD,O;;K;;IA/XhE,0C;MAAA,yC;QAAA,wB;;MAAA,kC;K;oCAwYA,Y;MAC6C,kBAAy,YAAD,aAAAX,EAzZK,eAAS,QAAT,GAAqB,CAyZ1B,C;K;qCAE7C,iB;MAiBW,Q;MATH,IAAA,IAAK,aAAL,C;QACI,IAAI,KAAM,WAAN,IAAqB,IAAK,WAAL,KAakB,KAAM,WAAxB,gBAAoC,CAA7D,C;UACI,OAAO,I;;UAEP,MAAM,gCAAyB,2EAAzB,C;WAEd,IAAA,KAAM,aAAN,C;QAAsB,OAAO,K;MAI7B,KA7a0C,eAAS,QAAT,GAAqB,CA6a/D,OAA0B,KA7agB,WAAS,QAAT,GAAqB,CA6a/D,E;QACI,aAAa,IAAK,QAAL,KAAa,KAAM,QAAnB,C;QAET,uB;UACI,iCAA0B,MAA1B,C;;UAEA,kCAA2B,MAA3B,C;aAGZ,IAAA,IAAK,eAAL,C;QACI,mCAAqB,IAAK,QAA1B,EAAiC,KAAM,QAAvC,C;;QAEA,mCAAqB,KAAM,QAA3B,EAAkC,IAAK,QAAvC,C;Mab

R,W;K:gDAiBJ,kC;MAGW,Q;MAFP,kBAAkB,cAAc,UAAAd,C;MACIB,mBAAmB,eAAa,WAAb,C;MACZ,IAAI,8EAAc,mBAATC,CAAJ,C;QACH,yBAAYB,oBAAa,cAAc,WAAAd,CAAAb,C;QACzB,uBAAgB,cAAc,YAAAd,MAA8B,kBAA9B,CAAhB,C;;QAEA,wBAA8B,WAAb,YAAa,yBAAsB,UAAtB,CAA9B,C;;MAJJ,W;K;sCAQJ,iB;MAMuD,wBAAS,KAAD,aAAR,C;K;uCAEvD,iB;MAQe,UAAUJ,M;MAXP,IAAI,iBAAJ,C;QAEQ,cAAS,CAAT,C;UAAc,MAAM,gCAAYB,mEAAzB,C;aACpB,YAAQ,CAAR,C;UAAa,W;;UACL,OAAC,IAAD,a;QAHZ,W;;MAMJ,IAAI,UAAS,CAAAb,C;QAAgB,OAAO,qC;MAEvB,YAAY,Y;MACZ,aAAa,mCAAQ,KAAR,E;MACN,IAAI,kBAAJ,C;QACH,IAAI,yEAAJ,C;UAEI,yBAAgB,MAAhB,C;;UAEA,IAAI,sCAAS,KAAT,IAAkB,KAAIB,CAAJ,C;YACI,mCAA0B,MAA1B,C;;YAEA,aAAa,cAAc,KAAd,C;YACb,eAAe,eAAQ,cAAc,MAAd,CAAR,C;YACf,mBAAmB,oCAAS,KAAT,E;YACnB,kBAAkB,iBAAe,cAAc,sCAAW,KAAX,EAAd,CAAf,C;YACIB,IAAI,4CAAe,KA Af,IAAwB,MAAxB,KAakC,gBAAgB,YAAhB,gBAAgC,CAAE,C;cACI,0BAA6B,WAAZ,WAAy,EAAS,8BAAa,UAAb,CAAT,CAA7B,C;;cAEA,SAAI,YAAM,WAAN,KAAM,CAAN,EAAMB,WAAN,KAAM,CAANB,IAA0B,CAA9B,GAAiC,yCAAjC,GAA+C,qD;;;;;QAK3D,IAAI,sCAAS,KAAT,IAAkB,KAAIB,CAAJ,C;UACI,0BAAwB,WAAP,MAAO,EAAS,8BAAa,UAAb,CAAT,CAAxB,C;;UAEA,SAAI,YAAM,WAAN,KAAM,CAAN,EAAMB,WAAAN,KAAM,CAANB,IAA0B,CAA9B,GAAiC,yCAAjC,GAA+C,qD;;MAvBvD,a;K;uCA4BJ,iB;MASI,eAAqB,WAAAN,KAAM,C;MACrB,IAAa,QAAT,KAAuB,KAA3B,C;QACI,OAAO,mBAAM,QAAN,C;;MAGX,WAAW,kB;MACX,aAAa,sBAAS,IAAT,IAAiB,K;MAC9B,OAAc,aAAP,MAAO,EAAW,IAAX,C;K;qCAGIB,iB;MAQe,Q;MADX,IAAI,UAAS,CAAAb,C;QAEQ,sB;UAAgB,gD;aAChB,sB;UAAgB,4D;;UACR,MAAM,gCAAYB,4DAAzB,C;QAHIB,W;;MAMJ,IAAI,kBAAJ,C;QACI,OAAO,gBAAgB,qCAAQ,KAAR,EAAhB,C;;QAEp,IAAI,iBAAJ,C;UACI,OAAO,mBAAa,WAAN,KAAM,CAAAb,C;QAEX,aAAa,qCAAQ,KAAR,E;QAEb,IAAI,kEAAgC,mBAAhC,CAAJ,C;UACI,UAAU,cAAc,sBAAS,oCAAS,KAAT,EAAT,CAAd,0BAA0C,KAA1C,E;UACV,OAAO,gBAAgB,cAAc,MAAd,MAAwB,GAAxB,CAAhB,C;;QAEX,OAAO,iBAAiB,MAAjB,C;;K;qCAIf,iB;MAOI,eAAqB,WAAAN,KAAM,C;MACrB,IAAa,QAAT,KAAuB,KAAvB,IAAgC,aAAY,CAAhD,C;QACI,OAAO,iBAAI,QA AJ,C;;MAGX,WAAW,kB;MACX,aAAa,sBAAS,IAAT,IAAiB,K;MAC9B,OAAc,aAAP,MAAO,EAAW,IAAX,C;K;oCAGIB,iB;MAEI,kBAAkB,SAAM,IAAK,cAAX,EAAwB,KAAM,cAA9B,C;MACIB,OAAO,IAAK,kBAAS,WAAT,CAAL,GAA6B,KAAM,kBAAS,WAAT,C;K;oCAG9C,Y;MACmC,oCAAW,C;K;oCAE9C,Y;MACmC,oCAAW,C;K;oCAE9C,Y;MACmC,+BAAy,yCAAS,WAArB,KAAiC,wBAAy,qDAAa,WAAzB,C;K;kCAEpE,Y;MACiC,QAAC,iB;K;yFAGC,Y;MAAQ,OAAI,iBAAJ,GAAmB,IAAD,aAAIB,GAA6B,I;K;yCAExE,iB;MACI,kBAAkB,IAAK,WAAL,KAAkB,KAAM,WAAxB,C;MACIB,IAAI,yBAAc,CAAd,IAAmB,CAAA,WAAy,QA AZ,GAAwB,CAAxB,MAA6B,CAApD,C;QACI,OAAO,IAAK,WAAS,iBAAU,KAAM,WAAhB,C;MAEzB,QAAQ,CA11BsC,eAAS,QAAT,GA AqB,CA01B3D,KAAyB,KA11Ba,WAAS,QAAT,GAAqB,CA01B3D,K;MACR,OAAW,iBAAJ,GAakB,CAAC,CA AD,IAAIB,GAA0B,C;K;uHAMrC,kB;MAeI,OAAO,OAAO,gBAAP,EAAoB,mBAAPB,EAAoC,qBAAPC,EAAsD,qBAATD,EAAwE,yBAAXE,C;K;uHAGX,kB;MAcI,OAAO,OAAO,iBAAP,EAAqB,qBAArB,EAAuC,qBAAvC,EA AyD,yBAAzD,C;K;uHAGX,kB;MAaI,OAAO,OAAO,mBAAP,EAAuB,qBAAvB,EAAYC,yBAAzC,C;K;uHAGX,kB;MAYI,OAAO,OAAO,mBAAP,EAAuB,yBAAvB,C;K;0FAKP,Y;MAAQ,OAAI,iBAAJ,GAakB,CAAIB,GAA0B,6CAAe,EAaf,EAAMB,Q;K;4FAIrD,Y;MAAQ,OAAI,iBAAJ,GAakB,CAAIB,GAA0B,+CAAiB,EAajB,EAaq B,Q;K;4FAIvD,Y;MAAQ,OAAI,iBAAJ,GAakB,CAAIB,GAA0B,+CAAiB,EAajB,EAaqB,Q;K;gGAIvD,Y;MAC I,sB;QADI,OACY,C;WACHB,wB;QAFI,OAey,cAAc,wCAAQ,IAAR,EAAd,CAA6B,Q;;QAFzC,OAGK,wCAAQ,UAAR,EAAuB,Q;K;0CAMxC,gB;MAQiB,UAAAN,M;MAAM,sB;MACT,iBAAA,yCAAS,WAAT,E;QAA4B,SAA P,wCAAO,kB;WAC5B,iBAAA,qDAAa,WAAb,E;QAAgC,SAAP,wCAAO,kB;;QAG5B,6BAAoB,YAAM,WAA1 B,EAAsC,kBAATC,EAAMd,IAAnD,C;;MALR,a;K;wCAUJ,gB;MAUiB,UAAAN,M;MAAM,sB;MACT,iBAAA,yC AAS,WAAT,E;;WACA,iBAAA,qDAAa,WAAb,E;;;QACQ,+BAAoB,YAApB,EAA2B,kBAA3B,EAawC,IAAxC,C;MAHZ,a;K;uCAOJ,gB;MAUI,OAAa,WAAb,oBAAO,IAAP,CAAA,4BAAyD,Q;K;kFAKhD,Y;MAAQ,6D;K;mf AKP,Y;MAAQ,8D;K;qFAKN,Y;MAAQ,gE;K;qFAKR,Y;MAAQ,gE;K;0FAKH,Y;MAAQ,qE;K;0FAKR,Y;MAA Q,qE;K;yFAKT,Y;MAAQ,oE;K;uFASrC,Y;MAAQ,2D;K;wFAQR,Y;MAAQ,4D;K;0FAQR,Y;MAAQ,8D;K;0FA QR,Y;MAAQ,8D;K;+FAQR,Y;MACI,OAAW,uBAAgB,eAApB,GAAgC,YAAhC,GAA2C,4D;K;+FAAtD,Y;MAA Q,mE;K;8FAYR,Y;MAEW,Q;MADP,YAAY,Y;MAER,uB;QA Ae,Y;WACf,8C;;WACA,+C;;QACQ,qBAAc,KAA d,C;MAJZ,W;K;2CAUR,Y;MASuC,8B;K;4CAEvC,Y;MASwC,+B;K;kCAExC,Y;MAuBwC,Q;MAAA,sB;MACp C,qB;QAD8B,OACxB,I;WACN,iBAAA,yCAAS,WAAT,E;QAF8B,OAET,U;WACrB,iBAAA,qDAAa,WAAb,E;Q

AH8B,OAGL,W;;QAErB,iBAAiB,iB;Q8HzhBF,gBAAhB,sB;Q9H2hBK,e;UAAgB,yBAAO,EAAP,C;QACF,YAA d,kB;QA9RD,WAAO,iB;QAAP,YAAoB,oB;QAApB,cAAoC,sB;QAApC,cAAoD,sB;QAAtD,kBAAwE,0B;QAsS/ D,0B;QAPJ,cAAc,iB;QACd,eAAe,UAAAS,C;QACxB,iBAAiB,YAAW,C;QAC5B,iBAAiB,YAAW,CAAX,IAAgB, gBA Ae,C;QACHd,iBAAiB,C;QACjB,IAAI,OAAJ,C;UACI,yBAAO,IAAP,CAAa,gBAAO,GAAP,C;UACb,+B;;Q AEJ,IAAI,aAAa,YAA Y,cAAc,UAA1B,CAAb,CAAJ,C;UACI,IAAI,6DAAe,CAAnB,C;YAAsB,yBAAO,EAAP,C; UACtB,yBAAO,KAAP,CAAc,gBAAO,GAAP,C;;QAEIB,IAAI,eAAe,eAAe,YAA Y,OAA3B,CAAf,CAAJ,C;UACI ,IAAI,6DAAe,CAAnB,C;YAAsB,yBAAO,EAAP,C;UACtB,yBAAO,OAAP,CAAgB,gBAAO,GAAP,C;;QAEpB,I AAI,UAAJ,C;UACI,IAAI,6DAAe,CAAnB,C;YAAsB,yBAAO,EAAP,C;UAEIB,gBAAW,CAAX,IAAgB,OAAhB,I AA2B,QAA3B,IAAuC,UAAvC,C;YACI,mCAAiB,OAAjB,EAA0B,WAA1B,EAAuC,CAAvC,EAA0C,GAA1C,E AA2D,KAA3D,C;eACJ,mBA Ae,OA Af,C;YACI,mCAAiB,cAAc,OAAd,IAAjB,EAA0C,cAAc,OAAXD,EAAmE,C AAnE,EAAeE,IAAtE,EAAwF,KAAxF,C;eACJ,mBA Ae,IAAf,C;YACI,mCAAiB,cAAc,IAAd,IAAjB,EAAcC,cAA c,IAApD,EAA2D,CAA3D,EAA8D,IAA9D,EAAgF,KAAhF,C;;YAEA,yBAAO,WAAP,CAAoB,gBAAO,IAAP,C;; QAGhC,IAAI,cAAc,aAAa,CAA/B,C;UAAkC,yBAAO,CAAP,EAAU,EAAV,CAAe,gBAAO,EAAP,C;QAvC/B,O Ox1B3B,SuHoUqC,W;;K;4C9HikB5C,yE;MACI,yBAAO,KAAP,C;MACA,IAAI,eAAc,CAAIB,C;QACI,yBAAO, EAAP,C;QACA,iBAAuC,WAAtB,UAAW,WAAW,EAAS,cAAT,EAAyB,EAAzB,C;QACR,sB;;UsB5zBzB,Q;UA AA,OAAQ,WAAR,etB4zBc,UsB5zBd,CAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,ItB2zBiD,UsB3 zBnC,YtB2zBU,UsB3zBV,YAAK,KAAL,EtB2zBmC,MAAM,EsB3zBvD,C;cACI,qBAAO,K;cAAP,uB;;;UAGR,q BAAO,E;;;QtBuzBC,oBA AoB,qBA AuC,CAA vC,I;QAEhB,KAAC,SAAD,IAAc,gBA AgB,CAA9B,C;UAAmC,8B AAY,UAAZ,EAAwB,CAAxB,EAA2B,aAA3B,C;;UAC3B,8BAAY,UAAZ,EAAwB,CAAxB,EAA2B,CAAC,CAA C,gBA AgB,CAAhB,IAAD,IAAsB,CAAtB,IAAD,IAA4B,CAA5B,IAA3B,C;;MAGhB,yBAAO,IAAP,C;K;0CAGJ, 0B;MAGBwC,wB;QAAA,WAAgB,C;MIn9BxD,IAAI,EJo9BQ,YAA Y,CIp9BpB,CAAJ,C;QACI,cJm9ByB,oD;QII 9BzB,MAAM,gCAAYB,OAAQ,WAAjC,C;;MJm9BN,aAAa,sBAAS,IAAT,C;MACb,IAAW,WAAP,MAAO,CAA X,C;QAAyB,OAAO,MAAO,W;MACvC,OAAO,sBAAsB,MAAtB,EAAuC,eAAT,QAAS,EAAa,EAAb,CAAvC,IA AgE,UAAAL,IAAK,C;K;qCAI3E,Y;M8HvmBuB,gBAAhB,sB;M9HqnBH,IAAI,iBAAJ,C;QAAkB,yBAAO,EAAP, C;MACIB,yBAAO,IAAP,C;MAC4B,YAAAd,kB;MAxWP,YAAO,kB;MAAP,cAAqB,sB;MAArB,cAAuB,sB;MAA vC,kBAAYD,0B;MAyW5D,cACY,K;MACZ,IAAI,iBAAJ,C;QAEI,wB;;MAEJ,eAAe,oB;MACf,iBAAiB,YAAW,C AAX,IAAgB,gBA Ae,C;MACHd,iBAAiB,YAAW,CAAX,KAAiB,cAAc,QAA/B,C;MACjB,IAAI,QAAJ,C;QACI,y BAAO,OAAP,CAAc,gBAAO,EAAP,C;;MAEIB,IAAI,UAAJ,C;QACI,yBAAO,OAAP,CAAgB,gBAAO,EAAP,C;; MAEpB,IAAI,eAAe,CAAC,QAAD,IAAa,CAAC,UAA7B,CAAJ,C;QACI,mCAAiB,OAAjB,EAA0B,WAA1B,EA AuC,CAAvC,EAA0C,GAA1C,EAA2D,IAA3D,C;;MApBuB,OOx7B5B,SuHoUqC,W;K;;;kC9H5YhD,Y;MAAA, c;MAuBiD,2D;MAvBjD,a;K;gCAAA,iB;MAAA,2IAuBiD,gDAvBjD,G;K;IA8hCA,qC;MAIW,Q;MAAA,IAAI,6D AAJ,C;QACH,uBAAGB,4BAAiC,oBAAL,SAAK,CAAjC,EAA2C,IAA3C,yCAAhB,C;;QAES,oBAAT,8BAAS,EA AW,IAAX,C;MAHb,W;K;IAMJ,uC;MAII,kBAAkB,4BAA4B,SAA5B,0CAAiE,IAAjE,C;MACIB,IAAa,WAAD,a AAR,yDAAsB,WAAtB,CAAJ,C;QACI,OAAO,gBAAGB,4BAA4B,SAA5B,EAAkC,IAAIC,yCAAhB,C;;QAEp,aA Aa,sBAAoB,SAApB,EAA0B,IAA1B,0C;QACb,OAAO,iBAAwB,WAAP,MAAO,yBAAsB,UAAtB,CAAxB,C;;K;I AIf,uC;MAaW,Q;MAHP,gBAAGB,oBA AoB,SAApB,EAA0B,IAA1B,yC;MIviChB,IAAI,CJwiCI,CAAW,QAAV, SAAU,CIXiCnB,C;QACI,cJuiC0B,+B;QItiC1B,MAAM,gCAAYB,OAAQ,WAAjC,C;;MJuiCV,YAAsB,YAAV,SA AU,C;MACf,IAAI,sEAAqB,SAArB,CAAJ,C;QACH,uBAAGB,KAAhB,C;;QAEA,aAAwE,YAA3D,oBA AoB,SAApB,EAA0B,IAA1B,0CAA2D,C;QACxE,kCAA2B,MAA3B,C;;MAJJ,W;K;IAGBuB,oC;MAAQ,oE;K;IAOP,sC;MA AQ,sE;K;IAWN,sC;MAAQ,sE;K;IAQV,qC;MAAQ,qE;K;IAOP,uC;MAAQ,uE;K;IAWN,uC;MAAQ,uE;K;IAQX, qC;MAAQ,qE;K;IAOP,uC;MAAQ,uE;K;IAWN,uC;MAAQ,uE;K;IAQhB,gC;MAAQ,gE;K;IAOP,kC;MAAQ,kE;K ;IAWN,kC;MAAQ,kE;K;IAQX,gC;MAAQ,gE;K;IAOP,kC;MAAQ,kE;K;IAWN,kC;MAAQ,kE;K;IAQb,8B;MAA Q,8D;K;IAOP,gC;MAAQ,gE;K;IAWN,gC;MAAQ,gE;K;IAQZ,6B;MAAQ,6D;K;IAOP,+B;MAAQ,+D;K;IAWN,+ B;MAAQ,+D;K;yEAG/B,+B;MAIqE,8BAAW,SAAX,C;K;2EAErE,+B;MAUwE,8BAAW,SAAX,C;K;IAIxE,yC; MACI,aAAa,KAAM,O;MACnB,IAAI,WAAU,CAAd,C;QAAiB,MAAM,gCAAYB,qBAAzB,C;MACvB,YAA Y,C; MACZ,aAAa,gCAAS,K;MACTB,qBAAQ,U;MACrB,QAAM,iBAAM,KAAN,CAAN,C;aACI,e;aAAa,E;UAA Y, qB;UAAZ,K;;MAEJ,cAAc,QAAQ,C;MACTB,iBAAiB,WAAiB,aAAN,KAAM,EA AW,EAAX,C;MAE9B,cAAU,K AAV,C;QACI,MAAM,gCAAYB,eAAzB,C;WACV,qBAAM,KAAN,MAAGB,EAAhB,C;QACI,IAAI,mCAAW,M



AAf,C;UAAuB,MAAM,+B;QAC7B,sBAAsB,K;QACtB,sBAAsB,K;QACtB,eAA8B,I;QAC9B,OAAO,QAAQ,MA Af,C;UACI,IAAI,iBAAM,KAAN,MAAgB,EAAPB,C;YACI,IAAI,mBAAMb,mCAAW,MAAIC,C;cAA0C,MAA M,+B;YACHD,kBAAkB,I;YACIB,Q;;UAekB,iBA Ae,K;UA+EjD,QAHgC,U;UAIhC,Y;YAAO,eAhFqB,KAgFjB, O;YAAJ,S;cAAc,SAAU,YAhFH,KAgFG,YAAK,CAAL,E;cAAV,OAhFqC,CAAM,kBAAK,EAAL,CAAN,qCAA kB,2C;;;YAgFnC,a;;UAhF7B,gBAAgB,KiBv1CgE,WjBmqClF,UiBnqCkF,EjBwqCrF,CiBxqCqF,C;UjBw1ChF,IA AI,SuBrhCgC,YAAU,CvBqhC9C,C;YAAyB,MAAM,+B;UAC/B,gBAAS,SAAU,OAAAnB,I;UACqB,cAAU,K;UsB zrCpC,U;UAAA,IAAI,WAAS,CAAT,IAAc,WAAS,iBtByrCP,KsBzrCO,CAA3B,C;YAAA,StByrCoB,KsBzrCkB, YAAI,OAAJ,C;;YtByrCO,MAAM,gCAAyB,qCAAzB,C;;UAA9C,qB;UACA,qB;UACA,WAAW,sBAAsB,QAAtB ,EAAgC,eAAhC,C;UACX,IAAI,YAAy,IAAZ,IAAoB,yBAAY,IAAZ,MAAxB,C;YAA0C,MAAM,gCAAyB,yCA AzB,C;UACHD,WAAW,I;UACX,eAAyB,WAAV,SAAU,EAAQ,EAAR,C;UACzB,IAAI,+CAAgC,WAAW,CAA/ C,C;YACI,YAAy,SiBjmCgE,WjBimC5C,CiBjmC4C,EjBimCzC,QiBjmCyC,C;YjBkmC5E,4BAA2C,aAAjC,0BA A0B,KAA1B,CAAiC,EAAW,IAAX,CAA3C,C;YACA,4BAAMd,aAAX,SAA9B,SiBtmCmD,WjBsmC/B,QiBtmC +B,CjBsmCrB,CAAW,EAAW,IAAX,CAAnD,C;;YAEA,4BAA+C,aAArC,0BAA0B,SAA1B,CAAqC,EAAW,IAA X,CAA/C,C;;aAIZ,c;QACI,MAAM,+B;;QACV,IAAM,cAAN,KAAM,EAAc,KAAd,EAAqB,cAArB,EAAqC,CA ArC,EQ/xCH,MAAO,KR+xCmD,SAAS,KAAT,IQ/xCnD,ER+xCmE,cAAe,OQ/xCIF,CR+xCJ,EAA4G,IAA5G,CA AN,C;UACI,SAAS,gCAAS,S;;UAIIB,iBAA8B,I;UAC9B,iBAAiB,K;UACjB,kBAAkB,CAAC,O;UACnB,IAAI,W AAW,iBAAM,KAAN,MAAgB,EAA3B,IAAwC,QAAN,KAAM,CAAN,KAAgB,EAAtD,C;YACI,cAAc,I;YACd,I AAI,oCAAW,uBAAX,EAAW,MAAX,CAAJ,C;cAAyB,MAAM,gCAAyB,eAAzB,C;;UAEnC,OAAO,QAAQ,MA Af,C;YACI,IAAI,cAAc,WAAIB,C;cA8CZ,UA7CwC,K;cA8CxY,gBAAO,mBA9CiB,KA8Cb,O;gBAAJ,W;kBA Ac,SA9C4B,UA8CIB,YA9CP,KA8CO,YAAK,GAAL,EA9CkB,MAAM,E;;;gBA8Cd,iB;;cA9CzB,QA+CT,G;;YA 7CK,aAAa,I;YACS,mBA Ae,K;YA0CjD,UAHgC,Y;YAIhC,Y;cAAO,mBA3CqB,KA2CjB,O;cAAJ,W;gBAAc,WA AU,YA3CH,KA2CG,YAAK,GAAL,E;gBAAV,SA3CqC,CAAM,kBAAK,EAAL,CAAN,uCAAKB,oBAAM,E;;;c A2CzC,iB;;YA3C7B,kBAAgB,KiB5nCgE,WjBmqClF,YiBnqCkF,EjBwqCrF,GiBxqCqF,C;YjB6nChF,IAAI,WuB 1jCgC,YAAU,CvB0jC9C,C;cAAyB,MAAM,+B;YAC/B,gBAAS,WAAU,OAAAnB,I;YACqB,mBA Ae,K;YAUChD, UAHgC,Y;YAIhC,Y;cAAO,mBAxCoB,KAwChB,O;cAAJ,W;gBAAc,WAAU,YAxCJ,KAwCI,YAAK,GAAL,E;g BAAV,SAxCoC,CAAM,kBAAK,GAAL,CAAN,mC;;;cAwChB,iB;;YAx7B,eAAe,KiB/nCiE,WjBmqClF,YiBnq CkF,EjBwqCrF,GiBxqCqF,C;YjBgoChF,gBAAS,QAAS,OAAIB,I;YACA,aAAW,wBAAwB,QAAXB,C;YACX,IA AI,cAAy,IAAZ,IAAoB,2BAAy,MAAZ,MAAxB,C;cAA0C,MAAM,gCAAyB,yCAAzB,C;YACHD,aAAW,M;YA CX,iBAAYB,WAAV,WAAU,EAAQ,EAAR,C;YACzB,IAAI,aAAW,CAAf,C;cACI,cAAy,WiBtoCgE,WjBsoC5C, CiBtoC4C,EjBsoCzC,UiBtoCyC,C;cjBuoC5E,4BAAyB,aAAT,OAAO,OAAM,CAAS,EAAW,MAAX,CAAzB,C;c ACA,4BAAMd,aAAX,SAA9B,WiB3oCmD,WjB2oC/B,UiB3oC+B,CjB2oCrB,CAAW,EAAW,MAAX,CAAnD,C; cACA,IAAI,QAAQ,MAAZ,C;gBAAoB,MAAM,gCAAyB,mCAAzB,C;;cAE1B,4BAA6B,aAAT,OAAV,WAAU,C AAS,EAAW,MAAX,CAA7B,C;;;MAKhB,OAAW,UAAJ,GAaiB,MAAD,aAAhB,GAA6B,M;K;IAIxC,0C;MAC I,aAAa,KAAM,O;MACnB,iBAAiB,C;MACjB,IAAI,SAAS,CAAT,IAAc,YAAy,IAAZ,mBAAM,CAAN,EAAlB,C ;QAAoC,+B;;MACHC,YAAC,SAAS,UAAT,IAAD,IAAwB,E;MAAxB,S;QAA4D,gBAA7B,yBAAkB,iBAAN,KA AM,CAAIB,C;QAA6B,c;;UU4ThD,U;UADhB,IAAI,wCAAsB,mBAA1B,C;YAAqC,aAAO,I;YAAP,e;;UACrB,6B ;UAAhB,OAAgB,gBAAhB,C;YAAgB,2B;YAAM,IAAI,CV5T4C,CAAa,kBAAK,EAAL,CAAb,oCU4TjC,OV5Ti C,EU4ThD,C;cAAyB,aAAO,K;cAAP,e;;UAC/C,aAAO,I;;QV7TyD,iB;;MAAhE,S;QAEI,OAAW,iBAAM,CAAN ,MAAY,EAAhB,sD;;MAGX,OAAiB,WAAN,KAAM,EAAW,GAAX,CAAV,GAAyC,OAAR,QAAN,KAAM,EAA K,CAAL,CAAQ,CAAzC,GAA6D,OAAO,KAAM,C;K;IAKxE,0D;MAII,QAHgC,U;MAIhC,OAAO,IAAI,gBAAJ,I AJqC,SAIvB,CAAU,iCAAK,CAAL,EAAV,CAArB,C;QAAyC,a;;MAJzC,OiBnqC4F,oBjBmqClF,UiBnqCkF,EjB wqCrF,CiBxqCqF,C;K;IjBqqChG,qD;MACI,QAAQ,U;MACR,OAAO,IAAI,gBAAJ,IAAc,UAAU,iCAAK,CAAL, EAAV,CAArB,C;QAAyC,a;;MACzC,OAAO,C;K;;;IAMBX,8B;MAA+C,qCAAQ,OAAR,E;K;IAC/C,+B;MAAg D,2CAAS,OAAT,E;K;IAEHd,sC;MAAiD,oBAAS,sBAAgB,CAAhB,CAAT,C;K;IACjD,wC;MAAmD,oBAAU,uB AAiB,CAAjB,CAAD,yBAAuB,CAAvB,EAAT,C;K;IACnD,oD;MAAoE,oBAAU,sBAAgB,CAAhB,CAAD,yBAA sB,iBAAtB,EAAT,C;K;IACpE,0C;MACI,IAAI,sEAAqB,SAArB,CAAJ,C;QAAA,OACI,gBAAgB,KAAhB,C;;QA DJ,OAGI,iBAAiB,cAAc,KAAd,CAAjB,C;;K;IAGR,4C;MACI,IAAI,kEAAgC,mBAAhC,CAAJ,C;QAAA,OACI,g BAAgB,cAAc,MAAd,CAAhB,C;;QADJ,OAGI,iBAAwB,WAAP,MAAO,yBAAsB,UAAtB,CAAxB,C;;K;IwMI3C

R,8B;MAEgD,QAAM,SAAN,M;aAC5C,a;UAD4C,OACbB,I;aAC5B,c;UAF4C,OAEf,I;aAC7B,c;UAH4C,OAGf,I; aAC7B,S;UAJ4C,OAIpB,G;aACxB,S;UAL4C,OAKpB,G;aACxB,O;UAN4C,OAMtB,G;aACtB,M;UAP4C,OAov B,G;;UpMuEwB,MAAM,6BAA8B,CoMtEnE,mBAAGb,SpMsEmD,YAA9B,C;;K;IoMnEvD,4C;MACwE,QAAM, SAAN,C;aACpE,I;UADoE,6C;aAEpE,I;UAFoE,8C;aAGpE,I;UAHoE,8C;aAIpE,G;UAJoE,yC;aAKpE,G;UALoE,y C;aAMPe,G;UANoE,uC;aAOpe,G;UAPoE,sC;;UAQ5D,MAAM,gCAAyB,uCAAoC,SAA7D,C;;K;IAGlB,yD;MA GQ,KAAC,eAAD,C;QAEQ,IADE,OACF,Q;UAHZ,sC;;UAIoB,MAAM,gCAAyB,4EAAqD,OAARd,CAAzB,C;;Q AIIb,QAAM,OAAN,C;eACI,E;YATZ,uC;eAUy,E;YAVZ,yC;eAWY,E;YAXZ,yC;;YAYoB,MAAM,gCAAyB,yD AAKC,OAAIC,CAAzB,C;;;K;IC5F9B,4B;K;;;MC4BI,kC;;IAXA,gC;MAAA,oC;MAM0B,2BAAC,iC;K;8CACpC,Y ;MAAKC,OAAA,iCAAoB,W;K;6CADhC,Y;MAAA,yC;K;;;IAN1B,4C;MAAA,2C;QAAA,0B;;MAAA,oC;K;IAW A,gC;MAAA,oC;K;;;IAAA,4C;MAAA,2C;QAAA,0B;;MAAA,oC;K;;IAKJ,oB;K;qCAcI,oB;MAK8D,4BAAiB,IA AjB,EAAuB,QAAvB,C;K;sCAE9D,oB;MAK+D,wBAAM,QAAD,aAAL,C;K;sCAG/D,Y;MAMqC,QAAC,iBAAa, a;K;yCAEnD,Y;MAMwC,OAAA,iBAAa,a;K;;4EAIzD,yB;MAAA,4C;MAAA,mC;QAQuE,MAAM,WAAM,0BA AN,C;O;KAR7E,C;mFAUA,yB;MAAA,4C;MAAA,mC;QAQsE,MAAM,WAAM,0BAAN,C;O;KAR5E,C;IAY8B, 4C;MAAiD,mB;MAAhD,gB;MAAoB,4B;K;4CAC/C,Y;MAAsC,OAAA,SAAK,aAAL,cAAoB,eAApB,C;K;6CAEt C,oB;MAAKD,4BAAiB,SAAjB,EAAuB,4BAAa,QAAb,CAAvB,C;K;;IChGV,sC;MAAC,gB;K;IAOf,4E;MAA8G, mB;MAA7G,4B;MAA6B,8B;MAAGD,sB;K;+DACpG,Y;MAAsC,OAAgC,aAA/B,iBAAW,OAAX,UAAoB,gBAA pB,CAA+B,EAAW,iBAAW,KAAtB,CAAhC,cAA8D,AA9D,C;K;gEACtC,oB;MAAKD,+CAAa,gBAAb,EAAwB, iBAAxB,EAAoC,0BAAS,QAAT,CAApC,C;K;;+CAGtD,Y;MAAmC,+CAAa,WAAb,EAAqB,IAArB,EAA2B,gCA AS,KAApC,C;K;;IAUO,wC;MAAC,gB;K;IAOf,gF;MAAKH,mB;MAAjH,4B;MAA+B,8B;MAAKD,sB;K;mEAC1 G,Y;MAAsC,OAAgC,aAA/B,iBAAW,OAAX,GAAoB,gBAAW,EAAW,iBAAW,KAAtB,CAAhC,cAA8D,AA9D ,C;K;oEACtC,oB;MAAKD,mDAAe,gBAAf,EAA0B,iBAA1B,EAA5C,0BAAS,QAAT,CAAtC,C;K;;iDAGtD,Y;M AAmC,mDAAe,WAAf,EAAuB,IAAvB,EAA6B,gCAAS,KAAtC,C;K;;IAGvC,0B;MAGB8B,yE;MAC1B,mB;K;oC AEA,Y;MAA4B,qB;K;iDAE5B,oB;MAWc,Q;MADV,gBAAgB,QAAS,gBAAO,SAAP,C;MACf,IAAI,gDAA+B,4 CAAnC,C;QAEN,iBAAiB,mBAAU,SAAV,C;QACjB,IAAI,mBAAy,SAAZ,gBAAyB,CAAzB,IAA8B,mBAAy,U AAZ,eAAyB,CAA3D,C;UAA8D,gBAAAS,QAAT,C;QAC9D,iB;;QAEA,YAAy,QAAS,kBAAS,SAAT,C;QAErB,m BAAiB,4BAAU,K;QAC3B,IAAI,sDAA+B,kDAAnc,C;UAAgE,gBAAAS,QAAT,C;QACrD,8BAAX,YAAW,C;;M AVf,qB;K;0CAcJ,oB;MACI,MAAM,6BAA5B,iDAA+C,cAA/C,qCAA0E,QAA1E,MAAtB,C;K;;qFC7Fd,yB;MAA A,yC;MAAA,wB;QA2BI,WAAW,8B;QAhB6B,KAIbXc,E;QAJBA,OAKBO,IAAK,a;O;KA7BhB,C;uFAeA,4B;M AYI,WAAW,mB;MACX,O;MACA,OAAO,IAAK,a;K;IAYe,qC;MAAC,kB;MAAc,wB;K;;sCAR9C,Y;MAQgC,iB ;K;sCARhC,Y;MAQ8C,oB;K;wCAR9C,2B;MAAA,sBAQgC,qCARhC,EAQ8C,8CAR9C,C;K;oCAA,Y;MAAA, OAQgC,iDARhC,IAQ8C,8CAR9C,O;K;oCAA,Y;MAAA,c;MAQgC,sD;MAAc,yD;MAR9C,a;K;kCAA,iB;MA AA,4IAQgC,sCARhC,IAQ8C,4CAR9C,I;K;iGAUA,yB;MAAA,yC;MAGBA,8C;MAhBA,wB;QA6BI,WAAW,8B; QACX,aAjB8C,KAIbJc,E;QAJbB,OAKBO,oBAAW,MAAX,EAAmB,IAAK,aAAxB,C;O;KA/BX,C;mGAgBA,yB; MAAA,8C;MAAA,mC;QAaI,WAAW,mB;QACX,aAAa,O;QACb,OAAO,oBAAW,MAAX,EAAmB,IAAK,aAAx B,C;O;KAFx,C;IzZA,2E;MASI,sC;MAAA,4C;K;IATJ,mGAWY,Y;MAAQ,2B;KAXpB,E;IAAA,4DAaQ,kB;MA CI,wBAAW,MAAX,C;K;IAdZ,wF;I0JewC,sC;MACpC,0B;K;;IAGJ,kC;MAUI,OAA2C,CAA3C,2BAA6B,uBAA7 B,EAAoC,KAAPC,CAA2C,e;K;IAE/C,8B;K;kDAuBI,4B;MASI,MAAM,qCAA8B,8CAA9B,C;K;;;IAa4B,8C;MA GtC,6B;MAEmD,UAMX,M;MAPxC,kBACmD,mE;MAEnD,eAC0B,K;MAE1B,cACwC,KE;MAExC,gBACmC,g B;K;iGAG/B,Y;MAAQ,0C;K;0DAEZ,kB;MACI,cAAy,I;MACZ,gBAAC,M;K;IAGsE,iG;MAAA,uB;QAEEx,Q;Q AAZ,qCAAY,8D;QACZ,sCAAa,a;QAFb,OAGA,yB;O;K;2DAJJ,+B;MAAKD,OAA5C,wDAAtC,c;K;IAOyE,uH;M AAA,uB;QAEEx,Q;QAaf,iBAAe,8F;QACf,eAAK,2B;QAA6B,mC;QtMjGtB,gBAAT,Q;QsMsG0D,kB;QAJzD,sB AAsB,SAAK,W;QAC3B,IAAI,eAAa,eAAjB,C;UAEL,iC;UACA,mBAAy,oCAAwB,eAAxB,EAAyC,KEAAzC,C;; UAGZ,mBAAy,KE;;QAEhB,oBAAa,e;QAZjB,OAcA,yB;O;K;6DAfJ,0C;MAAQF,OAA5C,qEAAtC,c;K;IAqBzB, mI;MAAA,qB;QACxD,yCAAgB,uB;QAGhB,qCAAY,Y;QACZ,uCAAc,E;QACIB,W;O;K;IEATA,iC;MAGwB,w CAAa,mCAAb,EAAoC,kFAApC,C;K;mDAQxB,Y;MAMuB,UADC,MACD,EAIH,MAJG,EAAk,M;MAjBxB,OA AO,IAAP,C;QAEI,aAAa,IAAK,S;QACF,SAAL,IAAK,O;QAAL,mB;UACyB,gBAArB,0D;U3JxBhB,U;UADP,yB ;U2JyBe,O3JxBR,sF;;Q2JuBC,WAAW,M;QAGX,IAAI,mDAAoB,MAApB,QAaj,C;;YAliB,SAAT,eZJxJv,CyJwJ uD,IzJxJvD,EyJwJ6D,YzJxJ7D,EyJwJoE,IzJxJpE,EAA8C,KAA9C,C;;YyJyJQ,gC;cACE,I1JzJhB,oBDgDQ,WAA

O,c2JyG0B,C3JzG1B,CAAP,CChDR,C;c0J0JgB,Q;;cALI,O;;UAAR,c;UAQA,IAAI,MAAM,yBAAV,C;YACI,I1Jv  
KhB,oBDgDQ,W2JuHoB,0E3JvHpB,CChDR,C;;;U0J0KY,gBAAc,gB;UACd,IAAK,oBAAW,MAAX,C;;;K;;0EC1  
MrB,4B;MAoKI,QAhKK,SAgKG,GAhKoB,KAgKpB,I;MACR,IAAI,CAjKC,SAiKD,GAjKwB,KAiKxB,IAAiB,C  
AAjB,IAAsB,eAjKE,KAiKF,MAjKrB,SAiKL,C;QAA6C,a;;MAjK7C,OakKO,C;K;kEahKX,yB;MAAA,0B;MAA  
A,mC;QA2KI,QAnKK,SAmKG,GAnKe,K;QAAvB,OAAgC,OAoKzB,KApKgB,KAOkX,GAAW,CAAC,CAAC,I  
ApKF,KAOkC,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KApKyB,C;O;KARpC,C;4  
EAUA,4B;MAoJI,QAhJK,SAgJG,GAhJoB,KAgJpB,I;MACR,IAAI,CAjJC,SAiJD,GAjJwB,KAiJxB,IAAiB,CAAj  
B,IAAsB,eAjJE,KAiJF,MAjJrB,SAiJL,C;QAA6C,a;;MAjJ7C,OakJO,C;K;kEahJX,yB;MAAA,4B;MAAA,mC;QA  
2JI,QAnJK,SAmJG,GAnJe,K;QAAvB,OAAgC,QAoJzB,KApJgB,KAOjX,GAAW,CAAC,CAAC,IAPJF,KAOjC,K  
AAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KApJyB,C;O;KARpC,C;4EAUA,4B;MAoII,  
QAhIK,SAgIG,GAhIc,KAgId,I;MACR,IAAI,CAjIC,SAiID,GAjIkB,KAiIB,IAAiB,CAAjB,IAAsB,eAjJI,KAiI,M  
AjJrB,SAiIL,C;QAA6C,a;;MAjI7C,OakIO,C;K;kEahIX,4B;MA2II,QAnIK,SAmIG,GAnIS,K;MAAJB,OAoIO,KA  
pIU,KAOIL,GAAW,CAAC,CAAC,IAPIR,KAOIO,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,  
EAAID,K;K;4EAIIX,yB;MAqMA,0B;MARMA,mC;QAIkB,kBAAT,oBAAL,SAAK,C;QAqML,QAAQ,gBArMe,K  
AqMf,C;QACR,IAAI,gBAtmB,KASmNB,eAAiB,CAAjB,IAAsB,mBAtmH,KASMG,GAAa,WAAb,CAA1B,C;U  
AA6C,W;;QAtM7C,OAuMO,C;O;KA3MX,C;kEAMA,4B;MAGNI,QAxMK,oBAAL,SAAK,CAwMG,QAxMU,K  
AwMV,C;MAxMR,OAYMO,MAzMW,KAYMN,KAAa,MAzMP,KAYMO,CAAD,KAAmB,KAAm,CAAD,aAAL,  
CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,C;K;4EAvmX,4B;MAoGI,QAhGK,SAgGG,GAhGoB,KAgGpB,I;  
MACR,IAAI,CAjGC,SAiGD,GAjGwB,KAiGxB,IAAiB,CAAjB,IAAsB,eAjGE,KAiGF,MAjGrB,SAiGL,C;QAA6  
C,a;;MAjG7C,OakGO,C;K;kEahGX,yB;MAAA,0B;MAAA,mC;QA2GI,QAnGK,SAmGG,GAnGe,K;QAAvB,O  
AAgC,OAoGzB,KApGgB,KAOGX,GAAW,CAAC,CAAC,IAPGF,KAOGC,KAAmB,KAAK,CAAC,CAAD,IAAL,  
CAAnB,CAAD,KAAkC,EAAID,KApGyB,C;O;KARpC,C;4EAUA,4B;MAoFI,QAhFK,SAgFG,GAhFoB,KAgFpB  
I;MACR,IAAI,CAjFC,SAiFD,GAjFwB,KAiFxB,IAAiB,CAAjB,IAAsB,eAjFE,KAiFF,MAjFrB,SAiFL,C;QAA6C,  
a;;MAjF7C,OakFO,C;K;kEahFX,yB;MAAA,4B;MAAA,mC;QA2FI,QAnFK,SAmFG,GAnFe,K;QAAvB,OAAgC  
,QAofzB,KApFgB,KAOFX,GAAW,CAAC,CAAC,IAPFF,KAOFC,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,  
CAAD,KAAkC,EAAID,KApFyB,C;O;KARpC,C;4EAUA,4B;MAoEI,QAhEK,SAgEG,GAhEc,KAgEd,I;MACR,I  
AAI,CAjEC,SAiED,GAjEkB,KAiEIB,IAAiB,CAAjB,IAAsB,eAjEJ,KAiEI,MAjErB,SAiEL,C;QAA6C,a;;MAjE7C  
,OakeO,C;K;kEahEX,4B;MA2EI,QAnEK,SAmEG,GAnES,K;MAAJB,OAoEO,KApEU,KAOEL,GAAW,CAAC,  
CAAC,IAPER,KAOEO,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,K;K;4EAIEX,yB;  
MAqIA,0B;MARIA,mC;QAIkB,kBAAT,oBAAL,SAAK,C;QAqIL,QAAQ,gBArIe,KaqIf,C;QACR,IAAI,gBAtmB  
,KASnB,eAAiB,CAAjB,IAAsB,mBAtmH,KASIG,GAAa,WAAb,CAA1B,C;UAA6C,W;;QAtI7C,OAuIO,C;O;KA3I  
X,C;kEAMA,4B;MAGJI,QAxIK,oBAAL,SAAK,CAwIG,QAxIU,KAwIV,C;MAXIR,OAYIO,MAzIW,KAYIN,KAA  
a,MAZIP,KAYIO,CAAD,KAAmB,KAAm,CAAD,aAAL,CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,C;K;2EA  
vIX,4B;MAoCI,QAhCA,SAgCQ,GAhCY,KAgCZ,I;MACR,IAAI,CAjCJ,SAiCI,GAjCgB,KAiChB,IAAiB,CAAjB,  
IAAsB,eAjCN,KAiCM,MAjC1B,SAiCA,C;QAA6C,a;;MAjC7C,OakCO,C;K;iEahCX,yB;MAAA,0B;MAAA,mC  
;QA2CI,QAnCA,SAmCQ,GAnCO,K;QAaf,OAAwB,OAoCjB,KApCQ,KAOCH,GAAW,CAAC,CAAC,IAPCV,K  
AOCS,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KAPCiB,C;O;KAR5B,C;4EAUA,4  
B;MAoBI,QAhBA,SAgBQ,GAhBY,KAgBZ,I;MACR,IAAI,CAjBJ,SAiBI,GAjBgB,KAiBhB,IAAiB,CAAjB,IAAs  
B,eAjBN,KAiBM,MAjB1B,SAiBA,C;QAA6C,a;;MAjB7C,OakBO,C;K;mEahBX,yB;MAAA,4B;MAAA,mC;QA  
2BI,QAnBA,SAmBQ,GAnBO,K;QAaf,OAAwB,QAoBjB,KApBQ,KAOBH,GAAW,CAAC,CAAC,IAPBV,KAOB  
S,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KAPBiB,C;O;KAR5B,C;4EAUA,4B;M  
AII,QAAQ,YAAO,KAAP,I;MACR,IAAI,aAAS,KAAT,IAAiB,CAAjB,IAAsB,eAAI,KAAJ,MAAA,SAAvC,C;QA  
A6C,a;;MAC7C,OAAO,C;K;mEAGX,4B;MAQI,QAAQ,YAAO,K;MACf,OAAO,KAAK,QAAW,CAAC,CAAC,I  
AAM,KAAP,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,K;K;4EAGX,yB;MAGEA,0B  
;MAhEA,mC;QAIkB,kBAAT,oBAAL,SAAK,C;QAqEL,QAAQ,gBAhEe,KAgEf,C;QACR,IAAI,gBAjEmB,KAiEn  
B,eAAiB,CAAjB,IAAsB,mBAjEH,KAiEG,GAAa,WAAb,CAA1B,C;UAA6C,W;;QAJE7C,OakeO,C;O;KATEx,C;  
kEAMA,4B;MA2EI,QAnEK,oBAAL,SAAK,CAmEG,QAnEU,KAmEV,C;MANER,OAoEO,MApEW,KAOEN,KA  
Aa,MApEP,KAOEO,CAAD,KAAmB,KAAm,CAAD,aAAL,CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,C;K;6

EAIEX,yB;MAgDA,0B;MAhDA,mC;QAIS,cAAe,oBAAN,KAAM,C;QAgDpB,QAhDA,SAgDQ,KAAO,OAAP,C;QACR,IAjDA,SAiDI,KAAS,OAAT,eAAiB,CAAjB,IAAsB,mBAAI,OAAJ,GAjD1B,SAiD0B,CAA1B,C;UAA6C,W;;QAJD7C,OAKDO,C;O;KAtDX,C;mEAMA,yB;MAAA,0B;MAAA,mC;QAQS,cAAU,oBAAN,KAAM,C;QAmDf,QAnDA,SAmDQ,QAAO,OAAP,C;QAnDR,OAAyB,OAoD1B,MAAK,YAAa,MAAM,OAAN,CAAD,KAAMB,KAAM,CAAD,aAAL,CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,CAPdKB,S;O;KAR7B,C;6EAUa,yB;MAgCA,0B;MAhCA,mC;QAIS,cAAe,oBAAN,KAAM,C;QAgCpB,QAhCA,SAgCQ,KAAO,OAAP,C;QACR,IAjCA,SAiCI,KAAS,OAAT,eAAiB,CAAjB,IAAsB,mBAAI,OAAJ,GAjC1B,SAiC0B,CAA1B,C;UAA6C,W;;QAJC7C,OAKCO,C;O;KAtCX,C;mEAMA,yB;MAAA,4B;MAAA,mC;QAQS,cAAU,oBAAN,KAAM,C;QAmCf,QAnCA,SAmCQ,QAAO,OAAP,C;QAnCR,OAAyB,QAoC1B,MAAK,YAAa,MAAM,OAAN,CAAD,KAAMB,KAAM,CAAD,aAAL,CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,CAPcKB,S;O;KAR7B,C;6EAUa,yB;MAgBA,0B;MAhBA,mC;QAIS,cAAe,oBAAN,KAAM,C;QAgBpB,QAhBA,SAgBQ,KAAO,OAAP,C;QACR,IAjBA,SAiBI,KAAS,OAAT,eAAiB,CAAjB,IAAsB,mBAAI,OAAJ,GAjB1B,SAiB0B,CAA1B,C;UAA6C,W;;QAJB7C,OAKBO,C;O;KAtBX,C;mEAMA,4B;MAQS,cAAU,oBAAN,KAAM,C;MAMbf,QAnBA,SAmBQ,QAAO,OAAP,C;MANBR,OAoBO,MAAK,YAAa,MAAM,OAAN,CAAD,KAAMB,KAAM,CAAD,aAAL,CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,CAPbKB,Q;K;6EAE7B,yB;MAAA,0B;MAAA,mC;QAII,QAAQ,cAAO,KAAP,C;QACR,IAAI,cAAS,KAAT,eAAiB,CAAjB,IAAsB,mBAAI,KAAJ,GAAa,SAAb,CAA1B,C;UAA6C,W;;QAC7C,OAAO,C;O;KANX,C;mEASA,4B;MAQI,QAAQ,iBAAO,KAAP,C;MACR,OAAO,MAAK,UAAa,MAAM,KAAN,CAAD,KAAMB,KAAM,CAAD,aAAL,CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,C;K;kEAGX,yB;MpgiqB2C,iB;MoGjqB3C,mC;QAUI,QAAQ,YAAO,K;QACJ,iBAAS,G;QAAT,S;UAAAsB,OpGspBc,MAAiC,MoGtpB/C,CpGspB+C,CoGtpB/C,KpGspBc,MAAiC,MoGtpBrC,KpGspBqC,C;;QoGtpBhF,OAAO,OAAgD,IAAI,KAApD,GAA+D,C;O;KAX1E,C;mEAcA,yB;Mpg0I6C,iB;MoG1I7C,mC;QAKCI,QAxBK,SAwBG,GAXBY,K;QAYBT,iBAAK,G;QAAL,S;UAAy,OpGuG0B,MAAW,MoGvGrC,CpGuGqC,CoGvGrC,KpGuG0B,MAAW,MoGhIxC,KpGgIwC,C;;QoGhI5D,OAYBO,OAAAsC,IAzBzB,KAYBb,GAAqD,C;O;KANChE,C;mEAYA,yB;Mpg8H6C,iB;MoG9H7C,mC;QASBI,QAZA,SAYQ,GAZO,K;QAaJ,iBAAK,G;QAAL,S;UAAy,OpGuG0B,MAAW,MoGvGrC,CpGuGqC,CoGvGrC,KpGuG0B,MAAW,MoGpH7C,KpGoH6C,C;;QoGpH5D,OAAO,OAAAsC,IAb9B,KAAr,GAAqD,C;O;KAvBhE,C;mEAYA,yB;MpgkH6C,iB;MoGIH7C,mC;QAUI,QAAQ,YAAO,K;QACJ,iBAAK,G;QAAL,S;UAAy,OpGuG0B,MAAW,MoGvGrC,CpGuGqC,CoGvGrC,KpGuG0B,MAAW,MoGvG3B,KpGuG2B,C;;QoGvG5D,OAAO,OAAAsC,IAAI,KAA1C,GAAqD,C;O;KAXhE,C;4ECnTA,yB;MAAA,8B;MAAA,4B;QAOyC,Q;QAAA,gFAAoB,C;O;KAP7D,C;ICM0B,4C;MA+CtB,qC;MA/CuB,kB;MAAgB,kB;MAAgB,kB;MAMvD,iBAAsB,iBAAU,UAAV,EAAiB,UAAjB,EAAwB,UAAxB,C;K;0CAEtB,+B;M5MWA,IAAI,E4MViB,CAAT,sBAAY,GAAZ,KAA4C,CAAT,sBAAY,GAA/C,MAA+E,CAAT,sBAAY,GAAIF,C5MUR,CAAJ,C;QACI,c4MVI,2E;Q5MWJ,MAAM,gCAAyB,OAAQ,WAAjC,C;;M4MTN,OAAO,CAAA,KAAM,IAAI,EAAV,KAAgB,KAAM,IAAI,CAA1B,IAA+B,KAA/B,I;K;uCAGX,Y;MAGkC,OAAE,UAAF,oBAAS,UAAAT,SAAgB,U;K;qCAEID,iB;MAEwB,gB;MADpB,IAAI,SAAS,KAAb,C;QAAoB,OAAO,I;MACP,iE;MAAD,mB;QAA6B,OAAO,K;;MAAvD,mBAAMB,M;MACnB,OAAO,IAAK,UAAAL,KAAGB,YAAa,U;K;uCAGXC,Y;MAA+B,qB;K;8CAE/B,iB;MAAoD,wBAAU,KAAM,UAAhB,I;K;gDAEpD,wB;MAKI,OAAA,IAAK,MAAL,GAAa,KAAb,KAAuB,IAAK,MAAL,KAAc,KAAd,IACf,IAAK,MAAL,IAAc,KADtB,C;K;gDAGJ,+B;MAKI,OA AA,IAAK,MAAL,GAAa,KAAb,KAAuB,IAAK,MAAL,KAAc,KAAd,KACd,IAAK,MAAL,GAAa,KAAb,KAAsB,IAAK,MAAL,KAAc,KAAd,IACf,IAAK,MAAL,IAAc,KADrB,CADc,CAAvB,C;K;IAIJ,mC;MAAA,uC;MACI,2BAluC,G;MAEvC,eAIoC,uCAA0B,M;K;;;IAXIE,+C;MAAA,8C;QAAA,6B;;MAAA,uC;K;;IA9CA,iD;MAAA,uD;MAG6C,0BAAK,KAAL,EAAy,KAAZ,EAAmB,CAAnB,C;MAH7C,Y;K;IA6DJ,qC;MAAA,yC;K;8CAEI,Y;MAC2B,yBAAC,CAAd,EAAiB,CAAjB,EAAoB,EAApB,C;K;;IAH/B,iD;MAAA,gD;QAAA,+B;;MAAA,yC;K;4FCxDI,yB;MAAA,2D;MAAA,4B;QAAQ,MAAM,6BAAoB,6BAApB,C;O;KAAAd,C;;;ICJSJ,uB;MAG2C,+BAAoB,KAApB,C;K;4EAE3C,wC;MAO4F,sB;K;IAE5F,6C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,2C;MAAA,8C;O;MAKI,wF;MAKA,sF;MAMA,wE;K;;IAXA,yD;MAAA,iC;MAAA,iD;K;;IAKA,wD;MAAA,iC;MAAA,gD;K;;IAMA,iD;MAAA,iC;MAAA,yC;K;;IAhBJ,uC;MAAA,iJ;K;;IAAA,4C;MAAA,a;aAAA,c;UAAA,sD;aAAA,a;UAAA,qD;aAAA,M;UAAA,8C;;UAAA,gE;;K;;IAyBA,+B;MAAA,mC;K;;IAAA,2C;MAAA,0C;QAAA,yB;;MAAA,mC;K;IAGoC,qC;MACHc,qBAAsC,W;MACtC,gBAA2B,iC;K;uFAGvB,Y;MAMW,Q;MALP,IAAI,kBAAW,iCAAf,C;QACI,gBAAS,mC;QACT,qBAAC,I;;MAGIB,OAAO,gF;K;6CAGF,Y;MAAwC,yBAAW,iC;K;wCAEnD,Y;MAAkC,OA

AI,oBAAJ,GAA2B,SAAN,UAAM,CAA3B,GAA2C,iC;K;8CAE7E,Y;MAAkC,+BAAoB,UAApB,C;K;;IAGG,oC; MAAC,4B;K;wEAAA,Y;MAAA,2B;K;kDAEtC,Y;MAAwC,W;K;6CAExC,Y;MAAkC,OAAM,SAAN,UAAM,C; K;;oFC2C5C,yB;MAAA,gD;MAAA,4B;QAM6C,OAAmB,aAAIB,YAA,Y,GAAM,C;O;KANhE,C;oGAQA,yB;Mx G7FA,iB;MwG6FA,4B;QAMqD,OxG7FM,MAAO,OwG6FZ,YAA,Y,GxG7FA,CwG6Fb,GAA6C,EAA7C,I;O;KA NrD,C;sGAQA,yB;MAAA,kE;MAAA,4B;QAMsD,OAAmB,sBAAIB,YAAW,GAAO,C;O;KANzE,C;8FAQA,yB; MAAA,0D;MAAA,0B;MAAA,4B;QAOMD,OAAuC,OAApB,kBAaIB,YAA,Y,GAAM,CAAoB,C;O;KAP1F,C;4F ASA,yB;MAAA,wD;MAAA,0B;MAAA,4B;QAOKD,OAA2B,OAAAnB,iBAAR,SAAQ,CAAmB,C;O;KAP7E,C;IA UA,2C;MAaI,OAA+E,OAA9E,SAAQ,KAAI,WAAa,CAAjB,CAAR,GAakD,CAAIB,YAA,Y,GAAM,MAAK,CA AL,IAAU,WAAa,CAAvB,CAA4B,C;K;IAEnF,4C;MAaI,OAA+E,OAA9E,SAAQ,IAAI,CAAJ,IAAS,WAAa,CAA tB,CAAR,GAAwD,CAAIB,YAA,Y,GAAM,OAkK,WAAa,CAAIB,CAAsB,C;K;oFAEnF,yB;MAAA,gD;MAAA,4 B;QAM8C,OAAqB,aAApB,YAA,Y,KAAQ,C;O;KANnE,C;oGAQA,yB;MxGtKA,iB;MwGsKA,4B;QAOI,OxGvK uD,MAAO,OwGuK7D,YAA,Y,KxGvKiD,CwGuK9D,GAA+C,EAA/C,I;O;KAPJ,C;sGASA,yB;MAAA,kE;MAAA ,4B;QAMuD,OAAqB,sBAApB,YAAW,KAAS,C;O;KAN5E,C;8FAQA,yB;MAAA,0D;MAAA,4B;MAAA,4B;QA OqD,OAAyC,QAApB,kBAApB,YAA,Y,KAAQ,CAAoB,C;O;KAP9F,C;4FASA,yB;MAAA,wD;MAAA,4B;MAA A,4B;QAOD,OAA2B,QAAAnB,iBAAR,SAAQ,CAAmB,C;O;KAP/E,C;IAUA,2C;MAaI,OAAoF,QAAAnF,SAAQ, KAAI,WAAa,EAAjB,CAAR,GAAqD,CAApB,YAA,Y,KAAQ,MAAK,EAAL,IAAW,WAAa,EAAXB,CAA8B,C;K; IAExF,4C;MAaI,OAAoF,QAAAnF,SAAQ,IAAI,EAAJ,IAAU,WAAa,EAAvB,CAAR,GAA4D,CAApB,YAA,Y,KA AQ,OAkK,WAAa,EAaIB,CAAuB,C;K;0E/MIRxF,yB;MAaA,kF;MAbA,wB;QAUbI,IAAI,CAbI,KAAr,C;UACI,c Ada,qB;UAeb,MAAM,8BAAyB,OAAQ,WAAjC,C;;O;KazBd,C;0EAaA,yB;MAAA,kF;MAAA,qC;QAU,I,IAAI,C AAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,8BAAyB,OAAQ,WAAjC,C;;O;KAZd,C;sFAgBA,yB;MAWA,kF;M AXA,wB;QAQW,yB;QAeP,IAfsB,KAEIb,QAaJ,C;UACI,cAhB2B,0B;UAIb3B,MAAM,8BAAyB,OAAQ,WAAjC ,C;;UAEN,wBAnBkB,K;;QAAtB,4B;O;KARJ,C;wFAWA,yB;MAAA,kF;MAAA,qC;QAYI,IAAI,aAAJ,C;UACI,c AAa,c;UACd,MAAM,8BAAyB,OAAQ,WAAjC,C;;UAEN,OAAO,K;;O;KAhBf,C;oEAoBA,yB;MAaA,4E;MAbA, wB;QAUbI,IAAI,CAbE,KAAAn,C;UACI,cAdW,e;UAeX,MAAM,2BAAsB,OAAQ,WAA9B,C;;O;KazBd,C;SEaA ,yB;MAAA,4E;MAAA,qC;QAU,I,IAAI,CAAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B, C;;O;KAZd,C;kFAgBA,yB;MAcA,4E;MAdA,wB;QAWW,uB;QAeP,IAfoB,KAehB,QAaJ,C;UACI,cAhByB,0B;U AiBzB,MAAM,2BAAsB,OAAQ,WAA9B,C;;UAEN,sBAnBgB,K;;QAApB,0B;O;KAXJ,C;oFAcA,yB;MAAA,4E; MAAA,qC;QAYI,IAAI,aAAJ,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,C;;UAEN,OAAO,K;;O; KA hBf,C;oEAqBA,yB;MAAA,4E;MAAA,0B;QAMiD,MAAM,2BAAsB,OAAQ,WAA9B,C;O;KANvD,C;I8CnHi C,uB;MA2D7B,8B;MA1DA,kB;K;mFAS8B,Y;MAAQ,iD;K;mFAMR,Y;MAAQ,gD;K;wFAItC,yB;MAAA,gB;M AAA,8B;MAAA,mB;QAWgB,Q;QADR,mB;UADJ,OACiB,I;;UADjB,OAeY,2E;O;KAXhB,C;uCAcA,Y;MAQQ, kBADE,UACF,kB;QADJ,OACkB,UAAM,U;;QADxB,OAeY,I;K;gCAGhB,Y;MAOQ,kBADE,UACF,kB;QADJ,O ACkB,UAAM,W;;QADxB,OAeY,sBAAU,UAAV,O;K;IAKhB,4B;MAAA,gC;K;wHAKI,yB;MAAA,iC;MAAA,w B;QAOI,uBAAO,KAAP,C;O;KAPJ,C;wHASA,yB;MAAA,kD;MAAA,iC;MAAA,4B;QAOI,uBAAO,cAAc,SAAd, CAAP,C;O;KAPJ,C;;IAJ,wC;MAAA,uC;QAAA,sB;;MAAA,gC;K;IAwBsB,mC;MACIB,0B;K;sCAGA,iB;MAA 4C,+CAAoB,uBAAa,KAAM,UAAAnB,C;K;wCACH,E,Y;MAA+B,OAAU,SAAV,cAAU,C;K;wCACzC,Y;MAAkC, oBAAU,cAAV,M;K;;gCA/FIC,Y;MAAA,c;MAOI,sD;MAPJ,a;K;8BAAA,iB;MAAA,2IAOI,sCAPJ,G;K;IAmG A,kC;MAOI,OAAO,mBAAQ,SAAR,C;K;IAEX,mC;MAQI,IAAI,8CAAJ,C;QAA6B,MAAM,eAAM,U;K;gFAG7C ,yB;MAAA,4B;MAAA,qB;MAxQC,kD;MAwCR,wB;QAOW,Q;;UACI,OAIDH,WakDW,OAIDX,C;;UAmDN,gC ;YACS,OA3CH,WAAO,cA2CI,CA3CJ,CAAP,C;;YAwCD,O;;QAAP,W;O;KAPJ,C;kFAcA,yB;MAAA,4B;MAAA ,qB;MAtdQ,kD;MAAsDR,mC;QAOW,Q;;UACI,OAHEH,WAgEW,gBAhEX,C;;UAIEN,gC;YACS,OAzDH,WAAO, cAyDI,CAzDJ,CAAP,C;;YAsDD,O;;QAAP,W;O;KAPJ,C;8EAqBA,yB;MAAA,oD;MAAA,gB;MAAA,8B;MAAA ,4B;QAUW,Q;QADP,yB;QACA,OAAO,gF;O;KAVX,C;+EAaA,yB;MAAA,gB;MAAA,8B;MAAA,uC;QAegB,U ADL,M;QAAM,gBAAGB,2B;QACzB,sB;UAAQ,yF;;UACA,mBAAU,SAAV,C;QAFZ,a;O;KADJ,C;kFAoBA,yB; MAAA,gB;MAAA,8B;MAAA,0C;QAUW,Q;QADP,IAAI,mBAAJ,C;UAAe,OAAO,Y;QACtB,OAAO,gF;O;KAV X,C;qEAaA,yB;MAAA,gB;MAAA,8B;MAAA,kD;QAIb0B,UADf,M;QAAM,gBAAGB,2B;QACzB,sB;UAAQ,m BAAU,gFAAV,C;;UACA,mBAAU,SAAV,C;QAFZ,a;O;KAhBJ,C;mEAwBA,yB;MAAA,4B;MAAA,gB;MAAA,8 B;MAAA,uC;YAE8C,I;YADnC,M;QACH,wB;UAAa,gB;UAAO,SA7JhB,WA6JwB,UAAU,gFAAV,CA7JxB,C;;U

A8JI,oBAAO,eAAP,C;QAFZ,a;O;KAdJ,C;gFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,iC;MA1GA,qB;MAtdQ,k  
D;MAGKR,uC;QAWW,Q;QACH,wB;UA/GG,U;;YA+GkC,U;YA9G9B,SAhEH,gB8KuB,UAAU,sFAAV,CA9K  
vB,C;;YAiEN,gC;cACS,SAzDH,gBAAO,cAyDI,CAzDJ,CAAP,C;;cAsDD,O;;UA+GU,a;;UACL,uBAAO,eAAP,C;  
QAFZ,W;O;KAXJ,C;wEaIBA,yB;MAAA,4B;MAAA,uC;QAcW,Q;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,gB;;  
UACO,OAnMX,WAmMmB,UAAU,SAAV,CAnMnB,C;;QAIrMR,W;O;KAdJ,C;wFAoBA,yB;MA/IA,4B;MAAA,q  
B;MAtdQ,kD;MAqMR,uC;QAWW,Q;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,gB;;UApJL,U;;YACI,SAhEH,WA  
oNkB,oBApNIB,C;;YAiEN,gC;cACS,SAzDH,WAAO,cAyDI,CAzDJ,CAAP,C;;cAsDD,O;;UAqJK,a;;QAFZ,W;O;  
KAXJ,C;4EAmBA,6B;MAUI,Q;MAAA,iD;QAAYB,Y;;MACzB,OAAO,S;K;4EAGX,yB;MAAA,gB;MAAA,8B;M  
AAA,oC;QAU0B,Q;QAAtB,IAAI,mBAAJ,C;UAAe,OAAO,gFAAP,C;;QACf,OAAO,S;O;KAXX,C;I3CtTgC,sC;  
MAAC,uB;QAAA,UAAkB,kC;mBAA4C,O;;K;;0DAE/F,yB;MAAA,2D;MAAA,mB;QAKoC,MAAM,8B;O;KAL1  
C,C;eEAOA,yB;MAAA,2D;MAAA,yB;QAMkD,MAAM,6BAAoB,sCAAmC,MAAvD,C;O;KANxD,C;gEAUA,iB  
;MAUI,OAAO,O;K;kEAGX,4B;MAUI,OAAO,gB;K;oEAGX,2B;MAUI,OAAgB,MAAT,QAAS,C;K;oEAGpB,4B  
;MAUI,gB;MACA,OAAO,S;K;kEAGX,4B;MAWI,MAAM,SAAN,C;MACA,OAAO,S;K;kEAGX,4B;MAUI,OAA  
O,MAAM,SAAN,C;K;sEAGX,gC;MAWI,OAAW,UAAU,SAAV,CAAJ,GAAqB,SAArB,GAA+B,I;K;8EAG1C,g  
C;MAWI,OAAW,CAAC,UAAU,SAAV,CAAL,GAAsB,SAAtB,GAAgC,I;K;wEAG3C,yB;MAWI,iBAAc,CAAd,  
UAAsB,KAAtB,U;QACI,OAAO,KAAP,C;;K;wE6MjJR,iB;MAIkF,Y;K;ICY9C,6B;MACHc,kB;MACA,oB;K;8B  
AGA,Y;MAGyC,aAAG,UAAH,UAAW,WAAX,M;K;;gCAvB7C,Y;MAGBI,iB;K;gCAhBJ,Y;MAiBI,kB;K;kCAjB  
J,yB;MAAA,gBAGBI,qCAhBJ,EAiBI,wCAjBJ,C;K;8BAAA,Y;MAAA,c;MAGBI,sD;MACA,uD;MAjBJ,a;K;4BA  
AA,iB;MAAA,4IAGBI,sCAhBJ,IAiBI,wCAjBJ,I;K;IA0BA,6B;MAMoD,gBAAK,SAAL,EAAW,IAAX,C;K;IAEp  
D,8B;MAI8C,iBAAO,eAAP,EAAC,gBAAd,E;K;IAiBD,sC;MACzC,kB;MACA,oB;MACA,kB;K;gCAGA,Y;MAG  
yC,aAAG,UAAH,UAAW,WAAX,UAAoB,UAApB,M;K;;kCAx7C,Y;MAGBI,iB;K;kCAhBJ,Y;MAiBI,kB;K;kC  
AjBJ,Y;MAkBI,iB;K;oCAIBJ,gC;MAAA,kBAGBI,qCAhBJ,EAiBI,wCAjBJ,EakBI,qCAIBJ,C;K;gCAA,Y;MAA  
A,c;MAGBI,sD;MACA,uD;MACA,sD;MAIBJ,a;K;8BAAA,iB;MAAA,4IAGBI,sCAhBJ,IAiBI,wCAjBJ,IAkBI,sCA  
IBJ,I;K;IA2BA,8B;MAImD,iBAAO,eAAP,EAAC,gBAAd,EAAsB,eAAtB,E;K;I7NIE1B,qB;MAErB,6B;MAFwD,g  
B;K;IAExD,2B;MAAA,+B;MACI,iBAGoC,UAAW,CAAN,C;MAEpC,iBAGoC,UAAW,MAAN,C;MAEpC,kBAG  
mC,C;MAEnC,iBAGkC,C;K;;;IANtC,uC;MAAA,sC;QAAA,qB;;MAAA,+B;K;kGAsBA,iB;MAOmE,OAAa,0BA  
2O1C,SAAL,GAAiB,GA3O8B,EAAU,KA2OpD,KAAL,GAAiB,GA3O8B,C;K;sGAehF,iB;MAM2D,OAAa,0BA  
mOIC,SAAL,GAAiB,GAnOsB,EAAU,KEoO5C,KAAL,GAAiB,KFpOsB,C;K;sGAExE,yB;MA0PA,6B;MC3PA,8  
C;MDCA,wB;QAMyD,OCAS,YAAiB,CD6PhD,cAAU,SAAL,GAAiB,GAAtB,CC7PgD,MAAjB,EDAe,KCAc,KA  
A7B,C;O;KDNIE,C;sGAQA,yB;MA4PA,WAS6D,wB;MAT7D,+B;MiB7PA,gD;MjBCA,wB;QAM0D,OiBAS,aA  
AkB,CjB+PhD,eAAW,oBAAL,SAAK,CAAL,UAAW,CiB/PgD,MAAiB,EjBAGB,KiBAc,KAA9B,C;O;KjBnE,C;  
4FAQA,yB;MA0OA,6B;MA1OA,wB;QAEsD,OCMD,cAAU,CD2O5B,cAAU,SAAL,GAAiB,GAAtB,CC3O4B,M  
AAK,GAAW,CD2O5C,cAjPsC,KAiP5B,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;O;KDRrD,C;4FAGA,y  
B;MAuOA,6B;MAvOA,wB;QAEuD,OCGF,cAAU,CD2O5B,cAAU,SAAL,GAAiB,GAAtB,CC3O4B,MAAK,GA  
AW,CC4O5C,cF/OuC,KE+O7B,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;O;KDLrD,C;4FAGA,yB;MAoO  
A,6B;MApOA,wB;QAEqD,OCOA,cAAU,CD2O5B,cAAU,SAAL,GAAiB,GAAtB,CC3O4B,MAAK,GDAI,KCAO  
,KAAZ,IAAf,C;O;KDFrD,C;4FAGA,yB;MA2OA,WAS6D,wB;MAT7D,+B;MA3OA,wB;QAEuD,OiBAA,eAAW,  
CjBkP7B,eAAW,oBAAL,SAAK,CAAL,UAAW,CiBIP6B,MAAK,KjBAI,KiBAO,KAAZ,CAAhB,C;O;KjBFvD,C;  
8FAIA,yB;MA6NA,6B;MA7NA,wB;QAEuD,OCMD,cAAU,CD8N7B,cAAU,SAAL,GAAiB,GAAtB,CC9N6B,M  
AAK,GAAW,CD8N9C,cApOwC,KAO9B,KAAL,GAAiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KDRtD,C;8FAGA,  
yB;MA0NA,6B;MA1NA,wB;QAEwD,OCGF,cAAU,CD8N7B,cAAU,SAAL,GAAiB,GAAtB,CC9N6B,MAAK,G  
AAW,CC+N9C,cFIOyC,KEkO/B,KAAL,GAAiB,KAAtB,CD/N8C,MAAZ,IAAf,C;O;KDLtD,C;8FAGA,yB;MAuN  
A,6B;MAvNA,wB;QAEsD,OCOA,cAAU,CD8N7B,cAAU,SAAL,GAAiB,GAAtB,CC9N6B,MAAK,GDAK,KCA  
O,KAAZ,IAAf,C;O;KDFtD,C;8FAGA,yB;MA8NA,WAS6D,wB;MAT7D,+B;MA9NA,wB;QAEwD,OiBAA,eAA  
W,CjBqO9B,eAAW,oBAAL,SAAK,CAAL,UAAW,CiBrO8B,MAAK,UjBAK,KiBAO,KAAZ,CAAhB,C;O;KjBFx  
D,C;8FAIA,yB;MAGNA,6B;MAhNA,wB;QAEuD,OCMD,cAAe,YAAL,CDiN7B,cAAU,SAAL,GAAiB,GAAtB,C  
CjN6B,MAAK,EAAW,CDiN9C,cAvNwC,KAuN9B,KAAL,GAAiB,GAAtB,CCjN8C,MAAZ,CAAf,C;O;KDRtD,C  
;8FAGA,yB;MA6MA,6B;MA7MA,wB;QAEwD,OCGF,cAAe,YAAL,CDiN7B,cAAU,SAAL,GAAiB,GAAtB,CCj

N6B,MAAK,EAAY,CCKN9C,cFrNyC,KEqN/B,KAAL,GAAiB,KAAtB,CDIN8C,MAAZ,CAAf,C;O;KDLtD,C;8F  
AGA,yB;MA0MA,6B;MA1MA,wB;QAEsD,OCAA,cAAe,YAAL,CDiN7B,cAAU,SAAL,GAAiB,GAAtB,CCjN6B  
,MAAK,EDAK,KCAO,KAAZ,CAAf,C;O;KDFtD,C;8FAGA,yB;MAiNA,WAS6D,wB;MAT7D,+B;MAjNA,wB;Q  
AEwD,OiBAA,eAAW,CjBwN9B,eAAW,oBAAL,SAAK,CAAL,UAAN,CiBxN8B,MAAK,UjBAK,KiBAO,KAAZ  
,CAAhB,C;O;KjBFxD,C;0FAIA,yB;MAmMA,6B;MC7LA,4C;MDNA,wB;QAEqD,OCMD,WDoMjB,cAAU,SA  
L,GAAiB,GAAtB,CCpMiB,EDoMjB,cA1MoC,KA0M1B,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KDRpD,C;0FAG  
A,yB;MAgMA,6B;MC7LA,4C;MDHA,wB;QAEsD,OCGF,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,ECq  
MjB,cFxMqC,KEwM3B,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KDLpD,C;0FAGA,yB;MA6LA,6B;MC7LA,4C;M  
DAA,wB;QAEoD,OCAA,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,EDakB,KCAIB,C;O;KDFpD,C;0FA  
GA,yB;MAoMA,WAS6D,wB;MAT7D,+B;MiBpMA,8C;MjBAA,wB;QAEsD,OiBAA,YjB2MjB,eAAW,oBAAL,S  
AAK,CAAL,UAAN,CiB3MiB,EjBAmB,KiBAnB,C;O;KjBFtD,C;0FAIA,yB;MA5LA,6B;MCxKA,kD;MDdA,wB;  
QAMqD,OCcD,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,ED2KjB,cAzLoC,KAyL1B,KAAL,GAAiB,GAA  
tB,CC3KiB,C;O;KDpBpD,C;0FAOA,yB;MA+KA,6B;MCxKA,kD;MDPA,wB;QAMsD,OCOF,cD2KjB,cAAU,SA  
AL,GAAiB,GAAtB,CC3KiB,EC4KjB,cFnLqC,KEmL3B,KAAL,GAAiB,KAAtB,CD5KiB,C;O;KDbpD,C;0FAOA,  
yB;MAwKA,6B;MCxKA,kD;MDAA,wB;QAMoD,OCAA,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EDak  
B,KCAIB,C;O;KDNpD,C;0FAOA,yB;MA2KA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MjBAA,wB;QAMsD,OiB  
AA,ejB8KjB,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB9KiB,EjBAmB,KiBAnB,C;O;KjBNtD,C;oGAQA,yB;MA  
JA,6B;MC7LA,4C;MDoCA,wB;QAMiD,OCxCG,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,EDoMjB,cA5  
JqC,KA4J3B,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KDKcPpD,C;oGAOA,yB;MAkJA,6B;MC7LA,4C;MD2CA,wB;  
QAMkD,OC/CE,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,ECqMjB,cFtJsC,KEsJ5B,KAAL,GAAiB,KAA  
tB,CDrMiB,C;O;KDyCpD,C;oGAOA,yB;MA2IA,6B;MC7LA,4C;MDkDA,wB;QAMgD,OCtDI,WDoMjB,cAAU,  
SAAL,GAAiB,GAAtB,CCpMiB,EDsDmB,KCtDnB,C;O;KDgDpD,C;oGAOA,yB;MA8IA,WAS6D,wB;MAT7D,+  
B;MiBpMA,8C;MjBsDA,wB;QAMkD,OiB1DI,YjB2MjB,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB3MiB,EjB0D  
oB,KiB1DpB,C;O;KjBoDtD,C;0FAQA,yB;MA4HA,6B;MCxKA,kD;MDuOJ,0B;MAAA,+B;MA3LI,wB;QAQ6C,  
OA8LR,eAAW,OC5OI,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,ED2KjB,cA7H4B,KA6HIB,KAAL,GAAi  
B,GAAtB,CC3KiB,CAkLf,KD0DW,CAAX,C;O;KATMrC,C;0FASA,yB;MAmHA,6B;MCxKA,kD;MCwoJ,4B;M  
AAA,iC;MFnLI,wB;QAQ+C,OE5LR,gBAA,Y,QD7OC,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EC4KjB,c  
FrH8B,KEqHpB,KAAL,GAAiB,KAAtB,CD5KiB,CA4Lb,KCiDY,CAAZ,C;O;KF9LvC,C;0FASA,yB;MA0GA,6B  
;MCxKA,kD;MD8DA,wB;QAQ2C,OChES,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EDgES,KChET,C;O;  
KDwDpD,C;0FASA,yB;MA2GA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MjBgEA,wB;QAQ6C,OiBIES,ejB8KjB,e  
AAW,oBAAL,SAAK,CAAL,UAAN,CiB9KiB,EjBkEU,KiBIEV,C;O;KjB0DtD,C;0EAUA,yB;MAAA,0B;MAAA,  
+B;MAAA,mB;QAM0C,sBAAW,OAAL,SAAK,KAAX,C;O;KAN1C,C;0EAQA,yB;MAAA,0B;MAAA,+B;MAA  
A,mB;QAM0C,sBAAW,OAAL,SAAK,KAAX,C;O;KAN1C,C;kGAQA,yB;MAAA,8C;MAuEA,6B;MAvEA,wB;  
QAE8D,0BA8E3B,cAAU,SAAL,GAAiB,GAAtB,CA9E2B,EA8E3B,cA9EoD,KA8E1C,KAAL,GAAiB,GAAtB,C  
A9E2B,C;O;KAF9D,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEEmD,sB6LvOgC,O7LuO1B,IAAK,K  
6LvOX,G7LuOoB,KAAM,K6LvOM,C7LuOhC,C;O;KAFnD,C;wFAGA,yB;MAAA,+B;M6LtoJ,0B;M7LsOI,wB;  
QAEkD,sB6LrO+B,O7LqOzB,IAAK,K6LrOX,G7LqOmB,KAAM,K6LrOM,C7LqO/B,C;O;KAFID,C;0FAGA,yB;  
MAAA,+B;M6LpOJ,0B;M7LoOI,wB;QAEEmD,sB6LnOgC,O7LmO1B,IAAK,K6LnOX,G7LmOoB,KAAM,K6Ln  
OM,C7LmOhC,C;O;KAFnD,C;0EAGA,yB;MAAA,+B;M6LlOJ,0B;M7LkOI,mB;QAEiC,sB6LjOqB,OAAP,C7Li  
OR,S6LjOe,C7LiOrB,C;O;KAFjC,C;gFAIA,Y;MASmC,gB;K;kFACnC,yB;M6LlOJ,4B;M7L0OI,mB;QASqC,O6  
LhPiD,Q7LgP5C,S6LhPY,G7LgPE,G6LhP8B,C;O;K7LuOtF,C;8EAUA,Y;MASiC,OAAL,SAAL,GAAiB,G;K;gF  
ACID,yB;MAAA,WASqD,wB;MATrD,mB;QASmC,OAAL,oBAAL,SAAK,CAAL,U;O;KATnC,C;kFAWA,Y;M  
AEqC,W;K;oFAcRc,yB;MAAA,iC;M6L5QJ,4B;M7L4QI,mB;QASuC,uB6LIR+C,Q7LkRnC,S6LIRG,G7LkRW,G  
6LIRqB,C7LkR/C,C;O;KATvC,C;gFAUA,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,GAAtB,C;  
O;KATnC,C;kFAUA,yB;MAAA,WAS6D,wB;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,U  
AAN,C;O;KATrC,C;kFAWA,Y;MAMqC,OApDC,SAAL,GAAiB,G;K;oFAqDID,Y;MAMuC,OA3DD,SAAL,GA  
AiB,G;K;+BA6DID,Y;MAAyC,OAAQ,CA7DX,SAAL,GAAiB,GA6DD,Y;K;,,,;+BA1UrD,Y;MAAA,c;MAG4D,q  
D;MAH5D,a;K;6BAAA,iB;MAAA,2IAG4D,oCAH5D,G;K;wEA8UA,yB;MAAA,+B;MAAA,4B;QAU0C,sBAAM

,SAAN,C;O;KAV1C,C;0EAWA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW2C,sBAAW,OAAL,SAAK,CAAX,C;O;KAX3C,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAWyC,sBAAW,OAAL,SAAK,CAAX,C;O;KAXzC,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW0C,sBAAW,OAAL,SAAK,SAAX,C;O;KAX1C,C;Igc9WA,6B;MACqB,sB;K;uCAKjB,iB;MAM6C,OhCyUP,UgCzUO,aAAQ,KAAR,ChCyUP,C;K;uCgCvUtC,wB;MAOI,aAAQ,KAAR,IAAiB,KhCiOc,K;K;kFgC7NL,Y;MAAQ,OAAA,YAAQ,O;K;oCAE9C,Y;MAC8E,+BAAS,YAAT,C;K;IAGxD,oC;MAAiC,wB;MAAhC,oB;MACnB,eAAoB,C;K;4CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;8CACvC,Y;MAAyD,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OhCmTO,UgCnTiB,aAAM,mBAAN,EAAM,2BAAN,OhCmTjB,C;;QgCnT+C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;0CAG3F,mB;MAIS,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,K;MAExC,OAAe,WAAR,YAAQ,EAAS,OhC2MO,KgC3MhB,C;K;+CAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;Qd0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;Uc1nD6B,2Bd0nDR,Oc1nDQ,Q;UAAA,W;YAAuB,oBAAR,YAAQ,Ed0nD/B,OIBn7CF,KgCvMiC,C;;Ud0nD9C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;Mc3nDH,iB;K;mCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA/CvD,sC;MAAA,oD;MACgC,uBAAK,cAAU,IAAV,CAAL,C;MADhC,Y;K;;;oCAPJ,Y;MAAA,OAKqB,qDALrB,M;K;oCAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;kCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;gFAyDA,yB;MAAA,yC;MAWSc,yC;QAAA,wB;UAAW,OAAA,aAAK,KAAL,ChCsLV,K;S;O;MgCjMvC,6B;QAWI,OAAO,oBAAW,+BAAU,IAAV,GAAgB,uBAAhB,CAAX,C;O;KAXX,C;kFAcA,oB;MAGqE,e;K;I/BtE7C,oB;MAEpB,4B;MAFuD,gB;K;IAEvD,0B;MAAA,8B;MACI,iBAGmC,SAAK,CAAL,C;MAEnC,iBAGmC,SAAK,EAAL,C;MAEnC,kBAGmC,C;MAEnC,iBAGkC,E;K;;IANBtC,sC;MAAA,qC;QAAA,oB;;MAAA,8B;K;oGAsBA,yB;MD2QA,6B;MC3PA,8C;MAhBA,wB;QAM0D,OAIbQ,YAAy,IAAK,KAAjB,EAA6B,CD6P5D,cC9QsC,KD8Q5B,KAAL,GAAiB,GAAtB,CC7P4D,MAA7B,C;O;KAvBIE,C;oGAQA,yB;MCoQA,6B;MD5PA,8C;MARA,wB;QAM2D,OASO,YAAy,IAAK,KAAjB,EAA6B,CC8P5D,cDvQuC,KCuQ7B,KAAL,GAAiB,KAAtB,CD9P4D,MAA7B,C;O;KafIE,C;gGAQA,yB;MAAA,8C;MAAA,wB;QAOKE,mBAAY,IAAK,KAAjB,EAAuB,KAAM,KAA7B,C;O;KAPIE,C;oGASA,yB;MAGRA,kBAS6D,sB;MAT7D,+B;MgBjRA,gD;MhBCA,wB;QAM0D,OgBAS,aAAkB,ChBmRhD,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBnRgD,MAAiB,EhBAgB,KgBAc,KAA9B,C;O;KhBNnE,C;0FAQA,yB;MD0OA,6B;MC1OA,wB;QAEsD,OAMD,cAAK,IAAK,KAAK,GAAW,CD2O5C,cCjP6B,KDiPnB,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;O;KARrD,C;0FAGA,yB;MCwOA,6B;MDxOA,wB;QAEuD,OAGF,cAAK,IAAK,KAAK,GAAW,CC4O5C,cD/O8B,KC+OpB,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;O;KALrD,C;0FAGA,yB;MAAA,6B;MAAA,wB;QAEqD,qBAAK,IAAK,KAAK,GAAK,KAAM,KAAX,IAAf,C;O;KAFrD,C;0FAGA,yB;MA+PA,kBAS6D,sB;MAT7D,+B;MA/PA,wB;QAEuD,OgBAA,eAAW,ChBsQ7B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBtQ6B,MAAK,KhBAI,KgBAO,KAAX,CAAhB,C;O;KhBFvD,C;4FAIA,yB;MD6NA,6B;MC7NA,wB;QAEuD,OAMD,cAAK,IAAK,KAAK,GAAY,CD8N9C,cCpO+B,KDoOrB,KAAL,GAAiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KARtD,C;4FAGA,yB;MC2NA,6B;MD3NA,wB;QAEwD,OAGF,cAAK,IAAK,KAAK,GAAY,CC+N9C,cDIogC,KCkOtB,KAAL,GAAiB,KAAtB,CD/N8C,MAAZ,IAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAK,IAAK,KAAK,GAAM,KAAM,KA AZ,IAAf,C;O;KAFtD,C;4FAGA,yB;MAkPA,kBAS6D,sB;MAT7D,+B;MAIPA,wB;QAEwD,OgBAA,eAAW,ChByP9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBzP8B,MAAK,UhBAK,KgBAO,KA AZ,CAAhB,C;O;KhBFxD,C;4FAIA,yB;MDgNA,6B;MChNA,wB;QAEuD,OAMD,cAAe,YAAV,IAAK,KAAK,EAAY,CDiN9C,cCvN+B,KDuNrB,KAAL,GAAiB,GAAtB,CCjN8C,MAAZ,CAAf,C;O;KARtD,C;4FAGA,yB;MC8MA,6B;MD9MA,wB;QAEwD,OAGF,cAAe,YAAV,IAAK,KAAK,EAAY,CCKn9C,cDrNgC,KCqNtB,KAAL,GAAiB,KAAtB,CDiN8C,MAAZ,CAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBA Ae,YAAV,IAAK,KAAK,EAAM,KAAM,KA AZ,CAAf,C;O;KAFtD,C;4FAGA,yB;MAqOA,kBAS6D,sB;MAT7D,+B;MAROA,wB;QAEwD,OgBAA,eAAW,ChB4O9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgB5O8B,MAAK,UhBAK,KgBAO,KA AZ,CAAhB,C;O;KhBFxD,C;wFAIA,yB;MDmMA,6B;MC7LA,4C;MANA,wB;QAEqD,OAMD,WAAW,IAAX,EDoMjB,cC1M2B,KD0MjB,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KARpD,C;wFAGA,yB;MCiMA,6B;MD9LA,4C;MAHA,wB;QAEsD,OAGF,WAAW,IAAX,ECqMjB,cDxM4B,KCwMIB,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,wB;QAEoD,kBAAW,IAAX,EA AiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAwNA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB+NjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgB/NiB,EhBA mB,KgBA nB,C;O;KhBFtD,C;wFAIA,yB;MDsLA,6B;MCxKA,kD;MAdA,



wB;QAMqD,OAcD,cAAc,IAAd,ED2KjB,cCzL2B,KDyLjB,KAAL,GAAiB,GAAtB,CC3KiB,C;O;KApBpD,C;wF  
AOA,yB;MCgLA,6B;MDzKA,kD;MAPA,wB;QAMsD,OAOF,cAAc,IAAd,EC4KjB,cDnL4B,KCmLiB,KAAL,GA  
AiB,KAAtB,CD5KiB,C;O;KAbpD,C;wFAOA,yB;MAAA,kD;MAAA,wB;QAMoD,qBAAc,IAAd,EAAoB,KAAPB  
,C;O;KANpD,C;wFAOA,yB;MA+LA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MhBAA,wB;QAMsD,OgBAA,ehBk  
MjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBIMiB,EhBAmB,KgBAnB,C;O;KhBNtD,C;kGAQA,yB;MDyJA,6  
B;MC7LA,4C;MAoCA,wB;QAMiD,OAxCG,WAAW,IAAX,EDoMjB,cC5J4B,KD4JIB,KAAL,GAAiB,GAAtB,C  
CpMiB,C;O;KAKCpD,C;kGAOA,yB;MCmJA,6B;MD9LA,4C;MA2CA,wB;QAMkD,OA/CE,WAAW,IAAX,ECq  
MjB,cDtJ6B,KCsJnB,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KAYCpD,C;kGAOA,yB;MAIDA,4C;MAkDA,wB;QA  
MgD,OAtDI,WAAW,IAAX,EAsDA,KAtDA,C;O;KAgDpD,C;kGAOA,yB;MAkKA,kBAS6D,sB;MAT7D,+B;Mg  
BxNA,8C;MhBsDA,wB;QAMkD,OgB1DI,YhB+NjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgB/NiB,EhB0DoB,  
KgB1DpB,C;O;KhBoDtD,C;wFAQA,yB;MD4HA,6B;MCxKA,kD;MDuOJ,0B;MAAA,+B;MC3LI,wB;QAQ6C,O  
D8LR,eAAW,OC5OI,cAAc,IAAd,ED2KjB,cC7HmB,KD6HT,KAAL,GAAiB,GAAtB,CC3KiB,CAkLf,KD0DW,C  
AAX,C;O;KCTMrC,C;wFASA,yB;MCoHA,6B;MDzKA,kD;MCwOJ,4B;MAAA,iC;MDnLI,wB;QAQ+C,OCsLR,g  
BAAY,QD7OC,cAAc,IAAd,EC4KjB,cDrHqB,KCqHX,KAAL,GAAiB,KAAtB,CD5KiB,CA4Lb,KCiDY,CAAZ,C;  
O;KD9LvC,C;wFASA,yB;MA9DA,kD;MA8DA,wB;QAQ2C,OAhES,cAAc,IAAd,EAAGEL,KAHEK,C;O;KAwDpD  
,C;wFASA,yB;MA+HA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MhBgEA,wB;QAQ6C,OgBIES,ehBkMjB,eAAW,o  
BAAL,SAAK,CAAL,iBAAN,CgBIMiB,EhBkEU,KgBIEV,C;O;KhB0DtD,C;wEAUA,yB;MAAA,6B;MAAA,mB;  
QAMyC,qBAAK,SAAK,QAAY,C;O;KANzC,C;wEAQA,yB;MAAA,6B;MAAA,mB;QAMyC,qBAAK,SAAK,QA  
AV,C;O;KANzC,C;gGAQA,yB;MAAA,8C;MAAA,wB;QAE6D,0BAAU,IAAV,EAAGB,KAHb,C;O;KAF7D,C;  
wFAIA,yB;MAAA,6B;MAAA,2B;QAOMD,qBAAK,aAAS,QAAD,C;O;KAPnD,C;wFASA,yB;MAAA,6B;MAAA,  
2B;QAOMD,qBAAK,cAAU,QAaf,C;O;KAPnD,C;wFASA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,IAAK,KA  
AL,GAAC,KAAM,KAazB,C;O;KAFjD,C;SFAGA,yB;MAAA,6B;MAAA,wB;QAEgD,qBAAK,IAAK,KAAL,GA  
Aa,KAAM,KAaxB,C;O;KAFhD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,IAAK,KAAL,GAAC,KA  
AM,KAazB,C;O;KAFjD,C;wEAGA,yB;MAAA,6B;MAAA,mB;QAEgC,qBAAU,CAAL,SAAL,C;O;KAFhC,C;8  
EAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,C;O;KAVxC,C;gFAWA,yB;MAAA,4B;MAAA,  
mB;QAUqC,OAAK,QAAL,SAAK,C;O;KAV1C,C;4EAWA,Y;MASiC,gB;K;8EACjC,yB;MAAA,kBASqD,sB;MA  
TrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,iB;O;KATnC,C;gFAWA,yB;MDwDJ,0B;MAAA,+B;MCxDi,mB;  
QASqC,OD0DA,eAAW,OC1DX,SD0DW,CAAX,C;O;KCnErC,C;kFAUA,yB;MC+CJ,4B;MAAA,iC;MD/CI,mB;  
QASuC,OCiDA,gBAAY,QDjDZ,SCiDY,CAAZ,C;O;KD1DvC,C;8EAUA,Y;MAEmC,W;K;gFACnC,yB;MAAA,k  
BAS6D,sB;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,iBAAN,C;O;KATrC,C;gFAWA,yB;  
MASA,gD;MATA,mB;QAQqC,OAoe,aAAa,SAAb,C;O;KAFvC,C;kFASA,yB;MAAA,gD;MAAA,mB;QAMuC,o  
BAAa,SAAb,C;O;KANvC,C;8BAQA,Y;MAAYC,OArDD,oBAAL,SAAK,CAAL,iBAQDe,W;K;,,,;8BAhWtD,Y;M  
AAA,c;MAG2D,qD;MAH3D,a;K;4BAAA,iB;MAAA,2IAG2D,oCAH3D,G;K;sEAoWA,yB;MAAA,6B;MAAA,4B  
;QAWwC,qBAAU,SAAV,C;O;KAXxC,C;wEAYA,yB;MAAA,6B;MAAA,4B;QAWyC,qBAAU,SAAV,C;O;KAX  
zC,C;wEAYA,yB;MAAA,6B;MAAA,4B;QAUuC,qBAAK,SAAL,C;O;KAVvC,C;wEAWA,yB;MAAA,6B;MAAA  
,4B;QAWwC,qBAAK,SAAK,QAAY,C;O;KAXxC,C;uEAaA,yB;MAAA,gD;MAAA,4B;QASyC,oBAAKB,SAAlB,  
C;O;KATzC,C;wEAUA,yB;MAAA,gD;MAAA,4B;QAS0C,oBAAa,SAAb,C;O;KAT1C,C;Igc3ZA,4B;MACqB,sB  
;K;sCAKjB,iB;MAM4C,OhCuXT,SgCvXS,aAAQ,KAAR,ChCuXT,C;K;sCgCrXnC,wB;MAOI,aAAQ,KAAR,IAA  
iB,KhCyQY,K;K;iFgCrQH,Y;MAAQ,OAAA,YAAQ,O;K;mCAE9C,Y;MAC6E,8BAAS,YAAT,C;K;IAGvD,mC;  
MAAgC,uB;MAA/B,oB;MACnB,eAAoB,C;K;2CACpB,Y;MAAYB,sBAAQ,YAAM,O;K;4CACvC,Y;MAAwD,Q;  
MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OhCiWK,SgCjWmB,aAAM,mBAAN,EAAM,2BAAN,OhCiWnB,  
C;;QgCjWgD,MAAM,2BAAuB,YAAM,WAA7B,C;K;;yCAGzF,mB;MAIS,Q;MAAL,IAAI,eAAC,0EAAD,0AAJ,  
C;QAAgC,OAAO,K;MAEvC,OAAe,WAAW,YAAQ,EAAS,OhCmPK,KgCnPd,C;K;8CAGnB,oB;MACY,Q;MAA  
2B,gBAA3B,gE;MAA2B,c;;Qf0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,  
6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;Ue1nD6B,2Bf0nDR,Oe1nDQ,O;UAAA,W;YAAAsB,oBAAR,YAAQ,  
Ef0nD9B,OjB34CJ,KgC/OkC,C;;Uf0nD7C,IAAI,0AAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;Me3nDH  
,iB;K;kCAGJ,Y;MAAKC,OAAA,IAAK,QAAQ,OAAb,KAaqB,C;K;;IA/CvD,qC;MAAA,mD;MACgC,sBAAK,eA  
AS,IAAT,CAAL,C;MADhC,Y;K;;,;mCAPJ,Y;MAAA,OAKqB,oDALrB,M;K;mCAAA,Y;MAAA,c;MAKqB,wD;

MALrB,a;K;iCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;8EAYDA,yB;MAAA,uC;MAWoC,wC;QAAA,wB;UAAW,  
OAAA,aAAK,KAAL,ChC8NV,K;S;O;MgCzOrC,6B;QAWI,OAAO,mBAAU,gCAAS,IAAT,GAAe,sBAaf,CAAV  
,C;O;KAXX,C;gFACa,oB;MAGkE,e;K;I6LnE5C,wC;MAsBIB,iC;MatBsD,2BAAgB,KAaHb,EAAuB,YAAvB,E  
AAqC,CAArC,C;K;kFAC7B,Y;MAAQ,iB;K;yFACD,Y;MAAQ,gB;K;2CAExC,iB;MAA8C,W7NwCoB,Y6NxCP  
B,U7NwCqC,KAAjB,E6NxCX,K7NwCwC,KAA7B,C6NxCpB,K;MAAA,S;QAAkB,O7NwCE,Y6NxCF,K7NwC  
mB,KAAjB,E6NxC0,S7NwCsB,KAA7B,C6NxCF,K;MAAIB,W;K;kCAE9C,Y;MAKkC,O7NiCgC,Y6NjChC,U7  
NiCiD,KAAjB,E6NjCxB,S7NiCqD,KAA7B,C6NjChC,I;K;iCAEIC,iB;MAEY,UAAwB,M;MADhC,2CAAuB,kBA  
Aa,KAAM,UAAAnB,KACf,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,CADe,CAAvB,C;K;m  
CAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,MAAK,U7NyQA,K6NzQL,QAAqB,S7NyQhB,K6NzQL,I;K;  
mCAE5B,Y;MAAkC,OAAE,UAAF,qBAAU,S;K;IAE5C,+B;MAAA,mC;MACI,aAC8B,cAAU,4BAAK,UAAf,EA  
A0B,4BAAK,UAA/B,C;K;;IAFIC,2C;MAAA,0C;QAAA,yB;;MAAA,mC;K;;IAYJ,oD;MA4CI,uC;MatCI,IAAI,S  
AAQ,CAAZ,C;QAAuB,MAAa,gCAAyB,wBAAZB,C;MACpC,IAAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAyB,w  
EAAzB,C;MAG5C,aAGyB,K;MAEZB,YAGwB,4BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAExB,YA  
GuB,I;K;yCAEvB,Y;MAAgD,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;wCAEHd,Y;MAMqC,OA  
AI,YAAO,CAAX,G7NvB6B,Y6NuBf,U7NvBgC,KAAjB,E6NuBP,S7NvBoC,KAA7B,C6NuBf,IAAd,G7NvB6B,  
Y6NuBG,U7NvBc,KAAjB,E6NuBW,S7NvBkB,KAA7B,C6NuBG,I;K;uCAErE,iB;MAEY,UAAwB,M;MADhC,i  
DAA6B,kBAaA,KAAM,UAAAnB,KACrB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,KAA8  
C,cAAQ,KAAM,KADvC,CAA7B,C;K;yCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,MAAK,U7Ni  
NN,K6NjNC,QAAqB,S7NiNtB,K6NjNC,IAAN,SAAGD,SAAhD,I;K;yCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,G  
AAgB,UAAF,qBAAU,SAAV,cAAqB,SAAnC,GAAGD,UAAF,2BAAgB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,C;  
K;IAEHf,qC;MAAA,yC;K;kEACI,sC;MAQ2F,2BAAgB,UAAhB,EAA4B,QAA5B,EAA5C,IAAtC,C;K;;IAT/F,iD;  
MAAA,gD;QAAA,+B;;MAAA,yC;K;;IAoBiC,oD;MAAuC,uB;MACxE,sBAA2B,I;MAC3B,iBAAmC,OAAO,CA  
A1C,G7NxdkE,Y6NwDrB,K7NxDsC,KAAjB,E6NwDZ,I7NxDyC,KAA7B,C6NwDrB,KAA7C,G7NxdkE,Y6Nw  
DF,K7NxDmB,KAAjB,E6NwDO,I7NxDsB,KAA7B,C6NwDF,K;MACHe,c7N2RmC,S6N3RhB,I7N2RgB,C;M6N  
1RnC,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;gDAE3C,Y;MAAkC,qB;K;iDAEIC,Y;MACI,YAAy,W;MACZ,  
IAAI,6BAAS,mBAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAEV,c7NID6  
C,S6Nkd7C,W7NIDuD,KAAK,G6NkdDpD,W7NID+D,KAAX,IAAf,C;;M6NoDjD,OAAO,K;K;;IC3Hf,yB;K;mCA  
II,Y;MAA4B,uB;K;;IAMhC,0B;K;oCAII,Y;MAA4B,wB;K;;IAMhC,wB;K;kCAII,Y;MAA4B,sB;K;;IAMhC,yB;K;  
mCAII,Y;MAA4B,uB;K;;I9M5BP,qB;MAErB,6B;MAFwD,gB;K;IAExD,2B;MAAA,+B;MACI,iBAGoC,a;MAEp  
C,iBAGoC,c;MAEpC,kBAGmC,C;MAEnC,iBAGkC,E;K;;IANtC,uC;MAAA,sC;QAAA,qB;;MAAA,+B;K;sGAs  
BA,yB;MjBqRA,WAS6D,wB;MAT7D,+B;MiB7PA,gD;MAxBA,wB;QAM0D,OAYBS,aAAa,IAAK,KAAIB,EAA  
8B,CjB+P5D,eAAW,oBiBxRyB,KjBwR9B,KAAK,CAAL,UAAN,CiB/P4D,MAA9B,C;O;KA/BnE,C;sGAQA,yB;  
Mf8QA,aAS6D,0B;MAT7D,+B;Me9PA,gD;MAhBA,wB;QAM2D,OaiBQ,aAAa,IAAK,KAAIB,EAA8B,CfgQ5D,  
eAAW,oBeJR0B,KfiR/B,KAAK,CAAL,YAAN,CehQ4D,MAA9B,C;O;KA/BnE,C;sGAQA,yB;MhByRA,kBAS6D  
,sB;MAT7D,+B;MgBjRA,gD;MARA,wB;QAMyD,OASU,aAAa,IAAK,KAAIB,EAA8B,ChBmR5D,eAAW,oBgB5  
RwB,KhB4R7B,KAAK,CAAL,iBAAN,CgBnR4D,MAA9B,C;O;KAFnE,C;kGAQA,yB;MAAA,gD;MAAA,wB;Q  
AOmE,oBAAa,IAAK,KAAIB,EAAwB,KAAM,KAA9B,C;O;KAPnE,C;4FASA,yB;MjBoPA,WAS6D,wB;MAT7D  
,+B;MiBpPA,wB;QAEuD,OASA,eAAM,IAAK,KAAK,KAAW,CjBkp7C,eAAW,oBiB3PiB,KjB2PtB,KAAK,CAA  
L,UAAN,CiBIP6C,MAAX,CAAhB,C;O;KAXvD,C;4FAGA,yB;MfkPA,aAS6D,0B;MAT7D,+B;MelPA,wB;QAE  
wD,OAMD,eAAM,IAAK,KAAK,KAAW,CfmP7C,eAAW,oBezPkB,KfyPvB,KAAK,CAAL,YAAN,CenP6C,MA  
AX,CAAhB,C;O;KARvD,C;4FAGA,yB;MhBkQA,kBAS6D,sB;MAT7D,+B;MgBlQA,wB;QAEsD,OAGC,eAAM,  
IAAK,KAAK,KAAW,ChBsQ7C,eAAW,oBgBzQgB,KhByQrB,KAAK,CAAL,iBAAN,CgBtQ6C,MAAX,CAAhB,  
C;O;KALvD,C;4FAGA,yB;MAAA,+B;MAAA,wB;QAEuD,sBAAM,IAAK,KAAK,KAAK,KAAM,KAAX,CAAH  
B,C;O;KAFvD,C;8FAIA,yB;MjBuOA,WAS6D,wB;MAT7D,+B;MiBvOA,wB;QAEwD,OASA,eAAM,IAAK,KAA  
K,UAAy,CjBqO/C,eAAW,oBiB9OmB,KjB8OxB,KAAK,CAAL,UAAN,CiBrO+C,MAAZ,CAAhB,C;O;KAXxD,  
C;8FAGA,yB;MfqOA,aAS6D,0B;MAT7D,+B;MerOA,wB;QAEyD,OAMD,eAAM,IAAK,KAAK,UAAy,CfsO/C,e  
AAW,oBe5OoB,Kf4OzB,KAAK,CAAL,YAAN,CetO+C,MAAZ,CAAhB,C;O;KARxD,C;8FAGA,yB;MhBqPA,kB  
AS6D,sB;MAT7D,+B;MgBrPA,wB;QAEuD,OAGC,eAAM,IAAK,KAAK,UAAy,ChByP/C,eAAW,oBgB5PkB,Kh

B4PvB,KAAK,CAAL,iBAAN,CgBzP+C,MAAZ,CAAhB,C;O;KALxD,C;8FAGA,yB;MAAA,+B;MAAA,wB;QA  
EwD,sBAAM,IAAK,KAAK,UAAM,KAAM,KAAZ,CAAhB,C;O;KAFxD,C;8FAIA,yB;MjB0NA,WAS6D,wB;M  
AT7D,+B;MiB1NA,wB;QAEwD,OASA,eAAM,IAAK,KAAK,UAAY,CjBwN/C,eAAW,oBiBjOmB,KjBiOxB,KA  
AK,CAAL,UAAN,CiBxN+C,MAAZ,CAAhB,C;O;KAXxD,C;8FAGA,yB;MfwNA,aAS6D,0B;MAT7D,+B;MexN  
A,wB;QAEyD,OAMD,eAAM,IAAK,KAAK,UAAY,CfyN/C,eAAW,oBe/NoB,Kf+NzB,KAAK,CAAL,YAAN,Cez  
N+C,MAAZ,CAAhB,C;O;KARxD,C;8FAGA,yB;MhBwOA,kBAS6D,sB;MAT7D,+B;MgBxOA,wB;QAEuD,OA  
GC,eAAM,IAAK,KAAK,UAAY,ChB4O/C,eAAW,oBgB/OkB,KhB+OvB,KAAK,CAAL,iBAAN,CgB5O+C,MAA  
Z,CAAhB,C;O;KALxD,C;8FAGA,yB;MAAA,+B;MAAA,wB;QAEwD,sBAAM,IAAK,KAAK,UAAM,KAAM,K  
AAZ,CAAhB,C;O;KAFxD,C;0FAIA,yB;MjB6MA,WAS6D,wB;MAT7D,+B;MiBpMA,8C;MATA,wB;QAEsD,O  
ASA,YAAY,IAAZ,EjB2MjB,eAAW,oBiBpNe,KjBoNpB,KAAK,CAAL,UAAN,CiB3MiB,C;O;KAXtD,C;0FAGA  
,yB;Mf2MA,aAS6D,0B;MAT7D,+B;MerMA,8C;MANA,wB;QAEuD,OAMD,YAAY,IAAZ,Ef4MjB,eAAW,oBeI  
NgB,KfkNrB,KAAK,CAAL,YAAN,Ce5MiB,C;O;KARtD,C;0FAGA,yB;MhB2NA,kBAS6D,sB;MAT7D,+B;MgB  
xNA,8C;MAHA,wB;QAEqD,OAGC,YAAY,IAAZ,EhB+NjB,eAAW,oBgBIoc,KhBkOnB,KAAK,CAAL,iBAAN,  
CgB/NiB,C;O;KALtD,C;0FAGA,yB;MAAA,8C;MAAA,wB;QAEsD,mBAAY,IAAZ,EAaKB,KAAIB,C;O;KAFtD  
,C;0FAIA,yB;MjBgMA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MArBA,wB;QAMsD,OAqBA,eAAe,IAAf,EjB8Kj  
B,eAAW,oBiBnMe,KjBmMpB,KAAK,CAAL,UAAN,CiB9KiB,C;O;KA3BtD,C;0FAOA,yB;Mf0LA,aAS6D,0B;M  
AT7D,+B;Me5KA,oD;MAdA,wB;QAMuD,OAcD,eAAe,IAAf,Ef+KjB,eAAW,oBe7LgB,Kf6LrB,KAAK,CAAL,Y  
AAN,Ce/KiB,C;O;KApBtD,C;0FAOA,yB;MhBsMA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MAPA,wB;QAMqD,  
OAOc,eAAe,IAAf,EhBkMjB,eAAW,oBgBzMc,KhByMnB,KAAK,CAAL,iBAAN,CgBIMiB,C;O;KAbtD,C;0FAO  
A,yB;MAAA,oD;MAAA,wB;QAMsD,sBAaE,IAAf,EAAqB,KAArB,C;O;KANtD,C;oGAQA,yB;MjBmKA,WAS6  
D,wB;MAT7D,+B;MiBpMA,8C;MAiCA,wB;QAMkD,OArCI,YAAY,IAAZ,EjB2MjB,eAAW,oBiBtKgB,KjBsKr  
B,KAAK,CAAL,UAAN,CiB3MiB,C;O;KA+BtD,C;oGAOA,yB;Mf6JA,aAS6D,0B;MAT7D,+B;MerMA,8C;MAw  
CA,wB;QAMmD,OA5CG,YAAY,IAAZ,Ef4MjB,eAAW,oBehKiB,KfgKtB,KAAK,CAAL,YAAN,Ce5MiB,C;O;K  
AsCtD,C;oGAOA,yB;MhByKA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MA+CA,wB;QAMiD,OAnDK,YAAY,IA  
AZ,EhB+NjB,eAAW,oBgB5Ke,KhB4KpB,KAAK,CAAL,iBAAN,CgB/NiB,C;O;KA6CtD,C;oGAOA,yB;MatDA,  
8C;MAsDA,wB;QAMkD,OA1DI,YAAY,IAAZ,EA0DA,KA1DA,C;O;KAoDtD,C;0FAQA,yB;MjBsIA,WAS6D,w  
B;MAT7D,+B;MiB3KA,oD;MjB4OJ,0B;MAAA,+B;MiBvMI,wB;QAQ6C,OjB0MP,eAAW,OiBjPK,eAAe,IAAf,E  
jB8KjB,eAAW,oBiBvIM,KjBuIX,KAAK,CAAL,UAAN,CiB9KiB,CA4KjB,KjBqEY,SAAX,C;O;KiBINtC,C;0FA  
SA,yB;Mf8HA,aAS6D,0B;MAT7D,+B;Me5KA,oD;Mf6OJ,4B;MAAA,iC;Me/LI,wB;QAQ+C,OfkMP,gBAAY,Qel  
PE,eAAe,IAAf,Ef+KjB,eAAW,oBe/HQ,Kf+Hb,KAAK,CAAL,YAAN,Ce/KiB,CAsLf,Kf4Da,SAAZ,C;O;Ke1MxC  
,C;0FASA,yB;MhBwIA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MhBkQJ,6B;MgB3MI,wB;QAQ2C,OhB8MP,cgBv  
QkB,eAAe,IAAf,EhBkMjB,eAAW,oBgBzII,KhByIT,KAAK,CAAL,iBAAN,CgBIMiB,CAGMnB,KhBuEW,QAAV  
,C;O;KgBtNpC,C;0FASA,yB;MAhEA,oD;MAGEA,wB;QAQ6C,OAIES,eAAe,IAAf,EAkEL,KAIEK,C;O;KA0DtD  
,C;0EAUA,yB;MAAA,+B;MAAA,mB;QAM0C,sBAAM,SAAK,MAAX,C;O;KAN1C,C;0EAQA,yB;MAAA,+B;  
MAAA,mB;QAM0C,sBAAM,SAAK,MAAX,C;O;KAN1C,C;gGAQA,yB;MAAA,gD;MAAA,wB;QAE+D,2BAA  
W,IAAX,EAAiB,KAAjB,C;O;KAF/D,C;0FAIA,yB;MAAA,+B;MAAA,2B;QAOoD,sBAAM,oBAAS,QAAT,CAA  
N,C;O;KAPpD,C;0FASA,yB;MAAA,+B;MAAA,2B;QAOoD,sBAAM,6BAAU,QAAV,CAAN,C;O;KAPpD,C;0F  
ASA,yB;MAAA,+B;MAAA,wB;QAEuD,sBAAM,IAAK,KAAL,KAAC,KAAM,KAApB,CAAN,C;O;KAFnD,C;w  
FAGA,yB;MAAA,+B;MAAA,wB;QAEkD,sBAAM,IAAK,KAAL,IAAa,KAAM,KAAAnB,CAAN,C;O;KAFID,C;0F  
AGA,yB;MAAA,+B;MAAA,wB;QAEuD,sBAAM,IAAK,KAAL,KAAC,KAAM,KAApB,CAAN,C;O;KAFnD,C;0  
EAGA,yB;MAAA,+B;MAAA,mB;QAEiC,sBAAM,SAAK,MAAX,C;O;KAFjC,C;gFAIA,yB;MAAA,0B;MAAA,  
mB;QAUmC,OAAK,OAAL,SAAK,S;O;KAVxC,C;kFAWA,yB;MAAA,4B;MAAA,mB;QAUqC,OAAK,QAAL,S  
AAK,S;O;KAV1C,C;8EAWA,Y;MAU1C,OAAA,SAAK,Q;K;gFACtC,Y;MASmC,gB;K;kFAEnC,yB;MjBmEJ,0B;  
MAAA,+B;MiBnEI,mB;QASqC,OjBqEC,eAAW,OiBrEZ,SjBqEY,SAAX,C;O;KiB9EtC,C;oFAUA,yB;Mf0DJ,4B;  
MAAA,iC;Me1DI,mB;QASuC,Of4DC,gBAAY,Qe5Db,Sf4Da,SAAZ,C;O;KerExC,C;gFAUA,yB;MhBqEJ,6B;Mg  
BrEI,mB;QASmC,OhBuEC,cgBvED,ShBuEW,QAAV,C;O;KgBhFpC,C;kFAUA,Y;MAEqC,W;K;kFAErC,yB;MA  
SA,kD;MATA,mB;QAQqC,OASE,cAAc,SAAd,C;O;KAjBvC,C;oFASA,yB;MAAA,kD;MAAA,mB;QAQuC,qBA  
Ac,SAAd,C;O;KARvC,C;+BAUA,Y;MAAyC,qBAAc,SAAd,C;K;::;+BAnW7C,Y;MAAA,c;MAG4D,qD;MAH5D

,a;K;6BAAA,iB;MAAA,2IAG4D,oCAH5D,G;K;wEAuWA,yB;MAAA,+B;MAAA,4B;QAW0C,sBAAW,oBAAL, SAAK,CAAX,C;O;KAX1C,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAW2C,sBAAW,oBAAL,SAAK,CAAX,C;O;K AX3C,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAWyC,sBAAW,oBAAL,SAAK,CAAX,C;O;KAXzC,C;0EAYA,yB; MAAA,+B;MAAA,4B;QAU0C,sBAAM,SAAN,C;O;KAV1C,C;yEAYA,yB;MAAA,kD;MAAA,4B;QAS2C,qBAA mB,SAAnB,C;O;KAT3C,C;0EAUUA,yB;MAAA,kD;MAAA,4B;QAS4C,qBAAC,SAAd,C;O;KAT5C,C;liB9ZA,6B; MACqB,sB;K;uCAKjB,iB;MAM6C,OjBsYP,UiBtYO,aAAQ,KAAR,CjBsYP,C;K;uCiBpYtC,wB;MAOI,aAAQ,K AAR,IAAiB,KjBoRc,K;K;kFiBhRL,Y;MAAQ,OAAA,YAAQ,O;K;oCAE9C,Y;MAC8E,+BAAS,YAAT,C;K;IAGx D,oC;MAAiC,wB;MAAhC,oB;MACnB,eAAoB,C;K;4CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;8CACvC,Y;MAA yD,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OjBgXO,UiBhXiB,aAAM,mBAAN,EAAM,2BAAN,OjBgX jB,C;;QiBhX+C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;0CAG3F,mB;MAIS,Q;MAAL,IAAI,eAAC,0EAAD,QA AJ,C;QAAiC,OAAO,K;MAExC,OAAe,WAAR,YAAQ,EAAS,OjB8PO,KiB9PhB,C;K;+CAGnB,oB;MACY,Q;MA A2B,gBAA3B,gE;MAA2B,c;;QhB0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;;QA CrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;UgB1nD6B,2BhB0nDR,OgB1nDQ,Q;UAAA,W;YAAuB,oBAA R,YAAQ,EhB0nD/B,ODh4CF,KiB1PiC,C;;UhB0nD9C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;;QAC/C,aAAO ,I;;;MgB3nDH,iB;K;mCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA/CvD,sC;MAAA,oD;MAC gC,uBAAK,iBAAU,IAAV,CAAL,C;MADhC,Y;K;;;oCAPJ,Y;MAAA,OAKqB,qDALrB,M;K;oCAAA,Y;MAAA, c;MAKqB,wD;MALrB,a;K;kCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;gFAyDA,yB;MAAA,yC;MAWSc,yC;QAA A,wB;UAAW,OAAA,aAAK,KAAL,CjByOV,K;S;O;MiBpPvC,6B;QAWI,OAAO,oBAAW,kBAAU,IAAV,EAAG B,uBAAhB,CAAX,C;O;KAXX,C;kFAcA,oB;MAGqE,e;K;I8LnE9C,2C;MAAsBnB,kC;MAtByD,4BAAiB,KAAjB, EAAwB,YAAxB,K;K;qFAC/B,Y;MAAQ,iB;K;4FACD,Y;MAAQ,gB;K;8CAEzC,iB;MAA+C,W/MgDoB,a+MhD pB,U/MgDsC,KAAIB,E+MhDX,K/MgDyC,KAA9B,C+MhDpB,K;MAAA,S;QAAkB,O/MgDE,a+MhDF,K/MgDo B,KAAIB,E+MhDO,S/MgDuB,KAA9B,C+MhDF,K;;MAAIB,W;K;qCAE/C,Y;MAKkC,O/MyCiC,a+MzCjC,U/M yCmD,KAAIB,E+MzCzB,S/MyCuD,KAA9B,C+MzCjC,I;K;oCAEIC,iB;MAEY,UAAwB,M;MADhC,8CAAwB,k BAAa,KAAM,UAAAnB,KACHB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,CADgB,CAAxB ,C;K;sCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAaf,GAAwB,M/M0QK,CARckB,U+MrOjB,U/MqO4B,KAAL,KAAo B,CAVzB,U+M3NP,U/M2Na,yB+M3NH,E/M2NG,CAAN,CAUyB,MAApB,CAAN,CAqCIB,MAAK,Q+M1QV,Q /M0QK,CARckB,U+MrOoB,S/MqOT,KAAL,KAAoB,CAVzB,U+M3N6B,S/M2NvB,yB+M3NgC,E/M2NhC,CAA N,CAUyB,MAApB,CAAN,CAqCIB,MAAK,Q+M1QV,I;K;sCAE5B,Y;MAAkC,OAAE,UAAF,qBAAU,S;K;IAE5 C,gC;MAAA,oC;MACI,aAC+B,iBAAW,6BAAM,UAAjB,EAA4B,6BAAM,UAAIC,C;K;;IAFnC,4C;MAAA,2C; QAAA,0B;;MAAA,oC;K;;IAYJ,qD;MA4CI,wC;MAtCI,IAAI,gBAAJ,C;QAAwB,MAAa,gCAAYB,wBAAzB,C;M ACrC,IAAI,sCAAJ,C;QAA4B,MAAa,gCAAYB,yEAAzB,C;MAG7C,aAG0B,K;MAE1B,YAGyB,4BAA0B,KAA1 B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAEZB,YAGwB,I;K;0CAExB,Y;MAAiD,oCAAYB,UAAzB,EAAGC,SAAhC ,EAAcC,SAATC,C;K;yCAEjD,Y;MAMqC,OAAI,uBAAO,CAAX,G/Mf8B,a+MehB,U/MfkC,KAAIB,E+MeR,S/Mf sC,KAA9B,C+MehB,IAAd,G/Mf8B,a+MeE,U/MfgB,KAAIB,E+MeU,S/MfoB,KAA9B,C+MeE,I;K;wCAErE,iB; MAEY,UAAwB,M;MADhC,kDAA8B,kBAAa,KAAM,UAAAnB,KACTB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ, KAAM,KAAd,QAAxB,KAA8C,kBAAQ,KAAM,KAAd,CADxB,CAA9B,C;K;0CAGJ,Y;MACI,OAAI,cAAJ,GAA e,EAaf,GAAwB,OAAM,M/MkND,CARckB,U+M7KX,U/M6KsB,KAAL,KAAoB,CAVzB,U+MnKD,U/MmKO,y B+MnKG,E/MmKH,CAAN,CAUyB,MAApB,CAAN,CAqCIB,MAAK,Q+MINJ,Q/MkND,CARckB,U+M7K0B,S/ M6Kf,KAAL,KAAoB,CAVzB,U+MnKmC,S/MmK7B,yB+MnKsC,E/MmKtC,CAAN,CAUyB,MAApB,CAAN,C AqCIB,MAAK,Q+MINJ,IAAN,SAAQF,cAAU,6BAAU,EAAV,CAAV,CAAYB,QAA9G,I;K;0CAE5B,Y;MAAkC, OAAI,uBAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,cAAqB,SAARB,WAAAd,GAAgD,UAAF,2BAAgB,SAAhB,c AA6B,SAAD,aAA5B,W;K;IAEHf,sC;MAAA,0C;K;mEACI,sC;MAQ+F,4BAAiB,UAAjB,EAA6B,QAA7B,EA Au C,IAAvC,C;K;;IATnG,kD;MAAA,iD;QAAA,gC;;MAAA,0C;K;;IAoBkC,qD;MAA0C,wB;MAC5E,sBAA2B,I;M AC3B,iBAAMc,kBAAO,CAA1C,G/MhDmE,a+MgDtB,K/MhDwC,KAAIB,E+MgDb,I/MhD2C,KAA9B,C+MgDt B,KAA7C,G/MhDmE,a+MgDH,K/MhDqB,KAAIB,E+MgDM,I/MhDwB,KAA9B,C+MgDH,K;MACHe,c/M0SsC, U+M1SnB,I/M0SmB,C;M+MzStC,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;iDAE3C,Y;MAAkC,qB;K;mDAEI C,Y;MACI,YAAY,W;MACZ,IAAI,6BAAS,mBAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC 3B,iBAAU,K;;QAEV,c/M/C+C,U+M+C/C,W/M/C0D,KAAK,K+M+CvD,W/M/CkE,KAAX,CAAhB,C;;M+MiDn

D,OAAO,K;K;;wEC7Hf,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wE  
AUA,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUUA,yB;MAAA,8  
C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUUA,yB;MAAA,8C;MAAA,uB;QAO  
I,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;oFC7BA,yB;MAAA,gD;MAAA,4B;QAM6C,OAAQ,ajO+R  
hB,ciO/RgB,C;O;KANrD,C;oGAQA,yB;M/GwCA,iB;M+GxCA,4B;QAMqD,O/GwCM,MAAO,OIH+O7B,ckH/O  
6B,C;O;K+G9CIE,C;sGAQA,yB;MAAA,kE;MAAA,4B;QAMsD,OAAQ,sBjO+QzB,ciO/QyB,C;O;KAN9D,C;8FA  
QA,yB;MAAA,0D;MjOwWA,6B;MiOxWA,4B;QAOmD,OjO2WZ,ciO3WoB,kBjOsQtB,ciOtQsB,CjO2WpB,C;O;  
KiOlXvC,C;4FASA,yB;MAAA,wD;MjO+VA,6B;MiO/VA,4B;QAOkD,OjOkWX,ciOlWmB,iBjO6PrB,ciO7PqB,C  
jOkWnB,C;O;KiOzWvC,C;gFASA,yB;MAAA,4C;MjOsVA,6B;MiOtVA,sC;QAayD,OjOmVIB,ciOnV0B,WjO8O  
5B,ciO9O4B,EAAW,QAAX,CjOmV1B,C;O;KiOhWvC,C;kFAGBA,yB;MAAA,8C;MjOsUA,6B;MiOtUA,sC;QAa  
0D,OjOmUnB,ciOnU2B,YjO8N7B,ciO9N6B,EAAW,QAAX,CjOmU3B,C;O;KiOhVvC,C;oFAGBA,yB;MAAA,gD;  
MAAA,4B;QAM8C,OAAS,ajNgOhB,ciNhOgB,C;O;KANvD,C;oGAQA,yB;MAAA,gE;MAAA,4B;QAMsD,OAA  
S,qBjNwNxB,ciNxNwB,C;O;KAN/D,C;sGAQA,yB;MAAA,kE;MAAA,4B;QAMuD,OAAS,sBjNgNzB,ciNhNyB,  
C;O;KANhE,C;8FAQA,yB;MAAA,0D;MjN6SA,+B;MiN7SA,4B;QAOqD,OjNgTX,eiNhToB,kBjNuMvB,ciNvMu  
B,CjNgTpB,C;O;KiNvT1C,C;4FASA,yB;MAAA,wD;MjNoSA,+B;MiNpSA,4B;QAOoD,OjNuSV,eiNvSmB,iBjN  
8LtB,ciN9LsB,CjNuSnB,C;O;KiN9S1C,C;+EASA,yB;MAAA,4C;MjN2RA,+B;MiN3RA,sC;QAa2D,OjNwRjB,ei  
NxR0B,WjN+K7B,ciN/K6B,EAAW,QAAX,CjNwR1B,C;O;KiNrS1C,C;iFAeA,yB;M/GgEA,4C;MIG4MA,+B;Mi  
N5QA,sC;QAa4D,OjNyQIB,ekGzMuB,WIGgG1B,ckGhG0B,EAAW,C+GhEK,Q/GgEL,IAAX,CIGyMvB,C;O;Ki  
NtR1C,C;oFAeA,yB;MIOWJI,6B;MkO1SJ,gD;MAKJA,4B;QAM8C,OAIJO,ajO+RhB,CDcE,cAAU,cAAL,GAAiB,  
GAAtB,CCdF,MiO/RgB,C;O;KA4IrD,C;oGAQA,yB;M/G1GA,iB;M+G0GA,4B;QAMsD,O/G1GK,MAAO,OnHu  
M3B,c2N1Ge,GAAY,GxG7FA,CwG6Fb,GAA6C,EAA7C,I;O;KOOzE,C;sGAQA,yB;MPbA,kE;MOaA,4B;QAMu  
D,OPbkB,sB3NkGIC,c2NIGgB,GAAW,GAAO,C;O;KOOzE,C;8FAQA,yB;MAAA,0D;MIO+LA,0B;MAAA,+B;M  
kO/LA,4B;QAOqD,OlOmMZ,eAAW,OkOnMS,kBlOgGnB,cAAL,GAAiB,GkOhGO,CIOmMT,CAAX,C;O;KkO1  
MzC,C;4FASA,yB;MAAA,wD;MIOsLA,0B;MAAA,+B;MkOtLA,4B;QAOoD,OIO0LX,eAAW,OkO1LQ,iBlOuFl  
B,cAAL,GAAiB,GkOvFM,CIO0LR,CAAX,C;O;KkOjMzC,C;gFAUA,yB;MAAA,4C;MIOqJA,+B;MkOrJA,sC;Q  
Aa2D,OIOkjjB,ekOIJ0B,WIOmD7B,ckOnD6B,EAAW,QAAX,CIOkJ1B,C;O;KkO/J1C,C;kFAeA,yB;MAAA,8C;  
MIOsIA,+B;MkOtIA,sC;QAa4D,OlOmIIB,ekOnI2B,YIOoC9B,ckOpC8B,EAAW,QAAX,CIOmI3B,C;O;KkOhJ1C,  
C;oFAeA,yB;MhOgFI,6B;MgO3SJ,gD;MA2NA,4B;QAM+C,OA3NM,ajO+RhB,CCeE,cAAU,cAAL,GAAiB,KA  
AtB,CDfF,MiO/RgB,C;O;KAqNrD,C;oGAQA,yB;M/GnLA,iB;M+GmLA,4B;QAMuD,O/GnLI,MAAO,OjHkNzB,  
cyN3CpC,GAAY,KxGvKiD,CwGuK9D,GAA+C,EAA/C,I;O;KOMJ,C;sGAQA,yB;MPZA,kE;MOYA,4B;QAMw  
D,OPZoB,sBzNmCnC,cyNnCe,GAAY,KAAS,C;O;KOM5E,C;8FAQA,yB;MAAA,0D;MhOuHA,4B;MAAA,iC;M  
gOvHA,4B;QAOuD,OhO2HZ,gBAAY,QgO3HQ,kBhOwBrB,cAAL,GAAiB,KgOxBS,ChO2HR,CAAZ,C;O;KgOl  
I3C,C;4FASA,yB;MAAA,wD;MhO8GA,4B;MAAA,iC;MgO9GA,4B;QAOsD,OhOkHX,gBAAY,QgOIHO,iBhOep  
B,cAAL,GAAiB,KgOfQ,ChOkHP,CAAZ,C;O;KgOzH3C,C;gFAUA,yB;MAAA,4C;MhOyFA,iC;MgOzFA,sC;QA  
a6D,OhOsFhB,gBgOtF0B,WhOX9B,cgOW8B,EAAW,QAAX,ChOsF1B,C;O;KgOnG7C,C;kFAeA,yB;MAAA,8C;  
MhO0EA,iC;MgO1EA,sC;QAa8D,OhOuEjB,gBgOvE2B,YhO1B/B,cgO0B+B,EAAW,QAAX,ChOuE3B,C;O;KgO  
pF7C,C;ICtRA,qC;MAEI,SIOuIoD,ckOvI3C,CIOul2C,EkOvIvC,CIOuIuC,C;MkOtIpD,SIOsIoD,ckOtI3C,CIOsI2C,  
EkOtIvC,CIOsIuC,C;MkOrIpD,OlOmDkE,YkOnDvD,ElOmDwE,KAAjB,EkOnDjD,ElOmD8E,KAA7B,CkOnDv  
D,KAAZ,GIOkFsD,SkOIFjC,ElOkF2C,KAAK,GkOIF3C,ElOkFuD,KAAZ,IAAf,CkOIFtD,GIOqEqD,SAAU,CAAT  
,SkOIFpB,ElOkF8B,KAAK,GkOIF9B,ElOkF0C,KAAZ,IAAf,CaBs,MAAK,GkOrExB,CIOqEmC,KAAZ,IAAf,C;  
K;IkOIEzD,qC;MACI,SINwIsD,ekNxI7C,CINwI6C,EkNxIzC,CINwIyC,C;MkNvItD,SINuIsD,ekNvI7C,CINuI6C,E  
kNvIzC,CINuIyC,C;MkNtItD,OlNqDmE,akNrDxD,EINqD0E,KAAIB,EkNrDID,EINqDgF,KAA9B,CkNrDxD,KA  
AX,GIN+EwD,UkN/EnC,EIN+E8C,KAAK,UkN/E9C,EIN+E0D,KAAZ,CAAhB,CkN/ExD,GINkEuD,UAAW,CAa  
V,UkN/EtB,EIN+EiC,KAAK,UkN/EjC,EIN+E6C,KAAZ,CAAhB,CaBU,MAAK,KkNIE3B,CINkEsC,KAAZ,CAA  
hB,C;K;IkN/D3D,uD;MAmBI,WAAO,CAAP,C;QAD8E,OlOwBZ,YkOvBID,KIOuBmE,KAAjB,EkOvBzC,GIOuB  
sE,KAA7B,CkOvBID,KAD8D,GACHd,GADgD,GIOuDxB,SkOtDf,GIOsDyB,KAAK,GkOtDxB,mBAAiB,GAAjB  
,EAAsB,KAAtB,EIO2WV,SkO3WuC,IIO2WvC,CkO3WU,CIOsDoC,KAAZ,IAAf,C;akOrDtD,WAAO,CAAP,C;Q  
AF8E,OlOwBZ,YkOtBID,KIOsBmE,KAAjB,EkOtBzC,GIOsBsE,KAA7B,CkOtBID,KAF8D,GAEHd,GAfGD,GIO

0CzB,SkOxCd,GIOWCwB,KAAK,GkOxCvB,mBAAiB,KAAjB,EAAwB,GAAxB,EIO0WV,SkO1WwC,CAAC,IAAD,IIO0WxC,CkO1WU,CIOwCkC,KAAx,IAAf,C;;QkOvC7C,MAAA,gCAAYB,eAAzB,C;K;IAGzB,uD;MAMBI,sBAAO,CAAP,C;QADkF,OINQf,akNPnD,KINOqE,KAAiB,EkNP1C,GINOwE,KAA9B,CkNPnD,KADkE,GACpD,GADoD,GINkC1B,UkNjCjB,GINiC4B,KAAK,UkNjC3B,mBAAiB,GAAjB,EAAzB,KAAtB,EINkWP,UkNIWoC,IINkWPc,CkNIWO,CINiCuC,KAAZ,CAAhB,C;akNhCxD,sBAAO,CAAP,C;QAFkF,OINQf,akNNnD,KINMqE,KAAiB,EkNN1C,GINMwE,KAA9B,CkNNnD,KAFkE,GAEPd,GAFOd,GINqB3B,UkNnBhB,GINmB2B,KAAK,KkNnB1B,mBAAiB,KAAjB,EAAwB,GAAxB,EINiWP,UkNjWsC,IAAD,alNiWrC,CkNjWO,CINmBqC,KAAx,CAAhB,C;;QkNIB/C,MAAA,gCAAYB,eAAzB,C;K;IjOIDC,sB;MAEtB,8B;MAFYD,gB;K;IAEzD,4B;MAAA,gC;MACL,iBAGqC,WAAO,CAAP,C;MAErC,iBAGqC,WAAO,MAAP,C;MAErC,kBAGmC,C;MAEnC,iBAGkC,E;K;;IANBtC,wC;MAAA,uC;QAAA,sB;;MAAA,gC;K;wGAsBA,iB;MAM0D,OAAa,0BA6OjC,SAAL,GAAiB,KA7OqB,EAAU,KF4O3C,KAAL,GAAiB,GE5OqB,C;K;oGAEvE,iB;MAOoE,OAAa,0BAoO3C,SAAL,GAAiB,KApO+B,EAAU,KAoOrD,KAAL,GAAiB,KApO+B,C;K;wGAEjF,yB;MA2PA,6B;MD5PA,8C;MCCA,wB;QAMyD,ODAS,YAAiB,CC8PhD,cAAU,SAAL,GAAiB,KAAtB,CD9PgD,MAAjB,ECAe,KDac,KAA7B,C;O;KCNIE,C;wGAQA,yB;MA6PA,aAS6D,0B;MAT7D,+B;Me9PA,gD;MfCA,wB;QAM0D,OeAS,aAakB,CfgQhD,eAAW,oBAAL,SAAK,CAAL,YAAN,CehQgD,MAAiB,EfAgB,KeAc,KAA9B,C;O;KfNnE,C;8FAQA,yB;MA2OA,6B;MA3OA,wB;QAEsD,ODMD,cAAU,CC4O5B,cAAU,SAAL,GAAiB,KAAtB,CD5O4B,MAAK,GAAW,CD2O5C,cEjPsC,KFiP5B,KAAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;O;KCRrD,C;8FAGA,yB;MAwOA,6B;MAxOA,wB;QAEuD,ODGF,cAAU,CC4O5B,cAAU,SAAL,GAAiB,KAAtB,CD5O4B,MAAK,GAAW,CC4O5C,cA/OuC,KA+O7B,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;O;KCLrD,C;8FAGA,yB;MAqOA,6B;MArOA,wB;QAEqD,ODAA,cAAU,CC4O5B,cAAU,SAAL,GAAiB,KAAtB,CD5O4B,MAAK,GCAI,KDAO,KAAx,IAAf,C;O;KCFrD,C;8FAGA,yB;MA4OA,aAS6D,0B;MAT7D,+B;MA5OA,wB;QAEuD,OeAA,eAAW,CfmP7B,eAAW,oBAAL,SAAK,CAAL,YAAN,CenP6B,MAAK,KfAI,KeAO,KAAx,CAAhB,C;O;KfFvD,C;gGAIA,yB;MA8NA,6B;MA9NA,wB;QAEuD,ODMD,cAAU,CC+N7B,cAAU,SAAL,GAAiB,KAAtB,CD/N6B,MAAK,GAAy,CD8N9C,cEpOwC,KFoO9B,KAAAL,GAAiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KCRtD,C;gGAGA,yB;MA2NA,6B;MA3NA,wB;QAEwD,ODGF,cAAU,CC+N7B,cAAU,SAAL,GAAiB,KAAtB,CD/N6B,MAAK,GAAy,CC+N9C,cAlOyC,KaKO/B,KAAL,GAAiB,KAAtB,CD/N8C,MAAZ,IAAf,C;O;KCLtD,C;gGAGA,yB;MAwNA,6B;MAxNA,wB;QAEsD,ODAA,cAAU,CC+N7B,cAAU,SAAL,GAAiB,KAAtB,CD/N6B,MAAK,GCAK,KDAO,KAAZ,IAAf,C;O;KCFtD,C;gGAGA,yB;MA+NA,aAS6D,0B;MAT7D,+B;MA/NA,wB;QAEwD,OeAA,eAAW,CfsO9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CeT08B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;gGAIA,yB;MAiNA,6B;MAjNA,wB;QAEuD,ODMD,cAAe,YAAL,CCKn7B,cAAU,SAAL,GAAiB,KAAtB,CDIN6B,MAAK,EAAY,CDiN9C,cEvNwC,KFuN9B,KAAL,GAAiB,GAAtB,CCjN8C,MAAZ,CAAf,C;O;KCRtD,C;gGAGA,yB;MA8MA,6B;MA9MA,wB;QAEwD,ODGF,cAAe,YAAL,CCKn7B,cAAU,SAAL,GAAiB,KAAtB,CDIN6B,MAAK,EAAY,CCKn9C,cArNyC,KaqN/B,KAAL,GAAiB,KAAtB,CDIN8C,MAAZ,CAAf,C;O;KCLtD,C;gGAGA,yB;MA2MA,6B;MA3MA,wB;QAEsD,ODAA,cAAe,YAAL,CCKn7B,cAAU,SAAL,GAAiB,KAAtB,CDIN6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;gGAGA,yB;MAkNA,aAS6D,0B;MAT7D,+B;MAINA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAoMA,6B;MD9LA,4C;MCNA,wB;QAEqD,ODMD,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,EDoMjB,cE1MoC,KF0M1B,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KCRpD,C;4FAGA,yB;MAiMA,6B;MD9LA,4C;MCHA,wB;QAEsD,ODGF,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,ECqMjB,cAxMqC,KAwM3B,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KCLpD,C;4FAGA,yB;MA8LA,6B;MD9LA,4C;MCAA,wB;QAEoD,ODAA,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,ECAkB,KDAIB,C;O;KCFpD,C;4FAGA,yB;MAqMA,aAS6D,0B;MAT7D,+B;MerMA,8C;MfAA,wB;QAEsD,OeAA,Yf4MjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce5MiB,EfAmB,KeAnB,C;O;KfFtD,C;4FAIA,yB;MAuLA,6B;MDzKA,kD;MCdA,wB;QAMqD,ODcD,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ED2KjB,cEzLoC,KFyL1B,KAAL,GAAiB,GAAtB,CC3KiB,C;O;KCPbP,D,C;4FAOA,yB;MAgLA,6B;MDzKA,kD;MCPA,wB;QAMsD,ODOF,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,EC4KjB,cAnLqC,KAmL3B,KAAL,GAAiB,KAAtB,CD5KiB,C;O;KCbP,D,C;4FAOA,yB;MAyKA,6B;MDzKA,kD;MCAA,wB;QAMoD,ODAA,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ECAkB,KDAIB,C;O;KCNpD,C;4FAOA,yB;MA4KA,aAS6D,0B;MAT7D,+B;Me5KA,oD;MfAA,wB;QAMsD,OeAA,ef+KjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce/KiB,EfAmB,KeAnB,C;O;KfNtD,C

;sGAQA,yB;MA0JA,6B;MD9LA,4C;MCoCA,wB;QAMiD,ODxCG,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,EDoMjB,cE5JqC,KF4J3B,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KCKCpD,C;sGAOA,yB;MAmJA,6B;MD9LA,4C;MC2CA,wB;QAMkD,OD/CE,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,ECqMjB,cAtJsC,KAsJ5B,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KCcYpD,C;sGAOA,yB;MA4IA,6B;MD9LA,4C;MCKDA,wB;QAMgD,ODtDI,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,ECsDmB,KDtDnB,C;O;KCgDpD,C;sGAOA,yB;MA+IA,aAS6D,0B;MAT7D,+B;MerMA,8C;MfsDA,wB;QAMkD,Oe1DI,Yf4MjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce5MiB,Ef0DoB,Ke1DpB,C;O;KfoDtD,C;4FAQA,yB;MA6HA,6B;MDzKA,kD;MDuOJ,0B;MAAA,+B;ME3LI,wB;QAQ6C,OF8LR,eAAW,OC5OI,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ED2KjB,cE7H4B,KF6HIB,KAAL,GAAiB,GAAtB,CC3KiB,CAkLf,KD0DW,CAAX,C;O;KEtMrC,C;4FASA,yB;MAoHA,6B;MDzKA,kD;MCwOJ,4B;MAAA,iC;MAAnLI,wB;QAQ+C,OAsLR,gBAAY,QD7OC,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,EC4KjB,cArH8B,KAqHpB,KAAL,GAAiB,KAAtB,CD5KiB,CA4Lb,KCiDY,CAAZ,C;O;KA9LvC,C;4FASA,yB;MA2GA,6B;MDzKA,kD;MC8DA,wB;QAQ2C,ODhes,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ECgES,KDhET,C;O;KCwDpD,C;4FASA,yB;MA4GA,aAS6D,0B;MAT7D,+B;Me5KA,oD;MfgEA,wB;QAQ6C,OelES,ef+KjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce/KiB,EfKEU,KelEV,C;O;Kf0DtD,C;4EAUUA,yB;MAAA,4B;MAAA,iC;MAAA,mB;QAM2C,uBAAY,QAAL,SAAK,KAAZ,C;O;KAN3C,C;4EAQA,yB;MAAA,4B;MAAA,iC;MAAA,mB;QAM2C,uBAAY,QAAL,SAAK,KAAZ,C;O;KAN3C,C;oGAQA,yB;MAAA,8C;MAwEA,6B;MAxEA,wB;QAE+D,0BA+E5B,cAAU,SAAL,GAAiB,KAAtB,CA/E4B,EA+E5B,cA/EqD,KA+E3C,KAAL,GAAiB,KAAtB,CA/E4B,C;O;KAF/D,C;4FAIA,yB;MAAA,iC;M2LnNJ,4B;M3LmNI,wB;QAEqD,uB2LiNiC,Q3LkN1B,IAAK,K2LiNX,G3LkNoB,KAAM,K2LiNM,C3LkNjC,C;O;KAFrD,C;0FAGA,yB;MAAA,iC;M2LjNJ,4B;M3LiNI,wB;QAEoD,uB2LhNgC,Q3LgNzB,IAAK,K2LhNX,G3LgNmB,KAAM,K2LhNM,C3LgNhC,C;O;KAFpD,C;4FAGA,yB;MAAA,iC;M2L/MJ,4B;M3L+MI,wB;QAEqD,uB2L9MiC,Q3L8M1B,IAAK,K2L9MX,G3L8MoB,KAAM,K2L9MM,C3L8MjC,C;O;KAFrD,C;4EAGA,yB;MAAA,iC;M2L7MJ,4B;M3L6MI,mB;QAEkC,uB2L5MsB,QAAP,C3L4MR,S2L5Me,C3L4MtB,C;O;KAFIC,C;kFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,C;O;KAVxC,C;oFAWA,Y;MASqC,gB;K;gFACrC,Y;MASiC,OAAK,SAAL,GAAiB,K;K;kFACID,yB;MAAA,aASqD,0B;MATrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,Y;O;KATnC,C;oFAWA,yB;MF+DJ,0B;MAAA,+B;ME/DI,mB;QASqC,OFIEE,eAAW,OEjEb,SfIEa,CAAX,C;O;KE1EvC,C;sFAUA,Y;MAEuC,W;K;kFACvC,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,KAAtB,C;O;KATnC,C;oFAUA,yB;MAAA,aAS6D,0B;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,YAAN,C;O;KATrC,C;oFAWA,Y;MAMqC,OApDC,SAAL,GAAiB,K;K;sFAqDID,Y;MAMuC,OA3DD,SAAL,GAAiB,K;K;gCA6DID,Y;MAAyC,OAAQ,CA7DX,SAAL,GAAiB,KA6DD,Y;K;,,,;gCA3UrD,Y;MAAA,c;MAG6D,qD;MAH7D,a;K;8BAAA,iB;MAAA,2IAG6D,oCAH7D,G;K;0EA+UA,yB;MAAA,iC;MAAA,4B;QAW4C,uBAAY,SAAZ,C;O;KAX5C,C;4EAYA,yB;MAAA,iC;MAAA,4B;QAU6C,uBAAO,SAAP,C;O;KAV7C,C;4EAWA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW2C,uBAAY,QAAL,SAAK,CAAZ,C;O;KAX3C,C;4EAYA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW4C,uBAAY,QAAL,SAAK,SAAZ,C;O;KAX5C,C;IiC/WA,8B;MACqB,sB;K;wCAKjB,iB;MAM8C,OjCsVL,WiCtVK,aAAQ,KAAR,CjCsVL,C;K;wCiCpVzC,wB;MAOI,aAAQ,KAAR,IAAiB,KjC4OgB,K;K;mFiCxOP,Y;MAAQ,OAAA,YAAQ,O;K;qCAE9C,Y;MAC+E,gCAAS,YAAT,C;K;IAGzD,qC;MAAkC,yB;MAAjC,oB;MACnB,eAAoB,C;K;6CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;gDACvC,Y;MAA0D,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OjCgUS,WiChUe,aAAM,mBAAN,EAAM,2BAAN,OjCgUf,C;;QiChU8C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;2CAG7F,mB;MAIS,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAakC,OAAO,K;MAEzC,OAAe,WAAR,YAAQ,EAAS,OjCsNS,KiCtNIB,C;K;gDAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;QjB0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAp,e;;QACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;UiB1nD6B,2BjB0nDR,OiB1nDQ,S;UAAA,W;YAAwB,oBAAR,YAAQ,EjB0nDhC,OhBx6CA,KiCInG,C;;UjB0nD/C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;;MiB3nDH,iB;K;oCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA/CvD,uC;MAAA,qD;MACgC,wBAAK,eAAW,IAAX,CAAL,C;MADhC,Y;K;,,,;qCAPJ,Y;MAAA,OAKqB,sDALrB,M;K;qCAAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;mCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;kFAyDA,yB;MAAA,2C;MAWwC,0C;QAAA,wB;UAAW,OAAA,aAAK,KAAL,CjCiMV,K;S;O;MiC5MzC,6B;QAWI,OAAO,qBAAY,gCAAW,IAAX,GAAiB,wBAAjB,CAAZ,C;O;KAXX,C;oFAcA,oB;MAGwE,e;K;IiM5ExE,sC;MAQ2D,OAAa,WAAb,SpOwQjB,KAAL,GAAiB,GoOxQkB,EAAS,KAAT,C;K;IAExE,sC;MAQ4D,OAAa,WAAb,SIO+PIB,KAAL,GAAiB,KkO/

PmB,EAAS,KAAT,C;K;IAGzE,sC;MAQ0D,OAAc,WnOiR5B,oBmOjRc,SnOiRnB,KAAK,CAAL,iBmOjRiC,EAAS,KAAT,C;K;IAExE,sC;MAOgD,uBAAc,SnNyQvB,KmNzQS,EAA6B,WAAW,KAAX,CAA7B,C;K;IAGhD,8B;MAMqC,Q;MAAA,0DAAmB,kBAaKB,SAAIB,C;K;IAExD,qC;MAO+C,Q;MAAA,0CAAc,KAAAd,oBAAwB,kBAaKB,SAAIB,C;K;IAGvE,+B;MAMuC,Q;MAAA,2DAAoB,kBAaKB,SAAIB,C;K;IAE3D,sC;MAOiD,Q;MAAA,2CAAE,KAAf,oBAAyB,kBAaKB,SAAIB,C;K;IAE1E,6B;MAMmC,Q;MAAA,yDAAkB,kBAaKB,SAAIB,C;K;IAErD,oC;MAO6C,Q;MAAA,yCAAa,KAAb,oBAAuB,kBAaKB,SAAIB,C;K;IAEpE,8B;MAMqC,Q;MAAA,0DAAmB,kBAaKB,SAAIB,C;K;IAExD,qC;MAO+C,Q;MAAA,0CAAc,KAAAd,oBAAwB,kBAaKB,SAAIB,C;K;IAMvE,kC;MAM4C,kCAAsB,EAAtB,C;K;IAE5C,2C;MASmB,Q;MAAA,sBAAL,SAAK,EAAa,KAAb,C;MAAL,iB;QAA4B,OAAO,I;MAA7C,UAAU,I;MACV,InO/EkE,YmO+E9D,GnO/E+E,KAAjB,EAA6B,CD6P5D,SoO9KzB,6BAAM,UpO8K6B,KAAL,GAAiB,GAAtB,CC7P4D,MAA7B,CmO+E9D,IAAJ,C;QAA2B,OAAO,I;MACiC,OpO8OqC,UAAW,OoO9OzC,GnOoL8B,KD0DW,CAAX,C;K;IoO3OzC,mC;MAM8C,mCAAuB,EAAvB,C;K;IAE9C,4C;MASmB,Q;MAAA,sBAAL,SAAK,EAAa,KAAb,C;MAAL,iB;QAA4B,OAAO,I;MAA7C,UAAU,I;MACV,InOrGkE,YmOqG9D,GnOrG+E,KAAjB,EAA6B,CC8P5D,SkOzJzB,8BAAO,UlOyJ4B,KAAL,GAAiB,KAAtB,CD9P4D,MAA7B,CmOqG9D,IAAJ,C;QAA4B,OAAO,I;MACnC,OlOyNuC,WAAy,QkOzN5C,GnOwKgC,KCiDY,CAAZ,C;K;IkOtN3C,iC;MAM0C,iCAAqB,EAARb,C;K;IAE1C,0C;MASI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACiB,IAAI,WAAU,CAAAd,C;QAAiB,OAAO,I;MAExB,YAAkB,4BAAK,U;MACvB,S;MAEA,gBAAgB,qBAAK,CAAL,C;MACHb,IAAI,YAAy,EAAhB,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EAAhC,C;UAAqC,OAAO,I;QAC5C,QAAQ,C;QAER,QAAQ,C;MAGZ,uBAAuB,mB;MAEvB,qBAAqB,gB;MACrB,anOuMmC,SmOvMtB,KnOuMsB,C;MmOtMnC,aAAa,W;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAy,QAAQ,qBAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,InOnJ8D,YmOmJ1D,MnOnJ2E,KAAjB,EmOmJjD,cnOnJ8E,KAA7B,CmOmJ1D,IAAJ,C;UACI,IAAI,+CAAKB,gBAAIB,QAAJ,C;YACI,iBnO5FwC,WmO4FvB,KnO5FuB,EmO4Ff,MnO5Fe,C;YmO8FxC,InOvJsD,YmOuJlD,MnOvJmE,KAAjB,EmOuJzC,cnOvJsE,KAA7B,CmOuJlD,IAAJ,C;cACI,OAAO,I;YAGX,OAAO,I;QAIf,SnOnHkD,SAAE,YmOmHjE,MnOnH4D,KAAK,EmOmHvD,MnOnHmE,KAAZ,CAAF,C;QmOqHlD,mBAAmB,M;QACnB,SnOhJiD,SmOgJjD,MnOhJ2D,KAAK,GAAW,CAkU5C,SmOILrB,KnOkLqB,CAIU4C,MAAX,IAAf,C;QmOiJjD,InOnK8D,YmOmK1D,MnOnK2E,KAAjB,EmOmKjD,YnOnK8E,KAA7B,CmOmK1D,IAAJ,C;UAA2B,OAAO,I;MAGtC,OAAO,M;K;IAGX,kC;MAM4C,kCAAsB,EAAtB,C;K;IAE5C,2C;MASI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACiB,IAAI,WAAU,CAAAd,C;QAAiB,OAAO,I;MAExB,YAAmB,6BAAM,U;MACzB,S;MAEA,gBAAgB,qBAAK,CAAL,C;MACHb,IAAI,YAAy,EAAhB,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EAAhC,C;UAAqC,OAAO,I;QAC5C,QAAQ,C;QAER,QAAQ,C;MAIZ,uBAAuB,gD;MAEvB,qBAAqB,gB;MACrB,anN0IqC,UAAW,oBmN1InC,KnN0ImC,CAAX,C;MmNzIrC,aAAa,2B;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAy,QAAQ,qBAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,InN5M+D,amN4M3D,MnN5M6E,KAAIB,EmN4MID,cnN5MgF,KAA9B,CmN4M3D,IAAJ,C;UACI,IAAI,+CAAKB,gBAAIB,QAAJ,C;YACI,iBnN1J0C,YmN0JzB,KnN1JyB,EmN0JjB,MnN1JiB,C;YmN4J1C,InNhNuD,amNgNnD,MnNhNqE,KAAIB,EmNgN1C,cnNhNwE,KAA9B,CmNgNnD,IAAJ,C;cACI,OAAO,I;YAGX,OAAO,I;QAIf,SnNjLoD,UmNiLpD,MnNjL+D,KAAK,UmNiL1D,MnNjLsE,KAAZ,CAAhB,C;QmNmLpD,mBAAmB,M;QACnB,SnN9MmD,UmN8MnD,MnN9M8D,KAAK,GAAW,ChBsQ7C,UAAW,oBAAL,CAYDR,SmOjHrB,KnOiHqB,CAzDQ,MAAK,CAAL,iBAAN,CgBtQ6C,MAAX,CAAhB,C;QmN+MnD,InN5N+D,amN4N3D,MnN5N6E,KAAIB,EmN4NID,YnN5NgF,KAA9B,CmN4N3D,IAAJ,C;UAA2B,OAAO,I;MAGtC,OAAO,M;K;I3N9RX,6B;MACkD,OAAuB,0BAAtB,KAAO,WAAe,EAAU,KAAO,WAAjB,C;K;IACzE,8B;MACqD,OAAc,gCAAuB,iBAAU,gCAAV,C;K;IAE7E,4B;MACoD,ORiZZ,SAvGI,oBQ1SS,ER0Sd,KAAK,CAAL,iBQ1Sc,KR0ST,oBQ1SuB,ER0S5B,KAAK,CAAL,iBQ1Sc,CRiZH,QAAV,C;K;IQHzxC,+B;MACuD,OR+Yf,SAvGI,oBQxSY,ERwSjB,KAAK,CAAL,iBQxSiB,QRwSZ,oBQxS0B,ERwS/B,KAAK,CAAL,iBQxSiB,CR+YN,QAAV,C;K;IQ1YxC,6B;MAEI,eAAe,EQkSoB,K;MRjSnC,cAAc,EQiSqB,K;MRhSnC,IAAI,qBAAU,CAAAd,C;QACI,OQ6C+D,aR7CpD,EQ6CsE,KAAIB,ER7C/C,EQ6C6E,KAA9B,CR7CpD,IAAJ,GAAa,aAAb,GAA2B,a;MAItC,IAAI,uBAAy,CAAhB,C;QACI,OAAO,UAAM,aAAW,OAAX,CAAN,C;MAIX,eAAiB,4BAAC,CAAAd,CAAD,KAAoB,OAAPB,CAAD,WAAkC,CAAIC,C;MACf,UAAU,kBAAW,kBAAW,OAAX,CAAX,C;MACV,OAAO,UAAM,iCQkCsD,aAAkB,CRICzD,UAAM,GAAN,CQkCyD,MAAIB,EAA8B,CRICvD,UAAAM,OAAAN,CQkCuD,MAA9B,CRICvC,KAAJ,GAAKC,CAAIC,GAAyC,CAAPD,EAAAN,C;K;IAIX,gC;MAKe,Q;M





Found

in path(s):

\* /opt/cola/permits/1453413739\_1666873675.4467995/0/kotlin-1-6-21-4-tgz/package/kotlin.js.map

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.86 bouncy-castle 1.72

### 1.86.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* The Bouncy Castle License
```

```
*
```

```
* Copyright (c) 2000-2022 The Legion Of The Bouncy Castle Inc. (https://www.bouncycastle.org)
```

```
* <p>
```

```
* Permission is hereby granted, free of charge, to any person obtaining a copy of this software  
* and associated documentation files (the "Software"), to deal in the Software without restriction,  
* including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense,  
* and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so,  
* subject to the following conditions:
```

```
* <p>
```

```
* The above copyright notice and this permission notice shall be included in all copies or substantial  
* portions of the Software.
```

```
* <p>
```

```
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED,
```

```
* INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A  
PARTICULAR
```

```
* PURPOSE AND
```

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF  
CONTRACT, TORT OR  
\* OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR  
OTHER  
\* DEALINGS IN THE SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1487838996\_1674089109.076011/0/src-116-zip/org/bouncycastle/LICENSE.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2011 Tim Bukt (tbuktu@hotmail.com)

\*

\* Permission is hereby granted, free of charge, to any person obtaining a  
\* copy of this software and associated documentation files (the "Software"),  
\* to deal in the Software without restriction, including without limitation  
\* the rights to use, copy, modify, merge, publish, distribute, sublicense,  
\* and/or sell copies of the Software, and to permit persons to whom the  
\* Software is furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in  
\* all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY  
CLAIM, DAMAGES OR OTHER  
\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING  
\* FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER  
\* DEALINGS IN THE SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1487838996\_1674089109.076011/0/src-116-  
zip/org/bouncycastle/pqc/legacy/math/ntru/euclid/test/IntEuclideanTest.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Magic value for proprietary OpenSSH private key.

\*\*/

Found in path(s):

\* /opt/cola/permits/1487838996\_1674089109.076011/0/src-116-  
zip/org/bouncycastle/crypto/util/OpenSSHPrivateKeyUtil.java

No license file was found, but licenses were detected in source scan.

```
public DomainParameters(BigInteger p, BigInteger g, BigInteger q, BigInteger j,
```

Found in path(s):

```
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-  
zip/org/bouncycastle/asn1/x9/DomainParameters.java
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Poly1305 message authentication code, designed by D. J. Bernstein.
```

```
* <p>
```

```
* Poly1305 computes a 128-bit (16 bytes) authenticator, using a 128 bit nonce and a 256 bit key
```

```
* consisting of a 128 bit key applied to an underlying cipher, and a 128 bit key (with 106
```

```
* effective key bits) used in the authenticator.
```

```
* <p>
```

```
* The polynomial calculation in this implementation is adapted from the public domain <a
```

```
* href="https://github.com/floodyberry/poly1305-donna">poly1305-donna-unrolled</a> C implementation
```

```
* by Andrew M (@floodyberry).
```

```
* @see Poly1305KeyGenerator
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/crypto/mac/Poly1305.java
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Contains the polynomial classes used in the NTRU round 3 algorithm.
```

```
*
```

```
* <p>
```

```
* This implementation is based on the C reference implementation submitted for the round 3 NIST PQC  
competition,
```

```
* released under CC0-1.0 license.
```

```
* </p>
```

```
*
```

```
* <p><a href="https://csrc.nist.gov/CSRC/media/Projects/post-quantum-cryptography/documents/round-  
3/submissions/NTRU-Round3.zip">NIST submission files</a></p>
```

```
* <p><a href="https://github.com/jschanck/ntru/blob/master/LICENSE">License of reference  
implementation</a></p>
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/pqc/math/ntru/package-  
info.java
```

No license file was found, but licenses were detected in source scan.

```
// now keep space is free to use
```



Found in path(s):

```
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-  
zip/org/bouncycastle/pqc/legacy/crypto/gmss/GMSSPrivateKeyParameters.java
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* The NTRU algorithm based on the round 3 submission of the NIST post-quantum cryptography. For the old  
NTRU, see
```

```
* { @link org.bouncycastle.pqc.legacy.crypto.ntru }.
```

```
*
```

```
* <p>
```

```
* This implementation is based on the C reference implementation submitted for the round 3 NIST PQC  
competition,
```

```
* released under CC0-1.0 license.
```

```
* </p>
```

```
*
```

```
* <p><a href="https://csrc.nist.gov/CSRC/media/Projects/post-quantum-cryptography/documents/round-  
3/submissions/NTRU-Round3.zip">NIST submission files</a></p>
```

```
* <p><a href="https://github.com/jschanck/ntru/blob/master/LICENSE">License of reference  
implementation</a></p>
```

```
*
```

```
* @see <a href="https://csrc.nist.gov/Projects/post-quantum-cryptography/round-3-submissions">NIST round 3  
PQC submissions page</a>
```

```
* @see <a href="https://ntru.org/">NTRU website</a>
```

```
* @see <a href="https://ntru.org/f/ntru-20190330.pdf">NTRU specification</a>
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/pqc/crypto/ntru/package-  
info.java
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* SPHINCS-256 signer.
```

```
* <p>
```

```
* This implementation is heavily based on the reference implementation in SUPERCOP, the main difference being  
the digests used
```

```
* for message hashing and tree construction are now configurable (within limits...) and that the implementation  
produces
```

```
* detached signatures.
```

```
* </p>
```

```
* <p>
```

```
* The SPHINCS reference implementation is public domain, as per the statement in the second last paragraph of
```

```
* section 1 in https://eprint.iacr.org/2014/795.pdf
```

```
* </p>
```

```
*/
```

Found in path(s):

\* /opt/cola/permits/1487838996\_1674089109.076011/0/src-116-  
zip/org/bouncycastle/pqc/crypto/sphincs/SPHINCS256Signer.java

## 1.87 jctools-core 4.0.1

### 1.87.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Bnd-LastModified: 1662622707903  
Build-Jdk-Spec: 11  
Bundle-Description: Java Concurrency Tools Core Library  
Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>  
Bundle-ManifestVersion: 2  
Bundle-Name: Java Concurrency Tools Core Library  
Bundle-SymbolicName: org.jctools.core  
Bundle-Version: 4.0.1  
Created-By: Apache Maven Bundle Plugin 5.1.6  
Export-Package: org.jctools.maps;version="4.0.1",org.jctools.util;uses  
:="sun.misc";version="4.0.1",org.jctools.queues;version="4.0.1",org.j  
ctools.queues.atomic;uses:="org.jctools.queues";version="4.0.1",org.j  
ctools.queues.unpadded;uses:="org.jctools.queues";version="4.0.1",org  
.jctools.counters;version="4.0.1"  
Import-Package: sun.misc;resolution:=optional  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"  
Tool: Bnd-6.2.0.202202251641

Found in path(s):

\* /opt/cola/permits/1500645298\_1670406227.9308958/0/jctools-core-4-0-1-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>  
<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1500645298\_1670406227.9308958/0/jctools-core-4-0-1-jar/META-  
INF/maven/org.jctools/jctools-core/pom.xml

## 1.88 metrics-annotation 4.1.17

### 1.88.1 Available under license :

Apache-2.0

# 1.89 dropwizard-configuration 2.0.18

## 1.89.1 Available under license :

Apache-2.0

# 1.90 metrics-servlets 4.1.17

## 1.90.1 Available under license :

Apache-2.0

# 1.91 dropwizard-jetty 2.0.18

## 1.91.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright 2013-2014 The Apache Software Foundation (Curator Project)
```

```
*
```

```
* The Apache Software Foundation licenses this file to you under the Apache
```

```
* License, version 2.0 (the "License"); you may not use this file except in
```

```
* compliance with the License. You may obtain a copy of the License at:
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

```
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

```
* License for the specific language governing permissions and limitations
```

```
* under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1508291049_1670974969.4034815/0/dropwizard-jetty-2-0-18-sources-1-jar/io/dropwizard/jetty/LocalIpFilter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2012 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
```

```
* version 2.0 (the "License"); you may not use this file except in compliance
```

```
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- \* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- \* License for the specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1508291049\_1670974969.4034815/0/dropwizard-jetty-2-0-18-sources-1-jar/io/dropwizard/jetty/NetUtil.java

## 1.92 dropwizard-servlets 2.0.18

### 1.92.1 Available under license :

Apache-2.0

## 1.93 dropwizard-jersey 2.0.18

### 1.93.1 Available under license :

Apache-2.0

## 1.94 dropwizard-logging 2.0.18

### 1.94.1 Available under license :

No license file was found, but licenses were detected in source scan.

- /\*
- \* Logback: the reliable, generic, fast and flexible logging framework.
- \* Copyright (C) 1999-2015, QOS.ch. All rights reserved.
- \*
- \* This program and the accompanying materials are dual-licensed under
- \* either the terms of the Eclipse Public License v1.0 as published by
- \* the Eclipse Foundation
- \*
- \* or (per the licensee's choosing)
- \*
- \* under the terms of the GNU Lesser General Public License version 2.1
- \* as published by the Free Software Foundation.
- \*/

Found in path(s):

\* /opt/cola/permits/1508291183\_1670974960.632932/0/dropwizard-logging-2-0-18-sources-jar/io/dropwizard/logging/ResilientOutputStreamBase.java

## **1.95 dropwizard-lifecycle 2.0.18**

### **1.95.1 Available under license :**

Apache-2.0

## **1.96 drop-wizard-metrics 2.0.18**

### **1.96.1 Available under license :**

Apache-2.0

## **1.97 metrics-jetty 4.1.17**

### **1.97.1 Available under license :**

Apache-2.0

## **1.98 metrics-jersey2 4.1.17**

### **1.98.1 Available under license :**

Apache-2.0

## **1.99 metrics-jmx 4.1.17**

### **1.99.1 Available under license :**

Apache-2.0

## **1.100 metrics-json 4.1.17**

### **1.100.1 Available under license :**

Apache-2.0

## **1.101 dropwizard-util 2.0.18**

### **1.101.1 Available under license :**

Apache-2.0

## **1.102 metrics-jvm 4.1.17**

## 1.102.1 Available under license :

Apache-2.0

# 1.103 dropwizard-validation 2.0.18

## 1.103.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Hibernate Validator, declare and validate application constraints

\*

\* License: Apache License, Version 2.0

\* See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

\*/

Found in path(s):

\* /opt/cola/permits/1508291129\_1670974993.4238553/0/dropwizard-validation-2-0-18-sources-1-jar/io/dropwizard/validation/InterpolationHelper.java

# 1.104 dropwizard-request-logging 2.0.18

## 1.104.1 Available under license :

Apache-2.0

# 1.105 dropwizard-jackson 2.0.18

## 1.105.1 Available under license :

Apache-2.0

# 1.106 metrics-logback 4.1.17

## 1.106.1 Available under license :

Apache-2.0

# 1.107 dropwizard-core 2.0.18

## 1.107.1 Available under license :

Apache-2.0

# 1.108 protobuf-java 3.21.12

## 1.108.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright 2008 Google Inc. All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions are  
// * Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// * Redistributions in binary form must reproduce the above  
// copyright notice, this list of conditions and the following disclaimer  
// in the documentation and/or other materials provided with the  
// * Neither the name of Google Inc. nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1521222018_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/Message.java  
* /opt/cola/permits/1521222018_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/FieldType.java  
* /opt/cola/permits/1521222018_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/ExtensionSchemas.java  
*  
/opt/cola/permits/1521222018_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/ProtocolMessageEnum.java  
* /opt/cola/permits/1521222018_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/UnmodifiableLazyStringList.java  
* /opt/cola/permits/1521222018_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/LazyStringArrayList.java  
* /opt/cola/permits/1521222018_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/Extension.java  
* /opt/cola/permits/1521222018_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/CodedOutputStream.java  
* /opt/cola/permits/1521222018_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/RopeByteString.java  
* /opt/cola/permits/1521222018_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/SingleFieldBuilder.java  
*  
/opt/cola/permits/1521222018_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/google/protobuf/duration.proto  
* /opt/cola/permits/1521222018_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/CodedOutputStreamWriter.java  
* /opt/cola/permits/1521222018_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/BufferAllocator.java  
* /opt/cola/permits/1521222018_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/ProtocolStringList.java
```

\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/BlockingService.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/StructuralMessageInfo.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/MessageInfoFactory.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/ArrayDecoders.java  
\*  
/opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/MapFieldLite.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/ManifestSchemaFactory.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/IterableByteBufferInputStream.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/RawMessageInfo.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/GeneratedMessageInfoFactory.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/ByteBufferWriter.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/ExtensionRegistryFactory.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/RpcChannel.java  
\*  
/opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/BinaryWriter.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/SmallSortedMap.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/UnsafeByteOperations.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/ExperimentalApi.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/SchemaUtil.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/MessageOrBuilder.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/MapFieldSchemas.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/FloatArrayList.java  
\*  
/opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/SchemaFactory.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/MapField.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-



jar/com/google/protobuf/CanIgnoreReturnValue.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/TextFormatParseLocation.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/MessageLiteToString.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/google/protobuf/struct.proto  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/ByteString.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/ExtensionRegistryLite.java  
\*  
/opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/ExtensionRegistry.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/CheckReturnValue.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/Protobuf.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/UnknownFieldSetSchema.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/ExtensionSchema.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/Schema.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/DiscardUnknownFieldsParser.java  
\*  
/opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/MessageLiteOrBuilder.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/LongArrayList.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/google/protobuf/any.proto  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/TextFormat.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/Internal.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/FieldInfo.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/CodedInputStreamReader.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/MapFieldSchemaFull.java  
\*  
/opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/TypeRegistry.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/AbstractMessageLite.java

\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/OneofInfo.java  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/LazyFieldLite.java  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/google/protobuf/api.proto  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/google/protobuf/empty.proto  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/MapEntryLite.java  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/NewInstanceSchemas.java  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/CompileTimeConstant.java  
 \*  
 /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/JavaType.java  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/Writer.java  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/DynamicMessage.java  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/NioByteString.java  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/ProtobufLists.java  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/UnknownFieldSchema.java  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/BinaryReader.java  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/MessageSchema.java  
 \*  
 /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/ExtensionSchemaLite.java  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/google/protobuf/wrappers.proto  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/RpcCallback.java  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/RpcController.java  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/AbstractParser.java  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/MessageReflection.java  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/MapEntry.java  
 \* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
 jar/com/google/protobuf/UnsafeUtil.java

\*  
/opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/google/protobuf/compiler/plugin.proto  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/Android.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/RepeatedFieldBuilder.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/TextFormatEscaper.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/GeneratedMessageV3.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/AbstractMessage.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/MapFieldSchemaLite.java  
\*  
/opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/FieldSet.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/IntArrayList.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/SingleFieldBuilderV3.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/ProtoSyntax.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/google/protobuf/descriptor.proto  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/MapFieldSchema.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/GeneratedMessage.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/Descriptors.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/MessageLite.java  
\*  
/opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/CodedInputStream.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/AbstractProtobufList.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/NewInstanceSchemaLite.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/NewInstanceSchemaFull.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/ProtobufArrayList.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/UnknownFieldSetLite.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-

jar/com/google/protobuf/GeneratedMessageLite.java  
\*  
/opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/TextFormatParseInfoTree.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/BooleanArrayList.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/DescriptorMessageInfoFactory.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/Reader.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/MessageInfo.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/NewInstanceSchema.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/AllocatedBuffer.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/ServiceException.java  
\*  
/opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/RpcUtil.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/UninitializedMessageException.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/BlockingRpcChannel.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/MessageSetSchema.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/Utf8.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/UnknownFieldSetLiteSchema.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/DoubleArrayList.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/InlineMe.java  
\*  
/opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/ExtensionLite.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/Parser.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/ByteOutput.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/google/protobuf/type.proto  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/RepeatedFieldBuilderV3.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-  
jar/com/google/protobuf/MutabilityOracle.java

\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/UnknownFieldSet.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/ExtensionSchemaFull.java  
\*  
/opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/LazyField.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/Service.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/google/protobuf/timestamp.proto  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/ListFieldSchema.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/PrimitiveNonBoxingCollection.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/WireFormat.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/InvalidProtocolBufferException.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/google/protobuf/source\_context.proto  
\*  
/opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/com/google/protobuf/LazyStringList.java  
\* /opt/cola/permits/1521222018\_1672206959.0969713/0/protobuf-java-3-21-12-sources-jar/google/protobuf/field\_mask.proto

# 1.109 protobuf-java-util 3.21.12

## 1.109.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.google.protobuf.util

Bnd-LastModified: 1671050288830

Build-Jdk: 11.0.13

Built-By: kfm

Bundle-Description: Utilities for Protocol Buffers

Bundle-DocURL: <https://developers.google.com/protocol-buffers/>

Bundle-License: <https://opensource.org/licenses/BSD-3-Clause>

Bundle-ManifestVersion: 2

Bundle-Name: Protocol Buffers [Util]

Bundle-SymbolicName: com.google.protobuf.util

Bundle-Version: 3.21.12

Created-By: Apache Maven Bundle Plugin

Export-Package: com.google.protobuf.util;version="3.21.12";uses:="com.go

ogle.protobuf.javax.annotation"

Import-Package: com.google.common.base;version="[31.1,32)",com.google.common.io;version="[31.1,32)",com.google.common.math;version="[31.1,32)",com.google.common.primitives;version="[31.1,32)",com.google.gson;version="[2.8,3)",com.google.gson.stream;version="[2.8,3)",com.google.protobuf;version="[3.21,4)",javax.annotation;version="[3.0,4)"

Require-Capability:

osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"

Tool: Bnd-3.0.0.201509101326

Found in path(s):

\* /opt/cola/permits/1528958162\_1673434355.07393/0/protobuf-java-util-3-21-12-jar/META-INF/MANIFEST.MF

# 1.110 objenesis 3.3

## 1.110.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.



You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.111 jackson-datatype-jdk8 2.14.2

## 1.111.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.112 jackson-jaxrs 2.14.2

### 1.112.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available

from the source code management (SCM) system project uses.

# 1.113 jackson 2.14.2

## 1.113.1 Available under license :

FasterXML, LLC

Software Grant and Corporate Contributor License Agreement ("Agreement")

<https://github.com/FasterXML/jackson/blob/master/contributor-agreement-corporate.txt>

(v1)

Thank you for your interest in FasterXML, LLC ("FasterXML"). In order to clarify the intellectual property license granted with Contributions from any person or entity, FasterXML must have a Contributor License Agreement (CLA) on file that has been signed by each Contributor, indicating agreement to the license terms below. This license is for your protection as a Contributor as well as the protection of FasterXML and its users; it does not change your rights to use your own Contributions for any other purpose.

This version of the Agreement allows an entity (the "Corporation") to submit Contributions to the FasterXML, to authorize Contributions submitted by its designated employees to FasterXML, and to grant copyright and patent licenses thereto.

If you have not already done so, please complete and sign, then scan and email a pdf file of this Agreement to [clas@fasterxml.com](mailto:clas@fasterxml.com). If necessary, send an original signed Agreement to FasterXML, LLC, 600 N 36th Ave, Suite 409, Seattle, WA 98103.

Please read this document carefully before signing and keep a copy for your records.

Corporation name: \_\_\_\_\_

Corporation address: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Point of Contact: \_\_\_\_\_

E-Mail: \_\_\_\_\_



Telephone: \_\_\_\_\_ Fax: \_\_\_\_\_

You accept and agree to the following terms and conditions for Your present and future Contributions submitted to FasterXML. Except for the license granted herein to FasterXML and recipients of software distributed by FasterXML, You reserve all right, title, and interest in and to Your Contributions.

#### 1. Definitions.

"You" (or "Your") shall mean the copyright owner or legal entity authorized by the copyright owner that is making this Agreement with FasterXML. For legal entities, the entity making a Contribution and all other entities that control, are controlled by, or are under common control with that entity are considered to be a single Contributor. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"Contribution" shall mean the code, documentation or other original works of authorship expressly identified in Schedule B, as well as any original work of authorship, including any modifications or additions to an existing work, that is intentionally submitted by You to FasterXML for inclusion in, or documentation of, any of the products owned or managed by FasterXML (the "Work"). For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to FasterXML or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, FasterXML for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by You as "Not a Contribution."

2. Grant of Copyright License. Subject to the terms and conditions of this Agreement, You hereby grant to FasterXML and to recipients of software distributed by FasterXML a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, sublicense, and distribute

Your Contributions and such derivative works.

3. Grant of Patent License. Subject to the terms and conditions of this Agreement, You hereby grant to FasterXML and to recipients of software distributed by FasterXML a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by You that are necessarily infringed by Your Contribution(s) alone or by combination of Your Contribution(s) with the Work to which such Contribution(s) were submitted. If any entity institutes patent litigation against You or any other entity (including a cross-claim or counterclaim in a lawsuit) alleging that your Contribution, or the Work to which you have contributed, constitutes direct or contributory patent infringement, then any patent licenses granted to that entity under this Agreement for that Contribution or Work shall terminate as of the date such litigation is filed.
4. You represent that You are legally entitled to grant the above license. You represent further that each employee of the Corporation designated on Schedule A below (or in a subsequent written modification to that Schedule) is authorized to submit Contributions on behalf of the Corporation.
5. You represent that each of Your Contributions is Your original creation (see section 7 for submissions on behalf of others).
6. You are not expected to provide support for Your Contributions, except to the extent You desire to provide support. You may provide support for free, for a fee, or not at all. Unless required by applicable law or agreed to in writing, You provide Your Contributions on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE.
7. Should You wish to submit work that is not Your original creation, You may submit it to FasterXML separately from any Contribution, identifying the complete details of its source and of any license or other restriction (including, but not limited to, related patents, trademarks, and license agreements) of which you are personally aware, and conspicuously marking the work as "Submitted on behalf of a third-party: [named here]".
8. It is your responsibility to notify

FasterXML when any change is required to the list of designated employees authorized to submit Contributions on behalf of the Corporation, or to the Corporation's Point of Contact with FasterXML.

Please sign: \_\_\_\_\_ Date: \_\_\_\_\_

Title: \_\_\_\_\_

Corporation: \_\_\_\_\_

#### Schedule A

[Initial list of designated employees. NB: authorization is not tied to particular Contributions.]

#### Schedule B

[Identification of optional concurrent software grant. Would be left blank or omitted if there is no concurrent software grant.]

## 1.114 jackson-dataformat-yaml 2.14.2

### 1.114.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

#### ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

## 1.115 jackson-jaxrs-base 2.14.2

### 1.115.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.116 jackson-datatype-guava 2.14.2

### 1.116.1 Available under license :

This copy of Jackson JSON processor `jackson-datatype-guava` module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.117 jackson-annotations 2.14.2

### 1.117.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]



Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Maven Wrapper Jar  
Copyright 2016-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.  
It was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi)), and has  
been in development since 2007.  
It is currently developed by a community of developers.

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0  
To find the details that apply to this artifact see the accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included  
in some artifacts (usually source distributions); but is always available  
from the source code management (SCM) system project uses.

## 1.118 jackson-databind 2.14.2

### 1.118.1 Available under license :

FasterXML, LLC

Software Grant and Corporate Contributor License Agreement ("Agreement")

<https://github.com/FasterXML/jackson/blob/master/contributor-agreement-corporate.txt>

(v1)

Thank you for your interest in FasterXML, LLC ("FasterXML"). In order to clarify the intellectual property license granted with Contributions from any person or entity, FasterXML must have a Contributor License Agreement (CLA) on file that has been signed by each Contributor, indicating agreement to the license terms below. This license is for your protection as a Contributor as well as the protection of FasterXML and its users; it does not change your rights to use your own Contributions for any other purpose.

This version of the Agreement allows an entity (the "Corporation") to submit Contributions to the FasterXML, to authorize Contributions submitted by its designated employees to FasterXML, and to grant copyright and patent licenses thereto.

If you have not already done so, please complete and sign, then scan and email a pdf file of this Agreement to [clas@fasterxml.com](mailto:clas@fasterxml.com). If necessary, send an original signed Agreement to FasterXML, LLC, 600 N 36th Ave, Suite 409, Seattle, WA 98103.

Please read this document carefully before signing and keep a copy for your records.

Corporation name: \_\_\_\_\_

Corporation address: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Point of Contact: \_\_\_\_\_

E-Mail: \_\_\_\_\_

Telephone: \_\_\_\_\_ Fax: \_\_\_\_\_

You accept and agree to the following terms and conditions for Your present and future Contributions submitted to FasterXML. Except for the license granted herein to FasterXML and recipients of software distributed by FasterXML, You reserve all right, title, and interest in and to Your Contributions.

#### 1. Definitions.

"You" (or "Your") shall mean the copyright owner or legal entity authorized by the copyright owner that is making this Agreement

with FasterXML. For legal entities, the entity making a Contribution and all other entities that control, are controlled by, or are under common control with that entity are considered to be a single Contributor. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"Contribution" shall mean the code, documentation or other original works of authorship expressly identified in Schedule B, as well as any original work of authorship, including any modifications or additions to an existing work, that is intentionally submitted by You to FasterXML for inclusion in, or documentation of, any of the products owned or managed by FasterXML (the "Work"). For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to FasterXML or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, FasterXML for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by You as "Not a Contribution."

2. Grant of Copyright License. Subject to the terms and conditions of this Agreement, You hereby grant to FasterXML and to recipients of software distributed by FasterXML a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, sublicense, and distribute Your Contributions and such derivative works.

3. Grant of Patent License. Subject to the terms and conditions of this Agreement, You hereby grant to FasterXML and to recipients of software distributed by FasterXML a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by You that are necessarily infringed by Your Contribution(s) alone or by combination of Your Contribution(s) with the Work to which such Contribution(s)

were submitted. If any entity institutes patent litigation against You or any other entity (including a

cross-claim or counterclaim in a lawsuit) alleging that your Contribution, or the Work to which you have contributed, constitutes direct or contributory patent infringement, then any patent licenses granted to that entity under this Agreement for that Contribution or Work shall terminate as of the date such litigation is filed.

4. You represent that You are legally entitled to grant the above license. You represent further that each employee of the Corporation designated on Schedule A below (or in a subsequent written modification to that Schedule) is authorized to submit Contributions on behalf of the Corporation.
5. You represent that each of Your Contributions is Your original creation (see section 7 for submissions on behalf of others).
6. You are not expected to provide support for Your Contributions, except to the extent You desire to provide support. You may provide support for free, for a fee, or not at all. Unless required by applicable law or agreed to in writing, You provide Your Contributions on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE.
7. Should You wish to submit work that is not Your original creation, You may submit it to FasterXML separately from any Contribution, identifying the complete details of its source and of any license or other restriction (including, but not limited to, related patents, trademarks, and license agreements) of which you are personally aware, and conspicuously marking the work as "Submitted on behalf of a third-party: [named here]".
8. It is your responsibility to notify FasterXML when any change is required to the list of designated employees authorized to submit Contributions on behalf of the Corporation, or to the Corporation's Point of Contact with FasterXML.

Please sign: \_\_\_\_\_ Date: \_\_\_\_\_

Title: \_\_\_\_\_

Corporation: \_\_\_\_\_

Schedule A

[Initial list of designated employees. NB: authorization is not tied to particular Contributions.]

Schedule B

[Identification of optional concurrent software grant. Would be left blank or omitted if there is no concurrent software grant.]

# 1.119 jackson-module-parameter-names

## 2.14.2

### 1.119.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,



and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.120 jackson-xc 2.14.2

## 1.120.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-jaxb-annotations` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.121 jackson-datatype-jsr310 2.14.2

### 1.121.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.122 jackson-datatype-joda 2.14.2

## 1.122.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").  
See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.123 proto-google-common-protos 2.9.0

## 1.123.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Licensed under the Apache License, Version 2.0 (the "License");  
// you may not use this file except in compliance with the License.  
// You may obtain a copy of the License at  
//   http://www.apache.org/licenses/LICENSE-2.0  
// distributed under the License is distributed on an "AS IS" BASIS,  
// agreement (which includes confidentiality provisions). These features may
```

Found in path(s):

```
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-  
jar/google/api/launch_stage.proto
```

No license file was found, but licenses were detected in source scan.

```
// Licensed under the Apache License, Version 2.0 (the "License");  
// you may not use this file except in compliance with the License.  
// You may obtain a copy of the License at  
//   http://www.apache.org/licenses/LICENSE-2.0  
// distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-  
jar/google/api/usage.proto  
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-  
jar/google/api/endpoint.proto  
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-  
jar/google/api/service.proto  
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-  
jar/google/api/consumer.proto  
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-  
jar/google/api/distribution.proto  
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-  
jar/google/api/error_reason.proto
```

```
*
```

/opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/context.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/date.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/quota.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/field\_behavior.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/httpbody.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/routing.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/system\_parameter.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/datetime.proto  
\*  
/opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/color.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/billing.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/logging/type/log\_severity.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/decimal.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/config\_change.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/latlng.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/metric.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/control.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/money.proto  
\*  
/opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/month.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/logging.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/client.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/log.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/timeofday.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/geo/type/viewport.proto

\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/rpc/status.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/fraction.proto  
\*  
/opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/documentation.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/interval.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/postal\_address.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/logging/type/http\_request.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/dayofweek.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/source\_info.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/label.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/quaternion.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/rpc/error\_details.proto  
\*  
/opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/backend.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/expr.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/annotations.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/longrunning/operations.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/rpc/code.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/calendar\_period.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/phone\_number.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/resource.proto  
\*  
/opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/http.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/cloud/extended\_operations.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/rpc/context/attribute\_context.proto  
\* /opt/cola/permits/1572890195\_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-

```
jar/google/api/monitored_resource.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-
jar/google/api/auth.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-
jar/google/api/visibility.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-
jar/google/api/monitoring.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-
jar/google/type/localized_text.proto
*
/opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-
jar/google/cloud/audit/audit_log.proto
```

## 1.124 jackson-module-afterburner 2.14.2

### 1.124.1 Available under license :

```
# Jackson JSON processor
```

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

```
## Licensing
```

Jackson core and extension components (as well their dependencies) may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

```
## Credits
```

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-afterburner` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Additional licensing information exists for following 3rd party library dependencies

### ASM

ASM: a very small and fast Java bytecode manipulation framework  
Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.125 snake-yaml 2.0

### 1.125.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2008, SnakeYAML
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
```

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/representer/SafeRepresenter.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/parser/Parser.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/env/EnvScalarConstructor.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/nodes/ScalarNode.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/ValueToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/StreamEndEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/constructor/AbstractConstruct.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/CollectionEndEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/emitter/ScalarAnalysis.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/AliasEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/ScalarEvent.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/emitter/EmitterState.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/DirectiveToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/StreamStartEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/CommentEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/AliasToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/constructor/Construct.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/ImplicitTuple.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/constructor/CustomClassLoaderConstructor.java



\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/Property.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/Production.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/resolver/ResolverTuple.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/Scanner.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/composer/ComposerException.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/MappingNode.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/Emitable.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowMappingEndToken.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/DumperOptions.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowSequenceEndToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/AnchorNode.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/representer/Represent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/Node.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowMappingStartToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/reader/ReaderException.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/SafeConstructor.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/Constant.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/NodeId.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/AnchorGenerator.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/DocumentEndToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/ParserImpl.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/ScalarToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-

jar/org/yaml/snakeyaml/introspector/MethodProperty.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/CollectionStartEvent.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/util/UriEncoder.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/reader/UnicodeReader.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/BlockMappingStartToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/nodes/CollectionNode.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/StreamStartToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/DocumentStartToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/BlockSequenceStartToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/constructor/ConstructorException.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/SequenceStartEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/representer/BaseRepresenter.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/SequenceEndEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/util/PlatformFeatureDetector.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/parser/VersionTagsTuple.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/Yaml.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/inspector/UnTrustedTagInspector.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/parser/ParserException.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/error/MarkedYAMLException.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/representer/Representer.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/nodes/NodeTuple.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/inspector/TrustedTagInspector.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/serializer/Serializer.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-

```

jar/org/yaml/snakeyaml/emitter/EmitterException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/introspector/FieldProperty.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/introspector/BeanAccess.java
*
/opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/comments/CommentLine.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/LoaderOptions.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/CommentToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/extensions/compactnotation/PackageCompactConstructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/inspector/TrustedPrefixesTagInspector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/BlockEndToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/serializer/SerializerException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/error/Mark.java
*
/opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/util/ArrayUtils.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/error/YAMLEException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/DocumentEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/emitter/Emitter.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/MappingEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/util/ArrayStack.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/util/EnumUtils.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/TypeDescription.java
*
/opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/scanner/ScannerException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/FlowSequenceStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/nodes/SequenceNode.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/resolver/Resolver.java

```

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/inspector/TagInspector.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/Constructor.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/SimpleKey.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/DocumentStartEvent.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowEntryToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/comments/CommentEventsCollector.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/TagToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/Token.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/NumberAnchorGenerator.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/AnchorToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/error/MissingEnvironmentVariableException.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/BaseConstructor.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/StreamEndToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/composer/Composer.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/extensions/compactnotation/CompactData.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/PropertyUtils.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/Tag.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/NodeEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/PropertySubstitute.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/reader/StreamReader.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/internal/Logger.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/MappingStartEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-

jar/org/yaml/snakeyaml/scanner/ScannerImpl.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/KeyToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/TagTuple.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/BlockEntryToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/introspector/MissingProperty.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/Event.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/constructor/DuplicateKeyException.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/extensions/compactnotation/CompactConstructor.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/comments/CommentType.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/introspector/GenericProperty.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (c) 2008 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/Escaper.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/PercentEscaper.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/UnicodeEscaper.java  
No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>  
<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/META-INF/maven/org.yaml/snakeyaml/pom.xml

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.



Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

No license file was found, but licenses were detected in source scan.

```
// This module is multi-licensed and may be used under the terms
// EPL, Eclipse Public License, V1.0 or later, http://www.eclipse.org/legal
// LGPL, GNU Lesser General Public License, V2.1 or later, http://www.gnu.org/licenses/lgpl.html
// GPL, GNU General Public License, V2 or later, http://www.gnu.org/licenses/gpl.html
// AL, Apache License, V2.0 or later, http://www.apache.org/licenses
// BSD, BSD License, http://www.opensource.org/licenses/bsd-license.php
/**
 * A Base64 encoder/decoder.
 *
 * <p>
 * This class is used to encode and decode data in Base64 format as described in RFC 1521.
 *
 * <p>
 * Project home page: <a href="http://www.source-code.biz/base64coder/java/">www.
 * source-code.biz/base64coder/java</a><br>
 * Author: Christian d'Heureuse, Inventec Informatik AG, Zurich, Switzerland<br>
 * Multi-licensed: EPL / LGPL / GPL / AL / BSD.
 */
```

Found in path(s):

```
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/external/biz/base64Coder/Base64Coder.java
```

# 1.126 byte-buddy 1.14.1

## 1.126.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"  
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,

or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems

that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
  
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright \${project.inceptionYear} - Present \${copyright.holder}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.127 jose4j 0.9.3

### 1.127.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012-2017 Brian Campbell
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/lang/StringUtil.java
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/jwa/AlgorithmAvailability.java
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/jwe/AesGcmContentEncryptionAlgorithm.java
*
/opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/keys/resolvers/DecryptionKeyResolver.java
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/jwt/consumer/JwtConsumer.java
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
```

jar/org/jose4j/jwe/ContentEncryptionParts.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/http/SimpleGet.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/json/JsonUtil.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwe/Pbes2HmacShaWithAesKeyWrapAlgorithm.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/lang/UnresolvableKeyException.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/keys/resolvers/X509VerificationKeyResolver.java  
\*  
/opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwe/CipherUtil.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwt/consumer/AudValidator.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/keys/KeyPairUtil.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/lang/InvalidAlgorithmException.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwe/AesCbcHmacSha2ContentEncryptionAlgorithm.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/http/Get.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/lang/DefaultByteGenerator.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jws/JsonWebSignatureAlgorithm.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jws/RsaUsingShaAlgorithm.java  
\*  
/opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwe/InitializationVectorHelp.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwt/consumer/JwtContext.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/keys/resolvers/VerificationKeyResolver.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwk/EllipticCurveJsonWebKey.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwx/CompactSerialization.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwt/JwtClaims.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jca/ProviderContext.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/lang/JoseException.java  
\*  
/opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwa/AlgorithmFactoryFactory.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwe/AesKeyWrapManagementAlgorithm.java  
\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jws/UnsecuredNoneAlgorithm.java



\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwe/ContentEncryptionHelp.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwa/AlgorithmConstraints.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwt/consumer/ErrorCodeValidator.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jws/AlgorithmIdentifiers.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwe/KeyManagementAlgorithmIdentifiers.java  
 \*  
 /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwt/consumer/JwsCustomizer.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwt/consumer/InvalidJwtException.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/keys/PbkdfKey.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwk/OctJwkGenerator.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwe/ContentEncryptionKeys.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/base64url/Base64Url.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/lang/UncheckedJoseException.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/keys/AesKey.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwk/RsaJsonWebKey.java  
 \*  
 /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwa/AlgorithmInfo.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwe/DirectKeyManagementAlgorithm.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwx/Headers.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/zip/DeflateRFC1951CompressionAlgorithm.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwt/consumer/SubValidator.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwe/WrappingKeyManagementAlgorithm.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwk/PublicJsonWebKey.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwt/IntDate.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwk/KeyOperations.java  
 \*  
 /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jws/EcdsaUsingShaAlgorithm.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwt/consumer/Validator.java

\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwe/EcdhKeyAgreementAlgorithm.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwx/KeyValidationSupport.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwk/JsonWebKeySet.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwe/RsaKeyManagementAlgorithm.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/lang/IntegrityException.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwk/JsonWebKey.java  
 \*  
 /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/lang/ByteGenerator.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwt/consumer/JweCustomizer.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/mac/MacUtil.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwt/GeneralJwtException.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwa/AlgorithmFactory.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwt/NumericDate.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwe/KeyManagementAlgorithm.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwt/consumer/IssValidator.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/keys/BigEndianBigInteger.java  
 \*  
 /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwe/EcdhKeyAgreementWithAesKeyWrapAlgorithm.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwe/CipherStrengthSupport.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwe/SimpleAeadCipher.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/json/JsonHeaderUtil.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/zip/CompressionAlgorithmIdentifiers.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/keys/resolvers/HttpsJwksVerificationKeyResolver.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/keys/RsaKeyUtil.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwx/HeaderParameterNames.java  
 \*  
 /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/keys/X509Util.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwk/Use.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwe/JsonWebEncryption.java

\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/jwx/JsonWebStructure.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/base64url/SimplePEMEncoder.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/keys/EcKeyUtil.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/lang/ByteUtil.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/lang/BouncyCastleProviderHelp.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/jws/JsonWebSignature.java  
 \*  
 /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/jwt/MalformedClaimException.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/keys/EllipticCurves.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/jwk/EcJwkGenerator.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/jwk/OctetSequenceJsonWebKey.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/jwt/ReservedClaimNames.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/lang/HashUtil.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/jwe/ContentEncryptionAlgorithmIdentifiers.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwa/Algorithm.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/jwt/consumer/ErrorCodes.java  
 \*  
 /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/jwt/consumer/JwtConsumerBuilder.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/zip/CompressionAlgorithm.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/jwt/consumer/JtiValidator.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/keys/HmacKey.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/jwt/consumer/ErrorCodeValidatorAdapter.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/jwx/CompactSerializer.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/jwt/consumer/SimpleKeyResolver.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/lang/ExceptionHelp.java  
 \*  
 /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-  
 jar/org/jose4j/keys/KeyPersuasion.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/lang/JsonHelp.java  
 \* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-

```
jar/org/jose4j/jwe/ContentEncryptionKeyDescriptor.java
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/jwe/kdf/PasswordBasedKeyDerivationFunction2.java
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/jwt/consumer/NumericDateValidator.java
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/jwk/VerificationJwkSelector.java
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/keys/resolvers/JwksVerificationKeyResolver.java
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/jws/BaseSignatureAlgorithm.java
*
/opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/jwk/RsaJwkGenerator.java
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/jwe/AesGcmKeyEncryptionAlgorithm.java
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/jwe/ContentEncryptionAlgorithm.java
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/keys/resolvers/JwksDecryptionKeyResolver.java
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/jws/HmacUsingShaAlgorithm.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012-2021 Brian Campbell
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
Found in path(s):
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/jwe/kdf/ConcatenationKeyDerivationFunctionWithSha256.java
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/jwe/kdf/ConcatKeyDerivationFunction.java
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/jwe/kdf/ConcatKeyDerivationFunctionFactory.java
*
```

/opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwe/kdf/KdfUtil.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/base64url/internal/apache/commons/codec/binary/Base64.java  
\*

/opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/base64url/internal/apache/commons/codec/binary/BaseNCodec.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012-2017 Brian Campbell  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/lang/InvalidKeyException.java

\* /opt/cola/permits/1587692654\_1678323499.4437757/0/jose4j-0-9-3-sources-

```
jar/org/jose4j/jwk/SelectorSupport.java
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/jwk/DecryptionJwkSelector.java
*
/opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-
jar/org/jose4j/jwk/SimpleJwkFilter.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012-2018 Brian Campbell
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1587692654_1678323499.4437757/0/jose4j-0-9-3-sources-jar/org/jose4j/jwk/HttpsJwks.java
```

## 1.128 json-java 20230227

### 1.128.1 Available under license :

Public Domain.

## 1.129 error\_prone\_annotations 2.18.0

### 1.129.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
```

Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1606613656\_1679417956.422988/0/error-prone-annotations-2-18-0-1-jar/META-INF/maven/com.google.errorprone/error\_prone\_annotations/pom.xml

## 1.130 swagger-annotations 1.6.9

### 1.130.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1668500773188

Build-Jdk: 1.8.0\_151

Built-By: frantuma

Bundle-Description: Sonatype helps open source projects to set up Maven repositories on <https://oss.sonatype.org/>

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: swagger-annotations

Bundle-SymbolicName: io.swagger.annotations

Bundle-Version: 1.6.9

Created-By: Apache Maven Bundle Plugin

Export-Package: io.swagger.annotations;version="1.6.9"

implementation-version: 1.6.9

mode: development

package: io.swagger

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.7))"

Tool: Bnd-3.3.0.201609221906

url: <https://github.com/swagger-api/swagger-core/modules/swagger-annotations>

Found in path(s):

\* /opt/cola/permits/1609771975\_1681853256.3914962/0/swagger-annotations-1-6-9-1-jar/META-INF/MANIFEST.MF

## 1.131 metrics 4.2.18

## 1.131.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain



separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of  
the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.132 client-java-proto 18.0.0

### 1.132.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
```

```
Copyright 2020 The Kubernetes Authors.
```

```
Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.
```

```
You may obtain a copy of the License at
```

```
http://www.apache.org/licenses/LICENSE-2.0
```

```
Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.
```

```
*/
```

```
Found in path(s):
```

```
* /opt/cola/permits/1627240883_1681885463.3899114/0/client-java-proto-18-0-0-sources-  
jar/io/kubernetes/client/proto/V1alpha1Settings.java
```

```
* /opt/cola/permits/1627240883_1681885463.3899114/0/client-java-proto-18-0-0-sources-  
jar/io/kubernetes/client/proto/V2alpha1Batch.java
```

```
* /opt/cola/permits/1627240883_1681885463.3899114/0/client-java-proto-18-0-0-sources-  
jar/io/kubernetes/client/proto/V1alpha1Admissionregistration.java
```

```
*
```

/opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1alpha1Admission.java

No license file was found, but licenses were detected in source scan.

/\*

Copyright 2021 The Kubernetes Authors.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1beta1Admissionregistration.java

\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1Scheduling.java

\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1beta1Policy.java

\*

/opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1beta1Storage.java

\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1beta1Authorization.java

\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1Storage.java

\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1Admissionregistration.java

\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1beta1Apiextensions.java

\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1beta1Rbac.java

\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1alpha1Imagepolicy.java

\*

/opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V2beta1Autoscaling.java

\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1.java

\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1beta1Authentication.java

\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/Runtime.java

\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1Batch.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1beta1Apps.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1Rbac.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/Resource.java  
\*  
/opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/Meta.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1Networking.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/RuntimeSchema.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1Autoscaling.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1Authentication.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1Admission.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1Certificates.java  
\*  
/opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1beta1Extensions.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1beta1Certificates.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1beta1Admission.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1Apps.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1beta2Apps.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1Authorization.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1Policy.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1beta1Batch.java  
\*  
/opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V2beta2Autoscaling.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/IntStr.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-jar/io/kubernetes/client/proto/V1alpha1Scheduling.java  
\* /opt/cola/permits/1627240883\_1681885463.3899114/0/client-java-proto-18-0-0-sources-

# 1.133 client-java-api 18.0.0

## 1.133.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

Copyright 2021 The Kubernetes Authors.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-

jar/io/kubernetes/client/openapi/JSON.java

No license file was found, but licenses were detected in source scan.

/\*

Copyright 2022 The Kubernetes Authors.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-

jar/io/kubernetes/client/openapi/models/V1Taint.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-

jar/io/kubernetes/client/openapi/models/V1CertificateSigningRequestSpec.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-

jar/io/kubernetes/client/openapi/models/V1RBDPersistentVolumeSource.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2HorizontalPodAutoscaler.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/StringUtil.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PodFailurePolicy.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PodTemplate.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1KeyToPath.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ConfigMapEnvSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/StorageV1beta1Api.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1EndpointSliceList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/AdmissionregistrationV1WebhookClientConfig.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/FlowcontrolApiserverV1beta1Api.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2beta2MetricStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1CertificateSigningRequestList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PodDNSConfigOption.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1GRPCAction.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/CoreApi.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta2FlowSchemaCondition.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1Secret.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta1PriorityLevelConfigurationList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta2FlowSchemaSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2MetricValueStatus.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/AuthorizationV1Api.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ServiceAccountTokenProjection.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-



jar/io/kubernetes/client/openapi/models/V1beta2LimitResponse.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1alpha1ClusterCIDRList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1NodeSelectorRequirement.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1DeleteOptions.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1beta2PriorityLevelConfigurationSpec.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1RuleWithOperations.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1LeaseSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V2ContainerResourceMetricSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V2ContainerResourceMetricStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/apis/CoordinationV1Api.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/ApiRegistrationV1ServiceReference.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1HostPathVolumeSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/apis/CoreV1Api.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1RollingUpdateDeployment.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1EphemeralVolumeSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1PodDisruptionBudgetList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1EphemeralContainer.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1StatefulSetStatus.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1SecretProjection.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1beta2PolicyRulesWithSubjects.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1NetworkPolicyEgressRule.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1LoadBalancerIngress.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1APIServiceCondition.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta2ServiceAccountSubject.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2beta2ContainerResourceMetricSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2beta2HorizontalPodAutoscalerBehavior.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/EventsV1Api.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1GroupVersionForDiscovery.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ConfigMapVolumeSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2ResourceMetricStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/StorageV1TokenRequest.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ValidationRule.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1AWSElasticBlockStoreVolumeSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ScaleSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2ObjectMetricStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1DeploymentCondition.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ConfigMap.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1VolumeAttachment.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1AttachedVolume.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ReplicationControllerCondition.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ServiceSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ContainerPort.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1FlexVolumeSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/BatchApi.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1Binding.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/NetworkingV1Api.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PodReadinessGate.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1CephFSPersistentVolumeSource.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1CustomResourceConversion.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ContainerStatus.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1DownwardAPIVolumeFile.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/GzipRequestInterceptor.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ReplicationControllerSpec.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1SubjectAccessReview.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1CronJobSpec.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1Volume.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2HPAScalingRules.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1StorageOSPersistentVolumeSource.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ComponentStatus.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1DaemonEndpoint.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1Pod.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ReplicaSet.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1IngressList.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1NodeConfigStatus.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1CustomResourceValidation.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PodAffinityTerm.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ServiceBackendPort.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-

jar/io/kubernetes/client/openapi/models/V2MetricTarget.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1PriorityClassList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1PersistentVolumeList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1FlockerVolumeSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1beta1UserSubject.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V2beta2MetricIdentifier.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ReplicaSetStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1StatefulSetSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1NetworkPolicySpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1IngressStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1Affinity.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1beta1CSISStorageCapacityList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1DeploymentStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1CrossVersionObjectReference.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1EventSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ISCSIVolumeSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1PodSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1NodeList.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1beta1PriorityLevelConfiguration.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ConfigMapKeySelector.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1EndpointConditions.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ExecAction.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1NamespaceCondition.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1APIServiceSpec.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/auth/HttpBasicAuth.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ISCSIPersistentVolumeSource.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1VolumeMount.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1IngressRule.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1NodeStatus.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1LoadBalancerStatus.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1CustomResourceSubresources.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/AppsV1Api.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ConfigMapNodeConfigSource.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1Preconditions.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1AggregationRule.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1EndpointsList.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1RuntimeClassList.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta2FlowSchema.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2MetricStatus.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta1FlowSchemaList.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1NonResourceAttributes.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ResourceRequirements.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/SchedulingV1Api.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta2UserSubject.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2beta2ExternalMetricSource.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/LogsApi.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PodDisruptionBudgetSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1APIServiceList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1JobCondition.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1Container.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1SelfSubjectRulesReviewSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1DaemonSetStatus.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2HorizontalPodAutoscalerSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/CertificatesV1Api.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta1LimitedPriorityLevelConfiguration.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1CronJobList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ResourceQuotaSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1StatefulSetCondition.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PodFailurePolicyRule.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1NetworkPolicyPort.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PodFailurePolicyOnExitCodesRequirement.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1NodeAddress.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/DiscoveryV1EndpointPort.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1StatefulSetPersistentVolumeClaimRetentionPolicy.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PersistentVolumeClaimStatus.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ControllerRevisionList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2PodsMetricStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-

jar/io/kubernetes/client/openapi/models/AdmissionregistrationV1ServiceReference.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1PodFailurePolicyOnPodConditionsPattern.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ReplicationControllerStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1alpha1StorageVersion.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1SubjectAccessReviewSpec.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1CertificateSigningRequest.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/auth/HttpBearerAuth.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V2beta2HPAScalingPolicy.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/ApiResponse.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1APIVersions.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/ApiException.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1NetworkPolicyStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1Job.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1DeploymentStrategy.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V2beta2CrossVersionObjectReference.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ResourceRule.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/apis/ApiextensionsApi.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1IngressClassList.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1VolumeAttachmentSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1PersistentVolumeClaimCondition.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1HTTPIngressPath.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1alpha1ServerStorageVersion.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V2ExternalMetricStatus.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1Node.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PriorityClass.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1LifecycleHandler.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ResourceQuotaStatus.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1TCPSocketAction.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PersistentVolumeStatus.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1TokenRequestStatus.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PolicyRule.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PodList.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1NamespaceSpec.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PhotonPersistentDiskVolumeSource.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PersistentVolumeClaimVolumeSource.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1WebhookConversion.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1MutatingWebhookConfiguration.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/ApiregistrationApi.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ClusterRoleBinding.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/CoreV1EventList.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/ApiextensionsV1WebhookClientConfig.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1FCVolumeSource.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/FlowcontrolApiserverApi.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1Role.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta1GroupSubject.java

\*



/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1EndpointSubset.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1JobSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1VolumeProjection.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1DownwardAPIProjection.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ReplicaSetList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta1FlowSchemaCondition.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2ExternalMetricSource.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta2PriorityLevelConfigurationStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1UncountedTerminatedPods.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1WindowsSecurityContextOptions.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/Pair.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1NodeSelector.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2ObjectMetricSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1APIGroupList.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ListMeta.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1NodeAffinity.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1HorizontalPodAutoscalerStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/AutoscalingV2Api.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1VolumeNodeAffinity.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1NamespaceStatus.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta1NonResourcePolicyRule.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1IngressSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-

jar/io/kubernetes/client/openapi/models/V1IngressClassSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/apis/AdmissionregistrationV1Api.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1VsphereVirtualDiskVolumeSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ResourceFieldSelector.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1DaemonSetList.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ServerAddressByClientCIDR.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1NetworkPolicyIngressRule.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1CustomResourceDefinitionStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ClientIPConfig.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1CSINodeDriver.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1CSINodeSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ReplicationController.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1EnvFromSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1CustomResourceDefinition.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1HorizontalPodAutoscaler.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1RuntimeClass.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ValidatingWebhookConfigurationList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1CustomResourceSubresourceScale.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1StatusDetails.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1EnvVar.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1CustomResourceDefinitionSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1beta1FlowSchema.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/ApiextensionsV1ServiceReference.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/EventsV1EventSeries.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1TokenReviewStatus.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1QuobyteVolumeSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1DaemonSetCondition.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1HTTPGetAction.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1NetworkPolicy.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1Probe.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1TokenRequestSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/AuthorizationApi.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2beta2HorizontalPodAutoscaler.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1EnvVarSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/AdmissionregistrationApi.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2beta2ObjectMetricSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1NFSVolumeSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1JobTemplateSpec.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ForZone.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/auth/Authentication.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/VersionInfo.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1DaemonSetSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/AutoscalingV1Api.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/ApiClientCallback.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1CSIDriver.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-

jar/io/kubernetes/client/openapi/models/V1StorageClassList.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1Eviction.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1MutatingWebhook.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1SecretReference.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V2beta2MetricTarget.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1NodeSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1Scheduling.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/EventsV1Event.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1CronJob.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1beta1FlowSchemaSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1PersistentVolume.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1HTTPIngressRuleValue.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V2CrossVersionObjectReference.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1EndpointSlice.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1Endpoint.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ManagedFieldsEntry.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1EmptyDirVolumeSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1PortStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1VolumeDevice.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ScopedResourceSelectorRequirement.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1CSIVolumeSource.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1SecretList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-

jar/io/kubernetes/client/openapi/models/V1ScaleIOPersistentVolumeSource.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1PreferredSchedulingTerm.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V2beta2MetricValueStatus.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1beta2PriorityLevelConfiguration.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1beta2GroupSubject.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/ProgressRequestBody.java  
 \*  
 /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/apis/WellKnownApi.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/auth/ApiKeyAuth.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1TopologySelectorTerm.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/apis/CustomObjectsApi.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/CoreV1Event.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1ClusterRole.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1HostAlias.java  
 \*  
 /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1SecretEnvSource.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1Namespace.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1ComponentStatusList.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1HorizontalPodAutoscalerList.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1beta2LimitedPriorityLevelConfiguration.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/apis/ApiextensionsV1Api.java  
 \*  
 /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1GlusterfsVolumeSource.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1APIGroup.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1ReplicaSetCondition.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1AzureDiskVolumeSource.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta2QueuingConfiguration.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1EndpointHints.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1NonResourceRule.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1NetworkPolicyList.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PodDisruptionBudgetStatus.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PortworxVolumeSource.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ObjectMeta.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta2FlowSchemaList.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta2PriorityLevelConfigurationCondition.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2beta2ExternalMetricStatus.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1IngressClass.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1RoleRef.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/SchedulingApi.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1HorizontalPodAutoscalerSpec.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ReplicationControllerList.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ExternalDocumentation.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/AutoscalingApi.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1CSIPersistentVolumeSource.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1CronJobStatus.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/OpenidApi.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1APIServiceStatus.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1DeploymentList.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-

jar/io/kubernetes/client/openapi/models/V1IngressServiceBackend.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1PersistentVolumeClaim.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1alpha1StorageVersionStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V2beta2HorizontalPodAutoscalerSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V2HPAScalingPolicy.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1HTTPHeader.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1PersistentVolumeClaimSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1VolumeError.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1Condition.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1Service.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1Status.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1JSONSchemaProps.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1PersistentVolumeClaimList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1beta1PriorityLevelConfigurationSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ServiceAccount.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ComponentCondition.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1PodStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ServiceAccountList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1beta2FlowSchemaStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1beta1ResourcePolicyRule.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1LocalSubjectAccessReview.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1WeightedPodAffinityTerm.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-

jar/io/kubernetes/client/openapi/models/V1beta1QueuingConfiguration.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/apis/InternalApiserverApi.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/apis/StorageApi.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1IngressClassParametersReference.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1SeccompProfile.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1ResourceQuotaList.java  
 \*  
 /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/EventsV1EventList.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1beta2PriorityLevelConfigurationList.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1ContainerStateTerminated.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1CinderPersistentVolumeSource.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1ResourceQuota.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1RoleBinding.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1SelfSubjectRulesReview.java  
 \*  
 /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/CoreV1EndpointPort.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1CSIDriverSpec.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V2HorizontalPodAutoscalerStatus.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V2ResourceMetricSource.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1Sysctl.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1ValidatingWebhook.java  
 \*  
 /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1TokenReview.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1RollingUpdateStatefulSetStrategy.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1beta2PriorityLevelConfigurationReference.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1BoundObjectReference.java



\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ConfigMapList.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta2NonResourcePolicyRule.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1StorageClass.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1NamespaceList.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1CSISStorageCapacity.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1SubjectAccessReviewStatus.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1VolumeAttachmentList.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1TypedLocalObjectReference.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1AzureFileVolumeSource.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1RoleList.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1IngressBackend.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1CSISStorageCapacityList.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PodAntiAffinity.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1alpha1StorageVersionCondition.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1CustomResourceColumnDefinition.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1UserInfo.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PodTemplateSpec.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/NodeV1Api.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1WatchEvent.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1Capabilities.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/CertificatesApi.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1IngressTLS.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-

jar/io/kubernetes/client/openapi/models/V1NodeConfigSource.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ScaleIOVolumeSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1alpha1ClusterCIDRSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1PodIP.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/apis/EventsApi.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1SecretKeySelector.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1beta1FlowSchemaStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/apis/StorageV1Api.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/ProgressResponseBody.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1DaemonSet.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1LimitRangeSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1CSINode.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1LabelSelector.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V2MetricIdentifier.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V2beta2ResourceMetricSource.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ScopeSelector.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1beta1CSISStorageCapacity.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ServicePort.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/apis/CoordinationApi.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1StatefulSetUpdateStrategy.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1beta2ResourcePolicyRule.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1LabelSelectorRequirement.java  
\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1VolumeAttachmentStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PodAffinity.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1SecretVolumeSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/AutoscalingV2beta2Api.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ContainerStateWaiting.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1OwnerReference.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/AppsApi.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PersistentVolumeSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PodCondition.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1StatefulSetList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ClusterRoleBindingList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1TopologySelectorLabelRequirement.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/FlowcontrolApiserverV1beta2Api.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1GCEPersistentDiskVolumeSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1LocalObjectReference.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1Scale.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ServiceList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/ServerVariable.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1SelfSubjectAccessReview.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1StatusCause.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2beta2ObjectMetricStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ContainerStateRunning.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-

jar/io/kubernetes/client/openapi/models/V1DaemonSetUpdateStrategy.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/apis/RbacAuthorizationApi.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1NodeSystemInfo.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/apis/AuthenticationApi.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1IPBlock.java  
 \*  
 /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/Configuration.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1Endpoints.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1Deployment.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1ContainerState.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1NodeSelectorTerm.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1SessionAffinityConfig.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V2beta2HorizontalPodAutoscalerCondition.java  
 \*  
 /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1alpha1StorageVersionList.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/ServerConfiguration.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/apis/InternalApiserverV1alpha1Api.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1Overhead.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1Toleration.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1CSIDriverList.java  
 \*  
 /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1FlexPersistentVolumeSource.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1NetworkPolicyPeer.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/apis/AuthenticationV1Api.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1CustomResourceDefinitionList.java  
 \* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
 jar/io/kubernetes/client/openapi/models/V1GlusterfsPersistentVolumeSource.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PodSecurityContext.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1CinderVolumeSource.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/ApiregistrationV1Api.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1TopologySpreadConstraint.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1EndpointAddress.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta1PriorityLevelConfigurationReference.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ConfigMapProjection.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1CustomResourceDefinitionCondition.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2MetricSpec.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PodDisruptionBudget.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1APIService.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1VolumeNodeResources.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1MutatingWebhookConfigurationList.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1LimitRangeList.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/PolicyApi.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/DiscoveryV1Api.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2beta2PodsMetricStatus.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta1PriorityLevelConfigurationCondition.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ScaleStatus.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/ApiClient.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ServiceStatus.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta1PriorityLevelConfigurationStatus.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta1FlowDistinguisherMethod.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1APIResourceList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1RollingUpdateDaemonSet.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/BatchV1Api.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ReplicaSetSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PodOS.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2beta2MetricSpec.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ValidatingWebhookConfiguration.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta1LimitResponse.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2beta2HorizontalPodAutoscalerList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta1Subject.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2beta2ContainerResourceMetricStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1JobList.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1CertificateSigningRequestCondition.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1NodeCondition.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1APIResource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ClusterRoleList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1DeploymentSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1PodTemplateList.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1SelfSubjectAccessReviewSpec.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1SubjectRulesReviewStatus.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/DiscoveryApi.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-

jar/io/kubernetes/client/openapi/models/V1LimitRangeItem.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V2PodsMetricSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1Lease.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1RBDVolumeSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1StorageOSVolumeSource.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1DownwardAPIVolumeSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ResourceAttributes.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1Ingress.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1LocalVolumeSource.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1TokenReviewSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ObjectFieldSelector.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1CSINodeList.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1ContainerImage.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/apis/NetworkingApi.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/apis/PolicyV1Api.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/AuthenticationV1TokenRequest.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1StatefulSet.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V2beta2HorizontalPodAutoscalerStatus.java  
\*  
/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1VolumeAttachmentSpec.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1alpha1ClusterCIDR.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/apis/NodeApi.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1CustomResourceDefinitionVersion.java  
\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-  
jar/io/kubernetes/client/openapi/models/V1CertificateSigningRequestStatus.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ControllerRevision.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1ProjectedVolumeSource.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1SecurityContext.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta1ServiceAccountSubject.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2beta2HPAScalingRules.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2HorizontalPodAutoscalerList.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/RbacAuthorizationV1Api.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1NodeDaemonEndpoints.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1CephFSVolumeSource.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/ApisApi.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2HorizontalPodAutoscalerBehavior.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2beta2PodsMetricSource.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2HorizontalPodAutoscalerCondition.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1GitRepoVolumeSource.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta2Subject.java

\*

/opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1SELinuxOptions.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1LimitRange.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1Subject.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V2beta2ResourceMetricStatus.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/V1beta2FlowDistinguisherMethod.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/models/CoreV1EventSeries.java

\* /opt/cola/permits/1627240813\_1680652285.1295514/0/client-java-api-18-0-0-sources-jar/io/kubernetes/client/openapi/apis/VersionApi.java

\*



```
/opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/openapi/models/V1Lifecycle.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/openapi/models/V1RoleBindingList.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/openapi/models/V1beta1PolicyRulesWithSubjects.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/openapi/models/V1ObjectReference.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/openapi/models/V1PodDNSConfig.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/openapi/apis/NetworkingV1alpha1Api.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/openapi/models/V1JobStatus.java
*
/opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/openapi/models/V1CustomResourceDefinitionNames.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/openapi/models/V1LeaseList.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/openapi/models/V1AzureFilePersistentVolumeSource.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/openapi/models/V1PersistentVolumeClaimTemplate.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

Copyright 2020 The Kubernetes Authors.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

**WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND**, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/custom/PodMetricsList.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/custom/QuantityFormatter.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/custom/PodMetrics.java
*
/opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/custom/SuffixFormatter.java
```

```
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/custom/IOTrio.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/custom/Quantity.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/custom/IntOrString.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/custom/V1Patch.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/custom/BaseExponent.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/custom/NodeMetrics.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/gson/V1StatusPreProcessor.java
*
/opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/common/KubernetesListObject.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/custom/QuantityFormatException.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/common/KubernetesObject.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/custom/NodeMetricsList.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/custom/ContainerMetrics.java
* /opt/cola/permits/1627240813_1680652285.1295514/0/client-java-api-18-0-0-sources-
jar/io/kubernetes/client/common/KubernetesType.java
```

## 1.134 client-java 18.0.0

### 1.134.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
```

Copyright 2022 The Kubernetes Authors.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

```
*/
```

Found in path(s):

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/informer/exception/ObjectTransformException.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/informer/TransformFunc.java  
No license file was found, but licenses were detected in source scan.

/\*

Copyright 2020 The Kubernetes Authors.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/labels/Labels.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/informer/ListenerWatcher.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/labels/SetMatcher.java

\*

/opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/apimachinery/NamespaceName.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/ProtoClient.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/informer/ResyncRunnable.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/informer/cache/Cache.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/exception/TypeMetaReflectException.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/Strings.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/Streams.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/FilePersister.java

\*

/opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/CSRUtills.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/apimachinery/GroupVersion.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/credentials/ClientCertificateAuthentication.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/Namespaces.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/annotations/Annotations.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/ModelMapper.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/generic/options/UpdateOptions.java

\*

/opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/monitoring/PrometheusInterceptor.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/CallGeneratorParams.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/apimachinery/KubernetesResource.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/informer/cache/Caches.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/ClientBuilder.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/Attach.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/exception/ObjectMetaReflectException.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/ConfigPersister.java

\*

/opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/informer/cache/Lister.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/informer/cache/DeltaFIFO.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/authenticators/AzureActiveDirectoryAuthenticator.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/exception/CSRNotApprovedException.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/apimachinery/GroupVersionResource.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/exception/CopyNotSupportedException.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/apimachinery/GroupVersionKind.java

\*

/opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/informer/cache/ReflectorRunnable.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/apimachinery/KubernetesVerb.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-

jar/io/kubernetes/client/util/taints/Taints.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/Discovery.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/util/labels/LabelSelector.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/util/ObjectAccessor.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/util/labels/LabelMatcher.java  
\*  
/opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/util/labels/EqualityMatcher.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/informer/ResourceEventHandler.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/apimachinery/KubernetesRequestDigest.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/monitoring/Monitoring.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/util/credentials/TokenFileAuthentication.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/informer/SharedInformer.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/KubernetesConstants.java  
\*  
/opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/util/generic/options/GetOptions.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/util/Watch.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/informer/SharedInformerFactory.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/util/authenticators/Authenticator.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/apimachinery/ParseKubernetesResourceException.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/util/SSLUtills.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/util/Watchable.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/informer/SharedIndexInformer.java  
\*  
/opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/util/ProxyContentTypeRequestBody.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/informer/impl/DefaultSharedIndexInformer.java  
\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
jar/io/kubernetes/client/util/authenticators/GCPAuthenticator.java

\* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/PodLogs.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/informer/cache/SharedProcessor.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/informer/cache/ProcessorListener.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/util/version/Version.java  
 \*  
 /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/informer/exception/BadNotificationException.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/util/credentials/KubeconfigAuthentication.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/util/generic/options/CreateOptions.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/PortForward.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/informer/EventType.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/Copy.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/informer/cache/Controller.java  
 \*  
 /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/util/KubeConfig.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/util/generic/GenericKubernetesApi.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/informer/cache/Indexer.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/util/CallGenerator.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/util/Yaml.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/util/credentials/UsernamePasswordAuthentication.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/util/generic/KubernetesApiResponse.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/Exec.java  
 \*  
 /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/util/TypeAccessor.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/Metrics.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-  
 jar/io/kubernetes/client/util/generic/options/ListOptions.java  
 \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-

```
jar/io/kubernetes/client/util/Config.java
* /opt/cola/permits/1627240891_1681885684.1232157/0/client-java-18-0-0-sources-
jar/io/kubernetes/client/util/authenticators/OpenIDConnectAuthenticator.java
* /opt/cola/permits/1627240891_1681885684.1232157/0/client-java-18-0-0-sources-
jar/io/kubernetes/client/util/credentials/Authentication.java
* /opt/cola/permits/1627240891_1681885684.1232157/0/client-java-18-0-0-sources-
jar/io/kubernetes/client/util/wait/Wait.java
* /opt/cola/permits/1627240891_1681885684.1232157/0/client-java-18-0-0-sources-
jar/io/kubernetes/client/util/WebSocketStreamHandler.java
*
/opt/cola/permits/1627240891_1681885684.1232157/0/client-java-18-0-0-sources-
jar/io/kubernetes/client/util/generic/options/PatchOptions.java
* /opt/cola/permits/1627240891_1681885684.1232157/0/client-java-18-0-0-sources-
jar/io/kubernetes/client/util/PatchUtils.java
* /opt/cola/permits/1627240891_1681885684.1232157/0/client-java-18-0-0-sources-
jar/io/kubernetes/client/TreeNode.java
* /opt/cola/permits/1627240891_1681885684.1232157/0/client-java-18-0-0-sources-
jar/io/kubernetes/client/informer/cache/Store.java
* /opt/cola/permits/1627240891_1681885684.1232157/0/client-java-18-0-0-sources-
jar/io/kubernetes/client/util/WebSockets.java
* /opt/cola/permits/1627240891_1681885684.1232157/0/client-java-18-0-0-sources-
jar/io/kubernetes/client/util/ListAccessor.java
* /opt/cola/permits/1627240891_1681885684.1232157/0/client-java-18-0-0-sources-
jar/io/kubernetes/client/util/exception/CSRSigningException.java
*
/opt/cola/permits/1627240891_1681885684.1232157/0/client-java-18-0-0-sources-
jar/io/kubernetes/client/util/generic/options/DeleteOptions.java
* /opt/cola/permits/1627240891_1681885684.1232157/0/client-java-18-0-0-sources-
jar/io/kubernetes/client/util/conversion/Jobs.java
* /opt/cola/permits/1627240891_1681885684.1232157/0/client-java-18-0-0-sources-
jar/io/kubernetes/client/util/credentials/AccessTokenAuthentication.java
* /opt/cola/permits/1627240891_1681885684.1232157/0/client-java-18-0-0-sources-
jar/io/kubernetes/client/util/Threads.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

Copyright 2021 The Kubernetes Authors.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

```
*/
```

Found in path(s):

- \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/ApiInvocation.java
- \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/generic/dynamic/Dynamics.java
- \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/okhttp/HTTP2ConsoleHandler.java
- \*
- /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/credentials/DummyAuthentication.java
- \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/Preconditions.java
- \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/generic/dynamic/DynamicKubernetesListObject.java
- \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/okhttp/HTTP2Logging.java
- \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/generic/dynamic/DynamicKubernetesObject.java
- \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/generic/dynamic/DynamicKubernetesTypeAdaptorFactory.java
- \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/generic/dynamic/DynamicKubernetesApi.java
- \*
- /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/informer/exception/WatchExpiredException.java
- \* /opt/cola/permits/1627240891\_1681885684.1232157/0/client-java-18-0-0-sources-jar/io/kubernetes/client/util/RetryUtils.java

## 1.135 bucket4j-core 7.6.0

### 1.135.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0></url>

Found in path(s):

- \* /opt/cola/permits/1638858143\_1681939858.809047/0/bucket4j-core-7-6-0-jar/META-INF/maven/com.github.vladimir-bukhtoyarov/bucket4j-core/pom.xml

## 1.136 client-java-api-fluent 18.0.0

### 1.136.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>



## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.137 client-java-extended 18.0.0

### 1.137.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

Copyright 2021 The Kubernetes Authors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/kubectl/KubectlRollout.java

\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/kubectl/History.java

\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/kubectl/util/deployment/DeploymentHelper.java

\*

/opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/kubectl/PatchHelper.java

No license file was found, but licenses were detected in source scan.

/\*

Copyright 2020 The Kubernetes Authors.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/leaderelection/LeaderElectionRecord.java

\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/event/legacy/EventSink.java

\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/workqueue/ratelimiter/ItemFastSlowRateLimiter.java

\*

/opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/network/exception/NoAvailableAddressException.java

\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/kubectl/Kubectl.java

\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/controller/DefaultController.java

\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/event/legacy/LegacyEventBroadcaster.java

\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/leaderelection/LeaderElectionConfig.java

\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/workqueue/ratelimiter/BucketRateLimiter.java

\*

/opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/kubectl/KubectlScale.java

\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/workqueue/ratelimiter/MaxOfRateLimiter.java

\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/controller/builder/ControllerManagerBuilder.java

\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/controller/LeaderElectingController.java

\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/event/v1/EventSink.java

\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/kubectl/KubectlDrain.java

\*

/opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/pager/Pager.java

\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-

jar/io/kubernetes/client/extended/workqueue/ratelimiter/ItemExponentialFailureRateLimiter.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/kubectl/KubectlReplace.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/controller/builder/ControllerWatchBuilder.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/event/legacy/EventLogger.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/leaderelection/resourceLock/LeaseLock.java  
 \*  
 /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/leaderelection/resourceLock/EndpointsLock.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/controller/DefaultControllerWatch.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/controller/reconciler/Result.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/network/RoundRobinLoadBalanceStrategy.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/kubectl/KubectlCopy.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/controller/builder/ControllerBuilder.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/event/legacy/EventSpamFilter.java  
 \*  
 /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/kubectl/KubectlDelete.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/kubectl/KubectlGet.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/controller/Controllers.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/controller/reconciler/Request.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/kubectl/KubectlAnnotate.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/kubectl/KubectlPatch.java  
 \*  
 /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/kubectl/KubectlTaint.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/event/legacy/EventAggregator.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/network/LoadBalancer.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/controller/reconciler/Reconciler.java  
 \* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-  
 jar/io/kubernetes/client/extended/wait/Wait.java

\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/event/legacy/ObjectReferenceResolvingEventRecorder.java  
\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/kubectl/KubectlCreate.java  
\*  
/opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/workqueue/DefaultWorkQueue.java  
\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/controller/ControllerManager.java  
\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/workqueue/WorkQueue.java  
\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/kubectl/KubectlApiResources.java  
\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/controller/ControllerWatch.java  
\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/workqueue/DefaultRateLimitingQueue.java  
\*  
/opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/kubectl/KubectlExec.java  
\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/leaderelection/Lock.java  
\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/event/legacy/EventRecorder.java  
\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/controller/builder/Constants.java  
\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/kubectl/KubectlLabel.java  
\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/leaderelection/LeaderElector.java  
\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/workqueue/DefaultDelayingQueue.java  
\*  
/opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/workqueue/ratelimiter/RateLimiter.java  
\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/kubectl/KubectlVersion.java  
\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/leaderelection/resourcelock/ConfigMapLock.java  
\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/kubectl/KubectlCordon.java  
\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/kubectl/KubectlTop.java  
\* /opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/network/LoadBalanceStrategy.java  
\*  
/opt/cola/permits/1638858954\_1681454838.6563077/0/client-java-extended-18-0-0-sources-jar/io/kubernetes/client/extended/workqueue/RateLimitingQueue.java



```

* /opt/cola/permits/1638858954_1681454838.6563077/0/client-java-extended-18-0-0-sources-
jar/io/kubernetes/client/extended/network/EndpointsLoadBalancer.java
* /opt/cola/permits/1638858954_1681454838.6563077/0/client-java-extended-18-0-0-sources-
jar/io/kubernetes/client/extended/event/legacy/EventCorrelator.java
* /opt/cola/permits/1638858954_1681454838.6563077/0/client-java-extended-18-0-0-sources-
jar/io/kubernetes/client/extended/workqueue/DelayingQueue.java
* /opt/cola/permits/1638858954_1681454838.6563077/0/client-java-extended-18-0-0-sources-
jar/io/kubernetes/client/extended/workqueue/ratelimiter/DefaultControllerRateLimiter.java
* /opt/cola/permits/1638858954_1681454838.6563077/0/client-java-extended-18-0-0-sources-
jar/io/kubernetes/client/extended/kubectl/exception/KubectlException.java
* /opt/cola/permits/1638858954_1681454838.6563077/0/client-java-extended-18-0-0-sources-
jar/io/kubernetes/client/extended/event/legacy/EventUtils.java
*
/opt/cola/permits/1638858954_1681454838.6563077/0/client-java-extended-18-0-0-sources-
jar/io/kubernetes/client/extended/controller/builder/DefaultControllerBuilder.java
* /opt/cola/permits/1638858954_1681454838.6563077/0/client-java-extended-18-0-0-sources-
jar/io/kubernetes/client/extended/kubectl/KubectlApply.java
* /opt/cola/permits/1638858954_1681454838.6563077/0/client-java-extended-18-0-0-sources-
jar/io/kubernetes/client/extended/kubectl/KubectlPortForward.java
* /opt/cola/permits/1638858954_1681454838.6563077/0/client-java-extended-18-0-0-sources-
jar/io/kubernetes/client/extended/event/EventType.java
* /opt/cola/permits/1638858954_1681454838.6563077/0/client-java-extended-18-0-0-sources-
jar/io/kubernetes/client/extended/event/legacy/EventBroadcaster.java
* /opt/cola/permits/1638858954_1681454838.6563077/0/client-java-extended-18-0-0-sources-
jar/io/kubernetes/client/extended/kubectl/KubectlLog.java
*
/opt/cola/permits/1638858954_1681454838.6563077/0/client-java-extended-18-0-0-sources-
jar/io/kubernetes/client/extended/controller/Controller.java

```

## 1.138 jackson-module-guice 2.14.2

### 1.138.1 Available under license :

```
# Jackson JSON processor
```

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

```
## Licensing
```

Jackson core and extension components may licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-guice` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.139 zstd 1.4.9

## 1.139.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program).

Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the

entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as

distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE,  
THERE IS NO WARRANTY  
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN  
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES  
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED  
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF  
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS  
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE  
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,  
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING  
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR  
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,  
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING  
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED  
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY  
YOU OR  
THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER  
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE  
POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest  
possible use to the public, the best way to achieve this is to make it  
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest  
to attach them to the start of each source file to most effectively  
convey the exclusion of warranty; and each file should have at least  
the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify  
it under the terms of the GNU

General Public License as published by

the Free Software Foundation; either version 2 of the License, or  
(at your option) any later version.

This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.



You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.  
BSD License

For Zstandard software

Copyright (c) 2016-present, Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name Facebook nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.140 cloudevents-core 2.4.2

### 1.140.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018-Present The CloudEvents Authors

\* <p>

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\* <p>

\* <http://www.apache.org/licenses/LICENSE-2.0>

\* <p>

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\*/

Found in path(s):

\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-jar/io/cloudevents/core/extensions/DaterefExtension.java

\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-

jar/io/cloudevents/core/impl/CloudEventContextReaderAdapter.java  
\*  
/opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/v03/CloudEventBuilder.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/impl/StringUtils.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/message/MessageReader.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/message/impl/BaseStructuredMessageReader.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/format/EventFormat.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/message/StructuredMessageReader.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/extensions/DistributedTracingExtension.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/v03/V1ToV03AttributesConverter.java  
\*  
/opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/message/StructuredMessageWriter.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/CloudEventUtils.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/message/impl/MessageUtils.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/v1/CloudEventV1.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/v03/CloudEventV03.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/message/impl/BaseGenericBinaryMessageReaderImpl.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/impl/CloudEventReaderAdapter.java  
\*  
/opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/message/Encoding.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/impl/BaseCloudEvent.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/format/EventDeserializationException.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/provider/ExtensionProvider.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/v1/CloudEventBuilder.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/message/MessageWriter.java  
\* /opt/cola/permits/1652354871\_1682361850.2061343/0/cloudevents-core-2-4-2-sources-  
jar/io/cloudevents/core/message/impl/BaseBinaryMessageReader.java

```
*
/opt/cola/permits/1652354871_1682361850.2061343/0/cloudevents-core-2-4-2-sources-
jar/io/cloudevents/core/builder/CloudEventBuilder.java
* /opt/cola/permits/1652354871_1682361850.2061343/0/cloudevents-core-2-4-2-sources-
jar/io/cloudevents/core/provider/EventFormatProvider.java
* /opt/cola/permits/1652354871_1682361850.2061343/0/cloudevents-core-2-4-2-sources-
jar/io/cloudevents/core/format/EventSerializationException.java
* /opt/cola/permits/1652354871_1682361850.2061343/0/cloudevents-core-2-4-2-sources-
jar/io/cloudevents/core/impl/BaseCloudEventBuilder.java
* /opt/cola/permits/1652354871_1682361850.2061343/0/cloudevents-core-2-4-2-sources-
jar/io/cloudevents/core/v1/V03ToV1AttributesConverter.java
* /opt/cola/permits/1652354871_1682361850.2061343/0/cloudevents-core-2-4-2-sources-
jar/io/cloudevents/core/extensions/impl/ExtensionUtils.java
* /opt/cola/permits/1652354871_1682361850.2061343/0/cloudevents-core-2-4-2-sources-
jar/io/cloudevents/core/message/impl/GenericStructuredMessageReader.java
No license file was found, but licenses were detected in source scan.
```

```
<!--
~ Copyright 2018-Present The CloudEvents Authors
~ <p>
~ Licensed under the Apache License, Version 2.0 (the "License");
~ you may not use this file except in compliance with the License.
~ You may obtain a copy of the License at
~ <p>
~ http://www.apache.org/licenses/LICENSE-2.0
~ <p>
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS,
~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
~ See the License for the specific language governing permissions and
~ limitations under the License.
~
-->
```

```
Found in path(s):
* /opt/cola/permits/1652354871_1682361850.2061343/0/cloudevents-core-2-4-2-sources-jar/META-
INF/maven/io.cloudevents/cloudevents-core/pom.xml
```

## 1.141 cloudevents-json-jackson 2.4.2

### 1.141.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2018-Present The CloudEvents Authors
~ <p>
~ Licensed under the Apache License, Version 2.0 (the "License");
```

~ you may not use this file except in compliance with the License.  
~ You may obtain a copy of the License at  
~ <p>  
~ <http://www.apache.org/licenses/LICENSE-2.0>  
~ <p>  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS,  
~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
~ See the License for the specific language governing permissions and  
~ limitations under the License.  
~  
-->

Found in path(s):

\* /opt/cola/permits/1652354810\_1682361837.3996675/0/cloudevents-json-jackson-2-4-2-sources-jar/META-INF/maven/io.cloudevents/cloudevents-json-jackson/pom.xml  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2018-Present The CloudEvents Authors  
* <p>  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
* <p>  
* http://www.apache.org/licenses/LICENSE-2.0  
* <p>  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*  
*/
```

Found in path(s):

\* /opt/cola/permits/1652354810\_1682361837.3996675/0/cloudevents-json-jackson-2-4-2-sources-jar/io/cloudevents/jackson/JsonCloudEventData.java  
\* /opt/cola/permits/1652354810\_1682361837.3996675/0/cloudevents-json-jackson-2-4-2-sources-jar/io/cloudevents/jackson/CloudEventSerializer.java  
\*  
/opt/cola/permits/1652354810\_1682361837.3996675/0/cloudevents-json-jackson-2-4-2-sources-jar/io/cloudevents/jackson/JsonFormat.java  
\* /opt/cola/permits/1652354810\_1682361837.3996675/0/cloudevents-json-jackson-2-4-2-sources-jar/io/cloudevents/jackson/JsonFormatOptions.java  
\* /opt/cola/permits/1652354810\_1682361837.3996675/0/cloudevents-json-jackson-2-4-2-sources-jar/io/cloudevents/jackson/CloudEventDeserializer.java

# 1.142 cloudevents-api 2.4.2

## 1.142.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2018-Present The CloudEvents Authors
~ <p>
~ Licensed under the Apache License, Version 2.0 (the "License");
~ you may not use this file except in compliance with the License.
~ You may obtain a copy of the License at
~ <p>
~ http://www.apache.org/licenses/LICENSE-2.0
~ <p>
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS,
~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
~ See the License for the specific language governing permissions and
~ limitations under the License.
~
-->
```

Found in path(s):

```
* /opt/cola/permits/1652354701_1682361811.5734987/0/cloudevents-api-2-4-2-jar/META-INF/maven/io.cloudevents/cloudevents-api/pom.xml
```

# 1.143 cloudevents-kafka 2.4.2

## 1.143.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2018-Present The CloudEvents Authors
* <p>
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <p>
* http://www.apache.org/licenses/LICENSE-2.0
* <p>
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

\*  
\*/

Found in path(s):

\* /opt/cola/permits/1652354748\_1682361804.7636983/0/cloudevents-kafka-2-4-2-sources-jar/io/cloudevents/kafka/impl/KafkaBinaryMessageReaderImpl.java

\* /opt/cola/permits/1652354748\_1682361804.7636983/0/cloudevents-kafka-2-4-2-sources-jar/io/cloudevents/kafka/CloudEventMessageSerializer.java

\*

/opt/cola/permits/1652354748\_1682361804.7636983/0/cloudevents-kafka-2-4-2-sources-jar/io/cloudevents/kafka/impl/KafkaProducerMessageWriterImpl.java

\* /opt/cola/permits/1652354748\_1682361804.7636983/0/cloudevents-kafka-2-4-2-sources-jar/io/cloudevents/kafka/KafkaMessageFactory.java

\* /opt/cola/permits/1652354748\_1682361804.7636983/0/cloudevents-kafka-2-4-2-sources-jar/io/cloudevents/kafka/CloudEventDeserializer.java

\* /opt/cola/permits/1652354748\_1682361804.7636983/0/cloudevents-kafka-2-4-2-sources-jar/io/cloudevents/kafka/impl/BaseKafkaMessageWriterImpl.java

\* /opt/cola/permits/1652354748\_1682361804.7636983/0/cloudevents-kafka-2-4-2-sources-jar/io/cloudevents/kafka/CloudEventMessageDeserializer.java

\* /opt/cola/permits/1652354748\_1682361804.7636983/0/cloudevents-kafka-2-4-2-sources-jar/io/cloudevents/kafka/impl/KafkaSerializerMessageWriterImpl.java

\* /opt/cola/permits/1652354748\_1682361804.7636983/0/cloudevents-kafka-2-4-2-sources-jar/io/cloudevents/kafka/impl/KafkaHeaders.java

\*

/opt/cola/permits/1652354748\_1682361804.7636983/0/cloudevents-kafka-2-4-2-sources-jar/io/cloudevents/kafka/CloudEventSerializer.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2018-Present The CloudEvents Authors

~ <p>

~ Licensed under the Apache License, Version 2.0 (the "License");

~ you may not use this file except in compliance with the License.

~ You may obtain a copy of the License at

~ <p>

~ <http://www.apache.org/licenses/LICENSE-2.0>

~ <p>

~ Unless required by applicable law or agreed to in writing, software

~ distributed under the License is distributed on an "AS IS" BASIS,

~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

~ See the License for the specific language governing permissions and

~ limitations under the License.

~

-->

Found in path(s):

\* /opt/cola/permits/1652354748\_1682361804.7636983/0/cloudevents-kafka-2-4-2-sources-jar/META-INF/maven/io.cloudevents/cloudevents-kafka/pom.xml

# 1.144 jsr305 3.0.2

## 1.144.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2005 Brian Goetz  
* Released under the Creative Commons Attribution License  
* (http://creativecommons.org/licenses/by/2.5)  
* Official home: http://www.jcip.net  
*/
```

Found in path(s):

```
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/ThreadSafe.java  
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/NotThreadSafe.java  
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/Immutable.java  
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/GuardedBy.java
```

# 1.145 micronaut-jackson-core 3.9.0

## 1.145.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2017-2020 original authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1668044414_1683573108.7781656/0/micronaut-jackson-core-3-9-0-sources-
```



```
jar/io/micronaut/jackson/core/env/CloudFoundryVcapServicesPropertySourceLoader.java
* /opt/cola/permits/1668044414_1683573108.7781656/0/micronaut-jackson-core-3-9-0-sources-
jar/io/micronaut/jackson/core/env/JsonPropertySourceLoader.java
*
/opt/cola/permits/1668044414_1683573108.7781656/0/micronaut-jackson-core-3-9-0-sources-
jar/io/micronaut/jackson/core/env/package-info.java
* /opt/cola/permits/1668044414_1683573108.7781656/0/micronaut-jackson-core-3-9-0-sources-
jar/io/micronaut/jackson/core/env/CloudFoundryVcapApplicationPropertySourceLoader.java
* /opt/cola/permits/1668044414_1683573108.7781656/0/micronaut-jackson-core-3-9-0-sources-
jar/io/micronaut/jackson/core/parser/JacksonCoreProcessor.java
* /opt/cola/permits/1668044414_1683573108.7781656/0/micronaut-jackson-core-3-9-0-sources-
jar/io/micronaut/jackson/core/env/EnvJsonPropertySourceLoader.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
Found in path(s):
* /opt/cola/permits/1668044414_1683573108.7781656/0/micronaut-jackson-core-3-9-0-sources-
jar/io/micronaut/jackson/core/tree/TreeGenerator.java
* /opt/cola/permits/1668044414_1683573108.7781656/0/micronaut-jackson-core-3-9-0-sources-
jar/io/micronaut/jackson/core/tree/JsonNodeTreeCodec.java
* /opt/cola/permits/1668044414_1683573108.7781656/0/micronaut-jackson-core-3-9-0-sources-
jar/io/micronaut/jackson/core/tree/JsonStreamTransfer.java
*
/opt/cola/permits/1668044414_1683573108.7781656/0/micronaut-jackson-core-3-9-0-sources-
jar/io/micronaut/jackson/core/tree/JsonNodeTraversingParser.java
No license file was found, but licenses were detected in source scan.
```

```
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
# distributed under the License is distributed on an "AS IS" BASIS,
```

```
Found in path(s):
```

\* /opt/cola/permits/1668044414\_1683573108.7781656/0/micronaut-jackson-core-3-9-0-sources-jar/META-INF/native-image/io.micronaut/micronaut-jackson-core/native-image.properties

# 1.146 micronaut-http-server-netty 3.9.0

## 1.146.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2020 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/binders/InputStreamBodyBinder.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/AbstractHttpMessageLogElement.java

\*  
/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestLineElement.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/binders/NettyBinderRegistrar.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/multipart/NettyPartData.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/types/NettyCustomizableResponseType.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RemoteIpElementBuilder.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LogElement.java

\*  
/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/AbstractHttpContentProcessor.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/HeaderElement.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/types/files/FileTypeHandlerConfiguration.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestProtocolElementBuilder.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/multipart/MultipartBodyArgumentBinder.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RemoteHostElement.java

\*

/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/BytesSentElementBuilder.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/HttpContentProcessorResolver.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/NettyHttpResponseFactory.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/DateTimeElement.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LogElementBuilder.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/jackson/JsonContentProcessor.java

\*

/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/NettyRequestArgumentSatisfier.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LocalHostElement.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/DefaultHttpContentProcessor.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestUriElementBuilder.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/ssl/package-info.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/MicronautHttpPostMultipartRequestDecoder.java

\*

/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/ElapseTimeElementBuilder.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/ResponseCodeElementBuilder.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/CookieElementBuilder.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/binders/CompletableFutureBodyBinder.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/types/NettyCustomizableResponseTypeHandler.java

\*

/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/ElapseTimeElement.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/binders/PublisherBodyBinder.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/multipart/NettyFileUploadInputStream.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LocalPortElement.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/FormDataHttpContentSubscriberFactory.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestProtocolElement.java  
\*  
/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LocalPortElementBuilder.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/RoutingInBoundHandler.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/ConstantElement.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestUriElement.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestMethodElementBuilder.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestLineElementBuilder.java  
\*  
/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/decoders/package-info.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/ChannelOutboundHandlerFactory.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/CookiesElement.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/jackson/JsonViewMediaTypeCodecFactory.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/ResponseCodeElement.java  
\*  
/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/encoders/HttpResponseEncoder.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/jackson/JsonViewServerFilter.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/BytesSentElement.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/multipart/NettyCompletedFileUpload.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/package-info.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/multipart/package-info.java  
\*

/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/HttpCompressionStrategy.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestMethodElement.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/CookieElement.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/types/NettyFileCustomizableResponseType.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/ssl/HttpRequestCertificateHandler.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/types/DefaultCustomizableResponseTypeHandlerRegistry.java  
\*  
/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LocalIpElementBuilder.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/DefaultHttpCompressionStrategy.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/configuration/package-info.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/types/files/package-info.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LocalIpElement.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/DelegateHttpResponse.java  
\*  
/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/DelegateHttpMessage.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/HeadersElement.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/websocket/NettyServerWebSocketHandler.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/async/ContextCompletionAwareSubscriber.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/package-info.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/async/package-info.java  
\*  
/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/HttpContentProcessor.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/DelegateStreamedHttpResponse.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LocalHostElementBuilder.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/DefaultHttpContentProcessorResolver.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-

jar/io/micronaut/http/server/netty/converters/package-info.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/HeaderElementBuilder.java  
\*  
/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/ssl/ServerSslBuilder.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/AccessLogFormatParser.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/types/NettyCustomizableResponseTypeHandlerRegistry.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/SmartHttpContentCompressor.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/websocket/NettyServerWebSocketUpgradeHandler.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/HttpDataReference.java  
\*  
/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/AbstractBufferingHttpContentProcessor.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/websocket/package-info.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/types/package-info.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/binders/package-info.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/NettyHttpRequest.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/multipart/NettyStreamingFileUpload.java  
\*  
/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/jackson/JsonViewCodecResolver.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/HttpContentSubscriberFactory.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/encoders/package-info.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RemoteIpElement.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/converters/NettyConverters.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/ByteBufDelegate.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/DateTimeElementBuilder.java  
\*  
/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/NettyEmbeddedServerInstance.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-

jar/io/micronaut/http/server/netty/FormDataHttpContentProcessor.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-  
jar/io/micronaut/http/server/netty/types/files/FileTypeHandler.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-  
jar/io/micronaut/http/server/netty/multipart/NettyCompletedAttribute.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-  
jar/io/micronaut/http/server/netty/types/files/NettySystemFileCustomizableResponseType.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-  
jar/io/micronaut/http/server/netty/jackson/JsonHttpContentSubscriberFactory.java  
\*  
/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-  
jar/io/micronaut/http/server/netty/types/files/NettyStreamedFileCustomizableResponseType.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-  
jar/io/micronaut/http/server/netty/decoders/HttpRequestDecoder.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-  
jar/io/micronaut/http/server/netty/jackson/package-info.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-  
jar/io/micronaut/http/server/netty/handler/accesslog/element/RemoteHostElementBuilder.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-  
jar/io/micronaut/http/server/netty/IdentityWrapper.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-  
jar/io/micronaut/http/server/netty/NettyEmbeddedServerFactory.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-  
jar/io/micronaut/http/server/netty/ServerAttributeKeys.java

\*

/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-  
jar/io/micronaut/http/server/netty/types/stream/NettyStreamedCustomizableResponseType.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-  
jar/io/micronaut/http/server/netty/handler/accesslog/element/NotImplementedElementBuilder.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/DelegateNettyEmbeddedServices.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/StreamTypeHandler.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/DefaultNettyEmbeddedServerFactory.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/NettyEmbeddedServices.java  
\*  
/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/NettyEmbeddedServer.java  
\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/HttpToHttpsRedirectHandler.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2022 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/HttpPipelineBuilder.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/converters/NettyConvertersSpi.java

\*

/opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/ssl/BuildSelfSignedCondition.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/AccessLog.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/ssl/CertificateProvidedSslBuilder.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/CompositeNettyServerCustomizer.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-jar/io/micronaut/http/server/netty/ssl/SelfSignedSslBuilder.java

\* /opt/cola/permits/1668044703\_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-



```
jar/io/micronaut/http/server/netty/NettyHttpServer.java
* /opt/cola/permits/1668044703_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-
jar/io/micronaut/http/server/netty/NettyServerCustomizer.java
*
/opt/cola/permits/1668044703_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-
jar/io/micronaut/http/server/netty/ssl/SslEnabledCondition.java
* /opt/cola/permits/1668044703_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-
jar/io/micronaut/http/server/netty/configuration/NettyHttpServerConfiguration.java
* /opt/cola/permits/1668044703_1683573272.0863874/0/micronaut-http-server-netty-3-9-0-sources-
jar/io/micronaut/http/server/netty/handler/accesslog/HttpAccessLogHandler.java
```

## 1.147 micronaut-context 3.9.0

### 1.147.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1668044500_1683573443.771979/0/micronaut-context-3-9-0-sources-
jar/io/micronaut/runtime/context/scope/refresh/RefreshEventListener.java
* /opt/cola/permits/1668044500_1683573443.771979/0/micronaut-context-3-9-0-sources-
jar/io/micronaut/runtime/converters/reactive/ReactiveTypeConverterRegistrar.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2022 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
```

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/server/watch/event/FileWatchRestartListener.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2012- Frode Carlsen.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*MapClaims.java  
\* Note: rewritten to standard Java 8 DateTime by zemiak (c) 2016  
\* Forked from: <https://github.com/frode-carlsen/cron>  
\*/

Found in path(s):

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/cron/CronExpression.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017-2020 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/io/watch/event/FileChangedEvent.java
- \* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/runtime/exceptions/package-info.java
- \* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/runtime/context/scope/ScopedProxy.java
- \*
- /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/runtime/event/annotation/package-info.java
- \* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/executor/DefaultThreadFactory.java
- \* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/runtime/ApplicationConfiguration.java
- \* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/runtime/context/scope/refresh/RefreshInterceptor.java
- \* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/executor/ScheduledExecutorServiceConfig.java
- \* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/instrument/ReactiveInvocationInstrumenterFactory.java
- \*
- /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/executor/package-info.java
- \* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/io/watch/FileWatchConfiguration.java
- \* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/runtime/converters/time/package-info.java
- \* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/executor/ExecutorSelector.java
- \* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/async/package-info.java
- \* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/runtime/package-info.java
- \* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/io/watch/event/package-info.java
- \* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/runtime/context/scope/package-info.java
- \*
- /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/annotation/package-info.java
- \* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/runtime/server/event/package-info.java
- \* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-

jar/io/micronaut/scheduling/io/watch/DefaultWatchThread.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/context/scope/refresh/RefreshEvent.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/event/ApplicationStartupEvent.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/executor/UserExecutorConfiguration.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/context/env/ConfigurationAdvice.java  
\*  
/opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/event/AbstractEmbeddedApplicationEvent.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/instrument/InvocationInstrumenterWrappedCallable.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/context/scope/Refreshable.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/context/scope/refresh/RefreshScope.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/exceptions/package-info.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/TaskScheduler.java  
\*  
/opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/annotation/ExecuteOn.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/instrument/InstrumentedScheduledExecutorService.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/package-info.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/converters/reactive/package-info.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/instrument/InstrumentedExecutor.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/io/watch/event/WatchEventType.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/event/ApplicationShutdownEvent.java  
\*  
/opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/executor/IOExecutorServiceConfig.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/cron/package-info.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/context/CompositeMessageSource.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/ReschedulingTask.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/event/package-info.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/instrument/InvocationInstrumenter.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/instrument/InvocationInstrumenterFactory.java

\*

/opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/DefaultTaskExceptionHandler.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/executor/ThreadSelection.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/executor/DefaultExecutorSelector.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/ScheduledExecutorTaskScheduler.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/runtime/server/event/ServerStartupEvent.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/instrument/InvocationInstrumenterWrappedRunnable.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/TaskExecutors.java

\*

/opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/processor/package-info.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/instrument/MultipleInvocationInstrumenter.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/instrument/ExecutorServiceInstrumenter.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/executor/ExecutorType.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/executor/ExecutorConfiguration.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/io/watch/WatchServiceFactory.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/async/AsyncInterceptor.java

\*

/opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/runtime/context/scope/refresh/package-info.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/io/watch/FileWatchCondition.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/annotation/Schedules.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/scheduling/TaskExceptionHandler.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/runtime/context/env/ConfigurationIntroductionAdvice.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-jar/io/micronaut/runtime/exceptions/ApplicationStartupException.java

\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-

jar/io/micronaut/runtime/context/env/package-info.java  
\*  
/opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/server/package-info.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/EmbeddedApplication.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/context/scope/ThreadLocalCustomScope.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/annotation/Async.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/instrument/NoopInstrumentation.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/processor/ScheduledMethodProcessor.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/instrument/RunnableInstrumenter.java  
\*  
/opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/instrument/InstrumentedExecutorService.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/executor/NamedThreadFactory.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/instrument/Instrumentation.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/Micronaut.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/server/event/ServerShutdownEvent.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/event/annotation/EventListener.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/exceptions/TaskExecutionException.java  
\*  
/opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/annotation/Scheduled.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/exceptions/SchedulerConfigurationException.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/converters/time/TimeConverterRegistrar.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/io/watch/package-info.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/context/scope/ThreadLocal.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/NextFireTime.java  
\* /opt/cola/permits/1668044500\_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/executor/ExecutorFactory.java  
\*

```
/opt/cola/permits/1668044500_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/scheduling/instrument/package-info.java  
* /opt/cola/permits/1668044500_1683573443.771979/0/micronaut-context-3-9-0-sources-  
jar/io/micronaut/runtime/server/EmbeddedServer.java
```

# 1.148 micronaut-jackson-databind 3.9.0

## 1.148.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2017-2022 original authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1668044775_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-  
jar/io/micronaut/jackson/JacksonDatabindFeature.java  
* /opt/cola/permits/1668044775_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-  
jar/io/micronaut/jackson/ResilientBeanDeserializerFactory.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2017-2020 original authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.
```

\*/

Found in path(s):

\* /opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/serialize/package-info.java

\* /opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/codecs/package-info.java

\* /opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/codecs/JsonStreamMediaTypeCodec.java

\*

/opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/serialize/ConvertibleValuesSerializer.java

\* /opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/codecs/JacksonFeatures.java

\* /opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/modules/package-info.java

\* /opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/annotation/JacksonFeatures.java

\* /opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/package-info.java

\* /opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/parser/JacksonProcessor.java

\*

/opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/serialize/ResourceDeserializerModifier.java

\* /opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/annotation/package-info.java

\* /opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/databind/convert/package-info.java

\* /opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/databind/convert/JacksonConverterRegistrar.java

\* /opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/serialize/ResourceModule.java

\* /opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/serialize/ResourceSerializerModifier.java

\* /opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/serialize/OptionalValuesSerializer.java

\*

/opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/modules/BeanIntrospectionModule.java

\* /opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/serialize/JacksonObjectSerializer.java

\* /opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/codecs/JsonMediaTypeCodec.java

\* /opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/env/JsonPropertySourceLoader.java

\* /opt/cola/permits/1668044775\_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/serialize/ConvertibleMultiValuesSerializer.java



```
* /opt/cola/permits/1668044775_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/databind/convert/ObjectNodeConvertibleValues.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2017-2021 original authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1668044775_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/codec/JacksonMediaTypeCodec.java
```

```
* /opt/cola/permits/1668044775_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/JacksonConfiguration.java
```

```
* /opt/cola/permits/1668044775_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/databind/DatabindPropertyBinderExceptionHandler.java
```

```
*
```

```
/opt/cola/permits/1668044775_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/databind/JacksonDatabindMapper.java
```

```
* /opt/cola/permits/1668044775_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/ObjectMapperFactory.java
```

```
* /opt/cola/permits/1668044775_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/serialize/JsonNodeDeserializer.java
```

```
* /opt/cola/permits/1668044775_1683573175.8444219/0/micronaut-jackson-databind-3-9-0-sources-jar/io/micronaut/jackson/serialize/JsonNodeSerializer.java
```

## 1.149 micronaut-core-reactive 3.9.0

### 1.149.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# Licensed under the Apache License, Version 2.0 (the "License");
```

```
# you may not use this file except in compliance with the License.
```

```
# You may obtain a copy of the License at
```

```
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

\* /opt/cola/permits/1668044626\_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-jar/META-INF/native-image/io.micronaut/micronaut-core-reactive/native-image.properties  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2020 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1668044626\_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-jar/io/micronaut/core/async/publisher/SingleSubscriberPublisher.java

\* /opt/cola/permits/1668044626\_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-jar/io/micronaut/core/async/annotation/SingleResult.java

\* /opt/cola/permits/1668044626\_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-jar/io/micronaut/core/async/subscriber/Emitter.java

\*

/opt/cola/permits/1668044626\_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-jar/io/micronaut/core/async/subscriber/CompletionAwareSubscriber.java

\* /opt/cola/permits/1668044626\_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-jar/io/micronaut/core/async/subscriber/SingleThreadedBufferingSubscriber.java

\* /opt/cola/permits/1668044626\_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-jar/io/micronaut/core/async/processor/SingleSubscriberProcessor.java

\* /opt/cola/permits/1668044626\_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-jar/io/micronaut/core/async/processor/SingleThreadedBufferingProcessor.java

\* /opt/cola/permits/1668044626\_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-jar/io/micronaut/core/async/subscriber/TypedSubscriber.java

\* /opt/cola/permits/1668044626\_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-jar/io/micronaut/core/async/subscriber/package-info.java

\*

/opt/cola/permits/1668044626\_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-jar/io/micronaut/core/async/publisher/package-info.java

\* /opt/cola/permits/1668044626\_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-jar/io/micronaut/core/async/publisher/AsyncSingleResultPublisher.java

\* /opt/cola/permits/1668044626\_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-jar/io/micronaut/core/async/processor/package-info.java

```
* /opt/cola/permits/1668044626_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-
jar/io/micronaut/core/async/package-info.java
* /opt/cola/permits/1668044626_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-
jar/io/micronaut/core/async/subscriber/Completable.java
* /opt/cola/permits/1668044626_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-
jar/io/micronaut/core/async/publisher/CompletableFuturePublisher.java
* /opt/cola/permits/1668044626_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-
jar/io/micronaut/core/async/publisher/Publishers.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2017-2021 original authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1668044626_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-
jar/io/micronaut/core/async/ReactiveStreamsTypeInfoProvider.java
```

```
* /opt/cola/permits/1668044626_1683573159.5268834/0/micronaut-core-reactive-3-9-0-sources-
jar/io/micronaut/core/async/publisher/PublishersOptimizations.java
```

# 1.150 micronaut-http-client-core 3.9.0

## 1.150.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2017-2020 original authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/DefaultHttpClientConfiguration.java
- \* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/package-info.java
- \* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/LoadBalancerResolver.java
- \*
- /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/filters/package-info.java
- \* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/filters/ClientServerRequestTracingPublisher.java
- \* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/loadbalance/LoadBalancerConverters.java
- \* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/HttpClientRegistry.java
- \* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/bind/AnnotatedClientRequestBinder.java
- \* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/exceptions/ReadTimeoutException.java
- \*
- /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/exceptions/HttpClientResponseException.java
- \* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/loadbalance/ServiceInstanceListRoundRobinLoadBalancer.java
- \* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/HttpClientConfiguration.java
- \* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/multipart/Part.java
- \* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/StreamingHttpClient.java
- \* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/DefaultLoadBalancerResolver.java
- \*
- /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/multipart/StringPart.java
- \* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/loadbalance/DiscoveryClientLoadBalancerFactory.java
- \* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/multipart/package-info.java
- \* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/multipart/BytePart.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/BlockingHttpClient.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/sse/SseClient.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/HttpClient.java

\*

/opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/exceptions/HttpClientException.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/interceptor/configuration/package-info.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/ProxyHttpClientRegistry.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/bind/HttpClientBinderRegistry.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/interceptor/configuration/NamedClientVersioningConfiguration.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/ProxyHttpClient.java

\*

/opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/LoadBalancer.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/interceptor/configuration/DefaultClientVersioningConfiguration.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/loadbalance/FixedLoadBalancer.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/loadbalance/ServiceInstanceListLoadBalancerFactory.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/multipart/MultipartDataFactory.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/exceptions/NoHostException.java

\*

/opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/exceptions/package-info.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/exceptions/HttpClientErrorDecoder.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/filter/ClientFilterResolutionContext.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/exceptions/ContentLengthExceededException.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/ServiceHttpClientFactory.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/bind/TypedClientArgumentRequestBinder.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/bind/AnnotatedClientArgumentRequestBinder.java

\*

/opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/interceptor/HttpClientIntroductionAdvice.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/sse/SseClientRegistry.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/StreamingHttpClientRegistry.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/bind/ClientArgumentRequestBinder.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/bind/DefaultHttpClientBinderRegistry.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/multipart/FilePart.java  
\*  
/opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/annotation/Client.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/ReactiveClientResultTransformer.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/bind/ClientRequestUriContext.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/filters/ClientServerContextFilter.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/annotation/package-info.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/filter/DefaultHttpClientFilterResolver.java  
\*  
/opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/interceptor/configuration/ClientVersioningConfiguration.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/ServiceHttpClientCondition.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/loadbalance/DiscoveryClientRoundRobinLoadBalancer.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/ServiceHttpClientConfiguration.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/multipart/MultipartBody.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/loadbalance/package-info.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/exceptions/EmptyResponseException.java  
\*  
/opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/loadbalance/AbstractRoundRobinLoadBalancer.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/interceptor/package-info.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/multipart/InputStreamPart.java  
\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-

jar/io/micronaut/http/client/multipart/AbstractFilePart.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2022 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/ProxyRequestOptions.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/HttpClientFactory.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/sse/package-info.java

\* /opt/cola/permits/1668044549\_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-jar/io/micronaut/http/client/HttpClientFactoryResolver.java

\*

```
/opt/cola/permits/1668044549_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-
jar/io/micronaut/http/client/bind/binders/AttributeClientRequestBinder.java
* /opt/cola/permits/1668044549_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-
jar/io/micronaut/http/client/StreamingHttpClientFactory.java
* /opt/cola/permits/1668044549_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-
jar/io/micronaut/http/client/sse/SseClientFactory.java
* /opt/cola/permits/1668044549_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-
jar/io/micronaut/http/client/bind/binders/VersionClientRequestBinder.java
* /opt/cola/permits/1668044549_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-
jar/io/micronaut/http/client/StreamingHttpClientFactoryResolver.java
* /opt/cola/permits/1668044549_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-
jar/io/micronaut/http/client/sse/SseClientFactoryResolver.java
*
/opt/cola/permits/1668044549_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-
jar/io/micronaut/http/client/bind/binders/HeaderClientRequestBinder.java
* /opt/cola/permits/1668044549_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-
jar/io/micronaut/http/client/bind/binders/QueryValueClientArgumentRequestBinder.java
* /opt/cola/permits/1668044549_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-
jar/io/micronaut/http/client/bind/ClientRequestBinder.java
* /opt/cola/permits/1668044549_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-
jar/io/micronaut/http/client/ProxyHttpClientFactoryResolver.java
* /opt/cola/permits/1668044549_1683573278.4803054/0/micronaut-http-client-core-3-9-0-sources-
jar/io/micronaut/http/client/ProxyHttpClientFactory.java
```

# 1.151 micronaut-buffer-netty 3.9.0

## 1.151.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1668044492_1683573372.528242/0/micronaut-buffer-netty-3-9-0-sources-
```



```
jar/io/micronaut/buffer/netty/package-info.java
* /opt/cola/permits/1668044492_1683573372.528242/0/micronaut-buffer-netty-3-9-0-sources-
jar/io/micronaut/buffer/netty/NettyByteBuffer.java
* /opt/cola/permits/1668044492_1683573372.528242/0/micronaut-buffer-netty-3-9-0-sources-
jar/io/micronaut/buffer/netty/NettyFeature.java
*
/opt/cola/permits/1668044492_1683573372.528242/0/micronaut-buffer-netty-3-9-0-sources-
jar/io/micronaut/buffer/netty/NettyByteBufferFactory.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1668044492_1683573372.528242/0/micronaut-buffer-netty-3-9-0-sources-
jar/io/micronaut/buffer/netty/ByteBufAllocatorConfiguration.java
* /opt/cola/permits/1668044492_1683573372.528242/0/micronaut-buffer-netty-3-9-0-sources-
jar/io/micronaut/buffer/netty/DefaultByteBufAllocatorConfiguration.java
```

# 1.152 micronaut-http-server 3.9.0

## 1.152.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/RouteExecutor.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/exceptions/response/ExecutionContext.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/CoroutineHelper.java

\*  
/opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/exceptions/response/HateoasErrorResponseProcessor.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/exceptions/response/ErrorResponseProcessor.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/exceptions/response/Error.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/exceptions/response/DefaultExecutionContext.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/ExecutableRouteInfo.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2020 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/util/HttpClientAddressResolver.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/exceptions/ContentLengthExceededHandler.java

\*

/opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/util/ProxyHeaderParser.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/util/locale/CookieLocaleResolver.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/util/locale/CompositeHttpLocaleResolver.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/util/locale/RequestLocaleResolver.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/context/ServerRequestContextInstrumentation.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/binding/BasicAuthArgumentBinder.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/exceptions/HttpServerException.java  
\*  
/opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/types/package-info.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/util/package-info.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/cors/package-info.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/cors/CorsUtil.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/types/CustomizableResponseType.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/cors/CorsOriginConfiguration.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/util/DefaultHttpClientAddressResolver.java  
\*  
/opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/exceptions/JsonExceptionHandler.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/types/files/StreamedFile.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/exceptions/DuplicateRouteHandler.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/exceptions/ExceptionHandler.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/types/files/package-info.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/util/DefaultHttpHostResolver.java  
\*  
/opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/types/files/SystemFile.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/util/locale/HttpAbstractLocaleResolver.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-

jar/io/micronaut/http/server/binding/package-info.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/util/locale/HttpFixedLocaleResolver.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/cors/CorsFilter.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/exceptions/UnsatisfiedArgumentHandler.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/exceptions/ConversionErrorHandler.java  
\*  
/opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/binding/RequestArgumentSatisfier.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/websocket/ServerWebSocketProcessor.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/HttpServerConfiguration.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/codec/package-info.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/context/package-info.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/exceptions/HttpStatusHandler.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/exceptions/URISyntaxHandler.java  
\*  
/opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/binding/LocaleArgumentBinder.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/types/CustomizableResponseTypeException.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/multipart/MultipartBody.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/exceptions/ServerStartupException.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/package-info.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/types/files/FileCustomizableResponseType.java  
\*  
/opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/exceptions/InternalServerException.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/util/locale/HttpLocaleResolver.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/codec/TextStreamCodec.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/util/locale/package-info.java  
\* /opt/cola/permits/1668044516\_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-jar/io/micronaut/http/server/exceptions/package-info.java

```
* /opt/cola/permits/1668044516_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-
jar/io/micronaut/http/server/context/ServerRequestContextInvocationInstrumenter.java
* /opt/cola/permits/1668044516_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-
jar/io/micronaut/http/server/util/locale/HttpLocaleResolutionConfiguration.java
*
/opt/cola/permits/1668044516_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-
jar/io/micronaut/http/server/cors/CorsOriginConverter.java
* /opt/cola/permits/1668044516_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-
jar/io/micronaut/http/server/util/HttpHostResolver.java
* /opt/cola/permits/1668044516_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-
jar/io/micronaut/http/server/exceptions/UnsatisfiedRouteHandler.java
* /opt/cola/permits/1668044516_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-
jar/io/micronaut/http/server/multipart/package-info.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2017-2022 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1668044516_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-
jar/io/micronaut/http/server/util/locale/HttpLocalizedMessageSource.java
* /opt/cola/permits/1668044516_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-
jar/io/micronaut/http/server/cors/CrossOriginUtil.java
* /opt/cola/permits/1668044516_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-
jar/io/micronaut/http/server/cors/CrossOrigin.java
*
/opt/cola/permits/1668044516_1683573495.1153107/0/micronaut-http-server-3-9-0-sources-
jar/io/micronaut/http/server/exceptions/response/HateoasErrorResponseProcessorReplacement.java
```

## 1.153 micronaut-inject 3.9.0

## 1.153.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2020 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/exceptions/ConfigurationException.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/scope/package-info.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/writer/DefaultOriginatingElements.java
*
/opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/AbstractBeanDefinitionReference.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/writer/BeanDefinitionVisitor.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/AbstractBeanConfiguration.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/ast/ElementModifier.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/ParametrizedBeanFactory.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/writer/DirectoryClassWriterOutputVisitor.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/env/ActiveEnvironment.java
*
/opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/ast/ArrayableClassElement.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/ast/ElementQuery.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/annotation/EachBean.java
```

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/processing/JavaModelUtils.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/exceptions/NoSuchMessageException.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/CallableInjectionPoint.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/AbstractBeanContextConditional.java  
 \*  
 /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/beans/AbstractExecutableBeanMethod.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/BeanRegistration.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/BeanFactory.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/annotation/AbstractAnnotationMetadataBuilder.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/processing/ProcessedTypes.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ArgumentBeanType.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/util/VisitorContextUtils.java  
 \*  
 /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/DefaultBeanResolutionContext.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/EnumConstantElement.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/EnumElement.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/event/ApplicationEventListener.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/beans/visitor/jakarta/persistence/JakartaMappedSuperClassIntrospectionMapper.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/ConfigurationProperties.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/AbstractInitializableBeanDefinition.java  
 \*  
 /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/BeanLocator.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/env/PropertySourceReader.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/banner/ResourceBanner.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/writer/AbstractClassFileWriter.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-

jar/io/micronaut/context/condition/OperatingSystem.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/beans/visitor/JsonCreatorAnnotationMapper.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/configuration/ConfigurationMetadataBuilder.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/condition/Condition.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/annotation/AnnotationMetadataException.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/ast/ReflectParameterElement.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/qualifiers/TypeAnnotationQualifier.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/writer/StaticOriginatingElements.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/RequiresCondition.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/configuration/package-info.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/annotation/EnvironmentAnnotationMetadata.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/scope/CustomScopeRegistry.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/processor/ExecutableMethodProcessor.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/exceptions/NonUniqueBeanException.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/env/ComputePlatform.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/beans/visitor/IntrospectedTypeElementVisitor.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/qualifiers/TypeArgumentQualifier.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/annotation/PackageRenameRemapper.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/EnvironmentAwareArgument.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/BeanDefinitionRegistry.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/BeanIdentifier.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/qualifiers/CompositeQualifier.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/MethodInjectionPoint.java



\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/writer/GeneratedFile.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/AbstractExecutableMethod.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/DefaultMethodConstructorInjectionPoint.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/ProviderUtils.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/annotation/internal/FindBugsRemapper.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/writer/BeanDefinitionWriter.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/qualifiers/Qualified.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/Aliases.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/env/PropertyPlaceholderResolver.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/annotation/AnnotationMetadataSupport.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/validation/BeanDefinitionValidator.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/InjectionPoint.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/MethodReference.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/DefaultFieldInjectionPoint.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/event/BeanEvent.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/MissingMethodInjectionPoint.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/Bean.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/ReflectClassElement.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/proxy/InterceptedBeanProxy.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/ElementFactory.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/annotation/NamedAnnotationTransformer.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/env/AbstractPropertySourceLoader.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-

jar/io/micronaut/context/MessageSource.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/annotation/Factory.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/annotation/internal/KotlinNotNullMapper.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/qualifiers/package-info.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/qualifiers/ClosestTypeArgumentQualifier.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/BeanDefinitionMethodReference.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/ast/TypedElement.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/writer/ExecutableMethodsDefinitionWriter.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/ApplicationContextBuilder.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/env/EmptyPropertySource.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/BeanContextConditional.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/writer/package-info.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/package-info.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/annotation/Configuration.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/annotation/Provided.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/annotation/internal/PersistenceContextAnnotationMapper.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/exceptions/NoSuchBeanException.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/env/SystemPropertiesPropertySource.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/env/CommandLinePropertySource.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/validation/package-info.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/AnnotationProcessorListener.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/ValidatedBeanDefinition.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/InitializingBeanDefinition.java

\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/qualifiers/QualifierUtils.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/visitor/VisitorConfiguration.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/ast/FieldElement.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/event/BeanCreatedEventListener.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/DefaultApplicationBuilder.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/env/EnvironmentPropertySource.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/ConstructorInjectionPoint.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/beans/visitor/package-info.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/writer/ProxyingBeanDefinitionVisitor.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/DefaultBeanDefinitionMethodReference.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/env/PropertiesPropertySourceLoader.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/qualifiers/AnnotationQualifier.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/env/yaml/YamlPropertySourceLoader.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/BeanResolutionContext.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/Qualifier.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/event/StartupEvent.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/beans/visitor/EntityIntrospectedAnnotationMapper.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/DefaultBeanIdentifier.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/DelegatingBeanDefinition.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/ExecutableMethod.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/annotation/DefaultAnnotationMetadata.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/exceptions/package-info.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/annotation/internal/TimedAnnotationMapper.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/BeanContext.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/qualifiers/Qualifiers.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/MemberElement.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/annotation/AnnotatedElementValidator.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/Secondary.java  
 \*  
 /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/PropertyElement.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/qualifiers/NameQualifier.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/writer/ConfigBuilderState.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/writer/AbstractClassWriterOutputVisitor.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/exceptions/CircularDependencyException.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/env/DefaultEnvironment.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/annotation/AnnotationMetadataReference.java  
 \*  
 /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/qualifiers/AnnotationStereotypeQualifier.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/PropertySource.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/env/package-info.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/DefaultImplementation.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/ParameterElement.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/writer/ClassGenerationException.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/Property.java  
 \*  
 /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/util/KotlinExecutableMethodUtils.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/env/yaml/package-info.java  
 \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-

jar/io/micronaut/context/annotation/Type.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/annotation/EnvironmentAnnotationValue.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/BeanDefinitionDelegate.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/converters/ContextConverterRegistrar.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/env/BootstrapPropertySourceLocator.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/annotation/AnnotationRemapper.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/annotation/ConfigurationReader.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/annotation/package-info.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/exceptions/MessageUtils.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/converters/package-info.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/BeanConfiguration.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/condition/Failure.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/annotation/DefaultScope.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/env/MapPropertySource.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/BeanDefinitionReference.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/SingletonScope.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/DefaultApplicationContext.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/ast/ConstructorElement.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/visitor/VisitorContext.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/writer/ClassWriterOutputVisitor.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/annotation/AnnotationMapper.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/condition/package-info.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/beans/visitor/jakarta/persistence/JakartaEntityIntrospectedAnnotationMapper.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/PrimitiveElement.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/ApplicationContextLifeCycle.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/visitor/TypeElementVisitor.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/AbstractInitializableBeanDefinitionReference.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/EnvironmentConfigurable.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/env/yaml/CustomSafeConstructor.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/MethodExecutionHandle.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/configuration/PropertyMetadata.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/env/PropertySourceLoader.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ExecutionHandle.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/condition/ConditionContext.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/ClassElement.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/DefaultConditionContext.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/banner/MicronautBanner.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/Value.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/configuration/ConfigurationMetadata.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/writer/BeanDefinitionReferenceWriter.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/ApplicationContextProvider.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/AbstractExecutable.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/BeanContextConfiguration.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/Element.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/writer/ExecutableMethodWriter.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-

jar/io/micronaut/context/annotation/BootstrapContextCompatible.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/AbstractBeanResolutionContext.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/annotation/ConfigurationBuilder.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/annotation/internal/package-info.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/annotation/NamedAnnotationMapper.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/annotation/Parallel.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/event/BeanInitializedEventListener.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/annotation/internal/KotlinNullableMapper.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/writer/OriginatingElements.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/DefaultConstructorInjectionPoint.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/annotation/Executable.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/env/PropertySource.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/event/BeanInitializingEvent.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/processing/package-info.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/annotation/Prototype.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/exceptions/BeanContextException.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/condition/TrueCondition.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/AdvisedBeanType.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/env/PropertySourcePropertyResolver.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/context/exceptions/DisabledBeanException.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/DisposableBeanDefinition.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/annotation/EnvironmentConvertibleValuesMap.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-  
jar/io/micronaut/inject/annotation/MutableAnnotationMetadata.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/beans/package-info.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/beans/visitor/MappedSuperClassIntrospectionMapper.java

\*

/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/package-info.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/writer/BeanConfigurationWriter.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/Requirements.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/ReflectionFieldInjectionPoint.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/exceptions/DependencyInjectionException.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/BeanDefinition.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/configuration/ConfigurationMetadataWriter.java

\*

/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/Context.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/banner/Banner.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/AbstractMessageSource.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/event/BeanContextEvent.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/annotation/TypedAnnotationMapper.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/MethodElement.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/annotation/AnnotationMetadataWriter.java

\*

/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/writer/AbstractAnnotationMetadataWriter.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ArgumentInjectionPoint.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/env/PropertySourceLocator.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/StaticMessageSource.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/Primary.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/processor/BeanDefinitionProcessor.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-



```

jar/io/micronaut/context/annotation/Requires.java
*
/opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/i18n/ResourceBundleMessageSource.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/annotation/package-info.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/DefaultMethodInjectionPoint.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/annotation/TypedAnnotationTransformer.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/qualifiers/AnnotationMetadataQualifier.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/annotation/EnvironmentOptionalValuesMap.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/ReflectionConstructorInjectionPoint.java
*
/opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/ReflectionMethodConstructorInjectionPoint.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/DelegatingExecutableMethod.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/event/ShutdownEvent.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/DefaultCustomScopeRegistry.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/scope/CustomScope.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/ParametrizedProvider.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/annotation/AnnotationTransformer.java
*
/opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/processor/AnnotationProcessor.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/ProxyBeanDefinition.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/LifeCycle.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/configuration/JsonConfigurationMetadataWriter.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/FieldInjectionPoint.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/ApplicationContextConfiguration.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/proxy/InterceptedBean.java
*

```

/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/package-info.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/visitor/package-info.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/annotation/AnnotationMetadataHierarchy.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/exceptions/BeanCreationException.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/DefaultMessageContext.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/event/package-info.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/annotation/AbstractEnvironmentAnnotationMetadata.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/ProxyTarget.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/ConfigurationInject.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/EachProperty.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/ReflectionMethodInjectionPoint.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/env/DefaultPropertyPlaceholderResolver.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/AbstractParametrizedBeanDefinition.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/exceptions/BeanInstantiationException.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/AbstractBeanDefinition.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/event/ApplicationEventPublisher.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/processor/package-info.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/ExecutionHandleLocator.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/Replaces.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/AliasFor.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/provider/package-info.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/writer/FileBackedGeneratedFile.java  
\*

```
/opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/env/Environment.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/annotation/Parameter.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/event/BeanCreatedEvent.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/event/NoOpApplicationEventPublisher.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/annotation/Infrastructure.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/annotation/AbstractAnnotationMetadata.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/ApplicationContext.java
*
/opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/BeanType.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/beans/visitor/BeanIntrospectionWriter.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/event/ApplicationEvent.java
No license file was found, but licenses were detected in source scan.
```

```
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/META-INF/native-
image/io.micronaut/micronaut-inject/native-image.properties
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/writer/DispatchWriter.java
- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/qualifiers/ExactTypeArgumentNameQualifier.java
- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/InjectScope.java
- \*
- /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/beans/InjectableElement.java
- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/annotation/internal/JakartaPostConstructTransformer.java
- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/DefaultElementQuery.java
- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/GenericPlaceholderElement.java
- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/qualifiers/NoneQualifier.java
- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/AbstractConstructorInjectionPoint.java
- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/visitor/package-info.java
- \*
- /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/beans/BeanMethodElement.java
- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/beans/BeanElementBuilder.java
- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/provider/AbstractProviderDefinition.java
- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/event/BeanPreDestroyEvent.java
- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/AbstractExecutableMethodsDefinition.java
- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/SimpleClassElement.java
- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/env/CachedEnvironment.java
- \*
- /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/exceptions/BeanDestructionException.java
- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/ReflectTypeElement.java
- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/qualifiers/RepeatableAnnotationQualifier.java
- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/writer/StringSwitchWriter.java
- \* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-

```

jar/io/micronaut/inject/ast/PackageElement.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/provider/JavaxProviderBeanDefinition.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/beans/AbstractInitializableBeanIntrospection.java
*
/opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/annotation/internal/CoreNonNullTransformer.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/ApplicationContextConfigurer.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/scope/CreatedBean.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/beans/visitor/EntityReflectiveAccessAnnotationMapper.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/annotation/internal/JakartaRemapper.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/visitor/BeanElementVisitorLoader.java
*
/opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/ast/beans/ConfigurableElement.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/provider/JakartaProviderBeanDefinition.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/event/BeanDestroyedEvent.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/visitor/BeanElementVisitor.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/qualifiers/NamedAnnotationStereotypeQualifier.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/ast/AnnotationElement.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/ExecutableMethodsDefinition.java
*
/opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/writer/ArrayAwareSignatureWriter.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/DefaultFieldConstructorInjectionPoint.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/annotation/internal/CoreNullableTransformer.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/ast/beans/BeanElement.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/InitializableBeanContext.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/ast/beans/BeanConstructorElement.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/visitor/BeanImportVisitor.java

```

\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/provider/ProviderTypeInfoProvider.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/event/ApplicationEventPublisherFactory.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/provider/BeanProviderDefinition.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/qualifiers/AnyQualifier.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/qualifiers/InterceptorBindingQualifier.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/annotation/internal/JakartaPreDestroyTransformer.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/scope/AbstractConcurrentCustomScope.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/scope/BeanCreationContext.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/beans/BeanFieldElement.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/Any.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/visitor/BeanElementVisitorContext.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/event/BeanPreDestroyEventListener.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/visitor/BeanImportHandler.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/beans/BeanParameterElement.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/BeanProvider.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/ContextConfigurer.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/Import.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/annotation/NonBinding.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/env/ConstantPropertySources.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/event/BeanDestroyedEventListener.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/visitor/ContextConfigurerVisitor.java  
\*  
/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/ReflectWildcardElement.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/SimplePackageElement.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/WildcardElement.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/ast/ReflectGenericPlaceholderElement.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/env/KubernetesEnvironmentPropertySource.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/qualifiers/PrimaryQualifier.java  
\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/writer/AbstractBeanDefinitionBuilder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2022 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/NoInjectionBeanDefinition.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/BeanDisposingRegistration.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/LocalizedMessageSource.java

\*

/opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/inject/annotation/AnnotationConvertersRegistrar.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/DefaultBeanContext.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/env/PropertyExpressionResolver.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/env/yaml/ConstructIsoTimestampString.java

\* /opt/cola/permits/1668044430\_1683573453.5571105/0/micronaut-inject-3-9-0-sources-jar/io/micronaut/context/AbstractLocalizedMessageSource.java

```
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/writer/ClassOutputWriter.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/MessageSourceUtils.java
*
/opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/RuntimeBeanDefinition.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/inject/writer/BeanClassWriter.java
* /opt/cola/permits/1668044430_1683573453.5571105/0/micronaut-inject-3-9-0-sources-
jar/io/micronaut/context/DefaultRuntimeBeanDefinition.java
```

## 1.154 micronaut-json-core 3.9.0

### 1.154.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1668044616_1683573167.477246/0/micronaut-json-core-3-9-0-sources-
jar/io/micronaut/json/JsonStreamConfig.java
* /opt/cola/permits/1668044616_1683573167.477246/0/micronaut-json-core-3-9-0-sources-
jar/io/micronaut/json/tree/JsonNumber.java
* /opt/cola/permits/1668044616_1683573167.477246/0/micronaut-json-core-3-9-0-sources-
jar/io/micronaut/json/tree/JsonObject.java
*
/opt/cola/permits/1668044616_1683573167.477246/0/micronaut-json-core-3-9-0-sources-
jar/io/micronaut/json/tree/JsonNode.java
* /opt/cola/permits/1668044616_1683573167.477246/0/micronaut-json-core-3-9-0-sources-
jar/io/micronaut/json/tree/JsonArray.java
* /opt/cola/permits/1668044616_1683573167.477246/0/micronaut-json-core-3-9-0-sources-
jar/io/micronaut/json/tree/JsonContainer.java
```



\* /opt/cola/permits/1668044616\_1683573167.477246/0/micronaut-json-core-3-9-0-sources-jar/io/micronaut/json/tree/JsonString.java  
\* /opt/cola/permits/1668044616\_1683573167.477246/0/micronaut-json-core-3-9-0-sources-jar/io/micronaut/json/JsonFeatures.java  
\* /opt/cola/permits/1668044616\_1683573167.477246/0/micronaut-json-core-3-9-0-sources-jar/io/micronaut/json/convert/JsonConverterRegistrar.java  
\* /opt/cola/permits/1668044616\_1683573167.477246/0/micronaut-json-core-3-9-0-sources-jar/io/micronaut/json/tree/JsonScalar.java  
\* /opt/cola/permits/1668044616\_1683573167.477246/0/micronaut-json-core-3-9-0-sources-jar/io/micronaut/json/bind/JsonBeanPropertyBinderExceptionHandler.java  
\*

/opt/cola/permits/1668044616\_1683573167.477246/0/micronaut-json-core-3-9-0-sources-jar/io/micronaut/json/JsonMapper.java  
\* /opt/cola/permits/1668044616\_1683573167.477246/0/micronaut-json-core-3-9-0-sources-jar/io/micronaut/json/tree/JsonBoolean.java  
\* /opt/cola/permits/1668044616\_1683573167.477246/0/micronaut-json-core-3-9-0-sources-jar/io/micronaut/json/tree/JsonNull.java  
\* /opt/cola/permits/1668044616\_1683573167.477246/0/micronaut-json-core-3-9-0-sources-jar/io/micronaut/json/JsonConfiguration.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2020 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1668044616\_1683573167.477246/0/micronaut-json-core-3-9-0-sources-jar/io/micronaut/json/codec/JsonMediaTypeCodec.java  
\* /opt/cola/permits/1668044616\_1683573167.477246/0/micronaut-json-core-3-9-0-sources-jar/io/micronaut/json/convert/JsonNodeConvertibleValues.java  
\* /opt/cola/permits/1668044616\_1683573167.477246/0/micronaut-json-core-3-9-0-sources-jar/io/micronaut/json/codec/MapperMediaTypeCodec.java  
\*

/opt/cola/permits/1668044616\_1683573167.477246/0/micronaut-json-core-3-9-0-sources-jar/io/micronaut/json/JsonObjectSerializer.java

\* /opt/cola/permits/1668044616\_1683573167.477246/0/micronaut-json-core-3-9-0-sources-

```
jar/io/micronaut/json/codec/JsonStreamMediaTypeCodec.java
* /opt/cola/permits/1668044616_1683573167.477246/0/micronaut-json-core-3-9-0-sources-
jar/io/micronaut/json/bind/package-info.java
* /opt/cola/permits/1668044616_1683573167.477246/0/micronaut-json-core-3-9-0-sources-
jar/io/micronaut/json/bind/JsonBeanPropertyBinder.java
```

# 1.155 micronaut-core 3.9.0

## 1.155.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.156 micronaut-websocket 3.9.0

## 1.156.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/WebSocketClientFactory.java

\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/WebSocketClientFactoryResolver.java

\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/WebSocketPongMessage.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2020 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/annotation/package-info.java

\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/context/DefaultWebSocketBeanRegistry.java

\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/annotation/ClientWebSocket.java

\*

/opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/event/package-info.java

\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/bind/WebSocketStateBinderRegistry.java

\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/exceptions/WebSocketException.java

\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/exceptions/WebSocketSessionException.java

\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/event/WebSocketEvent.java

\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/annotation/OnClose.java

\*

/opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/event/WebSocketSessionClosedEvent.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/CloseReason.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/WebSocketSession.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/annotation/WebSocketComponent.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/context/WebSocketBean.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/context/package-info.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/annotation/OnOpen.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/annotation/ServerWebSocket.java  
\*  
/opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/WebSocketClientRegistry.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/event/WebSocketMessageProcessedEvent.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/package-info.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/annotation/WebSocketMapping.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/exceptions/package-info.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/context/WebSocketBeanRegistry.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/bind/WebSocketStateBinder.java  
\*  
/opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/interceptor/WebSocketSessionAware.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/annotation/OnError.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/bind/WebSocketState.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/WebSocketVersion.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/exceptions/WebSocketClientException.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/event/WebSocketSessionOpenEvent.java  
\*  
/opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-jar/io/micronaut/websocket/WebSocketBroadcaster.java  
\* /opt/cola/permits/1668044398\_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-



```
jar/io/micronaut/websocket/annotation/OnMessage.java
* /opt/cola/permits/1668044398_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-
jar/io/micronaut/websocket/bind/package-info.java
* /opt/cola/permits/1668044398_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-
jar/io/micronaut/websocket/interceptor/package-info.java
* /opt/cola/permits/1668044398_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-
jar/io/micronaut/websocket/interceptor/ClientWebSocketInterceptor.java
* /opt/cola/permits/1668044398_1683573363.5649023/0/micronaut-websocket-3-9-0-sources-
jar/io/micronaut/websocket/WebSocketClient.java
```

# 1.157 micronaut-security-annotations 3.11.0

## 1.157.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1668044768_1683573406.2117765/0/micronaut-security-annotations-3-11-0-sources-
jar/io/micronaut/security/annotation/package-info.java
* /opt/cola/permits/1668044768_1683573406.2117765/0/micronaut-security-annotations-3-11-0-sources-
jar/io/micronaut/security/annotation/JakartaRolesAllowedAnnotationMapper.java
*
/opt/cola/permits/1668044768_1683573406.2117765/0/micronaut-security-annotations-3-11-0-sources-
jar/io/micronaut/security/annotation/PermitAllAnnotationMapper.java
* /opt/cola/permits/1668044768_1683573406.2117765/0/micronaut-security-annotations-3-11-0-sources-
jar/io/micronaut/security/annotation/DenyAllAnnotationMapper.java
* /opt/cola/permits/1668044768_1683573406.2117765/0/micronaut-security-annotations-3-11-0-sources-
jar/io/micronaut/security/annotation/RolesAllowedAnnotationMapper.java
* /opt/cola/permits/1668044768_1683573406.2117765/0/micronaut-security-annotations-3-11-0-sources-
jar/io/micronaut/security/annotation/JakartaPermitAllAnnotationMapper.java
* /opt/cola/permits/1668044768_1683573406.2117765/0/micronaut-security-annotations-3-11-0-sources-
jar/io/micronaut/security/annotation/Secured.java
```

\* /opt/cola/permits/1668044768\_1683573406.2117765/0/micronaut-security-annotations-3-11-0-sources-jar/io/micronaut/security/annotation/JakartaDenyAllAnnotationMapper.java

# 1.158 micronaut-http 3.9.0

## 1.158.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2021 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/PushCapableHttpRequest.java
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/filter/FilterPatternStyle.java
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/util/HttpTypeInformationProvider.java
*
```

```
/opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/cookie/SameSiteConverter.java
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/ssl/AbstractClientSslConfiguration.java
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/bind/binders/HttpCoroutineContextFactory.kt
No license file was found, but licenses were detected in source scan.
```

```
# This file maps Internet media types to unique file extension(s).
# Although created for httpd, this file is used by many software systems
# and has been placed in the public domain for unlimited redistribution.
#
# The table below contains both registered and (common) unregistered types.
# A type that has no unique extension can be ignored -- they are listed
# here to guide configurations toward known types and to make it easier to
```

```

# identify "new" types. File extensions are also commonly used to indicate
# content languages and encodings, so choose them carefully.
#
# Internet media types should be registered as described in RFC 4288.
# The registry is at <https://www.iana.org/assignments/media-types/>.
#
# https://svn.apache.org/viewvc/httpd/httpd/trunk/docs/conf/mime.types?revision=1810121&view=co
#
# MIME type (lowercased) Extensions
# =====
# application/1d-interleaved-parityfec
#
# application/3gpdash-qoe-report+xml
# application/3gpp-ims+xml
# application/a2l
# application/activemessage
# application/alto-costmap+json
# application/alto-costmapfilter+json
# application/alto-directory+json
# application/alto-endpointcost+json
# application/alto-endpointcostparams+json
# application/alto-endpointprop+json
# application/alto-endpointpropparams+json
# application/alto-error+json
# application/alto-networkmap+json
# application/alto-networkmapfilter+json
# application/aml
application/andrew-inset ez
# application/applefile
application/applixware aw
# application/atf
# application/atfx
application/atom+xml atom
application/atomcat+xml atomcat
# application/atomdeleted+xml
# application/atomicmail
application/atomsvc+xml atomsvc
# application/atxml
# application/auth-policy+xml
# application/bacnet-xdd+zip
# application/batch-smtp
# application/beep+xml
# application/calendar+json
# application/calendar+xml
# application/call-completion
#
# application/cals-1840
# application/cbor

```

# application/ccmp+xml  
application/ccxml+xml ccxml  
# application/cdfx+xml  
application/cdmi-capability cdmia  
application/cdmi-container cdmic  
application/cdmi-domain cdmid  
application/cdmi-object cdmio  
application/cdmi-queue cdmioq  
# application/cdni  
# application/cea  
# application/cea-2018+xml  
# application/cellml+xml  
# application/cfw  
# application/cms  
# application/cnrx+xml  
# application/coap-group+json  
# application/commonground  
# application/conference-info+xml  
# application/cpl+xml  
# application/csrattrs  
# application/csta+xml  
# application/cstadata+xml  
# application/csvm+json  
application/cu-seeme cu  
# application/cybercash  
# application/dash+xml  
# application/dashdelta  
application/davmount+xml davmount  
# application/dca-rft  
# application/dcd  
# application/dec-dx  
# application/dialog-info+xml  
# application/dicom  
# application/dii  
# application/dit  
# application/dns  
application/docbook+xml dbk  
# application/dskpp+xml  
application/dssc+der dssc  
application/dssc+xml xdssc  
#  
application/dvcs  
application/ecmascript ecma  
# application/edi-consent  
# application/edi-x12  
# application/edifact  
# application/efi  
# application/emergencycalldata.comment+xml

# application/emergencycalldata.deviceinfo+xml  
# application/emergencycalldata.providerinfo+xml  
# application/emergencycalldata.serviceinfo+xml  
# application/emergencycalldata.subscriberinfo+xml  
application/emma+xml emma  
# application/emotionml+xml  
# application/encaprtp  
# application/epp+xml  
application/epub+zip epub  
# application/eshop  
# application/example  
application/exi exi  
# application/fastinfoset  
# application/fastsoap  
# application/fdt+xml  
# application/fits  
application/font-tdpfr pfr  
# application/framework-attributes+xml  
# application/geo+json  
application/gml+xml gml  
application/gpx+xml gpx  
application/gxf gxf  
# application/gzip  
# application/h224  
# application/held+xml  
# application/http  
application/hyperstudio stk  
#  
application/ibe-key-request+xml  
# application/ibe-pkg-reply+xml  
# application/ibe-pp-data  
# application/iges  
# application/im-iscomposing+xml  
# application/index  
# application/index.cmd  
# application/index.obj  
# application/index.response  
# application/index.vnd  
application/inkml+xml ink inkml  
# application/iotp  
application/ipfix ipfix  
# application/ipp  
# application/isup  
# application/its+xml  
application/java-archive jar  
application/java-serialized-object ser  
application/java-vm class  
application/javascript js

application/javascript mjs  
# application/jose  
# application/jose+json  
# application/jrd+json  
application/json json  
# application/json-patch+json  
# application/json-seq  
application/jsonml+json jsonml  
# application/jwk+json  
# application/jwk-set+json  
# application/jwt  
# application/kpml-request+xml  
# application/kpml-response+xml  
# application/ld+json  
# application/lgr+xml  
# application/link-format  
# application/load-control+xml  
application/lost+xml lostxml  
#  
application/lostsync+xml  
# application/lxf  
application/mac-binhex40 hqx  
application/mac-compactpro cpt  
# application/macwriteii  
application/mads+xml mads  
application/marc mrc  
application/marcxml+xml mrcx  
application/mathematica ma nb mb  
application/mathml+xml mathml  
# application/mathml-content+xml  
# application/mathml-presentation+xml  
# application/mbms-associated-procedure-description+xml  
# application/mbms-deregister+xml  
# application/mbms-envelope+xml  
# application/mbms-msk+xml  
# application/mbms-msk-response+xml  
# application/mbms-protection-description+xml  
# application/mbms-reception-report+xml  
# application/mbms-register+xml  
# application/mbms-register-response+xml  
# application/mbms-schedule+xml  
# application/mbms-user-service-description+xml  
application/mbox mbox  
# application/media-policy-dataset+xml  
# application/media\_control+xml  
application/mediaservercontrol+xml mscml  
# application/merge-patch+json  
application/metalink+xml metalink

application/metalink4+xml meta4  
application/mets+xml mets  
#  
application/mf4  
# application/mikey  
application/mods+xml mods  
# application/moss-keys  
# application/moss-signature  
# application/mosskey-data  
# application/mosskey-request  
application/mp21 m21 mp21  
application/mp4 mp4s  
# application/mpeg4-generic  
# application/mpeg4-iod  
# application/mpeg4-iod-xmt  
# application/mrb-consumer+xml  
# application/mrb-publish+xml  
# application/msc-ivr+xml  
# application/msc-mixer+xml  
application/msword doc dot  
application/mxf mxf  
# application/nasdata  
# application/news-checkgroups  
# application/news-groupinfo  
# application/news-transmission  
# application/nlsml+xml  
# application/nss  
# application/ocsp-request  
# application/ocsp-response  
application/octet-stream bin dms lrf mar so dist distz pkg bpk dump elc deploy  
application/oda oda  
# application/odx  
application/oebps-package+xml opf  
application/ogg ogg  
application/omdoc+xml omdoc  
application/onenote onetoc  
onetoc2 onetmp onepkg  
application/oxps oxps  
# application/p2p-overlay+xml  
# application/parityfec  
application/patch-ops-error+xml xer  
application/pdf pdf  
# application/pdx  
application/pgp-encrypted pgp  
# application/pgp-keys  
application/pgp-signature asc sig  
application/pics-rules prf  
# application/pidf+xml

# application/pidf-diff+xml  
application/pkcs10 p10  
# application/pkcs12  
application/pkcs7-mime p7m p7c  
application/pkcs7-signature p7s  
application/pkcs8 p8  
application/pkix-attr-cert ac  
application/pkix-cert cer  
application/pkix-crl crl  
application/pkix-pkipath pkipath  
application/pkixcmp pki  
application/pls+xml pls  
# application/poc-settings+xml  
application/postscript ai eps ps  
# application/ppsp-tracker+json  
# application/problem+json  
# application/problem+xml  
# application/provenance+xml  
# application/prs.alvestrand.titrax-sheet  
application/prs.cww cww  
# application/prs.hpub+zip  
# application/prs.nprend  
# application/prs.plucker  
#  
application/prs.rdf+xml-crypt  
# application/prs.xsf+xml  
application/pskc+xml pskcxml  
# application/qsig  
# application/raptorfec  
# application/rdap+json  
application/rdf+xml rdf  
application/reginfo+xml rif  
application/relax-ng-compact-syntax rnc  
# application/remote-printing  
# application/reputon+json  
application/resource-lists+xml rl  
application/resource-lists-diff+xml rld  
# application/rfc+xml  
# application/riscos  
# application/rlmi+xml  
application/rls-services+xml rs  
application/rpki-ghostbusters gbr  
application/rpki-manifest mft  
application/rpki-roa roa  
# application/rpki-updown  
application/rsd+xml rsd  
application/rss+xml rss  
application/rtf rtf



# application/rtploopback  
# application/rtx  
# application/samlassertion+xml  
# application/samlmetadata+xml  
application/sbml+xml sbml  
# application/scaip+xml  
# application/scim+json  
application/scvp-cv-request scq  
application/scvp-cv-response scs  
application/scvp-vp-request spq  
application/scvp-vp-response spp  
application/sdp sdp  
#  
application/sep+xml  
# application/sep-exi  
# application/session-info  
# application/set-payment  
application/set-payment-initiation setpay  
# application/set-registration  
application/set-registration-initiation setreg  
# application/sgml  
# application/sgml-open-catalog  
application/shf+xml shf  
# application/sieve  
# application/simple-filter+xml  
# application/simple-message-summary  
# application/simplesymbolcontainer  
# application/slate  
# application/smil  
application/smil+xml smi smil  
# application/smpite336m  
# application/soap+fastinfoset  
# application/soap+xml  
application/sparql-query rq  
application/sparql-results+xml srx  
# application/spirits-event+xml  
# application/sql  
application/srgs gram  
application/srgs+xml grxml  
application/sru+xml sru  
application/ssdl+xml ssdl  
application/ssml+xml ssml  
# application/tamp-apex-update  
# application/tamp-apex-update-confirm  
# application/tamp-community-update  
# application/tamp-community-update-confirm  
#

application/tamp-error  
# application/tamp-sequence-adjust  
# application/tamp-sequence-adjust-confirm  
# application/tamp-status-query  
# application/tamp-status-response  
# application/tamp-update  
# application/tamp-update-confirm  
application/tei+xml tei teicorpus  
application/thraud+xml tfi  
# application/timestamp-query  
# application/timestamp-reply  
application/timestamped-data tsd  
# application/ttml+xml  
# application/tve-trigger  
# application/ulpfec  
# application/urc-grpsheet+xml  
# application/urc-ressheet+xml  
# application/urc-targetdesc+xml  
# application/urc-uisocketdesc+xml  
# application/vcard+json  
# application/vcard+xml  
# application/vemmi  
# application/vividence.scriptfile  
# application/vnd.3gpp-prose+xml  
# application/vnd.3gpp-prose-pc3ch+xml  
# application/vnd.3gpp.access-transfer-events+xml  
# application/vnd.3gpp.bsf+xml  
# application/vnd.3gpp.mid-call+xml  
application/vnd.3gpp.pic-bw-large plb  
application/vnd.3gpp.pic-bw-small psb  
application/vnd.3gpp.pic-bw-var pvb  
#  
application/vnd.3gpp.sms  
# application/vnd.3gpp.sms+xml  
# application/vnd.3gpp.srvcc-ext+xml  
# application/vnd.3gpp.srvcc-info+xml  
# application/vnd.3gpp.state-and-event-info+xml  
# application/vnd.3gpp.ussd+xml  
# application/vnd.3gpp2.bcmcsinfo+xml  
# application/vnd.3gpp2.sms  
application/vnd.3gpp2.tcap tcap  
# application/vnd.3lightssoftware.imagescal  
application/vnd.3m.post-it-notes pwn  
application/vnd.accpac.simply.aso aso  
application/vnd.accpac.simply.imp imp  
application/vnd.acucobol acu  
application/vnd.acucorp atc acutc  
application/vnd.adobe.air-application-installer-package+zip air

# application/vnd.adobe.flash.movie  
application/vnd.adobe.formscentral.fcdf fcdf  
application/vnd.adobe.fxp fxp fxpl  
# application/vnd.adobe.partial-upload  
application/vnd.adobe.xdp+xml xdp  
application/vnd.adobe.xfdf xfdf  
# application/vnd.aether.imp  
# application/vnd.ah-barcode  
application/vnd.ahead.space ahead  
application/vnd.airzip.filesecure.azf azf  
application/vnd.airzip.filesecure.azs azs  
application/vnd.amazon.ebook azw  
#  
application/vnd.amazon.mobi8-ebook  
application/vnd.americandynamics.acc acc  
application/vnd.amiga.ami ami  
# application/vnd.amundsen.maze+xml  
application/vnd.android.package-archive apk  
# application/vnd.anki  
application/vnd.anser-web-certificate-issue-initiation cii  
application/vnd.anser-web-funds-transfer-initiation fti  
application/vnd.antix.game-component atx  
# application/vnd.apache.thrift.binary  
# application/vnd.apache.thrift.compact  
# application/vnd.apache.thrift.json  
# application/vnd.api+json  
application/vnd.apple.installer+xml mpkg  
application/vnd.apple.mpegurl m3u8  
# application/vnd.arastra.swi  
application/vnd.aristanetworks.swi swi  
# application/vnd.artsquare  
application/vnd.astraea-software.iota iota  
application/vnd.audiograph aep  
# application/vnd.autopackage  
# application/vnd.avistar+xml  
# application/vnd.balsamiq.bmml+xml  
# application/vnd.balsamiq.bmpr  
# application/vnd.bekitzur-stech+json  
# application/vnd.biopax.rdf+xml  
application/vnd.blueice.multipass mpm  
#  
application/vnd.bluetooth.ep.oob  
# application/vnd.bluetooth.le.oob  
application/vnd.bmi bmi  
application/vnd.businessobjects rep  
# application/vnd.cab-jscript  
# application/vnd.canon-cpdl  
# application/vnd.canon-lips

```
# application/vnd.cendio.thinlinc.clientconf
# application/vnd.century-systems.tcp_stream
application/vnd.chemdraw+xml cdxml
# application/vnd.chess-pgn
application/vnd.chipnuts.karaoke-mmd mmd
application/vnd.cinderella cdy
# application/vnd.cirpack.isdn-ext
# application/vnd.citationstyles.style+xml
application/vnd.claymore cla
application/vnd.cloanto.rp9 rp9
application/vnd.clonk.c4group c4g c4d c4f c4p c4u
application/vnd.cluetrust.cartomobile-config c11amc
application/vnd.cluetrust.cartomobile-config-pkg c11amz
# application/vnd.coffeescript
# application/vnd.collection+json
# application/vnd.collection.doc+json
# application/vnd.collection.next+json
# application/vnd.comicbook+zip
#
application/vnd.commerce-battelle
application/vnd.commonspace csp
application/vnd.contact.cmsg cdbcmg
# application/vnd.coreos.ignition+json
application/vnd.cosmocaller cmc
application/vnd.crick.clicker clkx
application/vnd.crick.clicker.keyboard clkk
application/vnd.crick.clicker.palette clkp
application/vnd.crick.clicker.template clkt
application/vnd.crick.clicker.wordbank clkw
application/vnd.criticaltools.wbs+xml wbs
application/vnd.ctc-posml pml
# application/vnd.ctct.ws+xml
# application/vnd.cups-pdf
# application/vnd.cups-postscript
application/vnd.cups-ppd ppd
# application/vnd.cups-raster
# application/vnd.cups-raw
# application/vnd.curl
application/vnd.curl.car car
application/vnd.curl.pcurl pcurl
# application/vnd.cyan.dean.root+xml
# application/vnd.cybank
application/vnd.dart dart
application/vnd.data-vision.rdz rdz
# application/vnd.debian.binary-package
application/vnd.dece.data uvf uvvf uvd uvvd
application/vnd.dece.ttml+xml uvt uvvt
application/vnd.dece.unspecified uvx
```

uvvx  
application/vnd.dece.zip uvz uvvz  
application/vnd.denovo.fcselayout-link fe\_launch  
# application/vnd.desmume.movie  
# application/vnd.dir-bi.plate-dl-nosuffix  
# application/vnd.dm.delegation+xml  
application/vnd.dna dna  
# application/vnd.document+json  
application/vnd.dolby.mlp mlp  
# application/vnd.dolby.mobile.1  
# application/vnd.dolby.mobile.2  
# application/vnd.doremir.scorecloud-binary-document  
application/vnd.dpgraph dpg  
application/vnd.dreamfactory dfac  
# application/vnd.drive+json  
application/vnd.ds-keypoint kpxx  
# application/vnd.dtg.local  
# application/vnd.dtg.local.flash  
# application/vnd.dtg.local.html  
application/vnd.dvb.ait ait  
# application/vnd.dvb.dvbj  
# application/vnd.dvb.esgcontainer  
# application/vnd.dvb.ipdcdfnotifaccess  
# application/vnd.dvb.ipdcesgaccess  
# application/vnd.dvb.ipdcesgaccess2  
# application/vnd.dvb.ipdcesgpdd  
# application/vnd.dvb.ipdcroaming  
# application/vnd.dvb.iptv.alfec-base  
# application/vnd.dvb.iptv.alfec-enhancement  
#  
application/vnd.dvb.notif-aggregate-root+xml  
# application/vnd.dvb.notif-container+xml  
# application/vnd.dvb.notif-generic+xml  
# application/vnd.dvb.notif-ia-msglist+xml  
# application/vnd.dvb.notif-ia-registration-request+xml  
# application/vnd.dvb.notif-ia-registration-response+xml  
# application/vnd.dvb.notif-init+xml  
# application/vnd.dvb.pfr  
application/vnd.dvb.service svc  
# application/vnd.dxr  
application/vnd.dynageo geo  
# application/vnd.dzr  
# application/vnd.easykaraoke.cdgdownload  
# application/vnd.ecdis-update  
application/vnd.ecowin.chart mag  
# application/vnd.ecowin.filerequest  
# application/vnd.ecowin.fileupdate  
# application/vnd.ecowin.series

```
# application/vnd.ecowin.seriesrequest
# application/vnd.ecowin.seriesupdate
# application/vnd.emclient.accessrequest+xml
application/vnd.enliven nml
# application/vnd.enphase.envoy
# application/vnd.eprints.data+xml
application/vnd.epson.esf esf
application/vnd.epson.msf msf
application/vnd.epson.quickanime qam
application/vnd.epson.salt slt
application/vnd.epson.ssf ssf
#
application/vnd.ericsson.quickcall
application/vnd.eszigno3+xml es3 et3
# application/vnd.etsi.aoc+xml
# application/vnd.etsi.asic-e+zip
# application/vnd.etsi.asic-s+zip
# application/vnd.etsi.cug+xml
# application/vnd.etsi.iptvcommand+xml
# application/vnd.etsi.iptvdiscovery+xml
# application/vnd.etsi.iptvprofile+xml
# application/vnd.etsi.iptvsad-bc+xml
# application/vnd.etsi.iptvsad-cod+xml
# application/vnd.etsi.iptvsad-npvr+xml
# application/vnd.etsi.iptvservice+xml
# application/vnd.etsi.iptvsync+xml
# application/vnd.etsi.iptvueprofile+xml
# application/vnd.etsi.mcid+xml
# application/vnd.etsi.mheg5
# application/vnd.etsi.overload-control-policy-dataset+xml
# application/vnd.etsi.pstn+xml
# application/vnd.etsi.sci+xml
# application/vnd.etsi.simservs+xml
# application/vnd.etsi.timestamp-token
# application/vnd.etsi.tsl+xml
# application/vnd.etsi.tsl.der
# application/vnd.eudora.data
application/vnd.ezpix-album ez2
application/vnd.ezpix-package ez3
#
application/vnd.f-secure.mobile
# application/vnd.fastcopy-disk-image
application/vnd.fdf fdf
application/vnd.fdsn.mseed mseed
application/vnd.fdsn.seed seed dataless
# application/vnd.ffmpeg
# application/vnd.filmit.zfc
# application/vnd.fints
```

```
# application/vnd.firemonkeys.cloudcell
application/vnd.flographit gph
application/vnd.fluxtime.clip ftc
# application/vnd.font-fontforge-sfd
application/vnd.framemaker fm frame maker book
application/vnd.frogans.fnc fnc
application/vnd.frogans.ltf ltf
application/vnd.fsc.weblaunch fsc
application/vnd.fujitsu.oasys oas
application/vnd.fujitsu.oasys2 oa2
application/vnd.fujitsu.oasys3 oa3
application/vnd.fujitsu.oasysgp fg5
application/vnd.fujitsu.oasysprs bh2
# application/vnd.fujixerox.art-ex
# application/vnd.fujixerox.art4
application/vnd.fujixerox.ddd ddd
application/vnd.fujixerox.docuworks xdw
application/vnd.fujixerox.docuworks.binder xbd
# application/vnd.fujixerox.docuworks.container
#
  application/vnd.fujixerox.hbpl
# application/vnd.fut-misnet
application/vnd.fuzzysheet fzs
application/vnd.genomatix.tuxedo txd
# application/vnd.geo+json
# application/vnd.geocube+xml
application/vnd.geogebra.file ggb
application/vnd.geogebra.tool ggt
application/vnd.geometry-explorer gex gre
application/vnd.geonext gxt
application/vnd.geoplan g2w
application/vnd.geospace g3w
# application/vnd.gerber
# application/vnd.globalplatform.card-content-mgt
# application/vnd.globalplatform.card-content-mgt-response
application/vnd.gmx gmx
application/vnd.google-earth.kml+xml kml
application/vnd.google-earth.kmz kmz
# application/vnd.gov.sk.e-form+xml
# application/vnd.gov.sk.e-form+zip
# application/vnd.gov.sk.xmldatacontainer+xml
application/vnd.grafeq gqf gqs
# application/vnd.gridmp
application/vnd.groove-account gac
application/vnd.groove-help ghf
application/vnd.groove-identity-message gim
application/vnd.groove-injector grv
application/vnd.groove-tool-message gtm
```

application/vnd.groove-tool-template tpl  
application/vnd.groove-vcard vcg  
#  
application/vnd.hal+json  
application/vnd.hal+xml hal  
application/vnd.handheld-entertainment+xml zmm  
application/vnd.hbci hbci  
# application/vnd.hcl-bireports  
# application/vnd.hdt  
# application/vnd.heroku+json  
application/vnd.hhe.lesson-player les  
application/vnd.hp-hpgl hpgl  
application/vnd.hp-hpid hpid  
application/vnd.hp-hps hps  
application/vnd.hp-jlyt jlt  
application/vnd.hp-pcl pcl  
application/vnd.hp-pclxl pclxl  
# application/vnd.httpphone  
application/vnd.hydrostatix.sof-data sfd-hdstx  
# application/vnd.hyperdrive+json  
# application/vnd.hzn-3d-crossword  
# application/vnd.ibm.afplinedata  
# application/vnd.ibm.electronic-media  
application/vnd.ibm.minipay mpy  
application/vnd.ibm.modcap afp listafp list3820  
application/vnd.ibm.rights-management irm  
application/vnd.ibm.secure-container sc  
application/vnd.iccprofile icc icm  
#  
application/vnd.ieee.1905  
application/vnd.igloader igl  
application/vnd.immervision-ivp ivp  
application/vnd.immervision-ivu ivu  
# application/vnd.ims.imsccv1p1  
# application/vnd.ims.imsccv1p2  
# application/vnd.ims.imsccv1p3  
# application/vnd.ims.lis.v2.result+json  
# application/vnd.ims.lti.v2.toolconsumerprofile+json  
# application/vnd.ims.lti.v2.toolproxy+json  
# application/vnd.ims.lti.v2.toolproxy.id+json  
# application/vnd.ims.lti.v2.toolsettings+json  
# application/vnd.ims.lti.v2.toolsettings.simple+json  
# application/vnd.informedcontrol.rms+xml  
# application/vnd.informix-visionary  
# application/vnd.infotech.project  
# application/vnd.infotech.project+xml  
# application/vnd.innopath.wamp.notification  
application/vnd.insors.igm igm



application/vnd.intercon.formnet xpw xpx  
application/vnd.intergeo i2g  
# application/vnd.intertrust.digibox  
# application/vnd.intertrust.nncp  
application/vnd.intu.qbo qbo  
application/vnd.intu.qfx qfx  
# application/vnd.iptc.g2.catalogitem+xml  
# application/vnd.iptc.g2.conceptitem+xml  
#  
application/vnd.iptc.g2.knowledgeitem+xml  
# application/vnd.iptc.g2.newsitem+xml  
# application/vnd.iptc.g2.newsmesssage+xml  
# application/vnd.iptc.g2.packageitem+xml  
# application/vnd.iptc.g2.planningitem+xml  
application/vnd.ipunplugged.rcprofile rcprofile  
application/vnd.irepository.package+xml irp  
application/vnd.is-xpr xpr  
application/vnd.isac.fcs fcs  
application/vnd.jam jam  
# application/vnd.japannet-directory-service  
# application/vnd.japannet-jpnstore-wakeup  
# application/vnd.japannet-payment-wakeup  
# application/vnd.japannet-registration  
# application/vnd.japannet-registration-wakeup  
# application/vnd.japannet-setstore-wakeup  
# application/vnd.japannet-verification  
# application/vnd.japannet-verification-wakeup  
application/vnd.jcp.javame.midlet-rms rms  
application/vnd.jisp jisp  
application/vnd.joost.joda-archive joda  
# application/vnd.jsk.isdn-ngn  
application/vnd.kahootz ktz ktr  
application/vnd.kde.karbon karbon  
application/vnd.kde.kchart chrt  
application/vnd.kde.kformula kfo  
application/vnd.kde.kivio flw  
application/vnd.kde.kontour kon  
application/vnd.kde.kpresenter kpr  
kpt  
application/vnd.kde.kspread ksp  
application/vnd.kde.kword kwd kwt  
application/vnd.kenameaapp htke  
application/vnd.kidspiration kia  
application/vnd.kinar kne knp  
application/vnd.koan skp skd skt skm  
application/vnd.kodak-descriptor sse  
application/vnd.las.las+xml lasxml  
# application/vnd.liberty-request+xml

application/vnd.llamagraphics.life-balance.desktop lbd  
application/vnd.llamagraphics.life-balance.exchange+xml lbe  
application/vnd.lotus-1-2-3 123  
application/vnd.lotus-approach apr  
application/vnd.lotus-freelance pre  
application/vnd.lotus-notes nsf  
application/vnd.lotus-organizer org  
application/vnd.lotus-screencam scm  
application/vnd.lotus-wordpro lwp  
application/vnd.macports.portpkg portpkg  
# application/vnd.mapbox-vector-tile  
# application/vnd.marlin.drm.actiontoken+xml  
# application/vnd.marlin.drm.conftoken+xml  
#  
application/vnd.marlin.drm.license+xml  
# application/vnd.marlin.drm.mdcf  
# application/vnd.mason+json  
# application/vnd.maxmind.maxmind-db  
application/vnd.mcd mcd  
application/vnd.medcalldata mc1  
application/vnd.mediastation.cdkey cdkey  
# application/vnd.meridian-slideshow  
application/vnd.mfer mwf  
application/vnd.mfmp mfm  
# application/vnd.micro+json  
application/vnd.micrografx.flo flo  
application/vnd.micrografx.igx igx  
# application/vnd.microsoft.portable-executable  
# application/vnd.miele+json  
application/vnd.mif mif  
# application/vnd.minisoft-hp3000-save  
# application/vnd.mitsubishi.misty-guard.trustweb  
application/vnd.mobius.daf daf  
application/vnd.mobius.dis dis  
application/vnd.mobius.mbk mbk  
application/vnd.mobius.mqy mqy  
application/vnd.mobius.msl msl  
application/vnd.mobius.plc plc  
application/vnd.mobius.txf txf  
application/vnd.mophun.application mpn  
application/vnd.mophun.certificate mpc  
# application/vnd.motorola.flexsuite  
#  
application/vnd.motorola.flexsuite.adsi  
# application/vnd.motorola.flexsuite.fis  
# application/vnd.motorola.flexsuite.gotap  
# application/vnd.motorola.flexsuite.kmr  
# application/vnd.motorola.flexsuite.ttc

```
# application/vnd.motorola.flexsuite.wem
# application/vnd.motorola.iprm
application/vnd.mozilla.xul+xml xul
# application/vnd.ms-3mfdocument
application/vnd.ms-artgalry cil
# application/vnd.ms-asf
application/vnd.ms-cab-compressed cab
# application/vnd.ms-color.iccprofile
application/vnd.ms-excel xls xlm xla xlc xlt xlw
application/vnd.ms-excel.addin.macroenabled.12 xlam
application/vnd.ms-excel.sheet.binary.macroenabled.12 xlsb
application/vnd.ms-excel.sheet.macroenabled.12 xlsx
application/vnd.ms-excel.template.macroenabled.12 xltn
application/vnd.ms-fontobject eot
application/vnd.ms-htmlhelp chm
application/vnd.ms-ims ims
application/vnd.ms-lrm lrm
# application/vnd.ms-office.activex+xml
application/vnd.ms-officetheme thmx
# application/vnd.ms-opentype
#
application/vnd.ms-package.obfuscated-opentype
application/vnd.ms-pki.seccat cat
application/vnd.ms-pki.stl stl
# application/vnd.ms-playready.initiator+xml
application/vnd.ms-powerpoint ppt pps pot
application/vnd.ms-powerpoint.addin.macroenabled.12 ppam
application/vnd.ms-powerpoint.presentation.macroenabled.12 pptm
application/vnd.ms-powerpoint.slide.macroenabled.12 sldm
application/vnd.ms-powerpoint.slideshow.macroenabled.12 ppsm
application/vnd.ms-powerpoint.template.macroenabled.12 potm
# application/vnd.ms-printdevicecapabilities+xml
# application/vnd.ms-printing.printticket+xml
# application/vnd.ms-printschematicket+xml
application/vnd.ms-project mpp mpt
# application/vnd.ms-tnef
# application/vnd.ms-windows.devicepairing
# application/vnd.ms-windows.nwprinting.oob
# application/vnd.ms-windows.printerpairing
# application/vnd.ms-windows.wsd.oob
# application/vnd.ms-wmdrm.lic-chlg-req
# application/vnd.ms-wmdrm.lic-resp
# application/vnd.ms-wmdrm.meter-chlg-req
#
application/vnd.ms-wmdrm.meter-resp
application/vnd.ms-word.document.macroenabled.12 docm
application/vnd.ms-word.template.macroenabled.12 dotm
application/vnd.ms-works wps wks wcm wdb
```

application/vnd.ms-wpl wpl  
application/vnd.ms-xpsdocument xps  
# application/vnd.msa-disk-image  
application/vnd.mseq mseq  
# application/vnd.msign  
# application/vnd.multiad.creator  
# application/vnd.multiad.creator.cif  
# application/vnd.music-niff  
application/vnd.musician mus  
application/vnd.muvee.style msty  
application/vnd.mynfc taglet  
# application/vnd.ncd.control  
# application/vnd.ncd.reference  
# application/vnd.nervana  
# application/vnd.netfpx  
application/vnd.neurolanguage.nlu nlu  
# application/vnd.nintendo.nitro.rom  
# application/vnd.nintendo.snes.rom  
application/vnd.nitf ntf nitf  
application/vnd.noblenet-directory nnd  
application/vnd.noblenet-sealer nns  
application/vnd.noblenet-web nnw  
# application/vnd.nokia.catalogs  
# application/vnd.nokia.conml+wbxml  
# application/vnd.nokia.conml+xml  
#  
application/vnd.nokia.iptv.config+xml  
# application/vnd.nokia.isds-radio-presets  
# application/vnd.nokia.landmark+wbxml  
# application/vnd.nokia.landmark+xml  
# application/vnd.nokia.landmarkcollection+xml  
# application/vnd.nokia.n-gage.ac+xml  
application/vnd.nokia.n-gage.data ngdat  
application/vnd.nokia.n-gage.symbian.install n-gage  
# application/vnd.nokia.ncd  
# application/vnd.nokia.pcd+wbxml  
# application/vnd.nokia.pcd+xml  
application/vnd.nokia.radio-preset rpst  
application/vnd.nokia.radio-presets rpss  
application/vnd.novadigm.edm edm  
application/vnd.novadigm.edx edx  
application/vnd.novadigm.ext ext  
# application/vnd.ntt-local.content-share  
# application/vnd.ntt-local.file-transfer  
# application/vnd.ntt-local.ogw\_remote-access  
# application/vnd.ntt-local.sip-ta\_remote  
# application/vnd.ntt-local.sip-ta\_tcp\_stream  
application/vnd.oasis.opendocument.chart odc

application/vnd.oasis.opendocument.chart-template otc  
application/vnd.oasis.opendocument.database odb  
application/vnd.oasis.opendocument.formula odf  
application/vnd.oasis.opendocument.formula-template odft  
application/vnd.oasis.opendocument.graphics odg  
application/vnd.oasis.opendocument.graphics-template otg  
application/vnd.oasis.opendocument.image odi  
application/vnd.oasis.opendocument.image-template oti  
application/vnd.oasis.opendocument.presentation odp  
application/vnd.oasis.opendocument.presentation-template otp  
application/vnd.oasis.opendocument.spreadsheet ods  
application/vnd.oasis.opendocument.spreadsheet-template ots  
application/vnd.oasis.opendocument.text odt  
application/vnd.oasis.opendocument.text-master odm  
application/vnd.oasis.opendocument.text-template ott  
application/vnd.oasis.opendocument.text-web oth  
#  
application/vnd.obn  
# application/vnd.ofn.110n+json  
# application/vnd.oipf.contentaccessdownload+xml  
# application/vnd.oipf.contentaccessstreaming+xml  
# application/vnd.oipf.cspg-hexbinary  
# application/vnd.oipf.dae.svg+xml  
# application/vnd.oipf.dae.xhtml+xml  
#  
application/vnd.oipf.mippvcontrolmessage+xml  
# application/vnd.oipf.pae.gem  
# application/vnd.oipf.spdiscovery+xml  
# application/vnd.oipf.spdlist+xml  
# application/vnd.oipf.ueprofile+xml  
# application/vnd.oipf.userprofile+xml  
application/vnd.olpc-sugar xo  
# application/vnd.oma-scws-config  
# application/vnd.oma-scws-http-request  
# application/vnd.oma-scws-http-response  
# application/vnd.oma.bcast.associated-procedure-parameter+xml  
# application/vnd.oma.bcast.drm-trigger+xml  
# application/vnd.oma.bcast.imd+xml  
# application/vnd.oma.bcast.ltkm  
# application/vnd.oma.bcast.notification+xml  
# application/vnd.oma.bcast.provisioningtrigger  
# application/vnd.oma.bcast.sgboot  
# application/vnd.oma.bcast.sgdd+xml  
# application/vnd.oma.bcast.sgdu  
# application/vnd.oma.bcast.simple-symbol-container  
# application/vnd.oma.bcast.smartcard-trigger+xml  
# application/vnd.oma.bcast.sprov+xml  
# application/vnd.oma.bcast.stkm

```

# application/vnd.oma.cab-address-book+xml
# application/vnd.oma.cab-feature-handler+xml
#
  application/vnd.oma.cab-pcc+xml
# application/vnd.oma.cab-sub-invite+xml
# application/vnd.oma.cab-user-prefs+xml
# application/vnd.oma.dcd
# application/vnd.oma.dcdc
application/vnd.oma.dd2+xml dd2
# application/vnd.oma.drm.risd+xml
# application/vnd.oma.group-usage-list+xml
# application/vnd.oma.lwm2m+json
# application/vnd.oma.lwm2m+tlv
# application/vnd.oma.pal+xml
# application/vnd.oma.poc.detailed-progress-report+xml
# application/vnd.oma.poc.final-report+xml
# application/vnd.oma.poc.groups+xml
# application/vnd.oma.poc.invocation-descriptor+xml
# application/vnd.oma.poc.optimized-progress-report+xml
# application/vnd.oma.push
# application/vnd.oma.scidm.messages+xml
# application/vnd.oma.xcap-directory+xml
# application/vnd.omads-email+xml
# application/vnd.omads-file+xml
# application/vnd.omads-folder+xml
# application/vnd.omaloc-supl-init
# application/vnd.onepager
# application/vnd.openblox.game+xml
# application/vnd.openblox.game-binary
# application/vnd.openeye.oeb
application/vnd.openofficeorg.extension oxt
#
  application/vnd.openxmlformats-officedocument.custom-properties+xml
# application/vnd.openxmlformats-officedocument.customxmlproperties+xml
# application/vnd.openxmlformats-officedocument.drawing+xml
# application/vnd.openxmlformats-officedocument.drawingml.chart+xml
# application/vnd.openxmlformats-officedocument.drawingml.chartshapes+xml
# application/vnd.openxmlformats-officedocument.drawingml.diagramcolors+xml
# application/vnd.openxmlformats-officedocument.drawingml.diagramdata+xml
# application/vnd.openxmlformats-officedocument.drawingml.diagramlayout+xml
# application/vnd.openxmlformats-officedocument.drawingml.diagramstyle+xml
# application/vnd.openxmlformats-officedocument.extended-properties+xml
# application/vnd.openxmlformats-officedocument.presentationml.commentauthors+xml
# application/vnd.openxmlformats-officedocument.presentationml.comments+xml
# application/vnd.openxmlformats-officedocument.presentationml.handoutmaster+xml
#
  application/vnd.openxmlformats-officedocument.presentationml.notesmaster+xml
# application/vnd.openxmlformats-officedocument.presentationml.notesslide+xml

```

application/vnd.openxmlformats-officedocument.presentationml.presentation pptx  
# application/vnd.openxmlformats-officedocument.presentationml.presentation.main+xml  
# application/vnd.openxmlformats-officedocument.presentationml.presprops+xml  
application/vnd.openxmlformats-officedocument.presentationml.slide sldx  
# application/vnd.openxmlformats-officedocument.presentationml.slide+xml  
# application/vnd.openxmlformats-officedocument.presentationml.slidelayout+xml  
# application/vnd.openxmlformats-officedocument.presentationml.slidemaster+xml  
application/vnd.openxmlformats-officedocument.presentationml.slideshow ppsx  
# application/vnd.openxmlformats-officedocument.presentationml.slideshow.main+xml  
# application/vnd.openxmlformats-officedocument.presentationml.slideupdateinfo+xml  
# application/vnd.openxmlformats-officedocument.presentationml.tablestyles+xml  
#  
application/vnd.openxmlformats-officedocument.presentationml.tags+xml  
application/vnd.openxmlformats-officedocument.presentationml.template potx  
# application/vnd.openxmlformats-officedocument.presentationml.template.main+xml  
# application/vnd.openxmlformats-officedocument.presentationml.viewprops+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.calcchain+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.chartsheet+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.comments+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.connections+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.dialogsheet+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.externallink+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.pivotcachedefinition+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.pivotcacherecords+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.pivottable+xml  
#  
application/vnd.openxmlformats-officedocument.spreadsheetml.querytable+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.revisionheaders+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.revisionlog+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.sharedstrings+xml  
application/vnd.openxmlformats-officedocument.spreadsheetml.sheet xlsx  
# application/vnd.openxmlformats-officedocument.spreadsheetml.sheet.main+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.sheetmetadata+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.styles+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.table+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.tablesinglecells+xml  
application/vnd.openxmlformats-officedocument.spreadsheetml.template xltx  
# application/vnd.openxmlformats-officedocument.spreadsheetml.template.main+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.usernames+xml  
#  
application/vnd.openxmlformats-officedocument.spreadsheetml.volatiledependencies+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.worksheet+xml  
# application/vnd.openxmlformats-officedocument.theme+xml  
# application/vnd.openxmlformats-officedocument.themeoverride+xml  
# application/vnd.openxmlformats-officedocument.vmldrawing  
# application/vnd.openxmlformats-officedocument.wordprocessingml.comments+xml  
application/vnd.openxmlformats-officedocument.wordprocessingml.document docx  
# application/vnd.openxmlformats-officedocument.wordprocessingml.document.glossary+xml

# application/vnd.openxmlformats-officedocument.wordprocessingml.document.main+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.endnotes+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.fonttable+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.footer+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.footnotes+xml  
#  
application/vnd.openxmlformats-officedocument.wordprocessingml.numbering+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.settings+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.styles+xml  
application/vnd.openxmlformats-officedocument.wordprocessingml.template dotx  
# application/vnd.openxmlformats-officedocument.wordprocessingml.template.main+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.websettings+xml  
# application/vnd.openxmlformats-package.core-properties+xml  
# application/vnd.openxmlformats-package.digital-signature-xmlsignature+xml  
# application/vnd.openxmlformats-package.relationships+xml  
# application/vnd.oracle.resource+json  
# application/vnd.orange.indata  
# application/vnd.osa.netdeploy  
application/vnd.osgeo.mapguide.package mgp  
# application/vnd.osgi.bundle  
application/vnd.osgi.dp dp  
application/vnd.osgi.subsystem esa  
# application/vnd.otp.ct-kip+xml  
# application/vnd.oxli.countgraph  
#  
application/vnd.pagerduty+json  
application/vnd.palm pdb pqa oprc  
# application/vnd.panoply  
# application/vnd.paos.xml  
application/vnd.pawaafire paw  
# application/vnd.pcos  
application/vnd.pg.format str  
application/vnd.pg.asasli ei6  
# application/vnd.piaccess.application-licence  
application/vnd.picsel efif  
application/vnd.pmi.widget wg  
# application/vnd.poc.group-advertisement+xml  
application/vnd.pocketlearn plf  
application/vnd.powerbuilder6 pbd  
# application/vnd.powerbuilder6-s  
# application/vnd.powerbuilder7  
# application/vnd.powerbuilder7-s  
# application/vnd.powerbuilder75  
# application/vnd.powerbuilder75-s  
# application/vnd.preminet  
application/vnd.previewsystems.box box  
application/vnd.proteus.magazine mgz  
application/vnd.publishare-delta-tree qps



application/vnd.pvi.ptid1 ptid  
# application/vnd.pwg-multiplexed  
# application/vnd.pwg-xhtml-print+xml  
# application/vnd.qualcomm.brew-app-res  
# application/vnd.quarantainenet  
application/vnd.quark.quarkxpress qxd  
qxt qwd qwt qxl qxb  
# application/vnd.quobject-quoxdocument  
# application/vnd.radisys.moml+xml  
# application/vnd.radisys.msml+xml  
# application/vnd.radisys.msml-audit+xml  
# application/vnd.radisys.msml-audit-conf+xml  
# application/vnd.radisys.msml-audit-conn+xml  
# application/vnd.radisys.msml-audit-dialog+xml  
# application/vnd.radisys.msml-audit-stream+xml  
# application/vnd.radisys.msml-conf+xml  
# application/vnd.radisys.msml-dialog+xml  
# application/vnd.radisys.msml-dialog-base+xml  
# application/vnd.radisys.msml-dialog-fax-detect+xml  
# application/vnd.radisys.msml-dialog-fax-sendrecv+xml  
# application/vnd.radisys.msml-dialog-group+xml  
# application/vnd.radisys.msml-dialog-speech+xml  
# application/vnd.radisys.msml-dialog-transform+xml  
# application/vnd.rainstor.data  
# application/vnd.rapid  
# application/vnd.rar  
application/vnd.realvnc.bed bed  
application/vnd.recordare.musicxml mxl  
application/vnd.recordare.musicxml+xml musicxml  
# application/vnd.renlearn.rlprint  
application/vnd.rig.cryptonote cryptonote  
application/vnd.rim.cod cod  
application/vnd.rn-realmedia rm  
application/vnd.rn-realmedia-vbr rmvb  
application/vnd.route66.link66+xml link66  
#  
application/vnd.rs-274x  
# application/vnd.ruckus.download  
# application/vnd.s3sms  
application/vnd.sailingtracker.track st  
# application/vnd.sbm.cid  
# application/vnd.sbm.mid2  
# application/vnd.scribus  
# application/vnd.sealed.3df  
# application/vnd.sealed.csf  
# application/vnd.sealed.doc  
# application/vnd.sealed.eml  
# application/vnd.sealed.mht

# application/vnd.sealed.net  
# application/vnd.sealed.ppt  
# application/vnd.sealed.tiff  
# application/vnd.sealed.xls  
# application/vnd.sealedmedia.softseal.html  
# application/vnd.sealedmedia.softseal.pdf  
application/vnd.seemail see  
application/vnd.sema sema  
application/vnd.semd semd  
application/vnd.semf semf  
application/vnd.shana.informed.formdata ifm  
application/vnd.shana.informed.formtemplate itp  
application/vnd.shana.informed.interchange iif  
application/vnd.shana.informed.package ipk  
application/vnd.simtech-mindmapper twd  
twds  
# application/vnd.siren+json  
application/vnd.smaf mmf  
# application/vnd.smart.notebook  
application/vnd.smart.teacher teacher  
# application/vnd.software602.filler.form+xml  
# application/vnd.software602.filler.form-xml-zip  
application/vnd.solent.sdkm+xml sdkm sdkd  
application/vnd.spotfire.dxp dxp  
application/vnd.spotfire.sfs sfs  
# application/vnd.sss-cod  
# application/vnd.sss-dtf  
# application/vnd.sss-ntf  
application/vnd.stardivision.calc sdc  
application/vnd.stardivision.draw sda  
application/vnd.stardivision.impress sdd  
application/vnd.stardivision.math smf  
application/vnd.stardivision.writer sdw vor  
application/vnd.stardivision.writer-global sgl  
application/vnd.stepmania.package smzip  
application/vnd.stepmania.stepchart sm  
# application/vnd.street-stream  
# application/vnd.sun.wadl+xml  
application/vnd.sun.xml.calc sxc  
application/vnd.sun.xml.calc.template stc  
application/vnd.sun.xml.draw sxd  
application/vnd.sun.xml.draw.template std  
application/vnd.sun.xml.impress sxi  
application/vnd.sun.xml.impress.template sti  
application/vnd.sun.xml.math sxm  
application/vnd.sun.xml.writer sxw  
application/vnd.sun.xml.writer.global sxcg  
application/vnd.sun.xml.writer.template stw

application/vnd.sus-calendar sus  
susp  
application/vnd.svd svd  
# application/vnd.swiftview-ics  
application/vnd.symbian.install sis sixs  
application/vnd.syncml+xml xsm  
application/vnd.syncml.dm+wbxml bdm  
application/vnd.syncml.dm+xml xdm  
# application/vnd.syncml.dm.notification  
# application/vnd.syncml.dmddf+wbxml  
# application/vnd.syncml.dmddf+xml  
# application/vnd.syncml.dmtnds+wbxml  
# application/vnd.syncml.dmtnds+xml  
# application/vnd.syncml.ds.notification  
application/vnd.tao.intent-module-archive tao  
application/vnd.tcpdump.pcap pcap cap dmp  
# application/vnd.tmd.mediaflex.api+xml  
# application/vnd.tml  
application/vnd.tmobile-livetv tmo  
application/vnd.trid.tpt tpt  
application/vnd.triscape.mxs mxs  
application/vnd.trueapp tra  
#  
application/vnd.truedoc  
# application/vnd.ubisoft.webplayer  
application/vnd.ufdl ufd ufdl  
application/vnd.uiq.theme utz  
application/vnd.umajin umj  
application/vnd.unity unityweb  
application/vnd.uoml+xml uoml  
# application/vnd.uplanet.alert  
# application/vnd.uplanet.alert-wbxml  
# application/vnd.uplanet.bearer-choice  
# application/vnd.uplanet.bearer-choice-wbxml  
# application/vnd.uplanet.cacheop  
# application/vnd.uplanet.cacheop-wbxml  
# application/vnd.uplanet.channel  
# application/vnd.uplanet.channel-wbxml  
# application/vnd.uplanet.list  
# application/vnd.uplanet.list-wbxml  
# application/vnd.uplanet.listcmd  
# application/vnd.uplanet.listcmd-wbxml  
# application/vnd.uplanet.signal  
# application/vnd.uri-map  
# application/vnd.valve.source.material  
application/vnd.vex vcx  
# application/vnd.vd-study  
# application/vnd.vectorworks

```
# application/vnd.vel+json
# application/vnd.verimatrix.vcas
# application/vnd.vidsoft.vidconference
application/vnd.visio vsd
vst vss vsw
application/vnd.visionary vis
# application/vnd.vividence.scriptfile
application/vnd.vsf vsf
# application/vnd.wap.sic
# application/vnd.wap.slc
application/vnd.wap.wbxml wbxml
application/vnd.wap.wmlc wmlc
application/vnd.wap.wmlscriptc wmlsc
application/vnd.webturbo wtb
# application/vnd.wfa.p2p
# application/vnd.wfa.wsc
# application/vnd.windows.devicepairing
# application/vnd.wmc
# application/vnd.wmf.bootstrap
# application/vnd.wolfram.mathematica
# application/vnd.wolfram.mathematica.package
application/vnd.wolfram.player nbp
application/vnd.wordperfect wpd
application/vnd.wqd wqd
# application/vnd.wrq-hp3000-labelled
application/vnd.wt.stf stf
# application/vnd.wv.csp+wbxml
# application/vnd.wv.csp+xml
# application/vnd.wv.ssp+xml
# application/vnd.xacml+json
application/vnd.xara xar
application/vnd.xfdl xfdl
# application/vnd.xfdl.webform
# application/vnd.xmi+xml
# application/vnd.xmpie.cpkg
#
application/vnd.xmpie.dpkg
# application/vnd.xmpie.plan
# application/vnd.xmpie.ppkg
# application/vnd.xmpie.xlim
application/vnd.yamaha.hv-dic hvd
application/vnd.yamaha.hv-script hvs
application/vnd.yamaha.hv-voice hvp
application/vnd.yamaha.openscoreformat osf
application/vnd.yamaha.openscoreformat.osfpvg+xml osfpvg
# application/vnd.yamaha.remote-setup
application/vnd.yamaha.smaf-audio saf
application/vnd.yamaha.smaf-phrase spf
```

```
# application/vnd.yamaha.through-ngn
# application/vnd.yamaha.tunnel-udpencap
# application/vnd.yaoweme
application/vnd.yellowriver-custom-menu cmp
application/vnd.zul zir zirz
application/vnd.zzazz.deck+xml zaz
application/voicexml+xml vxml
# application/vq-rtcpvr
# application/watcherinfo+xml
# application/whoispp-query
# application/whoispp-response
application/widget wgt
application/winhelp hlp
# application/wita
# application/wordperfect5.1
application/wsdl+xml wsdl
application/wspolicy+xml wspolicy
application/x-7z-compressed 7z
application/x-abiword abw
application/x-ace-compressed ace
#
application/x-amf
application/x-apple-diskimage dmg
application/x-authorware-bin aab x32 u32 vox
application/x-authorware-map aam
application/x-authorware-seg aas
application/x-bcpio bcpio
application/x-bittorrent torrent
application/x-blorb blb blorb
application/x-bzip bz
application/x-bzip2 bz2 boz
application/x-cbr cbr cba cbt cbz cb7
application/x-cdlink vcd
application/x-cfs-compressed cfs
application/x-chat chat
application/x-chess-pgn pgn
# application/x-compress
application/x-conference nsc
application/x-cpio cpio
application/x-csh csh
application/x-debian-package deb udeb
application/x-dgc-compressed dgc
application/x-director dir dcr dxr cst cct ext w3d fgd swa
application/x-doom wad
application/x-dtbncx+xml ncx
application/x-dtbook+xml dtb
application/x-dtbresource+xml res
application/x-dvi dvi
```

application/x-envoy evy  
application/x-eva eva  
application/x-font-bdf bdf  
#  
application/x-font-dos  
# application/x-font-framemaker  
application/x-font-ghostscript gsf  
# application/x-font-libgrx  
application/x-font-linux-psf psf  
application/x-font-pcf pcf  
application/x-font-snf snf  
# application/x-font-speedo  
# application/x-font-sunos-news  
application/x-font-type1 pfa pfb pfm afm  
# application/x-font-vfont  
application/x-freearc arc  
application/x-futuresplash spl  
application/x-gca-compressed gca  
application/x-glulx ulx  
application/x-gnumeric gnumeric  
application/x-gramps-xml gramps  
application/x-gtar gtar  
# application/x-gzip  
application/x-hdf hdf  
application/x-install-instructions install  
application/x-iso9660-image iso  
application/x-java-jnlp-file jnlp  
application/x-latex latex  
application/x-lzh-compressed lzh lha  
application/x-mie mie  
application/x-mobipocket-ebook prc mobi  
application/x-ms-application application  
application/x-ms-shortcut lnk  
application/x-ms-wmd wmd  
application/x-ms-wmz wmz  
application/x-ms-xbap xbap  
application/x-msaccess mdb  
application/x-msbinder obd  
application/x-mscardfile crd  
application/x-msclip clp  
application/x-msdownload exe  
dll com bat msi  
application/x-msmediaview mvb m13 m14  
application/x-msmetafile wmf wmz emf emz  
application/x-msmoney mny  
application/x-mspublisher pub  
application/x-msschedule scd  
application/x-msterminal trm

application/x-mswrite wri  
application/x-netcdf nc cdf  
application/x-nzb nzb  
application/x-pkcs12 p12 pfx  
application/x-pkcs7-certificates p7b spc  
application/x-pkcs7-certreqresp p7r  
application/x-rar-compressed rar  
application/x-research-info-systems ris  
application/x-sh sh  
application/x-shar shar  
application/x-shockwave-flash swf  
application/x-silverlight-app xap  
application/x-sql sql  
application/x-stuffit sit  
application/x-stuffitx sitx  
application/x-subrip srt  
application/x-sv4cpio sv4cpio  
application/x-sv4crc sv4crc  
application/x-t3vm-image t3  
application/x-tads gam  
application/x-tar tar  
application/x-tcl tcl  
application/x-tex tex  
application/x-tex-tfm tfm  
application/x-texinfo texinfo  
texi  
application/x-tgif obj  
application/x-ustar ustar  
application/x-wais-source src  
# application/x-www-form-urlencoded  
application/x-x509-ca-cert der crt  
application/x-xfig fig  
application/x-xliff+xml xlf  
application/x-xpinstall xpi  
application/x-xz xz  
application/x-zmachine z1 z2 z3 z4 z5 z6 z7 z8  
# application/x400-bp  
# application/xacml+xml  
application/xaml+xml xaml  
# application/xcap-att+xml  
# application/xcap-caps+xml  
application/xcap-diff+xml xdf  
# application/xcap-el+xml  
# application/xcap-error+xml  
# application/xcap-ns+xml  
# application/xcon-conference-info+xml  
# application/xcon-conference-info-diff+xml  
application/xenc+xml xenc

application/xhtml+xml xhtml xht  
# application/xhtml-voice+xml  
application/xml xml xsl  
application/xml-dtd dtd  
#  
application/xml-external-parsed-entity  
# application/xml-patch+xml  
# application/xmpp+xml  
application/xop+xml xop  
application/xproc+xml xpl  
application/xslt+xml xslt  
application/xspf+xml xspf  
application/xv+xml mxml xhvm xvm xvm  
application/yang yang  
application/yin+xml yin  
application/zip zip  
# application/zlib  
# audio/1d-interleaved-parityfec  
# audio/32kadpcm  
# audio/3gpp  
# audio/3gpp2  
# audio/ac3  
audio/adpcm adp  
# audio/amr  
# audio/amr-wb  
# audio/amr-wb+  
# audio/aptx  
# audio/asc  
# audio/atrac-advanced-lossless  
# audio/atrac-x  
# audio/atrac3  
audio/basic au snd  
# audio/bv16  
# audio/bv32  
# audio/clearmode  
# audio/cn  
# audio/dat12  
# audio/dls  
# audio/dsr-es201108  
# audio/dsr-es202050  
# audio/dsr-es202211  
# audio/dsr-es202212  
# audio/dv  
# audio/dvi4  
# audio/eac3  
# audio/encaprtsp  
# audio/evrc  
# audio/evrc-qcp



# audio/evrc0  
# audio/evrc1  
# audio/evrcb  
# audio/evrcb0  
# audio/evrcb1  
# audio/evrcnw  
# audio/evrcnw0  
# audio/evrcnw1  
# audio/evrcwb  
# audio/evrcwb0  
#  
  audio/evrcwb1  
# audio/evs  
# audio/example  
# audio/fwdred  
# audio/g711-0  
# audio/g719  
# audio/g722  
# audio/g7221  
# audio/g723  
# audio/g726-16  
# audio/g726-24  
# audio/g726-32  
# audio/g726-40  
# audio/g728  
# audio/g729  
# audio/g7291  
# audio/g729d  
# audio/g729e  
# audio/gsm  
# audio/gsm-efr  
# audio/gsm-hr-08  
# audio/ilbc  
# audio/ip-mr\_v2.5  
# audio/isac  
# audio/l16  
# audio/l20  
# audio/l24  
# audio/l8  
# audio/lpc  
audio/midi  mid midi kar rmi  
# audio/mobile-xmf  
audio/mp4  m4a mp4a  
# audio/mp4a-latm  
# audio/mpa  
# audio/mpa-robust  
audio/mpeg  mpga mp2 mp2a mp3 m2a m3a  
# audio/mpeg4-generic

# audio/musepack  
audio/ogg oga ogg spx  
# audio/opus  
# audio/parityfec  
# audio/pcma  
# audio/pcma-wb  
# audio/pcmu  
# audio/pcmu-wb  
# audio/prs.sid  
# audio/qcelp  
# audio/raptorfec  
# audio/red  
# audio/rtp-enc-aescm128  
# audio/rtp-midi  
# audio/rtploopback  
# audio/rtx  
audio/s3m s3m  
audio/silk sil  
# audio/smv  
# audio/smv-qcp  
# audio/smv0  
# audio/sp-midi  
# audio/speex  
# audio/t140c  
# audio/t38  
#  
audio/telephone-event  
# audio/tone  
# audio/uemclip  
# audio/ulpfec  
# audio/vdvi  
# audio/vmr-wb  
# audio/vnd.3gpp.iufp  
# audio/vnd.4sb  
# audio/vnd.audiokoz  
# audio/vnd.celp  
# audio/vnd.cisco.nse  
# audio/vnd.cmles.radio-events  
# audio/vnd.cns.anp1  
# audio/vnd.cns.inf1  
audio/vnd.dece.audio uva uvva  
audio/vnd.digital-winds eol  
# audio/vnd.dlna.adts  
# audio/vnd.dolby.heaac.1  
# audio/vnd.dolby.heaac.2  
# audio/vnd.dolby.mlp  
# audio/vnd.dolby.mps  
# audio/vnd.dolby.pl2

```
# audio/vnd.dolby.pl2x
# audio/vnd.dolby.pl2z
# audio/vnd.dolby.pulse.1
audio/vnd.dra dra
audio/vnd.dts dts
audio/vnd.dts.hd dtshd
# audio/vnd.dvb.file
# audio/vnd.everad.plj
# audio/vnd.hns.audio
audio/vnd.lucent.voice lvp
audio/vnd.ms-playready.media.pya pya
# audio/vnd.nokia.mobile-xmf
# audio/vnd.nortel.vbk
audio/vnd.nuera.ecelp4800 ecelp4800
audio/vnd.nuera.ecelp7470 ecelp7470
audio/vnd.nuera.ecelp9600 ecelp9600
# audio/vnd.octel.sbc
# audio/vnd.qcelp
# audio/vnd.rhetorex.32kadpcm
audio/vnd.rip rip
#
  audio/vnd.sealedmedia.softseal.mpeg
# audio/vnd.vmx.cvsd
# audio/vorbis
# audio/vorbis-config
audio/webm weba
audio/x-aac aac
audio/x-aiff aif aiff aifc
audio/x-caf caf
audio/x-flac flac
audio/x-matroska mka
audio/x-mpegurl m3u
audio/x-ms-wax wax
audio/x-ms-wma wma
audio/x-pn-realaudio ram ra
audio/x-pn-realaudio-plugin rmp
# audio/x-tta
audio/x-wav wav
audio/xm xm
chemical/x-cdx cdx
chemical/x-cif cif
chemical/x-cmdf cmdf
chemical/x-cml cml
chemical/x-csml csml
# chemical/x-pdb
chemical/x-xyz xyz
font/collection ttc
font/otf otf
```

```
# font/sfnt
font/ttf ttf
font/woff woff
font/woff2 woff2
image/bmp bmp
image/cgm cgm
# image/dicom-rlc
# image/emf
# image/example
# image/fits
image/g3fax g3
image/gif gif
image/ief ief
# image/jls
# image/jp2
image/jpeg jpeg jpg jpe
# image/jpm
# image/jpx
image/ktx ktx
# image/naplps
image/png png
image/prs.btif btif
# image/prs.pti
#
image/pwg-raster
image/sgi sgi
image/svg+xml svg svgz
# image/t38
image/tiff tiff tif
# image/tiff-fx
image/vnd.adobe.photoshop psd
# image/vnd.airzip.accelerator.azv
# image/vnd.cns.inf2
image/vnd.dece.graphic uvi uvvi uvg uvvg
image/vnd.djvu djvu djv
image/vnd.dvb.subtitle sub
image/vnd.dwg dwg
image/vnd.dxf dxf
image/vnd.fastbidsheet fbs
image/vnd.fpx fpx
image/vnd.fst fst
image/vnd.fujixerox.edmics-mmr mmr
image/vnd.fujixerox.edmics-rlc rlc
# image/vnd.globalgraphics.pgb
# image/vnd.microsoft.icon
# image/vnd.mix
# image/vnd.mozilla.apng
image/vnd.ms-modi mdi
```

image/vnd.ms-photo wdp  
image/vnd.net-fpx npx  
# image/vnd.radiance  
# image/vnd.sealed.png  
# image/vnd.sealedmedia.softseal.gif  
# image/vnd.sealedmedia.softseal.jpg  
# image/vnd.svf  
# image/vnd.tencent.tap  
# image/vnd.valve.source.texture  
image/vnd.wap.wbmp wbmp  
image/vnd.xiff xif  
# image/vnd.zbrush.pcx  
image/webp webp  
# image/wmf  
image/x-3ds 3ds  
image/x-cmu-raster ras  
image/x-cmx cmx  
image/x-freehand fh  
fhc fh4 fh5 fh7  
image/x-icon ico  
image/x-mrsid-image sid  
image/x-pcx pcx  
image/x-pict pic pct  
image/x-portable-anymap pnm  
image/x-portable-bitmap pbm  
image/x-portable-graymap pgm  
image/x-portable-pixmap ppm  
image/x-rgb rgb  
image/x-tga tga  
image/x-xbitmap xbm  
image/x-xpixmap xpm  
image/x-xwindowdump xwd  
# message/cpim  
# message/delivery-status  
# message/disposition-notification  
# message/example  
# message/external-body  
# message/feedback-report  
# message/global  
# message/global-delivery-status  
# message/global-disposition-notification  
# message/global-headers  
# message/http  
# message/imdn+xml  
# message/news  
# message/partial  
message/rfc822 eml mime  
# message/s-http

# message/sip  
# message/sipfrag  
# message/tracking-status  
# message/vnd.si.simp  
# message/vnd.wfa.wsc  
# model/example  
# model/gltf+json  
model/iges igs iges  
model/mesh msh mesh silo  
model/vnd.collada+xml dae  
model/vnd.dwf dwf  
#  
model/vnd.flatland.3dml  
model/vnd.gdl gdl  
# model/vnd.gs-gdl  
# model/vnd.gs.gdl  
model/vnd.gtw gtw  
# model/vnd.moml+xml  
model/vnd.mts mts  
# model/vnd.opengex  
# model/vnd.parasolid.transmit.binary  
# model/vnd.parasolid.transmit.text  
# model/vnd.rosette.annotated-data-model  
# model/vnd.valve.source.compiled-map  
model/vnd.vtu vtu  
model/vrml wrl vrml  
model/x3d+binary x3db x3dbz  
# model/x3d+fastinfoset  
model/x3d+vrml x3dv x3dvz  
model/x3d+xml x3d x3dz  
# model/x3d-vrml  
# multipart/alternative  
# multipart/appledouble  
# multipart/byteranges  
# multipart/digest  
# multipart/encrypted  
# multipart/example  
# multipart/form-data  
# multipart/header-set  
# multipart/mixed  
# multipart/parallel  
# multipart/related  
# multipart/report  
# multipart/signed  
# multipart/voice-message  
# multipart/x-mixed-replace  
# text/1d-interleaved-parityfec  
text/cache-manifest appcache

text/calendar ics ifb  
text/css css  
text/csv csv  
# text/csv-schema  
#  
text/directory  
# text/dns  
# text/ecmascript  
# text/encaprtpt  
# text/enriched  
# text/example  
# text/fwdred  
# text/grammar-ref-list  
text/html html htm  
# text/javascript  
# text/jcr-cnd  
# text/markdown  
# text/mizar  
text/n3 n3  
# text/parameters  
# text/parityfec  
text/plain txt text conf def list log in  
# text/provenance-notation  
# text/prs.fallenstein.rst  
text/prs.lines.tag dsc  
# text/prs.prop.logic  
# text/raptorfec  
# text/red  
# text/rfc822-headers  
text/richtext rtx  
# text/rtf  
# text/rtp-enc-aescm128  
# text/rtploopback  
# text/rtx  
text/sgml sgml sgm  
# text/t140  
text/tab-separated-values tsv  
text/troff t tr roff man me ms  
text/turtle ttl  
# text/ulpfec  
text/uri-list uri uris urls  
text/vcard vcard  
# text/vnd.a  
# text/vnd.abc  
text/vnd.curl curl  
text/vnd.curl.dcurl dcurl  
text/vnd.curl.mcurl mcurl  
text/vnd.curl.scurl scurl

```
# text/vnd.debian.copyright
# text/vnd.dmclientscript
text/vnd.dvb.subtitle sub
# text/vnd.esmertec.theme-descriptor
text/vnd.fly fly
text/vnd.fmi.flexstor flx
text/vnd.graphviz gv
text/vnd.in3d.3dml 3dml
text/vnd.in3d.spot spot
#
text/vnd.iptc.newsml
# text/vnd.iptc.nitf
# text/vnd.latex-z
# text/vnd.motorola.reflex
# text/vnd.ms-mediapackage
# text/vnd.net2phone.commcenter.command
# text/vnd.radisys.msml-basic-layout
# text/vnd.si.uricatalogue
text/vnd.sun.j2me.app-descriptor jad
# text/vnd.trolltech.linguist
# text/vnd.wap.si
# text/vnd.wap.sl
text/vnd.wap.wml wml
text/vnd.wap.wmlscript wmls
text/x-asm s asm
text/x-c c cc cxx cpp h hh dic
text/x-fortran f for f77 f90
text/x-java-source java
text/x-nfo nfo
text/x-opml opml
text/x-pascal p pas
text/x-setext etx
text/x-sfv sfv
text/x-uencode uu
text/x-vcalendar vcs
text/x-vcard vcf
# text/xml
# text/xml-external-parsed-entity
# video/1d-interleaved-parityfec
video/3gpp 3gp
# video/3gpp-tt
video/3gpp2 3g2
# video/bmpeg
# video/bt656
# video/celb
# video/dv
# video/encaprtsp
# video/example
```



video/h261 h261  
video/h263 h263  
#  
video/h263-1998  
# video/h263-2000  
video/h264 h264  
# video/h264-rcdo  
# video/h264-svc  
# video/h265  
# video/iso.segment  
video/jpeg jpgv  
# video/jpeg2000  
video/jpm jpm jpgm  
video/mj2 mj2 mjp2  
# video/mp1s  
# video/mp2p  
# video/mp2t  
video/mp4 mp4 mp4v mpg4  
# video/mp4v-es  
video/mpeg mpeg mpg mpe m1v m2v  
# video/mpeg4-generic  
# video/mpv  
# video/nv  
video/ogg ogv  
# video/parityfec  
# video/pointer  
video/quicktime qt mov  
# video/raptorfec  
# video/raw  
# video/rtp-enc-aescm128  
# video/rtploopback  
# video/rtx  
# video/smpte292m  
# video/ulpfec  
# video/vc1  
# video/vnd.cctv  
video/vnd.dece.hd uvh uvvh  
video/vnd.dece.mobile uvm uvvm  
# video/vnd.dece.mp4  
video/vnd.dece.pd uvp uvvp  
video/vnd.dece.sd uvs uvvs  
video/vnd.dece.video uvv uvvv  
# video/vnd.directv.mpeg  
# video/vnd.directv.mpeg-tts  
# video/vnd.dlna.mpeg-tts  
video/vnd.dvb.file dvb  
video/vnd.fvt fvt  
# video/vnd.hns.video

# video/vnd.iptvforum.1dparityfec-1010  
#  
video/vnd.iptvforum.1dparityfec-2005  
# video/vnd.iptvforum.2dparityfec-1010  
# video/vnd.iptvforum.2dparityfec-2005  
# video/vnd.iptvforum.ttsavc  
# video/vnd.iptvforum.ttsmpeg2  
# video/vnd.motorola.video  
# video/vnd.motorola.videop  
video/vnd.mpegurl mxu m4u  
video/vnd.ms-playready.media.pyv pyv  
# video/vnd.nokia.interleaved-multimedia  
# video/vnd.nokia.videovoip  
# video/vnd.objectvideo  
# video/vnd.radgamettools.bink  
# video/vnd.radgamettools.smacker  
# video/vnd.sealed.mpeg1  
# video/vnd.sealed.mpeg4  
# video/vnd.sealed.swf  
# video/vnd.sealedmedia.softseal.mov  
video/vnd.uvu.mp4 uvu uvvu  
video/vnd.vivo viv  
# video/vp8  
video/webm webm  
video/x-f4v f4v  
video/x-fli fli  
video/x-flv flv  
video/x-m4v m4v  
video/x-matroska mkv mk3d mks  
video/x-mng mng  
video/x-ms-asf asf asx  
video/x-ms-vob vob  
video/x-ms-wm wm  
video/x-ms-wmv wmv  
video/x-ms-wmx wmx  
video/x-ms-wvx wvx  
video/x-msvideo avi  
video/x-sgi-movie movie  
video/x-smv smv  
x-conference/x-cooltalk ice

Found

in path(s):

\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/META-INF/http/mime.types

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/uri/QueryStringDecoder.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017-2022 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/hateoas/GenericResource.java

\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/bind/binders/PartAnnotationBinder.java

\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/ssl/ServerSslConfiguration.java

\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/ssl/ClientSslConfiguration.java

\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/ssl/SslConfiguration.java

```
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-
jar/io/micronaut/http/MediaTypeConvertersRegistrar.java
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-
jar/io/micronaut/http/util/HttpHeadersUtil.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-
jar/io/micronaut/http/HttpMethod.java
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-
jar/io/micronaut/http/HttpResponse.java
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-
jar/io/micronaut/http/bind/RequestBinderRegistry.java
*
/opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-
jar/io/micronaut/http/cookie/Cookie.java
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-
jar/io/micronaut/http/bind/binders/package-info.java
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-
jar/io/micronaut/http/simple/SimpleHttpParameters.java
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-
jar/io/micronaut/http/filter/HttpFilter.java
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-
jar/io/micronaut/http/annotation/Trace.java
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-
jar/io/micronaut/http/simple/cookies/SimpleCookieFactory.java
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-
jar/io/micronaut/http/annotation/Consumes.java
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-
jar/io/micronaut/http/filter/OncePerRequestHttpServerFilter.java
*
```

/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/sse/package-info.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/HttpMethodMapping.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/context/event/HttpRequestTerminatedEvent.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/filter/HttpClientFilter.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/multipart/CompletedPart.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/simple/SimpleHttpResponse.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/codec/CodecConfiguration.java  
\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/HttpRequest.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/PathVariable.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/cookie/package-info.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/ssl/SslConfigurationException.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/uri/package-info.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/bind/binders/CookieAnnotationBinder.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/simple/cookies/package-info.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/uri/UriMatchVariable.java  
\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/filter/HttpServerFilterResolver.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/HttpHeaderValues.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/bind/binders/DefaultBodyAnnotationBinder.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/RequestAttributes.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/HttpMessageWrapper.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/HttpResponseFactory.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/Body.java  
\*

/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/cookie/SameSite.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/resource/package-info.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/simple/cookies/SimpleCookie.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/exceptions/HttpException.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/MutableHttpParameters.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/uri/UriBuilder.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/hateoas/JsonError.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/bind/package-info.java  
\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/uri/UriMatcher.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/HttpAttributes.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/util/OutgoingHttpRequestProcessor.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/codec/package-info.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/Controller.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/converters/package-info.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/uri/UriTypeMatchTemplate.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/MutableHttpHeaders.java  
\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/context/ServerContextPathProvider.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/hateoas/package-info.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/hateoas/DefaultLink.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/FilterMatcher.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/multipart/CompletedFileUpload.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/MediaType.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/HttpMessage.java

\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/exceptions/UriSyntaxException.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/ssl/package-info.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/bind/binders/TypedRequestArgumentBinder.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/multipart/FileUpload.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/bind/binders/RequestAttributeAnnotationBinder.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/sse/Event.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/Patch.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/BasicAuth.java  
\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/ssl/SslBuilder.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/filter/ServerFilterPhase.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/HttpResponseProvider.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/hateoas/Resource.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/exceptions/package-info.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/context/event/package-info.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/filter/HttpServerFilter.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/resource/ResourceLoaderFactory.java  
\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/uri/DefaultUriBuilder.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/Filter.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/bind/binders/QueryValueArgumentBinder.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/util/OutgoingRequestProcessorMatcher.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/FullHttpRequest.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/cookie/Cookies.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-

jar/io/micronaut/http/multipart/MultipartException.java  
\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/util/OutgoingHttpRequestProcessorImpl.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/codec/DefaultMediaTypeCodecRegistry.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/annotation/RequestAttribute.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/context/event/HttpRequestReceivedEvent.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/annotation/package-info.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/hateoas/AbstractResource.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/simple/SimpleHttpResponseFactory.java  
\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/simple/cookies/SimpleCookies.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/multipart/StreamingFileUpload.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/bind/binders/PathVariableAnnotationBinder.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/annotation/Options.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/bind/binders/ContinuationArgumentBinder.kt  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/context/package-info.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/HttpHeaders.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/ssl/DefaultSslConfiguration.java  
\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/simple/SimpleHttpRequestFactory.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/package-info.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/exceptions/ConnectionClosedException.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/filter/HttpFilterResolver.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/filter/FilterOrderProvider.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/simple/SimpleHttpHeaders.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/simple/package-info.java



\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/bind/binders/HeaderAnnotationBinder.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/codec/MediaTypeCodec.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/bind/binders/RequestBeanAnnotationBinder.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/Put.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/MutableHttpRequest.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/context/ServerRequestContext.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/multipart/PartData.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/filter/package-info.java  
\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/Status.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/Delete.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/cookie/CookieFactory.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/exceptions/HttpStatusException.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/converters/HttpConverterRegistrar.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/DefaultHttpFactories.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/filter/FilterChain.java  
\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/Part.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/uri/UriTemplate.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/ssl/ClientAuthentication.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/QueryValue.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/bind/binders/AnnotatedRequestArgumentBinder.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/bind/binders/BodyArgumentBinder.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/HttpParameters.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-

jar/io/micronaut/http/HttpRequestFactory.java  
\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/HttpResponseWrapper.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/HttpStatus.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/sse/DefaultEvent.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/annotation/UriMapping.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/util/HttpUtil.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/codec/MediaTypeCodecRegistry.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/util/package-info.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/annotation/CustomHttpMethod.java  
\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/context/ServerRequestTracingPublisher.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/MutableHttpResponse.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/HttpRequestWrapper.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/annotation/Error.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/context/ClientContextPathProvider.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/cookie/CookieConfiguration.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/MutableHttpMessage.java  
\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/simple/SimpleHttpRequest.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/codec/CodecException.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/uri/UriMatchTemplate.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/hateoas/VndError.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/exceptions/ContentLengthExceededException.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/filter/ServerFilterChain.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-  
jar/io/micronaut/http/uri/UriMatchInfo.java

\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/filter/DefaultFilterEntry.java  
\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/bind/binders/ParameterAnnotationBinder.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/HttpVersion.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/Head.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/Headers.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/bind/binders/NonBlockingBodyArgumentBinder.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/filter/ClientFilterChain.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/multipart/package-info.java  
\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/RequestBean.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/bind/DefaultRequestBinderRegistry.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/Post.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/filter/HttpClientFilterResolver.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/bind/binders/RequestArgumentBinder.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/Get.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/CookieValue.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/Header.java  
\*  
/opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/hateoas/Link.java  
\* /opt/cola/permits/1668044477\_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/io/micronaut/http/annotation/Produces.java  
No license file was found, but licenses were detected in source scan.  
  
/\*  
\* Copyright 2017-2023 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*

```
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-
jar/io/micronaut/http/CaseInsensitiveMutableHttpHeaders.java
```

No license file was found, but licenses were detected in source scan.

```
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1668044477_1683573427.5051796/0/micronaut-http-3-9-0-sources-jar/META-INF/native-
image/io.micronaut.http/micronaut-http/native-image.properties
```

## 1.159 micronaut-validation 3.9.0

### 1.159.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
* Hibernate Validator, declare and validate application constraints
*
* License: Apache License, Version 2.0
```

\* See the license.txt file in the root directory or <<https://www.apache.org/licenses/LICENSE-2.0>>.

\*/

Found in path(s):

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/constraints/EmailValidator.java

No license file was found, but licenses were detected in source scan.

# Licensed under the Apache License, Version 2.0 (the "License");

# you may not use this file except in compliance with the License.

# You may obtain a copy of the License at

# distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/META-INF/native-image/io.micronaut.validation/micronaut-validation/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2020 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/internal/package-info.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/DefaultConstraintDescriptor.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/constraints/ConstraintValidatorRegistry.java

\*

/opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/constraints/DigitsValidator.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/constraints/ConstraintValidatorContext.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/constraints/DecimalMaxValidator.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/ValidatorConfiguration.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/package-info.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/async/AsyncTypeElementVisitor.java

\*

/opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/extractors/DefaultValueExtractors.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/extractors/UnwrapByDefaultValueExtractor.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/DefaultValidatorConfiguration.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/resolver/CompositeTraversableResolver.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/executable/ExecutableVisitor.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/InspectedBeanDescriptor.java

\*

/opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/Validator.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/constraints/DefaultConstraintValidators.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/messages/DefaultValidationMessages.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/internal/InternalApiTypeElementVisitor.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/constraints/SizeValidator.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/exceptions/package-info.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/ReactiveValidator.java

\*

/opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/constraints/PatternValidator.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/async/package-info.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/extractors/ValueExtractorRegistry.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/constraints/DecimalMinValidator.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/constraints/AbstractPatternValidator.java

\* /opt/cola/permits/1668044406\_1683573248.7748783/0/micronaut-validation-3-9-0-sources-jar/io/micronaut/validation/validator/ExecutableMethodValidator.java

\*

```

/opt/cola/permits/1668044406_1683573248.7748783/0/micronaut-validation-3-9-0-sources-
jar/io/micronaut/validation/validator/constraints/ConstraintValidator.java
* /opt/cola/permits/1668044406_1683573248.7748783/0/micronaut-validation-3-9-0-sources-
jar/io/micronaut/validation/validator/DefaultValidatorFactory.java
* /opt/cola/permits/1668044406_1683573248.7748783/0/micronaut-validation-3-9-0-sources-
jar/io/micronaut/validation/exceptions/ConstraintExceptionHandler.java
* /opt/cola/permits/1668044406_1683573248.7748783/0/micronaut-validation-3-9-0-sources-
jar/io/micronaut/validation/validator/DefaultAnnotatedElementValidator.java
* /opt/cola/permits/1668044406_1683573248.7748783/0/micronaut-validation-3-9-0-sources-
jar/io/micronaut/validation/validator/extractors/SimpleValueReceiver.java
* /opt/cola/permits/1668044406_1683573248.7748783/0/micronaut-validation-3-9-0-sources-
jar/io/micronaut/validation/Validated.java
*
/opt/cola/permits/1668044406_1683573248.7748783/0/micronaut-validation-3-9-0-sources-
jar/io/micronaut/validation/validator/DefaultValidator.java
* /opt/cola/permits/1668044406_1683573248.7748783/0/micronaut-validation-3-9-0-sources-
jar/io/micronaut/validation/ValidatingInterceptor.java
* /opt/cola/permits/1668044406_1683573248.7748783/0/micronaut-validation-3-9-0-sources-
jar/io/micronaut/validation/validator/constraints/DomainNameUtil.java
* /opt/cola/permits/1668044406_1683573248.7748783/0/micronaut-validation-3-9-0-sources-
jar/io/micronaut/validation/validator/DefaultClockProvider.java
* /opt/cola/permits/1668044406_1683573248.7748783/0/micronaut-validation-3-9-0-sources-
jar/io/micronaut/validation/executable/package-info.java

```

# 1.160 micronaut-router 3.9.0

## 1.160.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-

```

jar/io/micronaut/web/router/version/resolution/HeaderVersionResolver.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/resource/StaticResourceResolver.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/StatusRoute.java  
\*  
/opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/resource/StaticResourceConfiguration.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/version/RoutesVersioningConfiguration.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/naming/ConfigurableUriNamingStrategy.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/UriRoute.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/naming/HyphenatedUriNamingStrategy.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/version/resolution/RequestVersionResolver.java  
\*  
/opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/package-info.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/RouteBuilder.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/filter/RouteMatchFilter.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/ErrorMessageMatch.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/StatusRouteMatch.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/DefaultUriRouteMatch.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/DefaultRouteBuilder.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/exceptions/RoutingException.java  
\*  
/opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/FilterRoute.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/RouteMatch.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/resource/package-info.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/version/resolution/ParameterVersionResolver.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/GroovyRouteBuilder.groovy  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-  
jar/io/micronaut/web/router/BeanDefinitionFilterRoute.java



\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/MethodBasedRoute.java  
\*  
/opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedPartRouteException.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/version/resolution/VersionResolver.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/qualifier/package-info.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/DefaultRouter.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/UriRouteMatch.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedPathVariableRouteException.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/version/VersionRouteMatchFilter.java  
\*  
/opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/UnresolvedArgument.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/Router.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/exceptions/package-info.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/qualifier/ProducesMediaTypeQualifier.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/version/RouteVersionFilter.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/AnnotatedFilterRouteBuilder.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/version/package-info.java  
\*  
/opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/BasicObjectRouteMatch.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/RouteMatchUtils.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/AnnotatedMethodRouteBuilder.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/MethodBasedRouteMatch.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/version/resolution/HeaderVersionResolverConfiguration.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedQueryValueRouteException.java  
\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedRouteException.java  
\*

```
/opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/filter/FilteredRouter.java
* /opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/version/resolution/package-info.java
* /opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/ResourceRoute.java
* /opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/exceptions/UnsatisfiedBodyRouteException.java
* /opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/AbstractRouteMatch.java
* /opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/naming/package-info.java
* /opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/DefaultFilterRoute.java
*
/opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/qualifier/ConsumesMediaTypeQualifier.java
* /opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/version/DefaultVersionProvider.java
* /opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/version/VersionAwareRouterListener.java
* /opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/exceptions/UnsatisfiedRequestAttributeRouteException.java
* /opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/Route.java
* /opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/ErrorResponse.java
* /opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/exceptions/DuplicateRouteException.java
*
/opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/exceptions/UnsatisfiedCookieValueRouteException.java
* /opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/NullArgument.java
* /opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/version/resolution/ParameterVersionResolverConfiguration.java
* /opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/version/ConfigurationDefaultVersionProvider.java
* /opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/exceptions/UnsatisfiedHeaderRouteException.java
* /opt/cola/permits/1668044608_1683576589.0703561/0/micronaut-router-3-9-0-sources-
jar/io/micronaut/web/router/RouteInfo.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
```

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1668044608\_1683576589.0703561/0/micronaut-router-3-9-0-sources-jar/io/micronaut/web/router/resource/StaticResourceResolverFactory.java

# 1.161 micronaut-http-client 3.9.0

## 1.161.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017-2021 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1668044657\_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-jar/io/micronaut/http/client/netty/MicronautFlux.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017-2020 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1668044657\_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-jar/io/micronaut/http/client/netty/IdlingConnectionHandler.java
  - \* /opt/cola/permits/1668044657\_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-jar/io/micronaut/http/client/netty/ConnectTTLHandler.java
  - \* /opt/cola/permits/1668044657\_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-jar/io/micronaut/http/client/netty/NettyStreamedHttpResponse.java
  - \*
  - /opt/cola/permits/1668044657\_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-jar/io/micronaut/http/client/netty/converters/package-info.java
  - \* /opt/cola/permits/1668044657\_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-jar/io/micronaut/http/client/netty/NettyHttpClientFactory.java
  - \* /opt/cola/permits/1668044657\_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-jar/io/micronaut/http/client/netty/ssl/package-info.java
  - \* /opt/cola/permits/1668044657\_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-jar/io/micronaut/http/client/netty/ssl/NettyClientSslBuilder.java
  - \* /opt/cola/permits/1668044657\_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-jar/io/micronaut/http/client/netty/websocket/package-info.java
  - \* /opt/cola/permits/1668044657\_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-jar/io/micronaut/http/client/netty/DefaultNettyHttpClientRegistry.java
  - \*
  - /opt/cola/permits/1668044657\_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-jar/io/micronaut/http/client/netty/FullNettyClientHttpResponse.java
  - \* /opt/cola/permits/1668044657\_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-jar/io/micronaut/http/client/netty/NettyClientHttpRequest.java
  - \* /opt/cola/permits/1668044657\_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-jar/io/micronaut/http/client/netty/NettyClientHttpRequestFactory.java
  - \* /opt/cola/permits/1668044657\_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-jar/io/micronaut/http/client/netty/IdleTimeoutHandler.java
  - \* /opt/cola/permits/1668044657\_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-jar/io/micronaut/http/client/netty/package-info.java
  - \* /opt/cola/permits/1668044657\_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-jar/io/micronaut/http/client/netty/websocket/NettyWebSocketClientHandler.java
- No license file was found, but licenses were detected in source scan.

- /\*
- \* Copyright 2017-2022 original authors

```
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1668044657_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-
jar/io/micronaut/http/client/netty/NettyClientCustomizer.java
* /opt/cola/permits/1668044657_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-
jar/io/micronaut/http/client/netty/NettyFuturePublisher.java
* /opt/cola/permits/1668044657_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-
jar/io/micronaut/http/client/netty/ForwardingSubscriber.java
*
* /opt/cola/permits/1668044657_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-
jar/io/micronaut/http/client/netty/ConnectionManager.java
* /opt/cola/permits/1668044657_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-
jar/io/micronaut/http/client/netty/SimpleChannelInboundHandlerInstrumented.java
* /opt/cola/permits/1668044657_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-
jar/io/micronaut/http/client/netty/DefaultHttpClient.java
* /opt/cola/permits/1668044657_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-
jar/io/micronaut/http/client/netty/CompositeNettyClientCustomizer.java
* /opt/cola/permits/1668044657_1683576287.4511712/0/micronaut-http-client-3-9-0-sources-
jar/io/micronaut/http/client/netty/NettyPromiseSubscriber.java
```

# 1.162 micronaut-http-netty 3.9.0

## 1.162.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
*/
```

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/websocket/NettyServerWebSocketBroadcaster.java
- \* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/stream/DefaultLastHttp2Content.java
- \*

- /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/stream/DelegateHttpRequest.java
- \* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/stream/DelegateHttpMessage.java
- \* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/channel/DefaultEventLoopGroupFactory.java
- \* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/NettyMutableHttpResponse.java
- \* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/stream/HttpStreamsClientHandler.java
- \* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/cookies/package-info.java
- \* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/content/HttpContentUtil.java
- \*

- /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/stream/DelegateHttpResponse.java
- \* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/AbstractNettyHttpRequest.java
- \* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/stream/WebSocketHttpResponse.java
- \* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/reactive/HandlerSubscriber.java
- \* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/NettyHttpHeaders.java
- \* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/reactive/HotObservable.java
- \* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/websocket/WebSocketMessageEncoder.java
- \*

- /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/channel/NioEventLoopGroupFactory.java
- \* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/channel/NettyThreadFactory.java
- \* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-

jar/io/micronaut/http/netty/NettyHttpResponseBuilder.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/channel/EpollEventLoopGroupFactory.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/stream/DefaultHttp2Content.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/stream/StreamedHttpRequestMessage.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/websocket/WebSocketSessionRepository.java  
\*  
/opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/channel/KQueueAvailabilityCondition.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/channel/EventLoopGroupFactory.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/websocket/AbstractNettyWebSocketHandler.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/stream/EmptyHttpResponse.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/channel/converters/EpollChannelOptionFactory.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/stream/JsonSubscriber.java  
\*  
/opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/cookies/NettyCookie.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/channel/DefaultEventLoopGroupRegistry.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/channel/converters/ChannelOptionFactory.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/cookies/NettyCookieFactory.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/stream/DelegateStreamedHttpRequest.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/stream/HttpStreamsServerHandler.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/stream/StreamedHttpResponse.java  
\*  
/opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/channel/EventLoopGroupRegistry.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/graal/MicronautSubstitutions.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/package-info.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/websocket/NettyWebSocketSession.java  
\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-  
jar/io/micronaut/http/netty/channel/DefaultEventLoopGroupConfiguration.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/stream/HttpStreamsHandler.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/channel/ChannelPipelineListener.java

\*

/opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/stream/DelegateStreamedHttpResponse.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/channel/KQueueEventLoopGroupFactory.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/NettyHttpParameters.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/graal/HttpNettyFeature.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/stream/StreamingInboundHttp2ToHttpAdapter.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/NettyHttpRequestBuilder.java

\*

/opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/reactive/CancelledSubscriber.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/channel/converters/KQueueChannelOptionFactory.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/channel/package-info.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/reactive/HandlerPublisher.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/channel/EpollAvailabilityCondition.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/stream/DefaultStreamedHttpResponse.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/content/package-info.java

\*

/opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/stream/StreamedHttpRequest.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/websocket/package-info.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/channel/ChannelPipelineCustomizer.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/stream/DefaultWebSocketHttpResponse.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/stream/EmptyHttpRequest.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/LastHttp2Content.java

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/stream/Http2Content.java

\*



```
/opt/cola/permits/1668044757_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-
jar/io/micronaut/http/netty/cookies/NettyCookies.java
* /opt/cola/permits/1668044757_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-
jar/io/micronaut/http/netty/stream/DefaultStreamedHttpRequest.java
* /opt/cola/permits/1668044757_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-
jar/io/micronaut/http/netty/configuration/NettyGlobalConfiguration.java
* /opt/cola/permits/1668044757_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-
jar/io/micronaut/http/netty/channel/converters/DefaultChannelOptionFactory.java
* /opt/cola/permits/1668044757_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-
jar/io/micronaut/http/netty/channel/EventLoopGroupConfiguration.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
  
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including,

without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/reactive/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2022 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/AbstractCompositeCustomizer.java

No license file was found, but licenses were detected in source scan.

/\*

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3.

Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not



pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing,

shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with  
the License.

You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1668044757\_1683573492.9387238/0/micronaut-http-netty-3-9-0-sources-jar/io/micronaut/http/netty/stream/package-info.java

# 1.163 micronaut-management 3.9.0

## 1.163.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2023 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/health/indicator/client/ServiceHttpClientHealthIndicator.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2020 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/beans/impl/DefaultBeanDefinitionDataCollector.java
- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/annotation/Read.java
- \*
- /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/processors/WriteEndpointRouteBuilder.java
- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/EndpointEnabledCondition.java
- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/beans/impl/package-info.java
- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/refresh/package-info.java
- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/health/indicator/package-info.java
- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/processors/AbstractEndpointRouteBuilder.java
- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/loggers/LoggersManager.java
- \*
- /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/loggers/impl/Log4jLoggingSystem.java
- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/loggers/impl/package-info.java
- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/processors/ReadEndpointRouteBuilder.java
- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/info/InfoEndpoint.java
- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/health/indicator/HealthResult.java
- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/EndpointDefaultConfiguration.java
- \*
- /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/loggers/impl/LogbackLoggingSystem.java
- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/routes/RouteDataCollector.java
- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/routes/package-info.java
- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/health/HealthLevelOfDetail.java
- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/info/source/BuildInfoSource.java
- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/info/source/ConfigurationInfoSource.java
- \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/health/aggregator/DefaultHealthAggregator.java

\*  
/opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/health/indicator/diskspace/DiskSpaceIndicator.java  
\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/routes/RoutesEndpoint.java  
\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/threads/impl/DefaultThreadInfoMapper.java  
\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/loggers/package-info.java  
\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/loggers/LoggersEndpoint.java  
\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/health/aggregator/HealthAggregator.java  
\*  
/opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/health/indicator/diskspace/package-info.java  
\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/annotation/Write.java  
\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/threads/ThreadDumpEndpoint.java  
\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/loggers/LoggerConfiguration.java  
\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/health/HealthEndpoint.java  
\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/beans/BeansEndpoint.java  
\*  
/opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/beans/BeanDefinitionDataCollector.java  
\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/routes/impl/package-info.java  
\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/env/EnvironmentEndpoint.java  
\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/health/package-info.java  
\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/info/source/PropertiesInfoSource.java  
\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/annotation/Selector.java  
\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/health/indicator/diskspace/DiskSpaceIndicatorConfiguration.java  
\*  
/opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/health/monitor/package-info.java  
\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/info/InfoAggregator.java  
\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/health/indicator/service/ServiceReadyHealthIndicator.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/health/filter/HealthResultFilter.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/health/indicator/AbstractHealthIndicator.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/loggers/impl/DefaultLoggersManager.java

\*

/opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/health/aggregator/package-info.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/health/indicator/DefaultHealthResult.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/health/indicator/discovery/package-info.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/health/indicator/discovery/DiscoveryClientHealthIndicatorConfiguration.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/info/impl/ReactiveInfoAggregator.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/health/indicator/jdbc/package-info.java

\*

/opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/health/indicator/HealthIndicator.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/stop/ServerStopEndpoint.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/EndpointsFilter.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/package-info.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/annotation/package-info.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/stop/package-info.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/info/InfoSource.java

\*

/opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/health/filter/package-info.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/info/source/package-info.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/annotation/Endpoint.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/health/monitor/HealthMonitorTask.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/loggers/ManagedLoggingSystem.java

\* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/io/micronaut/management/endpoint/beans/impl/DefaultBeanDefinitionData.java

\*

/opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/endpoint/routes/impl/DefaultRouteData.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/health/indicator/HealthCheckType.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/endpoint/processors/package-info.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/health/indicator/annotation/Readiness.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/endpoint/info/package-info.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/endpoint/beans/BeanDefinitionData.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/endpoint/info/impl/package-info.java  
 \*  
 /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/health/indicator/discovery/DiscoveryClientHealthIndicator.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/health/indicator/jdbc/JdbcIndicator.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/endpoint/annotation/Delete.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/endpoint/threads/package-info.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/endpoint/annotation/Sensitive.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/endpoint/routes/impl/DefaultRouteDataCollector.java  
 \*  
 /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/endpoint/EndpointSensitivityProcessor.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/endpoint/health/DetailsVisibility.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/endpoint/refresh/RefreshEndpoint.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/endpoint/env/package-info.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/endpoint/routes/RouteData.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/endpoint/EndpointConfiguration.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/endpoint/info/source/GitInfoSource.java  
 \*  
 /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/endpoint/threads/ThreadInfoMapper.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-  
 jar/io/micronaut/management/health/indicator/annotation/Liveness.java  
 \* /opt/cola/permits/1668044438\_1683573307.1608768/0/micronaut-management-3-9-0-sources-

```
jar/io/micronaut/management/endpoint/beans/package-info.java
* /opt/cola/permits/1668044438_1683573307.1608768/0/micronaut-management-3-9-0-sources-
jar/io/micronaut/management/endpoint/processors/DeleteEndpointRouteBuilder.java
No license file was found, but licenses were detected in source scan.
```

```
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
# distributed under the License is distributed on an "AS IS" BASIS,
```

```
Found in path(s):
* /opt/cola/permits/1668044438_1683573307.1608768/0/micronaut-management-3-9-0-sources-jar/META-
INF/native-image/io.micronaut.management/micronaut-management/native-image.properties
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2017-2022 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
Found in path(s):
* /opt/cola/permits/1668044438_1683573307.1608768/0/micronaut-management-3-9-0-sources-
jar/io/micronaut/management/endpoint/env/EnvironmentEndpointFilter.java
* /opt/cola/permits/1668044438_1683573307.1608768/0/micronaut-management-3-9-0-sources-
jar/io/micronaut/management/endpoint/env/EnvironmentFilterSpecification.java
```

## 1.164 micronaut-aop 3.9.0

### 1.164.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
```



- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/InterceptorKind.java
  - \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/internal/InterceptorBeanMapper.java
  - \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/AroundConstruct.java
  - \*
  - /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/chain/AbstractInterceptorChain.java
  - \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/InterceptorRegistry.java
  - \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/ConstructorInterceptor.java
  - \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/ConstructorInvocationContext.java
  - \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/InterceptorBean.java
  - \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/chain/DefaultInterceptorRegistry.java
  - \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/kotlin/KotlinInterceptedMethod.java
  - \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/internal/InterceptorRegistryBean.java
  - \*
  - /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/chain/ConstructorInterceptorChain.java
  - \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/InterceptorBindingDefinitions.java
  - \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/InterceptorBinding.java
- No license file was found, but licenses were detected in source scan.

- /\*
- \* Copyright 2017-2020 original authors
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/util/DelegatingContextContinuation.kt
- \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/Introduction.java
- \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/InvocationContext.java
- \*
- /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/util/CompletableFutureContinuation.kt
- \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/Around.java
- \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/MethodInvocationContext.java
- \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/internal/intercepted/KotlinInterceptedMethod.java
- \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/InterceptPhase.java
- \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/MethodInterceptor.java
- \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/internal/intercepted/PublisherInterceptedMethod.java
- \*
- /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/InterceptedMethod.java
- \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/util/KotlinInterceptedMethodHelper.kt
- \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/Interceptor.java
- \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/writer/AopProxyWriter.java
- \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/internal/intercepted/SynchronousInterceptedMethod.java
- \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/chain/InterceptorChain.java
- \* /opt/cola/permits/1668044597\_1683573383.0943854/0/micronaut-aop-3-9-0-sources-

```

jar/io/micronaut/aop/Intercepted.java
* /opt/cola/permits/1668044597_1683573383.0943854/0/micronaut-aop-3-9-0-sources-
jar/io/micronaut/aop/exceptions/package-info.java
*
/opt/cola/permits/1668044597_1683573383.0943854/0/micronaut-aop-3-9-0-sources-jar/io/micronaut/aop/package-
info.java
* /opt/cola/permits/1668044597_1683573383.0943854/0/micronaut-aop-3-9-0-sources-
jar/io/micronaut/aop/Introduced.java
* /opt/cola/permits/1668044597_1683573383.0943854/0/micronaut-aop-3-9-0-sources-
jar/io/micronaut/aop/internal/intercepted/InterceptedMethodUtil.java
* /opt/cola/permits/1668044597_1683573383.0943854/0/micronaut-aop-3-9-0-sources-
jar/io/micronaut/aop/exceptions/UnimplementedAdviceException.java
* /opt/cola/permits/1668044597_1683573383.0943854/0/micronaut-aop-3-9-0-sources-
jar/io/micronaut/aop/writer/package-info.java
* /opt/cola/permits/1668044597_1683573383.0943854/0/micronaut-aop-3-9-0-sources-
jar/io/micronaut/aop/InterceptedProxy.java
* /opt/cola/permits/1668044597_1683573383.0943854/0/micronaut-aop-3-9-0-sources-
jar/io/micronaut/aop/HotSwappableInterceptedProxy.java
* /opt/cola/permits/1668044597_1683573383.0943854/0/micronaut-aop-3-9-0-sources-
jar/io/micronaut/aop/chain/MethodInterceptorChain.java
*
/opt/cola/permits/1668044597_1683573383.0943854/0/micronaut-aop-3-9-0-sources-
jar/io/micronaut/aop/Adapter.java
* /opt/cola/permits/1668044597_1683573383.0943854/0/micronaut-aop-3-9-0-sources-
jar/io/micronaut/aop/chain/package-info.java
* /opt/cola/permits/1668044597_1683573383.0943854/0/micronaut-aop-3-9-0-sources-
jar/io/micronaut/aop/internal/intercepted/CompletionStageInterceptedMethod.java
* /opt/cola/permits/1668044597_1683573383.0943854/0/micronaut-aop-3-9-0-sources-
jar/io/micronaut/aop/chain/AdapterIntroduction.java

```

# 1.165 micronaut-runtime 3.9.0

## 1.165.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
# distributed under the License is distributed on an "AS IS" BASIS,

```

Found in path(s):

```

* /opt/cola/permits/1668044524_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/META-INF/native-
image/io.micronaut/micronaut-runtime/native-image.properties

```

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 original authors

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/reactive/reactor/instrument/ReactorSubscriber.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017-2019 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/reactive/reactor/instrument/ReactorInstrumentation.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017-2020 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/retry/event/RetryEvent.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/ServiceInstanceList.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/retry/exception/CircuitOpenException.java

\*

/opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/cloud/digitalocean/DigitalOceanMetadataConfiguration.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/exceptions/DiscoveryException.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/retry/annotation/RetryPredicate.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/retry/intercept/AnnotationRetryStateBuilder.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/cloud/ComputeInstanceMetadata.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/health/HeartbeatDiscoveryClientCondition.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/logging/LoggingSystem.java

\*

/opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/retry/intercept/SimpleRetry.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/retry/annotation/Fallback.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/registration/RegistrationConfiguration.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/event/package-info.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/config/package-info.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/cloud/ComputeInstanceMetadataResolver.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/cloud/digitalocean/DigitalOceanMetadataResolver.java

\*

/opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/cloud/NetworkInterface.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/cloud/ComputeInstanceMetadataResolverUtils.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/retry/annotation/Retryable.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/runtime/http/codec/TextPlainCodec.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/DefaultServiceInstance.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/retry/intercept/package-info.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/retry/package-info.java

\*

/opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/retry/annotation/DefaultRetryPredicate.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/health/DefaultCurrentHealthStatus.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/DefaultServiceInstanceIdGenerator.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/retry/annotation/package-info.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/health/HealthStatus.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/DiscoveryClient.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/registration/AutoRegistration.java

\*

/opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/package-info.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/retry/intercept/MutableRetryState.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/health/HeartbeatTask.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/config/ConfigDiscoveryConfiguration.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/config/DefaultCompositeConfigurationClient.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/exceptions/NoAvailableServiceException.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/runtime/http/scope/RequestScope.java

\*

/opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/registration/package-info.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/cloud/package-info.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-

jar/io/micronaut/discovery/cloud/digitalocean/DigitalOceanMetadataKeys.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/retry/event/CircuitOpenEvent.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/discovery/registration/RegistrationException.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/retry/RetryStateBuilder.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/retry/intercept/RecoveryInterceptor.java  
\*  
/opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/runtime/http/codec/MediaTypeCodecRegistryFactory.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/reactive/flow/converters/FlowConverterRegistrar.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/discovery/config/ConfigurationClient.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/health/package-info.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/discovery/cloud/digitalocean/DigitalOceanInstanceMetadata.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/retry/RetryState.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/discovery/DefaultCompositeDiscoveryClient.java  
\*  
/opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/retry/exception/RetryException.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/logging/LogLevel.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/retry/CircuitState.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/discovery/metadata/package-info.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/retry/event/RetryEventListener.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/discovery/event/ServiceReadyEvent.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/retry/annotation/CircuitBreaker.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/logging/PropertiesLoggingLevelsConfigurer.java  
\*  
/opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/discovery/cloud/AbstractComputeInstanceMetadata.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/retry/exception/package-info.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-  
jar/io/micronaut/discovery/cloud/digitalocean/DigitalOceanNetworkInterface.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/ServiceInstance.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/CompositeDiscoveryClient.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/metadata/ServiceInstanceMetadataContributor.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/retry/event/package-info.java  
\*  
/opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/runtime/http/scope/RequestCustomScope.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/health/HeartbeatEvent.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/event/AbstractServiceInstanceEvent.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/event/ServiceStoppedEvent.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/ServiceInstanceIdGenerator.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/runtime/http/codec/package-info.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/EmbeddedServerInstance.java  
\*  
/opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/DiscoveryConfiguration.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/retry/annotation/Recoverable.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/reactive/package-info.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/retry/intercept/CircuitBreakerRetry.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/health/HeartbeatEnabled.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/logging/impl/Log4jLoggingSystem.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/StaticServiceInstanceList.java  
\*  
/opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/runtime/http/scope/RequestAware.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/health/HeartbeatConfiguration.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/retry/intercept/DefaultRetryInterceptor.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-jar/io/micronaut/discovery/exceptions/package-info.java  
\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-



jar/io/micronaut/retry/exception/FallbackException.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-

jar/io/micronaut/retry/event/CircuitClosedEvent.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-

jar/io/micronaut/health/CurrentHealthStatus.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2023 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-

jar/io/micronaut/logging/impl/LogbackLoggingSystem.java

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-

jar/io/micronaut/logging/impl/LogbackUtils.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2022 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1668044524\_1683573339.589278/0/micronaut-runtime-3-9-0-sources-

# 1.166 servlet-api 3.1.0

## 1.166.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms

which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms

herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the

Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.



2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear

what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

## How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

### Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program

is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

# 1.167 micronaut-reactor 2.6.0

## 1.167.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,



indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.168 micronaut-grpc-client-runtime 3.6.0

## 1.168.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# Licensed under the Apache License, Version 2.0 (the "License");  
# you may not use this file except in compliance with the License.  
# You may obtain a copy of the License at  
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1682034960_1684512059.4871073/0/micronaut-grpc-client-runtime-3-6-0-sources-jar/META-INF/native-image/io.micronaut.grpc/micronaut-grpc-client-runtime/native-image.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2017-2019 original authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1682034960_1684512059.4871073/0/micronaut-grpc-client-runtime-3-6-0-sources-jar/io/micronaut/grpc/channels/GrpcDefaultManagedChannelConfiguration.java
```

```
* /opt/cola/permits/1682034960_1684512059.4871073/0/micronaut-grpc-client-runtime-3-6-0-sources-jar/io/micronaut/grpc/channels/GrpcManagedChannelConfiguration.java
```

```
*
```

```
/opt/cola/permits/1682034960_1684512059.4871073/0/micronaut-grpc-client-runtime-3-6-0-sources-jar/io/micronaut/grpc/channels/GrpcChannelBuilderFactory.java
```

```
* /opt/cola/permits/1682034960_1684512059.4871073/0/micronaut-grpc-client-runtime-3-6-0-sources-jar/io/micronaut/grpc/channels/package-info.java
```

```
* /opt/cola/permits/1682034960_1684512059.4871073/0/micronaut-grpc-client-runtime-3-6-0-sources-jar/io/micronaut/grpc/discovery/GrpcNameResolverProvider.java
```

```
* /opt/cola/permits/1682034960_1684512059.4871073/0/micronaut-grpc-client-runtime-3-6-0-sources-jar/io/micronaut/grpc/channels/GrpcNamedManagedChannelConfiguration.java
```

```
* /opt/cola/permits/1682034960_1684512059.4871073/0/micronaut-grpc-client-runtime-3-6-0-sources-jar/io/micronaut/grpc/discovery/package-info.java
```

\* /opt/cola/permits/1682034960\_1684512059.4871073/0/micronaut-grpc-client-runtime-3-6-0-sources-jar/io/micronaut/grpc/channels/GrpcManagedChannelFactory.java

## 1.169 micronaut-grpc-opentracing 3.6.0

### 1.169.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2019 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1682035089_1684512005.6856077/0/micronaut-grpc-opentracing-3-6-0-sources-jar/io/micronaut/grpc/server/tracing/GrpcServerTracingInterceptorConfiguration.java
* /opt/cola/permits/1682035089_1684512005.6856077/0/micronaut-grpc-opentracing-3-6-0-sources-jar/io/micronaut/grpc/client/tracing/package-info.java
*
/opt/cola/permits/1682035089_1684512005.6856077/0/micronaut-grpc-opentracing-3-6-0-sources-jar/io/micronaut/grpc/server/tracing/package-info.java
* /opt/cola/permits/1682035089_1684512005.6856077/0/micronaut-grpc-opentracing-3-6-0-sources-jar/io/micronaut/grpc/client/tracing/GrpcClientTracingInterceptorConfiguration.java
* /opt/cola/permits/1682035089_1684512005.6856077/0/micronaut-grpc-opentracing-3-6-0-sources-jar/io/micronaut/grpc/server/tracing/GrpcServerTracingInterceptorFactory.java
* /opt/cola/permits/1682035089_1684512005.6856077/0/micronaut-grpc-opentracing-3-6-0-sources-jar/io/micronaut/grpc/client/tracing/GrpcClientTracingInterceptorFactory.java
```

## 1.170 micronaut-grpc-annotation 3.6.0

### 1.170.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2019 original authors
```

```
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1682035057_1684512014.2964008/0/micronaut-grpc-annotation-3-6-0-sources-
jar/io/micronaut/grpc/annotation/GrpcChannel.java
* /opt/cola/permits/1682035057_1684512014.2964008/0/micronaut-grpc-annotation-3-6-0-sources-
jar/io/micronaut/grpc/annotation/GrpcService.java
```

## 1.171 micronaut-grpc-server-runtime 3.6.0

### 1.171.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017-2022 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1703220402_1685662145.560743/0/micronaut-grpc-server-runtime-3-6-0-sources-
jar/io/micronaut/grpc/server/GrpcServerBuilder.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

\* Copyright 2017-2019 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1703220402\_1685662145.560743/0/micronaut-grpc-server-runtime-3-6-0-sources-jar/io/micronaut/grpc/server/package-info.java  
\* /opt/cola/permits/1703220402\_1685662145.560743/0/micronaut-grpc-server-runtime-3-6-0-sources-jar/io/micronaut/grpc/server/GrpcServerConfiguration.java  
\* /opt/cola/permits/1703220402\_1685662145.560743/0/micronaut-grpc-server-runtime-3-6-0-sources-jar/io/micronaut/grpc/server/GrpcEmbeddedServer.java  
\*

/opt/cola/permits/1703220402\_1685662145.560743/0/micronaut-grpc-server-runtime-3-6-0-sources-jar/io/micronaut/grpc/server/GrpcServerInstance.java  
\* /opt/cola/permits/1703220402\_1685662145.560743/0/micronaut-grpc-server-runtime-3-6-0-sources-jar/io/micronaut/grpc/server/GrpcSslConfiguration.java  
\* /opt/cola/permits/1703220402\_1685662145.560743/0/micronaut-grpc-server-runtime-3-6-0-sources-jar/io/micronaut/grpc/server/GrpcServerChannel.java  
\* /opt/cola/permits/1703220402\_1685662145.560743/0/micronaut-grpc-server-runtime-3-6-0-sources-jar/io/micronaut/grpc/server/GrpcEmbeddedServerListener.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1703220402\_1685662145.560743/0/micronaut-grpc-server-runtime-3-6-0-sources-jar/io/micronaut/grpc/server/graalvm/HttpNettyFeature.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2020 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1703220402\_1685662145.560743/0/micronaut-grpc-server-runtime-3-6-0-sources-jar/io/micronaut/grpc/server/interceptor/OrderedServerInterceptor.java

No license file was found, but licenses were detected in source scan.

# Licensed under the Apache License, Version 2.0 (the "License");

# you may not use this file except in compliance with the License.

# You may obtain a copy of the License at

# distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

\* /opt/cola/permits/1703220402\_1685662145.560743/0/micronaut-grpc-server-runtime-3-6-0-sources-jar/META-INF/native-image/io.micronaut.grpc/micronaut-grpc-server-runtime/native-image.properties

## 1.172 micronaut-grpc-runtime 3.6.0

### 1.172.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1703220434\_1686322316.0607262/0/micronaut-grpc-runtime-3-6-0-jar/META-INF/maven/io.micronaut.grpc/micronaut-grpc-runtime/pom.xml

# 1.173 micronaut-security 3.11.0

## 1.173.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.



4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.174 micronaut-grpc-health 3.6.0

### 1.174.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2017-2019 original authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1703220418_1685662149.2842813/0/micronaut-grpc-health-3-6-0-sources-jar/io/micronaut/grpc/server/health/GrpcServerHealthIndicator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017-2022 original authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1703220418_1685662149.2842813/0/micronaut-grpc-health-3-6-0-sources-
jar/io/micronaut/grpc/server/health/HealthStatusManagerContainer.java
* /opt/cola/permits/1703220418_1685662149.2842813/0/micronaut-grpc-health-3-6-0-sources-
jar/io/micronaut/grpc/server/health/GrpcHealthFactory.java
```

## 1.175 micronaut-security-jwt 3.11.0

### 1.175.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1703220410_1685662153.9748392/0/micronaut-security-jwt-3-11-0-jar/META-INF/native-
image/io.micronaut.security/token-jwt/native-image.properties
```

No license file was found, but licenses were detected in source scan.

```
<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
```

Found in path(s):

```
* /opt/cola/permits/1703220410_1685662153.9748392/0/micronaut-security-jwt-3-11-0-jar/META-
INF/maven/io.micronaut.security/micronaut-security-jwt/pom.xml
```

# 1.176 micronaut-protobuf-support 3.6.0

## 1.176.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# Licensed under the Apache License, Version 2.0 (the "License");  
# you may not use this file except in compliance with the License.  
# You may obtain a copy of the License at  
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1703220426_1685662147.954895/0/micronaut-protobuf-support-3-6-0-sources-jar/META-INF/native-image/io.micronaut.protobuf/protobuf-support/native-image.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2017-2019 original authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1703220426_1685662147.954895/0/micronaut-protobuf-support-3-6-0-sources-jar/io.micronaut.protobuf/convert/ByteBufToProtoMessageConverter.java
```

```
* /opt/cola/permits/1703220426_1685662147.954895/0/micronaut-protobuf-support-3-6-0-sources-jar/io.micronaut.protobuf/convert/ProtoMessageToByteBufConverter.java
```

```
*
```

```
/opt/cola/permits/1703220426_1685662147.954895/0/micronaut-protobuf-support-3-6-0-sources-jar/io.micronaut.protobuf/codec/ExtensionRegistryFactory.java
```

```
* /opt/cola/permits/1703220426_1685662147.954895/0/micronaut-protobuf-support-3-6-0-sources-jar/io.micronaut.protobuf/codec/ProtobufferCodec.java
```

# 1.177 micronaut-discovery-client 3.3.1

## 1.177.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.



6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.178 j2objc-annotations 2.8

### 1.178.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-  
jar/com/google/j2objc/annotations/OnDealloc.java  
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-  
jar/com/google/j2objc/annotations/J2ObjCIncompatible.java  
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-  
jar/com/google/j2objc/annotations/LoopTranslation.java  
*
```

```
/opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-
jar/com/google/j2objc/annotations/RetainedLocalRef.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-
jar/com/google/j2objc/annotations/ReflectionSupport.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-
jar/com/google/j2objc/annotations/Property.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-
jar/com/google/j2objc/annotations/WeakOuter.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-
jar/com/google/j2objc/annotations/RetainedWith.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-
jar/com/google/j2objc/annotations/ObjectiveCName.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-
jar/com/google/j2objc/annotations/Weak.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-
jar/com/google/j2objc/annotations/AutoreleasePool.java
```

## 1.179 slf4j-impl 1.7.36

### 1.179.1 Available under license :

Copyright (c) 2004-2007 QOS.ch  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2004-2022 QOS.ch Sarl

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF

CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at



<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2004-2013 QOS.ch  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).  
Copyright (c) 2004-2022 QOS.ch Sarl (Switzerland)  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial  
revisions, annotations, elaborations, or other modifications  
represent, as a whole, an original work of authorship. For the purposes  
of this License, Derivative Works shall not include works that remain  
separable from, or merely link (or bind by name) to the interfaces of,  
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including  
the original version of the Work and any modifications or additions  
to that Work or Derivative Works thereof, that is intentionally  
submitted to Licensor for inclusion in the Work by the copyright owner  
or by an individual or Legal Entity authorized to submit on behalf of  
the copyright owner. For the purposes of this definition, "submitted"  
means any form of electronic, verbal, or written communication sent  
to the Licensor or its representatives, including but not limited to  
communication on electronic mailing lists, source code control systems,  
and issue tracking systems that are managed by, or on behalf of, the  
Licensor for the purpose of discussing and improving the Work, but  
excluding communication that is conspicuously marked or otherwise  
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity  
on behalf of whom a Contribution has been received by Licensor and  
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of  
this License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
copyright license to reproduce, prepare Derivative Works of,  
publicly display, publicly perform, sublicense, and distribute the  
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of  
this License,  
each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
(except as stated in this section) patent license to make, have made,  
use, offer to sell, sell, import, and otherwise transfer the Work,  
where such license applies only to those patent claims licensable  
by such Contributor that are necessarily infringed by their  
Contribution(s) alone or by combination of their Contribution(s)  
with the Work to which such Contribution(s) was submitted. If You  
institute patent litigation against any entity (including a  
cross-claim or counterclaim in a lawsuit) alleging that the Work  
or a Contribution incorporated within the Work constitutes direct  
or contributory patent infringement, then any patent licenses  
granted to You under this License for that Work shall terminate  
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright (c) 2004-2022 QOS.ch

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.180 jackson-jr-annotation-support 2.15.2

### 1.180.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

## Licensing

Jackson components are licensed under Apache (Software) License, version 2.0, as per accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson-jr library is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

# 1.181 everit-json-schema 1.14.2

## 1.181.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

Copyright (c) 2006 JSON.org

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1747418717\_1689680862.827911/0/everit-json-schema-1-14-2-sources-jar/org/everit/json/schema/internal/JSONWriter.java

No license file was found, but licenses were detected in source scan.

/\*

Copyright (c) 2002 JSON.org

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1747418717\_1689680862.827911/0/everit-json-schema-1-14-2-sources-jar/org/everit/json/schema/JSONPointerException.java

\* /opt/cola/permits/1747418717\_1689680862.827911/0/everit-json-schema-1-14-2-sources-jar/org/everit/json/schema/JSONPointer.java

No license file was found, but licenses were detected in source scan.

<!--

Copyright (C) 2011 Everit Kft. (<http://www.everit.org>)

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1747418717\_1689680862.827911/0/everit-json-schema-1-14-2-sources-jar/META-INF/maven/com.github.erosb/everit-json-schema/pom.xml



# 1.182 jackson-jr-objects 2.15.2

## 1.182.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

## Licensing

Jackson components are licensed under Apache (Software) License, version 2.0, as per accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson-jr library is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.183 classgraph 4.8.158

## 1.183.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * This file is part of ClassGraph.
 *
 * Author: @mcollovati
 *
 * Hosted at: https://github.com/classgraph/classgraph
 *
 * --
 *
 * The MIT License (MIT)
 *
 * Copyright (c) 2019 @mcollovati, contributed to the ClassGraph project
```

\*  
\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated  
\* documentation files (the "Software"), to deal in the Software without restriction, including without  
\* limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of  
\* the Software, and to permit persons to whom the Software is furnished to do so, subject to the following  
\* conditions:  
\*  
\* The above copyright notice and this permission notice shall be included in all copies or substantial  
\* portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING BUT NOT  
\* LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE  
\* AND NONINFRINGEMENT. IN NO  
\* EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES  
\* OR OTHER LIABILITY, WHETHER IN  
\* AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
\* WITH THE SOFTWARE OR THE USE  
\* OR OTHER DEALINGS IN THE SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/nonapi/io/github/classgraph/classloaderhandler/QuarkusClassLoaderHandler.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* This file is part of ClassGraph.  
\*  
\* Author: Luke Hutchison  
\*  
\* Hosted at: <https://github.com/classgraph/classgraph>  
\*  
\* --  
\*  
\* The MIT License (MIT)  
\*  
\* Copyright (c) 2020 Luke Hutchison  
\*  
\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated  
\* documentation files (the "Software"), to deal in the Software without restriction, including without  
\* limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of  
\* the Software, and to permit persons to whom the Software is furnished to do so, subject to the following  
\* conditions:  
\*  
\* The above copyright notice and this permission notice shall be included in all copies or substantial  
\* portions of the Software.  
\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/fileslice/Slice.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/fileslice/reader/RandomAccessReader.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/fileslice/ArraySlice.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/fileslice/PathSlice.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/fileslice/reader/RandomAccessArrayReader.java  
\*

/opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/fileslice/reader/RandomAccessFileChannelReader.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/fileslice/reader/SequentialReader.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/fileslice/FileSlice.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/fileslice/reader/ClassfileReader.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/fileslice/reader/RandomAccessByteBufferReader.java  
No license file was found, but licenses were detected in source scan.

/\*

\* This file is part of ClassGraph.  
\*  
\* Author: Luke Hutchison  
\*  
\* Hosted at: <https://github.com/classgraph/classgraph>  
\*  
\* --  
\*  
\* The MIT License (MIT)  
\*  
\* Copyright (c) 2019 Luke Hutchison  
\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated  
 \* documentation files (the "Software"), to deal in the Software without restriction, including without  
 \* limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of  
 \* the Software, and to permit persons to whom the Software is furnished to do so, subject to the following  
 \* conditions:  
 \*  
 \* The above copyright notice and this permission notice shall be included in all copies or substantial  
 \* portions of the Software.  
 \*  
 \* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
 IMPLIED, INCLUDING BUT NOT  
 \* LIMITED TO THE WARRANTIES OF  
 MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO  
 \* EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES  
 OR OTHER LIABILITY, WHETHER IN  
 \* AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
 WITH THE SOFTWARE OR THE USE  
 \* OR OTHER DEALINGS IN THE SOFTWARE.  
 \*/

Found in path(s):

\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
 jar/io/github/classgraph/ClassGraphClassLoader.java  
 \* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
 jar/io/github/classgraph/AnnotationParameterValue.java  
 \* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
 jar/io/github/classgraph/MethodTypeSignature.java  
 \* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
 jar/io/github/classgraph/Resource.java  
 \* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
 jar/nonapi/io/github/classgraph/fastzipfilereader/LogicalZipFile.java  
 \*  
 /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
 jar/nonapi/io/github/classgraph/scanspec/ScanSpec.java  
 \* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
 jar/io/github/classgraph/AnnotationInfo.java  
 \* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
 jar/nonapi/io/github/classgraph/classpath/ClasspathOrder.java  
 \* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
 jar/io/github/classgraph/MethodParameterInfo.java  
 \* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
 jar/io/github/classgraph/ClassRefOrTypeVariableSignature.java  
 \* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
 jar/io/github/classgraph/MappableInfoList.java  
 \* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
 jar/io/github/classgraph/ModuleInfoList.java  
 \* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
 jar/io/github/classgraph/GraphvizDotfileGenerator.java

\*  
/opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/recycler/RecycleOnClose.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classloaderhandler/PlexusClassWorldsClassRealmClassLoaderHandler.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classpath/ClassLoaderOrder.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/json/JSONDeserializer.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/BaseTypeSignature.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classloaderhandler/ClassLoaderHandler.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/json/JSONUtils.java  
\*  
/opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/Classfile.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/ClasspathElement.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/Scanner.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/Utils/CollectionUtils.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classloaderhandler/EquinoxContextFinderClassLoaderHandler.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/ModuleReaderProxy.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/PackageInfo.java  
\*  
/opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/ClassGraphException.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/json/ReferenceEqualityKey.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classloaderhandler/ParentLastDelegationOrderTestClassLoaderHandler.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classloaderhandler/WeblogicClassLoaderHandler.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classpath/SystemJarFinder.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/ClasspathElementDir.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/reflection/ReflectionUtils.java  
\*  
/opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classloaderhandler/ClassGraphClassLoaderHandler.java

\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/ModulePathInfo.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/InfoList.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/ScanResult.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/HasName.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/json/JSONArray.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classpath/ClassLoaderFinder.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/ArrayTypeSignature.java  
\*  
/opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/json/JSONReference.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/json/ClassFieldCache.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/concurrency/SingletonMap.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classloaderhandler/JPMSCClassLoaderHandler.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/ClassGraph.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classloaderhandler/ClassLoaderHandlerRegistry.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/FieldInfoList.java  
\*  
/opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/fastzipfilereader/ZipFileSlice.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/types/ParseException.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/ScanResultObject.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/AnnotationEnumValue.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/types/Parser.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/Utils/LogNode.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/TypeArgument.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classloaderhandler/OSGiDefaultClassLoaderHandler.java  
\*

/opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/Utils/VersionFinder.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/recycler/Resettable.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/AnnotationInfoList.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/ClassMemberInfo.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/Utils/ProxyingInputStream.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/ArrayClassInfo.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/MethodInfo.java  
\*  
/opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/fastzipfilereader/PhysicalZipFile.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classloaderhandler/EquinoxClassLoaderHandler.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/types/TypeUtils.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/fastzipfilereader/FastZipEntry.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/Utils/StringUtils.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/AnnotationParameterValueList.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/ClassRefTypeSignature.java  
\*  
/opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classloaderhandler/FallbackClassLoaderHandler.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/ClasspathElementZip.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/recycler/Recycler.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/TypeParameter.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classloaderhandler/URLClassLoaderHandler.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/json/ParameterizedTypeImpl.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/json/JSONSerializer.java  
\*  
/opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classpath/CallStackReader.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-

jar/nonapi/io/github/classgraph/json/Id.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/nonapi/io/github/classgraph/utils/FastPathResolver.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/io/github/classgraph/ClasspathElementModule.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/nonapi/io/github/classgraph/classpath/ClasspathFinder.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/nonapi/io/github/classgraph/json/JSONParser.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/io/github/classgraph/TypeSignature.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/nonapi/io/github/classgraph/utils/JarUtils.java  
\*  
/opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/io/github/classgraph/ObjectTypedValueWrapper.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/io/github/classgraph/FieldInfo.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/io/github/classgraph/PotentiallyUnmodifiableList.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/io/github/classgraph/PackageInfoList.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/nonapi/io/github/classgraph/utils/FileUtils.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/nonapi/io/github/classgraph/fastzipfilereader/NestedJarHandler.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/nonapi/io/github/classgraph/json/JSONObject.java  
\*  
/opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/io/github/classgraph/HierarchicalTypeSignature.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/nonapi/io/github/classgraph/classpath/ModuleFinder.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/nonapi/io/github/classgraph/concurrency/WorkQueue.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/io/github/classgraph/ModuleInfo.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/nonapi/io/github/classgraph/concurrency/InterruptChecker.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/io/github/classgraph/ClassTypeSignature.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/io/github/classgraph/ClassInfoList.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/nonapi/io/github/classgraph/classloaderhandler/TomcatWebappClassLoaderBaseHandler.java  
\*  
/opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/nonapi/io/github/classgraph/classloaderhandler/UnoOneJarClassLoaderHandler.java



\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/scanspec/AcceptReject.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/MethodInfoList.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/TypeVariableSignature.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/ModuleRef.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/json/ClassFields.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/json/TypeResolutions.java  
\*

/opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/json/FieldTypeInfo.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/urls/URLPathEncoder.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/ReferenceTypeSignature.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/ClassInfo.java  
\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/AnnotationClassRef.java

No license file was found, but licenses were detected in source scan.

/\*

\* This file is part of ClassGraph.

\*

\* Author: @jacobg on GitHub

\*

\* Hosted at: <https://github.com/classgraph/classgraph>

\*

\* --

\*

\* The MIT License (MIT)

\*

\* Copyright (c) 2019 @jacobg, Luke Hutchison

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated

\* documentation files (the "Software"), to deal in the Software without restriction, including without

\* limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of

\* the Software, and to permit persons to whom the Software is furnished to do so, subject to the following

\* conditions:

\*

\* The above copyright notice and this permission notice shall be included in all copies or substantial

\* portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT

\* LIMITED TO THE WARRANTIES

OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO

\* EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN

\* AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE

\* OR OTHER DEALINGS IN THE SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classloaderhandler/AntClassLoaderHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* This file is part of ClassGraph.

\*

\* Author: Johno Crawford (johno@sulake.com)

\*

\* Hosted at: <https://github.com/classgraph/classgraph>

\*

\* --

\*

\* The MIT License (MIT)

\*

\* Copyright (c) 2016 Johno Crawford

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated

\* documentation files (the "Software"), to deal in the Software without restriction, including without

\* limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of

\* the Software, and to permit persons to whom the Software is furnished to do so, subject to the following

\* conditions:

\*

\* The above copyright notice and this permission notice shall be included in all copies or substantial

\* portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT

\* LIMITED TO

THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO

\* EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN

\* AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE

\* OR OTHER DEALINGS IN THE SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/concurrency/AutoCloseableExecutorService.java

\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/concurrency/SimpleThreadFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* This file is part of ClassGraph.

\*

\* Author: Luke Hutchison

\*

\* Hosted at: <https://github.com/classgraph/classgraph>

\*

\* --

\*

\* The MIT License (MIT)

\*

\* Copyright (c) 2021 Luke Hutchison

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated

\* documentation files (the "Software"), to deal in the Software without restriction, including without

\* limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of

\* the Software, and to permit persons to whom the Software is furnished to do so, subject to the following

\* conditions:

\*

\* The above copyright notice and this permission notice shall be included in all copies or substantial

\* portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT

\* LIMITED TO THE WARRANTIES OF

\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO

\* EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN

\* AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE

\* OR OTHER DEALINGS IN THE SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/io/github/classgraph/CloseableByteBuffer.java

\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classloaderhandler/CxfContainerClassLoaderHandler.java

\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/reflection/ReflectionDriver.java

```
* /opt/cola/permits/1756038422_1690862953.5822532/0/classgraph-4-8-158-sources-
jar/nonapi/io/github/classgraph/reflection/NarcissusReflectionDriver.java
* /opt/cola/permits/1756038422_1690862953.5822532/0/classgraph-4-8-158-sources-
jar/nonapi/io/github/classgraph/reflection/JVMReflectionDriver.java
*
/opt/cola/permits/1756038422_1690862953.5822532/0/classgraph-4-8-158-sources-
jar/nonapi/io/github/classgraph/reflection/StandardReflectionDriver.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* This file is part of ClassGraph.
*
* Author: Luke Hutchison (luke.hutch@gmail.com)
*
* Hosted at: https://github.com/classgraph/classgraph
*
* --
*
* The MIT License (MIT)
*
* Copyright (c) 2019 Luke Hutchison
*
* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
* documentation files (the "Software"), to deal in the Software without restriction, including without
* limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
* the Software, and to permit persons to whom the Software is furnished to do so, subject to the following
* conditions:
*
* The above copyright notice and this permission notice shall be included in all copies or substantial
* portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT
* LIMITED
TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO
* EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES
OR OTHER LIABILITY, WHETHER IN
* AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE
* OR OTHER DEALINGS IN THE SOFTWARE.
*/
```

Found in path(s):

```
* /opt/cola/permits/1756038422_1690862953.5822532/0/classgraph-4-8-158-sources-
jar/io/github/classgraph/ResourceList.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * This file is part of ClassGraph.
 *
 * Author: Sergey Beshpalov
 *
 * Hosted at: https://github.com/classgraph/classgraph
 *
 * --
 *
 * The MIT License (MIT)
 *
 * Copyright (c) 2017 Sergey Beshpalov
 *
 * Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
 * documentation files (the "Software"), to deal in the Software without restriction, including without
 * limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
 * the Software, and to permit persons to whom the Software is furnished to do so, subject to the following
 * conditions:
 *
 * The above copyright notice and this permission notice shall be included in all copies or substantial
 * portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
 * IMPLIED, INCLUDING BUT NOT
 * LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO
 * EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES
 * OR OTHER LIABILITY, WHETHER IN
 * AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 * WITH THE SOFTWARE OR THE USE
 * OR OTHER DEALINGS IN THE SOFTWARE.
 */
```

Found in path(s):

```
*/opt/cola/permits/1756038422_1690862953.5822532/0/classgraph-4-8-158-sources-
jar/nonapi/io/github/classgraph/classloaderhandler/WebSphereTraditionalClassLoaderHandler.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * This file is part of ClassGraph.
 *
 * Author: Harith Elrifaie
 *
 * Hosted at: https://github.com/classgraph/classgraph
 *
 * --
 *
 * The MIT License (MIT)
```

\*  
\* Copyright (c) 2017 Harith Elrufaie  
\*  
\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated  
\* documentation files (the "Software"), to deal in the Software without restriction, including without  
\* limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of  
\* the Software, and to permit persons to whom the Software is furnished to do so, subject to the following  
\* conditions:  
\*  
\* The above copyright notice and this permission notice shall be included in all copies or substantial  
\* portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING BUT NOT  
\* LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO  
\* EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES  
\* OR OTHER LIABILITY, WHETHER IN  
\* AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
\* WITH THE SOFTWARE OR THE USE  
\* OR OTHER DEALINGS IN THE SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/nonapi/io/github/classgraph/classloaderhandler/FelixClassLoaderHandler.java  
No license file was found, but licenses were detected in source scan.

<name>The MIT License (MIT)</name>

Found in path(s):

\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/META-  
INF/maven/io.github.classgraph/classgraph/pom.xml  
No license file was found, but licenses were detected in source scan.

/\*

\* This file is part of ClassGraph.  
\*  
\* Author: Luke Hutchison  
\*  
\* Hosted at: <https://github.com/classgraph/classgraph>  
\*  
\* --  
\*  
\* The MIT License (MIT)  
\*  
\* Copyright (c) 2019 Luke Hutchison, with significant contributions from Davy De Durpel  
\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated  
\* documentation files (the "Software"), to deal in the Software without restriction, including without  
\* limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of  
\* the Software, and to permit persons to whom the Software is furnished to do so, subject to the following  
\* conditions:  
\*  
\* The above copyright notice and this permission notice shall be included in all copies or substantial  
\* portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED,  
INCLUDING BUT NOT  
\* LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE  
AND NONINFRINGEMENT. IN NO  
\* EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES  
OR OTHER LIABILITY, WHETHER IN  
\* AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE  
\* OR OTHER DEALINGS IN THE SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-  
jar/nonapi/io/github/classgraph/classloaderhandler/JBossClassLoaderHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* This file is part of ClassGraph.

\*

\* Author: Michael J. Simons

\*

\* Hosted at: <https://github.com/classgraph/classgraph>

\*

\* --

\*

\* The MIT License (MIT)

\*

\* Copyright (c) 2019 Luke Hutchison

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated  
\* documentation files (the "Software"), to deal in the Software without restriction, including without  
\* limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of  
\* the Software, and to permit persons to whom the Software is furnished to do so, subject to the following  
\* conditions:

\*

\* The above copyright notice and this permission notice shall be included in all copies or substantial  
\* portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classloaderhandler/SpringBootRestartClassLoaderHandler.java  
No license file was found, but licenses were detected in source scan.

/\*

\* This file is part of ClassGraph.

\*

\* Author: R. Kempees

\*

\* With contributions from @cpierceworld (#414)

\*

\* Hosted at: <https://github.com/classgraph/classgraph>

\*

\* --

\*

\* The MIT License (MIT)

\*

\* Copyright (c) 2017 R. Kempees (contributed to the ClassGraph project)

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE



\* OR OTHER DEALINGS IN THE SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1756038422\_1690862953.5822532/0/classgraph-4-8-158-sources-jar/nonapi/io/github/classgraph/classloaderhandler/WebsphereLibertyClassLoaderHandler.java

# 1.184 guava 32.1.2-jre

## 1.184.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.185 kubernetes-model-common 6.7.2

## 1.185.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (C) 2015 Red Hat, Inc.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/io/fabric8/kubernetes/model/annotation/StatusReplicas.java
  - \* /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/io/fabric8/kubernetes/model/annotation/Version.java
  - \* /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/io/fabric8/kubernetes/model/jackson/UnmatchedFieldTypeModule.java
  - \*
  - /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/io/fabric8/kubernetes/model/Scope.java
  - \* /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/io/fabric8/kubernetes/model/annotation/ShortNames.java
  - \* /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/io/fabric8/kubernetes/model/annotation/Group.java
  - \* /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/io/fabric8/kubernetes/model/annotation/Kind.java
  - \* /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/io/fabric8/kubernetes/model/annotation/Generated.java
  - \* /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/io/fabric8/kubernetes/model/annotation/LabelSelector.java
  - \*
  - /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/io/fabric8/kubernetes/model/annotation/PrinterColumn.java
  - \* /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/io/fabric8/kubernetes/model/jackson/JsonUnwrappedDeserializer.java
  - \* /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/io/fabric8/kubernetes/model/util/Helper.java
  - \* /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/io/fabric8/kubernetes/model/jackson/BeanPropertyWriterDelegate.java
  - \* /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/io/fabric8/kubernetes/model/jackson/SettableBeanPropertyDelegate.java
  - \* /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/io/fabric8/kubernetes/model/jackson/UnwrappedTypeResolverBuilder.java
  - \* /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/io/fabric8/kubernetes/model/annotation/SpecReplicas.java
  - \*
  - /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/io/fabric8/kubernetes/model/annotation/Plural.java
  - \* /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/io/fabric8/kubernetes/model/annotation/Singular.java
- No license file was found, but licenses were detected in source scan.

<!--

Copyright (C) 2015 Red Hat, Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1768005902\_1692291596.9290588/0/kubernetes-model-common-6-7-2-sources-jar/META-INF/maven/io.fabric8/kubernetes-model-common/pom.xml

# 1.186 kubernetes-client 6.7.2

## 1.186.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the



Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.187 kubernetes-httpclient-okhttp 6.7.2

## 1.187.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
#  
# Copyright (C) 2015 Red Hat, Inc.  
#  
# Licensed under the Apache License, Version 2.0 (the "License");  
# you may not use this file except in compliance with the License.  
# You may obtain a copy of the License at  
#  
#   http://www.apache.org/licenses/LICENSE-2.0  
#  
# Unless required by applicable law or agreed to in writing, software  
# distributed under the License is distributed on an "AS IS" BASIS,  
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
# See the License for the specific language governing permissions and  
# limitations under the License.  
#
```

io.fabric8.kubernetes.client.okhttp.OkHttpClientFactory

Found in path(s):

```
* /opt/cola/permits/1768005917_1692291773.5950506/0/kubernetes-httpclient-okhttp-6-7-2-sources-jar/META-INF/services/io.fabric8.kubernetes.client.http.HttpClient$Factory
```

No license file was found, but licenses were detected in source scan.

<!--

Copyright (C) 2015 Red Hat, Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

Found in path(s):

```
* /opt/cola/permits/1768005917_1692291773.5950506/0/kubernetes-httpclient-okhttp-6-7-2-sources-jar/META-INF/maven/io.fabric8/kubernetes-httpclient-okhttp/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (C) 2015 Red Hat, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1768005917_1692291773.5950506/0/kubernetes-httpclient-okhttp-6-7-2-sources-
jar/io/fabric8/kubernetes/client/okhttp/OkHttpClientImpl.java
* /opt/cola/permits/1768005917_1692291773.5950506/0/kubernetes-httpclient-okhttp-6-7-2-sources-
jar/io/fabric8/kubernetes/client/okhttp/OkHttpWebSocketImpl.java
*
/opt/cola/permits/1768005917_1692291773.5950506/0/kubernetes-httpclient-okhttp-6-7-2-sources-
jar/io/fabric8/kubernetes/client/okhttp/OkHttpClientBuilderImpl.java
* /opt/cola/permits/1768005917_1692291773.5950506/0/kubernetes-httpclient-okhttp-6-7-2-sources-
jar/io/fabric8/kubernetes/client/okhttp/OkHttpClientFactory.java
```

## 1.188 kubernetes-model-flowcontrol 6.7.2

### 1.188.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
*
 * Copyright (C) 2015 Red Hat, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
```

\* limitations under the License.

\*

Found in path(s):

\* /opt/cola/permits/1768005926\_1692291770.1900358/0/kubernetes-model-flowcontrol-6-7-2-sources-jar/manifest.vm

No license file was found, but licenses were detected in source scan.

<!--

Copyright (C) 2015 Red Hat, Inc.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1768005926\_1692291770.1900358/0/kubernetes-model-flowcontrol-6-7-2-sources-jar/META-INF/maven/io.fabric8/kubernetes-model-flowcontrol/pom.xml

## 1.189 kubernetes-model 6.7.2

### 1.189.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Copyright (C) 2015 Red Hat, Inc.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1768005910\_1692291616.9455125/0/kubernetes-model-6-7-2-jar/META-INF/maven/io.fabric8/kubernetes-model/pom.xml

## 1.190 kubernetes-model-node 6.7.2

### 1.190.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Copyright (C) 2015 Red Hat, Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1768005950\_1692291611.540381/0/kubernetes-model-node-6-7-2-sources-jar/META-INF/maven/io.fabric8/kubernetes-model-node/pom.xml

No license file was found, but licenses were detected in source scan.

\*

\* Copyright (C) 2015 Red Hat, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*

Found in path(s):

- \* /opt/cola/permits/1768005950\_1692291611.540381/0/kubernetes-model-node-6-7-2-sources-jar/manifest.vm

# 1.191 kubernetes-model-gatewayapi 6.7.2

## 1.191.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Copyright (C) 2015 Red Hat, Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

Found in path(s):

- \* /opt/cola/permits/1768005924\_1692291708.0570166/0/kubernetes-model-gatewayapi-6-7-2-sources-jar/META-INF/maven/io.fabric8/kubernetes-model-gatewayapi/pom.xml

No license file was found, but licenses were detected in source scan.

\*

\* Copyright (C) 2015 Red Hat, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*



- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*

Found in path(s):

\* /opt/cola/permits/1768005924\_1692291708.0570166/0/kubernetes-model-gatewayapi-6-7-2-sources-jar/manifest.vm

## 1.192 kubernetes-client-api 6.7.2

### 1.192.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Copyright (C) 2015 Red Hat, Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1768005952\_1692291599.5925832/0/kubernetes-client-api-6-7-2-jar/META-INF/maven/io.fabric8/kubernetes-client-api/pom.xml

## 1.193 kubernetes-model-resource 6.7.2

### 1.193.1 Available under license :

No license file was found, but licenses were detected in source scan.

- \*
- \* Copyright (C) 2015 Red Hat, Inc.
- \*

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*

Found in path(s):

\* /opt/cola/permits/1768005903\_1692291761.5825744/0/kubernetes-model-resource-6-7-2-jar/manifest.vm

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Build-Jdk-Spec: 1.8

Bundle-Description: Java client for Kubernetes and OpenShift

Bundle-DocURL: <http://redhat.com>

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>

Bundle-ManifestVersion: 2

Bundle-Name: Fabric8 :: Kubernetes Model :: Resource

Bundle-SymbolicName: io.fabric8.kubernetes-model-resource

Bundle-Vendor: Red Hat

Bundle-Version: 6.7.2

Created-By: Apache Maven Bundle Plugin 5.1.9

Export-Package: io.fabric8.kubernetes.api.model.resource.v1alpha1;uses

:= "com.fasterxml.jackson.annotation,com.fasterxml.jackson.databind,co

m.fasterxml.jackson.databind.annotation,io.fabric8.kubernetes.api.bui

lder,io.fabric8.kubernetes.api.model,io.fabric8.kubernetes.model.anno

tation";version="6.7.2"

Implementation-URL: <http://fabric8.io/kubernetes-model-generator/kubernetes-model-resource/>

Import-Package: com.fasterxml.jackson.annotation;version="[2.15,3)",co

m.fasterxml.jackson.databind;version="[2.15,3)",com.fasterxml.jackson

.databind.annotation;version="[2.15,3)",io.fabric8.kubernetes.api.bui

lder;version="[6.7,7)",io.fabric8.kubernetes.api.model,io.fabric8.kub

ernetes.model.annotation;version="[6.7,7)"

Include-Resource: META-INF/services/io.fabric8.kubernetes.api.model.Ku

bernetesResource=target/classes/META-INF/services/io.fabric8.kubern

es.api.model.KubernetesResource,manifest.vm=src/main/resources/manife

st.vm,schema/kube-schema.json=src/main/resources/schema/kube-schema.j

son,schema/validation-schema.json=src/main/resources/schema/validatio

n-schema.json,/META-INF/jandex.idx=target/classes/META-INF/jandex.idx

Private-Package: schema

Provide-Capability: osgi.serviceloader;osgi.serviceloader="io.fabric8.

kubernetes.api.model.KubernetesResource"  
Require-Capability: osgi.extender;filter:="(osgi.extender=osgi.service  
loader.registrar)",osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"  
Scm-Connection: scm:git:git@github.com:fabric8io/kubernetes-client.git  
/kubernetes-model-generator/kubernetes-model-resource  
Scm-Revision: \${buildNumber}  
Scm-Url: http://github.com/fabric8io/kubernetes-client/kubernetes-mode  
l-generator/kubernetes-model-resource/  
Specification-Title: Fabric8 :: Kubernetes Model :: Resource  
Specification-Vendor: Red Hat  
Specification-Version: 6.7  
Tool: Bnd-6.3.1.202206071316

Found in path(s):

\* /opt/cola/permits/1768005903\_1692291761.5825744/0/kubernetes-model-resource-6-7-2-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<!--

Copyright (C) 2015 Red Hat, Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1768005903\_1692291761.5825744/0/kubernetes-model-resource-6-7-2-jar/META-INF/maven/io.fabric8/kubernetes-model-resource/pom.xml

## 1.194 micronaut-serde-jackson 1.5.2

### 1.194.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1770576400\_1692642868.4757814/0/micronaut-serde-jackson-1-5-2-jar/META-INF/maven/io.micronaut.serde/micronaut-serde-jackson/pom.xml

## 1.195 micronaut-serde-api 1.5.2

### 1.195.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1770576392\_1692642864.0494926/0/micronaut-serde-api-1-5-2-jar/META-INF/maven/io.micronaut.serde/micronaut-serde-api/pom.xml

## 1.196 micronaut-serde-support 1.5.2

### 1.196.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1770576379\_1692642865.9607265/0/micronaut-serde-support-1-5-2-jar/META-INF/maven/io.micronaut.serde/micronaut-serde-support/pom.xml

## 1.197 okio 3.2.0

### 1.197.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2022 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonTest/okio/ForwardingSourceTest.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/-Base64.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2021 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/ZipBuilder.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/internal/ResourceFileSystemTest.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/internal/FixedLengthSource.kt  
\*  
/opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/FixedLengthSourceTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/mingwX64Main/okio/WindowsFileHandle.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/JvmFileHandle.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/unixMain/okio/UnixFileHandle.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/utilJvm.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/FileHandle.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/internal/ResourceFileSystem.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/TimeoutTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/nonJvmTest/okio/utilNonJvm.kt  
\*  
/opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/ZipFileSystemTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/FileSystem.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/nativeMain/okio/FileSystem.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/FileHandleTestingFileSystem.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/internal/FileSystem.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/internal/SegmentedByteString.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/internal/RealBufferedSource.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/internal/RealBufferedSink.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/Path.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonTest/okio/FakeFileSystemTest.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonTest/okio/ForwardingFileSystemTest.kt

\*

/opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/appleMain/okio/ByteString.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/hashFunctions/okio/internal/Hmac.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/mingwX64Main/okio/-Windows.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/nativeMain/okio/-PosixVariant.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/unixMain/okio/-UnixPosixVariant.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/appleMain/okio/-ApplePosixVariant.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/HashingSink.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/Path.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/FileSystemJavaTest.java

\*

/opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/ZipFileSystemJavaTest.java

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/mingwX64Main/okio/-WindowsPosixVariant.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/internal/Hmac.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/nativeMain/okio/FileSource.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/nativeMain/okio/PosixFileSystem.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/nonJvmMain/okio/HashingSource.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/nonJvmMain/okio/Path.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/ForwardingFileSystem.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/FileSystem.kt  
\*  
/opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/HashingSource.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/JvmSystemFileSystemTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/JvmTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/nativeMain/okio/-Cinterop.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/FileMetadata.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/internal/HmacTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/nativeMain/okio/FileSink.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jsMain/okio/-JsPlatform.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonTest/okio/PathTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/NioSystemFileSystem.kt  
\*  
/opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/appleTest/okio/AppleByteStringTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jsMain/okio/FileSystem.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/linuxX64Main/okio/-LinuxX64PosixVariant.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/ExperimentalFileSystem.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/JvmSystemFileSystem.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/nativeTest/okio/NativeSystemFileSystemTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/internal/-Path.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonTest/okio/UnsafeCursorTest.kt  
\*  
/opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/nonJvmMain/okio/HashingSink.kt  
No license file was found, but licenses were detected in source scan.  
  
/\*  
\* Copyright (C) 2018 Square, Inc.  
\*



\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/-  
DeprecatedUpgrade.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/-  
DeprecatedUtf8.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/jvmTest/okio/ByteStringKotlinTest.kt  
\*  
/opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/-DeprecatedOkio.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/jvmTest/okio/ForwardingTimeoutKotlinTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/GzipKotlinTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/commonMain/okio/PeekSource.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/jvmTest/okio/ThrottlerTakeTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/BufferKotlinTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/NioTest.java  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/jvmTest/okio/BufferCursorKotlinTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/PipeKotlinTest.kt  
\*  
/opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/jvmTest/okio/BufferCursorTest.java  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/ThrottlerTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/jvmTest/okio/DeflateKotlinTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/jvmTest/okio/ForwardingTimeoutTest.java  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/commonTest/okio/Utf8KotlinTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/Stopwatch.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/commonTest/okio/CommonOptionsTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/Throttler.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/OkioKotlinTest.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/internal/ZipEntry.kt

\*

/opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/internal/zip.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/ZipFileSystem.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 Square, Inc. and others.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/CipherSourceTest.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/CipherAlgorithm.kt

```
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/CipherSinkTest.kt
*
/opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-
jar/hashFunctions/okio/internal/HashFunction.kt
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/CipherFactory.kt
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-
jar/jvmTest/okio/internal/HashFunction.kt
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/CipherSource.kt
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/CipherSink.kt
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2019 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-
jar/nonJvmMain/okio/BufferedSource.kt
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/Source.kt
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-
jar/commonTest/okio/CommonRealBufferedSinkTest.kt
*
/opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-
jar/commonTest/okio/AbstractBufferedSinkTest.kt
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-
jar/commonTest/okio/AbstractBufferedSourceTest.kt
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-
jar/commonMain/okio/BufferedSource.kt
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-
jar/nonJvmMain/okio/BufferedSink.kt
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-
jar/commonTest/okio/BufferedSourceFactory.kt
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/Buffer.kt
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonTest/okio/util.kt
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/Okio.kt
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-
```

jar/commonTest/okio/CommonOkioKotlinTest.kt  
\*  
/opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/commonMain/okio/BufferedSink.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/nonJvmMain/okio/Buffer.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/commonMain/okio/RealBufferedSink.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/BufferFactory.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/commonTest/okio/BufferCommonTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/Timeout.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/nonJvmMain/okio/Sink.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/commonMain/okio/RealBufferedSource.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/nonJvmMain/okio/RealBufferedSink.kt  
\*  
/opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/internal/-  
Buffer.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/nonJvmMain/okio/Timeout.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/Sink.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/commonTest/okio/BufferedSinkFactory.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/commonTest/okio/CommonRealBufferedSourceTest.kt  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/Utf8.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/-JvmPlatform.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/-Util.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/ByteString.kt  
\*  
/opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/-  
CommonPlatform.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/internal/-  
Utf8.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/internal/-  
ByteString.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/commonTest/okio/ByteStringTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/nonJvmMain/okio/-  
NonJvmPlatform.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/nonJvmMain/okio/ByteString.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/commonTest/okio/ByteStringFactory.kt

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2022 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonTest/okio/ByteStringMoreTests.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/BufferTest.java

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/BufferedSource.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-

jar/jvmTest/okio/BufferedSourceJavaTest.java

\*

/opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/ForwardingSink.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-

jar/jvmTest/okio/BufferedSourceTest.java

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-

jar/jvmTest/okio/AsyncTimeoutTest.java

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-

jar/jvmTest/okio/InflaterSourceTest.java

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-

jar/nonJvmMain/okio/ForwardingSource.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/Sink.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonTest/okio/MockSink.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-

jar/jvmMain/okio/RealBufferedSource.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/SegmentPool.kt

\*

/opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-

jar/jvmMain/okio/RealBufferedSink.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-

jar/jvmTest/okio/DeflaterSinkTest.java  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/jvmTest/okio/GzipSourceTest.java  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/jvmTest/okio/BufferedSinkTest.java  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/Utf8Test.java  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/nonJvmMain/okio/RealBufferedSource.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/OkioTest.java  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/GzipSource.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/commonMain/okio/SegmentPool.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/JvmOkio.kt  
\*  
/opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/TestUtil.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/Segment.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/commonMain/okio/ForwardingSource.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/jvmTest/okio/BufferedSinkJavaTest.java  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/Buffer.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/BufferedSink.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/AsyncTimeout.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/jvmMain/okio/ForwardingSource.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/GzipSinkTest.java  
\*  
/opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/InflaterSource.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/GzipSink.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/Timeout.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/nonJvmMain/okio/SegmentPool.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/commonTest/okio/CommonBufferTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/jvmTest/okio/SocketTimeoutTest.java  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/DeflaterSink.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-  
jar/jvmTest/okio/ReadUtf8LineTest.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 Square Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/ByteStringJavaTest.java  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonTest/okio/HashingTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/ByteString.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2016 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/WaitUntilNotifiedTest.java  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/HashingSink.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/LargeStreamsTest.java  
\*  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/HashingSource.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmMain/okio/Pipe.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/PipeTest.java  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonMain/okio/Options.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonTest/okio/HashingSourceTest.kt  
\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/commonTest/okio/HashingSinkTest.kt



No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2015 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-
jar/jvmMain/okio/ForwardingTimeout.kt
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-
jar/commonMain/okio/SegmentedByteString.kt
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-
jar/jvmMain/okio/SegmentedByteString.kt
*
/opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-
jar/jvmTest/okio/SegmentSharingTest.kt
* /opt/cola/permits/1779683680_1693137064.5227244/0/okio-3-2-0-sources-2-
jar/nonJvmMain/okio/SegmentedByteString.kt
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2020 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/nativeMain/okio/-SizetVariant.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-

jar/hashFunctions/okio/internal/Sha256.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/internal/Sha512.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-

jar/hashFunctions/okio/internal/Md5.kt

\*

/opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-

jar/hashFunctions/okio/internal/Sha512.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-

jar/jvmTest/okio/MessageDigestConsistencyTest.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/internal/Sha1.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-

jar/hashFunctions/okio/internal/Sha1.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/internal/Sha256.kt

\* /opt/cola/permits/1779683680\_1693137064.5227244/0/okio-3-2-0-sources-2-jar/jvmTest/okio/internal/Md5.kt

# 1.198 mockito 4.5.0

## 1.198.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

====

Copyright (c) 2016 Mockito contributors

This program is made available under the terms of the MIT License.

====

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable



by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your

own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The MIT License

Copyright (c) 2007 Mockito contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2006, Ivan Sagalaev

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of highlight.js nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS AND CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT



(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) \${year} Mockito contributors

This program is made available under the terms of the MIT License.

Copyright (c) 2001-2008 OFFIS, Tammo Freese.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2000-2007, jMock.org

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of jMock nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN

ANY

WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.199 hazelcast 5.3.2

### 1.199.1 Available under license :

Hazelcast Community License

Version 1.0

This Hazelcast Community License Agreement Version 1.0 (the Agreement) sets forth the terms on which Hazelcast, Inc. (Hazelcast) makes available certain software made available by Hazelcast under this Agreement (the Software). BY INSTALLING, DOWNLOADING, ACCESSING, USING OR DISTRIBUTING ANY OF THE SOFTWARE, YOU AGREE TO THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE TO SUCH TERMS AND CONDITIONS, YOU MUST NOT USE THE SOFTWARE. IF YOU ARE RECEIVING THE SOFTWARE ON BEHALF OF A LEGAL ENTITY, YOU REPRESENT AND WARRANT THAT YOU HAVE THE ACTUAL AUTHORITY TO AGREE TO THE TERMS AND CONDITIONS OF THIS AGREEMENT

ON BEHALF OF SUCH ENTITY. Licensee means you, an individual, or the entity on whose behalf you are receiving the Software.

#### 1. LICENSE GRANT AND CONDITIONS.

1.1 License. Subject to the terms and conditions of this Agreement, Hazelcast hereby grants to Licensee a non-exclusive, royalty-free, worldwide, non-transferable, non-sublicenseable

license during the term of this Agreement to:

(a) use the Software; (b) prepare modifications and derivative works of the Software; (c) distribute the Software (including without limitation in source code or object code form); and (d) reproduce copies of the Software (the License). Licensee is not granted the right to, and Licensee shall not, exercise the License for an Excluded Purpose. For purposes of this Agreement, Excluded Purpose means making available any software-as-a-service, platform-as-a-service, infrastructure-as-a-service or other similar online service that competes with Hazelcast products or services that provide the Software.

1.2 Conditions. In consideration of the License, Licensees distribution of the Software is subject to the following conditions:

a. Licensee must cause any Software modified by Licensee to carry prominent notices stating that Licensee modified the Software.

b. On each Software copy, Licensee shall reproduce and not remove or alter all Hazelcast or third party copyright or other proprietary notices contained in the Software, and Licensee must provide the notice below with each copy.

This software is made available by Hazelcast, Inc., under the terms of the Hazelcast Community License Agreement, Version 1.0 located at <http://hazelcast.com/Hazelcast-community-license>. BY INSTALLING, DOWNLOADING, ACCESSING, USING OR DISTRIBUTING ANY OF THE SOFTWARE, YOU AGREE TO THE TERMS OF SUCH LICENSE AGREEMENT.

1.3 Licensee Modifications. Licensee may add its own copyright notices to modifications made by Licensee and may provide additional or different license terms and conditions for use, reproduction, or distribution of Licensees modifications. While redistributing the Software or modifications thereof, Licensee may choose to offer, for a fee or free of charge, support, warranty, indemnity, or other obligations. Licensee, and not Hazelcast, will be responsible for any such obligations.

1.4 No Sublicensing. The License does not include the right to sublicense the Software, however, each recipient to which Licensee provides the Software may exercise the Licenses so long as such recipient agrees to the terms and conditions of this Agreement.

## 2. TERM AND TERMINATION.

This Agreement will continue unless and until earlier terminated as set forth herein. If Licensee breaches any of its conditions or obligations under this Agreement, this Agreement will terminate automatically and the License will terminate automatically and permanently.

## 3. INTELLECTUAL PROPERTY.

As between the parties, Hazelcast will retain all right, title, and interest in the Software, and all intellectual property rights therein. Hazelcast hereby reserves all rights not expressly granted to Licensee in this Agreement. Hazelcast hereby reserves all rights in its trademarks and service marks, and no licenses therein are granted in this Agreement.

#### 4. DISCLAIMER.

HAZELCAST HEREBY DISCLAIMS ANY AND ALL WARRANTIES AND CONDITIONS, EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE, AND SPECIFICALLY DISCLAIMS ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE SOFTWARE.

#### 5. LIMITATION OF LIABILITY.

HAZELCAST WILL NOT BE LIABLE FOR ANY DAMAGES OF ANY KIND, INCLUDING BUT NOT LIMITED TO, LOST PROFITS OR ANY CONSEQUENTIAL, SPECIAL, INCIDENTAL, INDIRECT, OR DIRECT DAMAGES, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, ARISING OUT OF THIS AGREEMENT. THE FOREGOING SHALL APPLY TO THE EXTENT PERMITTED BY APPLICABLE LAW.

#### 6. GENERAL.

6.1 Governing Law. This Agreement will be governed by and interpreted in accordance with the laws of the state of California, without reference to its conflict of laws principles. If Licensee is located within the United States, all disputes arising out of this Agreement are subject to the exclusive jurisdiction of courts located in Santa Clara County, California, USA. If Licensee is located outside of the United States, any dispute, controversy or claim arising out of or relating to this Agreement will be referred to and finally determined by arbitration in accordance with the JAMS International Arbitration Rules. The tribunal will consist of one arbitrator. The place of arbitration will be San Francisco, California. The language to be used in the arbitral proceedings will be English. Judgment upon the award rendered by the arbitrator may be entered in any court having jurisdiction thereof.

6.2. Assignment. Licensee is not authorized to assign its rights under this Agreement to any third party. Hazelcast may freely assign its rights under this Agreement to any third party.

6.3. Other. This Agreement is the entire agreement between the parties regarding the subject matter hereof. No amendment or modification of this

Agreement will be valid or binding upon the parties unless made in writing and signed by the duly authorized representatives of both parties. In the event that any provision, including without limitation any condition, of this

Agreement is

held to be unenforceable, this Agreement and all licenses and rights granted hereunder will immediately terminate. Waiver by Hazelcast of a breach of any provision of this Agreement or the failure by Hazelcast to exercise any right hereunder will not be construed as a waiver of any subsequent breach of that right or as a waiver of any other right.

The packages:

com.hazelcast.internal.util.collection  
com.hazelcast.internal.util.concurrent

and the classes:

com.hazelcast.internal.util.QuickMath  
com.hazelcast.client.impl.protocol.util.UnsafeBuffer  
com.hazelcast.client.impl.protocol.util.BufferBuilder

contain code originating from the Agrona project  
(<https://github.com/real-logic/Agrona>).

The class com.hazelcast.internal.util.HashUtil contains code originating from the Koloboke project (<https://github.com/OpenHFT/Koloboke>).

The class classloading.ThreadLocalLeakTestUtils contains code originating from the Tomcat project (<https://github.com/apache/tomcat>).

com.hazelcast.internal.cluster.fd.PhiAccrualFailureDetector contains code originating from the Akka project (<https://github.com/akka/akka/>).

The package com.hazelcast.internal.json contains code originating from minimal-json project (<https://github.com/ralfstx/minimal-json>).

The class com.hazelcast.instance.impl.MobyNames contains code originating from The Moby Project (<https://github.com/moby/moby>).

The

class com.hazelcast.internal.util.graph.BronKerboschCliqueFinder contains code originating from The JGraphT Project (<https://github.com/jgrapht/jgrapht>).

The packages:

com.hazelcast.sql  
com.hazelcast.jet.sql

contain code originating from the Apache Calcite (<https://github.com/apache/calcite>)

The class `com.hazelcast.jet.kafka.impl.ResumeTransactionUtil` contains code derived from the Apache Flink project.

The class `com.hazelcast.internal.util.ConcurrentReferenceHashMap` contains code written by Doug Lea and updated within the WildFly project (<https://github.com/wildfly/wildfly>).

The classes:

`com.hazelcast.cp.internal.raft.impl.state.FollowerState`  
`com.hazelcast.cp.internal.raft.impl.state.FollowerStateTest`  
`com.hazelcast.cp.internal.raft.impl.SlowFollowerBackoffTest`

contain code originating from the MicroRaft project (<https://github.com/MicroRaft/MicroRaft>)

This directory tree contains files subject to the Hazelcast Community License.

Copyright (c) 2013, 2014 EclipseSource

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# Info about the Elastic License 2.0

The Elastic company moved with the Elasticsearch product from Apache 2.0 license to Elastic license in release 7.11.

To keep Hazelcast code secure without vulnerable dependencies, Hazelcast uses the new Elastic-licensed Java HLRC client versions.

Read more about the license change on the Elastic FAQ page:

<https://www.elastic.co/pricing/faq/licensing>

The following FAQ question is related to Hazelcast elasticsearch-7 connector usage.

> **\*\*I'm using Elasticsearch via APIs, how does this change affect me?\***

>

> This change does not affect how you use client libraries to access Elasticsearch. Our client libraries remain licensed under Apache 2.0, with the exception of our Java High Level Rest Client (Java HLRC).

>

> The Java HLRC has dependencies on the core of Elasticsearch, and as a result this client library will be licensed under the Elastic License. Over time, we will eliminate this dependency and move the Java HLRC to be licensed under Apache 2.0.

Until that time, for the avoidance of doubt, we do not consider using the Java HLRC as a client library in development of an application or library used to access Elasticsearch to constitute a derivative work under the Elastic License, and this will not have any impact on how you license the source code of your application using this client library or how you distribute it.

>

> Update: The Java HLRC has been deprecated in 7.15.0 in favor of the Java API Client. The Java API Client is licensed under Apache 2.0.

>

> If you have any questions, please reach out to us at [elastic\\_license@elastic.co](mailto:elastic_license@elastic.co)

# Text of the Elastic License 2.0

Elastic License 2.0

URL: <https://www.elastic.co/licensing/elastic-license>

## Acceptance

By using the software, you agree to all of the terms and conditions below.

## Copyright License

The licensor grants you a non-exclusive, royalty-free, worldwide, non-sublicensable, non-transferable license to use, copy, distribute, make available, and prepare derivative works of the software, in each case subject to the limitations and conditions below.

## Limitations

You may not provide the software to third parties as a hosted or managed service, where the service provides users with access to any substantial set of the features or functionality of the software.

You may not move, change, disable, or circumvent the license key functionality in the software, and you may not remove or obscure any functionality in the software that is protected by the license key.

You may not alter, remove, or obscure any licensing, copyright, or other notices of the licensor in the software. Any use of the licensors trademarks is subject to applicable law.

## ## Patents

The licensor grants you a license, under any patent claims the licensor can license, or becomes able to license, to make, have made, use, sell, offer for sale, import and have imported the software, in each case subject to the limitations and conditions in this license. This license does not cover any patent claims that you cause to be infringed by modifications or additions to the software. If you or your company make any written claim that the software infringes or contributes to infringement of any patent, your patent license for the software granted under these terms ends immediately. If your company makes such a claim, your patent license ends immediately for work on behalf of your company.

## ## Notices

You must ensure that anyone who gets a copy of any part of the software from you also gets a copy of these terms.

If you modify the software, you must include in any modified copies of the software prominent notices stating that you have modified the software.

## ## No Other Rights

These terms do not imply any licenses other than those expressly granted in these terms.

## ## Termination

If you use the software in violation of these terms, such use is not licensed, and your licenses will automatically terminate. If the licensor provides you with a notice of your violation, and you cease all violation of this license no later than 30 days after you receive that notice, your licenses will be reinstated retroactively. However, if you violate these terms after such reinstatement, any additional violation of these terms will cause your licenses to terminate automatically and permanently.

## ## No Liability

\*As far as the law allows, the software comes as is, without any warranty or condition, and the licensor will not be liable to you for any damages arising out of these terms or the use or nature of the software, under any kind of legal claim.\*

## ## Definitions



The **licensor** is the entity offering these terms, and the **software** is the software the licensor makes available under these terms, including any portion of it.

**you** refers to the individual or entity agreeing to these terms.

**your company** is any legal entity, sole proprietorship, or other kind of organization that you work for, plus all organizations that have control over, are under the control of, or are under common control with that organization. **control** means ownership of substantially all the assets of an entity, or the power to direct its management and policies by vote, contract, or otherwise. Control can be direct or indirect.

**your licenses** are all the licenses granted to you for the software under these terms.

**use** means anything you do with the software requiring one of your licenses.

**trademark** means trademarks, service marks, and similar rights.

Source code in this repository is covered by one of two licenses:

- (i) the Apache License 2.0 (<http://www.apache.org/licenses/LICENSE-2.0>)
- (ii) the Hazelcast Community License (<http://hazelcast.com/hazelcast-community-license>)

The default license throughout the repository is Apache License 2.0 unless the header specifies another license.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The artifacts in the opt folder are licensed under Hazelcast Community License, except following modules:

\* hazelcast-jet-spring

- \* hazelcast-jet-cdc-debezium
- \* hazelcast-jet-cdc-mysql
- \* hazelcast-jet-cdc-postgres

These exceptions and all other artifacts in this distribution are released under Apache License 2.0.

\*\*

\*\* NOTICE file corresponding to the section 4 (d) of the Apache License,

\*\* Version 2.0, in this case for the Hazelcast distribution.

\*\*

The end-user documentation included with a redistribution, if any, must include the following acknowledgement:

"This product includes software developed by the Hazelcast Project (<http://www.hazelcast.com>)."

Alternately, this acknowledgement may appear in the software itself, if and wherever such third-party acknowledgements normally appear.

The name "Hazelcast" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [talip@hazelcast.com](mailto:talip@hazelcast.com) or [fuad@hazelcast.com](mailto:fuad@hazelcast.com)

Copyright (c) 2008-2023, Hazelcast, Inc. All Rights Reserved.

## 1.200 hazelcast-tpc-engine 5.3.2

### 1.200.1 Available under license :

No license file was found, but licenses were detected in source scan.

List of third-party dependencies grouped by their license type:

Apache-2.0

Java Concurrency Tools Core Library:4.0.1

Third-party license texts:

-----

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices



stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of

the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8.

Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version  
2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-----

#### BSD 2-Clause License

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.

#### THIS SOFTWARE

IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT  
HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED  
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

#### BSD 3-Clause License

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are

met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

Creative Commons Legal Code

CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work

of  
authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention

of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

#### 4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of

title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

-----

## COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form

other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the

maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification;

or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and



subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions

thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3.

#### Distribution Obligations.

##### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

##### 3.2. Modifications.

The Modifications that You create or to which You

contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under

a different license, You must make it absolutely clear that any terms which differ from this License are offered by You

alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename

the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the

Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the

Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

### The Covered

Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. " 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject

matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice

contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

#### COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

##### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing

Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification;  
or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For



purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof),

either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability

obligations to one or more recipients of Covered Software.

However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the

rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

#### 4. Versions of the License.

##### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

##### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

##### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN

ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE

INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You

agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

**THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.**

**IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,**

**OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,**

**WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)**

ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS "Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and b) in the case of each subsequent Contributor: i) changes to the Program, and ii) additions to the Program; where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor.

A Contribution

"originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf.

Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified

Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations,



interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder. c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program. d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set

forth in

this Agreement. e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS 3.1 If a Contributor Distributes the Program in any form, then: a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license: i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including

warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose; ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits; iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3. 3.2 When the Program is Distributed as Source Code: a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary

Licenses, and b) a copy

of this Agreement must be included with each copy of the Program. 3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors.

Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby

agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor.

If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published,

Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any

Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice "This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

-----

Elastic License 2.0

URL: <https://www.elastic.co/licensing/elastic-license>

## Acceptance

By using the software, you agree to all of the terms and conditions below.

## Copyright License

The licensor grants you a non-exclusive, royalty-free, worldwide, non-sublicensable, non-transferable license to use, copy, distribute, make available, and prepare derivative works of the software, in each case subject to the limitations and conditions below.

## Limitations

You may not provide the software to third parties as a hosted or managed service, where the service provides users with access to any substantial set of the features or functionality of the software.

You may not move, change, disable, or circumvent the license key functionality

in the software, and you may not remove or obscure any functionality in the software that is protected by the license key.

You may not alter, remove, or obscure any licensing, copyright, or other notices of the licensor in the software. Any use of the licensor's trademarks is subject to applicable law.

### ## Patents

The licensor grants you a license, under any patent claims the licensor can license, or becomes able to license, to make, have made, use, sell, offer for sale, import and have imported the software, in each case subject to the limitations and conditions in this license. This license does not cover any patent claims that you cause to be infringed by modifications or additions to the software. If you or your company make any written claim that the software infringes or contributes to infringement of any patent, your patent license for the software granted under these terms ends immediately. If your company makes such a claim, your patent license ends immediately for work on behalf of your company.

### ## Notices

You must ensure that anyone who gets a copy of any part of the software from you also gets a copy of these terms.

If you modify the software, you must include in any modified copies of the software prominent notices stating that you have modified the software.

### ## No Other Rights

These terms do not imply any licenses other than those expressly granted in these terms.

### ## Termination

If you use the software in violation of these terms, such use is not licensed, and your licenses will automatically terminate. If the licensor provides you with a notice of your violation, and you cease all violation of this license no later than 30 days after you receive that notice, your licenses will be reinstated retroactively. However, if you violate these terms after such reinstatement, any additional violation of these terms will cause your licenses to terminate automatically and permanently.

### ## No Liability

\*As far as the law allows, the software comes as is, without any warranty or

condition, and the licensor will not be liable to you for any damages arising out of these terms or the use or nature of the software, under any kind of legal claim.\*

## ## Definitions

The **licensor** is the entity offering these terms, and the **software** is the software the licensor makes available under these terms, including any portion of it.

**you** refers to the individual or entity agreeing to these terms.

**your company** is any legal entity, sole proprietorship, or other kind of organization that you work for, plus all organizations that have control over, are under the control of, or are under common control with that organization. **control** means ownership of substantially all the assets of an entity, or the power to direct its management and policies by vote, contract, or otherwise. Control can be direct or indirect.

**your licenses** are all the licenses granted to you for the software under these terms.

**use** means anything you do with the software requiring one of your licenses.

**trademark** means trademarks, service marks, and similar rights.

-----

## GO LICENSE

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS

AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

The JSON License  
Copyright (c) 2002 JSON.org

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----

GNU LIBRARY GENERAL PUBLIC LICENSE  
Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.  
51 Franklin



Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is numbered 2 because it goes with version 2 of the ordinary GPL.]

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some specially designated Free Software Foundation software, and to any other libraries whose authors decide to use it. You can use it for your libraries, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original

version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived

from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

## GNU LIBRARY GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any

warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking

a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the

user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining

where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any



such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE

EXTENT PERMITTED BY APPLICABLE LAW.  
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

Library General Public License for more details.

You should have received a copy of the GNU Library General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims  
all copyright interest in the  
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

-----

The MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN

NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----

GNU GENERAL PUBLIC LICENSE

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original

authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute

such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works.

These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.



8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

#### 9. The Free Software

Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this.

Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED

ABOVE, BE LIABLE TO YOU FOR DAMAGES,  
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING  
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED  
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY  
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER  
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE  
POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it

under certain conditions; type ``show c'` for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

#### The Universal FOSS Exception, Version 1.0

In addition to the rights set forth in the other license(s) included in the distribution for this software, data, and/or documentation (collectively the "Software," and such licenses collectively with this additional permission the "Software License"), the copyright holders wish to facilitate interoperability with other software, data, and/or documentation distributed with complete corresponding source under a license that is OSI-approved and/or categorized by the FSF as free (collectively "Other FOSS"). We therefore hereby grant the following additional permission with respect to the use and distribution of the Software with Other FOSS, and the constants, function signatures, data structures and other invocation methods used to run or interact with each of them (as to each, such software's "Interfaces"):

(i) The Software's Interfaces may, to the extent permitted by the license of the Other FOSS, be copied into, used and distributed in the Other FOSS in order to enable interoperability, without requiring a change to the license of the Other FOSS other than as to any Interfaces of the Software embedded therein. The Software's Interfaces remain at all times under the Software License, including without limitation as used in the Other FOSS (which upon any such use also then contains a portion of the Software under the Software License).

(ii) The Other FOSS's Interfaces may, to the extent permitted by the license of the Other FOSS, be copied into, used and distributed in the Software in order to enable interoperability, without requiring that such Interfaces be licensed under

the terms of the Software License or otherwise altering their original terms, if this does not require any portion of the Software other than such Interfaces to be licensed under the terms other than the Software License.

(iii) If only Interfaces and no other code is copied between the Software and the Other FOSS in either direction, the use and/or distribution of the Software with the Other FOSS shall not be deemed to require that the Other FOSS be licensed under the license of the Software, other than as to any Interfaces of the Software copied into the Other FOSS. This includes, by way of example and without limitation, statically or dynamically linking the Software together with Other FOSS after enabling interoperability using the Interfaces of one or both, and distributing the resulting combination under different licenses for the respective portions thereof.

For avoidance of doubt, a license which is OSI-approved or categorized by the FSF as free, includes, for the purpose of this permission, such licenses with additional permissions, and any license that has previously been so-approved or categorized as free, even if now deprecated or otherwise no longer recognized as approved or free. Nothing in this additional permission grants any right to distribute any portion of the Software on terms other than those of the Software License or grants any additional permission of any kind for use or distribution of the Software in conjunction with software other than Other FOSS.

Found in path(s):

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/THIRD-PARTY.txt  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2008-2023, Hazelcast, Inc. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/util/ProgressIndicator.java
- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/ScheduledTask.java
- \*
- /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/iobuffer/NonConcurrentIOBufferAllocator.java
- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/iobuffer/IOBufferAllocator.java
- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/Reactor.java
- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/logging/JulLoggerFactory.java
- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/nio/package-info.java
- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/util/BitUtil.java
- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/ReactorBuilder.java
- \*
- /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/Promise.java
- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/package-info.java
- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/util/ExceptionUtil.java
- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/util/UnsafeLocator.java
- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/TpcEngine.java
- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/nio/NioAsyncServerSocketBuilder.java
- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/util/ThreadAffinityHelper.java
- \*
- /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/net/AsyncSocketOptions.java
- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/util/CloseUtil.java
- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/util/ThreadAffinity.java
- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/net/package-info.java
- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/util/ReflectionUtil.java
- \* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/net/AsyncSocketReader.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/Eventloop.java  
\*  
/opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/net/AsyncServerSocket.java  
\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/net/AsyncServerSocketMetrics.java  
\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/net/AsyncSocketMetrics.java  
\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/nio/NioReactorBuilder.java  
\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/nio/IOVector.java  
\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/util/JVM.java  
\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/logging/TpcLoggerFactory.java  
\*  
/opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/util/BoundPriorityQueue.java  
\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/logging/TpcLogger.java  
\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/net/AsyncSocketBuilder.java  
\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/nio/NioReactor.java  
\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/nio/NioAsyncServerSocketOptions.java  
\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/iobuffer/IOBuffer.java  
\*  
/opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/iobuffer/ConcurrentIOBufferAllocator.java  
\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/nio/NioAsyncServerSocket.java  
\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/PromiseAllocator.java  
\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/ReactorType.java  
\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/util/NanoClock.java  
\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/nio/NioAcceptRequest.java  
\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/nio/NioAsyncSocketOptions.java  
\*  
/opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/nio/NioEventloop.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/iobuffer/UnpooledIOBufferAllocator.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/util/StandardNanoClock.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/net/AsyncSocket.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/net/AbstractAsyncSocket.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/TpcEngineBuilder.java

\*

/opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/util/BufferUtil.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/util/CachedNanoClock.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/net/AcceptRequest.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/iobuffer/package-info.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/serialization/SerializableByConvention.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/NopScheduler.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/Scheduler.java

\*

/opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/logging/TpcLoggerLocator.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/nio/NioAsyncSocket.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/nio/NioHandler.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/nio/SelectorOptimizer.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/util/CircularQueue.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/nio/NioAsyncSocketBuilder.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/net/AsyncServerSocketBuilder.java

\*

/opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/util/OS.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/util/Preconditions.java

\* /opt/cola/permits/1811335351\_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/com/hazelcast/internal/tpcengine/Option.java

No license file was found, but licenses were detected in source scan.

```
<!--  
~ Copyright 2021 Hazelcast Inc.  
~  
~ Licensed under the Hazelcast Community License (the "License");  
~ you may not use this file except in compliance with the License.  
~ You may obtain a copy of the License at  
~  
~ http://hazelcast.com/hazelcast-community-license  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS,  
~ WITHOUT WARRANTIES OF ANY KIND, either express or implied.  
~ See the License for the specific language governing permissions and  
~ limitations under the License.  
-->
```

Found in path(s):

```
* /opt/cola/permits/1811335351_1696129323.2729497/0/hazelcast-tpc-engine-5-3-2-sources-jar/META-INF/maven/com.hazelcast/hazelcast-tpc-engine/pom.xml
```

## 1.201 byte-buddy-agent 1.14.1

### 1.201.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.



"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,

or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

Copyright \${project.inceptionYear} - Present \${copyright.holder}

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.202 mockwebserver 0.2.2

### 1.202.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at



<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.203 avro 1.11.3

## 1.203.1 Available under license :

flink-avro

Copyright 2014-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.204 nimbus-jose-jwt 9.31

## 1.204.1 Available under license :

Nimbus JOSE + JWT

Copyright 2012 - 2022, Connect2id Ltd.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the

License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.



5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.205 netty-codec 4.1.100.Final

## 1.205.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2021 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/BrotliDecoder.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/DeflateOptions.java

\*

/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/ZstdOptions.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/BrotliEncoder.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/Brotli.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/Zstd.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/ZstdEncoder.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/GzipOptions.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/BrotliOptions.java

\*

/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/CompressionOptions.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/ZstdConstants.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/StandardCompressionOptions.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-

jar/io/netty/handler/codec/CharSequenceValueConverter.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/DefaultHeadersImpl.java  
\*  
/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/ValueConverter.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2012 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/  
/\*  
\* Written by Robert Harder and released to the public domain, as explained at  
\* <https://creativecommons.org/licenses/publicdomain>  
\*/

/\*\*  
\* Enumeration of supported Base64 dialects.  
\* <p>  
\* The internal lookup tables in this class has been derived from  
\* <a href="http://iharder.sourceforge.net/current/java/base64/">Robert  
Harder's Public Domain  
\* Base64 Encoder/Decoder</a>.  
\*/

Found in path(s):  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/base64/Base64Dialect.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2013 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\*  
\*/

\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/xml/XmlFrameDecoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/JdkZlibDecoder.java  
\*

/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/Crc32c.java

No license file was found, but licenses were detected in source scan.

# The Netty Project licenses this file to you under the Apache License,  
# version 2.0 (the "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at:  
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/META-INF/native-image/io.netty.netty-codec/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/ByteBufChecksum.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/CompressionUtil.java

\*

/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/string/LineEncoder.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/string/LineSeparator.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/CodecOutputList.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/DateFormat.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/DatagramPacketEncoder.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/DatagramPacketDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/Lz4XXHash32.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

```
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Written by Robert Harder and released to the public domain, as explained at
* https://creativecommons.org/licenses/publicdomain
*/
/**
* Utility class for {@link ByteBuf} that encodes and decodes to and from
* Base64 notation.
* <p>
* The encoding and decoding algorithm in this class has been derived from
* Robert Harder's Public Domain
\* Base64 Encoder/Decoder.
*/
```

Found in path(s):

```
* /opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-
jar/io/netty/handler/codec/base64/Base64.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-
jar/io/netty/handler/codec/compression/Bzip2Decoder.java
```

```
* /opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-
jar/io/netty/handler/codec/json/package-info.java
```

```
*
* /opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-
jar/io/netty/handler/codec/compression/Bzip2BlockDecompressor.java
```

```
* /opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-
```

jar/io/netty/handler/codec/compression/Bzip2MoveToFrontTable.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2HuffmanStageDecoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2BitReader.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/FastLzFrameEncoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/LzfDecoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/SnappyFramedDecoder.java  
\*  
/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/DecoderResultProvider.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2MTFAndRLE2StageEncoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2Rand.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/Lz4Constants.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2DivSufSort.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/Crc32.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/AsciiHeadersEncoder.java  
\*  
/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/LzmaFrameEncoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/LzfEncoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/SnappyFramedEncoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/json/JsonObjectDecoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2Constants.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/MessageAggregationException.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2BitWriter.java  
\*  
/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2Encoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/Lz4FrameDecoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/FastLzFrameDecoder.java



```
* /opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-
jar/io/netty/handler/codec/compression/Bzip2HuffmanStageEncoder.java
* /opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-
jar/io/netty/handler/codec/compression/FastLz.java
* /opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-
jar/io/netty/handler/codec/compression/Bzip2BlockCompressor.java
* /opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-
jar/io/netty/handler/codec/compression/Bzip2HuffmanAllocator.java
*
/opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-
jar/io/netty/handler/codec/compression/Lz4FrameEncoder.java
No license file was found, but licenses were detected in source scan.
```

```
<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/META-
INF/maven/io.netty/netty-codec/pom.xml
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
```

```

*/
/**
 * A decoder that splits the received {@link ByteBuf}s dynamically by the
 * value of the length field in the message. It is particularly useful when you
 * decode a binary message which has an integer header field that represents the
 * length of the message body or the whole message.
 *
 *
 * <p>
 * {@link LengthFieldBasedFrameDecoder} has many configuration parameters so
 * that it can decode any message with a length field, which is often seen in
 * proprietary client-server protocols. Here are some example that will give
 * you the basic idea on which option does what.
 *
 *
 * <h3>2 bytes length field at offset 0, do not strip header</h3>
 *
 * The value of the length field in this example is <tt>12 (0x0C)</tt> which
 * represents the length of "HELLO, WORLD". By default, the decoder assumes
 * that the length field represents the number of the bytes that follows the
 * length field. Therefore, it can be decoded with the simplistic parameter
 * combination.
 *
 * <pre>
 * <b>lengthFieldOffset</b> = <b>0</b>
 * <b>lengthFieldLength</b> = <b>2</b>
 * lengthAdjustment = 0
 * initialBytesToStrip = 0 (= do not strip header)
 *
 * BEFORE DECODE (14 bytes)      AFTER DECODE (14 bytes)
 * +-----+-----+ +-----+-----+
 * | Length | Actual Content
 * |---->| Length | Actual Content |
 * | 0x000C | "HELLO, WORLD" | | 0x000C | "HELLO, WORLD" |
 * +-----+-----+ +-----+-----+
 * </pre>
 *
 *
 * <h3>2 bytes length field at offset 0, strip header</h3>
 *
 *
 * Because we can get the length of the content by calling
 * {@link ByteBuf#readableBytes()}, you might want to strip the length
 * field by specifying <tt>initialBytesToStrip</tt>. In this example, we
 * specified <tt>2</tt>, that is same with the length of the length field, to
 * strip the first two bytes.
 *
 * <pre>
 * lengthFieldOffset = 0
 * lengthFieldLength = 2
 * lengthAdjustment = 0
 * <b>initialBytesToStrip</b> = <b>2</b> (= the length of the Length field)
 *
 * BEFORE DECODE (14 bytes)      AFTER DECODE (12 bytes)

```

```

* +-----+-----+ +-----+
* | Length | Actual Content |---->| Actual Content |
* | 0x000C | "HELLO, WORLD" | | "HELLO, WORLD" |
* +-----+-----+ +-----+
* </pre>
*
* <h3>2 bytes length field at offset 0, do not strip header, the length field
* represents the length of the whole message</h3>
*
* In most cases, the length field represents the length of the message body
* only, as shown in the previous examples. However, in some protocols, the
* length field represents the length of the whole message, including the
* message header. In such a case, we specify a non-zero
* <tt>lengthAdjustment</tt>. Because the length value in this example message
* is always greater than the body length by <tt>2</tt>, we specify <tt>-2</tt>
* as <tt>lengthAdjustment</tt> for compensation.

```

```

* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 2
* <b>lengthAdjustment</b> = <b>-2</b> (= the length of the Length field)
* initialBytesToStrip = 0
*

```

```

* BEFORE DECODE (14 bytes)      AFTER DECODE (14 bytes)
* +-----+-----+ +-----+-----+
* | Length | Actual Content |---->| Length | Actual
* Content |
* | 0x000E | "HELLO, WORLD" | | 0x000E | "HELLO, WORLD" |
* +-----+-----+ +-----+-----+
* </pre>
*

```

```

* <h3>3 bytes length field at the end of 5 bytes header, do not strip header</h3>
*
* The following message is a simple variation of the first example. An extra
* header value is prepended to the message. <tt>lengthAdjustment</tt> is zero
* again because the decoder always takes the length of the prepended data into
* account during frame length calculation.

```

```

* <pre>
* <b>lengthFieldOffset</b> = <b>2</b> (= the length of Header 1)
* <b>lengthFieldLength</b> = <b>3</b>
* lengthAdjustment = 0
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes)      AFTER DECODE (17 bytes)
* +-----+-----+-----+ +-----+-----+-----+
* | Header 1 | Length | Actual Content |---->| Header 1 | Length | Actual Content |
* | 0xCAFE | 0x00000C | "HELLO, WORLD" |
* | 0xCAFE | 0x00000C | "HELLO, WORLD" |
* +-----+-----+-----+ +-----+-----+-----+

```

```

* </pre>
*
* <h3>3 bytes length field at the beginning of 5 bytes header, do not strip header</h3>
*
* This is an advanced example that shows the case where there is an extra
* header between the length field and the message body. You have to specify a
* positive <tt>lengthAdjustment</tt> so that the decoder counts the extra
* header into the frame length calculation.
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 3
* <b>lengthAdjustment</b> = <b>2</b> (= the length of Header 1)
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes)          AFTER DECODE (17 bytes)
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* | Length | Header 1 | Actual Content |---->| Length | Header 1 | Actual Content |
* | 0x00000C | 0xCAFE | "HELLO, WORLD" | | 0x00000C | 0xCAFE | "HELLO,
* WORLD" |
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* </pre>
*
* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,
* strip the first header field and the length field</h3>
*
* This is a combination of all the examples above. There are the prepended
* header before the length field and the extra header after the length field.
* The prepended header affects the <tt>lengthFieldOffset</tt> and the extra
* header affects the <tt>lengthAdjustment</tt>. We also specified a non-zero
* <tt>initialBytesToStrip</tt> to strip the length field and the prepended
* header from the frame. If you don't want to strip the prepended header, you
* could specify <tt>0</tt> for <tt>initialBytesToSkip</tt>.
* <pre>
* lengthFieldOffset = 1 (= the length of HDR1)
* lengthFieldLength = 2
* <b>lengthAdjustment</b> = <b>1</b> (= the length of HDR2)
* <b>initialBytesToStrip</b> = <b>3</b> (= the length of HDR1 +
* LEN)
*
* BEFORE DECODE (16 bytes)          AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |---->| HDR2 | Actual Content |
* | 0xCA | 0x000C | 0xFE | "HELLO, WORLD" | | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* </pre>
*
* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,
* strip the first header field and the length field, the length field

```

```

* represents the length of the whole message</h3>
*
* Let's give another twist to the previous example. The only difference from
* the previous example is that the length field represents the length of the
* whole message instead of the message body, just like the third example.
* We have to count the length of HDR1 and Length into <tt>lengthAdjustment</tt>.
* Please note that we don't need to take the length of HDR2 into account
* because
the length field already includes the whole header length.
* <pre>
* lengthFieldOffset = 1
* lengthFieldLength = 2
* <b>lengthAdjustment</b> = <b>-3</b> (= the length of HDR1 + LEN, negative)
* <b>initialBytesToStrip</b> = <b> 3</b>
*
* BEFORE DECODE (16 bytes)                AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+      +-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |---->| HDR2 | Actual Content |
* | 0xCA | 0x0010 | 0xFE | "HELLO, WORLD" |    | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+      +-----+-----+
* </pre>
* @see LengthFieldPrepender
*/

```

Found in path(s):

```

* /opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-
jar/io/netty/handler/codec/LengthFieldBasedFrameDecoder.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2023 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-
jar/io/netty/handler/codec/compression/SnappyOptions.java

```

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/EncoderUtil.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/EmptyHeaders.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/Headers.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/DefaultHeaders.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/LineBasedFrameDecoder.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/DecoderException.java  
\*  
/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/PrematureChannelClosureException.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/ReplayingDecoderByteBuf.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/marshalling/ThreadLocalMarshallerProvider.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/bytes/ByteArrayEncoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/marshalling/MarshallingEncoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/marshalling/MarshallingDecoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/EncoderException.java  
\*  
/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/MessageToMessageEncoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/FixedLengthFrameDecoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/serialization/ObjectEncoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/package-info.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/serialization/ObjectEncoderOutputStream.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/SnappyFrameDecoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/serialization/ObjectDecoderInputStream.java  
\*  
/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/serialization/ClassLoaderClassResolver.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/Snappy.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/string/package-info.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/ZlibUtil.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/JZlibEncoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/marshalling/DefaultMarshallerProvider.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/bytes/package-info.java  
\*

/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/xml/package-info.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/ReplayingDecoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/CodecException.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/serialization/ObjectDecoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/MessageToByteEncoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/LengthFieldPrepender.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/string/StringEncoder.java  
\*  
/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/base64/package-info.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/ZlibEncoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/serialization/CompactObjectOutputStream.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/serialization/ReferenceMap.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/UnsupportedMessageTypeException.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/serialization/ClassResolver.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/string/StringDecoder.java  
\*  
/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/serialization/SoftReferenceMap.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/SnappyFrameEncoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/JZlibDecoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/marshalling/CompatibleMarshallingEncoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/Delimiters.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/serialization/CompactObjectInputStream.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/TooLongFrameException.java  
\*  
/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/marshalling/LimitingByteInput.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-



jar/io/netty/handler/codec/package-info.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/serialization/ClassResolvers.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/serialization/WeakReferenceMap.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/ByteToMessageDecoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/marshalling/ContextBoundUnmarshallerProvider.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/serialization/package-info.java  
\*  
/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/CompressionException.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/marshalling/ChannelBufferByteInput.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/marshalling/UnmarshallerProvider.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/bytes/ByteArrayDecoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/MessageToMessageDecoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/MessageToMessageCodec.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/marshalling/ThreadLocalUnmarshallerProvider.java  
\*  
/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/ZlibDecoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/DelimiterBasedFrameDecoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/serialization/CompatibleObjectEncoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/ZlibCodecFactory.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/marshalling/UnmarshallerProvider.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/MessageAggregator.java  
\*  
/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/CorruptedFrameException.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/marshalling/CompatibleMarshallingDecoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/compression/DecompressionException.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-  
jar/io/netty/handler/codec/protobuf/package-info.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/serialization/CachingClassResolver.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/DecoderResult.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/JdkZlibEncoder.java  
\*  
/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/compression/ZlibWrapper.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/base64/Base64Encoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/marshalling/package-info.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/ByteToMessageCodec.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/base64/Base64Decoder.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/marshalling/DefaultUnmarshallerProvider.java  
\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/marshalling/ChannelBufferByteOutput.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/UnsupportedValueConverter.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufEncoderNano.java

\*

/opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufEncoder.java

\* /opt/cola/permits/1820904464\_1697192357.6491582/0/netty-codec-4-1-100-final-sources-

```
jar/io/netty/handler/codec/protobuf/ProtobufVarint32LengthFieldPrepender.java
* /opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-
jar/io/netty/handler/codec/protobuf/ProtobufVarint32FrameDecoder.java
* /opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-
jar/io/netty/handler/codec/protobuf/ProtobufDecoderNano.java
* /opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-
jar/io/netty/handler/codec/ProtocolDetectionState.java
* /opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-
jar/io/netty/handler/codec/ProtocolDetectionResult.java
* /opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-
jar/io/netty/handler/codec/HeadersUtils.java
*
/opt/cola/permits/1820904464_1697192357.6491582/0/netty-codec-4-1-100-final-sources-
jar/io/netty/handler/codec/protobuf/ProtobufDecoder.java
```

## 1.206 netty-resolver 4.1.100.Final

### 1.206.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1820904471_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-
jar/io/netty/resolver/ResolvedAddressTypes.java
* /opt/cola/permits/1820904471_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-
jar/io/netty/resolver/HostsFileEntries.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
```

\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1820904471\_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-jar/io/netty/resolver/InetAddressResolver.java  
\* /opt/cola/permits/1820904471\_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-jar/io/netty/resolver/DefaultHostsFileEntriesResolver.java  
\*  
\* /opt/cola/permits/1820904471\_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-jar/io/netty/resolver/AddressResolver.java  
\* /opt/cola/permits/1820904471\_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-jar/io/netty/resolver/CompositeNameResolver.java  
\* /opt/cola/permits/1820904471\_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-jar/io/netty/resolver/DefaultNameResolver.java  
\* /opt/cola/permits/1820904471\_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-jar/io/netty/resolver/InetSocketAddressResolver.java  
\* /opt/cola/permits/1820904471\_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-jar/io/netty/resolver/DefaultAddressResolverGroup.java  
\* /opt/cola/permits/1820904471\_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-jar/io/netty/resolver/HostsFileEntriesResolver.java  
\* /opt/cola/permits/1820904471\_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-jar/io/netty/resolver/AbstractAddressResolver.java  
\* /opt/cola/permits/1820904471\_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-jar/io/netty/resolver/HostsFileParser.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2014 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,

~ version 2.0 (the "License"); you may not use this file except in compliance

~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software

~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

~ License for the specific language governing permissions and limitations

~ under the License.

-->

Found in path(s):

\* /opt/cola/permits/1820904471\_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-jar/META-INF/maven/io.netty/netty-resolver/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1820904471\_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-jar/io/netty/resolver/RoundRobinInetAddressResolver.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1820904471\_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-

```
jar/io/netty/resolver/NameResolver.java
* /opt/cola/permits/1820904471_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-
jar/io/netty/resolver/SimpleNameResolver.java
* /opt/cola/permits/1820904471_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-
jar/io/netty/resolver/package-info.java
*
/opt/cola/permits/1820904471_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-
jar/io/netty/resolver/NoopAddressResolverGroup.java
* /opt/cola/permits/1820904471_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-
jar/io/netty/resolver/AddressResolverGroup.java
* /opt/cola/permits/1820904471_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-
jar/io/netty/resolver/NoopAddressResolver.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

```
Found in path(s):
* /opt/cola/permits/1820904471_1697192352.9256797/0/netty-resolver-4-1-100-final-sources-
jar/io/netty/resolver/HostsFileEntriesProvider.java
```

## 1.207 netty 4.1.100.Final

### 1.207.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
```

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- \* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- \* License for the specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/ReflectionUtil.java
- \* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/PriorityQueue.java
- \* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/LongAdderCounter.java
- \*
- /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/NettyRuntime.java
- \* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/logging/LocationAwareSlf4JLogger.java
- \* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/SuppressForbidden.java
- \* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/ObjectCleaner.java
- \* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/UncheckedBooleanSupplier.java
- \* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/EmptyPriorityQueue.java

No license file was found, but licenses were detected in source scan.

```
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
  <modelVersion>4.0.0</modelVersion>
```

```
  <artifactId>jctools-core</artifactId>
  <groupId>org.jctools</groupId>
  <version>3.1.0</version>
  <name>Java Concurrency Tools Core Library</name>
  <description>Java Concurrency Tools Core Library</description>
  <packaging>bundle</packaging>
```

```
  <dependencies>
    <dependency>
      <groupId>org.hamcrest</groupId>
      <artifactId>hamcrest-all</artifactId>
      <version>${hamcrest.version}</version>
      <scope>test</scope>
    </dependency>
```

```

<dependency>
  <groupId>junit</groupId>
  <artifactId>junit</artifactId>
  <version>${junit.version}</version>
  <scope>test</scope>
</dependency>

<dependency>
  <groupId>com.google.guava</groupId>
  <artifactId>guava-testlib</artifactId>
  <version>${guava-testlib.version}</version>
  <scope>test</scope>
</dependency>
</dependencies>
<build>
  <plugins>
    <plugin>
      <groupId>org.apache.maven.plugins</groupId>
      <artifactId>maven-surefire-plugin</artifactId>
      <version>3.0.0-M3</version>
      <configuration>
        <includes>
          <include>*</include>
        </includes>
      </configuration>
    </plugin>
    <plugin>
      <groupId>org.apache.felix</groupId>
      <artifactId>maven-bundle-plugin</artifactId>
      <version>4.2.1</version>
      <extensions>>true</extensions>
      <configuration>
        <instructions>
          <Import-Package>sun.misc;resolution:=optional</Import-Package>
        </instructions>
      </configuration>
    </plugin>
    <plugin>
      <groupId>org.apache.maven.plugins</groupId>
      <artifactId>maven-source-plugin</artifactId>
      <version>3.2.0</version>
      <executions>
        <execution>
          <id>attach-sources</id>
          <phase>verify</phase>
          <goals>
            <goal>jar-no-fork</goal>
          </goals>
        </execution>
      </executions>
    </plugin>
  </plugins>
</build>

```



```

    </goals>
  </execution>
</executions>
</plugin>
<plugin>
  <groupId>org.apache.maven.plugins</groupId>
  <artifactId>maven-javadoc-plugin</artifactId>
  <version>3.1.1</version>
  <configuration>
    <additionalOptions>
      <additionalOption>-Xdoclint:none</additionalOption>
    </additionalOptions>
    <source>8</source>
  </configuration>
  <executions>
    <execution>
      <id>attach-javadocs</id>
      <goals>
        <goal>jar</goal>
      </goals>
    </execution>
  </executions>
</plugin>
</plugins>
</build>

<distributionManagement>
  <repository>
    <id>bintray-jctools-jctools</id>
    <name>jctools-jctools</name>
    <url>https://api.bintray.com/maven/jctools/jctools/jctools-core/?publish=1</url>
  </repository>
</distributionManagement>

<url>https://github.com/JCTools</url>
<inceptionYear>2013</inceptionYear>

<licenses>
  <license>
    <name>Apache
    License, Version 2.0</name>
    <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
    <distribution>repo</distribution>
  </license>
</licenses>

<scm>
  <url>https://github.com/JCTools/JCTools</url>

```

```
<connection>scm:git:https://github.com/JCTools/JCTools</connection>
<tag>HEAD</tag>
</scm>

<developers>
<developer>
<url>https://github.com/nitsanw</url>
</developer>
<developer>
<url>https://github.com/mjpt777</url>
</developer>
<developer>
<url>https://github.com/RichardWarburton</url>
</developer>
<developer>
<url>https://github.com/kay</url>
</developer>
<developer>
<url>https://github.com/franz1981</url>
</developer>
</developers>

<prerequisites>
<maven>3.5.0</maven>
</prerequisites>

<properties>
<project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
<java.version>1.6</java.version>
<java.test.version>1.8</java.test.version>

<maven.compiler.source>${java.version}</maven.compiler.source>
<maven.compiler.target>${java.version}</maven.compiler.target>
<maven.compiler.testSource>${java.test.version}</maven.compiler.testSource>
<maven.compiler.testTarget>${java.test.version}</maven.compiler.testTarget>

<hamcrest.version>1.3</hamcrest.version>
<junit.version>4.12</junit.version>
<guava-testlib.version>21.0</guava-testlib.version>
</properties>
</project>
```

Found

in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/META-INF/maven/org.jctools/jctools-core/pom.xml

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2018 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/internal/SuppressJava6Requirement.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2020 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/NetUtilSubstitutions.java
```

```
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/NetUtilInitializations.java
```

```
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/DomainWildcardMappingBuilder.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
```

\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/  
/\*  
\* Written by Doug Lea with assistance from members of JCP JSR-166  
\* Expert Group and released to the public domain, as explained at  
\* <https://creativecommons.org/publicdomain/zero/1.0/>  
\*/

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/ThreadLocalRandom.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/IntegerHolder.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/ResourceLeakHint.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/Mapping.java

\*

/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/AsciiString.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/UnpaddedInternalThreadLocalMap.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/FastThreadLocal.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/DomainNameMapping.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/NativeLibraryLoader.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/InternalThreadLocalMap.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/PromiseAggregator.java  
\*

/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/ThreadDeathWatcher.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/PromiseNotifier.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/svm/PlatformDependent0Substitution.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/ThreadExecutorMap.java

\*

/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/svm/PlatformDependentSubstitution.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/svm/CleanerJava6Substitution.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/internal/svm/UnsafeRefArrayAccessSubstitution.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/internal/Hidden.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/internal/svm/package-info.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/internal/ReferenceCountUpdater.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/internal/ObjectPool.java

No license file was found, but licenses were detected in source scan.

# The Netty Project licenses this file to you under the Apache License,

# version 2.0 (the "License"); you may not use this file except in compliance

# with the License. You may obtain a copy of the License at:

# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/META-

INF/native-image/io.netty/netty-common/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/CharsetUtil.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/concurrent/DefaultEventExecutor.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/package-info.java

\*

/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/internal/logging/Slf4JLogger.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/concurrent/EventExecutorGroup.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/logging/InternalLogLevel.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/logging/Log4JLoggerFactory.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/AbstractConstant.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/SystemPropertyUtil.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/DefaultAttributeMap.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/concurrent/MultithreadEventExecutorGroup.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/IllegalReferenceCountException.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/concurrent/SucceededFuture.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/AttributeKey.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/Timeout.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/Constant.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/concurrent/GlobalEventExecutor.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/Signal.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/logging/AbstractInternalLogger.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/concurrent/SingleThreadEventExecutor.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/logging/CommonsLoggerFactory.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/package-info.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/logging/Slf4JLoggerFactory.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/Attribute.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/HashedWheelTimer.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/AttributeMap.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/logging/JdkLoggerFactory.java

```
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/NetUtil.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/concurrent/DefaultEventExecutorGroup.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/Timer.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/internal/logging/InternalLoggerFactory.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/concurrent/EventExecutor.java
*
/opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/concurrent/FailedFuture.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/TimerTask.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/internal/PlatformDependent.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/concurrent/BlockingOperationException.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/internal/StringUtil.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2012 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
```

```
*/
```

```
/**
```

```
* Copyright (c) 2004-2011 QOS.ch
```

```
* All rights reserved.
```

```
*
```

```
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without
```

```
limitation the rights to use, copy, modify, merge, publish,
```

```
* distribute, sublicense, and/or sell copies of the Software, and to
```



\* permit persons to whom the Software is furnished to do so, subject to  
\* the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/logging/InternalLogger.java

\*

/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/logging/CommonsLogger.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/logging/Log4JLogger.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/logging/JdkLogger.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

-->

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/META-INF/maven/io.netty/netty-common/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

/\*\*

\* Copyright (c) 2004-2011 QOS.ch

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining

\* a copy of this software and associated documentation files (the

\* "Software"), to deal in the Software without restriction, including

\* without

limitation the rights to use, copy, modify, merge, publish,

\* distribute, sublicense, and/or sell copies of the Software, and to

\* permit persons to whom the Software is furnished to do so, subject to

\* the following conditions:

\*

\* The above copyright notice and this permission notice shall be

\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*

\*/

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/logging/FormattingTuple.java

\*

/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/logging/MessageFormatter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/ResourceLeakTracker.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/logging/Log4J2Logger.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/ThrowableUtil.java

\*

/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/RejectedExecutionHandler.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/ConstantTimeUtils.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/IntSupplier.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/OutOfDirectMemoryError.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/RejectedExecutionHandlers.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/UnorderedThreadPoolEventExecutor.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/UnaryPromiseNotifier.java

\*

/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/NonStickyEventExecutorGroup.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/PromiseNotificationUtil.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/internal/MacAddressUtil.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/concurrent/EventExecutorChooserFactory.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/concurrent/PromiseCombiner.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/BooleanSupplier.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/UnstableApi.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/logging/Log4J2LoggerFactory.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/concurrent/DefaultEventExecutorChooserFactory.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/concurrent/OrderedEventExecutor.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/SocketUtils.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/NativeLibraryUtil.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/DomainNameMappingBuilder.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/ResourceLeakDetectorFactory.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/collection/ShortObjectMap.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/collection/ByteObjectMap.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

```
jar/io/netty/util/collection/ShortCollections.java
*
/opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/collection/CharObjectMap.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/collection/IntCollections.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/collection/LongCollections.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/collection/CharObjectHashMap.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/collection/LongObjectMap.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/collection/IntObjectHashMap.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/collection/ByteObjectHashMap.java
*
/opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/collection/CharCollections.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/collection/IntObjectMap.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/collection/LongObjectHashMap.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/collection/ByteCollections.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/internal/ObjectUtil.java
* /opt/cola/permits/1820904486_1697192360.8623555/0/netty-common-4-1-100-final-sources-
jar/io/netty/util/collection/ShortObjectHashMap.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/CleanerJava6.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/FastThreadLocalThread.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/Cleaner.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/CleanerJava9.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/FastThreadLocalRunnable.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2013 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/Promise.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/EmptyArrays.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/ThreadPoolExecutor.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/logging/package-info.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/ImmediateExecutor.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/ScheduledFuture.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/DefaultPromise.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/ResourceLeak.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/Recycler.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/package-info.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/ResourceLeakDetector.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/ConstantPool.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/Future.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/ProgressiveFuture.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/AbstractEventExecutorGroup.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/ScheduledFutureTask.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/DefaultThreadFactory.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/RecyclableArrayList.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/NoOpTypeParameterMatcher.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/AbstractReferenceCounted.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/ConcurrentSet.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/AppendableCharSequence.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/concurrent/AbstractFuture.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/Version.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/concurrent/GenericProgressiveFutureListener.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/concurrent/ProgressivePromise.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/concurrent/DefaultFutureListeners.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/TypeParameterMatcher.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/ReferenceCounted.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/concurrent/PromiseTask.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/ResourceLeakException.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/ReadOnlyIterator.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/PendingWrite.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/concurrent/DefaultProgressivePromise.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/ReferenceCountUtil.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/concurrent/GenericFutureListener.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/concurrent/CompleteFuture.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/concurrent/FutureListener.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/concurrent/ImmediateEventExecutor.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/concurrent/AbstractEventExecutor.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/PlatformDependent0.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:



\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/ClassInitializerUtil.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/shaded/org/jctools/queues/BaseLinkedQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/shaded/org/jctools/queues/BaseMpscLinkedArrayQueue.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/shaded/org/jctools/queues/MessagePassingQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/shaded/org/jctools/queues/QueueFactory.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/shaded/org/jctools/maps/AbstractEntry.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/AtomicQueueFactory.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscAtomicArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCChunkedAtomicArrayQueue.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscUnboundedArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/BaseSpSCLinkedAtomicArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscUnboundedXaddChunk.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SequencedAtomicReferenceArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpmcAtomicArrayQueue.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/LinkedQueueNode.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpmcAtomicArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingSetInt.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/package-info.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCGrowableAtomicArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/util/Pow2.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingHashMapLong.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCAtomicArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscCompoundQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpmcArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingHashSet.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscGrowableArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeAccess.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCGrowableArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MessagePassingQueueUtil.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/LinkedQueueAtomicNode.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCLinkedQueue.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/spec/Ordering.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/BaseMpSCLinkedAtomicArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/spec/Preference.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/util/PortableJvmInfo.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCChunkedArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpSCUnboundedXaddArrayQueue.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/spec/ConcurrentQueueSpec.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingHashMap.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/SupportsIterator.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeLongArrayAccess.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpSCLinkedQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/util/InternalAPI.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpSCUnboundedXaddArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeRefArrayAccess.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/ConcurrentCircularArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingIdentityHashMap.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpSCChunkedArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpSCGrowableAtomicArrayQueue.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCUnboundedArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscChunkedAtomicArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeJvmInfo.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpscLinkedAtomicQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpscUnboundedAtomicArrayQueue.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/IndexedQueueSizeUtil.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscUnboundedAtomicArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpmcUnboundedXaddChunk.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscBlockingConsumerArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java  
\*  
/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/util/RangeUtil.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/BaseSpscLinkedArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/queues/SpmcArrayQueue.java  
\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-  
jar/io/netty/util/internal/shaded/org/jctools/maps/ConcurrentAutoTable.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2018 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/ByteProcessorUtils.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/internal/ResourcesUtil.java

No license file was found, but licenses were detected in source scan.

# Copyright 2019 The Netty Project

#

# The Netty Project licenses this file to you under the Apache License,

# version 2.0 (the "License"); you may not use this file except in compliance

# with the License. You may obtain a copy of the License at:

#

# <https://www.apache.org/licenses/LICENSE-2.0>

#

# Unless required by applicable law or agreed to in writing, software

# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

# WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

# License for the specific language governing permissions and limitations

# under the License.

io.netty.util.internal.Hidden\$NettyBlockHoundIntegration

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/META-INF/services/reactor.blockhound.integration.BlockHoundIntegration

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-jar/io/netty/util/concurrent/ThreadProperties.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/internal/DefaultPriorityQueue.java

\*

/opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/internal/LongCounter.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/internal/PriorityQueueNode.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/DomainMappingBuilder.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/HashingStrategy.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/AsyncMapping.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/concurrent/AbstractScheduledEventExecutor.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/internal/MathUtil.java

\* /opt/cola/permits/1820904486\_1697192360.8623555/0/netty-common-4-1-100-final-sources-

jar/io/netty/util/ByteProcessor.java

## 1.208 netty-transport 4.1.100.Final

### 1.208.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Transport

Bundle-Description: Netty is an asynchronous event-driven network appl

ication framework for rapid development of maintainable high perfo

rmance protocol servers and clients.  
Automatic-Module-Name: io.netty.transport  
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>  
Bundle-SymbolicName: io.netty.transport  
Implementation-Version: 4.1.100.Final  
Built-By: norman  
Bnd-LastModified: 1696948198155  
Bundle-ManifestVersion: 2  
Implementation-Vendor-Id: io.netty  
Bundle-DocURL: <https://netty.io/>  
Bundle-Vendor: The Netty Project  
Import-Package: io.netty.bootstrap,io.netty.buffer;version="[4.1,5)",io.netty.channel,io.netty.channel.nio,io.netty.channel.oio,io.netty.channel.socket,io.netty.resolver;version="[4.1,5)",io.netty.util;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version="[4.1,5)",sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"  
Tool: Bnd-6.3.1.202206071316  
Implementation-Vendor: The Netty Project  
Export-Package: io.netty.bootstrap;uses:="io.netty.channel,io.netty.resolver,io.netty.util";version="4.1.100",io.netty.channel;uses:="io.netty.bootstrap,io.netty.buffer,io.netty.util,io.netty.util.concurrent";version="4.1.100",io.netty.channel.embedded;uses:="io.netty.channel";version="4.1.100",io.netty.channel.group;uses:="io.netty.channel,io.netty.util.concurrent";version="4.1.100",io.netty.channel.internal;version="4.1.100",io.netty.channel.local;uses:="io.netty.channel";version="4.1.100",io.netty.channel.nio;uses:="io.netty.buffer,io.netty.channel,io.netty.util,io.netty.util.concurrent";version="4.1.100",io.netty.channel.oio;uses:="io.netty.buffer,io.netty.channel";version="4.1.100",io.netty.channel.pool;uses:="io.netty.bootstrap,io.netty.channel,io.netty.util.concurrent";version="4.1.100",io.netty.channel.socket;uses:="io.netty.buffer,io.netty.channel,io.netty.util";version="4.1.100",io.netty.channel.socket.nio;uses:="io.netty.buffer,io.netty.channel,io.netty.channel.nio,io.netty.channel.socket";version="4.1.100",io.netty.channel.socket.oio;uses:="io.netty.buffer,io.netty.channel,io.netty.channel.oio,io.netty.channel.socket";version="4.1.100"  
Bundle-Name: Netty/Transport  
Bundle-Version: 4.1.100.Final  
Build-Jdk-Spec: 1.8  
Created-By: Apache Maven Bundle Plugin 5.1.8  
Build-Jdk: 1.8.0\_382  
Implementation-URL: <https://netty.io/netty-transport/>

Found in path(s):

\* /opt/cola/permits/1820904472\_1697534654.900729/0/netty-transport-4-1-100-final-jar/META-

INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1820904472_1697534654.900729/0/netty-transport-4-1-100-final-jar/META-INF/maven/io.netty/netty-transport/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
# The Netty Project licenses this file to you under the Apache License,
# version 2.0 (the "License"); you may not use this file except in compliance
# with the License. You may obtain a copy of the License at:
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):

```
* /opt/cola/permits/1820904472_1697534654.900729/0/netty-transport-4-1-100-final-jar/META-INF/native-image/io.netty/netty-transport/native-image.properties
```

## 1.209 netty-handler 4.1.100.Final

### 1.209.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
```



\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io.netty.handler.ssl/SslHandshakeCompletionEvent.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

-->

Found in path(s):

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/META-INF/maven/io.netty/netty-handler/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version  
\* 2.0 (the "License"); you may not use this file except in compliance with the  
\* License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/flow/FlowControlHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2022 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/OpenSslCertificateCompressionAlgorithm.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/BouncyCastlePemReader.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/SslContextBuilder.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolNegotiationHandler.java

\*

/opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolAccessor.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/OpenSslSessionTicketKey.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolNames.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/ClientAuth.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/util/LazyJavaxX509Certificate.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2023 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/pcap/State.java

No license file was found, but licenses were detected in source scan.

# The Netty Project licenses this file to you under the Apache License,

# version 2.0 (the "License"); you may not use this file except in compliance

# with the License. You may obtain a copy of the License at:

# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/META-INF/native-image/io.netty/netty-handler/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 The Netty Project

\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ipfilter/IpSubnetFilter.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ipfilter/IpSubnetFilterRuleComparator.java  
\*  
/opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactoryBuilder.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/SslClosedEngineException.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/address/ResolveAddressHandler.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/SslHandshakeTimeoutException.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/logging/ByteBufFormat.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2021 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

```
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/ssl/OpenSslSessionCache.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/ssl/BouncyCastleAlpnSslEngine.java
*
/opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/ssl/GroupsConverter.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/ssl/BouncyCastleAlpnSslUtils.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/ssl/BouncyCastle.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/ssl/OpenSslAsyncPrivateKeyMethod.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/ssl/SslContextOption.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/ssl/SslProtocols.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/ssl/OpenSslSessionId.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/ssl/OpenSslContextOption.java
*
/opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/ssl/Ciphers.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/ssl/AsyncRunnable.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/ssl/OpenSslClientSessionCache.java
No license file was found, but licenses were detected in source scan.
```

/\*

```
* Copyright 2022 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version
* 2.0 (the "License"); you may not use this file except in compliance with the
* License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/OpenSslCertificateCompressionConfig.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2017 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
```

```
* version 2.0 (the "License"); you may not use this file except in compliance
```

```
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

```
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

```
* License for the specific language governing permissions and limitations
```

```
* under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/SslCompletionEvent.java
```

```
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/ConscryptAlpnSslEngine.java
```

```
*
```

```
/opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/ocsp/OcspClientHandler.java
```

```
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/SslClientHelloHandler.java
```

```
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/Conscrypt.java
```

```
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/SslCloseCompletionEvent.java
```

```
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/AbstractSniHandler.java
```

```
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/OptionalSslHandler.java
```

```
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/JdkAlpnSslUtils.java
```

```
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/SniCompletionEvent.java
```

```
*
```

```
/opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/JdkAlpnSslEngine.java
```

```
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/ocsp/package-info.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2023 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/ssl/StacklessSSLHandshakeException.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/ssl/EnhancingX509ExtendedTrustManager.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2020 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/pcap/EthernetPacket.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/pcap/PcapWriter.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/pcap/PcapWriteHandler.java
```

\*  
/opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/pcap/package-info.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/pcap/PcapHeaders.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/pcap/TCPpacket.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/pcap/UDPPacket.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/pcap/IPPacket.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2012 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/timeout/ReadTimeoutHandler.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/logging/package-info.java  
\*  
/opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/stream/package-info.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/timeout/IdleStateEvent.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/stream/ChunkedStream.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/package-info.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/timeout/WriteTimeoutException.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/timeout/package-info.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-



```
jar/io/netty/handler/timeout/IdleState.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/ssl/util/package-info.java
*
/opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/stream/ChunkedInput.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/stream/ChunkedWriteHandler.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/timeout/IdleStateHandler.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/stream/ChunkedNioStream.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/timeout/TimeoutException.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/logging/LogLevel.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/timeout/ReadTimeoutException.java
*
/opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/stream/ChunkedNioFile.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/ssl/NotSslRecordException.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/timeout/WriteTimeoutHandler.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/stream/ChunkedFile.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/logging/LoggingHandler.java
* /opt/cola/permits/1824197368_1697526507.6772025/0/netty-handler-4-1-100-final-sources-
jar/io/netty/handler/ssl/SslHandler.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

// Try the OpenJDK's proprietary implementation.

Found in path(s):

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/util/SelfSignedCertificate.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/OpenSslEngineMap.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/IdentityCipherSuiteFilter.java

\*

/opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ipfilter/UniqueIpFilter.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/SslContext.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/OpenSslEngine.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/OpenSslApplicationProtocolNegotiator.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/PemReader.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ipfilter/IpFilterRule.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/SslProvider.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ipfilter/RuleBasedIpFilter.java

\*

/opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/OpenSslServerContext.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/JettyAlpnSslEngine.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/SupportedCipherSuiteFilter.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/util/OpenJdkSelfSignedCertGenerator.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/CipherSuiteConverter.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/util/LazyX509Certificate.java  
\*  
/opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/CipherSuiteFilter.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/Java7SslParametersUtils.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/OpenSslServerSessionContext.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/traffic/GlobalChannelTrafficCounter.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ipfilter/IpFilterRuleType.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ipfilter/package-info.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/JdkBaseApplicationProtocolNegotiator.java  
\*  
/opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/OpenSslNpnApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/SniHandler.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/SslUtils.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ipfilter/AbstractRemoteAddressFilter.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/JdkSslClientContext.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/JdkSslContext.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/JdkSslEngine.java  
\*  
/opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/util/ThreadLocalInsecureRandom.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/JettyNpnSslEngine.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-

jar/io/netty/handler/ssl/OpenSsl.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/OpenSslDefaultApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/OpenSslSessionStats.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/util/SimpleTrustManagerFactory.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/ApplicationProtocolConfig.java  
\*  
/opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/JdkNpnApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/JdkAlpnApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactory.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/JdkDefaultApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/JdkSslServerContext.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/ApplicationProtocolUtil.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/util/BouncyCastleSelfSignedCertGenerator.java  
\*  
/opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/util/InsecureTrustManagerFactory.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/JdkApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ipfilter/IpSubnetFilterRule.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/OpenSslContext.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/OpenSslSessionContext.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/OpenSslClientContext.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/traffic/AbstractTrafficShapingHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/traffic/GlobalChannelTrafficShapingHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/flush/FlushConsolidationHandler.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/PemX509Certificate.java

\*

/opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/flush/package-info.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/PemEncoded.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/Java8SslUtils.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/OpenSslCertificateException.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslClientContext.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/PemValue.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslEngine.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/PemPrivateKey.java

\*

/opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslContext.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslServerContext.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/util/X509TrustManagerWrapper.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/flow/package-info.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterialManager.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/DelegatingSslContext.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/traffic/package-info.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/traffic/ChannelTrafficShapingHandler.java  
\*

/opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/traffic/GlobalTrafficShapingHandler.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/traffic/TrafficCounter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/ExtendedOpenSslSession.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/OpenSslCachingKeyMaterialProvider.java  
\*

/opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/SignatureAlgorithmConverter.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/OpenSslSession.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/OpenSslPrivateKey.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-  
jar/io/netty/handler/ssl/OpenSslCachingX509KeyManagerFactory.java

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterialProvider.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/OpenSslX509KeyManagerFactory.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/DefaultOpenSslKeyMaterial.java  
\*  
/opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterial.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/OpenSslX509TrustManagerWrapper.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2019 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/util/TrustManagerFactoryWrapper.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/util/KeyManagerFactoryWrapper.java  
\*  
/opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/OpenSslPrivateKeyMethod.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/address/DynamicAddressConnectHandler.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/util/SimpleKeyManagerFactory.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/PseudoRandomFunction.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/util/X509KeyManagerWrapper.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-jar/io/netty/handler/ssl/SslMasterKeyHandler.java  
\* /opt/cola/permits/1824197368\_1697526507.6772025/0/netty-handler-4-1-100-final-sources-



# 1.210 netty-transport-native-unix-common

## 4.1.100.Final

### 1.210.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/netty_unix_limits.c
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/netty_unix_util.h
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/ErrorsStaticallyReferencedJniMethods.java
*
/opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/Limits.java
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/netty_unix_limits.h
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/netty_unix_util.c
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/SocketWritableByteChannel.java
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/PeerCredentials.java
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/LimitsStaticallyReferencedJniMethods.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2016 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/META-INF/maven/io.netty/netty-transport-native-unix-common/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/DomainDatagramChannel.java
```

```
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/DomainDatagramSocketAddress.java
```

```
*
```

```
/opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/DomainDatagramChannelConfig.java
```

```
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/SegmentedDatagramPacket.java
```

```
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-
```

sources-jar/io/netty/channel/unix/DomainDatagramPacket.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/FileDescriptor.java

\* /opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/netty\_unix\_errors.h

\*

/opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/netty\_unix\_filedescriptor.h

\* /opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/netty\_unix\_socket.h

\* /opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/DomainSocketReadMode.java

\* /opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/netty\_unix\_filedescriptor.c

\* /opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/DomainSocketAddress.java

\* /opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/netty\_unix\_socket.c

\* /opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/UnixChannel.java

\*

/opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/netty\_unix\_errors.c

\* /opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/DatagramSocketAddress.java

\* /opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/Errors.java

\* /opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/ServerDomainSocketChannel.java

```
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-
sources-jar/io/netty/channel/unix/DomainSocketChannel.java
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-
sources-jar/io/netty/channel/unix/DomainSocketChannelConfig.java
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-
sources-jar/io/netty/channel/unix/Socket.java
*
/opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-
jar/io/netty/channel/unix/NativeInetAddress.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2018 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-
sources-jar/io/netty/channel/unix/PreferredDirectByteBufferAllocator.java
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-
sources-jar/io/netty/channel/unix/Buffer.java
*
/opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-
jar/netty_unix_buffer.h
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-
sources-jar/netty_unix_buffer.c
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
*/
```

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/UnixChannelOption.java  
\* /opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/package-info.java  
\*

/opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/Unix.java  
\* /opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/IovArray.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/io/netty/channel/unix/UnixChannelUtil.java  
\* /opt/cola/permits/1824197187\_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-jar/netty\_unix\_jni.h

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

```
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-
sources-jar/netty_unix.c
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-
sources-jar/netty_unix.h
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2022 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-
sources-jar/io/netty/channel/unix/GenericUnixChannelOption.java
* /opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-
sources-jar/io/netty/channel/unix/IntegerUnixChannelOption.java
*
/opt/cola/permits/1824197187_1697526505.2585757/0/netty-transport-native-unix-common-4-1-100-final-sources-
jar/io/netty/channel/unix/RawUnixChannelOption.java
```

## 1.211 netty-codec-http 4.1.100.Final

## 1.211.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# The Netty Project licenses this file to you under the Apache License,  
# version 2.0 (the "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at:  
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):

```
* /opt/cola/permits/1824197347_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/META-  
INF/native-image/io.netty/netty-codec-http/native-image.properties
```

No license file was found, but licenses were detected in source scan.

```
<!--
```

```
~ Copyright 2012 The Netty Project
```

```
~
```

```
~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:
```

```
~
```

```
~ https://www.apache.org/licenses/LICENSE-2.0
```

```
~
```

```
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.
```

```
-->
```

Found in path(s):

```
* /opt/cola/permits/1824197347_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/META-  
INF/maven/io.netty/netty-codec-http/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2019 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.
```

\*/  
/\*  
\* Adaptation of <https://bjoern.hoehrmann.de/utf-8/decoder/dfa/>  
\*  
\* Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>  
\*  
\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software  
\* and associated documentation files (the "Software"), to  
deal in the Software without restriction,  
\* including without limitation the rights to use, copy, modify, merge, publish, distribute,  
\* sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be included in all copies or  
\* substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED, INCLUDING  
\* BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR  
PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE  
FOR ANY CLAIM,  
\* DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,  
ARISING FROM,  
\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
jar/io/netty/handler/codec/http/websocketx/Utf8Validator.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2015 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/



Found in path(s):

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/cookie/ClientCookieDecoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/CombinedHttpHeaders.java

\*

/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpUtil.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpScheme.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/cookie/ClientCookieEncoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/cookie/CookieHeaderNames.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/rtsp/RtspEncoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/cookie/package-info.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/rtsp/RtspDecoder.java

\*

/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/cookie/CookieUtil.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/cookie/DefaultCookie.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/cookie/ServerCookieDecoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/cookie/CookieDecoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/CookieUtil.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpExpectationFailedEvent.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/cookie/Cookie.java

\*

/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/cookie/ServerCookieEncoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/EmptyHttpHeaders.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/cookie/CookieEncoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
jar/io/netty/handler/codec/http/HttpClientUpgradeHandler.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
jar/io/netty/handler/codec/http/HttpServerUpgradeHandler.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockDecoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibDecoder.java  
\*  
/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtension.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameServerExtensionHandshaker.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateDecoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameDecoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameDecoderDelegate.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketServerCompressionHandler.java

\*

/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandler.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpChunkedInput.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateEncoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/rtsp/RtspHeaderValues.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameEncoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionUtil.java

\*

/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionDecoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateServerExtensionHandshaker.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtension.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/rtsp/RtspHeaderNames.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateEncoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpMessageUtil.java

\*

/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtension.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpStatusClass.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketClientCompressionHandler.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateEncoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateDecoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionData.java

\*

/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandler.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/Utf8FrameValidator.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandshaker.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionEncoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/package-info.java  
\*  
/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameClientExtensionHandshaker.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateClientExtensionHandshaker.java  
ava  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameCodec.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/ClientCookieEncoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/package-info.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpHeaderNames.java  
\*  
/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandshaker.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateDecoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawDecoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyProtocolException.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/ServerCookieEncoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpHeadersEncoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpHeaderValues.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- \* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- \* License for the specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandshakeHandler.java
- \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolConfig.java
- \*
- /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker.java
- \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilter.java
- \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandler.java
- \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolConfig.java
- \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilterProvider.java
- \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker07.java
- \*
- /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketCloseStatus.java
- \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameDecoder.java
- \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker13.java
- \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/CorruptedWebSocketFrameException.java
- \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker08.java
- \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakerFactory.java
- \*
- /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker00.java
- \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketDecoderConfig.java
- \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/CloseWebSocketFrame.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License, version
 * 2.0 (the "License"); you may not use this file except in compliance with the
 * License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1824197347_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-
jar/io/netty/handler/codec/http/cors/CorsConfigBuilder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
// (BSD License: https://www.opensource.org/licenses/bsd-license)
// All rights reserved.
// Redistribution and use in source and binary forms, with or
// * Redistributions of source code must retain the above
// copyright notice, this list of conditions and the
// following disclaimer.
// * Redistributions
// in binary form must reproduce the above
// following disclaimer in the documentation and/or other
// * Neither the name of the Webbit nor the names of
```

Found in path(s):

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameEncoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameEncoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameEncoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/CompressionEncoderFactory.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpMessageDecoderResult.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

```
// (BSD License: https://www.opensource.org/licenses/bsd-license)
// All rights reserved.
// Redistribution and use in source and binary forms, with or
// * Redistributions of source code must retain the above
// copyright notice, this list of conditions and the
// following disclaimer.
// * Redistributions
// in binary form must reproduce the above
// following disclaimer in the documentation and/or other
// * Neither the name of the Webbit nor the names of
```

Found in path(s):

```
* /opt/cola/permits/1824197347_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameDecoder.java
* /opt/cola/permits/1824197347_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameDecoder.java
* /opt/cola/permits/1824197347_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameDecoder.java
No license file was found, but licenses were detected in source scan.
```

/\*

\* Copyright 2020 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

```
* /opt/cola/permits/1824197347_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakeException.java
* /opt/cola/permits/1824197347_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakeException.java
*
/opt/cola/permits/1824197347_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-
jar/io/netty/handler/codec/http/multipart/DeleteFileOnExitHook.java
No license file was found, but licenses were detected in source scan.
```

/\*

\* Copyright 2013 The Netty Project



\*  
\* The Netty Project licenses this file to you under the Apache License, version  
\* 2.0 (the "License"); you may not use this file except in compliance with the  
\* License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
jar/io/netty/handler/codec/http/cors/CorsConfig.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
jar/io/netty/handler/codec/http/cors/CorsHandler.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2016 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
jar/io/netty/handler/codec/http/HttpServerKeepAliveHandler.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketChunkedInput.java  
\*

/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
jar/io/netty/handler/codec/http/multipart/FileUploadUtil.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2022 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/TooLongHttpLineException.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/TooLongHttpHeaderException.java  
\*  
/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/multipart/AbstractMixedHttpData.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/TooLongHttpContentException.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpHeaderValidationUtil.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketScheme.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/ReadOnlyHttpHeaders.java

\*

/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpServerExpectContinueHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyStreamFrame.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/FullHttpRequest.java

\*

/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/FullHttpResponse.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyStreamFrame.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyWindowUpdateFrame.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyWindowUpdateFrame.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpCodec.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameEncoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawEncoder.java

\*

/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyRstStreamFrame.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandler.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyPingFrame.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaders.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyPingFrame.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyCodecUtil.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyHeadersFrame.java

\*

/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/DefaultFullHttpRequest.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpDecoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdySessionHandler.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdySettingsFrame.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/FullHttpRequest.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyGoAwayFrame.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/DefaultFullHttpResponse.java

\*

/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyDataFrame.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibEncoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyStreamStatus.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdySessionStatus.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockJZlibEncoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdySynReplyFrame.java

\*

/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockEncoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameDecoder.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdySynStreamFrame.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandshakeHandler.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-

jar/io/netty/handler/codec/http/websocketx/WebSocketFrameAggregator.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/cors/package-info.java  
\*  
/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyGoAwayFrame.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyHeaders.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrame.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeadersFrame.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyDataFrame.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdySynStreamFrame.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyRstStreamFrame.java  
\*  
/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyVersion.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketProtocolHandler.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/ComposedLastHttpContent.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdySynReplyFrame.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/Cookie.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/DefaultHttpResponse.java  
\*  
/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/rtsp/RtspRequestEncoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseEncoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpResponse.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpContentDecompressor.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/LastHttpContent.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpObjectEncoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/DefaultHttpHeaders.java  
\*  
/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrame.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/multipart/CaseIgnoringComparator.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/multipart/InterfaceHttpData.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpRequestEncoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/multipart/FileUpload.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/PongWebSocketFrame.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/DefaultHttpRequest.java  
\*  
/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/multipart/InterfaceHttpPostRequestDecoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/multipart/AbstractHttpData.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/DefaultCookie.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/multipart/Attribute.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakerFactory.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/BinaryWebSocketFrame.java  
\*  
/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker07.java

\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/TextWebSocketFrame.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpServerCodec.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/multipart/AbstractMemoryHttpData.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostMultipartRequestDecoder.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/rtsp/RtspMethods.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpRequest.java  
 \*  
 /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpObjectDecoder.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpClientCodec.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpHeaders.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/package-info.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/multipart/DefaultHttpDataFactory.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/multipart/DiskAttribute.java  
 \*  
 /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/rtsp/package-info.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpMethod.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostRequestDecoder.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseStatuses.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostBodyUtil.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/rtsp/RtspVersions.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker13.java  
 \*  
 /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpContentDecoder.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/multipart/MemoryAttribute.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HTTPHeaderDateFormat.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-

jar/io/netty/handler/codec/http/multipart/DiskFileUpload.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/multipart/MixedAttribute.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/rtsp/RtspHeaders.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/HttpContentCompressor.java  
 \*  
 /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/package-info.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/multipart/HttpData.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/WebSocketVersion.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/multipart/HttpPostRequestEncoder.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/multipart/HttpDataFactory.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/multipart/AbstractDiskHttpData.java  
 \*  
 /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/WebSocketHandshakeException.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/spdy/DefaultSpdySettingsFrame.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/WebSocketUtil.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker00.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/rtsp/RtspObjectDecoder.java  
 \*  
 /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/HttpResponseStatus.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/DefaultHttpMessage.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/HttpResponseEncoder.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/HttpRequestDecoder.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/HttpContentEncoder.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/CookieDecoder.java  
 \* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-  
 jar/io/netty/handler/codec/http/HttpMessage.java



\*  
/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/multipart/package-info.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpObject.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/package-info.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseDecoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/DefaultLastHttpContent.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpEncoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/multipart/InternalAttribute.java  
\*  
/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/ContinuationWebSocketFrame.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameEncoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpResponseStreamIdHandler.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/QueryStringDecoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker08.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/multipart/MixedFileUpload.java  
\*  
/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/QueryStringEncoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/DefaultHttpContent.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpObjectAggregator.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/rtsp/RtspObjectEncoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpContent.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/HttpResponseDecoder.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/websocketx/PingWebSocketFrame.java  
\*  
/opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/http/multipart/MemoryFileUpload.java  
\* /opt/cola/permits/1824197347\_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-jar/io/netty/handler/codec/rtsp/RtspRequestDecoder.java

```
* /opt/cola/permits/1824197347_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-
jar/io/netty/handler/codec/spdy/SpdySession.java
* /opt/cola/permits/1824197347_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-
jar/io/netty/handler/codec/http/multipart/HttpPostStandardRequestDecoder.java
* /opt/cola/permits/1824197347_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-
jar/io/netty/handler/codec/http/HttpConstants.java
* /opt/cola/permits/1824197347_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-
jar/io/netty/handler/codec/http/DefaultHttpObject.java
* /opt/cola/permits/1824197347_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-
jar/io/netty/handler/codec/http/HttpHeaders.java
*
/opt/cola/permits/1824197347_1697526480.4248974/0/netty-codec-http-4-1-100-final-sources-
jar/io/netty/handler/codec/http/HttpVersion.java
```

## 1.212 netty-handler-proxy 4.1.100.Final

### 1.212.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2014 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1824197326_1697526531.3224494/0/netty-handler-proxy-4-1-100-final-sources-jar/META-
INF/maven/io.netty.netty-handler-proxy/pom.xml
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
```

\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1824197326\_1697526531.3224494/0/netty-handler-proxy-4-1-100-final-sources-jar/io/netty/handler/proxy/HttpProxyHandler.java  
\* /opt/cola/permits/1824197326\_1697526531.3224494/0/netty-handler-proxy-4-1-100-final-sources-jar/io/netty/handler/proxy/ProxyHandler.java  
\*  
/opt/cola/permits/1824197326\_1697526531.3224494/0/netty-handler-proxy-4-1-100-final-sources-jar/io/netty/handler/proxy/package-info.java  
\* /opt/cola/permits/1824197326\_1697526531.3224494/0/netty-handler-proxy-4-1-100-final-sources-jar/io/netty/handler/proxy/Socks4ProxyHandler.java  
\* /opt/cola/permits/1824197326\_1697526531.3224494/0/netty-handler-proxy-4-1-100-final-sources-jar/io/netty/handler/proxy/Socks5ProxyHandler.java  
\* /opt/cola/permits/1824197326\_1697526531.3224494/0/netty-handler-proxy-4-1-100-final-sources-jar/io/netty/handler/proxy/ProxyConnectionEvent.java  
\* /opt/cola/permits/1824197326\_1697526531.3224494/0/netty-handler-proxy-4-1-100-final-sources-jar/io/netty/handler/proxy/ProxyConnectException.java

## 1.213 netty-codec-socks 4.1.100.Final

### 1.213.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5ServerEncoder.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v4/package-info.java

\*

/opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/package-info.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ServerEncoder.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/AbstractSocks5Message.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponseDecoder.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequestDecoder.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/AbstractSocksMessage.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequestDecoder.java

\*

/opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5ClientEncoder.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponseDecoder.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5Message.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v4/AbstractSocks4Message.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequestDecoder.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ClientEncoder.java

\*

/opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4Message.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponseDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- \* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- \* License for the specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksRequest.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksMessage.java

\*

/opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/SocksMessage.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandResponse.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/package-info.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandStatus.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksMessageEncoder.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksInitResponse.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandRequest.java

\*

/opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandRequest.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ServerDecoder.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandRequest.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialResponse.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksAuthRequestDecoder.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthRequest.java

\*

/opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksInitRequest.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthResponse.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksCmdRequestDecoder.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/UnknownSocksRequest.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponse.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/package-info.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponse.java  
\*  
/opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponse.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksResponse.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandType.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksInitRequestDecoder.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksInitResponseDecoder.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandResponse.java  
\*  
/opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksCmdRequest.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequest.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandResponse.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialRequest.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksAuthResponse.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequest.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequest.java  
\*  
/opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksCmdResponse.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksAuthResponseDecoder.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksCmdResponseDecoder.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksCommonUtils.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ClientDecoder.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-

jar/io/netty/handler/codec/socks/SocksAuthRequest.java

\*

/opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/UnknownSocksResponse.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AddressDecoder.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AddressEncoder.java

\*

/opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/SocksPortUnificationServerHandler.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

-->

Found in path(s):

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/META-INF/maven/io.netty/netty-codec-socks/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksCmdStatus.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthStatus.java

\*

/opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksAddressType.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksAuthScheme.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksRequestType.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksProtocolVersion.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/SocksVersion.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksSubnegotiationVersion.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandStatus.java

\*

/opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksCmdType.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksAuthStatus.java

\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksMessageType.java



\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AuthMethod.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socks/SocksResponseType.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AddressType.java  
\* /opt/cola/permits/1824197353\_1697526488.7772381/0/netty-codec-socks-4-1-100-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandType.java

# 1.214 Iz4 1.9.2

## 1.214.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that

you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you

conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or

collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program

except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is

implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED

OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU

General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Copyright (c) 2014, Ipsantil  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE



DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This repository uses 2 different licenses :

- all files in the `lib` directory use a BSD 2-Clause license
- all other files use a GPLv2 license, unless explicitly stated otherwise

Relevant license is reminded at the top of each source file,  
and with presence of COPYING or LICENSE file in associated directories.

This model is selected to emphasize that  
files in the `lib` directory are designed to be included into 3rd party applications,  
while all other files, in `programs`, `tests` or `examples`,  
receive more limited attention and support for such scenario.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this  
list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this  
list of conditions and the following disclaimer in the documentation and/or  
other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND  
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR  
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE  
GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON  
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: liblz4

Upstream-Contact: Yann Collet <Cyan4973@github.com>

Source: <https://github.com/lz4/lz4>

Files: \*

Copyright: (C) 2011+ Yann Collet

License: GPL-2+

The full text of license: <https://github.com/Cyan4973/lz4/blob/master/lib/LICENSE>

# 1.215 httpcomponents-client 5.0.3

## 1.215.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

=====  
This project includes Public Suffix List copied from  
<[https://publicsuffix.org/list/effective\\_tld\\_names.dat](https://publicsuffix.org/list/effective_tld_names.dat)>  
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <<http://mozilla.org/MPL/2.0/>>

Mozilla Public License Version 2.0  
=====

### 1. Definitions

-----

#### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

#### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

#### 1.3. "Contribution"

means Covered Software of a particular Contributor.

#### 1.4. "Covered Software"

means Source Code

Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

#### 1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

#### 1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those

licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than

fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants and Conditions

-----

### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)

Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its

Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software; or

(b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.



This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

#### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of

the Executable Form how they can obtain a copy of such Source Code

Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\* \* \* \* \*  
\* 6. Disclaimer of Warranty \*  
\* ----- \*  
\* \* \* \* \*  
\* Covered Software is provided under this License on an "as is" \*

\* basis, without warranty of any kind, either expressed, implied, or \*  
 \* statutory, including, without limitation, warranties that the \*  
 \* Covered Software is  
 free of defects, merchantable, fit for a \*  
 \* particular purpose or non-infringing. The entire risk as to the \*  
 \* quality and performance of the Covered Software is with You. \*  
 \* Should any Covered Software prove defective in any respect, You \*  
 \* (not any Contributor) assume the cost of any necessary servicing, \*  
 \* repair, or correction. This disclaimer of warranty constitutes an \*  
 \* essential part of this License. No use of any Covered Software is \*  
 \* authorized under this License except under this disclaimer. \*  
 \*  
 \*  
 \*\*\*\*\*

\*\*\*\*\*

\*  
 \*

\* 7. Limitation of Liability \*  
 \* ----- \*

\*  
 \*

\* Under no circumstances and under no legal theory, whether tort \*  
 \* (including negligence), contract, or otherwise, shall any \*  
 \* Contributor, or anyone who distributes Covered Software as \*  
 \* permitted above, be liable to You for any direct, indirect, \*  
 \* special, incidental, or consequential damages of any character \*  
 \* including, without limitation, damages for lost profits, loss of \*  
 \* goodwill, work stoppage, computer failure or malfunction, or any \*  
 \* and all other commercial damages or losses, even if such party \*  
 \* shall have been informed of the possibility of such damages. This \*  
 \* limitation of liability shall not apply to liability for death or \*  
 \* personal injury resulting from such party's negligence to the \*  
 \* extent applicable law prohibits such limitation. Some \*  
 \* jurisdictions do not allow the exclusion or limitation  
 of \*  
 \* incidental or consequential damages, so this exclusion and \*  
 \* limitation may not apply to You. \*  
 \*  
 \*

8. Litigation  
 -----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.  
Apache HttpComponents Client  
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.216 Iz4 1.9.1

## 1.216.1 Available under license :

GNU GENERAL PUBLIC LICENSE  
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not

price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it,

either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)



These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a

special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For

example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Copyright (c) 2014, Ipsantil  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This repository uses 2 different licenses :

- all files in the `lib` directory use a BSD 2-Clause license
- all other files use a GPLv2 license, unless explicitly stated otherwise

Relevant license is reminded at the top of each source file,  
and with presence of COPYING or LICENSE file in associated directories.

This model is selected to emphasize that files in the `lib` directory are designed to be included into 3rd party applications, while all other files, in `programs`, `tests` or `examples`, receive more limited attention and support for such scenario.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: liblz4

Upstream-Contact: Yann Collet <[Cyan4973@github.com](mailto:Cyan4973@github.com)>

Source: <https://github.com/lz4/lz4>

Files: \*

Copyright: (C) 2011+ Yann Collet

License: GPL-2+

The full text of license: <https://github.com/Cyan4973/lz4/blob/master/lib/LICENSE>

## 1.217 guice 2.14.2

### 1.217.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi)), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-guice` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.218 jetty 11.0.18

## 1.218.1 Available under license :

Notices for Eclipse Jetty

=====

This content is produced and maintained by the Eclipse Jetty project.

Project home: <https://eclipse.dev/jetty/>

Trademarks

-----

Eclipse Jetty, and Jetty are trademarks of the Eclipse Foundation.

Copyright

-----

All contributions are the property of the respective authors or of entities to which copyright has been assigned by the authors (eg. employer).

Declared Project Licenses

-----

This artifacts of this project are made available under the terms of:

\* the Eclipse Public License v2.0

<https://www.eclipse.org/legal/epl-2.0>

SPDX-License-Identifier: EPL-2.0

or

\* the Apache License, Version 2.0

<https://www.apache.org/licenses/LICENSE-2.0>

SPDX-License-Identifier: Apache-2.0

The following dependencies are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following dependencies are EPL and ASL2.

\* org.eclipse.jetty.orbit:javax.security.auth.message

The following dependencies



are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javafx.mail.glassfish

The following dependencies are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* jakarta.servlet:jakarta.servlet-api  
\* javax.annotation:javax.annotation-api  
\* javax.transaction:javax.transaction-api  
\* javax.websocket:javax.websocket-api

The following dependencies are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

\* org.ow2.asm:asm-commons  
\* org.ow2.asm:asm

The following dependencies are ASL2 licensed.

\* org.apache.taglibs:taglibs-standard-spec  
\* org.apache.taglibs:taglibs-standard-impl

The following dependencies are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

\* org.mortbay.jasper:apache-jsp  
\* org.apache.tomcat:tomcat-jasper  
\* org.apache.tomcat:tomcat-juli  
\* org.apache.tomcat:tomcat-jsp-api  
\* org.apache.tomcat:tomcat-el-api  
\* org.apache.tomcat:tomcat-jasper-el  
\* org.apache.tomcat:tomcat-api  
\* org.apache.tomcat:tomcat-util-scan  
\* org.apache.tomcat:tomcat-util  
\* org.mortbay.jasper:apache-el  
\* org.apache.tomcat:tomcat-jasper-el  
\* org.apache.tomcat:tomcat-el-api

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* org.eclipse.jetty.toolchain:jetty-schemas

## Cryptography

-----

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software,

please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other

form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the

licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity.

Each

Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability

for damages, including direct, indirect, special,

incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified

Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any

related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the

minimum

extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone

is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives

no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth

in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,



and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on

Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

SPDX-License-Identifier: EPL-2.0 OR Apache-2.0

# 1.219 micronaut-kubernetes-discovery-client 4.0.0

## 1.219.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1843233524\_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-jar/io/micronaut/kubernetes/configuration/KubernetesConfigMapWatcherCondition.java  
\* /opt/cola/permits/1843233524\_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-jar/io/micronaut/kubernetes/discovery/informer/InstanceProviderInformerNamespaceResolver.java  
\*  
\* /opt/cola/permits/1843233524\_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-jar/io/micronaut/kubernetes/discovery/informer/IndexerCompositeFactory.java  
\* /opt/cola/permits/1843233524\_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-jar/io/micronaut/kubernetes/discovery/informer/IndexerComposite.java  
\* /opt/cola/permits/1843233524\_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-jar/io/micronaut/kubernetes/configuration/ConfigMapLabelSupplier.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2017-2020 original authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1843233524\_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-jar/io/micronaut/kubernetes/KubernetesConfiguration.java  
\* /opt/cola/permits/1843233524\_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-jar/io/micronaut/kubernetes/util/KubernetesUtils.java  
\*

```

/opt/cola/permits/1843233524_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-
jar/io/micronaut/kubernetes/discovery/KubernetesServiceConfiguration.java
* /opt/cola/permits/1843233524_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-
jar/io/micronaut/kubernetes/discovery/provider/AbstractV1ServiceProvider.java
* /opt/cola/permits/1843233524_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-
jar/io/micronaut/kubernetes/discovery/provider/KubernetesServiceInstanceServiceProvider.java
* /opt/cola/permits/1843233524_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-
jar/io/micronaut/kubernetes/discovery/provider/KubernetesServiceInstanceEndpointProvider.java
* /opt/cola/permits/1843233524_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-
jar/io/micronaut/kubernetes/discovery/provider/AbstractV1EndpointsProvider.java
* /opt/cola/permits/1843233524_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-
jar/io/micronaut/kubernetes/configuration/KubernetesConfigMapWatcher.java
*
/opt/cola/permits/1843233524_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-
jar/io/micronaut/kubernetes/health/KubernetesHealthIndicator.java
* /opt/cola/permits/1843233524_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-
jar/io/micronaut/kubernetes/configuration/KubernetesConfigurationClient.java
* /opt/cola/permits/1843233524_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-
jar/io/micronaut/kubernetes/discovery/provider/KubernetesServiceInstanceEndpointInformerProvider.java
* /opt/cola/permits/1843233524_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-
jar/io/micronaut/kubernetes/discovery/KubernetesServiceInstanceList.java
* /opt/cola/permits/1843233524_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-
jar/io/micronaut/kubernetes/discovery/KubernetesServiceInstanceProvider.java
*
/opt/cola/permits/1843233524_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-
jar/io/micronaut/kubernetes/discovery/provider/KubernetesServiceInstanceServiceInformerProvider.java
* /opt/cola/permits/1843233524_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-
jar/io/micronaut/kubernetes/discovery/KubernetesDiscoveryClient.java
* /opt/cola/permits/1843233524_1699484997.2812462/0/micronaut-kubernetes-discovery-client-4-0-0-sources-
jar/io/micronaut/kubernetes/discovery/AbstractKubernetesServiceInstanceProvider.java

```

## 1.220 micronaut-kubernetes-client-reactor

### 4.0.0

#### 1.220.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*

```

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1843233561\_1699485002.196053/0/micronaut-kubernetes-client-reactor-4-0-0-sources-jar/io/micronaut/kubernetes/client/reactor/AsyncCallbackSink.java

## 1.221 hazelcast-jet-kafka 5.2.2

### 1.221.1 Available under license :

No license file was found, but licenses were detected in source scan.

List of third-party dependencies grouped by their license type:

Apache License, Version 2.0  
 Apache Kafka:2.8.2  
 LZ4 and xxHash:1.8.0  
 snappy-java:1.1.8.4  
 BSD 2-Clause License  
 zstd-jni:1.4.5-12  
 MIT License  
 SLF4J API Module:1.7.36

Third-party license texts:

-----

Apache License  
 Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."



"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within

a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-----

#### BSD 2-Clause License

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions  
and the following disclaimer in the  
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT  
HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED  
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

#### BSD 3-Clause License

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided  
that the following conditions are  
met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

Creative Commons Legal Code

CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and

Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free

culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating

CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional

purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent

the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related

Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's

Copyright and Related Rights in the Work.

Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the

Work.

- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

-----

## COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications,  
in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

- A. Any file that results from an addition to, deletion from or modification of the contents of a



file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You"

includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without

Modifications,

and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2.

### Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale,

have made, and/or otherwise dispose of: (1)

Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications

made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License.

You

represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification.

You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software.

However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

#### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such

a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

#### 4. Versions of the License.

##### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

##### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

##### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED

SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the

Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. " 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court

costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

### COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

#### 1. Definitions.

- 1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. "Executable" means the Covered Software in any form other than Source Code.
- 1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.
- 1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.



1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer

hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted:

(1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in

Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH

PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly,

out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation,  
Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN

NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE



PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS "Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and b) in the case of each subsequent Contributor: i) changes to the Program, and ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code,

documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the

Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder. c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program. d) Each Contributor represents that

to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement. e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS 3.1 If a Contributor Distributes the Program in any form, then: a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the

Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose; ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits; iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3. 3.2 When the Program is Distributed as Source Code: a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and b) a copy of this Agreement must be included with each copy of the Program. 3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering,

such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified

Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision

shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice "This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: { name license(s), version(s), and

exceptions or additional  
permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

-----

Elastic License 2.0

URL: <https://www.elastic.co/licensing/elastic-license>

### ## Acceptance

By using the software, you agree to all of the terms and conditions below.

### ## Copyright License

The licensor grants you a non-exclusive, royalty-free, worldwide, non-sublicensable, non-transferable license to use, copy, distribute, make available, and prepare derivative works of the software, in each case subject to the limitations and conditions below.

### ## Limitations

You may not provide the software to third parties as a hosted or managed service, where the service provides users with access to any substantial set of the features or functionality of the software.

You may not move, change, disable, or circumvent the license key functionality in the software, and you may not remove or obscure any functionality in the software that is protected by the license key.

You may not alter, remove, or obscure any licensing, copyright, or other notices of the licensor in the software. Any use of the licensor's trademarks is subject to applicable law.

### ## Patents

The licensor grants you a license, under any patent claims the licensor can

license, or becomes able to license, to make, have made, use, sell, offer for sale, import and have imported the software, in each case subject to the limitations and conditions in this license. This license does not cover any patent claims that you cause to be infringed by modifications or additions to the software. If you or your company make any written claim that the software infringes

or contributes to infringement of any patent, your patent license for the software granted under these terms ends immediately. If your company makes such a claim, your patent license ends immediately for work on behalf of your company.

## ## Notices

You must ensure that anyone who gets a copy of any part of the software from you also gets a copy of these terms.

If you modify the software, you must include in any modified copies of the software prominent notices stating that you have modified the software.

## ## No Other Rights

These terms do not imply any licenses other than those expressly granted in these terms.

## ## Termination

If you use the software in violation of these terms, such use is not licensed, and your licenses will automatically terminate. If the licensor provides you with a notice of your violation, and you cease all violation of this license no later than 30 days after you receive that notice, your licenses will be reinstated retroactively. However, if you violate these terms after such reinstatement, any additional violation of these terms will cause your licenses to terminate automatically and permanently.

## ## No Liability

\*As far as the law allows, the software comes as is, without any warranty or condition, and the licensor will not be liable to you for any damages arising out of these terms or the use or nature of the software, under any kind of legal claim.\*

## ## Definitions

The **\*\*licensor\*\*** is the entity offering these terms, and the **\*\*software\*\*** is the software the licensor makes available under these terms, including any portion of it.

**\*\*you\*\*** refers to the individual or entity agreeing to these terms.

**\*\*your company\*\*** is any legal entity, sole proprietorship, or other kind of organization that you work for, plus all organizations that have control over, are under the control of, or are under common control with that organization. **\*\*control\*\*** means ownership of substantially all the assets of an entity, or the power to direct its management and policies by vote, contract, or otherwise. Control can be direct or indirect.

**\*\*your licenses\*\*** are all the licenses granted to you for the software under these terms.

**\*\*use\*\*** means anything you do with the software requiring one of your licenses.

**\*\*trademark\*\*** means trademarks, service marks, and similar rights.

-----

## GO LICENSE

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE



OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

The JSON License  
Copyright (c) 2002 JSON.org

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----

GNU LIBRARY GENERAL  
PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is numbered 2 because it goes with version 2 of the ordinary GPL.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public

Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some specially designated Free Software Foundation software, and to any other libraries whose authors decide to use it. You can use it for your libraries, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

#### GNU LIBRARY GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library

General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
  
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
  
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
  
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this

License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

c) If distribution of the work is made by offering access to copy

from a designated place, offer equivalent access to copy the above specified materials from the same place.

d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not



signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its

terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you

may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to

be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY

AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name  
and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

You should have received a copy of the GNU Library General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a

"copyright disclaimer" for the library, if  
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the  
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

-----

The MIT License

Permission is hereby granted, free of charge, to any person obtaining a  
copy of this software and associated documentation files (the  
"Software"), to deal in the Software without restriction, including  
without limitation the rights to use, copy, modify, merge, publish,  
distribute, sublicense, and/or sell copies of the Software, and to  
permit persons to whom the Software is furnished to do so, subject to  
the following conditions:

The above copyright notice and this permission notice shall be included  
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS  
OR IMPLIED,  
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY  
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,  
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE  
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your

freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and

modification follow.

GNU GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form)

with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.



You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded.

In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will

be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest

possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program

`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

#### The Universal FOSS Exception, Version 1.0

In addition to the rights set forth in the other license(s) included in the distribution for this software, data, and/or documentation (collectively the "Software," and such licenses collectively with this additional permission the "Software License"), the copyright holders wish to facilitate interoperability with other software, data, and/or documentation distributed with complete corresponding source under a license that is OSI-approved and/or categorized by the FSF as free

(collectively "Other FOSS"). We therefore hereby grant the following additional permission with respect to the use and distribution of the Software with Other FOSS, and the constants, function signatures, data structures and other invocation methods used to run or interact with each of them (as to each, such software's "Interfaces"):

(i) The Software's Interfaces may, to the extent permitted by the license of the Other FOSS, be copied into, used and distributed in the Other FOSS in order to enable interoperability, without requiring a change to the license of the Other FOSS other than as to any Interfaces of the Software embedded therein. The Software's Interfaces remain at all times under the Software License, including without limitation as used in the Other FOSS (which upon any such use also then contains a portion of the Software under the Software License).

(ii) The Other FOSS's Interfaces may, to the extent permitted by the license of the Other FOSS, be copied into, used and distributed in the Software in order to enable interoperability, without requiring that such Interfaces be licensed under the terms of the Software License or otherwise altering their original terms, if this does not require any portion of the Software other than such Interfaces to be licensed under the terms other than the Software License.

(iii) If only Interfaces and no other code is copied between the Software and the Other FOSS in either direction, the use and/or distribution of the Software with the Other FOSS shall not be deemed to require that the Other FOSS be licensed

under the license of the Software, other than as to any Interfaces of the Software copied into the Other FOSS. This includes, by way of example and without limitation, statically or dynamically linking the Software together with Other FOSS after enabling interoperability using the Interfaces of one or both, and distributing the resulting combination under different licenses for the respective portions thereof.

For avoidance of doubt, a license which is OSI-approved or categorized by the FSF as free, includes, for the purpose of this permission, such licenses with additional permissions, and any license that has previously been so-approved or categorized as free, even if now deprecated or otherwise no longer recognized as approved or free. Nothing in this additional permission grants any right to distribute any portion of the Software on terms other than those of the Software License or grants any additional permission of any kind for use or distribution of the Software in conjunction with software other than Other FOSS.

Found in path(s):

\* /opt/cola/permits/1843233515\_1699485013.252684/0/hazelcast-jet-kafka-5-2-2-sources-jar/THIRD-PARTY.txt

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2021 Hazelcast Inc.

~

~ Licensed under the Hazelcast Community License (the "License");

~ you may not use this file except in compliance with the License.

~ You may obtain a copy of the License at

~

~ <http://hazelcast.com/hazelcast-community-license>

~

~ Unless required by applicable law or agreed to in writing, software

~ distributed under the License is distributed on an "AS IS" BASIS,

~ WITHOUT WARRANTIES OF ANY KIND, either express or implied.

~ See the License for the specific language governing permissions and

~ limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1843233515\_1699485013.252684/0/hazelcast-jet-kafka-5-2-2-sources-jar/META-

INF/maven/com.hazelcast.jet/hazelcast-jet-kafka/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 Hazelcast Inc.

\*

\* Licensed under the Hazelcast Community License (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

- \* <http://hazelcast.com/hazelcast-community-license>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1843233515\_1699485013.252684/0/hazelcast-jet-kafka-5-2-2-sources-jar/com/hazelcast/jet/kafka/KafkaSinks.java
- \* /opt/cola/permits/1843233515\_1699485013.252684/0/hazelcast-jet-kafka-5-2-2-sources-jar/com/hazelcast/jet/kafka/impl/HazelcastJsonValueDeserializer.java
- \* /opt/cola/permits/1843233515\_1699485013.252684/0/hazelcast-jet-kafka-5-2-2-sources-jar/com/hazelcast/jet/kafka/KafkaSources.java
- \*
- /opt/cola/permits/1843233515\_1699485013.252684/0/hazelcast-jet-kafka-5-2-2-sources-jar/com/hazelcast/jet/kafka/package-info.java
- \* /opt/cola/permits/1843233515\_1699485013.252684/0/hazelcast-jet-kafka-5-2-2-sources-jar/com/hazelcast/jet/kafka/impl/WriteKafkaP.java
- \* /opt/cola/permits/1843233515\_1699485013.252684/0/hazelcast-jet-kafka-5-2-2-sources-jar/com/hazelcast/jet/kafka/impl/ResumeTransactionUtil.java
- \* /opt/cola/permits/1843233515\_1699485013.252684/0/hazelcast-jet-kafka-5-2-2-sources-jar/com/hazelcast/jet/kafka/impl/StreamKafkaP.java
- \* /opt/cola/permits/1843233515\_1699485013.252684/0/hazelcast-jet-kafka-5-2-2-sources-jar/com/hazelcast/jet/kafka/impl/HazelcastJsonValueSerializer.java
- \* /opt/cola/permits/1843233515\_1699485013.252684/0/hazelcast-jet-kafka-5-2-2-sources-jar/com/hazelcast/jet/kafka/KafkaProcessors.java

## 1.222 kubernetes-server-mock 6.5.0

### 1.222.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Copyright (C) 2015 Red Hat, Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1843233507\_1699485006.6250699/0/kubernetes-server-mock-6-5-0-jar/META-INF/maven/io.fabric8/kubernetes-server-mock/pom.xml

## 1.223 micronaut-kubernetes-client 4.0.0

### 1.223.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2022 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1843233553\_1699484999.6623178/0/micronaut-kubernetes-client-4-0-0-sources-jar/io/micronaut/kubernetes/client/DiscoveryCache.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-2021 original authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1843233553\_1699484999.6623178/0/micronaut-kubernetes-client-4-0-0-sources-jar/io/micronaut/kubernetes/client/OkHttpClientLogging.java
- \* /opt/cola/permits/1843233553\_1699484999.6623178/0/micronaut-kubernetes-client-4-0-0-sources-jar/io/micronaut/kubernetes/client/DefaultPodNameResolver.java
- \*
- /opt/cola/permits/1843233553\_1699484999.6623178/0/micronaut-kubernetes-client-4-0-0-sources-jar/io/micronaut/kubernetes/client/ModelMapper.java
- \* /opt/cola/permits/1843233553\_1699484999.6623178/0/micronaut-kubernetes-client-4-0-0-sources-jar/io/micronaut/kubernetes/client/PodNameResolver.java
- \* /opt/cola/permits/1843233553\_1699484999.6623178/0/micronaut-kubernetes-client-4-0-0-sources-jar/io/micronaut/kubernetes/client/DiscoveryFactory.java
- \* /opt/cola/permits/1843233553\_1699484999.6623178/0/micronaut-kubernetes-client-4-0-0-sources-jar/io/micronaut/kubernetes/client/graalvm/KubernetesClientFeature.java
- \* /opt/cola/permits/1843233553\_1699484999.6623178/0/micronaut-kubernetes-client-4-0-0-sources-jar/io/micronaut/kubernetes/client/ApiClientFactory.java
- \* /opt/cola/permits/1843233553\_1699484999.6623178/0/micronaut-kubernetes-client-4-0-0-sources-jar/io/micronaut/kubernetes/client/NamespaceResolver.java
- \* /opt/cola/permits/1843233553\_1699484999.6623178/0/micronaut-kubernetes-client-4-0-0-sources-jar/io/micronaut/kubernetes/client/DefaultNamespaceResolver.java
- \*
- /opt/cola/permits/1843233553\_1699484999.6623178/0/micronaut-kubernetes-client-4-0-0-sources-jar/io/micronaut/kubernetes/client/ApiClientConfiguration.java
- \* /opt/cola/permits/1843233553\_1699484999.6623178/0/micronaut-kubernetes-client-4-0-0-sources-jar/io/micronaut/kubernetes/client/Apis.java
- \* /opt/cola/permits/1843233553\_1699484999.6623178/0/micronaut-kubernetes-client-4-0-0-sources-jar/io/micronaut/kubernetes/client/ApisAutomaticFeatureMetadata.java

## 1.224 micronaut-kubernetes-informer 4.0.0

### 1.224.1 Available under license :

No license file was found, but licenses were detected in source scan.

- /\*
- \* Copyright 2017-2022 original authors
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*



- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1843233545\_1699484994.659362/0/micronaut-kubernetes-informer-4-0-0-sources-jar/io/micronaut/kubernetes/client/informer/DefaultSharedIndexInformerFactory.java
- \* /opt/cola/permits/1843233545\_1699484994.659362/0/micronaut-kubernetes-informer-4-0-0-sources-jar/io/micronaut/kubernetes/client/informer/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2017-2021 original authors
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1843233545\_1699484994.659362/0/micronaut-kubernetes-informer-4-0-0-sources-jar/io/micronaut/kubernetes/client/informer/resolvers/DefaultInformerResourcePluralResolver.java
- \* /opt/cola/permits/1843233545\_1699484994.659362/0/micronaut-kubernetes-informer-4-0-0-sources-jar/io/micronaut/kubernetes/client/informer/resolvers/InformerNamespaceResolver.java
- \*

/opt/cola/permits/1843233545\_1699484994.659362/0/micronaut-kubernetes-informer-4-0-0-sources-jar/io/micronaut/kubernetes/client/informer/resolvers/DefaultInformerLabelSelectorResolver.java

\* /opt/cola/permits/1843233545\_1699484994.659362/0/micronaut-kubernetes-informer-4-0-0-sources-jar/io/micronaut/kubernetes/client/informer/SharedIndexInformerFactory.java

\* /opt/cola/permits/1843233545\_1699484994.659362/0/micronaut-kubernetes-informer-4-0-0-sources-jar/io/micronaut/kubernetes/client/informer/resolvers/DefaultInformerApiGroupResolver.java

\* /opt/cola/permits/1843233545\_1699484994.659362/0/micronaut-kubernetes-informer-4-0-0-sources-jar/io/micronaut/kubernetes/client/informer/Informer.java

\* /opt/cola/permits/1843233545\_1699484994.659362/0/micronaut-kubernetes-informer-4-0-0-sources-jar/io/micronaut/kubernetes/client/informer/EmptyLabelSupplier.java

\* /opt/cola/permits/1843233545\_1699484994.659362/0/micronaut-kubernetes-informer-4-0-0-sources-jar/io/micronaut/kubernetes/client/informer/resolvers/DefaultInformerNamespaceResolver.java

```

*
/opt/cola/permits/1843233545_1699484994.659362/0/micronaut-kubernetes-informer-4-0-0-sources-
jar/io/micronaut/kubernetes/client/informer/InformerFactoryLifecycleListener.java
* /opt/cola/permits/1843233545_1699484994.659362/0/micronaut-kubernetes-informer-4-0-0-sources-
jar/io/micronaut/kubernetes/client/informer/resolvers/InformerApiGroupResolver.java
* /opt/cola/permits/1843233545_1699484994.659362/0/micronaut-kubernetes-informer-4-0-0-sources-
jar/io/micronaut/kubernetes/client/informer/ResourceEventHandlerBeanListener.java
* /opt/cola/permits/1843233545_1699484994.659362/0/micronaut-kubernetes-informer-4-0-0-sources-
jar/io/micronaut/kubernetes/client/informer/InformerAnnotationUtils.java
* /opt/cola/permits/1843233545_1699484994.659362/0/micronaut-kubernetes-informer-4-0-0-sources-
jar/io/micronaut/kubernetes/client/informer/resolvers/InformerLabelSelectorResolver.java
*
/opt/cola/permits/1843233545_1699484994.659362/0/micronaut-kubernetes-informer-4-0-0-sources-
jar/io/micronaut/kubernetes/client/informer/EmptyNamespacesSupplier.java
* /opt/cola/permits/1843233545_1699484994.659362/0/micronaut-kubernetes-informer-4-0-0-sources-
jar/io/micronaut/kubernetes/client/informer/InformerConfiguration.java
* /opt/cola/permits/1843233545_1699484994.659362/0/micronaut-kubernetes-informer-4-0-0-sources-
jar/io/micronaut/kubernetes/client/informer/resolvers/InformerResourcePluralResolver.java

```

## 1.225 servicecatalog-model 6.5.0

### 1.225.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/**
 * Copyright (C) 2015 Red Hat, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

```

Found in path(s):

```

* /opt/cola/permits/1843233498_1699485016.3737166/0/servicecatalog-model-6-5-0-sources-
jar/io/fabric8/servicecatalog/api/model/Constants.java

```

No license file was found, but licenses were detected in source scan.

<!--

Copyright (C) 2015 Red Hat, Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1843233498\_1699485016.3737166/0/servicecatalog-model-6-5-0-sources-jar/META-INF/maven/io.fabric8/servicecatalog-model/pom.xml

## 1.226 servicecatalog-client 6.5.0

### 1.226.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Copyright (C) 2015 Red Hat, Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1843233514\_1699485010.1931226/0/servicecatalog-client-6-5-0-sources-jar/META-INF/maven/io.fabric8/servicecatalog-client/pom.xml

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (C) 2015 Red Hat, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1843233514_1699485010.1931226/0/servicecatalog-client-6-5-0-sources-
jar/io/fabric8/servicecatalog/client/NamespacedServiceCatalogClient.java
* /opt/cola/permits/1843233514_1699485010.1931226/0/servicecatalog-client-6-5-0-sources-
jar/io/fabric8/servicecatalog/client/internal/ClusterServiceClassOperationsImpl.java
*
/opt/cola/permits/1843233514_1699485010.1931226/0/servicecatalog-client-6-5-0-sources-
jar/io/fabric8/servicecatalog/client/dsl/ServiceBindingResource.java
* /opt/cola/permits/1843233514_1699485010.1931226/0/servicecatalog-client-6-5-0-sources-
jar/io/fabric8/servicecatalog/client/internal/ServiceBindingOperationsImpl.java
* /opt/cola/permits/1843233514_1699485010.1931226/0/servicecatalog-client-6-5-0-sources-
jar/io/fabric8/servicecatalog/client/dsl/ClusterServiceClassResource.java
* /opt/cola/permits/1843233514_1699485010.1931226/0/servicecatalog-client-6-5-0-sources-
jar/io/fabric8/servicecatalog/client/ServiceCatalogClient.java
* /opt/cola/permits/1843233514_1699485010.1931226/0/servicecatalog-client-6-5-0-sources-
jar/io/fabric8/servicecatalog/client/dsl/ServiceInstanceResource.java
* /opt/cola/permits/1843233514_1699485010.1931226/0/servicecatalog-client-6-5-0-sources-
jar/io/fabric8/servicecatalog/client/internal/ServiceInstanceOperationsImpl.java
* /opt/cola/permits/1843233514_1699485010.1931226/0/servicecatalog-client-6-5-0-sources-
jar/io/fabric8/servicecatalog/client/internal/ClusterServiceBrokerOperationsImpl.java
*
/opt/cola/permits/1843233514_1699485010.1931226/0/servicecatalog-client-6-5-0-sources-
jar/io/fabric8/servicecatalog/client/internal/ClusterServicePlanOperationsImpl.java
* /opt/cola/permits/1843233514_1699485010.1931226/0/servicecatalog-client-6-5-0-sources-
jar/io/fabric8/servicecatalog/client/dsl/ClusterServiceBrokerResource.java
* /opt/cola/permits/1843233514_1699485010.1931226/0/servicecatalog-client-6-5-0-sources-
jar/io/fabric8/servicecatalog/client/GenericServiceCatalogClient.java
* /opt/cola/permits/1843233514_1699485010.1931226/0/servicecatalog-client-6-5-0-sources-
jar/io/fabric8/servicecatalog/client/DefaultServiceCatalogClient.java
* /opt/cola/permits/1843233514_1699485010.1931226/0/servicecatalog-client-6-5-0-sources-
```

```
jar/io/fabric8/servicecatalog/client/util/ApiVersionUtil.java
* /opt/cola/permits/1843233514_1699485010.1931226/0/servicecatalog-client-6-5-0-sources-
jar/io/fabric8/servicecatalog/client/dsl/ClusterServicePlanResource.java
*
/opt/cola/permits/1843233514_1699485010.1931226/0/servicecatalog-client-6-5-0-sources-
jar/io/fabric8/servicecatalog/client/ServiceCatalogExtensionAdapter.java
No license file was found, but licenses were detected in source scan.

#
# Copyright (C) 2018 Red Hat inc.
#
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
#

io.fabric8.servicecatalog.client.ServiceCatalogExtensionAdapter

Found in path(s):
* /opt/cola/permits/1843233514_1699485010.1931226/0/servicecatalog-client-6-5-0-sources-jar/META-
INF/services/io.fabric8.kubernetes.client.extension.ExtensionAdapter
```

## 1.227 jetty-security 11.0.18

### 1.227.1 Available under license :

Notices for Eclipse Jetty

=====

This content is produced and maintained by the Eclipse Jetty project.

Project home: <https://eclipse.dev/jetty/>

Trademarks

-----

Eclipse Jetty, and Jetty are trademarks of the Eclipse Foundation.

Copyright

-----

All contributions are the property of the respective authors or of entities to which copyright has been assigned by the authors (eg. employer).

## Declared Project Licenses

-----

This artifacts of this project are made available under the terms of:

- \* the Eclipse Public License v2.0  
<https://www.eclipse.org/legal/epl-2.0>  
SPDX-License-Identifier: EPL-2.0

or

- \* the Apache License, Version 2.0  
<https://www.apache.org/licenses/LICENSE-2.0>  
SPDX-License-Identifier: Apache-2.0

The following dependencies are EPL.

- \* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following dependencies are EPL and ASL2.

- \* org.eclipse.jetty.orbit:javafx.security.auth.message

The following dependencies

are EPL and CDDL 1.0.

- \* org.eclipse.jetty.orbit:javafx.mail.glassfish

The following dependencies are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* jakarta.servlet:jakarta.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

The following dependencies are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- \* org.ow2.asm:asm-commons
- \* org.ow2.asm:asm

The following dependencies are ASL2 licensed.

- \* org.apache.taglibs:taglibs-standard-spec
- \* org.apache.taglibs:taglibs-standard-impl

The following dependencies are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

- \* org.mortbay.jasper:apache-jsp

- \* org.apache.tomcat:tomcat-jasper
- \* org.apache.tomcat:tomcat-juli
- \* org.apache.tomcat:tomcat-jsp-api
- \* org.apache.tomcat:tomcat-el-api
- \* org.apache.tomcat:tomcat-jasper-el
- \* org.apache.tomcat:tomcat-api
- \* org.apache.tomcat:tomcat-util-scan
- \* org.apache.tomcat:tomcat-util
- \* org.mortbay.jasper:apache-el
- \* org.apache.tomcat:tomcat-jasper-el
- \* org.apache.tomcat:tomcat-el-api

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* org.eclipse.jetty.toolchain:jetty-schemas

## Cryptography

-----

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and

ii) additions to the Program;  
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.



## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each

Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

## 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution

notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors,

compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation

is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives

no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: { name license(s), version(s), and exceptions or additional permissions here }."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot

be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A



PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

SPDX-License-Identifier: EPL-2.0 OR Apache-2.0

## 1.228 jetty 11.0.18

### 1.228.1 Available under license :

Notices for Eclipse Jetty

=====

This content is produced and maintained by the Eclipse Jetty project.

Project home: <https://eclipse.dev/jetty/>

Trademarks

-----

Eclipse Jetty, and Jetty are trademarks of the Eclipse Foundation.

Copyright

-----

All contributions are the property of the respective authors or of entities to which copyright has been assigned by the authors (eg. employer).

Declared Project Licenses

-----

This artifacts of this project are made available under the terms of:

\* the Eclipse Public License v2.0  
<https://www.eclipse.org/legal/epl-2.0>  
SPDX-License-Identifier: EPL-2.0

or

\* the Apache License, Version 2.0  
<https://www.apache.org/licenses/LICENSE-2.0>  
SPDX-License-Identifier: Apache-2.0

The following dependencies are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following dependencies are EPL and ASL2.

\* org.eclipse.jetty.orbit:javax.security.auth.message

The following dependencies

are EPL and CDDL 1.0.

- \* org.eclipse.jetty.orbit:javafx.mail.glassfish

The following dependencies are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* jakarta.servlet:jakarta.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

The following dependencies are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- \* org.ow2.asm:asm-commons
- \* org.ow2.asm:asm

The following dependencies are ASL2 licensed.

- \* org.apache.taglibs:taglibs-standard-spec
- \* org.apache.taglibs:taglibs-standard-impl

The following dependencies are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

- \* org.mortbay.jasper:apache-jsp
- \* org.apache.tomcat:tomcat-jasper
- \* org.apache.tomcat:tomcat-juli
- \* org.apache.tomcat:tomcat-jsp-api
- \* org.apache.tomcat:tomcat-el-api
- \* org.apache.tomcat:tomcat-jasper-el
- \* org.apache.tomcat:tomcat-api
- \* org.apache.tomcat:tomcat-util-scan
- \* org.apache.tomcat:tomcat-util
- \* org.mortbay.jasper:apache-el
- \* org.apache.tomcat:tomcat-jasper-el
- \* org.apache.tomcat:tomcat-el-api

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* org.eclipse.jetty.toolchain:jetty-schemas

Cryptography

-----

Content may contain encryption software. The country in which you are currently

may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity.

Each

Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability

for damages, including direct, indirect, special,  
incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights  
in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any  
party to be under a license that satisfies the requirements  
of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the  
Program (i) is combined with other material in a separate file or  
files made available under a Secondary License, and (ii) the initial  
Contributor attached to the Source Code the notice described in  
Exhibit A of this Agreement, then the Program may be made available  
under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of  
the Program.

3.3 Contributors may not remove or alter any copyright, patent,  
trademark, attribution  
notices, disclaimers of warranty, or limitations  
of liability ("notices") contained within the Program from any copy of  
the Program which they Distribute, provided that Contributors may add  
their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities  
with respect to end users, business partners and the like. While this  
license is intended to facilitate the commercial use of the Program,  
the Contributor who includes the Program in a commercial product  
offering should do so in a manner which does not create potential  
liability for other Contributors. Therefore, if a Contributor includes  
the Program in a commercial product offering, such Contributor  
("Commercial Contributor") hereby agrees to defend and indemnify every  
other Contributor ("Indemnified Contributor") against any losses,  
damages and costs (collectively "Losses") arising from claims, lawsuits  
and other legal actions brought by a third party against  
the Indemnified  
Contributor to the extent caused by the acts or omissions of such  
Commercial Contributor in connection with its distribution of the Program  
in a commercial product offering. The obligations in this section do not  
apply to any claims or Losses relating to any actual or alleged  
intellectual property infringement. In order to qualify, an Indemnified

Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under



applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot

be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

SPDX-License-Identifier: EPL-2.0 OR Apache-2.0

# 1.229 jetty-servlets 11.0.18

## 1.229.1 Available under license :

Notices for Eclipse Jetty

=====

This content is produced and maintained by the Eclipse Jetty project.

Project home: <https://eclipse.dev/jetty/>

## Trademarks

-----

Eclipse Jetty, and Jetty are trademarks of the Eclipse Foundation.

## Copyright

-----

All contributions are the property of the respective authors or of entities to which copyright has been assigned by the authors (eg. employer).

## Declared Project Licenses

-----

This artifacts of this project are made available under the terms of:

- \* the Eclipse Public License v2.0  
<https://www.eclipse.org/legal/epl-2.0>  
SPDX-License-Identifier: EPL-2.0

or

- \* the Apache License, Version 2.0  
<https://www.apache.org/licenses/LICENSE-2.0>  
SPDX-License-Identifier: Apache-2.0

The following dependencies are EPL.

- \* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following dependencies are EPL and ASL2.

- \* org.eclipse.jetty.orbit:javafx.security.auth.message

The following dependencies

are EPL and CDDL 1.0.

- \* org.eclipse.jetty.orbit:javafx.mail.glassfish

The following dependencies are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* jakarta.servlet:jakarta.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

The following dependencies are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- \* org.ow2.asm:asm-commons
- \* org.ow2.asm:asm

The following dependencies are ASL2 licensed.

- \* org.apache.taglibs:taglibs-standard-spec
- \* org.apache.taglibs:taglibs-standard-impl

The following dependencies are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

- \* org.mortbay.jasper:apache-jsp
- \* org.apache.tomcat:tomcat-jasper
- \* org.apache.tomcat:tomcat-juli
- \* org.apache.tomcat:tomcat-jsp-api
- \* org.apache.tomcat:tomcat-el-api
- \* org.apache.tomcat:tomcat-jasper-el
- \* org.apache.tomcat:tomcat-api
- \* org.apache.tomcat:tomcat-util-scan
- \* org.apache.tomcat:tomcat-util
- \* org.mortbay.jasper:apache-el
- \* org.apache.tomcat:tomcat-jasper-el
- \* org.apache.tomcat:tomcat-el-api

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* org.eclipse.jetty.toolchain:jetty-schemas

## Cryptography

-----

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.



## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity.

Each

Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability

for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of

the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses

granted by Recipient relating to the Program shall continue and survive.

Everyone

is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives

no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of

electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:



- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on

Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

SPDX-License-Identifier: EPL-2.0 OR Apache-2.0

## 1.230 jetty-util 11.0.18

### 1.230.1 Available under license :

Notices for Eclipse Jetty

=====

This content is produced and maintained by the Eclipse Jetty project.

Project home: <https://eclipse.dev/jetty/>

Trademarks

-----

Eclipse Jetty, and Jetty are trademarks of the Eclipse Foundation.

Copyright

-----

All contributions are the property of the respective authors or of entities to which copyright has been assigned by the authors (eg. employer).

Declared Project Licenses

-----

This artifacts of this project are made available under the terms of:

\* the Eclipse Public License v2.0

<https://www.eclipse.org/legal/epl-2.0>

SPDX-License-Identifier: EPL-2.0

or

\* the Apache License, Version 2.0  
<https://www.apache.org/licenses/LICENSE-2.0>  
SPDX-License-Identifier: Apache-2.0

The following dependencies are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following dependencies are EPL and ASL2.

\* org.eclipse.jetty.orbit:javafx.security.auth.message

The following dependencies  
are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javafx.mail.glassfish

The following dependencies are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* jakarta.servlet:jakarta.servlet-api  
\* javax.annotation:javax.annotation-api  
\* javax.transaction:javax.transaction-api  
\* javax.websocket:javax.websocket-api

The following dependencies are licensed by the OW2 Foundation according to the  
terms of <http://asm.ow2.org/license.html>

\* org.ow2.asm:asm-commons  
\* org.ow2.asm:asm

The following dependencies are ASL2 licensed.

\* org.apache.taglibs:taglibs-standard-spec  
\* org.apache.taglibs:taglibs-standard-impl

The following dependencies are ASL2 licensed. Based on selected classes from  
following Apache Tomcat jars, all ASL2 licensed.

\* org.mortbay.jasper:apache-jsp  
\* org.apache.tomcat:tomcat-jasper  
\* org.apache.tomcat:tomcat-juli  
\* org.apache.tomcat:tomcat-jsp-api  
\* org.apache.tomcat:tomcat-el-api  
\* org.apache.tomcat:tomcat-jasper-el  
\* org.apache.tomcat:tomcat-api  
\* org.apache.tomcat:tomcat-util-scan  
\* org.apache.tomcat:tomcat-util  
\* org.mortbay.jasper:apache-el  
\* org.apache.tomcat:tomcat-jasper-el

\* org.apache.tomcat:tomcat-el-api

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* org.eclipse.jetty.toolchain:jetty-schemas

## Cryptography

-----  
Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke,

Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby

grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity.

Each

Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license

different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability

for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

### 3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution

notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every



other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST

PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient

receives

no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on

Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

SPDX-License-Identifier: EPL-2.0 OR Apache-2.0

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2023 Cisco Systems, Inc. All rights reserved.